


2019 Washington Street, East Charleston, WV 25305 Telephone: 304-558-2306 General Fax: 304-558-6026

Bid Fax: 304-558-3970

The following documentation is an electronically-submitted vendor response to an advertised solicitation from the *West Virginia Purchasing Bulletin* within the Vendor Self-Service portal at *wvOASIS.gov*. As part of the State of West Virginia's procurement process, and to maintain the transparency of the bid-opening process, this documentation submitted online is publicly posted by the West Virginia Purchasing Division at *WVPurchasing.gov* with any other vendor responses to this solicitation submitted to the Purchasing Division in hard copy format.





# State of West Virginia Solicitation Response

Proc Folder: 675861

Solicitation Description : Addendum

Proc Type : Central Purchase Order

Date issued	Solicitation Closes	Solicitation Response	Version
	2020-03-17 13:30:00	SR 0211 ESR0317200000005337	1

VENDOR

000000198107

**BOONE TRACTOR & IMPLEMENT CO** 

Solicitation Number: CRFQ 0211 GSD2000000037

**Total Bid :** \$98,289.32 **Response Date:** 2020-03-17 **Response Time:** 11:32:22

Comments:

FOR INFORMATION CONTACT THE BUYER

Joseph E Hager III (304) 558-2306 joseph.e.hageriii@wv.gov

Signature on File FEIN # DATE


All offers subject to all terms and conditions contained in this solicitation

Page: 1 FORM ID: WV-PRC-SR-001

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
1	John Deere 333G (or equal) Skid Steer Track Loader	1.00000	EA	\$98,289.320000	\$98,289.32

Comm Code	Manufacturer	Specification	Model #	
22101529				
Extended Descrip	tion: John Deere 3330	G (or equal) Skid Steer Track Loader		

Comments: New Holland C345 bid as specified



State of West Virginia Request for Quotation 13 - Equipment

Proc Folder: 675861

Doc Description: Addendum

Proc Type: Central Purchase Order

Version Solicitation No Solicitation Closes **Date Issued** 3 0211 GSD2000000037 2020-03-12 2020-03-17 CRFQ 13:30:00

BID RECEIVING LOCATION

**BID CLERK** 

DEPARTMENT OF ADMINISTRATION

PURCHASING DIVISION

2019 WASHINGTON ST E

CHARLESTON

WV 25305

US

VENDOR

Vendor Name, Address and Telephone Number:

Boone Tractor 15668 Sonera Trail N Lewisbus WV 24901

304-645- 1711 Ext 516

FOR INFORMATION CONTACT THE BUYER

Joseph E Hager III (304) 558-2306

joseph.e.hageriii@wv.gov

FEIN# 54-1263693 DATE 3-17-2020

All offers subject to all terms and conditions contained in this solicitation

### ADDITIONAL INFORMATION:

### Addendum

Addendum #2 issued to publish and distribute the attached information to the vendor community

### Request for Quotation

The West Virginia Purchasing Division is soliciting bids on behalf of the Agency, The General Services Division to establish a contract for the one-time purchase of one New John Deere 333G (or equal) Compact Skid Steer Track Loader per the bid requirements, specifications, and terms and conditions attached hereto.

INVOICE TO		SHIP TO	
DEPARTMENT OF ADMII GENERAL SERVICES DI		DEPARTMENT OF ADMINIS	STRATION SION GROUNDS SECTION - LOT/BLDG 98
112 CALIFORNIA AVENU	E, 5TH FLOOR	321 MICHIGAN AVE	
CHARLESTON WV25305		CHARLESTON	WV 25305
US		US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
1	John Deere 333G (or equal) Skid Steer Track Loader	1.00000	EA	\$ 98289.32	\$ 98289,32

Comm Code Manufacturer		Specification	Model#	
22101529	New Holland	as Specified	C345	

### **Extended Description:**

John Deere 333G (or equal) Skid Steer Track Loader

## SOLICITATION NUMBER: CRFQ 0211 GSD2000000037 Addendum Number: No.02

The purpose of this addendum is to modify the solicitation identified as ("Solicitation") to reflect the change(s) identified and described below.

App	plicabl	e A	ddendum Category:
	[	J	Modify bid opening date and time
	[	1	Modify specifications of product or service being sought
	[	1	Attachment of vendor questions and responses
	[	1	Attachment of pre-bid sign-in sheet
	[		Correction of error
	IV	1	Other

### **Description of Modification to Solicitation:**

Addendum issued to publish and distribute the attached documentation to the vendor community.

1. To include omitted page of questions and answers from vendor Q&A responses

**Additional Documentation:** Documentation related to this Addendum (if any) has been included herewith as Attachment A and is specifically incorporated herein by reference.

### Terms and Conditions:

- All provisions of the Solicitation and other addenda not modified herein shall remain in full force and effect.
- 2. Vendor should acknowledge receipt of all addenda issued for this Solicitation by completing an Addendum Acknowledgment, a copy of which is included herewith. Failure to acknowledge addenda may result in bid disqualification. The addendum acknowledgement should be submitted with the bid to expedite document processing.

Revised 6/8/2012

# ADDENDUM ACKNOWLEDGEMENT FORM SOLICITATION NO.: GSD2000000037

**Instructions:** Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

**Acknowledgment:** I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

	Numbers Received:			
(Check the bo	ox next to each addendum rece	ive	d)	
[1	Addendum No. 1	[	]	Addendum No. 6
[1	Addendum No. 2	Seeseeseed	]	Addendum No. 7
[ ]	Addendum No. 3	Section 1	]	Addendum No. 8
[ ]	Addendum No. 4		]	Addendum No. 9
[ ]	Addendum No. 5		]	Addendum No. 10
further unders discussion he	stand that any verbal represent ld between Vendor's represent	atio tativ	n mayes a	Idenda may be cause for rejection of this bid. I ade or assumed to be made during any oral and any state personnel is not binding. Only the ifications by an official addendum is binding.
				Company
				Clove Dashor
				Authorized Signature
				3/17/2020
				Date

NOTE: This addendum acknowledgement should be submitted with the bid to expedite document processing.

Revised 6/8/2012

# ADDENDUM ACKNOWLEDGEMENT FORM SOLICITATION NO.:

Instructions: Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

Acknowledgment: I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

Addendum Numbers Received: (Check the box next to each addendum received)  Addendum No. 1
☐ Addendum No. 2       ☐ Addendum No. 7         ☐ Addendum No. 3       ☐ Addendum No. 8         ☐ Addendum No. 4       ☐ Addendum No. 9         ☐ Addendum No. 5       ☐ Addendum No. 10
I understand that failure to confirm the receipt of addenda may be cause for rejection of this bit I further understand that any verbal representation made or assumed to be made during any ora discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.
Boone Tractor Company
Authorized Signature
3-17- 202-0 Date

NOTE: This addendum acknowledgement should be submitted with the bid to expedite document processing.

**DESIGNATED CONTACT:** Vendor appoints the individual identified in this Section as the Contract Administrator and the initial point of contact for matters relating to this Contract.

choor Dodor, Sales
(Name, Title)
Tsaac Dasher, Sales (Printed Name and Title)
(Printed Name and Title)
15668 Seneca Trail N. Lowisburg WV 24901
(Address)
304-645-1711 Ext 516, 304-645-2464
(Phone Number) / (Fax Number)
Isaac @ Boone tractor, com
(email address)

CERTIFICATION AND SIGNATURE: By signing below, or submitting documentation through wvOASIS, I certify that I have reviewed this Solicitation in its entirety; that I understand the requirements, terms and conditions, and other information contained herein; that this bid, offer or proposal constitutes an offer to the State that cannot be unilaterally withdrawn; that the product or service proposed meets the mandatory requirements contained in the Solicitation for that product or service, unless otherwise stated herein; that the Vendor accepts the terms and conditions contained in the Solicitation, unless otherwise stated herein; that I am submitting this bid, offer or proposal for review and consideration; that I am authorized by the vendor to execute and submit this bid, offer, or proposal, or any documents related thereto on vendor's behalf; that I am authorized to bind the vendor in a contractual relationship; and that to the best of my knowledge, the vendor has properly registered with any State agency that may require registration.

Boone Tractor
(Company)
(Authorized Signature) (Representative Name, Title)
(Authorized Signature) (Representative Name, Title)
I saac Dasher, Sales
(Printed Name and Title of Authorized Representative)
3-17-2020
(Date)
304-645-1711 Ext 516, 304-645-2464
(Phone Number) (Fax Number)

**Exhibit A - Pricing Page** 

## West Virginia Department of Administration, General Services Division Skid Steer Track Loader w/Attachments

Item No.	Description	Year, Make, and Model	Quanity	Unit Price	Extended Price
3.1.1	Skid Steer Track Loader w/ matching Attachments	2020, New Holland, C345	lland, C345		<del>-0.00</del> \$ 98,289.32
		тот	TAL BID	AMOUNT:	\$ 98, 289.32

Vendor must identify Make and Model at time of submitting Bid Response and should provide Product Brochures.



### C345 US PRICE LIST

## **Standard Equipment**

```
ENGINE:
 FPT F5B FL413E water cooled diesel
  207 CID (3.4 L) Turbo
  Tier 4 Final Certified
  High Pressure Common Rail (HPCR)
   Fuel Injection
  Charged Air Cooler (CAC)
  Horsepower:
   - Gross 90
    - Net 84
    - Peak torque 282 lb*ft (383 Nm)
  160am alternator
  Air cleaner - dual element
  Organic Acid Technology (OAT)
  Anti-freeze solution to -34° F
  Fuel tank - 25.5 gal. (U.S.)
  Diesel Oxidation Catalyst (DOC) with
  Selective Catalytic Reduction (SCR)
   Muffler
  Diesel Exhaust Fluid (DEF) Tank -
   2.8 gal. (U.S.)
  3-stack after cooler / radiator /
   Oil cooler configuration
  Maintenance Free Belt
  Glow Plugs
  Maintenance free 1000 CCA battery
     with master electrical disconnect
OPERATOR'S PROTECTIVE
STRUCTURE:
  ROPS/FOPS Level 1 canopy with side
    screens
  Control lockout system
  Tilt forward ROPS/FOPS
  Electric parking brake control
  Hand throttle and Foot throttle
  Switchable (ISO - H) Electro Hydraulic
    Controls (only on EH models)
  Operator's compartment floor cleanout
  Rear window with emergency escape
  Padded Arm Rests (EH Controls ONLY)
  Suspension Seat, vinyl with
   2" retractable lap seat belt
  Foot rest
```

```
OPERATOR'S PROTECTIVE
STRUCTURE (Continued):
 Dome Light
 12V Power plug socket
 Cup holder
 Tool Pocket
 Top window
 Headliner
 Alarm package (backup and horn)
HYDRAULICS:
  6 micron oil filtration system
  3 spool loader control valve
 Auxiliary hydraulics, Proportional thumb
   wheel activated: loader arm mounted
    with ISO specification flat face
    "connect-under-pressure"
   disconnects
   Including case drain
 Heavy duty hydraulic oil cooler
  Loader arm float position
  Auxiliary hydraulic function lockout
    override
  Loader arm circuit lockout override
LOADER:
  Hydraulic attachment coupler
  Vertical Lift SUPERBOOM Geometry
  In-Cab Boom Locks
  SAE operating load:
    For C345
     4500 lbs. at 50%
     3150 lbs. at 35%
      Tipping load: 9000 lbs.
```



### C345 US PRICE LIST

### **Standard Equipment**

#### INSTRUMENTATION:

Advanced Instrument Cluster with hour meter, tachometer, fuel gauge, Diesel Exhaust Fluid gauge, engine coolant temperature gauge, diagnostic features and security lock-out Warning lights with alarms: Critical system stop Engine system Hydraulic system Electrical and diagnostic system Warning alarms: Battery voltage (plus display) Diesel Exhaust Fluid (DEF) Oil Service Indicator Light: Engine preheat, Parking brake,

### TRACK SYSTEM:

Seat belt reminder

Electro Hydraulic Controlled Hydrostatic
2-speed planetary final drive
Positive drive imbedded steel rubber
track belt
Spring applied hydraulic release
(SAHR) disc parking brake
Dynamic braking

#### UNDERCARRIAGE:

Rigid track frame mounting

Permanently sealed (duo cone face
seal) & lubricated idlers and rollers

Triple flange lower rollers

Single flange front and rear idlers

Hydraulic track adjustment

Track recoil spring

Tapered track frame cover

### OTHER STANDARD FEATURES:

Steel lights with integrated turn signals Lights - 4 front lights (2 forward facing, 2 @ 45 degree forward), 2 rear (halogen) Pre-wired for rotating beacon Service access hood, lockable Single point daily service Tail lights Options harness (only on EH models) Remote Oil and Fuel Filters Debris Ingression Prevention Sealing Heavy Duty Rear Door Bucket Cylinder Guards Block Heater 120V - USA Front Electric Multi-Function Control Battery disconnect