



The following documentation is an electronically-submitted vendor response to an advertised solicitation from the *West Virginia Purchasing Bulletin* within the Vendor Self-Service portal at wvOASIS.gov. As part of the State of West Virginia's procurement process, and to maintain the transparency of the bid-opening process, this documentation submitted online is publicly posted by the West Virginia Purchasing Division at WVPurchasing.gov with any other vendor responses to this solicitation submitted to the Purchasing Division in hard copy format.

Header 2

List View

General Information

Contact

Default Values

Discount

Document Information

Procurement Folder: 608806

SO Doc Code: CRFQ

Procurement Type: Central Master Agreement

SO Dept: 0803

Vendor ID: 000000172791

SO Doc ID: DOT2000000018

Legal Name: CONTECH ENGINEERED SOLUTIONS LLC

Published Date: 8/15/19

Alias/DBA:

Close Date: 8/27/19

Total Bid: \$0.00

Close Time: 13:30

Response Date: 08/26/2019

Status: Closed

Response Time: 23:28

Solicitation Description: ADDENDUM 1 CORRUGATED GALVANIZED METAL BRIDGE

Total of Header Attachments: 2

Total of All Attachments: 2

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
1	CORRUGATED GALVANIZED METAL BRIDGE DECK PANS	0.00000	EA	\$477,250.000000	\$0.00

Comm Code	Manufacturer	Specification	Model #
30191805			

Extended Description : PRICING TO BE INCLUDED ON ATTACHED EXHIBIT A PRICING PAGE

CRFQ DOT200000018

Item Number	Estimated Quantity	Unit of Measure	Description	Unit Price	Extended Amount
1	25	Each	9" x 3" Corrugated Galvanized Metal Bridge Deck Pan/Plank. 8 feet Long by 9 inches wide.	\$125.00	\$3,125.00
2	25	Each	9" x 3" Corrugated Galvanized Metal Bridge Deck Pan/Plank. 10 feet Long by 9 inches wide.	\$163.00	\$4,075.00
3	25	Each	9" x 3" Corrugated Galvanized Metal Bridge Deck Pan/Plank. 12 feet Long by 9 inches wide.	\$182.00	\$4,550.00
4	25	Each	9" x 3" Corrugated Galvanized Metal Bridge Deck Pan/Plank. 14 feet Long by 9 inches wide.	\$201.00	\$5,025.00
5	25	Each	9" x 3" Corrugated Galvanized Metal Bridge Deck Pan/Plank. 16 feet Long by 9 inches wide.	\$220.00	\$5,500.00
6	25	Each	9" x 3" Corrugated Galvanized Metal Bridge Deck Pan/Plank. 18 feet Long by 9 inches wide.	\$239.00	\$5,975.00
7	25	Each	9" x 3" Corrugated Galvanized Metal Bridge Deck Pan/Plank. 20 feet Long by 9 inches wide.	\$288.00	\$7,200.00
					\$0.00
8	25	Each	9" x 3" Corrugated Galvanized Metal Bridge Deck Pan/Plank. 8 feet Long by 18 inches wide.	\$254.00	\$6,350.00
9	25	Each	9" x 3" Corrugated Galvanized Metal Bridge Deck Pan/Plank. 10 feet Long by 18 inches wide	\$334.00	\$8,350.00
10	25	Each	9" x 3" Corrugated Galvanized Metal Bridge Deck Pan/Plank. 12 feet Long by 18 inches wide	\$377.00	\$9,425.00
11	25	Each	9" x 3" Corrugated Galvanized Metal Bridge Deck Pan/Plank. 14 feet Long by 18 inches wide	\$419.00	\$10,475.00
12	25	Each	9" x 3" Corrugated Galvanized Metal Bridge Deck Pan/Plank. 16 feet Long by 18 inches wide	\$462.00	\$11,550.00
13	25	Each	9" x 3" Corrugated Galvanized Metal Bridge Deck Pan/Plank. 18 feet Long by 18 inches wide	\$504.00	\$12,600.00
14	25	Each	9" x 3" Corrugated Galvanized Metal Bridge Deck Pan/Plank. 20 feet Long by 18 inches wide	\$607.00	\$15,175.00
					\$0.00
15	25	Each	9" x 3" Corrugated Galvanized Metal Bridge Deck Pan/Plank. 8 feet Long by 27 inches wide.	\$377.00	\$9,425.00
16	25	Each	9" x 3" Corrugated Galvanized Metal Bridge Deck Pan/Plank. 10 feet Long by 27 inches wide.	\$500.00	\$12,500.00
17	25	Each	9" x 3" Corrugated Galvanized Metal Bridge Deck Pan/Plank. 12 feet Long by 27 inches wide.	\$566.00	\$14,150.00
18	25	Each	9" x 3" Corrugated Galvanized Metal Bridge Deck Pan/Plank. 14 feet Long by 27 inches wide.	\$632.00	\$15,800.00
19	25	Each	9" x 3" Corrugated Galvanized Metal Bridge Deck Pan/Plank. 16 feet Long by 27 inches wide.	\$698.00	\$17,450.00
20	25	Each	9" x 3" Corrugated Galvanized Metal Bridge Deck Pan/Plank. 18 feet Long by 27 inches wide.	\$764.00	\$19,100.00
21	25	Each	9" x 3" Corrugated Galvanized Metal Bridge Deck Pan/Plank. 20 feet Long by 27 inches wide.	\$920.00	\$23,000.00
					\$0.00
22	25	Each	12" x 4.25" Corrugated Galvanized Metal Bridge Deck Pan/Plank. 8 feet Long by 12 inches wide.	\$163.00	\$4,075.00
23	25	Each	12" x 4.25" Corrugated Galvanized Metal Bridge Deck Pan/Plank. 10 feet Long by 12 inches wide.	\$183.00	\$4,575.00
24	25	Each	12" x 4.25" Corrugated Galvanized Metal Bridge Deck Pan/Plank. 12 feet Long by 12 inches wide.	\$206.00	\$5,150.00
25	25	Each	12" x 4.25" Corrugated Galvanized Metal Bridge Deck Pan/Plank. 14 feet Long by 12 inches wide.	\$229.00	\$5,725.00
26	25	Each	12" x 4.25" Corrugated Galvanized Metal Bridge Deck Pan/Plank. 16 feet Long by 12 inches wide.	\$252.00	\$6,300.00
27	25	Each	12" x 4.25" Corrugated Galvanized Metal Bridge Deck Pan/Plank. 18 feet Long by 12 inches wide.	\$275.00	\$6,875.00
28	25	Each	12" x 4.25" Corrugated Galvanized Metal Bridge Deck Pan/Plank. 20 feet Long by 12 inches wide.	\$351.00	\$8,775.00
					\$0.00
29	25	Each	12" x 4.25" Corrugated Galvanized Metal Bridge Deck Pan/Plank. 8 feet Long by 24 inches wide.	\$320.00	\$8,000.00
30	25	Each	12" x 4.25" Corrugated Galvanized Metal Bridge Deck Pan/Plank. 10 feet Long by 24 inches wide.	\$374.00	\$9,350.00

CRFQ DOT2000000018

Item Number	Estimated Quantity	Unit of Measure	Description	Unit Price	Extended Amount
31	25	Each	12" x 4.25" Corrugated Galvanized Metal Bridge Deck Pan/Plank. 12 feet Long by 24 inches wide.	\$425.00	\$10,625.00
32	25	Each	12" x 4.25" Corrugated Galvanized Metal Bridge Deck Pan/Plank. 14 feet Long by 24 inches wide.	\$475.00	\$11,875.00
33	25	Each	12" x 4.25" Corrugated Galvanized Metal Bridge Deck Pan/Plank. 16 feet Long by 24 inches wide.	\$526.00	\$13,150.00
34	25	Each	12" x 4.25" Corrugated Galvanized Metal Bridge Deck Pan/Plank. 18 feet Long by 24 inches wide.	\$576.00	\$14,400.00
35	25	Each	12" x 4.25" Corrugated Galvanized Metal Bridge Deck Pan/Plank. 20 feet Long by 24 inches wide.	\$733.00	\$18,325.00
					\$0.00
36	25	Each	12" x 4.25" Corrugated Galvanized Metal Bridge Deck Pan/Plank. 8 feet Long by 36 inches wide.	\$491.00	\$12,275.00
37	25	Each	12" x 4.25" Corrugated Galvanized Metal Bridge Deck Pan/Plank. 10 feet Long by 36 inches wide.	\$560.00	\$14,000.00
38	25	Each	12" x 4.25" Corrugated Galvanized Metal Bridge Deck Pan/Plank. 12 feet Long by 36 inches wide.	\$628.00	\$15,700.00
39	25	Each	12" x 4.25" Corrugated Galvanized Metal Bridge Deck Pan/Plank. 14 feet Long by 36 inches wide.	\$716.00	\$17,900.00
40	25	Each	12" x 4.25" Corrugated Galvanized Metal Bridge Deck Pan/Plank. 16 feet Long by 36 inches wide.	\$794.00	\$19,850.00
41	25	Each	12" x 4.25" Corrugated Galvanized Metal Bridge Deck Pan/Plank. 18 feet Long by 36 inches wide.	\$872.00	\$21,800.00
42	25	Each	12" x 4.25" Corrugated Galvanized Metal Bridge Deck Pan/Plank. 20 feet Long by 36 inches wide.	\$1,109.00	\$27,725.00
Grand Total 					\$477,250.00



Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

State of West Virginia
 Request for Quotation
 19 – Highways

Proc Folder: 608806

Doc Description: ADDENDUM 1 CORRUGATED GALVANIZED METAL BRIDGE DECK PANS

Proc Type: Central Master Agreement

Date Issued	Solicitation Closes	Solicitation No	Version
2019-08-15	2019-08-27 13:30:00	CRFQ 0803 DOT2000000018	2

BID RECEIVING LOCATION

BID CLERK
 DEPARTMENT OF ADMINISTRATION
 PURCHASING DIVISION
 2019 WASHINGTON ST E
 CHARLESTON WV 25305
 US

VENDOR

Vendor Name, Address and Telephone Number:

FOR INFORMATION CONTACT THE BUYER

Crystal G Husted
 (304) 558-2402
 crystal.g.husted@wv.gov

Signature X

FEIN #

DATE

All offers subject to all terms and conditions contained in this solicitation

ADDITIONAL INFORMATION:

THE STATE OF WEST VIRGINIA PURCHASING DIVISION FOR THE AGENCY, WEST VIRGINIA DIVISION OF HIGHWAYS, IS SOLICITING BIDS TO ESTABLISH AN OPEN-END CONTRACT FOR CORRUGATED GALVANIZED METAL BRIDGE DECK PANS PER THE ATTACHED DOCUMENTS.

QUESTIONS REGARDING THE SOLICITATION MUST BE SUBMITTED IN WRITING TO CRYSTAL.G.HUSTEAD@WV.GOV PRIOR TO THE QUESTION PERIOD DEADLINE CONTAINED IN THE INSTRUCTIONS TO VENDORS SUBMITTING BIDS.

INVOICE TO		SHIP TO	
DIVISION OF HIGHWAYS DISTRICT TWO 801 MADISON AVE HUNTINGTON WV25704 US		DIVISION OF HIGHWAYS DISTRICT TWO - STORAGE LOT 6200 RT 60 EAST BARBOURSVILLE WV 25504 US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
1	CORRUGATED GALVANIZED METAL BRIDGE DECK PANS	0.00000	EA		

Comm Code	Manufacturer	Specification	Model #
30191805			

Extended Description :
PRICING TO BE INCLUDED ON ATTACHED EXHIBIT A PRICING PAGE

SCHEDULE OF EVENTS

Line	Event	Event Date
1	VENDOR QUESTION DEADLINE	2019-08-14

SOLICITATION NUMBER: CRFQ DOT2000000018

Addendum Number: 1

The purpose of this addendum is to modify the solicitation identified as (“Solicitation”) to reflect the change(s) identified and described below.

Applicable Addendum Category:

- Modify bid opening date and time
- Modify specifications of product or service being sought
- Attachment of vendor questions and responses
- Attachment of pre-bid sign-in sheet
- Correction of error
- Other

Description of Modification to Solicitation:

1. To provide answers to vendor questions

No other changes at this time

Bid opening remains August 27, 2019 at 1:30 PM EST

Additional Documentation: Documentation related to this Addendum (if any) has been included herewith as Attachment A and is specifically incorporated herein by reference.

Terms and Conditions:

1. All provisions of the Solicitation and other addenda not modified herein shall remain in full force and effect.
2. Vendor should acknowledge receipt of all addenda issued for this Solicitation by completing an Addendum Acknowledgment, a copy of which is included herewith. Failure to acknowledge addenda may result in bid disqualification. The addendum acknowledgement should be submitted with the bid to expedite document processing.

ATTACHMENT A

CRFQ DOT2000000018

Addendum 1

Question 1:

1. Regarding the 9" x 3" Plank:

CONTECH Produces this item in 9" nominal widths only. To get 18" widths & 27" widths, CONTECH proposes we shop weld our 9" planks together. This weld would be per AISI Handbook regarding joining adjacent planks. Is this acceptable?

Per AISI Handbook: Joining adjacent plates would be by... 1/8" x 1" fillet weld @ 24" centers @ top side of plank @ overlapping edges.

Answer 1:

The reason those lay widths were chosen is because other fabricators make them standard. Yes, that would be acceptable if they came shop welded.

Question 2:

1. Regarding the 12 x 4-1/4 Plank:

o CONTECH Produces this item in 12" nominal widths only. To get 24" widths & 36" widths, CONTECH proposes we shop weld our 12" planks together. This weld would be per AISI Handbook regarding joining adjacent planks. Is this acceptable?

o Per AISI Handbook: Joining adjacent plates would be by... 1/8" x 1" fillet weld @ 24" centers @ top side of plank @ overlapping edges.

Answer 2:

The reason those lay widths were chosen is because other fabricators make them standard. Yes, that would be acceptable if they came shop welded.

Question 3:

1. The contract states for each item that the net stringer spacings shall be minimum dimensions. We have maximum dimensions of 42" spacing for 9x3 and 60" spacing for 12x4.25" with HL-93 loading. The wording also says to meet or exceed HL-93 loading; however, we would need to deal with the "or exceed" projects on a case-by-case basis. Can you please confirm if the stringer spacings described in the contract are maximum dimensions or if our maximum spacing meets the requirements listed therein?

Answer 3:

The idea in our language was to make sure we didn't end up with an undersized deck plank. Yes, the vendor's maximum dimensions meet the requirements listed.

ADDENDUM ACKNOWLEDGEMENT FORM
SOLICITATION NO.: DOT2000000018

Instructions: Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

Acknowledgment: I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

Addendum Numbers Received:

(Check the box next to each addendum received)

- | | |
|--|--|
| <input checked="" type="checkbox"/> Addendum No. 1 | <input type="checkbox"/> Addendum No. 6 |
| <input type="checkbox"/> Addendum No. 2 | <input type="checkbox"/> Addendum No. 7 |
| <input type="checkbox"/> Addendum No. 3 | <input type="checkbox"/> Addendum No. 8 |
| <input type="checkbox"/> Addendum No. 4 | <input type="checkbox"/> Addendum No. 9 |
| <input type="checkbox"/> Addendum No. 5 | <input type="checkbox"/> Addendum No. 10 |

I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

Contech

Company
P. [Signature]

Authorized Signature
8/26/19

Date