

Purchasing Divison 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130 State of West Virginia Request for Quotation 12 — Equip. Rental

Proc Folder: 605438

Doc Description: EQUIP LEASE/RENTAL WITHOUT OPERATOR 6620C009

Proc Type: Central Master Agreement

 Date Issued
 Solicitation Closes
 Solicitation No
 Version

 2019-08-14
 2019-08-29
 CRFQ
 0803
 DOT20000000022
 1

 13:30:00
 1
 1
 1
 1

BID RECEIVING LOCATION

BID CLERK

DEPARTMENT OF ADMINISTRATION

PURCHASING DIVISION

2019 WASHINGTON ST E

CHARLESTON

WV 25305

US

VENDOR

Vendor Name, Address and Telephone Number:

Allied Truck Leasing LLC PO Box 5455 Vienna WV 26105

RECEIVED

2019 AUG 29 PM 12: 55

WV PUHUMASING DIVISION

FOR INFORMATION CONTACT THE BUYER

Crystal G Hustead (304) 558-2402

crystal.g.hustead@wv.gov

FEIN# 47-1827910

DATE 8/29/2019

Signature X FEIN # 4
All offers subject to all terms and conditions contained in this solicitation

Page: 1

FORM ID: WV-PRC-CRFQ-001

ADDITIONAL INFORMATION:

THE STATE OF WEST VIRGINIA PURCHASING DIVISION FOR THE AGENCY, WEST VIRGINIA DIVISION OF HIGHWAYS, IS SOLICITING BIDS TO ESTABLISH AN OPEN-END CONTRACT FOR EQUIPMENT LEASE AND RENTAL WITHOUT OPERATOR PER THE ATTACHED DOCUMENTS.

QUESTIONS REGARDING THE SOLICITATION MUST BE SUBMITTED IN WRITING TO CRYSTAL.G.HUSTEAD@WV.GOV PRIOR TO THE QUESTION PERIOD DEADLINE CONTAINED IN THE INSTRUCTIONS TO VENDORS SUBMITTING BIDS.

INVOICE TO		SHIP TO	
VARIOUS AGENCY LO AS INDICATED BY OF		STATE OF WEST VIF VARIOUS LOCATION	RGINIA IS AS INDICATED BY ORDER
No City	WV99999	No City	WV 99999
us		US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
1	EQUIPMENT LEASE/RENTAL WITHOUT OPERATOR	0.00000	EA		

Comm Code	Manufacturer	Specification	Model #	
72141702				

Extended Description:

EQUIPMENT LEASE/RENTAL WITHOUT OPERATOR PER EXHIBIT A PRICING PAGE AND INFORMATION ATTACHMENT FORM

SCHEDULE OF EVENTS

LineEventEvent Date1VENDOR QUESTION DEADLINE2019-08-19

	Document Phase	Document Description	Page 3
DOT2000000022	Final	EQUIP LEASE/RENTAL WITHOUT	of 3
		OPERATOR 6620C009	

ADDITIONAL TERMS AND CONDITIONS

See attached document(s) for additional Terms and Conditions

Equipment Rental WITHOUT Operator

Information Attachment Form

Vendor Name: Allied Truck Leasing LLC

Base Location:

The Vendor shall identify the base location and any other potential base locations where the equipment bid may be delivered by the Vendor or picked up by the WVDOH. The <u>Vendor shall provide the 911 address or the most recent physical</u> <u>street address, city and state</u> for the base location(s). If the Vendor fails to provide the base location(s) on the Information Attachment Form, the Vendor's bid may be disqualified. If additional space is needed for additional base locations, you may duplicate this page. This list does not determine sole base locations for a Vendor, but provides a base for determining potential mileage.

Vendor Base Location:	
50 Matheny Lane	
Mineral Wells WV 26150	
Vendor Base Location:	Potential
4125 1st Ave	
Nitro WV 25143	
Vendor Base Location:	Potential
322 Dry Hill Rd	
Beckley WV 25801	

Counties Bid:

Vendor shall indicate the area which he wishes to lease/rent equipment to the WVDOH by placing an "X" or " $\sqrt{}$ " beside the County, Counties or Statewide. If the Vendor fails to indicate which County or Counties, it will be assumed that the Vendor's bid is for Statewide.

Χ	STATEWIDE		
	Barbour	Kanawha	Pocahontas
	Berkeley	Lewis	Preston
	Boone	Lincoln	Putnam
	Braxton	Logan	Raleigh
	Brooke	McDowell	Randolph
	Cabell	Marion	Ritchie
	Calhoun	Marshall	Roane
	Clay	Mason	Summers
	Doddridge	Mercer	Taylor
	Fayette	Mineral	Tucker
	Gilmer	Mingo	Tyler
	Grant	Monongalia	Upshur
	Greenbrier	Monroe	Wayne
	Hampshire	Morgan	Webster
	Hancock	Nicholas	Wetzel
	Hardy	Ohio	Wirt
	Harrison	Pendleton	Wood
	Jackson	Pleasants	Wyoming
	Jefferson		

WV-10 Approved / Revised 06/08/18

State of West Virginia

VENDOR PREFERENCE CERTIFICATE

Certification and application is hereby made for Preference in accordance with **West Virginia Code**, §5A-3-37. (Does not apply to construction contracts). **West Virginia Code**, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the **West Virginia Code**. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Vendor Preference, if applicable.

8.	understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the
/	Bidder is a West Virginia resident and is requesting reciprocal preference to the extent that it applies.
8. /	and minority-owned business. Application is made for reciprocal preference.
<i>₁.</i> □	dance with West Virginia Code §5A-3-59 and West Virginia Code of State Rules. Bidder has been or expects to be approved prior to contract award by the Purchasing Division as a certified small, women-
7.	residents of West Virginia who have resided in the state continuously for the two immediately preceding years. Application is made for preference as a non-resident small, women- and minority-owned business, in accor-
6.	Application is made for 3.5% vendor preference who is a veteran for the reason checked: Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are
5. 	Application is made for 3.5% vendor preference who is a veteran for the reason checked: Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; or,
4. ✓	Application is made for 5% vendor preference for the reason checked: Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or,
3.	Application is made for 2.5% vendor preference for the reason checked: Bidder is a nonresident vendor that employs a minimum of one hundred state residents, or a nonresident vendor which has an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia and employs a minimum of one hundred state residents, and for purposes of producing or distributing the commodities or completing the project which is the subject of the bidder's bid and continuously over the entire term of the project, on average at least seventy-five percent of the bidder's employees or the bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years and the vendor's bid; or,
2.	Application is made for 2.5% vendor preference for the reason checked: Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
	Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; or ,
	Bidder is a resident vendor partnership, association, or corporation with at least eighty percent of ownership interest of bidder held by another entity that meets the applicable four year residency requirement; or ,
	or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia, for four (4) years immediately preceding the date of this certification; or,

^{*}Check any combination of preference consideration(s) indicated above, which you are entitled to receive.



CERTIFICATE OF LIABILITY INSURANCE

8/29/2019

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER		CONTACT Carla Dobbins			
United Security Agency, Inc. 139 W. Main Street		PHONE (A/C, No. Ext): 304-848-2642	FAX (A/C, No): 304-84	2-7321	
Bridgeport WV 26330		ADDRESS: cdobbins@unitedsecurityagency.com			
		INSURER(S) AFFORDING COVERA	AGE	NAIC#	
		INSURER A: Erie Insurance		26830	
INSURED		INSURER B: Erie Insurance Exchange		26271	
Allied Truck Leasing LLC PO Box 1304 Parkersburg WV 26102-1304		INSURER c : Erie Insurance Company		26263	
		INSURER D : TRAVELERS		25674	
		INSURER E : Erie Ins Co Of NY			16233
		INSURER F: Employers			

COVERAGES

CERTIFICATE NUMBER: 202695850

REVISION NUMBER:

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

NSRI

POLICY EFF | POLICY EXP |

ISR TR	TYPE OF INSURANCE	ADDL SU		POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMIT	s
A B	X COMMERCIAL GENERAL LIABILITY CLAIMS-MADE X OCCUR	Y	Q43-5150707 (WV) Q43-0156147 (VA, MD & OH)	7/1/2019 7/1/2019	7/1/2020 7/1/2020	EACH OCCURRENCE DAMAGE TO RENTED PREMISES (Ea occurrence)	\$ 1,000,000 \$ 1,000,000
						MED EXP (Any one person)	\$ 5,000
						PERSONAL & ADV INJURY	\$ 1,000,000
	GEN'L AGGREGATE LIMIT APPLIES PER:					GENERAL AGGREGATE	\$ 2,000,000
	X POLICY PRO- JECT LOC					PRODUCTS - COMP/OP AGG	\$ 2,000,000
	OTHER:						\$
3	AUTOMOBILE LIABILITY	Υ	Q07-0181495 (WV) Q07-0181496 (VA)	7/1/2019 7/1/2019	7/1/2020 7/1/2020	COMBINED SINGLE LIMIT (Ea accident)	\$ 1,000,000
	ANY AUTO		Q07-5180941 (OH) Q07-5180942 (MD)	7/1/2019 7/1/2019	7/1/2020 7/1/2020 7/1/2020	BODILY INJURY (Per person)	\$
, [ALL OWNED SCHEDULED AUTOS AUTOS	D SCHEDULED ' '	77172020	BODILY INJURY (Per accident)	\$		
	HIRED AUTOS NON-OWNED AUTOS					PROPERTY DAMAGE (Per accident)	\$
	X Garage Liabi						\$
,	UMBRELLA LIAB X OCCUR		Q31-5170364 ZUP-16N2652A-18-NF	7/1/2019 7/1/2019	7/1/2020 7/1/2020	EACH OCCURRENCE	\$ 10,000,000
	X EXCESS LIAB CLAIMS-MADE		201-101420224-10-141	77 1120 10	77 172020	AGGREGATE	\$ 10,000,000
	DED RETENTION\$					Excess Umbrella	\$ 10,000,000
	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY		Q91-5102550 EIG2887877 (FL)	7/1/2019 8/20/2019	7/1/2020 8/20/2020	X PER STATUTE OTH-	
	ANY PROPRIETOR/PARTNER/EXECUTIVE	N/A		0,20,2510	0/20/2020	E.L. EACH ACCIDENT	\$ 1,000,000
- 10	(Mandatory in NH)					E.L. DISEASE - EA EMPLOYEE	\$ 1,000,000
	If yes, describe under DESCRIPTION OF OPERATIONS below					E.L. DISEASE - POLICY LIMIT	\$ 1,000,000

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)
State of West Virginia is listed as Additional Insured pertaining to the General and Automobile Liability policies. 30 day notice of cancellation applies.

CERTIFICATE HOLDER	CANCELLATION
State of West Virginia 1900 Kanawha Blyd E	SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.
Bldg 5 Charleston WV 25305	authorized representative

© 1988-2014 ACORD CORPORATION. All rights reserved.

DESIGNATED CONTACT: Vendor appoints the individual identified in this Section as the Contract Administrator and the initial point of contact for matters relating to this Contract.

Randy Terrell - Manager		
(Name, Title) Randy Terrell - Manager		
(Printed Name and Title) 50 Matheny Lane, Mineral We	lls, WV 26150	
(Address) 304-485-4418 x 2547	304-485-2577	
(Phone Number) / (Fax Number) rterrell@mathenymotors.com		
(email address)		

CERTIFICATION AND SIGNATURE: By signing below, or submitting documentation through wvOASIS, I certify that I have reviewed this Solicitation in its entirety; that I understand the requirements, terms and conditions, and other information contained herein; that this bid, offer or proposal constitutes an offer to the State that cannot be unilaterally withdrawn; that the product or service proposed meets the mandatory requirements contained in the Solicitation for that product or service, unless otherwise stated herein; that the Vendor accepts the terms and conditions contained in the Solicitation, unless otherwise stated herein; that I am submitting this bid, offer or proposal for review and consideration; that I am authorized by the vendor to execute and submit this bid, offer, or proposal, or any documents related thereto on vendor's behalf; that I am authorized to bind the vendor in a contractual relationship; and that to the best of my knowledge, the vendor has properly registered with any State agency that may require registration.

Tim Matheny, Sole Member
(Authorized Signature) (Representative Name, Title)

Tim Matheny, Sole Member
Tim Matheny, Sole Member
(Printed Name and Title of Authorized Representative)

8/29/2019
(Date)
304-482-7777
304-485-2577

Allied Truck Leasing Inc.

(Phone Number) (Fax Number)

ADDENDUM ACKNOWLEDGEMENT FORM SOLICITATION NO.; CRFQ DOT2000000022

Instructions: Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

Acknowledgment: I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

Addendum Numbers Received:	
(Check the box next to each addendum rece	ived)
Addendum No. 1 Addendum No. 2 Addendum No. 3 Addendum No. 4 Addendum No. 5	Addendum No. 6 Addendum No. 7 Addendum No. 8 Addendum No. 9 Addendum No. 10
I further understand that any verbal represent discussion held between Vendor's representa	ot of addenda may be cause for rejection of this bid. tation made or assumed to be made during any oral trives and any state personnel is not binding. Only o the specifications by an official addendum is
Allied Truck Leasing LLC	
Company Ling Market Authorized Signature	
8/29/2019	
Date	

NOTE: This addendum acknowledgement should be submitted with the bid to expedite document processing.

REQUEST FOR QUOTATION CRFQ DOT2000000022 Equipment Lease/Rental WITHOUT Operator (DOT6620C009)

- 8.2 Vendor Supply: Vendor must carry sufficient inventory of the Contract Items being offered to fulfill its obligations under this Contract. By signing its bid, Vendor certifies that it can supply the Contract Items contained in its bid response.
- 8.3 Inspection of Equipment: The Vendor shall have the right, during normal working hours, to the extent of the WVDOH's authority, to enter upon the premises where the said equipment is located for inspecting the lease/rented equipment.
- 8.4 Damage beyond the control of the WVDOH: The WVDOH shall not be liable for damage to or loss of any leased/rented equipment resulting from lightning, Acts of God, riots, strikes or other causes beyond the WVDOH's control.
- 8.5 Insurance: The WVDOH is insured by the Board of Risk and Insurance Management. Insurance coverage will be provided by that agency only for long term, over thirty consecutive days of equipment lease/rental. Insurance coverage for short term lease/rental of equipment will be the responsibility of the owner/Vendor. The WVDOH will, at its option, either replace or pay to the Vendor the fair market value of any of the said equipment or any part thereof, lost destroyed or stolen because of the negligence of or lack of ordinary care on the part of its employees.
- 8.6 Liens: The WVDOH shall not directly or indirectly create, incur, assume or suffer to exist any mortgage, pledge, lien, charge and encumbrance or claim on or with respect to the lease/rented equipment, except with respect to the respective rights of the Vendor and the WVDOH.
- 8.7 Reports: Vendor shall provide quarterly reports and annual summaries to the Agency showing the Agency's items leased/rented, quantities of items leased/rented and total dollar value of the items leased/rented. Vendor shall also provide reports, upon request, showing the items leased/rented during the term of this Contract, the quantity leased/rented for each of those items and the total value of lease/rental for each of those items. Failure to supply such reports may be grounds for cancellation of this Contract.
- 8.8 Contract Manager: During its performance of this Contract, the Vendor must designate and maintain a primary Contract Manager responsible for overseeing Vendor's responsibilities under this Contract. The Contract Manager must be available during normal business hours to address any customer service or other issues related to this Contract. Vendor should list its Contract Manager and his or her contact information below:

Contract Manager:	Randy Terrell	
Telephone Number:	304-482-3454	

REQUEST FOR QUOTATION CRFQ DOT2000000022 Equipment Lease/Rental WITHOUT Operator (DOT6620C009)

304-485-2577

Fax Number:

Email Address: rterrell@mathenymotors.com

West Virginia Ethics Commission **Disclosure of Interested Parties to Contracts**

(Required by W. Va. Code § 6D-1-2)

Name of Contracting Business Entity:	easing Inc. 4401 3rd Ave,
	Vienna WV 26105
Name of Authorized Agent: Tim Matheny	Address: Vienna WV 26105
Contract Number: DOT2000000022	Contract Description: Equipment Lease/Rental/WO Operator
Governmental agency awarding contract:	
☐ Check here if this is a Supplemental Disclosure	
List the Names of Interested Parties to the contract which are entity for each category below (attach additional pages if n	re known or reasonably anticlpated by the contracting business ecessary):
Subcontractors or other entities performing work of the Check here if none, otherwise list entity/individual national contractors.	
2. Any person or entity who owns 25% or more of con ☐ Check here if none, otherwise list entity/individual na	tracting entity (not applicable to publicly traded entities) mes below.
3. Any person or entity that facilitated, or negotiated services related to the negotiation or drafting of the Check here if none, otherwise list entity/individual na	•
Notary Verification	Sales organists.
State of UV	unity of Kanawha :
. Monica C. Whitt	, the authorized agent of the contracting business
entity listed above, being duly sworn, acknowledge that the penalty of perjury.	Disclosure herein is being made under oath and under the
Taken, sworn to and subscribed before me this	ia C. With
To be completed by State Agency: Date Received by State Agency: Date submitted to Ethics Commission: Governmental agency submitting Disclosure:	Notary Public's Signature NOTARY PUBLIC OFFICIAL SEAL Monica C. Whitt State of West Virginia My Commission Expires December 25, 2023 MATHENY MOTORS 4125 1ST AVENUE NITRO WV 2543 NOTARY PUBLIC OFFICIAL SEAL MOTORS A125 1ST AVENUE NITRO WV 2543

STATE OF WEST VIRGINIA Purchasing Division

PURCHASING AFFIDAVIT

CONSTRUCTION CONTRACTS: Under W. Va. Code § 5-22-1(i), the contracting public entity shall not award a construction contract to any bidder that is known to be in default on any monetary obligation owed to the state or a political subdivision of the state, including, but not limited to, obligations related to payroil taxes, properly taxes, sales and use taxes, fire service fees, or other fines or fees.

ALL CONTRACTS: Under W. Va. Code §5A-3-10a, no contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and: (1) the debt owed is an amount greater than one thousand dollars in the aggregate; or (2) the debtor is in employer default.

EXCEPTION: The prohibition listed above does not apply where a vendor has contested any tex administered pursuant to chapter eleven of the W. Va. Code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Employer default" means having an outstanding balance or liability to the old fund or to the uninsured employers' fund or being in policy default, as defined in W. Va. Code § 23-2c-2, failure to maintain mandatory workers' compensation coverage, or failure to fully meet its obligations as a workers' compensation self-insured employer. An employer is not in employer default if it has entered into a repayment agreement with the insurance Commissioner and remains in compliance with the obligations under the repayment agreement.

"Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

AFFIRMATION: By signing this form, the vendor's authorized signer affirms and acknowledges under penalty of law for false swearing (W. Va. Code §61-5-3) that: (1) for construction contracts, the vendor is not in default on any monetary obligation owed to the state or a political subdivision of the state, and (2) for all other contracts, that neither vendor nor any related party owe a debt as defined above and that neither vendor nor any related party are in employer default as defined above, unless the debt or employer default is permitted under the exception above.

NOTARY PUBLIC OFFICIAL SEAL Monica C. Whitt State of West Virginia My Commission Expires December 25, 2023 MATHENY MOTORS 4125 1ST AVENUE

NITRO WV 2543

Purchasing Affidavit (Revised 01/19/2018)

Exhibit A				Vendor Name:			
	Equipment Offered f Without Op	or Lease/Rental erator		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			pment ery Fee
Equipment Description (WITHOUT Operator)	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	-
AERIAL BUCKET TRUCK							
Highway Rated TRK. MTD 50' Reach Min. 43.5' Radious 360 degrees Boom Rotation @ level position							
AERIAL PLATFORM LIFT							
80 foot lift minimum							
AERIAL PLATFORM TRUCK							
Highway Rated TRK. MTD 40' reach Min. 360 degree boom rotation @ level position							
AERIAL PLATFORM TRUCK							
Highway Rated TRK. MTD 55' Reach Min. 360 degrees Boom rotation @ level position							
AERIAL PLATFORM TRUCK					İ		
Elliott Model G50 or similar							
AERIAL PLATFORM TRUCK					 		
Elliott Model L55 or similar							
AERIAL BUCKET TRUCK						-	
Highway Rated TRK. MTD 45 ft working ht min. 1 1/2 man bucket min. Insulated articulating boom.							
Boom rotation at level position Versalift SST-40-EIH or similar. NO CDL Required							
AERIAL BUCKET TRUCK	+						
Highway Rated TRK. MTD Versalift SST-40 EIH or similar 50' Reach Min. 43.5' Radius 10 ft max outrigger spread.			1				
360 degree boom rotation at level position. 1,000 lb min material handling capability.NO CDL Required							
AERIAL BUCKET TRUCK				ļ			
Highway Rated TRK. MTD 55 ft working ht min. Rear mounted Turret. Versalift VST-47-I or similar							
AERIAL PLATFORM LIFT							
80 foot lift minimum							
AERIAL PLATFORM TRUCK							
Highway Rated TRK. MTD 40' Reach Min. 360 degrees Boom Rotation @ level position							
AERIAL PLATFORM TRUCK							
Highway Rated TRK. MTD 55' Reach Min. 360 degrees Boom rotation @ level position							
AERIAL PLATFORM TRUCK							
Elliott Model G50 or similar							
AERIAL PLATFORM TRUCK							
Elliott Model L55 or similar						1	
AERIAL PLATFORM TRUCK							
Elliott Model L55-R or similar 55 ft boom length min. Rear mounted turret							
ARROW BOARDS				İ			
4' x 8' panel 15 lamp							
ASPHALT DISTRIBUTOR							
Trk. Mtd. w/spray bar							
ASPHALT RECYCLER							
KM T-2 or similar							
ASPHALT RECYCLER				 			
Self Loading - Stepp SRM 10x120 or similar							
ASPHALT RECYLING ATTACHMENT			!		-		

Exhibit A	(100.0020000)			Vendor Name:			
	Equipment Offered f Without Op	erator	Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
Equipment Description (WITHOUT Operator)	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month		Add. Mi.
Endloader bucket - mounted, asphalt grinder/recycle attachmt, min 185 hp 8,500 lb. wt. capable of grinding and remixing up to 12" deep and 48" wide pavement and base							
ASPHALT REMOVAL/RECYCLER							
Benedetti or similar							
ATTENUATOR - Trailer Mounted must meet NCHRP 350 TL-3							
AUGER							
18"-24"							
AUGER							
18"-24" Core Barrell							
AUGER							
Trak Mounted 35,000 Ft lb min.							
AUGER						-	-
Terex Telelect Commander 6000 Digger, 33,520 lb Capacity, 3 Sections/ 61 Ft Reach or similar						1	
AUGER						-	
Truck-Mounted Digger Derrick 35,000 lb GVW, Rear Mounted Altec D947-TR or similar							
BACKHOE CRAWLER							
TRACKHOE or similar with drill rig attachement for the boom							
BACKHOE LOADER						 	
Rubber Tired 55-85 DHP							
BACKHOE LOADER WITH HYDRAULIC BREAKER						†	
Mtd. Hyd. Breaker 55-85 DHP D							1
BACKHOE LOADER WITH HYDRAULIC BREAKER							
Mtd. Air Breaker 1,000 ft./lbs. min.							
BACKHOE LOADER TRACTOR - Compact							
Rubber Tired 20-30 HP max. height - 83"							1
BACKHOE LOADER TRACTOR - Mini 25-30 HP Standard Stick 12' Backhoe Bucket - T7 or similar							
BASE WIDENER SP							-
Shoulder Stone							
BOX DELIVERY TRUCK					<u> </u>	_	
24 ft length box min. NO CDL Required	Hino	268A	175	895	2,975	25	5
BRUSH CHIPPER - up to 49 hp							
Cutting size - 12" in diameter.							1
BRUSH CHIPPER - from 50 hp to 85 hp							-
Cutting size - 12" in diameter.							
BULLDOZER							
Crawler GD 65 -75 DHP D							
BULLDOZER Crawler GD 80 -90 DHP D							
Oldmor OD GO GO DELL D							

Exhibit A				Vendor Name:			
	Equipment Offered f Without Op	erator		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			pment ery Fee
Equipment Description (WITHOUT Operator)	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month		Add. Mi.
BULLDOZER							Î
Crawler GD 100 -120 DHP D							
BULLDOZER							
Crawler GD 130 -140 DHP D							
BULLDOZER							
Crawler TC 150 - 250 EHP D							
BULLDOZER							
Crawler/Ripper TCP 181 - 250 EHP D BULLDOZER							
Crawler/Winch TCP 181 - 250 EHP D							
CHIP SPREADER SP							
COLD MILLING - Stabilizer/Recycler							
no less than 12" cutting depth range BOMAG MPH 364 R-2 or similar							
COLD MILL PLANER							
Self Loading - 2'							1
COLD MILL PLANER							
Self Loading - 4'							1
COMPRESSOR							
125 - 160 CFM Portwhl.							1
COMPRESSOR							
170 - 210 CFM Portwhl.							
COMPRESSOR							
250 - 300 CFM Portwhl.							
COMPRESSOR							
350 - 375 CFM Portwhl.							1
COMPRESSOR							
600 CFM Portwhl.							
COMPRESSOR							
700 - 800 CFM Portwhl.							1
CONCRETE MIXER							
Trk. Mtd. 6.0 Cyd.							1
CONCRETE SAW							
Full Depth CAP - 24" Blade							1
CONCRETE SAW							
12 1/2" Maximum Depth of Cut - 30" Blade							
CONCRETE SAW							-
15" Maximum Depth of Cut - 36" Blade				1			
CONVEYOR LOADER / FORCE FEED LOADER							
							1
LeeBoy 3000C or similar Fully enclosed operator area. Heavy Duty 28' to 30' conveyor or similar		Į.					

Int. Mad. Dib. Dim. 100 - 126 GIA. D SARCK SEALING MACHINE Int. Mod. Dib. Bottle Type, 250 GIA. Diesel with Pump on Demand Features and 53.8 CFM Compressor Int. Mod. Dib. Bottle Type, 250 GIA. Diesel with Pump on Demand Features and 53.8 CFM Compressor Int. Mod. Dib. Bottle Type, 250 GIA. Diesel with Pump on Demand Features and 53.8 CFM Compressor Int. Mod. Dib. Bottle Type, 250 GIA. Diesel with Pump on Demand Features and 70 CFM Compressor Int. Mod. Dib. Bottle Type, 250 GIA. Diesel with Pump on Demand Features and 70 CFM Compressor Int. Mod. Dib. Bottle Type, 250 GIA. Diesel with Pump on Demand Features and 70 CFM Compressor Int. Mod. Diesel With Pump on Demand Features and 70 CFM Compressor Int. Mod. Diesel With Pump on Demand Features and 70 CFM Compressor Int. Mod. Diesel With Pump on Demand Features and 70 CFM Compressor Int. Mod. Diesel With Pump on Demand Features and 70 CFM Compressor Int. Mod. Diesel With Pump on Demand Features and 70 CFM Compressor Int. Mod. Diesel With Pump on Demand Features and 70 CFM Compressor Int. Mod. Diesel With Pump on Demand Features and 70 CFM Compressor Int. Mod. Diesel With Pump on Demand Features and 70 CFM Compressor Int. Mod. Diesel With Pump on Demand Features and 70 CFM Compressor Int. Mod. Diesel With Pump on Demand Features and 70 CFM Compressor Int. Mod. Diesel With Pump on Demand Features and 70 CFM Compressor Int. Mod. Diesel With Pump on Demand Features and 70 CFM Compressor Int. Mod. Diesel With Pump on Demand Features and 70 CFM Compressor Int. Mod. Diesel With Pump on Demand Features and 70 CFM Compressor Int. Mod. Diesel With Pump on Demand Features and 70 CFM Compressor Int. Mod. Diesel With Pump on Demand Features and 70 CFM Compressor Int. Mod. Diesel With Modern Pump on Demand Features and 70 CFM Compressor Int. Modern With With Pump on Demand Features and 70 CFM Compressor Int. Modern With With With With Pump on Demand Features and 70 CFM Compressor Int. Modern With With With With With With With							
	Equipment Offered f	or Lease/Rental erator	Without Delivery/			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month		
CRACK SEALING MACHINE							
Trir. Mtd. Dbl. Drum, 100 - 125 GLN. D							
CRACK SEALING MACHINE				İ -			
CRACK SEALING MACHINE							
Trl. Mtd. DblBoiler Type, 250 GLN Diesel with Pump on Demand Features and 53.8 CFM Compressor							
CRACK SEALING MACHINE							
Trl. Mtd. DblBoiler Type, 250 GLN Diesel with Pump on Demand Features and 70 CFM Compressor							
CRANE 10 T Hyd.							
Trk. Mtd. min. 18' Bed							
CRANE 12 - 1/2 T Hyd.							
Trk. Mtd. min. 18' Bed							
CRANE 14 T Hvd.							
•							
	1						
Trk. Mtd. min. 1,500 gal. tank , 1,400 PSI min.							
CULVERT CLEANER						-	_
Trk. Mtd. 65 - 80 GPM 2,000 PSI min.							
CULVERT CLEANER - radio remote controlled							
Microtraxx or Similar 42"Wx42"Hx120"L, 1550# Lift cap, 1/3 CU Yd Cap., 7.5 PSI, 360° Swing Rotation. to clean 48" to 60"							
round culverts				•			
CULVERT CLEANER - radio remote controlled						-	
Microtraxx or Similar 32"Wx34"Hx134"L, 1500# Lift cap, 1/4 CU Yd Cap., 5.5 PSI, to clean 36" to 48" round culverts				*			
				·			
DITCH WITCH or similar							
trencher - walk behind 5-25 hp							
Dump Truck, Class 8, Steel Bed				7			

Exhibit A				Vendor Name:			
	Without Op	Equipment Offered for Lease/Rental Without Operator			Lease/Rental Rate of Equipment Without Delivery/ Without Operator		
Equipment Description (WITHOUT Operator)	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	ery Fee Add. Mi.
Single Axle							
Dump Truck, Class 8, Aluminum Bed Single Axle							
Dump Truck	Hino	XL8	300	1,500	5,000	25	5
INTERNATIONAL 4300 SBA or similar	Facial Alleren						
Dump Truck	Freightliner	M2	250	1,250	4,500	25	5
FORD F650 or similar	Ford	F650	050	4.050	1		_
Dump Truck	1 Old	F030	250	1,250	4,500	25	5
FREIGHTLINER M12106 or similar	Freightliner	M2	250	1,250	4,500	25	5
Dump Truck			200	1,200	4,000	2.0	-
STEEL BED 4 AXLE	Western Star	4700	400	2,000	7,000	25	5
Dump Truck, Tandem Steel Bed							
Double axle (3 axle)	Western Star	4700	375	1,850	6,500	25	5
Dump Truck, Tandem							
MACK GU 713 or similar	Western Star	4700	350	1,750	6,000	25	5
Dump Truck, Tandem							
MACK GU 713 or similar	Western Star	4700	350	1,750	6,000	25	5
Dump Truck, Tandem							
Freightliner 114 SD or similar	Western Star	4700	350	1,750	6,000	25	5
EQUIPMENT TRAILER							
10,000 lbs or less, tilt style deck 16ft - 18 ft length to attach to a pintle hitch	Diamond C	252	100	500	1,750	25	5
EQUIPMENT TRAILER							
12,000 lbs - 14,000 lbs, tilt style deck 16ft - 18 ft length to attach to a pintle hitch	Diamond C	207	125	600	1,950	25	5
EQUIPMENT TRAILER						-	
assisted							
EXCAVATOR - TELEBOOM							
Track Mtd. SP 0.5 Cyd. D							
EXCAVATOR - TELEBOOM						-	-
Truck Mtd. SP 0.5 Cyd. D							
EXCAVATOR							_
w/McMillen extreme duty earth auger or similar							
EXCAVATOR							
Mini-Hyd. Track Mtd. 2,600 lbs. max.							
EXCAVATOR WITH INTEGRATED VIBRATORY PILE DRIVE/EXTRACTOR Minimum 80,000 driving force, MKT V8 or similar				-			
EXCAVATOR Crawler Mech./Hyd. 0.75 Cyd. 24,000 lbs 28,000 lbs. Working Weight							
EXCAVATOR				1			I

Exhibit A				Vendor Name:			
Equipment Description (MITHOUT Occurs)	Without Op	Equipment Offered for Lease/Rental Without Operator			Lease/Rental Rate of Equipment Without Delivery/ Without Operator		
Equipment Description (WITHOUT Operator)	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi
Crawler Mech./Hyd. 0.75 Cyd. 29,000 lbs 35,800 lbs. Working Weight							
EXCAVATOR							
Crawler Mech./Hyd. 1.00 Cyd. 36,000 lbs 42,900 lbs. Working Weight							
Attachment: Grappie							
EXCAVATOR							
Crawler Mech./Hyd. 1.25 Cyd., 128 - 141 HP 42,700 lbs 45,900 lbs. Working Weight							
EXCAVATOR WITH HYDRAULIC BREAKER							
Crawler 2,000 ft./lbs. min. 24,400 lbs 35,800 lbs. Excavator Size							
EXCAVATOR WITH HYDRAULIC BREAKER							-
Crawler 2,000 ft./lbs. min. 36,000 lbs 42,900 lbs. Excavator Size							
Attachment for offered Excavator: Grapple						-	
EXCAVATOR WITH HYDRAULIC BREAKER							
Crawler 2,000 ft./lbs. min. 43,000 lbs 60,000 lbs. Excavator Size							
EXCAVATOR WITH HYDRAULIC BREAKER							
Crawler 2,000 ft./lbs. min.61,000 lbs 80,000 lbs. Excavator Size							
HYDRAULIC BREAKER ATTACHMENT ONLY							
2,000 ft.//lbs. min						1	
EXCAVATOR							
Crawler with a thumb						1	1
EXCAVATOR							
Mini-Hyd. Track Mtd. 6,500 lbs. max.							1
Excavator-Wheeled							
Highway Speed, XL 3100 Gradall or Similar							
Excavator-Wheeled							
Highway Speed, XL 4100 Gradall or Similar							
Excavator-Wheeled				-	1		-
Gradall D152 or similar							
Excavator-Wheeled				1			
Crossover							
EXCAVATOR - 1/2 to 3/4 CY bucket, 150 HP							
Track Width 10' out-to-out							
EXCAVATOR - 1/8 Cyd. 30 HP							-
D Track Width 5' out-to-out	1.						1
EXCAVATOR - 1/5 Cyd. 44 HP							-
11,000 lbs. Track Width 6' out-to-out							
EXCAVATOR - 1/4 Cyd. 55 HP					•		-
D 14,000 lbs. Bucket, Track Width 6' out-to-out							
EXCAVATOR ATTACHMENT							
Plate compactor for 15,000-20,000 lb excavator							
EXCAVATOR ATTACHMENT				ļ			

Exhibit A				Vendor Name:			
English And December (MITHOLT Co. 1)	Without Op	Equipment Offered for Lease/Rental Without Operator			Lease/Rental Rate of Equipment Without Delivery/ Without Operator		
Equipment Description (WITHOUT Operator)	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
Hydraulic hammer for 15,000-20,000 lb excavator				1			
EXCAVATOR ATTACHMENT Swivel head with ditching bucket							
EXCAVATOR ATTACHMENT Tree Mulcher -severe duty rated- Bull Hog Model BH40EXC or similar 51" for Excavator size 15 to 45 Ton							
FLATBED TRUCK 1 Ton minimum with 22 ft. bed length minimum	Hino	268A	175	895	2,975	25	5
FLATLINER - attachment for a skid steer Profilograph and bump grinder in one							
FORKLIFT TRUCK						-	
Rough Terrain, 5 - 10 K lb. lift cap.							
FORKLIFT TRUCK 6,000 # Load Cap., Min. 63 HP							
GENERATOR - TRAILER MOUNTED:						-	-
30 kw							
45 kw							-
60 kw					1	-	-
80 kw							-
100 kw						-	
125 kw						-	-
175 kw						-	-
200 kw						-	-
230 kw							-
300 kw							-
400 kw					<u> </u>		
500 kw						-	
600 kw					<u> </u>		-
800 kw							-
1,000 kw						-	-
2,000 kw							
GRAPPLE ATTACHMENTS							-
for Skid Steer Loaders 72" - 78" attachments							1
HEATER - Trailer Mounted, Diesel							
22 HP, 1,800 rpm, 16 kw, 190 gal fuel cap., HT1010C or similar							
HAMMER PILE DRIVER DELMAG D8-22 or similar							-
PILE HAMMER, DEISEL							
HYDRO-SEEDER							-
Trailer Mounted							
HYDRO-SEEDER					-	_	

Exhibit A				Vendor Name:			
Fundament D. L. d. (1997) Company	Equipment Offered f Without Op	or Lease/Rental erator	Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
Equipment Description (WITHOUT Operator)	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month		Add. Mi.
Trk. Mtd. 1,500 - 2,500 Gal.							
JOINT SEALER 3 Cylinder, Tandum Dual 2 Axle, Vat. Cap 200 Gal. Double Boiler Type Tank - opening 16"x24" Maximum Heat Input - Diesel 290,000 BTU Incl. Full Sweep Mixer with 2 horizontal paddles							
LIGHT TOWERS PORT. 4 - 1,000 watt bulbs							
LOWBOY						-	
with two drops in deck height - min 35 T	Landoll	835	250	1,250	4,500	25	_
MANLIFT SP		- 000	200	1,230	4,500	25	5
40 ft.							
MANLIFT SP				ļ —			
60 ft.							
MANLIFT SP							
80 ft.					4		
MANLIFT SP							_
125 ft. minimum to 135 ft. maximum							
MANLIFT - SCISSOR, TWO PERSON							
26' Minimum with Extendable Platform							
MESSAGE SIGN							
Programmable							
MORTAR MIXER 6 CF 5 HP G							
MOTOR GRADER							
35,000-45,000 lbs. class				14.5			
PATCH TRAILER DuraPatcher or similar							
PATCH TRUCK							
with rear mounted arrow board							
PATCH TRUCK							
DuraMAXX or similar							
PAVER - HOT MIX ASPHALT	(1)						
Rubber-tired Paver < 125 HP							
PAVER - HOT MIX ASPHALT				<u> </u>			
Rubber-tired Paver > 125 HP							
PAVER - HOT MIX ASPHALT							
Track Paver < 125 HP							
PAVER - HOT MIX ASPHALT							
Track Paver > 125 HP							
POLY PATCHER II or similar				1		-	
Double-boiler type mixer, Trl Mtd.							

Exhibit A				Vendor Name:			
	Equipment Offered for Without Op	erator	Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
Equipment Description (WITHOUT Operator)	Manufacturer's Name	Model/Serial #	ase/Rental v	\$ /Week	\$ /Month	1st Mile	Add. Mi.
PRESSURE WASHER/Hot Water							
120° Min, 700-3000 psi Min.							
ROCKDRILL - SP Hyd. Excav./Boom Mtd. 3" Holes/20" deep min.							
ROCK HAMMER FOR EXCAVATOR 5000-7000 lbs. class							
ROCK TRUCK - ARTICULATED 20 -30 T							
ROLLER 5 Ton with 2 steel drums							
ROLLER 10-15 Tons with 2 steel drums							
ROLLER 5 - 6 T PNEUTR TOW/Trk. Mtd.							
ROLLER 10 T PNEUTR							
ROLLER 7-15 T PNEUTR, Articulated							
ROLLER SP PNEUTR - 10K GVW G							
ROLLER SP PNEUTR - 20K GVW G							
ROLLER - TRENCH VIB Dual Drum Approx. 10 HP, Appox. 2.5ft W x 8.3 ft L							
ROLLER - VIB SP 1 Drum 2XL 10 - 15 K GVW D							
ROLLER - VIB SP 1 Drum 2XL 10 - 20 K GVW D							
SAND BLASTER 200 lb. hopper min.							
SCISSOR LIFT, TWO PERSON 26' Minimum with Extendable Platform							
SCREENERS, Material Mobile - Diesel							
SHADOW TRUCK w/Attenuator min. 30,000 GVW							
SHOULDER MAINTAINER SP w/G (min. 67 HP) or w/D (min. 46 HP) asphalt or stone width, 1' to 6' and 6" to 12" depth							
SKID STEER - HIGH FLOW							
Attachment: Auger of any diameter							

Exhibit A				Vendor Name:			
	Equipment Offered f Without Op	erator	Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
Equipment Description (WITHOUT Operator)	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
Attachment: Auger of any diameter							Ì
Attachment: Broom							
Attachment: Bucket							
Attachment: Broom Bucket							
Attachment: Concrete Mixer							
Attachment: Flatwork Paver - Bidwell or similar							
Attachment: 1'-5' Milling Planer							
Attachment: Trencher of any width							
Attachment: Jackhammer - Caterpillar CAT H55D S or similar							
Attachment: Concrete Slab Dowel							
SKID STEER - MILLING PLANER							
Attachment: Broom							
Attachment: Bucket						-	
Attachment: Broom Bucket					ļ		
Attachment: Auger of any diameter							
Attachment: 1' - 5' Milling Planer							
Attachment: Trencher of any width							
Slope Mower - Compact Tractor						-	-
Ventrac or similar						1	
SCISSOR LIFT							
26' two man lift with Extendable Platform							
STRAW / MULCH BLOWER					1		
Trk. Mtd.						1	
STREET SWEEPER SP					<u> </u>		
3.0 Cyd. (min.)						1	
STREET SWEEPER SP	_						
8.0 Cyd. (min.)							
STREET SWEEPER	_						
Trir. Type							
STREET SWEEPER - HYDROSTATIC							
Elgin Pelican III or similar							
STREET SWEEPER - Towable							
Self-Propelled						1	
STREET SWEEPER - Truck-Mounted							
4.0 C.Y. Min. hopper cap., water-spray system for dust control Side/curb brooms & rear/center broom, 11,000 lbs - 33,000 lbs							
TAMPER/COMPACTOR - Vibratory							-
650 min. blows per minute							
TRACTOR							

Exhibit A Vendor Name:								
Equipment Description (WITHOUT Operator)	Equipment Offered for Without Open	Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee			
	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile		
John Deere 6100M or similar								
BOOM MOWER Atttachment -ALAMO MAVERICK or equivalent for use with offered Tractor								
MULCHERHEAD Attachement for use with offered tractor						†		
SRD50 or equivilent								
TRACTOR								
John Deere 6200 or similar								
Boom Mower Attachment for use with Offered Tractor								
Flail Mower Attachment for use with Offered Tractor								
Sicklebar Mower Attachment for use with Offered Tractor								
TRAILER								
6 tons with ramps, minimum 18' length, 8.5' width								
TRAILER - FLATBED TRI-AXLE						+		
22,500 GVWR, 23 ft. with dove tail, Air Breaks								
TRAILER - FLATBED - Two Axles						-		
20,000# Payload Cap. Min.Width 8.5', Min.Length 24'								
TRAILER - LowBoy						_		
35 - 50 ton - pony motor, self contained hydraulics	Landoll	835	275	1,395	4,750	25	5	
TRAFFIC SIGNALS - PORT								
2 Phase Operation D/E								
TREE TRIMMER - Power Mechanical Trimmer - Track				ļ				
Up to 53' Reach - Kwik-Trim Takeuchi TB260 or similar						1		
TREE TRIMMER - Telescoping Trimmer Power Train - Track		-						
Up to 75' Reach - 24" diameter saw - SkyTrim 75 or similar								
TRENCH BOX								
Various Sizes - Vendor provide sizes available	1							
TRENCH PAVER								
Base Widening Machine								
TRUCK - Water								
Tanker - min 1500 gallons	Freightliner	M2 - 2000 G	300	1,200	2,995	25	5	
UNDERBRIDGE PLATFORM								
Trailer Mtd., Hyd. SP Min. 20 ft. horizontal reach								
UNDERBRIDGE PLATFORM								
Trailer Mtd., Hyd. SP Min. 30 ft. horizontal reach								
UNDERBRIDGE PLATFORM								
Trailer Mtd., Hyd. SP Min. 40 ft. horizontal reach								
UNDERBRIDGE PLATFORM								
Trailer Mtd., Hyd. SP Min. 50 ft. horizontal reach								
UNDERBRIDGE PLATFORM								
Trailer Mtd., Hyd. SP Min. 60 ft. horizontal reach								
UNDERBRIDGE PLATFORM								
Truck Mtd., Hyd. Min. 23 ft. horizontal reach								

Exhibit A Vendor Name:							
Equipment Description (WITHOUT Operator)	Equipment Offered f Without Op	Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee		
	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
VACUUM/JETTER SEWER CLEANER Trk. Mtd. 1,000+ gal. debris tank, 30+ gpm 2000+ CFM Vacuum Pump, 2200+ PSI water pump							
VACUUM/SPRAY UNIT				<u> </u>			
Trk. Mtd. min. 1,000 gal. tank min. 60 gpm 4 ft. teleboom w/swivel/rotating hose reel							
VACUUM/STREET SWEEPER							
Self-Propelled, 4 Cyd., Gas, 5 ft wide path							
VAN - BOX						-	
21,000 or greater	Hino	268A	175	895	2,975	25	5
VIBRATORY ROLLER with Water						-	
4 - 5 ton Steel Double Drum							
VIBRATORY ROLLER with Water							
8 - 10 ton Steel Double Drum							
WATER PUMPS - 3"							
w/SUCTION & DISCHARGE HOSES							
WATER PUMPS - 4"							
w/SUCTION & DISCHARGE HOSES							
WATER PUMPS - 6"							
w/SUCTION & DISCHARGE HOSES							
WATER PUMPS - 12"							
w/SUCTION & DISCHARGE HOSES							
Wheel Loader							
90 to 124 HP Wheel Loader							
125 to 149 HP							
Wheel Loader							
150 minimum HP							
WELDER - PORTABLE						-	
225 AMP min GASOLINE powered							
WELDER - PORTABLE						+	-
225 AMP min DIESEL powered							
WORK PLATFORM SP						-	+
SL 25' High Platform 1,500# CAP							
WORK PLATFORM SP							+
SL 35' High Platform 1,500# CAP							1