



The following documentation is an electronically-submitted vendor response to an advertised solicitation from the *West Virginia Purchasing Bulletin* within the Vendor Self-Service portal at wvOASIS.gov. As part of the State of West Virginia's procurement process, and to maintain the transparency of the bid-opening process, this documentation submitted online is publicly posted by the West Virginia Purchasing Division at WVPurchasing.gov with any other vendor responses to this solicitation submitted to the Purchasing Division in hard copy format.

Header 4

List View

General Information

Contact

Default Values

Discount

Document Information

Procurement Folder: 605438

Procurement Type: Central Master Agreement

Vendor ID: 000000172508

Legal Name: A&A SAFETY INC

Alias/DBA:

Total Bid: \$0.00

Response Date: 08/22/2019

Response Time: 16:33

SO Doc Code: CRFQ

SO Dept: 0803

SO Doc ID: DOT2000000022

Published Date: 8/14/19

Close Date: 8/29/19

Close Time: 13:30

Status: Closed

Solicitation Description: EQUIP LEASE/RENTAL WITHOUT OPERATOR 6620C009

Total of Header Attachments: 4

Total of All Attachments: 4



Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

**State of West Virginia
 Solicitation Response**

Proc Folder : 605438

Solicitation Description : EQUIP LEASE/RENTAL WITHOUT OPERATOR 6620C009

Proc Type : Central Master Agreement

| Date issued | Solicitation Closes | Solicitation Response | Version |
|-------------|------------------------|------------------------------|---------|
| | 2019-08-29 13:30:00 | SR 0803 ESR08221900000001163 | 1 |

| VENDOR |
|--------------------------------|
| 000000172508 A&A SAFETY INC |

Solicitation Number: CRFQ 0803 DOT2000000022

Total Bid : \$0.00 **Response Date:** 2019-08-22 **Response Time:** 16:33:36

Comments:

FOR INFORMATION CONTACT THE BUYER
 Crystal G Hustead
 (304) 558-2402
 crystal.g.hustead@wv.gov

| | | |
|--------------------------|---------------|-------------|
| Signature on File | FEIN # | DATE |
|--------------------------|---------------|-------------|

All offers subject to all terms and conditions contained in this solicitation

| Line | Comm Ln Desc | Qty | Unit Issue | Unit Price | Ln Total Or Contract Amount |
|------|--|---------|------------|------------|-----------------------------|
| 1 | EQUIPMENT LEASE/RENTAL WITHOUT OPERATOR | 0.00000 | EA | | |

| Comm Code | Manufacturer | Specification | Model # |
|-----------|--------------|---------------|---------|
| 72141702 | | | |

| | |
|-------------------------------|--|
| Extended Description : | EQUIPMENT LEASE/RENTAL WITHOUT OPERATOR PER EXHIBIT A PRICING PAGE AND INFORMATION ATTACHMENT FORM |
|-------------------------------|--|

CRFQ DOT2000000022

(DOT6620C009)

| Exhibit A | | Vendor Name: A&A Safety, Inc | | | | | |
|--|---|---|---|----------|-----------|------------------------|----------|
| Equipment Description (WITHOUT Operator) | Equipment Offered for Lease/Rental Without Operator | | Lease/Rental Rate of Equipment Without Delivery/ Without Operator | | | Equipment Delivery Fee | |
| | Manufacturer's Name | Model/Serial # | \$ /Day | \$ /Week | \$ /Month | 1st Mile | Add. Mi. |
| AERIAL BUCKET TRUCK Highway Rated TRK. MTD 50' Reach Min. 43.5' Radius 360 degrees Boom Rotation @ level position | | | | | | | |
| AERIAL PLATFORM LIFT 80 foot lift minimum | | | | | | | |
| AERIAL PLATFORM TRUCK Highway Rated TRK. MTD 40' reach Min. 360 degree boom rotation @ level position | | | | | | | |
| AERIAL PLATFORM TRUCK Highway Rated TRK. MTD 55' Reach Min. 360 degrees Boom rotation @ level position | | | | | | | |
| AERIAL PLATFORM TRUCK Elliott Model G50 or similar | | | | | | | |
| AERIAL PLATFORM TRUCK Elliott Model L55 or similar | | | | | | | |
| AERIAL BUCKET TRUCK Highway Rated TRK. MTD 45 ft working ht min. 1 1/2 man bucket min. Insulated articulating boom. Boom rotation at level position Versalift SST-40-EIH or similar. NO CDL Required | | | | | | | |
| AERIAL BUCKET TRUCK Highway Rated TRK. MTD Versalift SST-40 EIH or similar 50' Reach Min. 43.5' Radius 10 ft max outrigger spread. 360 degree boom rotation at level position. 1,000 lb min material handling capability.NO CDL Required | | | | | | | |
| AERIAL BUCKET TRUCK Highway Rated TRK. MTD 55 ft working ht min. Rear mounted Turret. Versalift VST-47-I or similar | | | | | | | |
| AERIAL PLATFORM LIFT 80 foot lift minimum | | | | | | | |
| AERIAL PLATFORM TRUCK Highway Rated TRK. MTD 40' Reach Min. 360 degrees Boom Rotation @ level position | | | | | | | |
| AERIAL PLATFORM TRUCK Highway Rated TRK. MTD 55' Reach Min. 360 degrees Boom rotation @ level position | | | | | | | |
| AERIAL PLATFORM TRUCK Elliott Model G50 or similar | | | | | | | |
| AERIAL PLATFORM TRUCK Elliott Model L55 or similar | | | | | | | |
| AERIAL PLATFORM TRUCK Elliott Model L55-R or similar 55 ft boom length min. Rear mounted turret | | | | | | | |
| ARROW BOARDS 4' x 8' panel 15 lamp | Wanco | WTSP | \$400.00 | \$600.00 | \$600.00 | \$100.00 | \$2.00 |
| ASPHALT DISTRIBUTOR Trk. Mtd. w/spray bar | | | | | | | |
| ASPHALT RECYCLER KM T-2 or similar | | | | | | | |
| ASPHALT RECYCLER Self Loading - Stepp SRM 10x120 or similar | | | | | | | |
| ASPHALT RECYLING ATTACHMENT | | | | | | | |

CRFQ DOT2000000022

(DOT6620C009)

| Exhibit A | | Vendor Name: | | | | | |
|---|---|----------------|---|----------|-----------|------------------------|----------|
| Equipment Description (WITHOUT Operator) | Equipment Offered for Lease/Rental Without Operator | | Lease/Rental Rate of Equipment Without Delivery/ Without Operator | | | Equipment Delivery Fee | |
| | Manufacturer's Name | Model/Serial # | \$ /Day | \$ /Week | \$ /Month | 1st Mile | Add. Mi. |
| Endloader bucket - mounted, asphalt grinder/recycle attachmt, min 185 hp 8,500 lb. wt. capable of grinding and remixing up to 12" deep and 48" wide pavement and base | | | | | | | |
| ASPHALT REMOVAL/RECYCLER Benedetti or similar | | | | | | | |
| ATTENUATOR - Trailer Mounted must meet NCHRP 350 TL-3 | | | | | | | |
| AUGER 18"-24" | | | | | | | |
| AUGER 18"-24" Core Barrell | | | | | | | |
| AUGER Trak Mounted 35,000 Ft lb min. | | | | | | | |
| AUGER Terex Telelect Commander 6000 Digger, 33,520 lb Capacity, 3 Sections/ 61 Ft Reach or similar | | | | | | | |
| AUGER Truck-Mounted Digger Derrick 35,000 lb GVW, Rear Mounted Altec D947-TR or similar | | | | | | | |
| BACKHOE CRAWLER TRACKHOE or similar with drill rig attachment for the boom | | | | | | | |
| BACKHOE LOADER Rubber Tired 55-85 DHP | | | | | | | |
| BACKHOE LOADER WITH HYDRAULIC BREAKER Mtd. Hyd. Breaker 55-85 DHP D | | | | | | | |
| BACKHOE LOADER WITH HYDRAULIC BREAKER Mtd. Air Breaker 1,000 ft./lbs. min. | | | | | | | |
| BACKHOE LOADER TRACTOR - Compact Rubber Tired 20-30 HP max. height - 83" | | | | | | | |
| BACKHOE LOADER TRACTOR - Mini 25-30 HP Standard Stick 12' Backhoe Bucket - T7 or similar | | | | | | | |
| BASE WIDENER SP Shoulder Stone | | | | | | | |
| BOX DELIVERY TRUCK 24 ft length box min. NO CDL Required | | | | | | | |
| BRUSH CHIPPER - up to 49 hp Cutting size - 12" in diameter. | | | | | | | |
| BRUSH CHIPPER - from 50 hp to 85 hp Cutting size - 12" in diameter. | | | | | | | |
| BULLDOZER Crawler GD 65 -75 DHP D | | | | | | | |
| BULLDOZER Crawler GD 80 -90 DHP D | | | | | | | |

CRFQ DOT200000022

(DOT6620C009)

| Exhibit A | Vendor Name: | | | | | | | |
|---|---|---|----------------|---|---------|----------|------------------------|----------|
| | Equipment Description (WITHOUT Operator) | Equipment Offered for Lease/Rental Without Operator | | Lease/Rental Rate of Equipment Without Delivery/ Without Operator | | | Equipment Delivery Fee | |
| | | Manufacturer's Name | Model/Serial # | \$/Day | \$/Week | \$/Month | 1st Mile | Add. Mi. |
| BULLDOZER Crawler GD 100 -120 DHP D | | | | | | | | |
| BULLDOZER Crawler GD 130 -140 DHP D | | | | | | | | |
| BULLDOZER Crawler TC 150 - 250 EHP D | | | | | | | | |
| BULLDOZER Crawler/Ripper TCP 181 - 250 EHP D | | | | | | | | |
| BULLDOZER Crawler/Winch TCP 181 - 250 EHP D | | | | | | | | |
| CHIP SPREADER SP | | | | | | | | |
| COLD MILLING - Stabilizer/Recycler no less than 12" cutting depth range BOMAG MPH 364 R-2 or similar | | | | | | | | |
| COLD MILL PLANER Self Loading - 2' | | | | | | | | |
| COLD MILL PLANER Self Loading - 4' | | | | | | | | |
| COMPRESSOR 125 - 160 CFM Portwhl. | | | | | | | | |
| COMPRESSOR 170 - 210 CFM Portwhl. | | | | | | | | |
| COMPRESSOR 250 - 300 CFM Portwhl. | | | | | | | | |
| COMPRESSOR 350 - 375 CFM Portwhl. | | | | | | | | |
| COMPRESSOR 600 CFM Portwhl. | | | | | | | | |
| COMPRESSOR 700 - 800 CFM Portwhl. | | | | | | | | |
| CONCRETE MIXER Trk. Mtd. 6.0 Cyd. | | | | | | | | |
| CONCRETE SAW Full Depth CAP - 24" Blade | | | | | | | | |
| CONCRETE SAW 12 1/2" Maximum Depth of Cut - 30" Blade | | | | | | | | |
| CONCRETE SAW 15" Maximum Depth of Cut - 36" Blade | | | | | | | | |
| CONVEYOR LOADER / FORCE FEED LOADER LeeBoy 3000C or similar Fully enclosed operator area. Heavy Duty 28' to 30' conveyor or similar | | | | | | | | |

CRFQ DOT200000022

(DOT6620C009)

| Exhibit A | | Vendor Name: | | | | | |
|---|---|----------------|---|----------|-----------|------------------------|----------|
| Equipment Description (WITHOUT Operator) | Equipment Offered for Lease/Rental Without Operator | | Lease/Rental Rate of Equipment Without Delivery/ Without Operator | | | Equipment Delivery Fee | |
| | Manufacturer's Name | Model/Serial # | \$ /Day | \$ /Week | \$ /Month | 1st Mile | Add. Mi. |
| CRACK SEALING MACHINE Trlr. Mtd. Dbl. Drum, 100 - 125 GLN. D | | | | | | | |
| CRACK SEALING MACHINE Trl. Mtd. Dbl.-Boiler Type, 250 GLN Diesel with Pump on Demand Features | | | | | | | |
| CRACK SEALING MACHINE Trl. Mtd. Dbl.-Boiler Type, 250 GLN Diesel with Pump on Demand Features and 53.8 CFM Compressor | | | | | | | |
| CRACK SEALING MACHINE Trl. Mtd. Dbl.-Boiler Type, 250 GLN Diesel with Pump on Demand Features and 70 CFM Compressor | | | | | | | |
| CRANE 10 T Hyd. Trk. Mtd. min. 18' Bed | | | | | | | |
| CRANE 12 - 1/2 T Hyd. Trk. Mtd. min. 18' Bed | | | | | | | |
| CRANE 14 T Hyd. Trk. Mtd. min. 18' Bed | | | | | | | |
| CRANE 15 - 25 T Hyd. Rough Terrain | | | | | | | |
| CRANE 20 - 25 T Cable D Crawler | | | | | | | |
| CRANE 25 - 30 T Cable, Trk. Mtd. G | | | | | | | |
| CRANE 30 T Hyd. | | | | | | | |
| CRANE 35 T Hyd. | | | | | | | |
| CRANE 40 T Hyd. | | | | | | | |
| CRANE 50 T Hyd. | | | | | | | |
| CRANE 15 - 20 T Truck Mounted Boom | | | | | | | |
| CRANE 21 - 25 T Truck Mounted Boom | | | | | | | |
| CULVERT CLEANER Trk. Mtd. min. 1,500 gal. tank , 1,400 PSI min. | | | | | | | |
| CULVERT CLEANER Trk. Mtd. 65 - 80 GPM 2,000 PSI min. | | | | | | | |
| CULVERT CLEANER - radio remote controlled Microtraxx or Similar 42"Wx42"Hx120"L, 1550# Lift cap, 1/3 CU Yd Cap., 7.5 PSI, 360° Swing Rotation, to clean 48" to 60" round culverts | | | | | | | |
| CULVERT CLEANER - radio remote controlled Microtraxx or Similar 32"Wx34"Hx134"L, 1500# Lift cap, 1/4 CU Yd Cap., 5.5 PSI, to clean 36" to 48" round culverts | | | | | | | |
| DITCH WITCH or similar trencher - walk behind 5-25 hp | | | | | | | |
| Dump Truck, Class 8, Steel Bed | | | | | | | |

CRFQ DOT2000000022

(DOT6620C009)

| Exhibit A | | Vendor Name: | | | | | |
|--|---|----------------|---|---------|----------|------------------------|----------|
| Equipment Description (WITHOUT Operator) | Equipment Offered for Lease/Rental Without Operator | | Lease/Rental Rate of Equipment Without Delivery/ Without Operator | | | Equipment Delivery Fee | |
| | Manufacturer's Name | Model/Serial # | \$/Day | \$/Week | \$/Month | 1st Mile | Add. Mi. |
| Single Axle | | | | | | | |
| Dump Truck, Class 8, Aluminum Bed | | | | | | | |
| Single Axle | | | | | | | |
| Dump Truck | | | | | | | |
| INTERNATIONAL 4300 SBA or similar | | | | | | | |
| Dump Truck | | | | | | | |
| FORD F650 or similar | | | | | | | |
| Dump Truck | | | | | | | |
| FREIGHTLINER M12106 or similar | | | | | | | |
| Dump Truck | | | | | | | |
| STEEL BED 4 AXLE | | | | | | | |
| Dump Truck, Tandem Steel Bed | | | | | | | |
| Double axle (3 axle) | | | | | | | |
| Dump Truck, Tandem | | | | | | | |
| MACK GU 713 or similar | | | | | | | |
| Dump Truck, Tandem | | | | | | | |
| MACK GU 713 or similar | | | | | | | |
| Dump Truck, Tandem | | | | | | | |
| Freightliner 114 SD or similar | | | | | | | |
| EQUIPMENT TRAILER | | | | | | | |
| 10,000 lbs or less, tilt style deck 16ft - 18 ft length to attach to a pintle hitch | | | | | | | |
| EQUIPMENT TRAILER | | | | | | | |
| 12,000 lbs - 14,000 lbs, tilt style deck 16ft - 18 ft length to attach to a pintle hitch | | | | | | | |
| EQUIPMENT TRAILER | | | | | | | |
| assisted | | | | | | | |
| EXCAVATOR - TELEBOOM | | | | | | | |
| Track Mtd. SP 0.5 Cyd. D | | | | | | | |
| EXCAVATOR - TELEBOOM | | | | | | | |
| Truck Mtd. SP 0.5 Cyd. D | | | | | | | |
| EXCAVATOR | | | | | | | |
| w/McMillen extreme duty earth auger or similar | | | | | | | |
| EXCAVATOR | | | | | | | |
| Mini-Hyd. Track Mtd. 2,600 lbs. max. | | | | | | | |
| EXCAVATOR WITH INTEGRATED VIBRATORY PILE DRIVE/EXTRACTOR | | | | | | | |
| Minimum 80,000 driving force, MKT V8 or similar | | | | | | | |
| EXCAVATOR | | | | | | | |
| Crawler Mech./Hyd. 0.75 Cyd. 24,000 lbs. - 28,000 lbs. Working Weight | | | | | | | |
| EXCAVATOR | | | | | | | |

CRFQ DOT2000000022

(DOT6620C009)

| Exhibit A | | Vendor Name: | | | | | |
|---|---|----------------|---|---------|----------|------------------------|----------|
| Equipment Description (WITHOUT Operator) | Equipment Offered for Lease/Rental Without Operator | | Lease/Rental Rate of Equipment Without Delivery/ Without Operator | | | Equipment Delivery Fee | |
| | Manufacturer's Name | Model/Serial # | \$/Day | \$/Week | \$/Month | 1st Mile | Add. Mi. |
| Crawler Mech./Hyd. 0.75 Cyd. 29,000 lbs. - 35,800 lbs. Working Weight | | | | | | | |
| EXCAVATOR | | | | | | | |
| Crawler Mech./Hyd. 1.00 Cyd. 36,000 lbs. - 42,900 lbs. Working Weight | | | | | | | |
| Attachment: Grapple | | | | | | | |
| EXCAVATOR | | | | | | | |
| Crawler Mech./Hyd. 1.25 Cyd., 128 - 141 HP 42,700 lbs. - 45,900 lbs. Working Weight | | | | | | | |
| EXCAVATOR WITH HYDRAULIC BREAKER | | | | | | | |
| Crawler 2,000 ft./lbs. min. 24,400 lbs. - 35,800 lbs. Excavator Size | | | | | | | |
| EXCAVATOR WITH HYDRAULIC BREAKER | | | | | | | |
| Crawler 2,000 ft./lbs. min. 36,000 lbs. - 42,900 lbs. Excavator Size | | | | | | | |
| Attachment for offered Excavator: Grapple | | | | | | | |
| EXCAVATOR WITH HYDRAULIC BREAKER | | | | | | | |
| Crawler 2,000 ft./lbs. min. 43,000 lbs. - 60,000 lbs. Excavator Size | | | | | | | |
| EXCAVATOR WITH HYDRAULIC BREAKER | | | | | | | |
| Crawler 2,000 ft./lbs. min. 61,000 lbs. - 80,000 lbs. Excavator Size | | | | | | | |
| HYDRAULIC BREAKER ATTACHMENT ONLY | | | | | | | |
| 2,000 ft./lbs. min | | | | | | | |
| EXCAVATOR | | | | | | | |
| Crawler with a thumb | | | | | | | |
| EXCAVATOR | | | | | | | |
| Mini-Hyd. Track Mtd. 6,500 lbs. max. | | | | | | | |
| Excavator-Wheeled | | | | | | | |
| Highway Speed, XL 3100 Gradall or Similar | | | | | | | |
| Excavator-Wheeled | | | | | | | |
| Highway Speed, XL 4100 Gradall or Similar | | | | | | | |
| Excavator-Wheeled | | | | | | | |
| Gradall D152 or similar | | | | | | | |
| Excavator-Wheeled | | | | | | | |
| Crossover | | | | | | | |
| EXCAVATOR - 1/2 to 3/4 CY bucket, 150 HP | | | | | | | |
| Track Width 10' out-to-out | | | | | | | |
| EXCAVATOR - 1/8 Cyd. 30 HP | | | | | | | |
| D Track Width 5' out-to-out | | | | | | | |
| EXCAVATOR - 1/5 Cyd. 44 HP | | | | | | | |
| 11,000 lbs. Track Width 6' out-to-out | | | | | | | |
| EXCAVATOR - 1/4 Cyd. 55 HP | | | | | | | |
| D 14,000 lbs. Bucket, Track Width 6' out-to-out | | | | | | | |
| EXCAVATOR ATTACHMENT | | | | | | | |
| Plate compactor for 15,000-20,000 lb excavator | | | | | | | |
| EXCAVATOR ATTACHMENT | | | | | | | |

CRFQ DOT2000000022

(DOT6620C009)

| Exhibit A | | Vendor Name: | | | | | |
|---|---|----------------|---|----------|-----------|------------------------|----------|
| Equipment Description (WITHOUT Operator) | Equipment Offered for Lease/Rental Without Operator | | Lease/Rental Rate of Equipment Without Delivery/ Without Operator | | | Equipment Delivery Fee | |
| | Manufacturer's Name | Model/Serial # | \$ /Day | \$ /Week | \$ /Month | 1st Mile | Add. Mi. |
| Hydraulic hammer for 15,000-20,000 lb excavator | | | | | | | |
| EXCAVATOR ATTACHMENT Swivel head with ditching bucket | | | | | | | |
| EXCAVATOR ATTACHMENT Tree Mulcher -severe duty rated- Bull Hog Model BH40EXC or similar 51" for Excavator size 15 to 45 Ton | | | | | | | |
| FLATBED TRUCK 1 Ton minimum with 22 ft. bed length minimum | | | | | | | |
| FLATLINER - attachment for a skid steer Profilograph and bump grinder in one | | | | | | | |
| FORKLIFT TRUCK Rough Terrain, 5 - 10 K lb. lift cap. | | | | | | | |
| FORKLIFT TRUCK 6,000 # Load Cap., Min. 63 HP | | | | | | | |
| GENERATOR - TRAILER MOUNTED: | | | | | | | |
| 30 kw | | | | | | | |
| 45 kw | | | | | | | |
| 60 kw | | | | | | | |
| 80 kw | | | | | | | |
| 100 kw | | | | | | | |
| 125 kw | | | | | | | |
| 175 kw | | | | | | | |
| 200 kw | | | | | | | |
| 230 kw | | | | | | | |
| 300 kw | | | | | | | |
| 400 kw | | | | | | | |
| 500 kw | | | | | | | |
| 600 kw | | | | | | | |
| 800 kw | | | | | | | |
| 1,000 kw | | | | | | | |
| 2,000 kw | | | | | | | |
| GRAPPLE ATTACHMENTS for Skid Steer Loaders 72" - 78" attachments | | | | | | | |
| HEATER - Trailer Mounted, Diesel 22 HP, 1,800 rpm, 16 kw, 190 gal fuel cap., HT1010C or similar | | | | | | | |
| HAMMER PILE DRIVER DELMAG D8-22 or similar PILE HAMMER, DEISEL | | | | | | | |
| HYDRO-SEEDER Trailer Mounted | | | | | | | |
| HYDRO-SEEDER | | | | | | | |

CRFQ DOT2000000022

(DOT6620C009)

| Exhibit A | | Vendor Name: | | | | | |
|--|---|----------------|---|------------|------------|------------------------|----------|
| Equipment Description (WITHOUT Operator) | Equipment Offered for Lease/Rental Without Operator | | Lease/Rental Rate of Equipment Without Delivery/ Without Operator | | | Equipment Delivery Fee | |
| | Manufacturer's Name | Model/Serial # | \$/Day | \$/Week | \$/Month | 1st Mile | Add. Mi. |
| Trk. Mtd. 1,500 - 2,500 Gal. | | | | | | | |
| JOINT SEALER 3 Cylinder, Tandem Dual 2 Axle, Vat. Cap 200 Gal. Double Boiler Type Tank - opening 16"x24" Maximum Heat Input - Diesel 290,000 BTU Incl. Full Sweep Mixer with 2 horizontal paddles | | | | | | | |
| LIGHT TOWERS PORT. 4 - 1,000 watt bulbs | | | | | | | |
| LOWBOY with two drops in deck height - min 35 T | | | | | | | |
| MANLIFT SP 40 ft. | | | | | | | |
| MANLIFT SP 60 ft. | | | | | | | |
| MANLIFT SP 80 ft. | | | | | | | |
| MANLIFT SP 125 ft. minimum to 135 ft. maximum | | | | | | | |
| MANLIFT - SCISSOR, TWO PERSON 26' Minimum with Extendable Platform | | | | | | | |
| MESSAGE SIGN Programmable | Wanco | WTLMB(A) | \$800.00 | \$1,200.00 | \$1,800.00 | \$100.00 | \$2.00 |
| MORTAR MIXER 6 CF 5 HP G | | | | | | | |
| MOTOR GRADER 35,000-45,000 lbs. class | | | | | | | |
| PATCH TRAILER DuraPatcher or similar | | | | | | | |
| PATCH TRUCK with rear mounted arrow board | | | | | | | |
| PATCH TRUCK DuraMAXX or similar | | | | | | | |
| PAVER - HOT MIX ASPHALT Rubber-tired Paver < 125 HP | | | | | | | |
| PAVER - HOT MIX ASPHALT Rubber-tired Paver > 125 HP | | | | | | | |
| PAVER - HOT MIX ASPHALT Track Paver < 125 HP | | | | | | | |
| PAVER - HOT MIX ASPHALT Track Paver > 125 HP | | | | | | | |
| POLY PATCHER II or similar Double-boiler type mixer, Tri Mtd. | | | | | | | |

CRFQ DOT2000000022

(DOT6620C009)

| Exhibit A | Vendor Name: | | | | | | |
|--|---|----------------|---|---------|----------|------------------------|----------|
| Equipment Description (WITHOUT Operator) | Equipment Offered for Lease/Rental Without Operator | | Lease/Rental Rate of Equipment Without Delivery/ Without Operator | | | Equipment Delivery Fee | |
| | Manufacturer's Name | Model/Serial # | \$/Day | \$/Week | \$/Month | 1st Mile | Add. Mi. |
| PRESSURE WASHER/Hot Water 120° Min, 700-3000 psi Min. | | | | | | | |
| ROCKDRILL - SP Hyd. Excav./Boom Mtd. 3" Holes/20" deep min. | | | | | | | |
| ROCK HAMMER FOR EXCAVATOR 5000-7000 lbs. class | | | | | | | |
| ROCK TRUCK - ARTICULATED 20 -30 T | | | | | | | |
| ROLLER 5 Ton with 2 steel drums | | | | | | | |
| ROLLER 10-15 Tons with 2 steel drums | | | | | | | |
| ROLLER 5 - 6 T PNEUTR TOW/Trk. Mtd. | | | | | | | |
| ROLLER 10 T PNEUTR | | | | | | | |
| ROLLER 7-15 T PNEUTR, Articulated | | | | | | | |
| ROLLER SP PNEUTR - 10K GVW G | | | | | | | |
| ROLLER SP PNEUTR - 20K GVW G | | | | | | | |
| ROLLER - TRENCH VIB Dual Drum Approx. 10 HP, Approx. 2.5ft W x 8.3 ft L | | | | | | | |
| ROLLER - VIB SP 1 Drum 2XL 10 - 15 K GVW D | | | | | | | |
| ROLLER - VIB SP 1 Drum 2XL 10 - 20 K GVW D | | | | | | | |
| SAND BLASTER 200 lb. hopper min. | | | | | | | |
| SCISSOR LIFT, TWO PERSON 26' Minimum with Extendable Platform | | | | | | | |
| SCREENERS, Material Mobile - Diesel | | | | | | | |
| SHADOW TRUCK w/Attenuator min. 30,000 GVW | | | | | | | |
| SHOULDER MAINTAINER SP w/G (min. 67 HP) or w/D (min. 46 HP) asphalt or stone width, 1' to 6' and 6" to 12" depth | | | | | | | |
| SKID STEER - HIGH FLOW Attachment: Auger of any diameter | | | | | | | |

CRFQ DOT2000000022

(DOT6620C009)

| Equipment Description (WITHOUT Operator) | | Vendor Name: | | | | | | |
|--|--|---|----------------|---|----------|-----------|------------------------|----------|
| | | Equipment Offered for Lease/Rental Without Operator | | Lease/Rental Rate of Equipment Without Delivery/ Without Operator | | | Equipment Delivery Fee | |
| | | Manufacturer's Name | Model/Serial # | \$ /Day | \$ /Week | \$ /Month | 1st Mile | Add. Mi. |
| Attachment: Auger of any diameter | | | | | | | | |
| Attachment: Broom | | | | | | | | |
| Attachment: Bucket | | | | | | | | |
| Attachment: Broom Bucket | | | | | | | | |
| Attachment: Concrete Mixer | | | | | | | | |
| Attachment: Flatwork Paver - Bidwell or similar | | | | | | | | |
| Attachment: 1' - 5' Milling Planer | | | | | | | | |
| Attachment: Trencher of any width | | | | | | | | |
| Attachment: Jackhammer - Caterpillar CAT H55D S or similar | | | | | | | | |
| Attachment: Concrete Slab Dowel | | | | | | | | |
| SKID STEER - MILLING PLANER | | | | | | | | |
| Attachment: Broom | | | | | | | | |
| Attachment: Bucket | | | | | | | | |
| Attachment: Broom Bucket | | | | | | | | |
| Attachment: Auger of any diameter | | | | | | | | |
| Attachment: 1' - 5' Milling Planer | | | | | | | | |
| Attachment: Trencher of any width | | | | | | | | |
| Slope Mower - Compact Tractor | | | | | | | | |
| Ventrac or similar | | | | | | | | |
| SCISSOR LIFT | | | | | | | | |
| 26' two man lift with Extendable Platform | | | | | | | | |
| STRAW / MULCH BLOWER | | | | | | | | |
| Trk. Mtd. | | | | | | | | |
| STREET SWEEPER SP | | | | | | | | |
| 3.0 Cyd. (min.) | | | | | | | | |
| STREET SWEEPER SP | | | | | | | | |
| 8.0 Cyd. (min.) | | | | | | | | |
| STREET SWEEPER | | | | | | | | |
| Trlr. Type | | | | | | | | |
| STREET SWEEPER - HYDROSTATIC | | | | | | | | |
| Elgin Pelican III or similar | | | | | | | | |
| STREET SWEEPER - Towable | | | | | | | | |
| Self-Propelled | | | | | | | | |
| STREET SWEEPER - Truck-Mounted | | | | | | | | |
| 4.0 C.Y. Min. hopper cap., water-spray system for dust control Side/curb brooms & rear/center broom, 11,000 lbs - 33,000 lbs | | | | | | | | |
| TAMPER/COMPACTOR - Vibratory | | | | | | | | |
| 650 min. blows per minute | | | | | | | | |
| TRACTOR | | | | | | | | |

CRFQ DOT2000000022

(DOT6620C009)

| Exhibit A | | Vendor Name: | | | | | |
|--|---|----------------|---|------------|------------|------------------------|----------|
| Equipment Description (WITHOUT Operator) | Equipment Offered for Lease/Rental Without Operator | | Lease/Rental Rate of Equipment Without Delivery/ Without Operator | | | Equipment Delivery Fee | |
| | Manufacturer's Name | Model/Serial # | \$/Day | \$/Week | \$/Month | 1st Mile | Add. Mi. |
| John Deere 6100M or similar | | | | | | | |
| BOOM MOWER Attachment -ALAMO MAVERICK or equivalent for use with offered Tractor | | | | | | | |
| MULCHERHEAD Attachment for use with offered tractor | | | | | | | |
| SRD50 or equivalent | | | | | | | |
| TRACTOR | | | | | | | |
| John Deere 6200 or similar | | | | | | | |
| Boom Mower Attachment for use with Offered Tractor | | | | | | | |
| Flail Mower Attachment for use with Offered Tractor | | | | | | | |
| Sicklebar Mower Attachment for use with Offered Tractor | | | | | | | |
| TRAILER | | | | | | | |
| 6 tons with ramps, minimum 18' length, 8.5' width | | | | | | | |
| TRAILER - FLATBED TRI-AXLE | | | | | | | |
| 22,500 GVWR, 23 ft. with dove tail, Air Breaks | | | | | | | |
| TRAILER - FLATBED - Two Axles | | | | | | | |
| 20,000# Payload Cap. Min.Width 8.5', Min.Length 24' | | | | | | | |
| TRAILER - LowBoy | | | | | | | |
| 35 - 50 ton - pony motor, self contained hydraulics | | | | | | | |
| TRAFFIC SIGNALS - PORT | Horizon Signal | SQ3TS | \$1,800.00 | \$2,700.00 | \$5,395.00 | \$100.00 | \$2.00 |
| 2 Phase Operation D/E | | | | | | | |
| TREE TRIMMER - Power Mechanical Trimmer - Track | | | | | | | |
| Up to 53' Reach - Kwik-Trim Takeuchi TB260 or similar | | | | | | | |
| TREE TRIMMER - Telescoping Trimmer Power Train - Track | | | | | | | |
| Up to 75' Reach - 24" diameter saw - SkyTrim 75 or similar | | | | | | | |
| TRENCH BOX | | | | | | | |
| Various Sizes - Vendor provide sizes available | | | | | | | |
| TRENCH PAVER | | | | | | | |
| Base Widening Machine | | | | | | | |
| TRUCK - Water | | | | | | | |
| Tanker - min 1500 gallons | | | | | | | |
| UNDERBRIDGE PLATFORM | | | | | | | |
| Trailer Mtd., Hyd. SP Min. 20 ft. horizontal reach | | | | | | | |
| UNDERBRIDGE PLATFORM | | | | | | | |
| Trailer Mtd., Hyd. SP Min. 30 ft. horizontal reach | | | | | | | |
| UNDERBRIDGE PLATFORM | | | | | | | |
| Trailer Mtd., Hyd. SP Min. 40 ft. horizontal reach | | | | | | | |
| UNDERBRIDGE PLATFORM | | | | | | | |
| Trailer Mtd., Hyd. SP Min. 50 ft. horizontal reach | | | | | | | |
| UNDERBRIDGE PLATFORM | | | | | | | |
| Trailer Mtd., Hyd. SP Min. 60 ft. horizontal reach | | | | | | | |
| UNDERBRIDGE PLATFORM | | | | | | | |
| Truck Mtd., Hyd. Min. 23 ft. horizontal reach | | | | | | | |

CRFQ DOT2000000022

(DOT6620C009)

| Exhibit A | Vendor Name: | | | | | | |
|--|---|----------------|---|---------|----------|------------------------|----------|
| Equipment Description (WITHOUT Operator) | Equipment Offered for Lease/Rental Without Operator | | Lease/Rental Rate of Equipment Without Delivery/ Without Operator | | | Equipment Delivery Fee | |
| | Manufacturer's Name | Model/Serial # | \$/Day | \$/Week | \$/Month | 1st Mile | Add. Mi. |
| VACUUM/JETTER SEWER CLEANER Trk. Mtd. 1,000+ gal. debris tank, 30+ gpm 2000+ CFM Vacuum Pump, 2200+ PSI water pump | | | | | | | |
| VACUUM/SPRAY UNIT Trk. Mtd. min. 1,000 gal. tank min. 60 gpm 4 ft. teleboom w/swivel/rotating hose reel | | | | | | | |
| VACUUM/STREET SWEEPER Self-Propelled, 4 Cyd., Gas, 5 ft wide path | | | | | | | |
| VAN - BOX 21,000 or greater | | | | | | | |
| VIBRATORY ROLLER with Water 4 - 5 ton Steel Double Drum | | | | | | | |
| VIBRATORY ROLLER with Water 8 - 10 ton Steel Double Drum | | | | | | | |
| WATER PUMPS - 3" w/SUCTION & DISCHARGE HOSES | | | | | | | |
| WATER PUMPS - 4" w/SUCTION & DISCHARGE HOSES | | | | | | | |
| WATER PUMPS - 6" w/SUCTION & DISCHARGE HOSES | | | | | | | |
| WATER PUMPS - 12" w/SUCTION & DISCHARGE HOSES | | | | | | | |
| Wheel Loader 90 to 124 HP | | | | | | | |
| Wheel Loader 125 to 149 HP | | | | | | | |
| Wheel Loader 150 minimum HP | | | | | | | |
| WELDER - PORTABLE 225 AMP min. -- GASOLINE powered | | | | | | | |
| WELDER - PORTABLE 225 AMP min. -- DIESEL powered | | | | | | | |
| WORK PLATFORM SP SL 25' High Platform 1,500# CAP | | | | | | | |
| WORK PLATFORM SP SL 35' High Platform 1,500# CAP | | | | | | | |



Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

State of West Virginia
 Request for Quotation
 12 – Equip. Rental

Proc Folder: 605438

Doc Description: EQUIP LEASE/RENTAL WITHOUT OPERATOR 6620C009

Proc Type: Central Master Agreement

| Date Issued | Solicitation Closes | Solicitation No | Version |
|-------------|------------------------|-------------------------|---------|
| 2019-08-14 | 2019-08-29 13:30:00 | CRFQ 0803 DOT2000000022 | 1 |

BID RECEIVING LOCATION

BID CLERK
 DEPARTMENT OF ADMINISTRATION
 PURCHASING DIVISION
 2019 WASHINGTON ST E
 CHARLESTON WV 25305
 US

VENDOR

Vendor Name, Address and Telephone Number:
 A&A Safety, Inc
 1126 Ferris Rd
 Amelia, OH 45102
 (513) 943-6100

FOR INFORMATION CONTACT THE BUYER

Crystal G Hustead
 (304) 558-2402
 crystal.g.hustead@wv.gov

Signature X FEIN # 31-1035771 DATE 8/23/19

All offers subject to all terms and conditions contained in this solicitation

ADDITIONAL INFORMATION:

THE STATE OF WEST VIRGINIA PURCHASING DIVISION FOR THE AGENCY, WEST VIRGINIA DIVISION OF HIGHWAYS, IS SOLICITING BIDS TO ESTABLISH AN OPEN-END CONTRACT FOR EQUIPMENT LEASE AND RENTAL WITHOUT OPERATOR PER THE ATTACHED DOCUMENTS.

QUESTIONS REGARDING THE SOLICITATION MUST BE SUBMITTED IN WRITING TO CRYSTAL.G.HUSTEAD@WV.GOV PRIOR TO THE QUESTION PERIOD DEADLINE CONTAINED IN THE INSTRUCTIONS TO VENDORS SUBMITTING BIDS.

| INVOICE TO | | SHIP TO | |
|---|---------|---|----------|
| VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER | | STATE OF WEST VIRGINIA VARIOUS LOCATIONS AS INDICATED BY ORDER | |
| No City | WV99999 | No City | WV 99999 |
| US | | US | |

| Line | Comm Ln Desc | Qty | Unit Issue | Unit Price | Total Price |
|------|--|---------|------------|------------|-------------|
| 1 | EQUIPMENT LEASE/RENTAL WITHOUT OPERATOR | 0.00000 | EA | | |

| Comm Code | Manufacturer | Specification | Model # |
|-----------|--------------|---------------|---------|
| 72141702 | | | |

Extended Description :

EQUIPMENT LEASE/RENTAL WITHOUT OPERATOR PER EXHIBIT A PRICING PAGE AND INFORMATION ATTACHMENT FORM

SCHEDULE OF EVENTS

| <u>Line</u> | <u>Event</u> | <u>Event Date</u> |
|-------------|--------------------------|-------------------|
| 1 | VENDOR QUESTION DEADLINE | 2019-08-19 |

| | | | |
|----------------------|--------------------------------|--|------------------------------|
| DOT2000000022 | Document Phase Final | Document Description EQUIP LEASE/RENTAL WITHOUT OPERATOR 6620C009 | Page 3 of 3 |
|----------------------|--------------------------------|--|------------------------------|

ADDITIONAL TERMS AND CONDITIONS

See attached document(s) for additional Terms and Conditions

Equipment Rental WITHOUT Operator

Information Attachment Form

Vendor Name: A&A Safety, Inc

Base Location:

The Vendor shall identify the base location and any other potential base locations where the equipment bid may be delivered by the Vendor or picked up by the WVDOH. The Vendor shall provide the 911 address or the most recent ***physical street address, city and state*** for the base location(s). **If the Vendor fails to provide the base location(s) on the Information Attachment Form, the Vendor's bid may be disqualified.** If additional space is needed for additional base locations, you may duplicate this page. This list does not determine sole base locations for a Vendor, but provides a base for determining potential mileage.

| | |
|-----------------------|--|
| Vendor Base Location: | |
| 1126 Ferris Rd | |
| Amelia, OH 45102 | |
| | |
| Vendor Base Location: | |
| 16000 Miles Ave | |
| Cleveland, OH 44128 | |
| | |
| Vendor Base Location: | |
| | |
| | |
| | |

Counties Bid:

Vendor shall indicate the area which he wishes to lease/rent equipment to the WVDOH by placing an "X" or "√" beside the County, Counties or Statewide. If the Vendor fails to indicate which County or Counties, it will be assumed that the Vendor's bid is for Statewide.

| | | | | | |
|---|------------|--|------------|--|------------|
| X | STATEWIDE | | | | |
| | Barbour | | Kanawha | | Pocahontas |
| | Berkeley | | Lewis | | Preston |
| | Boone | | Lincoln | | Putnam |
| | Braxton | | Logan | | Raleigh |
| | Brooke | | McDowell | | Randolph |
| | Cabell | | Marion | | Ritchie |
| | Calhoun | | Marshall | | Roane |
| | Clay | | Mason | | Summers |
| | Doddridge | | Mercer | | Taylor |
| | Fayette | | Mineral | | Tucker |
| | Gilmer | | Mingo | | Tyler |
| | Grant | | Monongalia | | Upshur |
| | Greenbrier | | Monroe | | Wayne |
| | Hampshire | | Morgan | | Webster |
| | Hancock | | Nicholas | | Wetzel |
| | Hardy | | Ohio | | Wirt |
| | Harrison | | Pendleton | | Wood |
| | Jackson | | Pleasants | | Wyoming |
| | Jefferson | | | | |



CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)
08/23/2019

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

| | | |
|--|--|------------------------------------|
| PRODUCER RiskSOURCE Clark-Theders 9938 Crescent Park Drive West Chester OH 45069 | CONTACT NAME: Donna Julliard | |
| | PHONE (A/C, No., Ext): 513-644-1268 | FAX (A/C, No): 513-779-2803 |
| E-MAIL ADDRESS: djulliard@risksource.com | | |
| INSURER(S) AFFORDING COVERAGE | | NAIC # |
| INSURER A: Cincinnati Insurance Company | | 10677 |
| INSURER B: Lloyds of London | | |
| INSURER C: | | |
| INSURER D: | | |
| INSURER E: | | |
| INSURER F: | | |

INSURED A&ASA-1


A & A Safety Inc.
 Bill Luttmner
 1126 Ferris Road
 Amelia OH 45102

COVERAGES **CERTIFICATE NUMBER:** 1493688831 **REVISION NUMBER:**

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

| INSR LTR | TYPE OF INSURANCE | ADDL INSR | SUBR WVD | POLICY NUMBER | POLICY EFF (MM/DD/YYYY) | POLICY EXP (MM/DD/YYYY) | LIMITS |
|----------|--|-----------|----------|---------------|-------------------------|-------------------------|---|
| A | GENERAL LIABILITY <input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR <input checked="" type="checkbox"/> Broadened Liab GEN'L AGGREGATE LIMIT APPLIES PER: <input type="checkbox"/> POLICY <input type="checkbox"/> PRO-JECT <input type="checkbox"/> LOC | Y | | EPP 0209801 | 12/31/2016 | 12/31/2019 | EACH OCCURRENCE \$1,000,000 DAMAGE TO RENTED PREMISES (Ea occurrence) \$1,000,000 MED EXP (Any one person) \$10,000 PERSONAL & ADV INJURY \$1,000,000 GENERAL AGGREGATE \$2,000,000 PRODUCTS - COMP/OP AGG \$2,000,000 \$ |
| A | AUTOMOBILE LIABILITY <input checked="" type="checkbox"/> ANY AUTO <input type="checkbox"/> ALL OWNED AUTOS <input type="checkbox"/> SCHEDULED AUTOS <input checked="" type="checkbox"/> HIRED AUTOS <input checked="" type="checkbox"/> NON-OWNED AUTOS | | | EBA 0209801 | 12/31/2018 | 12/31/2019 | COMBINED SINGLE LIMIT (Ea accident) \$1,000,000 BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE (Per accident) \$ \$ |
| A | <input checked="" type="checkbox"/> UMBRELLA LIAB <input checked="" type="checkbox"/> OCCUR <input type="checkbox"/> EXCESS LIAB <input type="checkbox"/> CLAIMS-MADE <input type="checkbox"/> DED <input checked="" type="checkbox"/> RETENTION \$0 | | | EPP 0209801 | 12/31/2016 | 12/31/2019 | EACH OCCURRENCE \$5,000,00 AGGREGATE \$5,000,000 \$ |
| | WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) <input type="checkbox"/> Y/N If yes, describe under DESCRIPTION OF OPERATIONS below | | N/A | | | | <input type="checkbox"/> WC STATU-TORY LIMITS <input type="checkbox"/> OTH-ER E.L. EACH ACCIDENT \$ E.L. DISEASE - EA EMPLOYEE \$ E.L. DISEASE - POLICY LIMIT \$ |
| B | Professional Liability | | | PSE06150969 | 11/6/2018 | 12/31/2019 | Professional Liab 1,000,000 |

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (Attach ACORD 101, Additional Remarks Schedule, if more space is required)
Certificate Holder is hereby listed as Additional Insured

| | |
|---|--|
| CERTIFICATE HOLDER West Virginia Department of Transportation 1900 Kanawha Blvd E Charleston WV 25305 | CANCELLATION SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS. AUTHORIZED REPRESENTATIVE  |
|---|--|