


240 STEUBENVILLE AVE., CAMBRIDGE, OHIO 43725 P.O. BOX 850 PHONE 439-2725 Area Code 740 FAX (740) 432-2098 www.motrim.com



NO BID

BID IS PROPIETY

Motrim Inc.

REQUEST FOR QUOTATION CRFQ DOT2000000055

4WD TRACTOR W/MID-MOUNT BOOM MOWER 60-INCH HYDRAULIC SIDESHIFT ROTARY MOWER HEAD (7020EC10)

- 2.14 "SCV" means selective control valve
- 2.15 "MBG" means medium brush and grass

3. GENERAL REQUIREMENTS:

- 3.1 Contract Items and Mandatory Requirements: Vendor shall provide Agency with the Contract Items listed below on an open-end and continuing basis. Contract items must meet or exceed the mandatory requirements as shown below.
 - 3.1.1 General 4 Wheel Drive Tractor general mandatory requirements.
 - 3.1.1.1 Unit shall be 4-wheel drive.
 - 3.1.1.2 Wheelbase shall be 90 inches minimum.
 - 3.1.1.3 Tractor dry weight (without ballast): shall be 8,700 lbs. minimum.
 - 3.1.1.4 The unit specified herein and offered shall be manufactured on or after January 1, 2020 and will be clearly identified and marked with date of manufacture.
 - **3.1.2 Engine** The following are mandatory requirements related to the tractor's engine.
 - 3.1.2.1 Engine shall be Tier 4 final.
 - 3.1.2.2 Shall have 85 PTO horsepower minimum.
 - 3.1.2.3 Shall be Manufacturers standard (4) four-cylinder minimum, water cooled, diesel powered engine.
 - 3.1.2.4 Shall be Manufacturers standard governor with engine key shut off, wire sealed by Manufacturer.
 - 3.1.3 Engine Lubrication System The following are mandatory requirements related to engine's lubrication system.

REQUEST FOR QUOTATION CRFQ DOT2000000055

4WD TRACTOR W/MID-MOUNT BOOM MOWER 60-INCH HYDRAULIC SIDESHIFT ROTARY MOWER HEAD (7020EC10)

SPECIFICATIONS

- 1. PURPOSE AND SCOPE: The West Virginia Purchasing Division is soliciting bids On behalf of the West Virginia Division of Highways, Department of Transportation to establish an open-end contract for a (WVDOH Class 131) four (4) Wheel Drive Utility Tractor John Deere 5100M or Equal with Tiger Wildkat Mid Mount Boom Mower With a 60 Inch Hydraulic side shift Rotary Cutting Head or Equal With Optional Attachment 75-inch hydraulic side shift flail mower head or equal.
- 2. **DEFINITIONS:** The terms listed below shall have the meanings assigned to them below. Additional definitions can be found in section 2 of the General Terms and Conditions.
 - 2.1 "Contract Item" or "Contract Items" means the list of items identified in Section 3, Subsection 1 below.
 - 2.2 "Pricing Pages" means the schedule of prices, estimated order quantity, and totals contained in wvOASIS or attached hereto as Exhibit A, and used to evaluate the Solicitation responses.
 - 2.3 "Solicitation" means the official notice of an opportunity to supply the State with goods or services that is published by the Purchasing Division.
 - 2.4 "WVDOH" means West Virginia Division of Highways.
 - 2.5 "EPA" means Environmental Protection Agency.
 - 2.6 "PTO" means Power Take Off.
 - 2.7 "OSHA" means Occupational Safety and Health Act.
 - 2.8 "MPH" means miles per hour.
 - 2.9 "GPM" means gallons per minute.
 - 2.10 "PSI" means pounds per square inch.
 - 2.11 "ROPS" means Roll-over Protection Structures.
 - 2.12 "RPM" means Revolutions per minute.
 - 2.13 "CCA" means cold cranking amps.



SMT-21, HEAVY DUTY, STANDARD MAST HEIGHT, CAMBERED ARM MOWER. SUBFRAME IS LOCATED BENEATH TRACTOR. AVAILABLE WITH PULL TYPE HOIST CYLINDER. REACH - 15' TO 25' REAR MOUNTED CONFIGURATION OPTIONAL

LMT-21A HEAVY DUTY, LOW MOUNTED CAMBERED ARM, MOWER. STRADDLE FRAME MOUNTED ON SIDE RAILS THAT ARE ATTACHED TO FRONT AND REAR OF TRACTOR. 15' TO 25' REACH AVAILABLE. REAR MOUNT OPTIONAL.






SIDE ROTARY WITH & WITHOUT BREAKAWAY



FLAIL MOWER



OPTIONAL JOY STICK

GUARD RAIL MOWER





SUPER SAFETY / HEAD

THE DOOR AND THE
FRONT END OF THE
CUTTER DECK ARE
DESIGNED TO ALLOW THE
MATERIAL
DISCHARGED FROM THE
CUTTER TO BE
DIRECTED AWAY FROM
THE TRACTOR AND AWAY
FROM THE
ROADWAY AS WELL.

COMPLETE SPECIFICATIONS ON EACH MACHINE, AVAILABLE UPON REQUEST.

MoTrim® INC.

P.O. BOX 850 CAMBRIDGE, OHIO 43725

740-439-2725 FAX 740-432-2098 www.motrim.net MOWERS MADE IN USA AND
OFFERED BY: