



The following documentation is an electronically-submitted vendor response to an advertised solicitation from the *West Virginia Purchasing Bulletin* within the Vendor Self-Service portal at ***wvOASIS.gov***. As part of the State of West Virginia's procurement process, and to maintain the transparency of the bid-opening process, this documentation submitted online is publicly posted by the West Virginia Purchasing Division at ***WVPurchasing.gov*** with any other vendor responses to this solicitation submitted to the Purchasing Division in hard copy format.

Header 39

List View

General Information

[Contact](#)
[Default Values](#)
[Discount](#)
[Document Information](#)
[Clarification Request](#)

Procurement Folder: 1031214

Procurement Type: Central Master Agreement

Vendor ID: VS0000011255

Legal Name: CREATIVE BUS SALES INC

Alias/DBA:

Total Bid: \$0.00

Response Date: 05/11/2022

Response Time: 15:12

Responded By User ID: CreativeBus

First Name: Nick

Last Name: Corley

Email: biddepartment@creativebus.

Phone: 9094655528

SO Doc Code: CRFQ

SO Dept: 0805

SO Doc ID: PTR2200000010

Published Date: 5/11/22

Close Date: 5/12/22

Close Time: 13:30

Status: Closed

Solicitation Description: ADA Lowered Floor Minivans

Total of Header Attachments: 39

Total of All Attachments: 39



Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

State of West Virginia
Solicitation Response

Proc Folder: 1031214
Solicitation Description: ADA Lowered Floor Minivans
Proc Type: Central Master Agreement

Solicitation Closes	Solicitation Response	Version
2022-05-12 13:30	SR 0805 ESR05102200000007025	1

VENDOR
VS0000011255
CREATIVE BUS SALES INC

Solicitation Number: CRFQ 0805 PTR2200000010
Total Bid: 0
Response Date: 2022-05-11
Response Time: 15:12:54
Comments:

FOR INFORMATION CONTACT THE BUYER
David H Pauline
304-558-0067
david.h.pauline@wv.gov

Vendor
Signature X **FEIN#** **DATE**

All offers subject to all terms and conditions contained in this solicitation

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
1	ADA Lowered Floor Minivans	0.00000	EA	1276115.000000	0.00

Comm Code	Manufacturer	Specification	Model #
25101502			

Commodity Line Comments:

Extended Description:

ADA Lowered Floor Minivans

REQUEST FOR QUOTATION
ADA Compliant Lowered Floor Mini-Van

BID FORM #10

REQUIRED BID DOCUMENTATION CHECKLIST

Model Year: Chrysler Model: Voyager

Mandatory Bid Forms – must be submitted with bid:

- X Bid Form #1: Locations of Technical Service Representatives and Parts Distribution Centers
- X Bid Form #2: Certification for Air & Water Pollution
- X Bid Form #3: Disadvantaged Business Enterprise Vendors/Manufacturers Certification
- X Bid Form #4: Buy America Certification Rolling Stock
- X Bid Form #5: Federal Motor Vehicle Safety Standards Certification
- X Bid Form #6: U.S. Comptroller's Debarment List Certification
- X Bid Form #7: Certification of Primary Participant Regarding
Debarment, Suspension, and Other Responsibility Matters
- X Bid Form #8: Vendor's Certification of Understanding and Acceptance
- X Bid Form #9: Certification of Restrictions on Lobbying
- X Exhibit A Pricing Page

REQUEST FOR QUOTATION
ADA Compliant Lowered Floor Mini-Van

Documentation – to be submitted with bid:

Referenced

- X 3.3.1.1 Engine: 3.5 Liter EcoBoost V-6 gasoline engine – provide product description, warranty information and product literature.
- X 3.6.1 Transmission (separate cooling system): provide product description, warranty information and product literature.
- X 3.6.4 Back Up Camera System: provide product description, warranty information and product literature.
- X 3.11 Tires: provide product description, warranty information and product literature.
- X 3.12.1 Alternator: provide product description, warranty information and product literature.
- N/A 3.14.19 Exterior Vinyl Colors: provide samples/chart of available colors.
- X 3.14.4 Undercoating and Rustproofing: provide product description, warranty information and literature.
- X 3.14.7 Ambulatory Passenger Entrance/Exit: provide location, size, door operating details.
- X 3.19.2 Floor Covering: provide samples of floor covering and colors to be provided.
- X 3.22 Seating: provide product description, warranty information, product literature and color charts for all of the seating products to be utilized. **Proposed floor plan.**
- X 3.2201 Driver's Seat: provide description of product.
- X 3.27 Wheelchair Securement System: provide product description, warranty information and product literature.
- X 3.28 Wheelchair Occupant Restraint System: provide product description, warranty information and product literature.
- X 3.29 Wheelchair Lift: provide Make, Model #, product description, warranty information and product literature.

REQUEST FOR QUOTATION
ADA Compliant Lowered Floor Mini-Van

- X 3.30 AM/FM Radio/CD: provide product description, warranty information and product literature.
- X 3.35 Training: submit letter of understanding to the terms in this Section.
- X 3.31.5 Security Camera: provide product description, warranty information and product literature.
- X 5.9.1 Warranty on complete vehicle.
- X 5.9.2 Warranty on Basic Vehicle Structure.
- X 5.9.4 Warranty: warranties to be provided on subsystems and components.
- X 10.2 A. Complete mechanical description of vehicle, its construction and equipment including manufacturer's model name and /or number. Include description of front and rear air conditioning and heat systems.
- X 10.2 B Proposed interior floor plans, showing detailed dimensions including the location of the wheelchair securement system and stanchions.
- X 10.2 C. Curb weight (empty weight) and gross vehicle weight rating (GVWR) of vehicle.
- X 10.2 D. Samples or paint charts of available exterior paint colors and vinyl.
- X 10.2 H. Identification of the conversion location of the van.
- X 10.2 I. A list of five (5) users names, addresses, emails and telephone numbers who have been provided similar equipment by the Vendor.
- X No Debt Affidavit
- X Addendum Acknowledgement



Responder Information

Creative Bus Sales, Inc.
9365 Counselors Row, Suite 112
Indianapolis, IN 46240

Mike Wilson – General Manager
(877) 686-9448 – Phone,
MikeW@creativebussales.com

Company History - Bidders Qualifications

Creative Bus Sales, Inc. began serving the needs of California transportation providers in 1980 under the name of Creative Transportation Services, Inc. (CTS). In 1980, CTS was sold and became Creative Bus Sales, Inc. Tony Matijevich subsequently purchased Creative in 1993. Under the current leadership and vision, Creative Bus Sales has become the largest volume small and mid-size bus dealership in the United States. Creative is unique in the bus industry as a dealer that focuses only on the needs of the commercial bus customer.

Creative Family of Companies Include:

Creative Bus Sales - Chino, California
Creative Bus Sales - Atlantic Beach, Florida
Creative Bus Sales - Phoenix, Arizona
Creative Bus Sales - Irving, Texas
Creative Collision and Paint-Chino, California
Green Alternative Systems- Chicago, IL
Creative Bus Sales- Tulsa, OK
Creative Bus Sales- Jacksonville, FL
Creative Bus Sales- Seattle, WA

El Dorado Bus Sales - San Mateo, California
Green Alternative Systems -Elkhart, Indiana
Creative Bus Sales -Albuquerque, New Mexico
Creative Fleet Leasing - Chino, California
Green Alternative Systems – Brooklyn, NY
Green Alternative Systems- Yorba, CA
Creative Bus Sales- Orlando, FL
Creative Bus Sales – Portland, OR

Creative Bus Sales was incorporated in the State of California in 1993 under the current ownership. Creative Bus Sales has had no judgments, litigation, licensing violations or other violations outstanding or resolved against it within the past five (5) years.

Background: Creative Bus Sales is the largest commercial bus dealership in the United States and sells, delivers and services hundreds of buses per year to agencies and companies in California and throughout the United States. Creative Bus Sales has held several State Contracts over the last 17 years and has delivered several thousand State contract vehicles during this time.

Experience (a partial listing of significant projects)

Significant Transit Projects Completed Over The Last 4-5 Years

OCTA	Over 950 Paratransit Buses
City of Los Angeles	Over 500 Paratransit Buses
Caltrans Division of Mass Transit	Over 2,000 Paratransit Buses
RTC Las Vegas	Over 400 Paratransit and Transit Buses
Access Services	Over 700 Paratransit Mini Vans
Dallas DART	398 Paratransit Buses
Montgomery County, MD.	93 Paratransit Buses

Notices should be sent c/o:

Mike Wilson – General Manager
Creative Bus Sales, Inc.
9365 Counselors Row, Suite 112, Indianapolis, IN 46240
(877) 686-9448 MikeW@creativebussales.com

Preparer: Nick Corley, Sales Operations Manager for Creative Bus Sales, Inc. is the preparer of this proposal.

Flexible Scope: Creative Bus Sales, Inc. is committed to flexibility in the products and services offered in the contract upon request by the State.

Independent Pricing: Creative Bus Sales, Inc. certifies that in connection with this Contract the prices proposed have been arrived at without consultation, communication or agreement for the purpose of restricting competition.

Signer(s): Each person signing this proposal and/or addenda is the person responsible for or authorized to make decisions as to the prices quoted in the cost proposal and has not participated and will not participate in any action contrary to those stated above.

Key Personnel: Project Manager – Mike Wilson is the proposed Project Manager for this contract.

Organization and Key Staff Members Assigned to This Contract:

Tony Matijevich, President
Mike Wilson, General Manager
Nick Corley, Sales Operations Manager
Matt Mashuda, Transit Bus Sales
Justin Rougemont, Operations & Service Manager
Jason Hohalek, Corporate Warranty Administrator
Keith Grube, Parts & Warehouse Manager

Project Team: Mike Wilson, Project Manager will be responsible for the day-to-day maintenance of this contract. Some or all the above-mentioned personnel will be utilized as needed during this project.

Consent: Creative Bus Sales, Inc. if awarded a contract will not assign any part of its interest in the agreement without prior consent of the State.

Acceptance of Terms: Creative Bus Sales, Inc. accepts the Contract Terms and Conditions.

Solicitation Response: Our understanding of the scope of work pertaining to this solicitation and components includes but not limited to: Terms and Conditions, Specifications, Delivery and Pricing, etc.

Customer Service Capabilities: Our service locations or are located within 5 hours of all recipients' locations. Technical assistance is provided on the day of the phone call. We are exclusively able to direct factory personnel from any discipline including engineering, manufacturing, parts, service and management, in response to your need at the time. No delay in problem resolution due to out of state factory personnel availability is experienced. Swift and accurate resolutions to issues and needs are achieved through factory personnel directly reviewing issues, "firsthand", as they are presented.

Creative has excellent relations with all major component manufacturers. Creative's service technicians and supervisory team are certified by John Deere, Cummins, A/C Carrier, Trans Air, Thermo King, Ricon, and Braun. Service technicians are graduates of the Automotive Technical College and Automotive Service Excellence (ASE) Master Technicians.

Creative's parts service department is dedicated solely to the service and support of commercial and transit buses and does not service any other type of equipment, school buses or trucks. Such focus

insures an unmatched level of competency in the industry. Technical assistance can be provided immediately during business hours by contacting Creative Bus Sales service technicians.

List of Centers

One call to our Warranty Administration team will facilitate the best warranty option.

Creative Bus Sales is an authorized repair facility. They have the authority to make on the spot decisions regarding warranty repairs. As needed, local to the end user warranty repair facilities will be authorized to perform the required repair.

Spare Parts and Inventory Levels

A critical part of the project is a quick response time to service assistance and parts supply. Both items are provided from locations in Arizona, California, Florida, Indiana, and Texas. One call to our Parts network will facilitate the end user's needs. Most parts can be shipped within twenty-four hours of order. A Complete description of our parts policy and procedures can be provided upon award.

Inspection procedures

Each vehicle will have a PDI (Pre-Delivery Inspection) performed before final delivery to the end customer. Any deficiency noted shall be repaired before delivery. All documents required under the contract shall be provided upon delivery or pickup. This pre-delivery inspection will be in addition to inspections performed by the manufacturer and/or line inspectors hired by the end user.

Sincerely,

A handwritten signature in blue ink, appearing to read 'Nick Corley', with a stylized flourish at the end.

Nick Corley
Sales Operations Manager
Creative Bus Sales, Inc.

18.2.3 Any other remedies available in law or equity.

19. MISCELLANEOUS:

- 19.1 No Substitutions:** Vendor shall supply only Vehicles as submitted in response to the Solicitation unless a contract modification is approved in accordance with the provisions contained in this Contract.
- 19.2 Vendor Supply:** Vendor must carry sufficient inventory of the Contract Items being offered to fulfill its obligations under this Contract. By signing its bid, Vendor certifies that it can supply the Contract Items contained in its bid response.
- 19.3 Contract Manager:** During its performance of this Contract, Vendor must designate and maintain a primary contract manager responsible for overseeing Vendor's responsibilities under this Contract. The Contract manager must be available during normal business hours to address any customer service or other issues related to this Contract. Vendor should list its Contract manager and his or her contact information below.

Contract Manager: Matt Mashuda

Telephone Number: 724-719-8480

Fax Number: N/A

Email Address: mattm@creativebussales.com

19.4 NOTIFICATION OF FEDERAL PARTICIPATION

Federal funding for this project is being provided by the Federal Transit Administration through various CFDA grants for 80% of the project cost. CFDA grants will be specified after award.

REQUEST FOR QUOTATION – CRFQ PTR22*10
ADA Compliant Lowered Floor Minivans

BID FORM #1

REQUIRED BID FORM TO BE SUBMITTED WITH BID

Location(s) of the Technical Service Representative(s) and parts distribution center(s) closest or in the State of West Virginia.

Location(s) of the technical service representative(s).

Name: Creative Bus Sales in Indiana

Address: 9365 Counselors Row, Suite 112, Indianapolis, IN 46240

Contact Mike Wilson

Telephone: 888-633-8380

Name: Creative Bus Sales in Georgia

Address: 1926 Hyannis Court, College Park, GA 30337

Contact Carl Henderson, Eastern Service Manager

Telephone: 888-633-8380

Location(s) of parts distribution center(s).

Name: Creative Bus Sales in Indiana

Address: 57475 County Road 3, Elkhart, IN 46517

Telephone: 877-686-9448

Name: Creative Bus Sales Parts Distribution Center in AZ

Address: 3832 East Roeser, Phoenix, AZ 85040

Telephone: 888-933-5040

REQUEST FOR QUOTATION – CRFQ PTR22*10

ADA Compliant Lowered Floor Minivans

BID FORM #2

**CERTIFICATION FOR AIR & WATER POLLUTION
REQUIRED BID FOR TO BE SUBMITTED WITH BID**

The Vendor certifies that the vehicles proposed:

ARE X in compliance with the regulations in 40 CFR Part 85, 40 CFR Part 86, 40 CFR Part 600, Clean Water Act and the air/water pollution criteria established by the Environmental Protection Agency of the United States Government.

ARE NOT _____ in compliance with the regulations in 40 CFR Part 85, 40 CFR Part 86, 40 CFR Part 600, Clean Water Act and the air/water pollution criteria established by the Environmental Protection Agency of the United States Government.

5-9-22

Date



Authorized Signature

Sales Operations Manager

Title

Creative Bus Sales, Inc.

Company Name

BID FORM #3

**DISADVANTAGED BUSINESS ENTERPRISE
VENDORS/ MANUFACTURERS CERTIFICATION**

REQUIRED BID FOR TO BE SUBMITTED WITH BID

(Check appropriate statement)

_____ The Vendor, if a transit vehicle manufacturer, hereby certifies that it has complied with the requirements of 49 CFR Section 26.49 by submitting an annual DBE goal to the Federal Transit Administration (FTA). The goal has either been approved or not disapproved by FTA.

X_____ The Vendor, if a non-manufacturing supplier, hereby certifies that the manufacturer of the transit vehicle to be supplied has complied with the above-referenced requirement of 49 CFR Section 26.49.

5-9-22

Date



Authorized Signature

Sales Operations Manager

Title

Creative Bus Sales, Inc.

Company Name

REQUEST FOR QUOTATION – CRFQ PTR22*10
ADA Compliant Lowered Floor Minivans

BID FORM #4

**BUY AMERICA CERTIFICATION
ROLLING STOCK
REQUIRED BID FOR TO BE SUBMITTED WITH BID**

Certificate of Compliance

The bidder or offeror hereby certifies that it will comply with the requirements of section 165(b) (3), of the Surface Transportation Assistance Act of 1982, as amended, and the applicable regulations of 49 CFR 661.11:

5-9-22

Date



Authorized Signature

Creative Bus Sales, Inc.

Company Name

Nick Corley

Name

Sales Operations Manager

Title

Certificate for Non-Compliance

The bidder or offeror hereby certifies that it cannot comply with the requirements of section 165(b) (3) of the Surface Transportation Assistance Act of 1982, as amended, but may qualify for an exception to the requirement consistent with section 165(b) (2) or (b) (4) of the Surface Transportation Assistance Act, as amended, and the applicable regulations in 49 CFR 661.7.

Date

Authorized Signature

Company Name

Name

Title

REQUEST FOR QUOTATION – CRFQ PTR22*10
ADA Compliant Lowered Floor Minivans

BID FORM #5

**FEDERAL MOTOR VEHICLE
SAFETY STANDARDS CERTIFICATION**

REQUIRED BID FORM TO BE SUBMITTED WITH BID

The vendor hereby certifies that it shall submit, as required by Title 49 of the CFR, Part 663 - Subpart D, it's self-certification information stating that the vehicle(s) will comply with the relevant Federal Motor Vehicle Safety Standards issued by the National Highway Traffic Safety Administration in Title 49 of the Code of Federal Regulations, Part 571.

5-9-22

Date



Authorized Signature

Sales Operations Manager

Title

Creative Bus Sales, Inc.

Company Name

REQUEST FOR QUOTATION – CRFQ PTR22*10
ADA Compliant Lowered Floor Minivans

BID FORM #6
U.S. Comptroller's Debarment List Certification
REQUIRED BID FOR TO BE SUBMITTED WITH BID


Creative Bus Sales, Inc. hereby certifies that it

 IS or

 X **IS NOT** (specify one) included on the U.S. GSA's debarment and suspension information available at <https://www.sam.gov>.

5-9-22

Date



Authorized Signature

Sales Operations Manager

Title

Creative Bus Sales, Inc.

Company Name

REQUEST FOR QUOTATION – CRFQ PTR22*10
ADA Compliant Lowered Floor Minivans

BID FORM #7

REQUIRED BID FOR TO BE SUBMITTED WITH BID

**CERTIFICATION OF PRIMARY PARTICIPANT REGARDING
DEBARMENT, SUSPENSION, AND OTHER RESPONSIBILITY MATTERS**

The Primary Participant (applicant for an FTA grant or cooperative agreement, or potential contractor for a major third party contract),
Creative Bus Sales, Inc. _____ (COMPANY NAME) certifies to the best of its knowledge and belief, that it and its principals:

1. Are not presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from covered transactions by any Federal department or agency;
2. Have not within a three-year period preceding this proposal been convicted of or had a civil judgment rendered against them for commission of fraud or a criminal offense in connection with obtaining, attempting to obtain, or performing a public (Federal, State or local) transaction or contract under a public transaction; violation of Federal or State antitrust statutes or commission of embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statements, or receiving stolen property.
3. Are not presently indicted for or otherwise criminally or civilly charged by a governmental entity (Federal, State or local) with commission of any of the offenses enumerated in paragraph (2) of this certification; and
4. Have not within a three-year period preceding this application/proposal had one or more public transactions (Federal, State or local) terminated for cause or default.

If the primary participant (applicant for an FTA grant, or cooperative agreement, or potential third party contractor) is unable to certify to any of the statements in this certification, the participant shall attach an explanation to this certification.)

THE PRIMARY PARTICIPANT (APPLICANT FOR AN FTA GRANT OR COOPERATIVE AGREEMENT, OR POTENTIAL CONTRACTOR FOR A MAJOR THIRD PARTY CONTRACT),
Creative Bus Sales, Inc. _____, CERTIFIES OR AFFIRMS THE TRUTHFULNESS AND ACCURACY OF THE CONTENTS OF THE STATEMENTS SUBMITTED ON OR WITH THIS CERTIFICATION AND UNDERSTANDS THAT THE PROVISIONS OF 31 U.S.C. SECTIONS 3801 ET SEQ. ARE APPLICABLE THERETO.



Sales Operations Manager

Signature and Title of Authorized Official

REQUEST FOR QUOTATION
ADA Compliant Lowered Floor Mini-Van


BID FORM #8
REQUIRED BID FOR TO BE SUBMITTED WITH BID

***VENDOR'S CERTIFICATION OF
UNDERSTANDING AND ACCEPTANCE***

The Vendor hereby certifies that all Technical Specifications and Contract Terms and Conditions have been carefully reviewed, are fully understood and shall be adhered to in performance and completion of any contract resulting from this bid.

5-9-22

Date



Authorized Signature

Sales Operations Manager

Title

Creative Bus Sales, Inc.

Company Name

SPECIFICATION COMPLIANCE

NOTE: Please check if what is offered is in exact compliance with specifications. **Any discrepancies must be listed as an attachment to the bid proposal. Exact dimensions and/or descriptions must be provided as a part of the Vendor's bid proposal when submitted.**

X

Bid proposal submitted meets and/or exceeds all specification requirements.

Bid proposal submitted contains deviations from specification requirements. Detailed descriptions of these deviations have been provided with this bid proposal.

REQUEST FOR QUOTATION
ADA Compliant Lowered Floor Mini-Van

BID FORM #9
REQUIRED BID FOR TO BE SUBMITTED WITH BID

CERTIFICATION OF RESTRICTIONS ON LOBBYING

The undersigned (Vendor, Contractor) certifies, to the best of his or her knowledge and belief, that:


1. No Federal appropriated funds have been paid or will be paid by or on behalf of the undersigned, to any person for influence or attempt to influence an officer or employee of any Federal agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress regarding the award of a Federal grant, loan (including a line of credit), cooperative agreement, loan guarantee, or loan insurance, or the extension, continuation, renewal, amendment, or modification of any Federal grant, loan (including a line of credit), cooperative agreement, loan guarantee, or loan insurance.
2. If any funds other than Federal appropriated funds have been or will be paid to any person to influence or attempt to influence an officer or employee of any Federal agency, a Member of Congress, an officer or employee of Congress, or any employee of a Member of Congress in connection with any application for a Federal grant, loan (including a line of credit), cooperative agreement, loan guarantee, or loan insurance, the undersigned assures that it will complete and submit Standard Form-LLL, "Disclosure of Lobbying Activities," Rev. 7-97; and
3. The undersigned understands that the language of this certification shall be included in the award documents for all sub awards at all tiers (including subcontracts, sub grants, sub agreements. and contracts under grants, loans (including a line of credit), cooperative agreements, loan guarantees, and loan insurance.

Undersigned understands that this certification is a material representation of fact upon which reliance is placed by the Federal government and that submission of this certification is a prerequisite for providing a Federal grant, loan (including a line of credit), cooperative agreement, loan guarantee, or loan insurance for a transaction covered by 31 U.S.C. 1352. The undersigned also understands that any person who fails to file a required certification shall be subject to a civil penalty of not less than \$10,000 and not more than \$100,000 for each such failure.

The (Vendor, Contractor) Creative Bus Sales, Inc., certifies or affirms the truthfulness and accuracy of each statement of its certification and disclosure, if any. In addition, the (Vendor, Contractor) understands and agrees that the provisions of 31 U.S.C. §§ 3801, et seq., apply to this certification and disclosure.

5-9-22

Date



Authorized Signature

Sales Operations Manager

Title

DESIGNATED CONTACT: Vendor appoints the individual identified in this Section as the Contract Administrator and the initial point of contact for matters relating to this Contract.

Mike Wilson, Regional Sales Manager

(Name, Title)
Mike Wilson, Regional Sales Manager

(Printed Name and Title)
9365 Counselors Row, Suite 112, Indianapolis, IN 46240

(Address)
877-686-9448


(Phone Number) / (Fax Number)
mikew@creativebussales.com

(email address)

CERTIFICATION AND SIGNATURE: By signing below, or submitting documentation through wvOASIS, I certify that: I have reviewed this Solicitation in its entirety; that I understand the requirements, terms and conditions, and other information contained herein; that this bid, offer or proposal constitutes an offer to the State that cannot be unilaterally withdrawn; that the product or service proposed meets the mandatory requirements contained in the Solicitation for that product or service, unless otherwise stated herein; that the Vendor accepts the terms and conditions contained in the Solicitation, unless otherwise stated herein; that I am submitting this bid, offer or proposal for review and consideration; that I am authorized by the vendor to execute and submit this bid, offer, or proposal, or any documents related thereto on vendor's behalf; that I am authorized to bind the vendor in a contractual relationship; and that to the best of my knowledge, the vendor has properly registered with any State agency that may require registration.

By signing below, I further certify that I understand this Contract is subject to the provisions of West Virginia Code § 5A-3-62, which automatically voids certain contract clauses that violate State law.

Creative Bus Sales, Inc.

(Company)


Nick Corley, Sales Operations Manager
(Authorized Signature) (Representative Name, Title)

Nick Corley, Sales Operations Manager

(Printed Name and Title of Authorized Representative)

5-9-22

(Date)

888-633-8380

(Phone Number) (Fax Number)

2022 Chrysler Voyager LX



Chrysler of Forest City





Prepared For:

Prepared By:
Administrator
Chrysler of Forest City
1445 Hwy 69 S
Forest City, Iowa, 50436

VEHICLE OVERVIEW

2022 Chrysler Voyager

Passenger Van LX (RUCL53)

Powertrain

3.6L V-6 DOHC SMPI 24 valve engine with VVT variable valve control, cylinder deactivation * 180 amp alternator * 650 amp battery with run down protection, auxiliary battery * Engine oil cooler, transmission oil cooler * 9-speed electronic automatic transmission with overdrive, lock-up * Front-wheel drive * ABS & driveline traction control * 3.25 axle ratio * Stainless steel exhaust

Steering and Suspension

Electric power-assist rack and pinion steering * 4-wheel disc brakes with front vented discs * Touring ride suspension, with electronic stability * Independent front suspension * Front strut suspension * Front anti-roll bar * Front coil springs * Gas-pressurized front shocks * Rear independent suspension * Rear trailing arm suspension * Rear coil springs * Gas-pressurized rear shocks * Front and rear 17.0" x 7.00" silver aluminum wheels * P235/65HR17.0 BSW AS front and rear tires * Underbody w/crankdown mounted compact steel spare wheel

Safety

4-wheel anti-lock braking system * Daytime running lights, center high mounted stop light * Dual airbags, seat mounted driver and passenger side-impact airbags, curtain 1st, 2nd and 3rd row overhead airbag, airbag occupancy sensor, driver and passenger knee airbag * Front and rear height adjustable seatbelts with front pre-tensioners * Sentry Key immobilizer, panic alarm, security system

Comfort and Convenience

Automatic dual zone front air conditioning, rear HVAC with separate controls, air filter, underseat ducts, headliner/pillar ducts * SiriusXM AM/FM/Satellite, clock, seek-scan, Uconnect 5 external memory control, 6 speakers, Siri Eyes Free voice activation, speed sensitive volume, Bluetooth streaming audio, active noise cancellation, integrated roof antenna, radio steering wheel controls * 2 1st row LCD monitors * Cruise control with steering wheel controls * Power door locks with 2 stage unlock, keyfob (all doors) keyless entry, power remote cargo access release, child safety rear door locks, tailgate/rear door lock included with power door locks * 2 12V DC power outlets, trunk/hatch auto-latch, driver foot rest, retained accessory power, Bluetooth wireless phone connectivity * Analog instrumentation appearance includes tachometer, oil pressure gauge, engine temperature gauge, voltmeter gauge, oil temperature gauge, transmission fluid temp gauge, compass, exterior temp, systems monitor, redundant digital speedometer, camera(s) - rear camera, trip computer, trip odometer * Warning indicators include oil pressure, engine temperature, battery, lights on, key, low fuel, low washer fluid, door ajar, rear cargo ajar, service interval, brake fluid, turn signal on, tire specific low tire pressure, transmission fluid temp * TechnoLeather leatherette steering wheel with tilt and telescopic adjustment * Power front and rear windows with deep tint, driver and passenger 1-touch down, fixed rearmost windows * Variable intermittent front windshield wipers, fixed interval rear

The information contained in this package is provided to assist in assessing our vehicles and is for your information only. Prices and content information shown are subject to change and should be treated as estimates only. Information on the comparison vehicle is derived from available public sources and may not be completely current or accurate. No representations, warranties or guarantees are given in the information. Neither Chrysler nor the dealer will be liable for any reliance on the contents hereof. Please see salesperson for the most current information and other details. Actual pricing may vary. Reference DX05103297 8/23/2021

VEHICLE OVERVIEW Continued

Comfort and Convenience (Continued)

wiper, rear window defroster * Dual illuminated vanity mirrors * Day-night rearview mirror * Interior lights include dome light with fade, front reading lights, illuminated entry * Partial floor console with storage, mini overhead console with storage, conversation mirror, locking glove box, front and rear cupholders, instrument panel bin, interior concealed storage, 2 seat back storage pockets, driver and passenger door bins, rear door bins * Carpeted cargo floor, plastic trunk lid/rear cargo door, carpet mat, cargo tie downs, cargo light, cargo concealed storage

Seating and Interior

Seating capacity of 7 * Bucket front seats with driver and passenger heated-cushion, driver and passenger heated-seatback, adjustable head restraints with tilt, driver and passenger armrests * 8-way adjustable (8-way power) driver seat includes power 4-way lumbar support * 4-way adjustable passenger seat * Bucket 2nd row seat with fold forward seatback, reclining fold into floor, 2 fixed rear head restraints, armrest mounted outboard only * 3rd row seat 60-40 folding split-bench fold into floor with reclining fold into floor, 3 fixed 3rd row head restraints * Cloth faced front seats with cloth back material * Cloth faced rear seats with plastic back material * Cloth faced 3rd row seats with carpet back material * Full cloth headliner, full carpet floor covering with carpet front and rear floor mats, colored instrument panel insert, metal-look gear shifter material, colored door panel insert, piano black console insert, piano black/metal-look interior accents

Exterior Features

Rear lip spoiler, side impact beams, front license plate bracket, galvanized steel/aluminum body material * Chrome side window moldings * Body-colored door handles * Black w/chrome surround grille * 4 doors with power sliding rear driver's side door, power sliding rear passenger's side door power liftgate rear cargo door * Driver and passenger power remote body-colored heated folding outside mirrors * Front and rear body-colored bumpers * Aero-composite halogen auto on/off headlamps with multiple headlamps, delay-off feature * Clearcoat monotone paint

Warranty

Basic	36 month/36,000 miles	Powertrain	60 month/60,000 miles
Corrosion Perforation	60 month/unlimited mileage	Roadside Assistance	60 month/60,000 miles

Dimensions and Capacities

Output	287 hp @ 6,400 rpm	Torque	262 lb.-ft. @ 4,000 rpm
Drag coefficient	0.30	1st gear ratio	4.710
2nd gear ratio	2.840	3rd gear ratio	1.910
4th gear ratio	1.380	5th gear ratio	1.000
6th gear ratio	0.810	7th gear ratio	0.700
8th gear ratio	0.580	9th gear ratio	0.480
Reverse gear ratio	3.810	City/hwy	19 mpg/28 mpg
Curb weight	4,330 lbs.	GVWR	6,055 lbs.
Towing capacity	3,600 lbs.	Front legroom	41.1 "
Rear legroom	39.0 "	Third legroom	36.5 "
Front headroom	40.1 "	Rear headroom	39.6 "

The information contained in this package is provided to assist in assessing our vehicles and is for your information only. Prices and content information shown are subject to change and should be treated as estimates only. Information on the comparison vehicle is derived from available public sources and may not be completely current or accurate. No representations, warranties or guarantees are given in the information. Neither Chrysler nor the dealer will be liable for any reliance on the contents hereof. Please see salesperson for the most current information and other details. Actual pricing may vary. Reference DX05103297 8/23/2021

VEHICLE OVERVIEW Continued

Dimensions and Capacities (Continued)

Third headroom	38.7 "	Front hiproom	59.0 "
Rear hiproom	64.8 "	Third hiproom	49.5 "
Front shoulder room	63.8 "	Rear shoulder room	63.0 "
Third shoulder room	61.2 "	Passenger area volume	165.0 cu.ft.
Length	203.8 "	Body width	79.6 "
Body height	69.9 "	Wheelbase	121.6 "
Front track	68.3 "	Rear track	68.3 "
Turning radius	19.8 '	Fuel tank	19.0 gal.
Interior cargo volume	32.3 cu.ft.	Interior cargo volume seats folded	87.5 cu.ft.
Interior maximum cargo volume	140.5 cu.ft.		

The information contained in this package is provided to assist in assessing our vehicles and is for your information only. Prices and content information shown are subject to change and should be treated as estimates only. Information on the comparison vehicle is derived from available public sources and may not be completely current or accurate. No representations, warranties or guarantees are given in the information. Neither Chrysler nor the dealer will be liable for any reliance on the contents hereof. Please see salesperson for the most current information and other details. Actual pricing may vary. Reference DX05103297 8/23/2021



Prepared For:

Prepared By:
Administrator
Chrysler of Forest City
1445 Hwy 69 S
Forest City, Iowa, 50436

SELECTED EQUIPMENT

2022 Chrysler Voyager

Passenger Van LX (RUCL53)

MSRP

RUCL53	Base Vehicle Price (RUCL53)	STD	32,115.00
Emissions			
NAS	50 State Emissions	OPT	N/C
Packages			
27E	Quick Order Package 27E	OPT	N/C
Powertrain			
ERC	Engine: 3.6L V6 24V VVT UPG I w/ESS	STD	N/C
DFH	Transmission: 9-Speed 948TE Automatic	STD	N/C
STDAX	3.25 Axle Ratio	STD	N/C
Z1A	GVWR: 6,055 lbs	STD	N/C
Wheels & Tires			
TMK	Tires: 235/65R17 BSW AS	STD	N/C
WFN	Wheels: 17" x 7" Aluminum	STD	N/C
Seats & Seat Trim			
H7	Cloth Bucket Seats	STD	N/C
CEQ	Black Seats	OPT	N/C
Other Options			
APA	Monotone Paint Application	STD	N/C
UBC	Radio: Uconnect 5 w/7" Display	STD	N/C

The information contained in this package is provided to assist in assessing our vehicles and is for your information only. Prices and content information shown are subject to change and should be treated as estimates only. Information on the comparison vehicle is derived from available public sources and may not be completely current or accurate. No representations, warranties or guarantees are given in the information. Neither Chrysler nor the dealer will be liable for any reliance on the contents hereof. Please see salesperson for the most current information and other details. Actual pricing may vary. Reference DX05103297 8/23/2021

SELECTED EQUIPMENT Continued

			MSRP
SDC	Touring Suspension	STD	N/C
	Interior Colors For : Primary w/LX		
X7	Black/Alloy/Black	OPT	N/C
	Primary Colors For : Primary w/LX		
PW7	Bright White Clearcoat	OPT	N/C
Vehicle Subtotal			\$32,115.00
Destination			\$1,495.00
Vehicle Subtotal (including Destination)			\$33,610.00

The information contained in this package is provided to assist in assessing our vehicles and is for your information only. Prices and content information shown are subject to change and should be treated as estimates only. Information on the comparison vehicle is derived from available public sources and may not be completely current or accurate. No representations, warranties or guarantees are given in the information. Neither Chrysler nor the dealer will be liable for any reliance on the contents hereof. Please see salesperson for the most current information and other details. Actual pricing may vary. Reference DX05103297 8/23/2021



Prepared For:

Prepared By:
Administrator
Chrysler of Forest City
1445 Hwy 69 S
Forest City, Iowa, 50436

DIMENSIONS & CAPACITIES

2022 Chrysler Voyager

Passenger Van LX (RUCL53)

Output	287 hp @ 6,400 rpm
Torque	262 lb.-ft. @ 4,000 rpm
Drag coefficient	0.30
1st gear ratio	4.710
2nd gear ratio	2.840
3rd gear ratio	1.910
4th gear ratio	1.380
5th gear ratio	1.000
6th gear ratio	0.810
7th gear ratio	0.700
8th gear ratio	0.580
9th gear ratio	0.480
Reverse gear ratio	3.810
City/hwy	19 mpg/28 mpg
Curb weight	4,330 lbs.
GVWR	6,055 lbs.
Towing capacity	3,600 lbs.
Front legroom	41.1 "
Rear legroom	39.0 "
Third legroom	36.5 "
Front headroom	40.1 "
Rear headroom	39.6 "
Third headroom	38.7 "
Front hiproom	59.0 "
Rear hiproom	64.8 "
Third hiproom	49.5 "
Front shoulder room	63.8 "
Rear shoulder room	63.0 "
Third shoulder room	61.2 "
Passenger area volume	165.0 cu.ft.
Length	203.8 "
Body width	79.6 "
Body height	69.9 "
Wheelbase	121.6 "

The information contained in this package is provided to assist in assessing our vehicles and is for your information only. Prices and content information shown are subject to change and should be treated as estimates only. Information on the comparison vehicle is derived from available public sources and may not be completely current or accurate. No representations, warranties or guarantees are given in the information. Neither Chrysler nor the dealer will be liable for any reliance on the contents hereof. Please see salesperson for the most current information and other details. Actual pricing may vary. Reference DX05103297 8/23/2021

DIMENSIONS & CAPACITIES Continued

Front track	68.3 "
Rear track	68.3 "
Turning radius	19.8 '
Fuel tank	19.0 gal.
Interior cargo volume	32.3 cu.ft.
Interior cargo volume seats folded	87.5 cu.ft.
Interior maximum cargo volume	140.5 cu.ft.

The information contained in this package is provided to assist in assessing our vehicles and is for your information only. Prices and content information shown are subject to change and should be treated as estimates only. Information on the comparison vehicle is derived from available public sources and may not be completely current or accurate. No representations, warranties or guarantees are given in the information. Neither Chrysler nor the dealer will be liable for any reliance on the contents hereof. Please see salesperson for the most current information and other details. Actual pricing may vary. Reference DX05103297 8/23/2021

2022 Chrysler Voyager Passenger Van LX (RUCL53)

Engine: 3.6L V6 24V VVT UPG I w/ESS
Transmission: 9-Speed 948TE Automatic

Exterior (0 P) Bright White Clearcoat
Interior (0 I) Black/Alloy/Black



Standard Equipment

Items Featured Below are included at NO EXTRA CHARGE in the Standard Vehicle Price Shown at Right

- 3.6L V-6 DOHC w/SMPI 287hp
- 9 speed automatic trans w/OD
- 4-wheel ABS
- Brake assistance
- Traction control
- P235/65R17 BSW H-rated tires
- Battery with run down protection
- Touring suspension
- Electronic stability
- Automatic air conditioning
- AM/FM SiriusXM satellite radio
- Daytime running lights
- Rear child safety locks
- 60-40 folding 3rd row split-bench seats
- Dual power remote heated mirrors
- Variable intermittent wipers
- Silver aluminum wheels
- Dual front airbags
- Driver & front passenger seat mounted side airbags
- Airbag occupancy sensor
- Sentry Key immobilizer
- Rear window defogger
- Tachometer
- Trip computer
- Underseat ducts
- Heated reclining front bucket seats
- 2nd row bucket seat

STANDARD VEHICLE PRICE \$32,115.00

OPTIONAL EQUIPMENT

50 State Emissions	N/C
Quick Order Package 27E	N/C
Engine: 3.6L V6 24V VVT UPG I w/ESS	STD
Transmission: 9-Speed 948TE Automatic	STD
3.25 Axle Ratio	STD
GVWR: 6,055 lbs	STD
Tires: 235/65R17 BSW AS	STD
Wheels: 17" x 7" Aluminum	STD
Cloth Bucket Seats	STD
Black Seats	N/C
Radio: Uconnect 5 w/7" Display	STD
Touring Suspension	STD
Interior : Black/Alloy/Black	N/C
Primary : Bright White Clearcoat	N/C

CITY MPG
19



HIGHWAY MPG
28

SUBTOTAL	\$32,115.00
Destination	\$1,495.00

TOTAL \$33,610.00

Introducing the **New Commercial Side-Entry** **Built on the Chrysler Voyager**



The Commercial Side-Entry wheelchair accessible vehicle has been a cost-effective, workhorse product for paratransit providers and transportation services. Leveraging almost 50 years of experience in mobility transportation solutions, BraunAbility introduces with the newest addition to the Commercial fleet, the Chrysler Voyager. The side-entry foldout has all the ADA-compliant features of the Dodge Grand Caravan but with 15% more cabin space for easier maneuverability, more seating positions, plus enhanced space at the toe pan for wheelchair footrests. The new conversion also features the much more durable thermoplastic (TPO) front, side and rear flares to absorb minor impacts while protecting the exterior look of the vehicle. An LED spotlight package for the ramp and cabin as well as an easy access footrest for rear seating adds to the overall ease of use for both operators and passengers.

- **15% more cabin space vs. Dodge Grand Caravan**
- **Seating for up to 7 ambulatory*; up to 2 wheelchair positions**
- **Added space at front for wheelchair passenger footrests**
- **Hard-wearing TPO front, side and rear flares to absorb minor impacts**
- **Reinforced, heavy-duty swing-out ramp and latch**
- **Enhanced ADA lighting package**

* With optional aftermarket 2nd row 2-passenger folding bench seat



braunability.com/commercial



800.488.0359

Voyager Commercial Side-Entry



Standard Features

- ADA, FMVSS and CMVSS Compliant
- CARB approved
- 7-passenger vehicle (with optional aftermarket 2nd row 2-passenger folding bench seat)
- Lowered floor from toepan to rear axle
- 60" floor-to-ceiling at center of van
- 30" wide manual ramp with 1,000 lb capacity and swing out feature for ambulatory access
- Multiple wheelchair securement locations
- One wheelchair securement system
- Manual driver and passenger side sliding door providing 56" vertical opening (ADA compliant), passenger door provides clear opening width of 31" (excluding OEM grab handle)
- Step-and-Roll removable front passenger seat
- 3-passenger bench seat at rear with folding footrest
- Front passenger floor tracks for wheelchair securement, with 60" floor-to-ceiling height
- TPO plastic lower body panels with integrated steps
- Vinyl flooring with 3/8" underlayment, a thermoplastic honeycomb panel subfloor
- ADA-compliant park interlock
- ADA-compliant ramp and door entrance lighting
- Priority seating and wheelchair securement location decals
- Auxiliary wiring harnesses include fused circuits
- Emergency rear hatch release
- Easy maintenance interior trim package
- 19 gallon OEM fuel tank



Ramp capacity 1,000 lbs.

All dimensions are for reference only

Optional Features

- Aftermarket 2nd row 2-passenger folding bench seat
- DOT kit
- Additional set of tie-down straps

Dimensions

Door opening usable width (excluding OEM grab handle)	A	31"
Door opening usable height (at middle of door)	B	56"
Interior height at center of vehicle	C	60"
Interior height at driver and passenger position	D	60"
Ramp length	E	52"
Ramp width (usable clear opening)	F	30"
Ramp angle*	G	13.75°
Interior floor length (behind front seat strikers)	H	71"
Overall interior floor length (flat area)	I	98.5"
Interior width at passenger doors (doors closed)	J	64"
Interior width - ramp (deployed) to optional 2-passenger seat (stowed)	K	49"
Ground clearance (loaded) @ = GVWR lbs**	L	5"
Overall vehicle height (unloaded)	M	81"

Due to manufacturing tolerances both with the OEM vehicle and the conversion components, all dimensions may vary slightly from those shown.

* Ramp angle may vary based on chassis trim level and other environmental factors

** 5" clearance between the break-over angle position of the vehicle exhaust pipe and level ground when loaded to capacity



braunability.com/commercial

800.488.0359



Creative Bus Sales

Warranties

Base Chrysler Voyager Warranty: 3 Years/36,000 Miles

Engine, Transmission, A/C, Basic Structure, Radio

Powertrain Engine, Transmission, Drive Axle, Brake System: 5 Year/60,000 Miles

Roadside Assistance Warranty: 5 Year/60,000 Miles

See document titled Glaval Limited warranty

Corrosion Perforation Warranty: 5 Year/60,000 Miles


Braun Modifications and Alterations Warranty: 3 Years/36,000 Miles

Ramp, Undercoating

Braun Corrosion Conversion Warranty: 5 Years/100,000 Miles

Creative Bus Sales | **800.326.2877** | CreativeBusSales.com
14740 Ramona Ave., Chino, CA 91710

SEATING OPTION D: (3) AMBULATORY PASSENGERS, (2) MOBILITY AID PASSENGERS, AND THE DRIVER



LOADED WEIGHTS

REQUIRED CAPACITIES
LOADED GVW = 5510#
LOADED GAW FRONT = 2810#
LOADED GAW REAR = 2710#

NOTES / DEFINED VARIABLES

ALLOWABLE WEIGHTS
DEM GVWR = 6055#
DEM FRONT GAWR = 2950#
DEM REAR GAWR = 3200#


MODIFIED EMPTY WEIGHTS
TOTAL VEHICLE = 4480#
FRONT AXLE = 2530#
REAR AXLE = 1960#

WHEEL BASE = 121.6"
AMBULATORY PASSENGER = 150#
MOBILITY AID PASSENGER = 250#
REMOVABLE FRONT PASSENGER SEAT = 100#

NOTE: THESE ARE APPROXIMATE WEIGHTS ONLY.
(ACTUAL WEIGHTS MAY VARY WITH VEHICLE.)

						DESIGN/APPR. MDH	<u>TOLERANCES:</u> (UNLESS OTHERWISE SPECIFIED) DECIMAL DIMENSIONS: .XXX = ±.010 .XX = ±.030 .X = ±.060 FRACTIONAL DIMENSIONS = ±1/32 ANGULAR DIMENSIONS = ±1° NOTE: DEBURR ALL SHARP CORNERS	CONFIDENTIAL PROPRIETARY INFORMATION DO NOT COPY WITHOUT PERMISSION OF <i>The Braun Corporation</i> <i>Winamac, Indiana 46996</i>
						DRAWN MDH		
						DETAIL CHK.		
						SCALE 1"=32"		
						DATE 12/18/20	BRAUN CHRYSLER RU ADA E3	
REQ. BY	LET.	REVISION	ECN NO.	REV. BY	DATE	P/N	SEATING OPTION D	

Mobility Aid Track Mounting Dimensions



Notes: All Dimensions are Approximate.

RU Voyager ADA SE 2020 DIM01.ai

CHRYSLER



2022 WARRANTY INFORMATION - ALL VEHICLES



Please note that this new vehicle limited warranty contains a binding arbitration provision that may affect your legal rights, and you agree that, pursuant to the arbitration provision contained in this book, that either you or FCA US LLC may elect to resolve any dispute by neutral, binding arbitration and not by a court action. See the binding arbitration provision contained in "section 1.2" of this new vehicle limited warranty for additional information concerning the agreement to arbitrate. The binding arbitration provision contained in this warranty book does not affect any rights a consumer has to participate in any of FCA's nonbinding arbitration programs or any voluntary arbitration programs sponsored by any state or government agency.

WARRANTY COVERAGE AT A GLANCE

Basic Limited Warranty Coverage 3 years/36,000 miles Specified Components 1 year/12,000 miles	Federal Emission Warranty 2 years/24,000 miles Specified Components 8 years/80,000 miles
Anti-Corrosion Perforation Limited Warranty All Panels 3 years/Unlimited mileage Outer Panels 5 years/Unlimited mileage	Emission Performance Warranty 2 years/24,000 miles
Powertrain Limited Warranty 5 years/60,000 miles	

1. Your Legal Rights Under These Limited Warranties.....	4
1.1. INCIDENTAL AND CONSEQUENTIAL DAMAGES NOT COVERED	4
1.2. VOLUNTARY BINDING ARBITRATION PROVISION	5
2. What Is Covered Under FCA US LLC's Warranties.....	6
2.1. BASIC LIMITED WARRANTY	6
A. Who Is Covered	6
B. What Is Covered.....	6
C. Items Covered By Other Warranties	6
D. Towing Costs Are Covered Under Certain Circumstances	6
E. When It Begins.....	7
F. When It Ends	7
G. Registration And Operation Requirements.....	7
2.2. CORROSION WARRANTY.....	8
A. Who Is Covered	8
B. What Is Covered.....	8
C. How Long It Lasts	8
D. What Is Not Covered	8
2.3. RESTRAINT SYSTEM LIMITED WARRANTY, VEHICLES SOLD AND REGISTERED IN THE STATE OF KANSAS ONLY.....	9
2.4. POWERTRAIN LIMITED WARRANTY.....	9
A. Who Is Covered	9
B. What Is Covered.....	9
C. How Long It Lasts	9
D. Towing Costs Are Covered.....	9
E. Parts Covered	10
F. Other Provisions Of This Powertrain Limited Warranty.....	10
3. What Is Not Covered.....	11
3.1. MODIFICATIONS NOT COVERED	11
A. Some Modifications Do Not Void The Warranties But Are Not Covered	11
B. Modifications That WILL Void Your Warranties	11
3.2. ENVIRONMENTAL FACTORS NOT COVERED	12
3.3. MAINTENANCE COSTS NOT COVERED.....	12
3.4. RACING NOT COVERED	13
3.5. CERTAIN KINDS OF CORROSION NOT COVERED	13
3.6. OTHER EXCLUSIONS	13
3.7. TOTAL LOSS, SALVAGE, JUNK, OR SCRAP VEHICLES NOT COVERED	14
3.8. RESTRICTED WARRANTY	14

4. Other Terms Of Your Warranties.....	15	6.3. EMERGENCY WARRANTY REPAIRS	22
4.1. EXCHANGED PARTS MAY BE USED IN WARRANTY REPAIRS.....	15	6.4. GETTING SERVICE UNDER THE FEDERAL EMISSION PERFORMANCE WARRANTIES.....	22
4.2. PRE-DELIVERY SERVICE	16	A. What To Do	22
4.3. PRODUCTION CHANGES	16	B. Further Steps You Can Take, And How To Get More Information.....	22
5. Emission Warranties Required By Law.....	17	7. How To Deal With Warranty Problems.....	23
5.1. FEDERAL EMISSION WARRANTY.....	17	7.1. STEPS TO TAKE	23
A. Parts Covered For Two Years Or 24,000 Miles.....	17	A. In General.....	23
B. Parts Covered For Eight Years Or 80,000 Miles.....	17	B. What FCA US LLC Will Do	23
5.2. EMISSION PERFORMANCE WARRANTY	18	C. If Your Problem Still Is Not Resolved For Customers Residing In Arkansas, Idaho, Kentucky, Minnesota And Montana ONLY.....	24
6. How To Get Warranty Service	19	D. Notice Under State Lemon Laws	25
6.1. WHERE TO TAKE YOUR VEHICLE.....	19	7.2. HELPFUL ADDRESSES AND TELEPHONE NUMBERS.....	26
A. In The United States, We Include US Possessions And Territories As Part Of The United States For Warranty Purposes	19	8. Optional Service Contract.....	27
B. In Canada And Mexico.....	19	9. Maintenance.....	28
C. In A Foreign Country Outside Of North America.....	19	9.1. GENERAL INFORMATION	28
D. If You Move	20	9.2. WHERE TO GO FOR MAINTENANCE	28
E. Notice	20		
6.2. HOW TO GET ROADSIDE ASSISTANCE SERVICE — US OR CANADA ONLY *	20		
A. Who Is Covered	20		
B. What To Do.....	20		
C. Covered Services	21		
D. If Unable To Contact Roadside Assistance.....	21		

1. YOUR LEGAL RIGHTS UNDER THESE LIMITED WARRANTIES

The warranties contained in this booklet are the only express warranties that FCA US LLC ("FCA US") makes for your vehicle. **These warranties give you specific legal rights. You may also have other rights that vary from state to state.** For example, you may have some implied warranties, depending on the state where your vehicle was sold or is registered.

These implied warranties are limited, to the extent allowed by law, to the time periods covered by the express written warranties contained in this booklet.

If you use your vehicle primarily for business or commercial purposes, then these implied warranties do not apply and FCA US LLC completely disclaims them to the extent allowed by law. The implied warranty of fitness for a particular purpose does not apply if your vehicle is used for racing, even if the vehicle is equipped for racing.

Some states do not allow limitations on how long an implied warranty lasts, so the above limitations may not apply to you.

1.1. INCIDENTAL AND CONSEQUENTIAL DAMAGES NOT COVERED

Your warranties do not cover any incidental or consequential damages connected with your vehicle's failure, either while under warranty or afterward.

Examples of such damages include:

- Lost time
- Inconvenience
- The loss of the use of your vehicle
- The cost of rental vehicles, gasoline, telephone, travel, or lodging
- The loss of personal or commercial property
- The loss of revenue

Some states do not allow incidental or consequential damages to be excluded or limited, so this exclusion may not apply to you.

1.2. VOLUNTARY BINDING ARBITRATION PROVISION

Please carefully read this voluntary binding arbitration provision, which applies to any dispute between you and FCA US LLC and its affiliates (together “FCA”, “we” or “us”). If you have a concern or dispute, please send a written notice describing it and your desired resolution to FCA US LLC Office of the General Counsel, 1000 Chrysler Drive, CIMS 485-13-62, Auburn Hills, MI 48326-2766. This binding arbitration provision does not affect any rights a consumer has to participate in any of FCA US LLC’s nonbinding arbitration programs or any voluntary arbitration programs sponsored by any state or government agency.

If your concern or dispute is not resolved within 60 days, you agree that any dispute arising out of or relating to any aspect of the relationship between you and FCA US LLC will not be decided by a judge or jury but instead by a single arbitration administered by the **American Arbitration Association (AAA)** under its **Consumer Arbitration Rules** in effect at the time you signed the Agreement to Arbitrate. This includes claims arising out of your warranty and claims arising before this agreement, such as claims related to statements about our products.

FCA US LLC will pay all AAA fees and costs for any arbitration, which will be held in the city or county of your residence. To learn more about the rules and how to begin an arbitration, you may call any AAA office or go to www.adr.org.

The arbitrator may resolve only disputes between you and FCA US LLC and may not consolidate claims without the consent of all parties. You and FCA US LLC may bring claims against the other only in your or its individual capacity and not as a plaintiff or class member in any class or representative action. The arbitrator cannot hear class or representative claims on behalf of others purchasing or leasing FCA US LLC vehicles. If a court or arbitrator decides that any part of this agreement to arbitrate cannot be enforced as to a particular claim for relief or remedy (such as declaratory relief), then that claim or remedy (and only that claim or remedy) shall be severed and must be brought in court and any other claims must be arbitrated.

If you prefer, you may instead take an individual dispute to small claims court.

You may opt out of arbitration within 30 days after signing the agreement by sending a letter to: FCA US LLC Office of the General Counsel, 1000 Chrysler Drive, CIMS 485-13-62, Auburn Hills, MI 48326-2766, stating your name, Vehicle Identification Number (VIN), and intent to opt out of the arbitration provision. If you do not opt out, then this agreement to arbitrate is binding.

2. WHAT IS COVERED UNDER FCA US LLC'S WARRANTIES

2.1. BASIC LIMITED WARRANTY

A. WHO IS COVERED

You are covered by the Basic Limited Warranty if you are a purchaser for use of the vehicle.

B. WHAT IS COVERED

The Basic Limited Warranty covers the cost of all parts and labor needed to repair any item on your vehicle when it left the manufacturing plant that is defective in material, workmanship or factory preparation. There is no list of covered parts since the only exceptions are the parts that are in "section 2.1 C". These warranty repairs or adjustments including all parts and labor connected with them, will be made by an authorized dealer at no charge, using new or remanufactured parts.

C. ITEMS COVERED BY OTHER WARRANTIES

The following are covered by separate warranties offered by their makers. They are **not covered** by the Basic Limited Warranty:

- Tires
- Headphones
- Items added or changed after your vehicle left the manufacturing plant, such as accessories or protection products, or items changed because of customization or van conversion

Be sure you get a copy of any warranty that applies to these items from the manufacturer of the product.

D. TOWING COSTS ARE COVERED UNDER CERTAIN CIRCUMSTANCES

Roadside Assistance covers the cost of towing your vehicle to the nearest Chrysler, Dodge, Jeep®, or Ram dealer if your vehicle becomes disabled as a result of a mechanical breakdown. If you choose to go to another dealership, you will be responsible for the cost if the extra distance exceeds 10 miles. See "section 6.2" for information on how to get towing service in the United States and Canada.

E. WHEN IT BEGINS

The Basic Limited Warranty begins on either of the following dates, whichever is earlier:

- The date you take delivery of the vehicle.
- The date when the vehicle was first put into use, for example, as a dealer “demo” or as an FCA US LLC company vehicle.

F. WHEN IT ENDS

The Basic Limited Warranty lasts for three years from the date it begins or for 36,000 miles on the odometer, whichever occurs first. But the following items are covered only for one year or for 12,000 miles on the odometer, whichever occurs first:

- Brakes (rotors, pads, linings, and drums)
- Bulbs
- Clutch Discs or Modular Clutch Assembly (if equipped)
- Wheel Alignment and Wheel Balancing
- Windshield and Rear Window
- Wiper Blades

G. REGISTRATION AND OPERATION REQUIREMENTS

The Basic Limited Warranty covers your vehicle only if:

- The vehicle was built for sale in the US.
- The vehicle is registered in the US.
- The vehicle is driven mainly in the US or Canada.
- The vehicle is operated and maintained in the manner described in your Owner’s Manual.

EXCEPT WHERE SPECIFICALLY REQUIRED BY LAW, THERE IS NO WARRANTY COVERAGE FOR THIS VEHICLE IF IT IS SOLD OR REGISTERED OUTSIDE OF THE UNITED STATES, INCLUDING UNITED STATES POSSESSIONS AND TERRITORIES AS PART OF THE UNITED STATES FOR WARRANTY PURPOSES.

This policy does not apply to vehicles that have received authorization for export from FCA US LLC. Dealers may not give authorization for export. You should consult an authorized dealer to determine this vehicle’s warranty coverage if you have any questions.

This policy does not apply to vehicles registered to US government officials or military personnel on assignment outside of the United States.

2.2. CORROSION WARRANTY

A. WHO IS COVERED

You are covered by the Corrosion Warranty if you are a purchaser for use of the vehicle.

B. WHAT IS COVERED

The Corrosion Warranty covers the cost of all parts and labor needed to repair or replace any sheet metal panels that get holes from rust or other corrosion. If a hole occurs because of something other than corrosion, this warranty does not apply. Cosmetic or surface corrosion resulting, for example, from stone chips or scratches in the paint, is not covered. For more details on what is not covered by this warranty, refer to “section 3.5”.

C. HOW LONG IT LASTS

The Corrosion Warranty starts when your Basic Limited Warranty begins under “section 2.1 E”.

This warranty has two time-and-mileage limits:

- For sheet metal panels, the limit is three years, with no mileage limit.
- For an outer body sheet metal panel, one that is finish painted and that someone can see when walking around the vehicle, the limit is five years, with no mileage limit.

D. WHAT IS NOT COVERED

Please note that while the standard Corrosion Warranty applies to defects in material and/or workmanship, it does not cover the vehicle's matte finish appearance (if equipped).

Maintaining the matte finish appearance is solely the responsibility of the vehicle owner as described in your Owner's Manual.

2.3. RESTRAINT SYSTEM LIMITED WARRANTY, VEHICLES SOLD AND REGISTERED IN THE STATE OF KANSAS ONLY

For vehicles sold and registered in the State of Kansas, seat belts and related seat belt components are warranted against defects in workmanship and materials for 10 years, regardless of mileage. This warranty does not cover replacement of seat belts and related components required as the result of collision.

2.4. POWERTRAIN LIMITED WARRANTY

A. WHO IS COVERED

You are covered by the Powertrain Limited Warranty if you are a purchaser for use of the vehicle.

B. WHAT IS COVERED

The Powertrain Limited Warranty covers the cost of all parts and labor needed to repair a powertrain component listed in “section 2.4 E” below that is defective in workmanship and materials.

C. HOW LONG IT LASTS

The Powertrain Limited Warranty lasts for up to five years or 60,000 miles on the odometer, whichever occurs first, calculated from the start date of the Basic Limited Warranty, as set forth in “section 2.1 E”.

D. TOWING COSTS ARE COVERED

Roadside Assistance covers the cost of towing your vehicle to the nearest authorized Chrysler, Dodge, Jeep® or Ram dealer if your vehicle cannot be driven because a covered part has failed.

If you choose to go to another dealership, you will be responsible for the cost if the extra distance exceeds 10 miles. Refer to “section 6.2” for information on how to get towing service in the United States and Canada.

E. PARTS COVERED

The Powertrain Limited Warranty covers these parts and components of your vehicle's powertrain supplied by FCA US LLC:

NOTE:

MANUAL TRANSMISSION CLUTCH PARTS ARE NOT COVERED UNDER THE POWERTRAIN LIMITED WARRANTY

Gasoline Engine

Cylinder block and all internal parts; cylinder head assemblies; timing case, timing chain, timing belt, gears and sprockets; vibration damper; oil pump; water pump and housing; intake and exhaust manifolds; flywheel with starter ring gear; core plugs; valve covers; oil pan; turbocharger housing and internal parts; turbocharger wastegate actuator; supercharger; serpentine belt tensioner; seals and gaskets for listed components only.

Transmission

Transmission case and all internal parts; torque converter; drive/flex plate; transmission range switch; speed sensors; pressure sensors; transmission control module; bell housing; oil pan; seals and gaskets for listed components only.

Front-Wheel Drive (FWD)

Transaxle case and all internal parts; axle shaft assemblies; constant velocity joints and boots; differential cover; oil pan; transaxle speed sensors; transaxle solenoid assembly; PRNDL position switch; transaxle electronic controller; torque converter; seals and gaskets for listed components only.

All-Wheel Drive (AWD)

Power transfer unit and all internal parts; viscous coupler; axle housing and all internal parts; constant velocity joints and boots; driveshaft and axle shaft assemblies; differential carrier assembly and all internal parts; output ball bearing; output flange; end cover; overrunning clutch; vacuum motor; torque tube; pinion spacer and shim; seals and gaskets for listed components only.

Rear-Wheel Drive (RWD)

Rear axle housing and all internal parts; axle shafts; axle shaft bearings; drive shaft assemblies; drive shaft center bearings; universal joints and yokes; seals and gaskets for listed components only.

Four-Wheel Drive (4WD)

Transfer case and all internal parts; transfer case control module and shift mode motor assembly; axle housing and all internal parts; axle shafts; axle shaft bearings; drive shaft assemblies (front and rear); drive shaft center bearings; universal joints and yokes; disconnect housing assembly; seals and gaskets for the listed components only.

F. OTHER PROVISIONS OF THIS POWERTRAIN LIMITED WARRANTY

All other terms of the New Vehicle Limited Warranty including "section 1" (Your Legal Rights Under These Limited Warranties) and "section 3" (What Is Not Covered) apply to this Powertrain Limited Warranty.

3. WHAT IS NOT COVERED

3.1. MODIFICATIONS NOT COVERED

A. SOME MODIFICATIONS DO NOT VOID THE WARRANTIES BUT ARE NOT COVERED

Certain changes that you might make to your vehicle do not, by themselves, void the warranties described in this booklet. Examples of some of these changes are:

- Installing non-FCA US LLC parts, components, or equipment such as a non-FCA US LLC radio or cruise control.
- Using special non-FCA US LLC materials or additives.
- Modifying the front fascia/bumper, vehicle body structure, or adding aftermarket side steps or running boards.
- Replacing windshields on vehicles equipped with Advanced Driver Assist systems with non-FCA US LLC parts.
- Using aftermarket collision parts.
- Attaching or installing any aftermarket accessories, including transparent material (e.g. glass tinting) or aftermarket grilles.

NOTE:

Non-FCA US LLC parts can also impact downstream or other related safety systems.

Your warranties do not cover any part that was not on your vehicle when it left the manufacturing plant or is not certified for use on your vehicle. Nor do they cover the costs of any repairs or adjustments that might be caused or needed because of the installation or use of non-FCA US LLC parts, components, equipment, materials, or additives.

Performance or racing parts are considered to be non-FCA US LLC parts. Repairs or adjustments caused by their use are not covered under your warranties.

Examples of the types of alterations not covered are:

- Installing accessories, except for genuine FCA US LLC/Mopar® accessories installed by an authorized Chrysler, Dodge, Jeep® or Ram dealer.
- Applying rustproofing or other protection products.
- Changing the vehicle's configuration or dimensions, such as converting the vehicle into a limousine or food service vehicle.
- Using any refrigerant that FCA US LLC has not approved.

B. MODIFICATIONS THAT WILL VOID YOUR WARRANTIES

These actions will void your warranties:

- Disconnecting, tampering with, or altering the odometer will void your warranties, unless your repairing technician follows the legal requirements for repairing or replacing odometers.
- Attaching any device that disconnects the odometer will also void your warranties.

3.2. ENVIRONMENTAL FACTORS NOT COVERED

Your warranties do not cover damage caused by environmental factors such as airborne fallout, bird droppings, insect damage, chemicals, tree sap, salt, ocean spray, acid rain, and road hazards. Nor do your warranties cover damage caused by hailstorms, windstorms, tornadoes, sandstorms, lightning, floods, and earthquakes.

Your warranties do not cover conditions resulting from anything impacting the vehicle. This includes cracks and chips in glass, scratches and chips in painted surfaces, or damage from collision.

3.3. MAINTENANCE COSTS NOT COVERED

Your warranties do not cover the costs of repairing damage caused by poor or improper maintenance. Nor do they cover damage caused by the use of contaminated fuels, or by the use of fuels, oils, lubricants, cleaners or fluids other than those recommended in your Owner's Manual.

The warranties do not cover the costs of your vehicle's normal or scheduled maintenance. Some of these parts and services, which your warranties do not cover, include:

- Lubrication
- Engine tune-ups
- Replacing filters, coolant, spark plugs, or fuses (unless those costs result from a covered repair)
- Cleaning and polishing
- Replacing worn wiper blades, worn brake pads and linings, or clutch linings

3.4. RACING NOT COVERED

Your warranties do not cover the costs of repairing damage or conditions caused by racing, nor do they cover the repair of any defects that are found as the result of participating in a racing event.

3.5. CERTAIN KINDS OF CORROSION NOT COVERED

Your warranties do not cover the following:

- Corrosion caused by accident, damage, abuse, or vehicle alteration.
- Surface corrosion caused by such things as industrial fallout, sand, salt, hail, ocean spray, and stones.
- Corrosion caused by the extensive or abnormal transport of caustic materials like chemicals, acids, and fertilizers.
- Corrosion of special bodies, body conversions, or equipment that was not on your vehicle when it left the manufacturing plant or was not supplied by FCA US LLC.

3.6. OTHER EXCLUSIONS

Your warranties do not cover the costs of repairing damage or conditions caused by any of the following:

- Fire or accident
- Abuse or negligence
- Misuse: for example, driving over curbs or overloading
- Tampering with the emission systems, or with a part that could affect the emission systems
- Use of used parts, even if they were originally supplied by FCA US LLC however, authorized FCA US LLC/Mopar® remanufactured parts are covered
- Windshield or rear window damage from external objects
- Any changes made to your vehicle that do not comply with FCA US LLC
- Using any fluid that does not meet the minimum recommendations in your Owner's Manual

3.7. TOTAL LOSS, SALVAGE, JUNK, OR SCRAP VEHICLES NOT COVERED

A vehicle has no warranty coverage of any kind if:

- The vehicle is declared to be a total loss by an insurance company.
- The vehicle is rebuilt after being declared a total loss by an insurance company.
- The vehicle is issued a certificate of title indicating that it is designated as “salvage”, “junk”, “rebuilt”, “scrap,” or some similar word.

FCA US LLC will deny warranty coverage without notice if it learns that a vehicle is ineligible for coverage for any of these reasons.

This exclusion does not apply to emission warranties or to recall campaigns.

3.8. RESTRICTED WARRANTY

FCA US LLC may restrict the warranty on your vehicle if the vehicle is not properly maintained, or if the vehicle is abused or neglected, and the abuse or neglect interferes with the proper functioning of the vehicle. If the warranty is restricted, coverage may be denied or subject to approval by FCA US LLC before covered repairs are performed.

4. OTHER TERMS OF YOUR WARRANTIES

4.1. EXCHANGED PARTS MAY BE USED IN WARRANTY REPAIRS

In the interest of customer satisfaction, FCA US LLC may offer exchange service on some vehicle parts. This service is intended to reduce the amount of time your vehicle is not available for your use because of repairs. Parts used in exchange service may be new, remanufactured, reconditioned, or repaired, depending on the part involved.

All exchange parts that might be used meet FCA US LLC standards, and have the same warranties as new parts.

Examples of the kinds of parts that might be serviced in this way are:

- Engine Assemblies
- Transmission Assemblies
- Instrument Cluster Assemblies
- Radios, CD and DVD Players
- Speedometers
- Powertrain Control Module (PCM)

To help control suspected ozone-depleting agents, the Environmental Protection Agency (EPA) requires the capture, purification, and reuse of automotive air conditioning refrigerant gases. As a result, a repair to the sealed portion of your air conditioning system may involve the installation of purified reclaimed refrigerant.

4.2. PRE-DELIVERY SERVICE

A defect in or damage to the mechanical, electrical, sheet metal, paint, trim, and other components of your vehicle may have occurred at the factory or while it was being shipped to an authorized dealer.

Such a defect or damage is usually detected and corrected at the factory. In addition, dealers must inspect each vehicle before delivery. They repair any defects or damage detected before the vehicle is delivered to you.

4.3. PRODUCTION CHANGES

Changes may be made in vehicles sold by FCA US LLC and their authorized dealers at any time without incurring any obligation to make the same or similar changes on vehicles previously built or sold.

5. EMISSION WARRANTIES REQUIRED BY LAW

5.1. FEDERAL EMISSION WARRANTY

A. PARTS COVERED FOR TWO YEARS OR 24,000 MILES

Federal law requires FCA US LLC to warrant the following emissions parts for two years or 24,000 miles, whichever occurs first. FCA US LLC covers all of these parts under the Basic Limited Warranty for three years or 36,000 miles, whichever occurs first.

These parts are:

- Air System Controls
- Electronic Fuel Injection System (including injectors)
- Evaporative-Emission Canister and Controls
- Exhaust Manifold
- Exhaust Gas Recirculation (EGR) Valve and Control System
- Exhaust Pipes (between exhaust manifold and catalyst)

- Fuel Cap and Tank Assembly, Pump, and Fuel Lines
- Ignition System
- Intake Manifold
- On-Board Diagnostic-System Components
- Oxygen Sensors
- Positive Crankcase-Ventilation (PCV) Valve or Orifice
- Secondary Ignition Wires
- Spark Plugs
- Throttle Body
- Vacuum Hoses, Clamps, and Fittings (as well as tubing used for these components)
- Vacuum, Temperature, Altitude, Speed, and Time-Sensitive Valves, Sensors, and Switches (used in these components and systems)

B. PARTS COVERED FOR EIGHT YEARS OR 80,000 MILES

If your vehicle has one of the following parts, this Federal Emission Warranty covers that part for a period of eight years or 80,000 miles, whichever occurs first, calculated from the start of the Basic Limited Warranty as set forth in “section 2.1 E”.

These parts are:

- Catalytic Converter
- Powertrain Control Module (PCM)
- Transmission Control Module (TCM)

5.2. EMISSION PERFORMANCE WARRANTY

The Emission Performance Warranty supplements the federal warranty under “section 5.1”. It lasts for two years or 24,000 miles on the odometer, whichever occurs first. If your vehicle has one of the parts listed in “section 5.1 B”, the Federal Emission Warranty covers that part for a period of eight years or 80,000 miles, whichever occurs first. These limits are counted from the time when your Basic Limited Warranty begins under “section 2.1 E”. The Emission Performance Warranty covers the cost of repairing or adjusting any components or parts that might be needed for your vehicle to pass Federal Emission Standards for a federally approved state or local emissions test, but only if:

- Your vehicle has failed a federally approved state or local emissions test.
- Your vehicle has been maintained and operated properly up until it fails such a test.
- You face a real penalty for example, a fine or the loss of the use of your vehicle, because the vehicle has failed the test.

Refer to “section 6.4” (Getting Service Under The Federal Emission Performance Warranties), for further information on how to get service under this warranty.

6. HOW TO GET WARRANTY SERVICE

6.1. WHERE TO TAKE YOUR VEHICLE

A. IN THE UNITED STATES, WE INCLUDE US POSSESSIONS AND TERRITORIES AS PART OF THE UNITED STATES FOR WARRANTY PURPOSES

Warranty service must be done by an authorized Chrysler, Dodge, Jeep® or Ram dealer. We strongly recommend that you take your vehicle to your selling dealer. They know your vehicle best, and are most concerned that you get prompt and high quality service. If you move within the United States, warranty service may be requested from any authorized Chrysler, Dodge, Jeep® or Ram dealer.

B. IN CANADA AND MEXICO

If you are traveling temporarily in Canada or Mexico, and your vehicle remains registered in the United States, your FCA US LLC warranty still applies. Service may be requested at any authorized Chrysler, Dodge, Jeep® or Ram dealership.

C. IN A FOREIGN COUNTRY OUTSIDE OF NORTH AMERICA

If you are traveling temporarily outside of North America, and your vehicle remains registered in the United States:

- You should take your vehicle to an authorized Chrysler, Dodge, Jeep® or Ram dealer. They should give you the same warranty service you receive in the United States.
- If the authorized dealership charges you for repairs which you feel should be covered under your warranty, please get a detailed receipt for the work done. Make sure that this receipt lists all warranty repairs and parts that were involved. This receipt will be similar to the one used by the authorized dealer who normally services your vehicle.
- When your vehicle returns to the United States, contact the FCA US LLC Customer Assistance Center in “section 7.2” for reimbursement consideration. You will normally need to provide a copy of the receipt, your vehicle registration and any other relevant documents.
- Reimbursement will not be considered if the vehicle does not return to the United States.

D. IF YOU MOVE

If you move to another country, be sure to contact the FCA US LLC Customer Assistance Center in “section 7.2” and the customs department of the destination country before you move. Vehicle importation rules vary considerably from country to country. You may be required to present documentation of your move to FCA US LLC in order to continue your warranty coverage. You may also be required to obtain documentation from FCA US LLC in order to register your vehicle in your new country.

E. NOTICE

If your vehicle is registered outside of the United States, and you have not followed the procedure set out above, your vehicle will no longer be eligible for warranty coverage of any kind. Vehicles registered to United States government officials or military personnel on assignment outside of the US will continue to be covered.

6.2. HOW TO GET ROADSIDE ASSISTANCE SERVICE — US OR CANADA ONLY *

A. WHO IS COVERED

You are covered by Roadside Assistance services if you are a purchaser for use of the vehicle. Roadside Assistance services last for five years or 60,000 miles on the odometer, whichever occurs first, calculated from the start date of the Basic Limited Warranty, as set forth in “section 2.1 E”.¹

B. WHAT TO DO

If your vehicle requires jump start assistance, out of gas/fuel delivery, tire service, lockout service or towing as a result of a mechanical breakdown, call 800-521-2779 for assistance.

Provide your name, Vehicle Identification Number (VIN), license plate number, and your location, including the telephone number from which you are calling. Briefly describe the nature of the problem and answer a few simple questions.

You will be given the name of the service provider and an estimated time of arrival. If you feel you are in an “unsafe situation”, please let us know. With your consent, we will contact local police or safety authorities.

1. * Towing services provided through Cross Country Motor Club, Inc., Medford, MA 02155, except in AK, CA, HI, OR, WI, and WY, where services are provided by Cross Country Motor Club of California, Inc., 275 East Hillcrest Drive, Suite 165 Thousand Oaks, CA 91360.

C. COVERED SERVICES

Flat Tire Service

If you are inconvenienced by a flat tire, we will dispatch a service provider to use your vehicle's temporary spare tire (if equipped) as recommended in your Owner's Manual. This is not a permanent flat tire repair.

Out of Gas/Fuel Delivery

Drivers cannot always count on a gas station being nearby, especially when traveling away from home. We will dispatch a service provider to deliver a small amount of fuel (maximum two gallons) to get you to a nearby station.

Battery Jump Assistance

No time is a good time for a depleted battery, but with Roadside Assistance, you do not have to worry about being stranded. We will dispatch a service provider to provide you with a battery jump any time, day or night.

Lockout Service

Whether the keys are locked in your vehicle or frozen locks are keeping you from getting on your way, Roadside Assistance can assist you. This service is limited to providing access to the vehicle's seating area. It does not cover the cost of replacement keys.

Towing Service

Our towing service gives you peace of mind and confidence. If your vehicle becomes disabled as a result of a mechanical breakdown, Roadside Assistance will dispatch a towing service provider to transport your vehicle to the closest authorized Chrysler, Dodge, Jeep® or Ram dealer. If you choose to go to another dealership, you will be responsible for the cost if the extra distance exceeds 10 miles.

D. IF UNABLE TO CONTACT ROADSIDE ASSISTANCE

If you are unable to contact Roadside Assistance and you obtain towing services on your own, you may submit your original receipts from the licensed towing or service facility, for services rendered within 30 days of the occurrence. Be sure to include your Vehicle Identification Number (VIN), odometer mileage at the time of service and current mailing address. We will process the claim based on vehicle and service eligibility. If eligible, we will reimburse you for the reasonable amounts you actually paid, based on the usual and customary charges for that service in the area where they were provided. FCA US LLC's determination relating to reimbursement are final. Correspondence should be mailed to:

FCA US LLC Customer Assistance Center

P.O. Box 9145

Medford, MA 02155

Attention: Claims Department

6.3. EMERGENCY WARRANTY REPAIRS

If you have an emergency and have to get a warranty repair made by someone other than an authorized Chrysler, Dodge, Jeep® or Ram dealer, follow the reimbursement procedure in “section 6.1 C”.

6.4. GETTING SERVICE UNDER THE FEDERAL EMISSION PERFORMANCE WARRANTIES

A. WHAT TO DO

If your vehicle has failed an emissions test described in “section 5.2”:

- Take it to an authorized Chrysler, Dodge, Jeep® or Ram dealer as soon as possible.
- Give the service representative the printout showing that your vehicle failed the test.
- If possible, bring all service receipts, maintenance logs, and records proving that your vehicle has been properly maintained, since you may be required to show them.

B. FURTHER STEPS YOU CAN TAKE, AND HOW TO GET MORE INFORMATION

If you think an authorized dealer has wrongly denied you emission warranty coverage, follow the recommended instructions described in “section 7.1”. FCA US LLC will reply to you in writing within 30 days after receiving your complaint (or within the time limit required by local or state law). If the owner is not notified within 30 days that an emission warranty claim is denied, FCA US LLC must repair the vehicle free of charge.

If you want more information about getting service under the Federal Emission Warranty or the Emission Performance Warranty, or if you want to report what you think is a violation of these warranties, you can contact:

Manager, Certification and Compliance

Division Warranty Claims

Environmental Protection Agency

1200 Pennsylvania Avenue, NW

Mail Code 6403J

Washington, D.C. 20460

7. HOW TO DEAL WITH WARRANTY PROBLEMS

7.1. STEPS TO TAKE

A. IN GENERAL

Normally, warranty problems can be resolved by an authorized dealer's sales or service departments. That is why you should always talk to an authorized dealer's service manager or sales manager first. If you are not satisfied with an authorized dealer's response to your problem, FCA US LLC recommends that you discuss your problem with the owner or general manager of the authorized dealer.

If an authorized dealer still cannot resolve the problem, contact the FCA US LLC Customer Assistance Center listed in "section 7.2".

B. WHAT FCA US LLC WILL DO

Once you have followed the recommended instructions described in "section 7.1 A", an FCA US LLC representative at FCA US LLC headquarters will review your situation. If it is something that FCA US LLC can help you with, FCA US LLC will provide an authorized dealer with all the information and assistance necessary to resolve the problem. Even if FCA US LLC cannot help you, FCA US LLC will acknowledge your contact and explain FCA US LLC's position.

C. IF YOUR PROBLEM STILL IS NOT RESOLVED FOR CUSTOMERS RESIDING IN ARKANSAS, IDAHO, KENTUCKY, MINNESOTA AND MONTANA ONLY

If you cannot resolve your warranty problem after following the recommended instructions described in “section 7.1 A”, and you live in Arkansas, Idaho, Kentucky, Minnesota or Montana ONLY, you can contact the FCA US LLC Customer Arbitration Process (CAP) in your area.

You may obtain a brochure describing FCA US LLC's CAP, including an application, by calling 800-247-9753 for assistance.

This service is strictly voluntary, and you may submit your dispute directly to the CAP at no cost. The CAP is administered by an independent dispute settlement organization and may be contacted in writing at the following address:

National Center for Dispute Settlement

FCA US LLC's Customer Arbitration

P.O. Box 515315

Dallas, TX 75251-5315

The CAP reviews only vehicle disputes involving FCA US LLC (“FCA US”) Limited Warranty or an FCA US LLC/Mopar® Part Limited Warranty. The CAP does not review disputes involving the sale of a new or used vehicle, personal injury/property damage claims, disputes relating to design of the vehicle or part, or disputes which are already the subject of litigation.

The CAP will need the following information from you:

1. Legible copies of all documents and repair orders relevant to your case.
2. Vehicle Identification Number (VIN) of your vehicle.
3. A brief description of your unresolved concern.
4. The identity of your servicing/selling dealer.
5. The date(s) of repair(s) and mileage at the time.
6. Current mileage on the vehicle.
7. A description of the action you expect to resolve your concern.

Upon receipt of your request:

- The National Center for Dispute Settlement (NCDS) will acknowledge receipt of your request, by mail, within 10 days, and advise you whether or not your dispute is within the jurisdiction of the process.
 - When your request is within jurisdiction, NCDS will request FCA US LLC and the dealer to present their side of the dispute. You will receive copies of their responses.
 - While your dispute is pending, NCDS or FCA US LLC may contact you to see if your case can be settled by agreement. If a settlement is offered to you, FCA US LLC will ask you to sign a form that contains that settlement. Your case will then be closed. There is no requirement for you to participate in this settlement process.
 - If you requested an oral hearing, a decision-maker will contact you to arrange a convenient time and place for a hearing. Usually, this will be at a dealership near you.
 - If you request a documents-only review, a NCDS panel will review and decide your case. Neither you, the dealer nor FCA US LLC need be present.
 - NCDS will send you a written Statement of Decision. This statement will include the decision, any action to be taken by the dealer or FCA US LLC and the time by which the action must be taken. The decision will be binding on the dealer and FCA US LLC but not on you unless you accept the decision.
- If any action is required on the part of the dealer or FCA US LLC you will be contacted within 10 days after the date by which the dealer or FCA US LLC must act to determine whether performance has been rendered.
 - The entire dispute settlement process will normally take no longer than 40 days.
 - The CAP dispute settlement procedure does not take the place of any state or Federal legal remedies available to you. Whether or not you decide to submit your dispute to the process, you are free to pursue other legal remedies.

D. NOTICE UNDER STATE LEMON LAWS

Some states have laws allowing you to get a replacement vehicle or a refund of the vehicle's purchase price under certain circumstances. These laws vary from state to state. If your state law allows, FCA US LLC requires that you first notify us in writing of any service difficulty that you may have experienced so that we can have a chance to make any needed repairs before you are eligible for remedies provided by these laws. In all other states, we ask that you give us written notice of any service difficulty. Send your written notice to the FCA US LLC Customer Assistance Center at the address in "section 7.2".

7.2. HELPFUL ADDRESSES AND TELEPHONE NUMBERS

Here are the addresses and telephone numbers of the FCA US LLC Customer Assistance Centers that can help you wherever you happen to be. Contact the one that covers your area:

- **In the United States:**

FCA US LLC Customer Assistance Center

P.O. Box 21-8004

Auburn Hills, Michigan 48321-8004

Phone: 800-247-9753

To contact FCA US LLC by email

Select the “Contact Us” button on
www.chrysler.com

- **In Canada:**

FCA Canada Inc. Customer Service

P.O. Box 1621

Windsor, Ontario N9A-4H6

Phone (English): 800-465-2001

Phone (French): 800-387-9983

- **In Mexico:**

Customer Relations Office

Prolongación Paseo de la Reforma 1240

Santa Fe, Cuajimalpa CP 05348

Ciudad de México

Phone (in Mexico): 800-505-1300

Phone (outside Mexico): 011 (52) 55 5081 7568

- **In Puerto Rico and US Virgin Islands:**

FCA Caribbean LLC Customer Service

Box 191857

San Juan, Puerto Rico 00919-1857

Phone: 800-247-9753

Fax: 787-782-3345

8. OPTIONAL SERVICE CONTRACT

Mopar® Vehicle Protection plans offer valuable protection against repair costs when these warranties no longer apply. They complement but do not replace the warranty coverages outlined in this booklet. A variety of plans are available, covering various time-and-mileage periods and various groups of the vehicle's mechanical components.

Mopar® Vehicle Protection plans are the **ONLY** vehicle extended protection plans authorized, endorsed and backed by FCA US LLC to provide additional protection beyond your vehicle's warranty. Look for our brand logo and ask an authorized dealer for details.



9. MAINTENANCE

9.1. GENERAL INFORMATION

It is your responsibility to properly maintain and operate your new vehicle. Follow the instructions contained in the General and Scheduled Maintenance Service guidelines in your Owner's Manual. Regular, scheduled maintenance is essential to trouble-free operation. If there is a dispute between you and FCA US LLC concerning your maintenance of your vehicle, FCA US LLC will require you to provide proof that your vehicle was properly maintained.

For your convenience, FCA US LLC has prepared a Maintenance Schedule with routine service intervals which is included in your Owner's Manual. It is essential to follow these required maintenance intervals for safe trouble-free operation.

9.2. WHERE TO GO FOR MAINTENANCE

FCA US LLC recommends that you return to the authorized dealer from whom you bought your vehicle for all maintenance service both during and after the warranty periods. Although you can get warranty service from any authorized dealer who sells your particular make, returning to your selling authorized dealer will help ensure that all your service needs are met and that you are completely satisfied. The dealership technicians are specifically trained to perform maintenance and repair procedures on your vehicle.

Authorized Chrysler, Dodge, Jeep® or Ram dealers will help ensure that all your service needs are met and that you are completely satisfied. FCA US LLC strongly recommends you use genuine FCA US LLC/Mopar® parts to maintain your vehicle.

Original Owner's Name

Street Address

City and State _____ Zip Code _____

Zip Code

Vehicle Identification Number

Warranty Start Date (In-Service Date)	Mileage at Delivery
---------------------------------------	---------------------

Mileage at Delive

Selling Dealer	Code
----------------	------

Code

City	State
------	-------

State

Second Owner's Name

Street Address

City and State _____ Zip Code _____

Zip Code

Date of Second Purchase Mileage at Purchase

Mileage at Purchase

Third Owner's Name

Street Address

City and State _____ Zip Code _____

Zip Code

Date of Third Purchase	Mileage at Purchase
------------------------	---------------------

Mileage at Purchase

Warranty coverage applies to all vehicle owners. To protect you in the event of a recall or any questions concerning your warranty, please tell your dealer about any ownership or address change, and write the details here.

For the most up-to-date warranty information go to Mopar.com



CHRYSLER



Limited Warranty



BraunAbility®

Braun Public Use - Lowered Floor Wheelchair Accessible Vehicle

IMPORTANT

This booklet contains BraunAbility® limited warranties.
It should be kept in your vehicle and presented to your Dealer
if any warranty service is needed.

Examine your lowered floor minivan conversion for any damage. Should any damage have occurred during delivery, notify the carrier at once with any claims.

Review the service agreement, delivery checklist and warranty registration form with your sales representative. The form must be signed by the consumer and retailer. A hard copy is available upon request.

The warranty registration form must be processed electronically by the sales representative to activate the warranty. This Warranty Booklet contains detailed terms and provisions applicable to this vehicle.

Record the last eight digits of the vehicle identification number (VIN) in the space provided for future reference. This information must be provided when filing a warranty claim or ordering parts.

[illegible]

Vehicle Identification Number (VIN) _____

LIMITED WARRANTY

WARRANTY COVERAGE AND WARRANTY COVERAGE TIME PERIODS

The BraunAbility® (“Braun”) warranty covers Braun’s modifications and alterations for associated parts for three (3) years or the first thirty six thousand (36,000) miles, whichever occurs first. In addition, the corrosion protection portion of this warranty applies to covered parts (see below) for 5 years or 100,000 miles, whichever occurs first. The 3 year/36,000 mile limited warranty covers substantial defects in materials and workmanship attributable to Braun of the conversion van frame, floor structural components, ramp, door and associated structural components, electrical components, including but not limited to switches, wires, connectors and the controller and interior appearance items such as floor covering and the lower door extension assemblies. The corrosion warranty covers substantial defects in materials and workmanship attributable to Braun of the metal fabrication on or of the frame, floor and lower door extensions. These warranty periods begin on the date that the product is delivered to the first retail purchaser by an independent, authorized dealer of Braun, or, if the dealer places the product into any type of service prior to retail sale, on the date the dealer first places the product in such service.

This limited warranty applies to the first consumer purchaser, and the next subsequent owner, only. This limited warranty may be transferred once during the warranty period. However, the subsequent owner must submit a warranty transfer form to Braun to make the warranty transfer effective. All rights and limitations within this warranty are applicable to the original and subsequent owner of the product. The subsequent owner’s warranty coverage period is the remaining balance of the warranty coverage period that the prior owner was entitled to under this limited warranty. Warranty transfer forms can be obtained from any independent, authorized dealer, which must be submitted to Braun within thirty (30) days from the subsequent owner’s purchase, and proof of the purchase date must be supplied with the form.

WHAT BRAUN WILL DO TO CORRECT PROBLEMS

In the event that a substantial defect in material or workmanship, attributable to Braun, is found to exist during the warranty coverage periods, it will be repaired or replaced, at Braun's option, without charge to the owner, in accordance with the terms, conditions and limitations of this limited warranty.

Braun's obligation to repair or replace defective materials or workmanship is the sole obligation of Braun under this limited warranty. Braun reserves the right to use new or remanufactured parts of similar quality to complete any work, and to make parts and design changes from time to time without notice to anyone. Braun reserves the right to make changes in the design or material of its products without incurring any obligation to incorporate such changes in any previously manufactured product. Braun makes no warranty as to the future performance of this product, and this limited warranty is not intended to extend to the future performance of the product. In addition, the owner's obligation to notify Braun, or one of its authorized, independent dealers, of a claimed defect does not modify any obligation placed on the owner to contact Braun directly when attempting to pursue remedies under state or federal law.

LIMITED WARRANTY

LIMITATIONS, EXCLUSIONS AND DISCLAIMER OF IMPLIED WARRANTIES

ANY IMPLIED WARRANTY THAT IS FOUND TO ARISE BY WAY OF STATE OR FEDERAL LAW, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR ANY IMPLIED WARRANTY OF FITNESS, IS LIMITED IN DURATION TO THE TERMS OF THIS LIMITED WARRANTY AND IS LIMITED IN SCOPE OF COVERAGE TO THE SCOPE OF COVERAGE OF THIS LIMITED WARRANTY. Braun disclaims any express or implied warranty, including any implied warranty of fitness or merchantability, on items excluded from coverage as set forth in this limited warranty. Braun makes no warranty of any nature beyond that contained in this limited warranty. No one has authority to enlarge, amend or modify this limited warranty, and Braun does not authorize anyone to create any other obligation for it regarding this product. Braun is not responsible for any representation, promise or warranty made by any independent dealer or other person beyond what is expressly stated in this limited warranty. Any selling or servicing dealer is not Braun's agent, but an independent entity.

BRAUN SHALL NOT BE LIABLE FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES THAT MAY RESULT FROM BREACH OF THIS LIMITED WARRANTY OR ANY IMPLIED WARRANTY. THIS EXCLUSION OF CONSEQUENTIAL AND INCIDENTAL DAMAGES SHALL BE INDEPENDENT OF ANY FAILURE OF THE ESSENTIAL PURPOSE OF ANY WARRANTY, AND THIS EXCLUSION SHALL SURVIVE ANY DETERMINATION THAT THIS LIMITED WARRANTY OR ANY IMPLIED WARRANTY HAS FAILED OF ITS ESSENTIAL PURPOSE. This warranty does not cover, and in no event shall Braun be liable for towing charges, travel, lodging, or any other expense incurred due to the loss of use of the product or other reason.

Some states do not allow limitations on how long an implied warranty lasts, or the exclusion or limitation of incidental or consequential damages, so the above limitations or exclusions may not apply to you.

HOW TO GET SERVICE

To obtain warranty service the owner must do all of the following:

1. Notify an authorized service center, of the claimed defect attributable to Braun, within the warranty coverage period designated above;
2. Provide the notification mentioned in (1), above, within ten (10) days of when the owner discovered, or should have discovered, the claimed defect;
3. Promptly schedule an appointment with and take the product to an authorized service center for service; and
4. Pay any transportation costs and all expenses associated with obtaining warranty service.

Since Braun does not control the scheduling of service work at the independent dealerships you may encounter some delay in scheduling or completion of work. If you need assistance you may contact Braun, at 631 West 11th Street, Winamac, Indiana 46996; Customer Experience Group 1-800-488-0359.

If two (2) or more service attempts have been made to correct any covered defect that you believe impairs the value, use or safety of the product, or if it has taken longer than thirty (30) days for repairs to be completed, you must, to the extent permitted by law, notify Braun directly, in writing, at the above address, of the unsuccessful repair(s) of the alleged defect(s) so that Braun can become directly involved in providing service pursuant to the terms of this limited warranty.

LIMITED WARRANTY

WHAT IS NOT COVERED

This Limited Warranty does not cover any of the following: defects in materials, components or parts of the product not attributable to Braun, any material, component or part of the product that is warranted by another entity (Note: the written warranty provided by the manufacturer of the material, component or part is the direct responsibility of that manufacturer); items that are added or changed after the product leaves Braun's possession; additional items installed at any dealership, or other place of business, or by any other party, other than Braun; normal wear, tear, usage, maintenance, service, periodic adjustments, the effects of condensation or moisture from condensation; mold or any damage caused by mold; imperfections that do not affect the product for its intended purpose; items that are working as designed but that you are unhappy with; problems related to mis-operation, misuse, mishandling, neglect or abuse, including failure to maintain the product in accordance with the owner's manual, or other routine maintenance such as inspections, lubricating, adjustments, tightening of screws, sealing, wheel alignments or rotating tires; damage due to accident or collision, including any acts of weather or damage or corrosion due to the environment; theft, vandalism, fire, or other intervening acts not attributable to Braun; damage resulting from tire wear or tire failure; defacing, scratches, dents or chips on any interior or exterior surface of the product, including those caused by rocks or other road hazards, damage caused by off road use, overloading or alteration of the product, or any of its components or parts;

Defects and/or damage to interior and exterior surfaces and other appearance items may occur at the factory or when the product is in transit to a dealer. These items are usually detected and corrected at the factory or by the selling dealer prior to delivery to the retail customer. You must inspect the product for this type of damage when you take delivery. If you find any such defect or damage you must notify the selling dealer, or Braun, at the time of delivery to have these items covered by this limited warranty and to have work performed on the items at no cost to you as provided by this limited warranty.

EVENTS DISCHARGING BRAUN FROM OBLIGATION UNDER WARRANTY

The following shall completely discharge Braun from any express or implied warranty obligation to repair or replace anything and void this warranty: any rental or other commercial use or purchase of the product (as defined in this warranty), misuse, neglect, collision, accidents, failure to provide routine maintenance (See Owner's Manual), unauthorized alteration, off road use, damage from weather or the environment, theft, vandalism, tampering, fire, explosions, overloading the product and odometer tampering.

LEGAL REMEDIES

Any action to enforce any portion of this limited warranty, or any implied warranty, must be commenced within six (6) months after expiration of the warranty coverage period designated above or the action will be barred because of the passage of time. Any performance of repairs shall not suspend this limitation period from expiring. Any performance of repairs after the warranty coverage period has expired, or performance of repairs regarding any thing excluded from coverage under this limited warranty shall be considered "good will" repairs, and they will not alter the terms of this limited warranty, or extend any warranty coverage period or the filing limitation period in this paragraph. In addition, since it is reasonable to expect that the product will need some service during the warranty period, this warranty does not extend to future performance. It only sets forth what Braun will do and does not guarantee anything about the product for any time period. Nothing in this warranty, or any action of Braun, or any agent of Braun, shall be interpreted as an extension of any warranty period or the filing limitation period in this paragraph. Some states do not allow a reduction in the statute of limitations, so this reduction may not apply to you.

LIMITED WARRANTY

WARRANTY REGISTRATION and MISCELLANEOUS

Your warranty registration records should be completed and delivered to the appropriate companies, including the Braun Delivery Checklist & Warranty form. That form must be returned to Braun within twenty (20) days of purchase. The Braun warranty will not be registered unless this warranty registration is completed and received by Braun. Failure to file this warranty registration with Braun will not affect your rights under this limited warranty as long as you can present proof of purchase, but it can cause delays in obtaining the benefits of this limited warranty, and it changes the start date of the warranty to the date of final assembly of the product by Braun.

Braun agrees to repair or replace any of its factory installed parts found to have substantial defects within the appropriate warranty period designated above, provided that the repair is authorized by Braun and carried out by an authorized service center (a Braun labor schedule determines the cost allowance for repairs). Braun will not honor any warranty claim for repairs or replacement of parts unless the claim is submitted with the appropriate paperwork, and the work is completed by an independent, factory authorized service center. The appropriate paperwork can be obtained by written or phone contact with Braun at the contact information in this warranty.

Braun reserves the right to designate where any warranty work can be performed. Braun also reserves the right to examine any defective workmanship or part prior to giving any authorization for warranty work. Braun's return authorization procedure must be adhered to in order to process any warranty claims.

THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS. YOU MAY ALSO HAVE OTHER RIGHTS THAT VARY FROM STATE TO STATE.





Creative Bus Sales

Training

Creative Bus Sales understands and is prepared to meet the training requirements as outlined in section 3.34.

If any further information is needed, please contact Mike Wilson at mikew@creativebussales.com.



Creative Bus Sales

CRFQ 0805 PTR220000010 ADA Lowered Floor Minivans

Nearest Parts Depot

Creative Bus Sales
57475 County Road 3
Elkhart, IN 46517
(877) 686-9448



Creative Bus Sales

Warranty Provider Locations

Fleetpride
3204 Maccorkle Ave SW, South
Charleston, WV 25303

Matheny Motors
50 Matheny Lane
Mineral Wells, WV 26150

Matheny Motors
4125 1st Ave
Nitro, WV 25143

Matheny Motors
1375 US Rt 52
Kenova, WV 25530



Pre-Award Buy America Certification

Manufacturer: The Braun Corporation
Bid No. PTR2200000010
Description: Wheelchair Accesible Vehicle
End User: State of West Virginia
VIN / Job: BA2571062
Final assembly activities completed at: The Braun Corporation
 631 W 11th St. Winamac, IN 46996

Component	Manufacturer	Country of Origin	C % of Total Cost
OEM Chassis	FCA Canada	Windsor, Ontario, Canada	34.638%
Weldment	The Braun Corporation	Winamac, IN, United States	14.270%
Sub Assembly	The Braun Corporation	Winamac, IN, United States	5.576%
Seats - Seating & Fabric	The Braun Corporation	Winamac, IN, United States	4.822%
Ramp Parts & Assemblies	The Braun Corporation	Winamac, IN, United States	3.144%
ADA & Special Equip.	The Braun Corporation	Winamac, IN, United States	2.673%
Plastic - Vacform & Inj.	The Braun Corporation	Winamac, IN, United States	1.506%
Metal Fabrication	The Braun Corporation	Winamac, IN, United States	0.759%
Wire / Harness / Loom	Altex	Westfield, IN, United States	0.540%
Metal Fabrication	MORryde International, Inc.	Elkhart, IN, United States	0.532%
Plastic - Vacform & Inj.	Lippert Components Inc	Chicago, IL, United States	0.474%
Weldment	Standard Integrated Solutions, Inc.	Winamac, IN, United States	0.389%
Plastic - Vacform & Inj.	Patrick Industries Inc	Elkart, IN, United States	0.336%
Heat, Ventilation, Air Cond.	Formfab LLC	Rochester Hills, MI, United States	0.302%
Electronics / Switches & Senso	FEV North America Inc.	Auburn Hills, MI, United States	0.273%
Fuel system & Undercarriage	Formfab LLC	Rochester Hills, MI, United States	0.176%
Metal Fabrication	Cutting Edge Machine & Tool	New Paris, IN, United States	0.171%
Metal Fabrication	LSI Metal Fabrication	Logansport, IN, United States	0.159%
Option-Vehicle	The Braun Corporation	Winamac, IN, United States	0.129%
Fuel system & Undercarriage	Fluid Routing Solutions	Detroit, MI, United States	0.094%
Restraint Systems & Belts	The Braun Corporation	Winamac, IN, United States	0.090%
Brake System	Formfab LLC	Rochester Hills, MI, United States	0.069%
ADA & Special Equip.	Cooper-Standard Automotive Fhs, Inc.	Chicago, IL, United States	0.066%
Metal Machined Parts	Cutting Edge Machine & Tool	New Paris, IN, United States	0.059%
Fuel system & Undercarriage	Cooper-Standard Automotive Fhs, Inc.	Chicago, IL, United States	0.055%
ADA & Special Equip.	ACME United Corporation	Pittsburgh, PA, United States	0.055%
Metal Fabrication	Quality Tool And Stamping, Inc.	Muskegon Heights, MI, United States	0.053%
Sub Assembly	Vista Manufacturing Inc	Elkhart, IN, United States	0.047%
Heat, Ventilation, Air Cond.	HS Automotive USA LLC	Enterprise, AL, United States	0.042%
Exhaust System & Components	Exhaust Productions Inc.	Merrillville, IN, United States	0.042%
Media / Decals / Literature	Sharpline Converting Inc.	Wichita, KS, United States	0.040%
Restraint Systems & Belts	QStraint USA	Atlanta, GA, United States	0.036%
Plastic - Vacform & Inj.	SPI Blow Molding LLC	Coloma, MI, United States	0.034%
Metal Machined Parts	The Braun Corporation	Winamac, IN, United States	0.033%
Plastic - Vacform & Inj.	Proto Shapes, Inc.	Coldwater, MI, United States	0.031%



Media / Decals / Literature	Webb Printing	Winamac, IN, United States	0.029%
Wire / Harness / Loom	Cable Assembly, LLC	Charlotte, NC, United States	0.025%
Hydraulics / Hoses / Fittings	Cooper-Standard Automotive Fhs, Inc.	Chicago, IL, United States	0.018%
Media / Decals / Literature	Mandala Screen Printing	Winamac, IN, United States	0.018%
Metal Machined Parts	Kilgore Manufacturing Co. Inc.	Columbia City, IN, United States	0.017%
NVH	GDC, Inc	Goshen, IN, United States	0.014%
Vehicle Section - Qty Bearing	The Braun Corporation	Winamac, IN, United States	0.014%
Plastic - Vacform & Inj.	Impact Molding Elkhart	Carol Stream, IL, United States	0.013%
OEM - Parts	Mopar, Dcx	Centerline, MI, United States	0.011%
Media / Decals / Literature			0.010%
Heat, Ventilation, Air Cond.	Cooper-Standard Automotive Fhs, Inc.	Chicago, IL, United States	0.010%
Metal Machined Parts	MJ Celco, Inc.	Schiller Park, IL, United States	0.010%
Exhaust System & Components	Standard Industrial Supply	Winamac, IN, United States	0.007%
Wire / Harness / Loom	Vista Manufacturing Inc	Elkhart, IN, United States	0.004%
Electronics / Switches & Senso	Vista Manufacturing Inc	Elkhart, IN, United States	0.004%
Fuel system & Undercarriage	Standard Industrial Supply	Winamac, IN, United States	0.003%
Heat, Ventilation, Air Cond.	Standard Industrial Supply	Winamac, IN, United States	0.003%
Hardware - Nuts Bolts & Screws	Umpco, Inc.	Garden Grove, CA, United States	0.003%
Media / Decals / Literature	Dec-O-Art, Inc.	Elkhart, IN, United States	0.003%
Media / Decals / Literature	Lithotone Inc	Elkhart, IN, United States	0.003%
Brake System	The Braun Corporation	Winamac, IN, United States	0.002%
Electronics / Switches & Senso	Umpco, Inc.	Garden Grove, CA, United States	0.001%
Hardware - Nuts Bolts & Screws	The Braun Corporation	Winamac, IN, United States	0.001%
Fuel system & Undercarriage	dlhBowles Inc.	Canton, OH, United States	0.001%
Hardware - Nuts Bolts & Screws	Caplugs	Chicago, IL, United States	0.000%
Grand Total			71.935%

Cost of final assembly as related to
cost of vehicle (percentage): 10.53%

Description of final assembly activities
detailed on next page.

Date: 05/09/2022

Signature: 

Print Name: Scott Alexander

Title: Commercial Vehicle Inside Sales Manager

Description of final assembly activities:

1. Braun's Final Assembly manufacturing processes consist of the following:
 - (a) "Seat Installation": Installation of seats in the first, second, and third seating rows in the vehicle.
 - (b) "Subsystem Installation": Installation of new lines for rear brake, fuel, heat, and air conditioning components.
 - (c) "Fuel Tank System Installation": Installed the fuel tank. Installation and interconnection of the new fuel fill pipe assembly to meet the relocated and rotated OEM fuel tank.
 - (d) "Exhaust Installation & Interconnection": Installing a new exhaust pipe, hanger brackets, and the OEM muffler.
 - (e) "Engine/Transmission/Front Suspension Assembly Modifications": Disconnecting the engine, transmission, and front suspension assembly in order to raise the body to accommodate the lowered floor. Modifications are made to the engine, transmission, and front suspension assembly, involve adding various types of spacing brackets, custom steering shaft extension, and two engine cradle safety bracket tube extensions, and reconnecting the engine, transmission, and front suspension assembly.
 - (f) "Slide Door Installation": Doors are installed and tested to verify proper travel and function.
 - (g) "Rear Axle & Suspension Installation & Interconnection": Installation of the rear axle, addition of brake line extensions, and rear brake lines fastened.
 - (h) "Flooring & Walls Installation": Installation of flooring substrate and covering and carpet or plastic panels with carpeted inserts. Walls are covered with new interior panels and trims.
 - (i) "Rear Bumper Installation": Installation of the reinforced rear bumper.
 - (j) "Wiring Installation": Installation of new and reroute existing wiring to accommodate the new seating systems, airbag systems, wheelchair ramp system, slide door operation, and other accessibility modifications such as kneeling function.
 - (k) "Ramp Installation & Interconnection": Installation and interconnection of the wheelchair ramp.
 - (l) "Undercoating": Newly installed components are coated, and the entire floor is undercoated.
 - (m) "Inspection & Certification": The vehicle is inspected, weighed, road tested, identified repairs completed if required, and recertified to all applicable FMVSS by Braun in preparation of the vehicles for delivery.



PRE-AWARD FMVSS COMPLIANCE CERTIFICATION

As required by 49 CFR part 663 - Subpart D, State of West Virginia (the recipient) certifies that it received, at the pre-award stage, a copy of The Braun Corporation's (the manufacturer) self-certification information stating that the vehicles, ADA Van with Rear Entry Access Ramp, will comply with the relevant Federal Motor Vehicle Safety Standard issued by the National Highway Traffic Safety Administration in 49 CFR part 571.

Date: 05/09/2022

Signature:

Print Name: Scott Alexander

Title: Commercial Vehicle Inside Sales Manager

TIRE AND LOADING INFORMATION			
SEATING CAPACITY	TOTAL	FRONT	REAR
The combined weight of occupants and cargo should never exceed _____ Kg or _____ Lbs.			
TIRE	SIZE	COLD TIRE PRESSURE	SEE OWNER'S MANUAL FOR ADDITIONAL INFORMATION FD-327
FRONT			
REAR			
SPARE			

THE BRAUN CORPORATION	
631 w. 11th Street, Winamac, Indiana 46996	
This Vehicle was altered by THE BRAUN CORPORATION in / and as altered it conforms to all applicable Federal Motor Vehicle Safety Bumper and Theft Prevention Standards affected by the alteration and in effect in /	
Vehicle Type: MVP	
Vin #:	
Available Payload Capacity:	LBS(Without Passengers & Wheelchairs)

MANUFACTURED BY: THE BRAUN CORPORATION ENTERVAN.COM®		
DATE OF MANUFACTURE	MO.	YR.
INCOMPLETE VEHICLE MANUFACTURED BY: CHRYSLER CORPORATION		
DATE INC. VEH. MFD.	MO.	YR.
GVWR(_____ KG) _____ LBS.		
GAWR FRONT(_____ KG) _____ LBS.		
WITH _____ TIRES		
_____ RIMS, @ _____ PSI COLD		
(_____ kPa cold)		
GAWR REAR(_____ KG) _____ LBS.		
WITH _____ TIRES		
_____ RIMS, @ _____ PSI COLD		
(_____ kPa cold)		
"THIS VEHICLE HAS BEEN COMPLETED IN ACCORDANCE WITH THE PRIOR MANUFACTURERS' IVD, WHERE APPLICABLE. THIS VEHICLE CONFORMS TO ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS, (AND BUMPER AND THEFT PREVENTION STANDARDS, IF APPLICABLE) IN EFFECT IN (/)" (MONTH / YEAR)		
VEHICLE IDENTIFICATION NO:		
VEHICLE TYPE: MPV		



Pre-Award Buy America

PURCHASER'S REQUIREMENTS CERTIFICATION

Purchaser - FTA Grantee	State of West Virginia
Quantity	1
Description of Vehicles	ADA Van with Rear Entry Access Ramp
Bid / RFP Contract Number	PTR2200000010

As required by Title 49 of the CFR, Part 663 - Subpart B, **BraunAbility | The Braun Corporation of Winamac, Indiana** (the manufacturer) certifies that the documentation submitted in response to **State of West Virginia** (the recipient) rolling stock procurement solicitation meets the required Bid Specification Compliance with the Purchaser's Solicitation Specifications.

The manufacturer certifies that the rolling stock vehicles to be manufactured for the recipient are the same product described in the recipient's solicitation specification and the manufacturer is a responsible manufacturer with the capability to produce a rolling stock vehicle that meets the recipient's specifications set forth in the recipient's solicitation.

Date: 05/09/2022

Signature:

A handwritten signature in black ink, appearing to read 'Scott Alexander'.

Print Name: Scott Alexander

Title: Commercial Vehicle Inside Sales Manager



Creative Bus Sales

CRFQ 0805 PTR220000010 ADA Lowered Floor Minivans

References

Family Service Upper Ohio Valley
220 Main Street, First Floor
Wheeling, WV 26003
(304) 233-2260

Marion County Senior Citizens Center Inc.
105 Maplewood Drive
Fairmont, WV 26554

(304) 366-8779

Mountain State Centers for Independent Living
821 Fourth Avenue
Huntington, WV 25701
(304) 525-3324

Change Inc.
3158 West Street
Weirton, WV 26062
(304) 797-7733

Eastern Panhandle Transit Authority
446 Novak Drive
Martinsburg, WV 25404
(304) 263-0876

Introducing the **New Commercial Side-Entry** **Built on the Chrysler Voyager**



The Commercial Side-Entry wheelchair accessible vehicle has been a cost-effective, workhorse product for paratransit providers and transportation services. Leveraging almost 50 years of experience in mobility transportation solutions, BraunAbility introduces with the newest addition to the Commercial fleet, the Chrysler Voyager. The side-entry foldout has all the ADA-compliant features of the Dodge Grand Caravan but with 15% more cabin space for easier maneuverability, more seating positions, plus enhanced space at the toe pan for wheelchair footrests. The new conversion also features the much more durable thermoplastic (TPO) front, side and rear flares to absorb minor impacts while protecting the exterior look of the vehicle. An LED spotlight package for the ramp and cabin as well as an easy access footrest for rear seating adds to the overall ease of use for both operators and passengers.

- **15% more cabin space vs. Dodge Grand Caravan**
- **Seating for up to 7 ambulatory*; up to 2 wheelchair positions**
- **Added space at front for wheelchair passenger footrests**
- **Hard-wearing TPO front, side and rear flares to absorb minor impacts**
- **Reinforced, heavy-duty swing-out ramp and latch**
- **Enhanced ADA lighting package**

* With optional aftermarket 2nd row 2-passenger folding bench seat



braunability.com/commercial



800.488.0359

Voyager Commercial Side-Entry



Standard Features

- ADA, FMVSS and CMVSS Compliant
- CARB approved
- 7-passenger vehicle (with optional aftermarket 2nd row 2-passenger folding bench seat)
- Lowered floor from toepan to rear axle
- 60" floor-to-ceiling at center of van
- 30" wide manual ramp with 1,000 lb capacity and swing out feature for ambulatory access
- Multiple wheelchair securement locations
- One wheelchair securement system
- Manual driver and passenger side sliding door providing 56" vertical opening (ADA compliant), passenger door provides clear opening width of 31" (excluding OEM grab handle)
- Step-and-Roll removable front passenger seat
- 3-passenger bench seat at rear with folding footrest
- Front passenger floor tracks for wheelchair securement, with 60" floor-to-ceiling height
- TPO plastic lower body panels with integrated steps
- Vinyl flooring with 3/8" underlayment, a thermoplastic honeycomb panel subfloor
- ADA-compliant park interlock
- ADA-compliant ramp and door entrance lighting
- Priority seating and wheelchair securement location decals
- Auxiliary wiring harnesses include fused circuits
- Emergency rear hatch release
- Easy maintenance interior trim package
- 19 gallon OEM fuel tank



Ramp capacity 1,000 lbs.
All dimensions are for reference only

Optional Features

- Aftermarket 2nd row 2-passenger folding bench seat
- DOT kit
- Additional set of tie-down straps

Dimensions

Door opening usable width (excluding OEM grab handle)	A	31"
Door opening usable height (at middle of door)	B	56"
Interior height at center of vehicle	C	60"
Interior height at driver and passenger position	D	60"
Ramp length	E	52"
Ramp width (usable clear opening)	F	30"
Ramp angle*	G	13.75°
Interior floor length (behind front seat strikers)	H	71"
Overall interior floor length (flat area)	I	98.5"
Interior width at passenger doors (doors closed)	J	64"
Interior width - ramp (deployed) to optional 2-passenger seat (stowed)	K	49"
Ground clearance (loaded) @ = GVWR lbs**	L	5"
Overall vehicle height (unloaded)	M	81"

Due to manufacturing tolerances both with the OEM vehicle and the conversion components, all dimensions may vary slightly from those shown.

* Ramp angle may vary based on chassis trim level and other environmental factors

** 5" clearance between the break-over angle position of the vehicle exhaust pipe and level ground when loaded to capacity



braunability.com/commercial

800.488.0359



Creative Bus Sales

Final Assembly Point for the proposed Side Entry ADA Minivan will take place at the Braun assembly plant located at West 11th Street, Winamac, Indiana

Commercial Side-Entry

Dodge



BraunAbility® applies our extensive personal mobility product experience to the Commercial market with the Commercial Side-Entry conversion. If you want a wheelchair accessible vehicle that's functional, practical, safe, and reliable, while retaining its style, comfort, and convenience, this is the right vehicle for your fleet.

Safety has always been a top priority at BraunAbility. The Dodge Commercial Side-Entry conversion has been crash tested and certified to meet or exceed all applicable requirements of the Federal Motor Vehicle Safety Standards (FMVSS).

MANUAL DOOR

The conversion features an ADA compliant manual driver and passenger sliding door with 56-1/4" vertical opening.



MANUAL RAMP

The 30" wide foldout ramp makes it easy to load and unload wheelchair users. The swing-out feature allows for easy ambulatory access to the vehicle.



Commercial Vehicles



Creative Bus Sales
800.326.2877
CreativeBusSales.com



BraunAbility®

Life is a Moving Experience®

Commercial Side-Entry

Dodge



Standard Features

- FTA Buy America Compliant
- ADA, FMVSS and CMVSS Compliant
- Meets/exceeds Altoona test requirements
- CARB approved
- 6-passenger vehicle (with optional aftermarket 2nd row 2-passenger folding bench seat)
- Lowered floor from firewall to rear axle
- 61" floor-to-ceiling at center of van*
- 30" wide manual ramp with swing out feature for ambulatory access
- Multiple wheelchair securement locations
- One belt system for wheelchair securement
- Manual driver and passenger side sliding door providing 56-1/4" vertical opening (ADA compliant), passenger door provides 31-1/2" in width
- Step-and-Roll front seats
- 3-passenger bench seat at rear with folding footrest
- Front passenger floor tracks for wheelchair securement, with 60" floor-to-ceiling height
- Stylized lower body panels with integrated steps
- Vinyl flooring with 3/8" marine grade plywood underlayment
- ADA-compliant interlock
- ADA-compliant ramp and door entrance lighting
- Priority seat decal
- Wheelchair securement location decals
- Auxiliary wiring harnesses include fused circuits
- Emergency rear hatch release
- Easy maintenance interior trim package
- 20 gallon OEM fuel tank

Options

- Power door, power folding ramp and kneeling system
- Aftermarket 2nd row 2-passenger folding bench seat
- DOT kit
- Additional set of tie-down straps

All illustrations, descriptions and specifications in this brochure are based on the latest product information at the time of publication. BraunAbility reserves the right to make changes at any time without notice. © 2017 BraunAbility 35293



2008+

A	Door Opening Usable Width (Slide Door)	31-1/2
B	Door Opening Usable Height (Slide Door)	56-1/4
C	Interior Height at Center of Van*	61
D	Interior Height at Driver and Passenger Position*	60
E	Ramp Length	52
F	Ramp Width (Usable Clear Opening)	30
G	Ramp Angle - Manual (Unloaded)	12.5°
G	Ramp Angle - Power (Kneeled - Unloaded)	10.75°
H	Interior Floor Length (Behind Front Seats)	57
I	Overall Interior Floor Length (Flat Area)	87-1/2
J	Interior Width at B-Pillars	62
K	Width - Ramp to Optional 2-Pass. Seat (Folded)	49-3/4
L	¹ Ground Clearance (Unloaded) - ² Loaded @ 1200 lbs	¹ 6-1/4 ² 5
M	Overall Vehicle Height (Unloaded)	74

Due to manufacturing tolerances both with the OEM vehicle and the conversion components, all dimensions may vary slightly from those shown.

* Deduct 3" off of Interior Height for Applications with Overhead DVD/Rear Heat & AC/Rail System



631 West 11th Street • Winamac, IN 46996

(574) 946-6153 • 1-800-THE-LIFT

www.braunability.com/commercial



Creative Bus Sales

Front and rear heat and air conditioning are provided by the chassis OEM and will meet the specifications.

Introducing the **New Commercial Side-Entry** **Built on the Chrysler Voyager**



The Commercial Side-Entry wheelchair accessible vehicle has been a cost-effective, workhorse product for paratransit providers and transportation services. Leveraging almost 50 years of experience in mobility transportation solutions, BraunAbility introduces with the newest addition to the Commercial fleet, the Chrysler Voyager. The side-entry foldout has all the ADA-compliant features of the Dodge Grand Caravan but with 15% more cabin space for easier maneuverability, more seating positions, plus enhanced space at the toe pan for wheelchair footrests. The new conversion also features the much more durable thermoplastic (TPO) front, side and rear flares to absorb minor impacts while protecting the exterior look of the vehicle. An LED spotlight package for the ramp and cabin as well as an easy access footrest for rear seating adds to the overall ease of use for both operators and passengers.

- **15% more cabin space vs. Dodge Grand Caravan**
- **Seating for up to 7 ambulatory*; up to 2 wheelchair positions**
- **Added space at front for wheelchair passenger footrests**
- **Hard-wearing TPO front, side and rear flares to absorb minor impacts**
- **Reinforced, heavy-duty swing-out ramp and latch**
- **Enhanced ADA lighting package**

* With optional aftermarket 2nd row 2-passenger folding bench seat



braunability.com/commercial



800.488.0359

Voyager Commercial Side-Entry



Standard Features

- ADA, FMVSS and CMVSS Compliant
- CARB approved
- 7-passenger vehicle (with optional aftermarket 2nd row 2-passenger folding bench seat)
- Lowered floor from toepan to rear axle
- 60" floor-to-ceiling at center of van
- 30" wide manual ramp with 1,000 lb capacity and swing out feature for ambulatory access
- Multiple wheelchair securement locations
- One wheelchair securement system
- Manual driver and passenger side sliding door providing 56" vertical opening (ADA compliant), passenger door provides clear opening width of 31" (excluding OEM grab handle)
- Step-and-Roll removable front passenger seat
- 3-passenger bench seat at rear with folding footrest
- Front passenger floor tracks for wheelchair securement, with 60" floor-to-ceiling height
- TPO plastic lower body panels with integrated steps
- Vinyl flooring with 3/8" underlayment, a thermoplastic honeycomb panel subfloor
- ADA-compliant park interlock
- ADA-compliant ramp and door entrance lighting
- Priority seating and wheelchair securement location decals
- Auxiliary wiring harnesses include fused circuits
- Emergency rear hatch release
- Easy maintenance interior trim package
- 19 gallon OEM fuel tank



Optional Features

- Aftermarket 2nd row 2-passenger folding bench seat
- DOT kit
- Additional set of tie-down straps

Dimensions

Door opening usable width (excluding OEM grab handle)	A	31"
Door opening usable height (at middle of door)	B	56"
Interior height at center of vehicle	C	60"
Interior height at driver and passenger position	D	60"
Ramp length	E	52"
Ramp width (usable clear opening)	F	30"
Ramp angle*	G	13.75°
Interior floor length (behind front seat strikers)	H	71"
Overall interior floor length (flat area)	I	98.5"
Interior width at passenger doors (doors closed)	J	64"
Interior width - ramp (deployed) to optional 2-passenger seat (stowed)	K	49"
Ground clearance (loaded) @ = GVWR lbs**	L	5"
Overall vehicle height (unloaded)	M	81"

Due to manufacturing tolerances both with the OEM vehicle and the conversion components, all dimensions may vary slightly from those shown.

* Ramp angle may vary based on chassis trim level and other environmental factors

** 5" clearance between the break-over angle position of the vehicle exhaust pipe and level ground when loaded to capacity



braunability.com/commercial

800.488.0359



TARABUS

TARABUS NT Specification Sheet

Product description and composition:

- The flooring shall be specially designed for buses.
- The flooring shall be flexible PVC flooring in 2.25 mm thickness, composed of a compact plasticized wear layer.
- The wear layer shall contain inlaid silicon carbide particles to improve slip resistance.
- The wear layer shall not contain aluminium oxide particles or quartz granules to prevent from maintenance and cleaning issues.
- The wear layer shall not contain fillers (fillers<5phr).
- The design shall be inlaid through the whole thickness of the wear layer.
- The intermediate layer of the flooring shall be made of a glass fibre grid, providing outstanding dimensional stability: $\leq 0.2\%$ according to EN 434.
- The flooring shall have a special textile backing designed for public transport vehicles, to enable bonding with acrylic glues onto plywood substrates or plywood with phenolic film substrates or aluminium.
- The flooring shall not crack and no white line shall appear when bended by 180 degrees.
- The welding rods shall be manufactured by the flooring manufacturer to enable a perfect weld.

Environment:

- The flooring shall be free from heavy metals (Lead, Cadmium, Barium, Tin, Chromium...).
- The flooring shall be free from DEHP plasticizer.
- The manufacturer of the floor covering must be in possession of a valid ISO 14001 certificate.

Technical characteristics:

- Fire class: the flooring material shall conform to the European Directive 95/28/EC
- Fire class: the flooring material shall conform to the FMVSS/CMVSS 302
- Fire class: the flooring shall have been tested to UTAC ST 18502/1 (Type A) and ISO 3795/76 (0mm/mn)
- Fire class: the flooring shall obtain CRF>0.50 W/cm² when tested according to NFPA 253 – ASTM E648
- The manufacturer of the floor covering must be in possession of a valid quality systems certificate, showing compliance with ISO 9001.

Installation:


- All joints must be welded using a hot welding gun and PVC welding rods. To ensure the right watertightness of the flooring system, no sealant shall be used between 2 flooring sheets.

SIRIUS




6768 Griffon

NT



6782 Dune

NT



6451 Corsaire

NT



6727 Anthracite

NT



6801 Graphite

NT


APOLLO



4776 Masan

MK

NT



4479 Kilimanjaro

MK

NT




4517 Fuji



MK

NT


► Tarabus Gaya



► Tarabus standard



► Safebus X'tra



6822 Dark Grey

NT


► Venus



6727 Anthracite


NT

► Safebus



6602 Caledonia

NT




6203 Borneo

MK

NT



► Stepbus




► Step nosing



Yellow




White



KIT System


Pre-cut and pre-welded **TARABUS** floor covering system according to your drawings



1 Send us your floor plan layout



2 We cut with high precision



3 ...and pre-weld if required

TARABUS Self-Adhesive



TARABUS floor covering with self-adhesive backing

- > Environmental friendly bonding
- > Ready to bond
- > No curing time
- > Safer work conditions
- > Easy to use


TIME SAVING

► TARABUS LOGO

- Location for person with reduced mobility
- Advertising & Promotion



Almost unlimited possibilities of water-resistant logos



Laminate backing for water resistance



Warranty Registration

TO REGISTER YOUR PRODUCT WARRANTY under the terms of Gerflor's North America Limited Product Warranty, please complete the form below and mail to:

Gerflor USA Inc
595 Supreme Dr
Bensenville 60106 IL USA.

I acknowledge having received and read GERFLOR's technical documents and specifications concerning the product warranty:

Product Type: _____

Roll numbers & Quantity (sq.yds/m²): _____

Installation Date: _____

Transit Authority: _____

Address: _____

State/Prov: _____ Zip/Postal Code: _____

OEM: _____

Address: _____

State/Prov: _____ Zip/Postal Code: _____

Represented by: _____

Signature: _____

TARABUS PRODUCT WARRANTY



TARABUS
TREND BOOK



TARABUS FLOORCOVERINGS LIMITED WARRANTY AGREEMENT

Warranty Terms and Conditions

GERFLOR, as a manufacturer, expressly warrants that TARABUS floorcoverings for buses and coaches are conform to the technical data sheet in force at the time of delivery.

GERFLOR further expressly warrants that the wear layer of TARABUS floorcoverings shall be free from defects in material for **12 years (twelve years)** from the date of sale, provided such floorcoverings are exclusively subject to normal use and service, and are installed and maintained in accordance exactly with GERFLOR's recommendations that the buyer declares to be aware of.

The wear layer consists of the material above the glass fiber web in the floorcovering. GERFLOR expressly warrants that the glass fiber web will not appear in the floorcovering for **12 years (twelve years)** from the date of sale.

This entire warranty will become null and void if conditions of the subflooring and method of installation do not conform exactly to GERFLOR's specifications.

This entire warranty does not cover damage caused, in whole or in part, by conditions beyond the control of GERFLOR, including but not limited to:

- Use for which material is not designated.
- Fire, explosion, or natural disasters.
- Faulty installation
- Casualties
- Ordinary wear and tear
- Abuse
- Faulty design or construction of the vehicles.
- Failure of the adhesive to adhere to the subfloor because of presence of moisture.
- Fault in the subfloor.
- Failure of the welding



- Uneven wear of sections of the floorcovering.
- Alteration of the initial appearance of the floorcovering, particularly in high traffic areas exposed to extreme heavy wear.
- Damage caused by negligent or improper maintenance procedures and other causes not specified but beyond the control of GERFLOR.
- Fading or discoloration from sunlight or heat.
- Mechanical damages, burns, chemical soiling or damage due to clamp or inadequate cleaning, not recommended by GERFLOR.

The presence of moisture between the TARABUS and the subfloor shall be considered proof of subfloor failure or faulty design or construction.

This warranty will be applied only if the product is admitted to be the only cause of disorder.

The sole and exclusive remedy against GERFLOR arising from the purchase or use of TARABUS is limited to supply of material in replacement of the sole defective part of material (after examination, verification and approval by GERFLOR) with material of equivalent quality –(colour shade between brand new material and existing one will be accepted by the owner)-. All other compensation of whatever nature will be excluded.

If the claim is accepted by GERFLOR, with respect to the warranty of the wear layer, for the first 2 (two) years from the date of sale, GERFLOR will supply the material, in replacement of defective one, free of charge. More than 2 (two) years from the date of sale, until the expiration of this express warranty of the wear layer, a depreciation of 7% (seven per cent) per year of the cost of supplied material will apply.

WARRANTY AND LIABILITY LIMITS

THE ABOVE EXPRESSED MANUFACTURER'S WARRANTY SHALL BE THE EXCLUSIVE WARRANTY AND LIMITED TO THE QUALITY OF THE PRODUCT, AND GERFLOR MAKES NO OTHER WARRANTIES. GERFLOR EXPRESSLY DISCLAIMS ANY IMPLIED WARRANTIES OF MERCHANTABILITY AND IMPLIED WARRANTIES OF FITNESS FOR A PARTICULAR PURPOSE.

IT IS AGREED THAT GERFLOR SHALL NOT BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES, including but not limited to, loss of income, loss of use, damage to other property, the cost of removing and reinstalling TARABUS floorcoverings, attorney's fees, and any liability you may have with respect to any other person.



TIME LIMIT FOR PLACING A CLAIM

To be admissible, all claims by means of this warranty contract must be carried out by **registered letter with return receipt** addressed to GERFLOR, at the address indicated at the top of this warranty contract, **accompanied by the purchase invoice** for the Product, within THIRTY DAYS following finding of irregularities and within the aforementioned warranty contract time limit. If any clauses of this Warranty Agreement conflicted with the law or a given jurisdiction, only said clause would be considered inapplicable, the remaining text of the Agreement remaining unaffected.

This Limited Warranty shall be governed and construed in accordance with the laws of the State of Illinois without regard to any choice of law principles: All disputes that may arise between You and GERFLOR relating in any way to this Limited Warranty Agreement, to the extent such disputes cannot be resolved by negotiation between You and GERFLOR, shall be decided by arbitration carried out in accordance with the Federal Arbitration Act and the Commercial Arbitration Rules of the American Arbitration Association. In the event of such a dispute, arbitration may be initiated by a request for arbitration by either party hereto addressed to the other party, and shall be completed within sixty (60) days of such request unless extended because of unavailability of an arbitrator or other events beyond the control either party. The arbitrator shall be chosen by mutual agreement of the parties and, in the event the parties cannot so agree, either party may file a written application to have the arbitrator designated by the American Arbitration Association. The arbitration proceeding shall take place in Chicago, Illinois or such other location as the parties shall agree and shall be conducted in accordance with the Commercial Arbitration "Expedited" Rules of the American Arbitration Association. The arbitrator shall have all powers necessary to determine the issues presented, including without limitation, but subject to the terms of this Limited Warranty, any damages. The decision of the arbitrator shall be final and conclusive, both as to costs and the merits, and the parties agree that they shall be bound by this decision.



2022 Chrysler Voyager LX



Chrysler of Forest City





Prepared For:

Prepared By:
Administrator
Chrysler of Forest City
1445 Hwy 69 S
Forest City, Iowa, 50436

VEHICLE OVERVIEW

2022 Chrysler Voyager

Passenger Van LX (RUCL53)

Powertrain

3.6L V-6 DOHC SMPI 24 valve engine with VVT variable valve control, cylinder deactivation * 180 amp alternator * 650 amp battery with run down protection, auxiliary battery * Engine oil cooler, transmission oil cooler * 9-speed electronic automatic transmission with overdrive, lock-up * Front-wheel drive * ABS & driveline traction control * 3.25 axle ratio * Stainless steel exhaust

Steering and Suspension

Electric power-assist rack and pinion steering * 4-wheel disc brakes with front vented discs * Touring ride suspension, with electronic stability * Independent front suspension * Front strut suspension * Front anti-roll bar * Front coil springs * Gas-pressurized front shocks * Rear independent suspension * Rear trailing arm suspension * Rear coil springs * Gas-pressurized rear shocks * Front and rear 17.0" x 7.00" silver aluminum wheels * P235/65HR17.0 BSW AS front and rear tires * Underbody w/crankdown mounted compact steel spare wheel

Safety

4-wheel anti-lock braking system * Daytime running lights, center high mounted stop light * Dual airbags, seat mounted driver and passenger side-impact airbags, curtain 1st, 2nd and 3rd row overhead airbag, airbag occupancy sensor, driver and passenger knee airbag * Front and rear height adjustable seatbelts with front pre-tensioners * Sentry Key immobilizer, panic alarm, security system

Comfort and Convenience

Automatic dual zone front air conditioning, rear HVAC with separate controls, air filter, underseat ducts, headliner/pillar ducts * SiriusXM AM/FM/Satellite, clock, seek-scan, Uconnect 5 external memory control, 6 speakers, Siri Eyes Free voice activation, speed sensitive volume, Bluetooth streaming audio, active noise cancellation, integrated roof antenna, radio steering wheel controls * 2 1st row LCD monitors * Cruise control with steering wheel controls * Power door locks with 2 stage unlock, keyfob (all doors) keyless entry, power remote cargo access release, child safety rear door locks, tailgate/rear door lock included with power door locks * 2 12V DC power outlets, trunk/hatch auto-latch, driver foot rest, retained accessory power, Bluetooth wireless phone connectivity * Analog instrumentation appearance includes tachometer, oil pressure gauge, engine temperature gauge, voltmeter gauge, oil temperature gauge, transmission fluid temp gauge, compass, exterior temp, systems monitor, redundant digital speedometer, camera(s) - rear camera, trip computer, trip odometer * Warning indicators include oil pressure, engine temperature, battery, lights on, key, low fuel, low washer fluid, door ajar, rear cargo ajar, service interval, brake fluid, turn signal on, tire specific low tire pressure, transmission fluid temp * TechnoLeather leatherette steering wheel with tilt and telescopic adjustment * Power front and rear windows with deep tint, driver and passenger 1-touch down, fixed rearmost windows * Variable intermittent front windshield wipers, fixed interval rear

The information contained in this package is provided to assist in assessing our vehicles and is for your information only. Prices and content information shown are subject to change and should be treated as estimates only. Information on the comparison vehicle is derived from available public sources and may not be completely current or accurate. No representations, warranties or guarantees are given in the information. Neither Chrysler nor the dealer will be liable for any reliance on the contents hereof. Please see salesperson for the most current information and other details. Actual pricing may vary. Reference DX05103297 8/23/2021

VEHICLE OVERVIEW Continued

Comfort and Convenience (Continued)

wiper, rear window defroster * Dual illuminated vanity mirrors * Day-night rearview mirror * Interior lights include dome light with fade, front reading lights, illuminated entry * Partial floor console with storage, mini overhead console with storage, conversation mirror, locking glove box, front and rear cupholders, instrument panel bin, interior concealed storage, 2 seat back storage pockets, driver and passenger door bins, rear door bins * Carpeted cargo floor, plastic trunk lid/rear cargo door, carpet mat, cargo tie downs, cargo light, cargo concealed storage

Seating and Interior

Seating capacity of 7 * Bucket front seats with driver and passenger heated-cushion, driver and passenger heated-seatback, adjustable head restraints with tilt, driver and passenger armrests * 8-way adjustable (8-way power) driver seat includes power 4-way lumbar support * 4-way adjustable passenger seat * Bucket 2nd row seat with fold forward seatback, reclining fold into floor, 2 fixed rear head restraints, armrest mounted outboard only * 3rd row seat 60-40 folding split-bench fold into floor with reclining fold into floor, 3 fixed 3rd row head restraints * Cloth faced front seats with cloth back material * Cloth faced rear seats with plastic back material * Cloth faced 3rd row seats with carpet back material * Full cloth headliner, full carpet floor covering with carpet front and rear floor mats, colored instrument panel insert, metal-look gear shifter material, colored door panel insert, piano black console insert, piano black/metal-look interior accents

Exterior Features

Rear lip spoiler, side impact beams, front license plate bracket, galvanized steel/aluminum body material * Chrome side window moldings * Body-colored door handles * Black w/chrome surround grille * 4 doors with power sliding rear driver's side door, power sliding rear passenger's side door power liftgate rear cargo door * Driver and passenger power remote body-colored heated folding outside mirrors * Front and rear body-colored bumpers * Aero-composite halogen auto on/off headlamps with multiple headlamps, delay-off feature * Clearcoat monotone paint

Warranty

Basic	36 month/36,000 miles	Powertrain	60 month/60,000 miles
Corrosion Perforation	60 month/unlimited mileage	Roadside Assistance	60 month/60,000 miles

Dimensions and Capacities

Output	287 hp @ 6,400 rpm	Torque	262 lb.-ft. @ 4,000 rpm
Drag coefficient	0.30	1st gear ratio	4.710
2nd gear ratio	2.840	3rd gear ratio	1.910
4th gear ratio	1.380	5th gear ratio	1.000
6th gear ratio	0.810	7th gear ratio	0.700
8th gear ratio	0.580	9th gear ratio	0.480
Reverse gear ratio	3.810	City/hwy	19 mpg/28 mpg
Curb weight	4,330 lbs.	GVWR	6,055 lbs.
Towing capacity	3,600 lbs.	Front legroom	41.1 "
Rear legroom	39.0 "	Third legroom	36.5 "
Front headroom	40.1 "	Rear headroom	39.6 "

The information contained in this package is provided to assist in assessing our vehicles and is for your information only. Prices and content information shown are subject to change and should be treated as estimates only. Information on the comparison vehicle is derived from available public sources and may not be completely current or accurate. No representations, warranties or guarantees are given in the information. Neither Chrysler nor the dealer will be liable for any reliance on the contents hereof. Please see salesperson for the most current information and other details. Actual pricing may vary. Reference DX05103297 8/23/2021

VEHICLE OVERVIEW Continued

Dimensions and Capacities (Continued)

Third headroom	38.7 "	Front hiproom	59.0 "
Rear hiproom	64.8 "	Third hiproom	49.5 "
Front shoulder room	63.8 "	Rear shoulder room	63.0 "
Third shoulder room	61.2 "	Passenger area volume	165.0 cu.ft.
Length	203.8 "	Body width	79.6 "
Body height	69.9 "	Wheelbase	121.6 "
Front track	68.3 "	Rear track	68.3 "
Turning radius	19.8 '	Fuel tank	19.0 gal.
Interior cargo volume	32.3 cu.ft.	Interior cargo volume seats folded	87.5 cu.ft.
Interior maximum cargo volume	140.5 cu.ft.		

The information contained in this package is provided to assist in assessing our vehicles and is for your information only. Prices and content information shown are subject to change and should be treated as estimates only. Information on the comparison vehicle is derived from available public sources and may not be completely current or accurate. No representations, warranties or guarantees are given in the information. Neither Chrysler nor the dealer will be liable for any reliance on the contents hereof. Please see salesperson for the most current information and other details. Actual pricing may vary. Reference DX05103297 8/23/2021



Prepared For:

Prepared By:
Administrator
Chrysler of Forest City
1445 Hwy 69 S
Forest City, Iowa, 50436

SELECTED EQUIPMENT

2022 Chrysler Voyager

Passenger Van LX (RUCL53)

MSRP

RUCL53	Base Vehicle Price (RUCL53)	STD	32,115.00
Emissions			
NAS	50 State Emissions	OPT	N/C
Packages			
27E	Quick Order Package 27E	OPT	N/C
Powertrain			
ERC	Engine: 3.6L V6 24V VVT UPG I w/ESS	STD	N/C
DFH	Transmission: 9-Speed 948TE Automatic	STD	N/C
STDAX	3.25 Axle Ratio	STD	N/C
Z1A	GVWR: 6,055 lbs	STD	N/C
Wheels & Tires			
TMK	Tires: 235/65R17 BSW AS	STD	N/C
WFN	Wheels: 17" x 7" Aluminum	STD	N/C
Seats & Seat Trim			
H7	Cloth Bucket Seats	STD	N/C
CEQ	Black Seats	OPT	N/C
Other Options			
APA	Monotone Paint Application	STD	N/C
UBC	Radio: Uconnect 5 w/7" Display	STD	N/C

The information contained in this package is provided to assist in assessing our vehicles and is for your information only. Prices and content information shown are subject to change and should be treated as estimates only. Information on the comparison vehicle is derived from available public sources and may not be completely current or accurate. No representations, warranties or guarantees are given in the information. Neither Chrysler nor the dealer will be liable for any reliance on the contents hereof. Please see salesperson for the most current information and other details. Actual pricing may vary. Reference DX05103297 8/23/2021

SELECTED EQUIPMENT Continued

			MSRP
SDC	Touring Suspension	STD	N/C
	Interior Colors For : Primary w/LX		
X7	Black/Alloy/Black	OPT	N/C
	Primary Colors For : Primary w/LX		
PW7	Bright White Clearcoat	OPT	N/C
Vehicle Subtotal			\$32,115.00
Destination			\$1,495.00
Vehicle Subtotal (including Destination)			\$33,610.00

The information contained in this package is provided to assist in assessing our vehicles and is for your information only. Prices and content information shown are subject to change and should be treated as estimates only. Information on the comparison vehicle is derived from available public sources and may not be completely current or accurate. No representations, warranties or guarantees are given in the information. Neither Chrysler nor the dealer will be liable for any reliance on the contents hereof. Please see salesperson for the most current information and other details. Actual pricing may vary. Reference DX05103297 8/23/2021



Prepared For:

Prepared By:
Administrator
Chrysler of Forest City
1445 Hwy 69 S
Forest City, Iowa, 50436

DIMENSIONS & CAPACITIES

2022 Chrysler Voyager

Passenger Van LX (RUCL53)

Output	287 hp @ 6,400 rpm
Torque	262 lb.-ft. @ 4,000 rpm
Drag coefficient	0.30
1st gear ratio	4.710
2nd gear ratio	2.840
3rd gear ratio	1.910
4th gear ratio	1.380
5th gear ratio	1.000
6th gear ratio	0.810
7th gear ratio	0.700
8th gear ratio	0.580
9th gear ratio	0.480
Reverse gear ratio	3.810
City/hwy	19 mpg/28 mpg
Curb weight	4,330 lbs.
GVWR	6,055 lbs.
Towing capacity	3,600 lbs.
Front legroom	41.1 "
Rear legroom	39.0 "
Third legroom	36.5 "
Front headroom	40.1 "
Rear headroom	39.6 "
Third headroom	38.7 "
Front hiproom	59.0 "
Rear hiproom	64.8 "
Third hiproom	49.5 "
Front shoulder room	63.8 "
Rear shoulder room	63.0 "
Third shoulder room	61.2 "
Passenger area volume	165.0 cu.ft.
Length	203.8 "
Body width	79.6 "
Body height	69.9 "
Wheelbase	121.6 "

The information contained in this package is provided to assist in assessing our vehicles and is for your information only. Prices and content information shown are subject to change and should be treated as estimates only. Information on the comparison vehicle is derived from available public sources and may not be completely current or accurate. No representations, warranties or guarantees are given in the information. Neither Chrysler nor the dealer will be liable for any reliance on the contents hereof. Please see salesperson for the most current information and other details. Actual pricing may vary. Reference DX05103297 8/23/2021

DIMENSIONS & CAPACITIES Continued

Front track	68.3 "
Rear track	68.3 "
Turning radius	19.8 '
Fuel tank	19.0 gal.
Interior cargo volume	32.3 cu.ft.
Interior cargo volume seats folded	87.5 cu.ft.
Interior maximum cargo volume	140.5 cu.ft.

The information contained in this package is provided to assist in assessing our vehicles and is for your information only. Prices and content information shown are subject to change and should be treated as estimates only. Information on the comparison vehicle is derived from available public sources and may not be completely current or accurate. No representations, warranties or guarantees are given in the information. Neither Chrysler nor the dealer will be liable for any reliance on the contents hereof. Please see salesperson for the most current information and other details. Actual pricing may vary. Reference DX05103297 8/23/2021

2022 Chrysler Voyager Passenger Van LX (RUCL53)

Engine: 3.6L V6 24V VVT UPG I w/ESS
Transmission: 9-Speed 948TE Automatic

Exterior (0 P) Bright White
Clearcoat
Interior (0 I) Black/Alloy/Black



Standard Equipment

Items Featured Below are included at NO EXTRA CHARGE in the Standard Vehicle Price Shown at Right

- 3.6L V-6 DOHC w/SMPI 287hp
- 9 speed automatic trans w/OD
- 4-wheel ABS
- Brake assistance
- Traction control
- P235/65R17 BSW H-rated tires
- Battery with run down protection
- Touring suspension
- Electronic stability
- Automatic air conditioning
- AM/FM SiriusXM satellite radio
- Daytime running lights
- Rear child safety locks
- 60-40 folding 3rd row split-bench seats
- Dual power remote heated mirrors
- Variable intermittent wipers
- Silver aluminum wheels
- Dual front airbags
- Driver & front passenger seat mounted side airbags
- Airbag occupancy sensor
- Sentry Key immobilizer
- Rear window defogger
- Tachometer
- Trip computer
- Underseat ducts
- Heated reclining front bucket seats
- 2nd row bucket seat

STANDARD VEHICLE PRICE \$32,115.00

OPTIONAL EQUIPMENT

50 State Emissions	N/C
Quick Order Package 27E	N/C
Engine: 3.6L V6 24V VVT UPG I w/ESS	STD
Transmission: 9-Speed 948TE Automatic	STD
3.25 Axle Ratio	STD
GVWR: 6,055 lbs	STD
Tires: 235/65R17 BSW AS	STD
Wheels: 17" x 7" Aluminum	STD
Cloth Bucket Seats	STD
Black Seats	N/C
Radio: Uconnect 5 w/7" Display	STD
Touring Suspension	STD
Interior : Black/Alloy/Black	N/C
Primary : Bright White Clearcoat	N/C

CITY MPG
19



HIGHWAY MPG
28

SUBTOTAL	\$32,115.00
Destination	\$1,495.00

TOTAL \$33,610.00

PURE ASPHALT CO.

SAFETY DATA SHEET (SDS)

SECTION 1: IDENTIFICATION

Product Name	#770 Undercoating
Other Names	UNDERCOATING
Use	Solvent based undercoating and sound deadener
Company	Pure Asphalt Co. 3455 W. 31st Place Chicago, IL Tel: (773) 247-7030 Fax: (773) 247-7066
Emergency Tel.	ChemTrec 800-262-8200

SECTION 2: HAZARD(s) IDENTIFICATION

GHS HAZARD CLASSIFICATION:

Physical Hazards	Flammable Liquid	Category 3
Health Hazards	Skin irritation	Category 2
	Eye irritation	Category 2
	Target organ toxicity, repeat exposure	Category 2

LABEL ELEMENTS:



Signal Word

Warning

Hazard Statements

H226: Flammable liquid and vapour
H315: Causes skin irritation
H320: Causes eye irritation
H373: May cause damage to organs through prolonged or repeated exposure

Precautionary statements

Prevention

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.
No smoking.
P233: Keep container tightly closed.
P280: Wear protective gloves, protective clothing, eye protection, and face protection.
P260: Do not breathe mist or spray.
P270: Do not eat, drink or smoke when using this product.
P264: Wash exposed areas thoroughly after handling.

Response	P370+378: IN CASE OF FIRE: Use carbon dioxide (CO ₂), alcohol foam, water fog or dry chemical to extinguish. DO NOT use stream/jet of water as this will spread fire. P302+352: IF ON SKIN: Wash with plenty of soap and water. P332+313: If skin irritation occurs: Get medical advice or attention. P362+364: Take off contaminated clothing and wash it before reuse. P305+351+ 338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. P337+313: If eye irritation persists get medical advice and/or attention. P314: Get Medical advice/attention if you feel unwell. P331: Do NOT induce vomiting.
Storage	P403+235: Store in a well ventilated place. Keep cool.
Disposal	P501: Dispose of contents and container in accordance with local, regional, national, and international regulation.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Chemical Name	Common Name	CAS number	Percent by weight
Petroleum Distillates	Stoddard Solvent	8052-41-3	40-55%
Petroleum Hydrocarbon	Asphalt	8052-42-4	30-60%

SECTION 4: FIRST-AID MEASURES

General Advice	Take off immediately all contaminated clothing. Get Medical advice/attention if you feel unwell. Wash contaminated clothing before reuse.
Inhalation	Remove person to fresh air and keep comfortable for breathing. Get Medical attention if you feel unwell.
Skin	Take off immediately all contaminated clothing and wash it before reuse. Wash with plenty of soap and water. If skin irritation or a rash occurs: Get medical advice/attention.
Eye	Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do and continue rinsing. If eye irritation persists: Get medical attention.
Ingestion	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Get Medical advice and/or attention if you feel unwell.
Most important symptoms/effects, acute and delayed	Eye irritation. Symptoms may include stinging, tearing, redness, swelling and blurred vision. Skin irritation: May cause redness, itching and/or pain. Inhalation of mist/vapors: Prolonged or repeated exposure may cause chronic effects.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically.

SECTION 5: FIRE-FIGHTING MEASURES

Suitable Extinguisher type(s)	Use carbon dioxide (CO2), alcohol foam, water fog or dry chemical to extinguish.
Unsuitable Extinguisher type	Do not use stream or jet of water as this will spread fire.
Specific hazardous arising from fire.	Vaporized material may form explosive mixture with air. Thermal decomposition (burning) will produce oxides of carbon including carbon monoxide and may also produce irritating, corrosive and/or toxic gases, vapors and fumes.
Special protective equipment for fire fighting.	Self-contained breathing apparatus and full protective gear must be worn in case of fire.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Leak or spill procedures	Remove all sources of ignition. Provide adequate ventilation.
Containment	Contain and absorb with inert material. (e.g. oil dry, sand)
Cleanup	Dispose in accordance with all local, state and federal regulations.
Precautions	In the event of a large spill, contain material and recover for use if possible. Avoid discharge into drains, water courses and the ground.

SECTION 7: HANDLING AND STORAGE

Storage	Keep away from ignition sources. Keep containers tightly closed. Store in a cool, dry and well ventilated area.
Handling	Avoid prolonged or repeated skin contact and avoid breathing vapors.
Incompatible Contaminants	Avoid exposure to oxidizing agents.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredient	OSHA PEL	ACGIH TLV-TWA
Petroleum Distillate	500 ppm	100 ppm
Engineering Controls	Use with adequate ventilation.	
PPE	Eye/Face: Face shield, goggles Skin: Chemical protective gloves. Respiratory: Level of exposure needs to be determined. If required, use a particulate filter, a NIOSH-approved air purifying respirator with organic vapor cartridge or a supplied air respirator.	

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance	
Form	Liquid
Color	Black
Flammability Limits	
Upper	Approx 6.0%
Lower	Approx 0.7%
Odor	Mild Petroleum Odor
Odor Threshold	Not Determined
Vapor Pressure at 20°C	0.27-0.40 kPa, based on solvent
pH	Not applicable
Vapor Density (air=1)	>1
Evaporation Rate	Not Determined
Specific Gravity, 16°C	>1.0

Melting Point/Range	Not Determined
Boiling Point/Range	>150°C (>300°F)
Solubility	Very slight
Partition Coefficient	Not Determined
Flash Point	40°C to 50°C (104°F to 122°F)
Flammability	Class 3
Auto ignition Temperature	>210°C (> 410°F)
Decomposition Temperature	Not Determined
Viscosity	Time, temperature and shear dependent

SECTION 10: STABILITY AND REACTIVITY

Reactivity	
Chemical Stability	Stable
Other	
Hazardous Reactions	Combustion
Polymerization	Will not occur.
Conditions to Avoid	Strong oxidizing agents: sources of ignition.
Incompatible Materials	Strong oxidizing agents
Decomposition Hazards	Combustion products: Oxides of carbon, nitrogen, and sulfur and potentially irritating and/or toxic fumes.

SECTION 11: TOXICOLOGICAL INFORMATION

Ingredient	LD50	LC50
Petroleum Distillates	Oral-Rat, > 5gm/Kg	4 Hr.-Rat, > 5500 mg/M ³
Routes of Exposure		
Inhalation	May cause damage to organs through prolonged or repeated exposure	
Ingestion	Expect low ingestion hazard. Do NOT induce vomiting. AVOID ASPIRATION.	
Skin Contact	Causes skin irritation	
Eye Contact	Causes eye irritation	
Delayed, Immediate, and Long Term Exposure	Prolonged or repeated inhalation of petroleum distillates may cause damage to organs.	
Carcinogenicity	None of the components of this mixture are considered to be a carcinogen by IARC, ACGIH, NTP, OR OSHA. Bitumen fumes generated at paving temperatures in excess of 250°F (120°C) are classified by IARC as "possibly carcinogenic to humans" (Group 2B) but this product is used at ambient temperatures and does not generate fumes.	

SECTION 12: ECOLOGICAL INFORMATION

Eco toxicity	This mixture contains components that are potentially toxic to freshwater and saltwater ecosystems.
Environmental Fate	This material may be harmful to aquatic organisms and may cause long term adverse effects in the aquatic environment.

SECTION 13: DISPOSAL CONSIDERATIONS

Hazard characteristic and regulatory waste classification can change with product use. Accordingly, it is the responsibility of the user to determine the proper handling and disposition for disposal according to local, state, federal and international regulations.

SECTION 14: TRANSPORT INFORMATION**For Industrial/Professional Use Only-Keep out of reach of Children****Domestic (US and US to Canada)**

Proper shipping name: Combustible liquid, n.o.s. (contains Mineral Spirits)

Identification Numbers: NA1993

Class or Division: Comb liq

Packing Group: III

Label Codes: None

Special Provisions: IB3, T1, T4, TP1

Packaging

Exceptions: 173.150

Non-Bulk: 173.203

Bulk: 173.241

Quantity Limitations

Passenger Aircraft/Rail: 60 L

Cargo Aircraft Only: 220 L

Vessel Stowage

Location: A

Other:

International (including within Canada)

Proper shipping name: Petroleum products, n.o.s.

Identification Numbers: UN1268

Class or Division: 3

Packing Group: III

Label Codes: 3

Special Provisions: 144, B1, IB3, T4, TP1, TP29

Packaging

Exceptions: 173.150

Non-Bulk: 173.203

Bulk: 173.242

Quantity Limitations

Passenger Aircraft/Rail: 60 L

Cargo Aircraft Only: 220 L

Vessel Stowage

Location: A

Other:

Transport in Bulk according to Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: REGULATORY INFORMATION

TSCA	All components are on the TSCA inventory.
Sara Title III, Section 313	No, None
Sara Title III, Section 311, 312	Fire Hazard

SECTION 16: OTHER INFORMATION

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind expressed or implied is made with respect to the information contained herein.



Ultrasonic Sound Test Certification

The Braun Corporation water test consists of an Ultrasonic Sound Test as well as a high pressure rinse cycle. Testing is completed at an ambient temperature not less than 40 degrees Fahrenheit and 100 degrees Fahrenheit. Vehicle will remain on level ground for the duration of the test. Upon test conclusion, the vehicle interior is closely examined for any sign of water intrusion.

INTRODUCTION

Introduction

BraunAbility® wheelchair accessible vehicles are designed to provide years of pleasure and mobility independence. Familiarity with proper operation and maintenance procedures will help ensure safe, trouble-free operation.

Safety precautions, maintenance and troubleshooting details are provided. Wiring diagrams are provided to aid in troubleshooting. A Replacement Parts section with exploded views and corresponding parts lists is also provided.

Warranty and Return Authorization

Refer to the Limited Warranty Booklet for detailed terms and provisions. When processing any warranty claims (parts, repairs, etc.), all requests must be processed through the BraunAbility® Aftersales department. A Return Material Authorization (RMA) number will be issued for processing returns and/or authorizing credit.

The last eight digits of the vehicle identification number (VIN) must be provided when filing a warranty claim or ordering parts.

WARNING

Maintenance, lubrication, troubleshooting and service procedures must be performed as specified by an authorized service technician. Failure to do so may result in serious bodily injury and/or property damage.

Towing and Transporting**Towing with a Lowered Floor Vehicle**

If your vehicle is equipped with an OEM factory installed trailer tow bumper package, refer to the OEM manual for towing guidelines and precautions. Be sure to comply with critical weight limits before towing. Aftermarket trailer tow packages are prohibited.

Transporting a Lowered Floor Vehicle

BraunAbility lowered floor vehicles should be transported on a trailer rather than towed with one set of wheels suspended and the other set of wheels remaining in road contact.



Trailer Transport

BELOW FLOOR OBSTRUCTIONS


Below Floor Obstruction Detail & Guidelines

When installing an electrical tie-down, power seat or other auxiliary device, obstructions below the floor must be avoided. Obstructions include wiring, fuel system, brake lines, etc. Installers must be aware of these obstructions.

Refer to this illustration when installing aftermarket equipment to avoid contacting or damaging vital components under the floor.

Drilling or cutting into such obstructions may result in potential hazards as well as property damage.

Note: Some wiring harnesses shown may not be present. Avoid all harness locations.



⚠ WARNING

Check for obstructions such as wires, gas lines, exhaust, etc. before drilling or cutting through floor. Failure to do so may result in serious bodily injury and/or property damage.

Auxiliary Power Supply

⚠ CAUTION

Do not connect auxiliary devices to vehicle battery. Doing so may result in damage to electrical system and/or electronic components.

Auxiliary Power Supply: Do not connect auxiliary devices directly to the vehicle battery. Doing so may result in damage to electrical system and/or electronic components.

Two fuse blocks are provided as an auxiliary power source for dealer-installed auxiliary electrical device(s). Fuse block details and specifications are provided below. The fuse blocks are located at the bottom of the center console.

Below Floor Obstructions:

When installing aftermarket equipment, obstructions below the floor must be avoided. Obstructions include wiring, fuel system, brake lines, etc. Installers must be aware of these obstructions.

Refer to the illustration on previous page to avoid contacting or damaging vital components under the floor.

⚠ WARNING



Risk of electrical fire! Install and electrically terminate auxiliary electrical device as specified by device manufacturer.

Fuse Blocks

Fuse Blocks: Two fuse blocks are provided for use as an auxiliary power source (one ignition fuse block and one battery fuse block).

The battery fuse block provides power at all times (independent of the vehicle ignition). The ignition fuse block supplies power only when the vehicle ignition is on.

The installer is responsible for supplying the correct gauge wire and fuse for the particular device to be attached to the fuse block (as specified by the manufacturer of the device).

Ignition Fuse Block: The total maximum load must not exceed 30 amperes.


Battery Fuse Block: The total maximum load must not exceed 40 amperes.

Note: If installing an auxiliary electrical device that requires more than a 30 ampere ignition or 40 ampere battery power source, an alternative power source must be provided.



Note: The fuse blocks are part of an electrical assembly. Two ground studs are also provided.

Fuse Block Access: The fuse blocks are located at the bottom of the center console. Remove upper console panel (2) fasteners per side.


Fasteners (2) per side




Fuse Block Access



Under Dash Fuse Blocks






DRAWING NOTES

1. All connector call outs are in respect to the terminal insertion view.
2. All wires are 0.35MM, unless noted (Color ID field).

- = Empty Cavity
- = OEM Connection
- = BA Connection





Page 20B

1. All connector call outs are in respect to the terminal insertion view.
2. All wires are 0.35MM, unless noted (Color ID field).

▶ = OEM Connection




▶ = BA Connection




WIRING DIAGRAM - C650 - PASSENGER SIDE

DRAWING NOTES

1. All connector call outs are in respect to the terminal insertion view.
2. All wires are 0.35MM, unless noted (Color ID field).



-  = Empty Cavity
-  = OEM Connection
-  = BA Connection

From:
508454A
(Passenger
AB Overlay)



LOCATION KEY

C650 Door
Connector



FUNCTION
RS Impact Sensor Signal
RS Impact Sensor GND


PIN

1 R140
2 R160

PIN	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
	P572	P400	R160	R140	C160	G74 0.75MM		P401 0.5MM	D213	D214	P777 0.75MM	X202 0.75MM	X292 0.75MM	A925 2.0MM	Z916 A 2.0MM	Z916 B 2.0MM	P4 0.75MM
	P572	P400	R160	R140	C160	G74 0.75MM		P401 0.5MM	D213	D214	P777 0.75MM	X202 0.75MM	X292 0.75MM	A925 2.0MM	Z916 A 2.0MM	Z916 B 2.0MM	P4 0.75MM

508451A

C650 Body
Connector




DRAWING NOTES



- 1. All connector call outs are in respect to the terminal insertion view.
- 2. All wires are 0.35MM, unless noted (Color ID field).

- = Empty Cavity
- = OEM Connection
- = BA Connection


To: 508454A
(Passenger
AB Overlay)





LOCATION KEY





C315 Body
Harness





508452A			508452A		
PIN					PIN
1	X212 0.75MM			X212 0.75MM	1
2	A937			A937	2
3					3
4					4
5	D122			D122	5
6	D497			D497	6
7	D498			D498	7
8	F944 C			F944 C	8
9					9
10	X202 0.75MM			X202 0.75MM	10
11	X282 0.75MM			X282 0.75MM	11
12	X970			X970	12
13	X971			X971	13
14	DRAINWIRE			DRAINWIRE	14
15	D64			D64	15
16	D65			D65	16
17					17
18					18
19					19
20					20
21					21
22	X292 0.75MM			X292 0.75MM	22
23	X206 0.75MM			X206 0.75MM	23
24					24
25					25
26					26
27	G201			G201	27
28					28
29					29
30	D248			D248	30
31	D249			D249	31
32	E12			E12	32
33	D213			D213	33
34	D214			D214	34
35					35
36					36
37	R82			R82	37
38	R80			R80	38
39	X301 0.75MM			X301 0.75MM	39
40	X296 0.75MM			X296 0.75MM	40
41					41
42					42
43					43
44	D264			D264	44
45	D265			D265	45
46	X304 0.75MM			X304 0.75MM	46
47	X394 0.75MM			X394 0.75MM	47
48					48
49					49
50					50
51	D448			D448	51
52	D449			D449	52
53	X391 0.75MM			X391 0.75MM	53
54	A910 0.5MM			A910 0.5MM	54
55					55
56	A111 2.0MM			A111 2.0MM	56
57	C911 1.5MM			C911 1.5MM	57
58	C986 1.5MM			C986 1.5MM	58
59					59



C315 Dash
Harness



LOCATION KEY



DRAWING NOTES

1. All connector call outs are in respect to the terminal insertion view.
2. All wires are 0.35MM, unless noted Color ID field).

 = Empty Cavity



▶ = OEM Connection

▶ = BA Connection

DRAWING NOTES


- 1. All connector call outs are in respect to the terminal insertion view.
- 2. All wires are 0.35MM, unless noted Color ID field).

- = Empty Cavity
- = OEM Connection
- = BA Connection




LOCATION KEY

FUNCTION	
Heat Seat CAN IHS (+)	
Heat Seat CAN IHS (-)	
SRS CAN C (+)	
SRS CAN C (-)	
PASS Position Voltage	
PASS Seat Belt Sense	
PASS Seat Detect RET	
Heat Seat Sensor RET	
-	
RS Thorax Squib 1 L2	
RS Thorax Squib 1 L1	
-	
Run/Start - F56	
Seat GND	
Stow Assist RET	
PASS Seat Stow Signal	
-	
Courtesy Lamps Driver	
IGN PWR Seat - F91	
Lumber Adjust - F50	
Seat Heat IGN F89	
Heat Steer Wheel RET	
Heat Steer Wheel Feed	
BAT (Breaker)	
BAT Video Screen - F30	
Backlight - F77	
Audio Right 2	
Audio Left 2	
Audio Return 2	
Video Screen GND	
-	
PASS Present Jumper	
PASS Present Jumper	
Panel Lamps DVR	
PASS Heat Temp Sense	
PASS Heat Seat Control	
Vent Seat Return	
-	
-	
-	
-	
-	
-	
-	
-	
-	



Unfold for:
Wiring Diagram
Passenger Seat
Wall Side

WIRING DIAGRAM - PASSENGER SEAT - WALL SIDE






Unfold for:
Wiring Diagram
Passenger Seat
Wall Side

WIRING DIAGRAM - LIGHTS


DRAWING NOTES

- 1. All connector call outs are in respect to the terminal insertion view.
- 2. All wires are 0.35MM, unless noted (Color ID field).

- = Empty Cavity
- = OEM Connection
- = BA Connection



LOCATION KEY




Extension Harnesses

To accommodate the dropped floor in the wheelchair accessible vehicle, several OEM harnesses have been extended. These extension harnesses are equipped with OEM connectors. The OEM circuit function is a direct “pass-thru” and not effected by the extension harness. To troubleshoot the extension harnesses use the OEM documentation.

PART #	DESCRIPTION	LOCATION
508443A	Harness-Voyager-C313-Extension	A
508445A	Harness-Voyager-HCH-Brown-C600D-Extension	A
508446A	Harness-Voyager-HCH-C401-Extension	A
508450A	Harness-Voyager-HCH-C440-Extension	B
508459A	Harness-Voyager-HCH-C441-Extension	B
508458A	Harness-Voyager-HCH-C442-Extension	B
508460A	Harness-Voyager-HCH-C402A-Extension	C
508453A	Harness-Voyager-HCH-C402B-Extension	C
508463A	Harness-Voyager-HCH-Brown-C650D-Extension	C
502627A	Harness-Voyager-Fuel Pump-Extension	D


Note: Vehicle harness extension usage is dependant on your vehicle’s trim and option configuration. Not all extensions are applicable for all conversions. Refer to the extensions applicable to your vehicle and disregard the extensions that do not apply.



REPLACEMENT PARTS



Replacement Parts - HVAC Lines

ITEM	QTY.	DESCRIPTION	PART NUMBER
1	1	A/C LINE-RETURN-RU REAR HVAC-RU ADA FO	509883
2	1	A/C LINE-HIGH PRESSURE-RU REAR HVAC-RU ADA FO	509884
3	1	HEATING LINE-SUPPLY-REAR HVAC-RU 56 IN FO	509882
4	1	HEATING LINE-RETURN-RU REAR HVAC-RU ADA FO	509881



Replacement Parts - Exterior Panels

ITEM	QTY.	DESCRIPTION	PART NUMBER
1	1	FLARE-REAR COVER-52 INCH-RU/E2	506923
2	1	FLARE-LEFT REAR-RU ADA	509460
3	1	FLARE-LEFT FRONT-RU ADA	509459
4	1	FLARE-RIGHT REAR-RU ADA	509462
5	1	FLARE-RIGHT FRONT-RU ADA	509461
6	1	FLARE-FRONT BUMPER EXTENSION	506896



QRT[®]-1 SERIES



MAX / DELUXE / STANDARD
4-POINT SECUREMENT
WHEELCHAIR RETRACTORS



QRT[®]-1 SERIES

The Securement System That Changed Everything

The original 4-point wheelchair securement system, QRT-1 Series retractors defined the way passenger safety devices are designed and tested.

With a range of 3 different options to fit every need and every budget, the QRT-1 Series of retractors offer easy to use, effective 4-Point securement of wheelchairs for virtually any vehicle application.



QRT MAX

FULLY AUTOMATIC, premium knobless retractor that allows for one-handed operation.

More than 30 years ago, Q'STRAIT introduced the world's first fully integrated 4-Point wheelchair passenger securement system, now an industry standard the world over.

The QRT line of retractors are the linchpin of that system.



Every QRT retractor is fully ADA complaint, and meets or exceeds all standards and regulations, including:

- SAE J2249, ISO 10542,
- FMVSS 209, 302, 210, 222
- CMVSS 209
- CSA Z605
- and 30mph/20g crash testing

Anchorage Options

All QRT-1 Series Retractors are compatible with L-Track, L-Pockets and Slide 'N Click anchorages, or may be directly mounted to vehicle floors, seat legs or barriers.



L-TRACK / L-POCKETS

For kits that use L-Track or L-Pocket anchorages, QRT Series retractors feature our patented Positive Lock Indicator (PLI) that clearly indicates when the fitting is locked in the anchorage.

SLIDE 'N CLICK

For kits that include Slide 'N Click anchorages, QRT Series retractors feature a single-bolt SNC assembly and plunger that allows a full 360° rotation, eliminating anchorage alignment guesswork.

QRT-1 SERIES FEATURES COMPARISON

	MAX	DLX	STD	
Knobless, One-Handed Operation. No knobs to interfere with wheels and footrests.	●			
Dual Tensioning Knobs. Provides additional tensioning if needed.		●		
Single Tensioning Knob. Provides additional tensioning if needed.			●	
Automatic, Self-Locking. Allows easy, one-handed hook-up.	●	●		
Self-Tensioning. Retractors automatically take up 'slack'.	●	●		
Positive Lock Indicator. Patented feature clearly indicates when fitting is locked in anchorage.	●	●	●	
Interchangeable. Eliminates confusion: no right, left, front or rear locations.	●	●	●	
Low Profile & Compact. Elimination of mounting bracket allows retractors to fit under most footrests.	●	●	●	
Accommodates Larger Wheelchairs. Reduced overall length leaves more room for wheelchairs.	●	●		
Ultra-Durable. Hardened steel and coated zinc for maximum corrosion resistance.	●	●	●	
Universal Design. Accommodates virtually all wheelchair designs, including scooters.	●	●	●	
J-Hook. Reduces twisting of belts and ensures proper securement for all wheelchair designs.	●	●	●	
Foot Release Lever. Easy release eliminates the stress of bending down.	●	●	●	



WWW.QSTRAINT.COM/QRT-1-SERIES

© 2017 Q'STRAIT®. All Rights Reserved.
Q'STRAIT®, Q'STRAIT® logo, QRT-SERIES® and QRT™ are registered trademarks of Q'STRAIT®, Inc.

Q'STRAIT EUROPE

72-76 John Wilson Business Park
Whitstable, Kent, CT5 3QT
United Kingdom
Tel: +44 (0)1227 773035
Fax: +44 (0)1227 770035
Email: info@qstraint.co.uk

Q'STRAIT AMERICA

4031 NE 12th Terrace
Oakland Park, FL 33334
Tel: 800-987-9987
Fax: 954-986-0021
Email: qstraint@qstraint.com

Q'STRAIT AUSTRALIA

Tramanco Pty Ltd.
21 Shoebury Street,
Rocklea, Australia, QLD. 4106
Tel: +61 7 3892 2311
Fax: +61 7 3892 1819
Email: info@tramanco.com.au



VX5AI MDVR

Vulcan™ Series VX5AI MDVR


The five-channel VX5AI is ideal for smaller buses and transport vans and records up to five camera views: four HD channels at D1, 720P or 1080P—plus one IP channel at up to 1080P resolution, for a key location where IP clarity is needed most. Video is stored on a locking hard drive, with a microSD card slot for redundancy.

- 5-channel system
- 4 channels D1, 720P, or up to 1080P + 1 channel IP up to 1080P
- 1TB (standard) 2.5" SATA or solid-state drive, up to 2TB
- microSD card slot for redundant recording
- Five (5) year limited warranty

[Download Tech Specs](#)

CAMERAS

The VX5AI MDVR is compatible with Vulcan™ Series HD cameras, MDVR-compatible IP cameras and MDVR-compatible accessories.



WARRANTY

We stand behind the Vulcan™ Series mobile DVR by offering a five-year, limited parts and labor warranty that is unmatched in the industry, and from first contact to warranty fulfillment, AngelTrax provides unparalleled customer service and support.



DRIVER-OPERATED PANIC BUTTON

Alerts, triggered by the driver-operated panic button or one of eight configurable alarms, automatically mark video for supervisor review during playback. The panic button, included with every Vulcan Series MDVR and installed within easy reach on the driver's console, is an inconspicuous tool the driver can use to mark the video at the time and date of an incident occurring on the vehicle. The panic button also functions as a remote status indicator for the MDVR. A solid green LED indicates the unit has power and is recording without using a video monitor.



Exceptional »

CUSTOMER
SERVICE



PRODUCT
TRAINING



TECHNICAL
SUPPORT



Contact Us

1.800.673.1788 (Toll-free)
1.334.692.4600 (Local)
1.334.692.4606 (Fax)
[Email Tech Support](#)

Location

119 South Woodburn Drive
Dothan, AL 36305
[Careers](#)

Follow Us





EXECUTIVE ORDER D-449-77

Relating to Exemptions under Section 27156
of the California Vehicle Code

The Braun Corporation (d.b.a. BraunAbility)
Fuel Tank Assembly

Pursuant to the authority vested in the California Air Resources Board by Vehicle Code (VC) Section 27156; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the installation of the Fuel Tank Assembly (side entry), manufactured by The Braun Corporation of 631 West 11th Street, Winamac, Indiana 46996, has been found not to reduce the effectiveness of the applicable vehicle pollution control system, and therefore, the Fuel Tank Assembly is exempt from the prohibitions in VC Section 27156 for installation on 2017 through 2021 model-year FCA Pacifica, 2020 and 2021 model-year FCA Voyager, and 2021 model-year FCA Grand Caravan certified with the following exhaust test groups and evaporative families:

Test group: HCRXT03.65P1, JCRXT03.65P4, JCRXT03.65P5, KCRXT03.65P5, LCRXT03.65P8, MCRXT03.65P5

Evaporative family: HCRXR0140RK0, HCRXR0140RP0, JCRXR0140RP0, KCRXR0140RP0, LCRXR0140RP0, MCRXR0140RP0

The Fuel Tank Assembly allows relocation of the stock fuel tank to the rear of the vehicle and includes an intake air extension tube.

This Executive Order is based on previous testing and engineering evaluation of the Fuel Tank Assembly for impact on emissions. If evidence provides the California Air Resources Board with reasons to suspect that The Braun Corporation's Fuel Tank Assembly will affect other emissions, such as canister bleed emissions, The Braun Corporation will be required to perform additional test(s) in the future to show that such emissions are not affected.

Exemption of the Fuel Tank Assembly shall not be construed as an exemption to sell, offer for sale, or advertise any component of the assembly as individual devices.

This Executive Order shall not apply to any device advertised, offered for sale, sold with, or installed on a motor vehicle prior to or concurrent with transfer to an ultimate purchaser.

This Executive Order is valid provided that installation instructions for the Fuel Tank Assembly do not recommend tuning the vehicle to specifications different from those of the vehicle manufacturer.

Changes made to the design or operating conditions of the Fuel Tank Assembly, as exempted by the California Air Resources Board, that adversely affect the performance of the vehicle's pollution control system shall invalidate this Executive Order.

Marketing of the Fuel Tank Assembly using an identification other than that shown in the Executive Order or for an application other than those listed in this Executive Order shall be prohibited unless prior approval is obtained from the California Air Resources Board.

In addition to the foregoing, the California Air Resources Board reserves the right in the future to review this Executive Order and the exemption provided herein to assure that the exempted add-on or modified part continues to meet the standards and procedures of Title 13, California Code of Regulations, Section 2222 et seq.


This Executive Order does not constitute any opinion as to the effect the use of the Fuel Tank Assembly may have on any warranty either expressed or implied by the vehicle manufacturer.

No claim of any kind, such as "Approved by the California Air Resources Board," may be made with respect to the action taken herein in any advertising or other oral or written communication.

THIS EXECUTIVE ORDER DOES NOT CONSTITUTE A CERTIFICATION, ACCREDITATION, APPROVAL, OR ANY OTHER TYPE OF ENDORSEMENT BY THE CALIFORNIA AIR RESOURCES BOARD OF CLAIMS OF THE APPLICANT CONCERNING ANTI-POLLUTION BENEFITS OR ANY ALLEGED BENEFITS OF THE BRAUN CORPORATION'S FUEL TANK ASSEMBLY.

Violation of any of the above conditions shall be grounds for revocation of this Executive Order. The Executive Order may be revoked only after a 30-day written notice of intention to revoke the Executive Order, in which period the holder of the Executive Order may request in writing a hearing to contest the proposed revocation. If a hearing is requested, it shall be held within 30 days of receipt of the request and the Executive Order may not be revoked until a determination is made after a hearing that grounds for revocation exist.

Executed on this 20th day of January 2021.



Allen Lyons, Chief

Emissions Certification and Compliance Division



PERRY JOHNSON REGISTRARS, INC.

Certificate of Registration

Perry Johnson Registrars, Inc., has audited the Quality Management System of:

***The Braun Corporation
d.b.a. BraunAbility***

631 West 11th Street, Winamac, IN 46996 United States

*(Hereinafter called the Organization) and hereby declares that
Organization is in conformance with:*

ISO 9001:2015

This Registration is in respect to the following scope:

***Design, Manufacture and Assembly of Wheelchair Accessible
Vehicles, Wheelchair Lifts For Vehicle Applications,
Wheelchair Toppers, and Other Mobility Products***

*This Registration is granted subject to the system rules governing the Registration referred to above, and the
Organization hereby covenants with the Assessment body duty to observe and comply with the said rules.*



Terry Boboige

Terry Boboige, President

Perry Johnson Registrars, Inc. (PJR)
755 West Big Beaver Road, Suite 1340
Troy, Michigan 48084
(248) 358-3388

The use of the UKAS accreditation symbol is in respect to the activities covered by the Accreditation Certificate Number 0105.

The validity of this certificate is dependent upon ongoing surveillance.

Effective Date:

July 31, 2020

Expiration Date:

July 30, 2023

Certificate No.:

C2020-00408

Introducing the **New Commercial Side-Entry** **Built on the Chrysler Voyager**



The Commercial Side-Entry wheelchair accessible vehicle has been a cost-effective, workhorse product for paratransit providers and transportation services. Leveraging almost 50 years of experience in mobility transportation solutions, BraunAbility introduces with the newest addition to the Commercial fleet, the Chrysler Voyager. The side-entry foldout has all the ADA-compliant features of the Dodge Grand Caravan but with 15% more cabin space for easier maneuverability, more seating positions, plus enhanced space at the toe pan for wheelchair footrests. The new conversion also features the much more durable thermoplastic (TPO) front, side and rear flares to absorb minor impacts while protecting the exterior look of the vehicle. An LED spotlight package for the ramp and cabin as well as an easy access footrest for rear seating adds to the overall ease of use for both operators and passengers.

- **15% more cabin space vs. Dodge Grand Caravan**
- **Seating for up to 7 ambulatory*; up to 2 wheelchair positions**
- **Added space at front for wheelchair passenger footrests**
- **Hard-wearing TPO front, side and rear flares to absorb minor impacts**
- **Reinforced, heavy-duty swing-out ramp and latch**
- **Enhanced ADA lighting package**

* With optional aftermarket 2nd row 2-passenger folding bench seat



braunability.com/commercial



800.488.0359

Voyager Commercial Side-Entry



Standard Features

- ADA, FMVSS and CMVSS Compliant
- CARB approved
- 7-passenger vehicle (with optional aftermarket 2nd row 2-passenger folding bench seat)
- Lowered floor from toepan to rear axle
- 60" floor-to-ceiling at center of van
- 30" wide manual ramp with 1,000 lb capacity and swing out feature for ambulatory access
- Multiple wheelchair securement locations
- One wheelchair securement system
- Manual driver and passenger side sliding door providing 56" vertical opening (ADA compliant), passenger door provides clear opening width of 31" (excluding OEM grab handle)
- Step-and-Roll removable front passenger seat
- 3-passenger bench seat at rear with folding footrest
- Front passenger floor tracks for wheelchair securement, with 60" floor-to-ceiling height
- TPO plastic lower body panels with integrated steps
- Vinyl flooring with 3/8" underlayment, a thermoplastic honeycomb panel subfloor
- ADA-compliant park interlock
- ADA-compliant ramp and door entrance lighting
- Priority seating and wheelchair securement location decals
- Auxiliary wiring harnesses include fused circuits
- Emergency rear hatch release
- Easy maintenance interior trim package
- 19 gallon OEM fuel tank



Ramp capacity 1,000 lbs.
All dimensions are for reference only

Optional Features

- Aftermarket 2nd row 2-passenger folding bench seat
- DOT kit
- Additional set of tie-down straps

Dimensions

Door opening usable width (excluding OEM grab handle)	A	31"
Door opening usable height (at middle of door)	B	56"
Interior height at center of vehicle	C	60"
Interior height at driver and passenger position	D	60"
Ramp length	E	52"
Ramp width (usable clear opening)	F	30"
Ramp angle*	G	13.75°
Interior floor length (behind front seat strikers)	H	71"
Overall interior floor length (flat area)	I	98.5"
Interior width at passenger doors (doors closed)	J	64"
Interior width - ramp (deployed) to optional 2-passenger seat (stowed)	K	49"
Ground clearance (loaded) @ = GVWR lbs**	L	5"
Overall vehicle height (unloaded)	M	81"

Due to manufacturing tolerances both with the OEM vehicle and the conversion components, all dimensions may vary slightly from those shown.

* Ramp angle may vary based on chassis trim level and other environmental factors

** 5" clearance between the break-over angle position of the vehicle exhaust pipe and level ground when loaded to capacity



braunability.com/commercial

800.488.0359



FEDERAL TRANSIT BUS TEST

**Performed for the Federal Transit Administration U.S. DOT
In accordance with 49 CFR, Part 665**

Manufacturer: BraunAbility / The Braun Corporation

**Model: Chrysler Pacifica / Voyager Commercial
Wheelchair Accessible Vehicle
w/ Side-Entry Manual Foldout Ramp**

**Tested in Service-Life Category
4 Year / 100,000 Miles**

November 2020

Report Number: LTI-BT-R2020-03

**The Thomas D. Larson
Pennsylvania Transportation Institute
201 Transportation Research Building
The Pennsylvania State University
University Park, PA 16802
(814) 865-1891**

**Bus Testing and Research Center
2237 Plank Road
Duncansville, PA 16635
(814) 695-3404**



PennState
College of Engineering

**LTI BUS RESEARCH
AND TESTING CENTER**

FEDERAL TRANSIT BUS TEST

Performed for the Federal Transit Administration, U.S. DOT
1200 New Jersey Avenue, SE
Washington, DC 20590

In accordance with 49 CFR Part, 665

Manufacturer: BraunAbility / The Braun Corporation
Manufacturer's address: 631 W. 11th Street
Winamac, IN 46996

Model: Chrysler Pacifica / Voyager Commercial
Wheelchair Accessible Vehicle w/Side-Entry
Manual Foldout Ramp

Tested in Service-Life Category
4 Year / 100,000 Miles

Report Number: LTI-BT-R2020-03



David Klinikowski

Quality Authorization

Director, Bus Research
and Testing Center

Title

November 20th 2020

Date

TABLE OF CONTENTS

	<u>Page</u>
EXECUTIVE SUMMARY	4
ABBREVIATIONS AND ACRONYMS	7
BUS CHECK-IN	8
1. MAINTAINABILITY	
1.1 ACCESSIBILITY OF COMPONENTS AND SUBSYSTEMS	23
1.2 SERVICING, PREVENTIVE MAINTENANCE, AND REPAIR AND MAINTENANCE DURING TESTING	26
1.3 REPLACEMENT AND/OR REPAIR OF SELECTED SUBSYSTEMS	29
2. RELIABILITY	32
3. SAFETY	
3.1 DOUBLE-LANE CHANGE (OBSTACLE AVOIDANCE TEST)	34
3.2 BUS BRAKING PERFORMANCE TEST	38
4. PERFORMANCE	43
5. STRUCTURAL INTEGRITY	
5.1 STRUCTURAL SHAKEDOWN – DISCONTINUED TEST	
5.2 STRUCTURAL STRENGTH AND DISTORTION TESTS - STRUCTURAL DISTORTION	47
5.3 STRUCTURAL STRENGTH AND DISTORTION TESTS - STATIC TOWING	59
5.4 STRUCTURAL STRENGTH AND DISTORTION TESTS - DYNAMIC TOWING	60
5.5 STRUCTURAL STRENGTH AND DISTORTION TESTS- JACKING	63
5.6 STRUCTURAL STRENGTH AND DISTORTION TESTS- HOISTING.....	66
5.7 STRUCTURAL DURABILITY	69
6. FUEL ECONOMY	77
7. NOISE	
7.1 INTERIOR NOISE AND VIBRATION TESTS	85
7.2 EXTERIOR NOISE TESTS	90
8. EMISSIONS	96

EXECUTIVE SUMMARY

TEST HIGHLIGHTS

The information in this report pertains only to this specific bus, as received from the manufacturer for testing.

The Check-In section of the report provides a description of the bus and specifies its major components. The following table gives the salient specifications.

Manufacturer	BraunAbility / The Braun Corporation
Model	Chrysler Pacifica / Voyager Commercial Wheelchair Accessible Vehicle w/Side-Entry Manual Foldout Ramp
Chassis Make/Model	Chrysler Pacifica / Voyager
Chassis Modified	Yes
Length	16 feet, 8 ½ inches
Fuel	Gasoline
Service Life	4 Years / 100,000 miles
Number of Seats (including driver)	5 and 1 wheelchair
Manufacturer-Designated Standing Passenger Capacity	No standing passengers
Gross Vehicle Weight used for testing	5,830 lb.
Gross Vehicle Weight Rating	6,055 lb.
Mileage at Delivery	37
Test Start Date	March 19, 2020
Test Completion Date	October 07, 2020

The measured curb weight was 2,520 lb. for the front axle and 1,940 lb. for the rear axle. These combined weights provided a total measured curb weight of 4,460 lb. There are 5 seats including the driver and one wheelchair position. Since this vehicle is a minivan, it is not possible to accommodate standing passengers. Therefore, the gross load represents seated passengers only, for a total of 6 passengers. Gross load is calculated as $(150 \text{ lb.} \times 5) + (600 \text{ lb.} \times 1) = 1,350 \text{ lb.}$ At full declared capacity, the measured gross vehicle weight was 5,830 lb.

BUS TESTING BACKGROUND

On August 1, 2016, FTA announced a final rule for bus testing for improving the process of ensuring the safety and reliability of new transit buses. The rule satisfies requirements in MAP-21 to establish minimum performance standards, a standardized scoring system, and a pass-fail threshold based on the score.

FTA's Bus Testing Program (often referred to as "Altoona Testing" due to the location of the main testing center) tests new transit bus models for:

- Maintainability
- Reliability

- Safety
- Performance (including Braking Performance)
- Structural Integrity (including Structural Durability)
- Fuel Economy (Energy Efficiency and Range, for electric buses)
- Noise
- Emissions

Bus models that fail to meet one or more minimum performance standards will “fail” their test and thus be ineligible for purchase with FTA funds until the failures are resolved and validated through further testing. FTA will use this authority to make sure defects are corrected before a bus model can be acquired with FTA funding.

In each application to FTA for the purchase or lease of any new bus model, or any bus model with a major change in configuration or components to be acquired or leased with funds obligated by the FTA, the recipient shall certify that it has received the appropriate full Bus Testing Report and any applicable partial testing report(s) before final acceptance of the first vehicle. In dealing with a bus manufacturer or dealer, the recipient shall be responsible for determining whether a vehicle to be acquired requires full testing or partial testing or has already satisfied the requirements of this part. A bus manufacturer or recipient may request guidance from FTA in making these determinations.

The purpose of the testing is intended set a “Pass/Fail” standard and grade the performance of the buses in order to provide performance information to the transit authorities that can be used in their purchase or lease decisions. The intent of this report is to provide the grantee a relative measure of the performance of a particular model of transit bus against a standard of performance. The passing of this test should ensure a vehicle has a high probability of meeting its service life in the category it was tested.

The data included in this test report and other applicable reports should be reviewed to choose the most suitable bus for a grantee’s operation. A higher scoring bus is not necessarily the best bus for a given application. For example, a bus with a powerful engine may score well because of its performance and gradeability, but another bus with a smaller and more fuel-efficient engine could be a better choice for applications in mostly flat areas. It is the responsibility of the grantee to ensure the proper test report or applicable partial report is in their possession and has been thoroughly reviewed.

The score sheet for the subject vehicle of this test report is provided below. **This bus passed the Altoona test, with an aggregate score of 92.5.**



Table of Contents

State of West Virginia, Department of Administration – Purchasing Division.
Solicitation Number: CRFX 0805 PTR2200000010

1. Tab 1 – Letter of Transmittal
2. Tab 2 – Letter of Qualifications
3. Tab 3 – Required Documents
 - a. Cover Page
 - b. Bid Document Checklist
 - c. Bid Form – Addendum Acknowledgement
 - d. Bid Form – Designated Contact
 - e. Contract Manager Contact Information
 - f. Bid Form 1 – Location of Technical Service Representative
 - g. Bid Forms 2 through 9
4. Tab 4 – Specifications
 - a. Floorplan and Weight Analysis
 1. Track Location
 - b. Technical Specifications – Chrysler Voyager
 - c. Technical Specifications – Braun
5. Tab 5 – Warranty
 - a. Warranty Synopsis
 - b. Warranty Providers
 - c. Voyager Warranty
 - d. Braun Warranty
 - e. Air Conditioning Warranty (36 Month Unlimited Miles)
6. Tab 6 – Supporting Documents
 - a. Training Acknowledgement
 - b. Nearest Parts Depot
 - c. Final Assembly Location
 1. Buy America Declaration from Braun
 - d. References
 - e. Chrysler Voyager Brochure
 - f. OEM Backup Camera, Radio, Seats and Seatbelts, Ambulatory Entry, Details of Body Materials



Creative Bus Sales

THE NATION'S LARGEST BUS DEALER SINCE 1980

- g. Wheelchair Lift
 - h. Air Conditioning and Heater
 - i. Floor
 - j. Floor Covering
 - k. Wheelchair Securement
 - l. Security Camera
 - m. Undercoating
 - n. Water Test
7. Tab 7 – Technical Information
- a. Construction Specifications, Mechanical Description
 - 1. Service Manual
 - 2. Technical Information
 - b. Altoona Test Report
 - c. Executive Order Regarding Pollution
 - d. Braun ISO Certification
8. Tab 8 – Pricing
- a. Exhibit A – Pricing Page

REQUEST FOR QUOTATION
ADA LOWERED FLOOR MINIVANS
CRFQ PTR22*10 - EXHIBIT A PRICING PAGE

Class	Vehicle Description	Unit Price Per Vehicle	Estimated Quantity	Extended Price
A	Vehicle, One Wheelchair Position, White, No Stripes or Logos	\$62,427.00	5	\$312,135.00
B	Vehicle, One Wheelchair Position, Transit Systems Paint Scheme, (See Exhibit B)	\$63,227.00	5	\$316,135.00
C	Vehicle, One Wheelchair Position, Transit Systems Paint Scheme, (See Exhibit C)	\$66,377.00	5	\$331,885.00
D	Vehicle, One Wheelchair Position, White, 5310 Logo, Stripes and Agency Name and Phone Number (See Exhibit D)	\$63,192.00	5	\$315,960.00

TOTAL BID EVALUATION	\$1,276,115.00
-----------------------------	-----------------------

Complete form provided
Please note these are only estimated quantities and
do not reflect any guarantee of purchase
The DPT may purchase more or less as needed.
Please do not alter Pricing Page



Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

State of West Virginia
Centralized Request for Quote

Proc Folder: 1031214

Doc Description: ADA Lowered Floor Minivans

Reason for Modification:

Addendum No. 2 to provide a corrected pricing page.

Proc Type: Central Master Agreement

Date Issued	Solicitation Closes	Solicitation No	Version
2022-05-11	2022-05-12 13:30	CRFQ 0805 PTR2200000010	3

BID RECEIVING LOCATION

BID CLERK
DEPARTMENT OF ADMINISTRATION
PURCHASING DIVISION
2019 WASHINGTON ST E
CHARLESTON WV 25305
US

VENDOR

Vendor Customer Code:

Vendor Name : Creative Bus Sales, Inc.

Address :

Street : 9365 Counselors Row, Suite 112

City : Indianapolis

State : IN

Country : USA

Zip : 46240

Principal Contact : Mike Wilson

Vendor Contact Phone: 877-686-9447

Extension:

FOR INFORMATION CONTACT THE BUYER

David H Pauline
304-558-0067
david.h.pauline@wv.gov

Vendor
Signature X

FEIN# 33-0388707

DATE 5-11-22

All offers subject to all terms and conditions contained in this solicitation

ADDENDUM ACKNOWLEDGEMENT FORM
SOLICITATION NO.: CRFQ PTR22*10

Instructions: Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

Acknowledgment: I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

Addendum Numbers Received:


(Check the box next to each addendum received)

- | | |
|--|--|
| <input checked="" type="checkbox"/> Addendum No. 1 | <input type="checkbox"/> Addendum No. 6 |
| <input checked="" type="checkbox"/> Addendum No. 2 | <input type="checkbox"/> Addendum No. 7 |
| <input type="checkbox"/> Addendum No. 3 | <input type="checkbox"/> Addendum No. 8 |
| <input type="checkbox"/> Addendum No. 4 | <input type="checkbox"/> Addendum No. 9 |
| <input type="checkbox"/> Addendum No. 5 | <input type="checkbox"/> Addendum No. 10 |

I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

Creative Bus Sales, Inc.

Company



Authorized Signature

5-11-22

Date

NOTE: This addendum acknowledgement should be submitted with the bid to expedite document processing.



Creative Bus Sales

THE NATION'S LARGEST BUS DEALER SINCE 1980

Letter of Transmittal

RFP Number: PTR2200000010

Bid Title: ADA Lowered Floor Minivans

Bid Due Date: May 12, 2022 at 1:30pm (ESDT)

Purchasing Division,

Thank you and the Department of Administration – Purchasing Division, for the opportunity to submit a response to this Solicitation.

Our understanding of the scope of work pertaining to this Solicitation is to provide The State of West Virginia proposals for the manufacture and delivery of products in accordance with the terms and conditions set forth in this Request for Quote, meeting all specifications and FMVSS laws.

CBS's proposal may include manufacturer's brochures, standard warranty information, and additional technical information within our bid submittal. Information shown on these documents indicates our manufacturer's standard equipment or specifications and does not necessarily reflect the exact equipment to be utilized or included with the bid vehicle(s). Our vehicle is built to meet all bid specifications and amendments unless otherwise noted in our exceptions list. Our submittal takes no exceptions to the solicitation terms and conditions.

The resulting contract will be for Voyager Side Entry ADA Minivan with related necessary components, and selected options. The contract shall be for one year with one possible one-year extension. The enclosed statements, details and quote are valid for sixty (60) days from bid opening, May 12, 2022. Your delivery date will be within 90 – 150 days after we receive a purchase order and executed contract documents.

The information contained in our proposal includes our qualifications to perform the required work, detailed specifications, warranties, and descriptions of our facilities and staff. Also Included are all the documentation and general forms required. If you need more information or clarification, please give us a call at 800.326.2877

Sincerely,

Nick Corley | Sales Operations Manager

Creative Bus Sales, Inc.

800-326-2877

ncorley@creativebussales.com