


2019 Washington Street, East Charleston, WV 25305 Telephone: 304-558-2306 General Fax: 304-558-6026

Bid Fax: 304-558-3970

The following documentation is an electronically-submitted vendor response to an advertised solicitation from the *West Virginia Purchasing Bulletin* within the Vendor Self-Service portal at *wvOASIS.gov*. As part of the State of West Virginia's procurement process, and to maintain the transparency of the bid-opening process, this documentation submitted online is publicly posted by the West Virginia Purchasing Division at *WVPurchasing.gov* with any other vendor responses to this solicitation submitted to the Purchasing Division in hard copy format.





State of West Virginia Solicitation Response

Proc Folder: 1142514

VENDOR

Solicitation Description: BTO248-22 Dell PowerEdge R650 or equivalent

Proc Type: Central Contract - Fixed Amt

 Solicitation Closes
 Solicitation Response
 Version

 2023-01-17 13:30
 SR 0313 ESR01172300000003177
 1

VS0000012335 DILTEX INC

Solicitation Number: CRFQ 0313 DEP2300000022

Total Bid: 84496.22999999999592546373605 **Response Date:** 2023-01-17 **Response Time:** 12:46:16

Comments: Please see attachment for specification details. Lead time is within 30 days.

FOR INFORMATION CONTACT THE BUYER

Joseph E Hager III (304) 558-2306 joseph.e.hageriii@wv.gov

Vendor Signature X FEIN# DATE

All offers subject to all terms and conditions contained in this solicitation

Date Printed: Jan 17, 2023 Page: 1 FORM ID: WV-PRC-SR-001 2020/05

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
1	Dell PowerEdge R650 or equivalent	8.00000	EA	10562.028750	84496.23

Comm Code	Manufacturer	Specification	Model #	
43211501				

Commodity Line Comments: Please see quote and specification attachment for more details

Extended Description:

Dell PowerEdge R650 or equivalent

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
2	Shipping				0.00

Specification	Model #

Commodity Line Comments: included in pricing

Extended Description:

FREIGHT FEE

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
3	Support Base Year 1				0.00

Comm Code	Manufacturer	Specification	Model #	
81111812				

Commodity Line Comments: Please see specification attachment

Extended Description: Support Base Year 1

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
4	Support Renewal Year 2				0.00

Comm Code	Manufacturer	Specification	Model #	
81111812				

Commodity Line Comments: Please see specification attachment

Extended Description:Support Renewal Year 2

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
5	Support Renewal Year 3				0.00

Comm Code	Manufacturer	Specification	Model #	
81111812				

Commodity Line Comments: Please see specification attachment

Extended Description:Support Renewal Year 3

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
6	Support Renewal Year 4				0.00

Comm Code	Manufacturer	Specification	Model #	
81111812				

Commodity Line Comments: Please see specification attachment

Extended Description:Support Renewal Year 4

 Date Printed:
 Jan 17, 2023
 Page: 3
 FORM ID: WV-PRC-SR-001 2020/05



Diltex Inc.

Suite 110

1750 W Cameron Ave

West Covina, CA 91790

Information

8(a) Certified, Woman Owned Small Business

QUOTE



QUOTE # QWX-54126 DATED: 01/17/2023

Certified as Small Business by DGS-CA OSDS ref # 41977. EXP:1-31-24 LSBE CERTIFIED VENDOR # 129913

FEDERAL TAX ID: 954536575 SALES TAX #:SR AP 101049827

DUNS: 969907914 CAGE CODE: 45SF9

SAM: CB42CNL4JNM5

TO: ATTN: JOSEPH E HAGER III FREIGHT TERMS: FOB DESTINATION CONUS

PAYMENT TERMS: NET 30
DELIVERY: WITHIN 30 DAYS

WARRANTY: MANUFACTURERS STD WARRANTY QUOTE VALIDITY: 30 DAYS FROM DATE OF ISSUE

CONTRACT: NONE

304-558-2306 VIRGINIA 601 57TH ST CHARLESTON,WV 25304

joseph.e.hageriii@wv.gov

RFQ: CRFQ 0313 DEP2300000022

SNO	PART NO	PRODUCT DESCRIPTION	CONTRACT	QUANTITY	UNIT PRICE	LINE TOTAL
1	210-AYJZ	DELL : POWEREDGE R650 SERVER	OPEN MARKET	01	\$ 84,496.23	\$ 84,496.23
					SUB TOTAL	\$ 84,496.23
					SHIPPING	\$ 0.00
				TAXABLE AMOUNT	\$ 0.00	
					SALES TAX (0.00 %)	\$ 0.00
					TOTAL	\$ 84,496.23

Comments: Please see attachment for specification details

If you have any questions please give me a call. Kind Regards,

DIL SINGH (WX)

Diltex Inc.

Phone 626-960-1314Fax 626-956-0615 Email: dil.singh@diltexinc.com

Website: https://www.diltexinc.com Shop Online:

THANK YOU FOR THE OPPORTUNITY AND YOUR BUSINESS!



Environmental Protection Agency CRFQ 0313 DEP2300000022 Diltex Quote QWX-54126

379-BEIC 8X2.5 FRONT STORAGE Open Market 8 379-BDSS SAS/SATA BACKPLANE Open Market 8 379-BDTE NO REAR STORAGE Open Market 8 461-AAIG TRUSTED PLATFORM MODULE 2.0 V3 Open Market 8 321-BGHH 2.5" CHASSIS WITH UP TO 8 HARD DRIVES (SAS/SATA), 3 PCIE SLOTS, 2 CPU 338-CBWK INTEL XEON SILVER 4314 2.4G, 16C/32T, 10.4GT/S, 24M CACHE, TURBO, HT (135W) DDR4-2666 339-BDCO ADDITIONAL PROCESSOR SELECTED Open Market 8 412-AAVP HEATSINK FOR 2 CPU CONFIGURATION (CPU LESS THAN OR EQUAL TO 165W) 370-AAIP PERFORMANCE OPTIMIZED Open Market 8 370-AEVR 3200MT/S RDIMMS Open Market 8 370-ACDS 32GB RDIMM, 3200MT/S, DUAL RANK 16GB BASE X8 Open Market 8 405-AAZB PERC H755 SAS FRONT Open Market 8 405-AAZB PERC H755 SAS FRONT Open Market 8 400-AXTV 480GB SSD SATA READ INTENSIVE 6GBPS 512 2.5IN HOT-PLUG AG Open Market 8 800-BBDM UEFI BIOS BOOT MODE WITH GPT PARTITION OPEN MARKET 8 800-BBDM UEFI BIOS BOOT MODE WITH GPT PARTITION OPEN MARKET 8 800-BBDM UEFI BIOS BOOT MODE WITH GPT PARTITION OPEN MARKET 8 800-BBDM UEFI BIOS BOOT MODE WITH GPT PARTITION OPEN MARKET 8 800-BBDM UEFI BIOS BOOT MODE WITH GPT PARTITION OPEN MARKET 8 800-BBDM UEFI BIOS BOOT MODE WITH GPT PARTITION OPEN MARKET 8 800-BBDM UEFI BIOS BOOT MODE WITH GPT PARTITION OPEN MARKET 8 800-BBDM UEFI BIOS BOOT MODE WITH GPT PARTITION OPEN MARKET 8 800-BBDM UEFI BIOS BOOT MODE WITH GPT PARTITION OPEN MARKET 8 800-BBDM UEFI BIOS BOOT MODE WITH GPT PARTITION OPEN MARKET 8 800-BBDM UEFI BIOS BOOT MODE WITH GPT PARTITION OPEN MARKET 8 800-BBDM UEFI BIOS BOOT MODE WITH GPT PARTITION OPEN MARKET 8 800-BBDM UEFI BIOS BOOT MODE WITH GPT PARTITION OPEN MARKET 8 800-BBDM UEFI BIOS BOOT MODE WITH GPT PARTITION OPEN MARKET 8 800-BBDM UEFI BIOS BOOT MODE WITH GPT PARTITION OPEN MARKET 8 800-BBDM UEFI BIOS BOOT MODE WITH GPT PARTITION OPEN MARKET 8 800-BBDM UEFI BIOS BOOT MODE WITH GPT PARTITION OPEN MARKET 8 800-BBDM UEFI BIOS BOOT MODE WITH GPT PARTITION OPEN MARKET 8 800-BBDM OPEN MA	MFG Part #	Description	Contract	Qty
379-BDSS SAS/SATA BACKPLANE Open Market 8 379-BDTE NO REAR STORAGE Open Market 8 461-AAIG TRUSTED PLATFORM MODULE 2.0 V3 321-BGHH 2.5" CHASSIS WITH UP TO 8 HARD DRIVES (SAS/SATA), 3 PCIE SLOTS, Open Market 8 321-BGHH 2.5" CHASSIS WITH UP TO 8 HARD DRIVES (SAS/SATA), 3 PCIE SLOTS, Open Market 8 2 CPU 338-CBWK INTEL XEON SILVER 4314 2.4G, 16C/32T, 10.4GT/S, 24M CACHE, TURBO, HT (135W) DDR4-2666 338-CBWK INTEL XEON SILVER 4314 2.4G, 16C/32T, 10.4GT/S, 24M CACHE, TURBO, HT (135W) DDR4-2666 379-BDCO ADDITIONAL PROCESSOR SELECTED Open Market 8 412-AAVP HEATSINK FOR 2 CPU CONFIGURATION (CPU LESS THAN OR EQUAL TO 165W) 370-AAIP PERFORMANCE OPTIMIZED Open Market 8 370-AGDS 32GB RDIMM, 3200MT/S, DUAL RANK 16GB BASE X8 Open Market 64 780-BCDS UNCONFIGURED RAID Open Market 8 405-AAZB PERC H755 SAS FRONT Open Market 8 400-AXTV 480GB SSD SATA READ INTENSIVE 6GBPS 512 2.5IN HOT-PLUG AG DRINKE, 1 DWPD 750-AABF POWER SAVING DELL ACTIVE POWER CONTROLLER OPEN Market 8 800-BBDM UEFI BIOS BOOT MODE WITH GPT PARTITION OPEN Market 8 492-BBDI C13 TO C14, PDU STYLE, 12 AMP, 6.5 FEET (2M) POWER CORD, Open Market 8 492-BBDI C13 TO C14, PDU STYLE, 12 AMP, 6.5 FEET (2M) POWER CORD, Open Market 8 540-BCDS BROADCOM S720 QUAD PORT 1GBE BASE-T ADAPTER, OCP NIC 3.0 Open Market 8 540-BCDS BROADCOM 5720 QUAD PORT 1GBE BASE-T ADAPTER, OCP NIC 3.0 Open Market 8 540-BCDB BROADCOM 5720 QUAD PORT 1GBE BASE-T ADAPTER, OCP NIC 3.0 Open Market 8 540-BCDB LUGGAGE TRAY X8 AND X10 CHASSIS, R650 Open Market 8	210-AYJZ	POWEREDGE R650 SERVER	Open Market	8
379-BDTE NO REAR STORAGE Open Market 8 461-AAIG TRUSTED PLATFORM MODULE 2.0 V3 Open Market 8 321-BGHH 2.5" CHASSIS WITH UP TO 8 HARD DRIVES (SAS/SATA), 3 PCIE SLOTS, 2 CPU 338-CBWK INTEL XEON SILVER 4314 2.4G, 16C/32T, 10.4GT/S, 24M CACHE, TURBO, HT (135W) DDR4-2666 3388-CBWK INTEL XEON SILVER 4314 2.4G, 16C/32T, 10.4GT/S, 24M CACHE, TURBO, HT (135W) DDR4-2666 379-BDCO ADDITIONAL PROCESSOR SELECTED Open Market 8 412-AAVP HEATSINK FOR 2 CPU CONFIGURATION (CPU LESS THAN OR EQUAL TO 165W) 370-AAIP PERFORMANCE OPTIMIZED Open Market 8 370-AEVR 3200MT/S RDIMMS Open Market 8 370-AEVR 3200MT/S RDIMMS Open Market 8 370-ACDS 32GB RDIMM, 3200MT/S, DUAL RANK 16GB BASE X8 Open Market 8 400-AAZD PERC H755 SAS FRONT Open Market 8 400-AXTV 480GB SSD SATA READ INTENSIVE 6GBPS 512 2.5IN HOT-PLUG AG DRIVE, 1 DWPD 750-AABF POWER SAVING DELL ACTIVE POWER CONTROLLER OPEN Market 8 800-BBDM UEFI BIOS BOOT MODE WITH GPT PARTITION OPEN Market 8 492-BBDI C13 TO C14, PDU STYLE, 12 AMP, 6.5 FEET (2M) POWER CORD, Open Market 8 492-BBDI C13 TO C14, PDU STYLE, 12 AMP, 6.5 FEET (2M) POWER CORD, Open Market 8 540-BCDS BROADD NICH GROTH ARREICA STANDARD BROADD OPEN MARKET 8 540-BCDS BROADCOM 5720 QUAD PORT 1GBE BASE-T ADAPTER, OCP NIC 3.0 Open Market 8 540-BCDS BROADCOM 5720 QUAD PORT 1GBE BASE-T ADAPTER, OCP NIC 3.0 Open Market 8 540-BCDS BROADCOM 5720 QUAD PORT 1GBE BASE-T ADAPTER, OCP NIC 3.0 Open Market 8 540-BCDS BROADCOM 5720 QUAD PORT 1GBE BASE-T ADAPTER, OCP NIC 3.0 Open Market 8 540-BCDS BROADCOM 5720 QUAD PORT 1GBE BASE-T ADAPTER, OCP NIC 3.0 Open Market 8 540-BCDS BROADCOM 5720 QUAD PORT 1GBE BASE-T ADAPTER, OCP NIC 3.0 Open Market 8 540-BCDS LUGGAGE TRAY X8 AND X10 CHASSIS, R650 Open Market 8	379-BEIC	8X2.5 FRONT STORAGE	Open Market	8
461-AAIG TRUSTED PLATFORM MODULE 2.0 V3 321-BGHH 2.5" CHASSIS WITH UP TO 8 HARD DRIVES (SAS/SATA), 3 PCIE SLOTS, 2 CPU 338-CBWK INTEL XEON SILVER 4314 2.4G, 16C/32T, 10.4GT/S, 24M CACHE, TURBO, HT (135W) DDR4-2666 3388-CBWK INTEL XEON SILVER 4314 2.4G, 16C/32T, 10.4GT/S, 24M CACHE, TURBO, HT (135W) DDR4-2666 379-BDCO ADDITIONAL PROCESSOR SELECTED Open Market 8 412-AAVP HEATSINK FOR 2 CPU CONFIGURATION (CPU LESS THAN OR EQUAL TO 165W) 370-AAIP PERFORMANCE OPTIMIZED Open Market 8 370-AAIP 3200MT/S RDIMMS Open Market 8 370-AGDS 32GB RDIMM, 3200MT/S, DUAL RANK 16GB BASE X8 Open Market 8 405-AA2B PERC H755 SAS FRONT Open Market 8 400-AXTV 480GB SSD SATA READ INTENSIVE 6GBPS 512 2.5IN HOT-PLUG AG DRINKER 8 400-AXTV 480GB SSD SATA READ INTENSIVE 6GBPS 512 2.5IN HOT-PLUG AG DRINKER 8 450-AABF POWER SAVING DELL ACTIVE POWER CONTROLLER Open Market 8 4750-ADID 4 STANDARD FANS FOR 2 CPU OPEN MARKET 8 450-AMDK DUAL, HOT-PLUG, PSU (1+1), 800, MIXED MODE TM OPEN MARKET 8 450-AMDK DUAL, HOT-PLUG, PSU (1+1), 800, MIXED MODE TM OPEN MARKET 8 329-BFGW POWER CONTROLLER OPEN MARKET 8 329-BFGW POWER CONTROLLER OPEN MARKET 8 329-BFGW POWER SON MOTHERBOARD WITH BROADCOM 5720 DUAL POR MARKET 8 350-BCCI LUGGAGE TRAY X8 AND X10 CHASSIS, R650 Open Market 8 350-BCCI LUGGAGE TRAY X8 AND X10 CHASSIS, R650	379-BDSS	SAS/SATA BACKPLANE	Open Market	8
321-BGHH 2.5" CHASSIS WITH UP TO 8 HARD DRIVES (SAS/SATA), 3 PCIE SLOTS, 2 CPU 338-CBWK INTEL XEON SILVER 4314 2.4G, 16C/32T, 10.4GT/S, 24M CACHE, TURBO, HT (135W) DDR4-2666 338-CBWK INTEL XEON SILVER 4314 2.4G, 16C/32T, 10.4GT/S, 24M CACHE, TURBO, HT (135W) DDR4-2666 379-BDCO ADDITIONAL PROCESSOR SELECTED Open Market 8 1412-AAVP HEATSINK FOR 2 CPU CONFIGURATION (CPU LESS THAN OR EQUAL TO 165W) 370-AAIP PERFORMANCE OPTIMIZED Open Market 8 370-AEVR 3200MT/S RDIMMS Open Market 8 18-370-AEVR 3200MT/S RDIMMS Open Market 8 18-370-ACDS UNCONFIGURED RAID Open Market 8 18-405-AAZB PERC H755 SAS FRONT Open Market 8 18-400-AXTV 480GB SSD SATA READ INTENSIVE 6GBPS 512 2.5IN HOT-PLUG AG DRIVE, 1 DWPD DRIVE, 1 DWPD OPEN MARKET 8 18-370-ADB POWER SAVING DELL ACTIVE POWER CONTROLLER Open Market 8 18-350-ADB POWER SAVING DELL ACTIVE POWER CONTROLLER Open Market 8 18-350-ADB POWER SAVING DELL ACTIVE POWER CONTROLLER OPEN MARKET 8 18-350-ADB POWER SAVING DELL ACTIVE POWER CONTROLLER OPEN MARKET 8 18-350-BBD C13 TO C14, PDU STYLE, 12 AMP, 6.5 FEET (2M) POWER CORD, NORTH AMERICA 18-330-BBST RISER CONFIG 3, 3/4 LENGTH, FULL HEIGHT, 2 X16 SLOTS, SW GPU CAPABLE 329-BFGW POWEREDER 650 MOTHERBOARD WITH BROADCOM 5720 DUAL PORT 1GB ON-BOARD LOM 18-540-BDH PORT 1GB ON-BOARD LOM 18-540-BDH EMULEX LPE31000 SINGLE PORT 1GBB BASE-T ADAPTER, OCP NIC 3.0 Open Market 8 18-540-BDH EMULEX LPE31000 SINGLE PORT 1GBB BASE-T ADAPTER, OCP NIC 3.0 Open Market 8 18-540-BDH STANDARD BEZEL Open Market 8 350-BCEI LUGGAGE TRAY X8 AND X10 CHASSIS, R650 Open Market 8 350-BCEI LUGGAGE TRAY X8 AND X10 CHASSIS, R650 Open Market 8 350-BCEI LUGGAGE TRAY X8 AND X10 CHASSIS, R650 Open Market 8 350-BCEI LUGGAGE TRAY X8 AND X10 CHASSIS, R650 Open Market 8 350-BCEI LUGGAGE TRAY X8 AND X10 CHASSIS, R650 Open Market 8 350-BCEI LUGGAGE TRAY X8 AND X10 CHASSIS, R650 Open Market 8 350-BCEI LUGGAGE TRAY X8 AND X10 CHASSIS, R650 Open Market 8 350-BC	379-BDTE	NO REAR STORAGE	Open Market	8
2 CPU 338-CBWK INTEL XEON SILVER 4314 2.4G, 16C/32T, 10.4GT/S, 24M CACHE, TURBO, HT (135W) DDR4-2666 338-CBWK INTEL XEON SILVER 4314 2.4G, 16C/32T, 10.4GT/S, 24M CACHE, TURBO, HT (135W) DDR4-2666 379-BDCO ADDITIONAL PROCESSOR SELECTED Open Market 8 412-AAVP HEATSINK FOR 2 CPU CONFIGURATION (CPU LESS THAN OR EQUAL TO 165W) Open Market 8 370-AAIP PERFORMANCE OPTIMIZED Open Market 8 370-AAIP 3200MT/S RDIMMS Open Market 8 370-ACDS 32GB RDIMM, 3200MT/S, DUAL RANK 16GB BASE X8 Open Market 64 780-BCDS UNCONFIGURED RAID Open Market 8 405-AAZB PERC H755 SAS FRONT Open Market 8 400-AXTV 480GB SSD SATA READ INTENSIVE 6GBPS 512 2.5IN HOT-PLUG AG Open Market 8 DRIVE, 1 DWPD OPEN AS AS AS AS AS AS AS OPEN MARKED AS	461-AAIG	TRUSTED PLATFORM MODULE 2.0 V3	Open Market	8
TURBO, HT (135W) DDR4-2666 338-CBWK INTEL XEON SILVER 4314 2.4G, 16C/32T, 10.4GT/S, 24M CACHE, TURBO, HT (135W) DDR4-2666 379-BDCO ADDITIONAL PROCESSOR SELECTED 412-AAVP HEATSINK FOR 2 CPU CONFIGURATION (CPU LESS THAN OR EQUAL TO 165W) 370-AAIP PERFORMANCE OPTIMIZED 370-AEVR 3200MT/S RDIIMMS 370-AGDS 32GB RDIIMM, 3200MT/S, DUAL RANK 16GB BASE X8 Open Market 8 405-AAZB PERC H755 SAS FRONT Open Market 8 406-AAZB PERC H755 SAS FRONT Open Market 8 400-AXTV 480GB SSD SATA READ INTENSIVE 6GBPS 512 2.5IN HOT-PLUG AG DRINKE, 1 DWPD 750-AABF POWER SAVING DELL ACTIVE POWER CONTROLLER OPEN Market 8 450-AMDK DUAL, HOT-PLUG, PSU (1+1), 800, MIXED MODE TM OPEN Market 8 492-BBDI C13 TO C14, PDU STYLE, 12 AMP, 6.5 FEET (2M) POWER CORD, NORTH AMERICA 330-BBST RISER CONFIGER 650 MOTHERBOARD WITH BROADCOM 5720 DUAL PORT 1GB ON-BOARD LOM 385-BBQV IDRAC9, ENTERPRISE 15G EMULEX LPES1000 SINGLE PORT 1GBE BASE-T ADAPTER, OCP NIC 3.0 Open Market 8 540-BCOB BROADCOM 5720 QUAD PORT 1GBE BASE-T ADAPTER, OCP NIC 3.0 Open Market 8 540-BCOB STANDARD BEZEL Open Market 8 540-BCOB UGGGGG TRAY X8 AND X10 CHASSIS, R650 Open Market 8	321-BGHH	, , , , , , , , , , , , , , , , , , , ,	Open Market	8
TURBO, HT (135W) DDR4-2666 379-BDCO ADDITIONAL PROCESSOR SELECTED Open Market 8 412-AAVP HEATSINK FOR 2 CPU CONFIGURATION (CPU LESS THAN OR EQUAL TO 165W) 370-AAIP PERFORMANCE OPTIMIZED Open Market 8 370-AAIP 3200MT/S RDIMMS Open Market 8 370-AGDS 32GB RDIMM, 3200MT/S, DUAL RANK 16GB BASE X8 Open Market 64 780-BCDS UNCONFIGURED RAID Open Market 8 405-AAZB PERC H755 SAS FRONT Open Market 8 405-AAZB PERC H755 SAS FRONT Open Market 8 400-AXTV 480GB SSD SATA READ INTENSIVE 6GBPS 512 2.5IN HOT-PLUG AG DRIVE, 1 DWPD OPEN MARKET 8 800-BBDM UEFI BIOS BOOT MODE WITH GPT PARTITION Open Market 8 800-BBDM UEFI BIOS BOOT MODE WITH GPT PARTITION Open Market 8 450-AMDK DUAL, HOT-PLUG, PSU (1+1), 800, MIXED MODE TM OPEN MARKET 8 330-BBST RISER CONFIG 3, 3/4 LENGTH, FULL HEIGHT, 2 X16 SLOTS, SW GPU CAPABLE CAPABLE SHOWLD OPEN MARKET 8 540-BCDB BROADCOM 5720 QUAD PORT 1GBE BASE-T ADAPTER, OCP NIC 3.0 Open Market 8 540-BCDB CHARLES OPEN MARKET 8 540-BCDB BROADCOM 5720 QUAD PORT 1GBE BASE-T ADAPTER, OCP NIC 3.0 Open Market 8 540-BCDB CHARLES OPEN MARKET 8 540-BCDB LUGGAGE TRAY X8 AND X10 CHASSIS, R650 OPEN MARKET 8	338-CBWK		Open Market	8
412-AAVP HEATSINK FOR 2 CPU CONFIGURATION (CPU LESS THAN OR EQUAL TO 165W) 370-AAIP PERFORMANCE OPTIMIZED Open Market 8 370-AEVR 3200MT/S RDIMMS Open Market 8 370-AGDS 32GB RDIMM, 3200MT/S, DUAL RANK 16GB BASE X8 Open Market 64 780-BCDS UNCONFIGURED RAID Open Market 8 750-ACFR FRONT PERC MECHANICAL PARTS, FRONT LOAD Open Market 8 400-AXTV 480GB SSD SATA READ INTENSIVE 6GBPS 512 2.5IN HOT-PLUG AG DRIVE, 1 DWPD OPEN MARKET 8 800-BBDM UEFI BIOS BOOT MODE WITH GPT PARTITION OPEN MARKET 8 800-BBDM UEFI BIOS BOOT MODE WITH GPT PARTITION OPEN MARKET 8 450-AMDK DUAL, HOT-PLUG, PSU (1+1), 800, MIXED MODE TM OPEN MARKET 8 492-BBDI C13 TO C14, PDU STYLE, 12 AMP, 6.5 FEET (2M) POWER CORD, NORTH AMERICA 330-BBST RISER CONFIG 3, 3/4 LENGTH, FULL HEIGHT, 2 X16 SLOTS, SW GPU CAPABLE POWER DONE MOTHER BASE-T ADAPTER, OCP NIC 3.0 OPEN MARKET 8 540-BCDB BROADCOM 5720 QUAD PORT 1GBE BASE-T ADAPTER, OCP NIC 3.0 OPEN MARKET 8 540-BCDB STANDARD BEZEL OPEN MARKET 8 350-BCEI LUGGAGE TRAY X8 AND X10 CHASSIS, R650 OPEN MARKET 8 550-BCEI LUGGAGE TRAY X8 AND X10 CHASSIS, R650 OPEN MARKET 8	338-CBWK		Open Market	8
TO 165W) 370-AAIP PERFORMANCE OPTIMIZED 370-AEVR 3200MT/S RDIMMS 370-AGDS 32GB RDIMM, 3200MT/S, DUAL RANK 16GB BASE X8 Open Market 64 780-BCDS UNCONFIGURED RAID Open Market 8 405-AAZB PERC H755 SAS FRONT Open Market 8 400-AXTV 480GB SSD SATA READ INTENSIVE 6GBPS 512 2.5IN HOT-PLUG AG DRIVE, 1 DWPD 750-AABF POWER SAVING DELL ACTIVE POWER CONTROLLER 800-BBDM UEFI BIOS BOOT MODE WITH GPT PARTITION Open Market 8 450-AMDK DUAL, HOT-PLUG, PSU (1+1), 800, MIXED MODE TM AVEL BBDI C13 TO C14, PDU STYLE, 12 AMP, 6.5 FEET (2M) POWER CORD, NORTH AMERICA 330-BBST RISER CONFIG 3, 3/4 LENGTH, FULL HEIGHT, 2 X16 SLOTS, SW GPU CAPABLE 329-BFGW POWEREDGE R650 MOTHERBOARD WITH BROADCOM 5720 DUAL PORT 1GB ON-BOARD LOM 385-BBQV IDRAC9, ENTERPRISE 15G Open Market 8 540-BCDB BROADCOM 5720 QUAD PORT 1GBE BASE-T ADAPTER, OCP NIC 3.0 Open Market 8 540-BCDB EMULEX LPE31000 SINGLE PORT 16GB FIBRE CHANNEL HBA, PCIE FULL HEIGHT, V2 325-BCHH STANDARD BEZEL Open Market 8	379-BDCO	ADDITIONAL PROCESSOR SELECTED	Open Market	8
370-AEVR 3200MT/S RDIMMS Open Market 8 370-AGDS 32GB RDIMM, 3200MT/S, DUAL RANK 16GB BASE X8 Open Market 64 780-BCDS UNCONFIGURED RAID Open Market 8 405-AAZB PERC H755 SAS FRONT Open Market 8 750-ACFR FRONT PERC MECHANICAL PARTS, FRONT LOAD Open Market 8 400-AXTV 480GB SSD SATA READ INTENSIVE 6GBPS 512 2.5IN HOT-PLUG AG DRIVE, 1 DWPD OPEN MARKET 10 750-AABF POWER SAVING DELL ACTIVE POWER CONTROLLER OPEN MARKET 8 800-BBDM UEFI BIOS BOOT MODE WITH GPT PARTITION OPEN MARKET 8 450-AMDK DUAL, HOT-PLUG, PSU (1+1), 800, MIXED MODE TM OPEN MARKET 8 492-BBDI C13 TO C14, PDU STYLE, 12 AMP, 6.5 FEET (2M) POWER CORD, NORTH AMERICA NORTH AMERICA S130-BBST RISER CONFIG 3, 3/4 LENGTH, FULL HEIGHT, 2 X16 SLOTS, SW GPU CAPABLE POWER DGR R650 MOTHERBOARD WITH BROADCOM 5720 DUAL PORN MARKET 8 540-BCB BROADCOM 5720 QUAD PORT 1GBE BASE-T ADAPTER, OCP NIC 3.0 Open Market 8 540-BCB BROADCOM 5720 QUAD PORT 1GBE BASE-T ADAPTER, OCP NIC 3.0 Open Market 8 540-BCB BRULEX LPE31000 SINGLE PORT 1GGB FIBRE CHANNEL HBA, PCIE FULL HEIGHT, V2 325-BCHH STANDARD BEZEL OPEN MARKET 8 350-BCEI LUGGAGE TRAY X8 AND X10 CHASSIS, R650 Open Market 8	412-AAVP	•	Open Market	8
370-AGDS 32GB RDIMM, 3200MT/S, DUAL RANK 16GB BASE X8 Open Market 64 780-BCDS UNCONFIGURED RAID Open Market 8 405-AAZB PERC H755 SAS FRONT Open Market 8 750-ACFR FRONT PERC MECHANICAL PARTS, FRONT LOAD Open Market 8 400-AXTV 480GB SSD SATA READ INTENSIVE 6GBPS 512 2.5IN HOT-PLUG AG DRIVE, 1 DWPD 750-AABF POWER SAVING DELL ACTIVE POWER CONTROLLER Open Market 8 800-BBDM UEFI BIOS BOOT MODE WITH GPT PARTITION Open Market 8 450-AMDK DUAL, HOT-PLUG, PSU (1+1), 800, MIXED MODE TM Open Market 8 492-BBDI C13 TO C14, PDU STYLE, 12 AMP, 6.5 FEET (2M) POWER CORD, NORTH AMERICA NORTH AMERICA 330-BBST RISER CONFIG 3, 3/4 LENGTH, FULL HEIGHT, 2 X16 SLOTS, SW GPU CAPABLE POWER CORD Open Market 8 540-BBQV IDRAC9, ENTERPRISE 15G Open Market 8 540-BCB BROADCOM 5720 QUAD PORT 1GBE BASE-T ADAPTER, OCP NIC 3.0 Open Market 8 540-BCB BRULEX LPE31000 SINGLE PORT 16GB FIBRE CHANNEL HBA, PCIE FULL HEIGHT, V2 325-BCHH STANDARD BEZEL Open Market 8 350-BCEI LUGGAGE TRAY X8 AND X10 CHASSIS, R650 Open Market 8	370-AAIP	PERFORMANCE OPTIMIZED	Open Market	8
TRO-BCDS UNCONFIGURED RAID Open Market 8 405-AAZB PERC H755 SAS FRONT Open Market 8 750-ACFR FRONT PERC MECHANICAL PARTS, FRONT LOAD Open Market 8 400-AXTV 480GB SSD SATA READ INTENSIVE 6GBPS 512 2.5IN HOT-PLUG AG DRIVE, 1 DWPD 750-AABF POWER SAVING DELL ACTIVE POWER CONTROLLER Open Market 8 800-BBDM UEFI BIOS BOOT MODE WITH GPT PARTITION Open Market 8 450-AMDK DUAL, HOT-PLUG, PSU (1+1), 800, MIXED MODE TM Open Market 8 492-BBDI C13 TO C14, PDU STYLE, 12 AMP, 6.5 FEET (2M) POWER CORD, NORTH AMERICA 330-BBST RISER CONFIG 3, 3/4 LENGTH, FULL HEIGHT, 2 X16 SLOTS, SW GPU CAPABLE 329-BFGW POWEREDGE R650 MOTHERBOARD WITH BROADCOM 5720 DUAL PORT 1GB ON-BOARD LOM 385-BBQV IDRAC9, ENTERPRISE 15G Open Market 8 540-BCDB BROADCOM 5720 QUAD PORT 1GBE BASE-T ADAPTER, OCP NIC 3.0 Open Market 8 540-BDHG EMULEX LPE31000 SINGLE PORT 16GB FIBRE CHANNEL HBA, PCIE FULL HEIGHT, V2 325-BCHH STANDARD BEZEL Open Market 8 530-BCEI LUGGAGE TRAY X8 AND X10 CHASSIS, R650 Open Market 8	370-AEVR	3200MT/S RDIMMS	Open Market	8
PERC H755 SAS FRONT Open Market 8 750-ACFR FRONT PERC MECHANICAL PARTS, FRONT LOAD Open Market 8 400-AXTV 480GB SSD SATA READ INTENSIVE 6GBPS 512 2.5IN HOT-PLUG AG DRIVE, 1 DWPD 750-AABF POWER SAVING DELL ACTIVE POWER CONTROLLER Open Market 8 800-BBDM UEFI BIOS BOOT MODE WITH GPT PARTITION Open Market 8 750-ADII 4 STANDARD FANS FOR 2 CPU Open Market 8 450-AMDK DUAL, HOT-PLUG, PSU (1+1), 800, MIXED MODE TM Open Market 8 492-BBDI C13 TO C14, PDU STYLE, 12 AMP, 6.5 FEET (2M) POWER CORD, NORTH AMERICA 330-BBST RISER CONFIG 3, 3/4 LENGTH, FULL HEIGHT, 2 X16 SLOTS, SW GPU CAPABLE 329-BFGW POWEREDGE R650 MOTHERBOARD WITH BROADCOM 5720 DUAL PORT 1GB ON-BOARD LOM 385-BBQV IDRAC9, ENTERPRISE 15G Open Market 8 540-BCB BROADCOM 5720 QUAD PORT 1GBE BASE-T ADAPTER, OCP NIC 3.0 Deen Market 8 540-BDHG EMULEX LPE31000 SINGLE PORT 16GB FIBRE CHANNEL HBA, PCIE FULL HEIGHT, V2 325-BCHH STANDARD BEZEL Open Market 8 350-BCEI LUGGAGE TRAY X8 AND X10 CHASSIS, R650 Open Market 8	370-AGDS	32GB RDIMM, 3200MT/S, DUAL RANK 16GB BASE X8	Open Market	64
750-ACFR FRONT PERC MECHANICAL PARTS, FRONT LOAD Open Market 8 400-AXTV 480GB SSD SATA READ INTENSIVE 6GBPS 512 2.5IN HOT-PLUG AG DRIVE, 1 DWPD 750-AABF POWER SAVING DELL ACTIVE POWER CONTROLLER Open Market 8 800-BBDM UEFI BIOS BOOT MODE WITH GPT PARTITION Open Market 8 750-ADII 4 STANDARD FANS FOR 2 CPU Open Market 8 450-AMDK DUAL, HOT-PLUG, PSU (1+1), 800, MIXED MODE TM Open Market 8 492-BBDI C13 TO C14, PDU STYLE, 12 AMP, 6.5 FEET (2M) POWER CORD, NORTH AMERICA RISER CONFIG 3, 3/4 LENGTH, FULL HEIGHT, 2 X16 SLOTS, SW GPU CAPABLE 750-ADII POWEREDGE R650 MOTHERBOARD WITH BROADCOM 5720 DUAL PORT 1GB ON-BOARD LOM 750-ADII POWER CORD, Open Market 8 750-BBST ROBER R650 MOTHERBOARD WITH BROADCOM 5720 DUAL PORT 1GB ON-BOARD LOM 750-BBST ROBER R650 MOTHERBOARD WITH BROADCOM 5720 DUAL PORT 1GB ON-BOARD LOM 750-BBST ROBER R650 MOTHERBOARD WITH BROADCOM 5720 DUAL PORT 1GB ON-BOARD LOM 750-BBST R650 OPEN MARKET 8 750-BCEI LUGGAGE TRAY X8 AND X10 CHASSIS, R650 OPEN MARKET 8	780-BCDS	UNCONFIGURED RAID	Open Market	8
480GB SSD SATA READ INTENSIVE 6GBPS 512 2.5IN HOT-PLUG AG DRIVE, 1 DWPD 750-AABF POWER SAVING DELL ACTIVE POWER CONTROLLER 800-BBDM UEFI BIOS BOOT MODE WITH GPT PARTITION Open Market 900 ASTANDARD FANS FOR 2 CPU Open Market 910 ASTANDARD FANS FOR 2 CPU Open Market 911 ASTANDARD FANS FOR 2 CPU Open Market 912 ASTANDARD FANS FOR 2 CPU Open Market 913 TO C14, PDU STYLE, 12 AMP, 6.5 FEET (2M) POWER CORD, NORTH AMERICA 913 TO C14, PDU STYLE, 12 AMP, 6.5 FEET (2M) POWER CORD, NORTH AMERICA 913 TO C14, PDU STYLE, 12 AMP, 6.5 FEET (2M) POWER CORD, NORTH AMERICA 913 TO C14, PDU STYLE, 12 AMP, 6.5 FEET (2M) POWER CORD, NORTH AMERICA 914 TO C14, PDU STYLE, 12 AMP, 6.5 FEET (2M) POWER CORD, NORTH AMERICA 915 TO C14, PDU STYLE, 12 AMP, 6.5 FEET (2M) POWER CORD, NORTH AMERICA 916 TO C14 TO C14 TO C15 TO C15 TO C16	405-AAZB	PERC H755 SAS FRONT	Open Market	8
DRIVE, 1 DWPD 750-AABF POWER SAVING DELL ACTIVE POWER CONTROLLER 800-BBDM UEFI BIOS BOOT MODE WITH GPT PARTITION Open Market 8 750-ADII 4 STANDARD FANS FOR 2 CPU Open Market 8 450-AMDK DUAL, HOT-PLUG, PSU (1+1), 800, MIXED MODE TM Open Market 8 492-BBDI C13 TO C14, PDU STYLE, 12 AMP, 6.5 FEET (2M) POWER CORD, NORTH AMERICA 330-BBST RISER CONFIG 3, 3/4 LENGTH, FULL HEIGHT, 2 X16 SLOTS, SW GPU CAPABLE 329-BFGW POWEREDGE R650 MOTHERBOARD WITH BROADCOM 5720 DUAL PORT 1GB ON-BOARD LOM 385-BBQV IDRAC9, ENTERPRISE 15G DOPEN MARKET 8 540-BCOB BROADCOM 5720 QUAD PORT 1GBE BASE-T ADAPTER, OCP NIC 3.0 DOPEN MARKET 8 540-BDHG EMULEX LPE31000 SINGLE PORT 16GB FIBRE CHANNEL HBA, PCIE FULL HEIGHT, V2 325-BCHH STANDARD BEZEL Open Market 8 Open Market 8	750-ACFR	FRONT PERC MECHANICAL PARTS, FRONT LOAD	Open Market	8
BOO-BBDM UEFI BIOS BOOT MODE WITH GPT PARTITION 750-ADII 4 STANDARD FANS FOR 2 CPU Qpen Market 8 450-AMDK DUAL, HOT-PLUG, PSU (1+1), 800, MIXED MODE TM Qpen Market 8 492-BBDI C13 TO C14, PDU STYLE, 12 AMP, 6.5 FEET (2M) POWER CORD, NORTH AMERICA 330-BBST RISER CONFIG 3, 3/4 LENGTH, FULL HEIGHT, 2 X16 SLOTS, SW GPU CAPABLE POWEREDGE R650 MOTHERBOARD WITH BROADCOM 5720 DUAL PORT 1GB ON-BOARD LOM 385-BBQV IDRAC9, ENTERPRISE 15G Dopen Market 8 540-BCOB BROADCOM 5720 QUAD PORT 1GBE BASE-T ADAPTER, OCP NIC 3.0 Dopen Market 8 540-BDHG EMULEX LPE31000 SINGLE PORT 16GB FIBRE CHANNEL HBA, PCIE FULL HEIGHT, V2 325-BCHH STANDARD BEZEL Open Market 8 Open Market 8 Open Market 8	400-AXTV		Open Market	8
750-ADII 4 STANDARD FANS FOR 2 CPU 450-AMDK DUAL, HOT-PLUG, PSU (1+1), 800, MIXED MODE TM Open Market 8 492-BBDI C13 TO C14, PDU STYLE, 12 AMP, 6.5 FEET (2M) POWER CORD, NORTH AMERICA 330-BBST RISER CONFIG 3, 3/4 LENGTH, FULL HEIGHT, 2 X16 SLOTS, SW GPU CAPABLE 329-BFGW POWEREDGE R650 MOTHERBOARD WITH BROADCOM 5720 DUAL PORT 1GB ON-BOARD LOM 385-BBQV IDRAC9, ENTERPRISE 15G 540-BCOB BROADCOM 5720 QUAD PORT 1GBE BASE-T ADAPTER, OCP NIC 3.0 Open Market 8 540-BDHG EMULEX LPE31000 SINGLE PORT 16GB FIBRE CHANNEL HBA, PCIE FULL HEIGHT, V2 325-BCHH STANDARD BEZEL Open Market 8 Open Market 8 Open Market 8	750-AABF	POWER SAVING DELL ACTIVE POWER CONTROLLER	Open Market	8
450-AMDK DUAL, HOT-PLUG, PSU (1+1), 800, MIXED MODE TM 492-BBDI C13 TO C14, PDU STYLE, 12 AMP, 6.5 FEET (2M) POWER CORD, NORTH AMERICA 330-BBST RISER CONFIG 3, 3/4 LENGTH, FULL HEIGHT, 2 X16 SLOTS, SW GPU CAPABLE 329-BFGW POWEREDGE R650 MOTHERBOARD WITH BROADCOM 5720 DUAL PORT 1GB ON-BOARD LOM 385-BBQV IDRAC9, ENTERPRISE 15G 540-BCOB BROADCOM 5720 QUAD PORT 1GBE BASE-T ADAPTER, OCP NIC 3.0 Open Market 8 540-BDHG EMULEX LPE31000 SINGLE PORT 16GB FIBRE CHANNEL HBA, PCIE FULL HEIGHT, V2 325-BCHH STANDARD BEZEL Open Market 8 350-BCEI LUGGAGE TRAY X8 AND X10 CHASSIS, R650 Open Market 8	800-BBDM	UEFI BIOS BOOT MODE WITH GPT PARTITION	Open Market	8
492-BBDI C13 TO C14, PDU STYLE, 12 AMP, 6.5 FEET (2M) POWER CORD, NORTH AMERICA 330-BBST RISER CONFIG 3, 3/4 LENGTH, FULL HEIGHT, 2 X16 SLOTS, SW GPU CAPABLE 329-BFGW POWEREDGE R650 MOTHERBOARD WITH BROADCOM 5720 DUAL PORT 1GB ON-BOARD LOM 385-BBQV IDRAC9, ENTERPRISE 15G 540-BCOB BROADCOM 5720 QUAD PORT 1GBE BASE-T ADAPTER, OCP NIC 3.0 Open Market 8 540-BDHG EMULEX LPE31000 SINGLE PORT 16GB FIBRE CHANNEL HBA, PCIE FULL HEIGHT, V2 325-BCHH STANDARD BEZEL Open Market 8 Open Market 8 Open Market 8	750-ADII	4 STANDARD FANS FOR 2 CPU	Open Market	8
NORTH AMERICA RISER CONFIG 3, 3/4 LENGTH, FULL HEIGHT, 2 X16 SLOTS, SW GPU CAPABLE POWEREDGE R650 MOTHERBOARD WITH BROADCOM 5720 DUAL PORT 1GB ON-BOARD LOM BROADCOM 5720 QUAD PORT 1GBE BASE-T ADAPTER, OCP NIC 3.0 PORT 1GB ON-BOARD LOM SEQUENCE OF MARKET BROADCOM 5720 QUAD PORT 1GBE BASE-T ADAPTER, OCP NIC 3.0 POPEN MARKET BROADCOM 5720 QUAD PORT 1GBE FIBRE CHANNEL HBA, PCIE FULL HEIGHT, V2 COPEN MARKET COPEN	450-AMDK	DUAL, HOT-PLUG, PSU (1+1), 800, MIXED MODE TM	Open Market	8
CAPABLE 329-BFGW POWEREDGE R650 MOTHERBOARD WITH BROADCOM 5720 DUAL PORT 1GB ON-BOARD LOM 385-BBQV IDRAC9, ENTERPRISE 15G Open Market 8 540-BCOB BROADCOM 5720 QUAD PORT 1GBE BASE-T ADAPTER, OCP NIC 3.0 Open Market 8 540-BDHG EMULEX LPE31000 SINGLE PORT 16GB FIBRE CHANNEL HBA, PCIE FULL HEIGHT, V2 325-BCHH STANDARD BEZEL Open Market 8 350-BCEI LUGGAGE TRAY X8 AND X10 CHASSIS, R650 Open Market 8	492-BBDI		Open Market	16
PORT 1GB ON-BOARD LOM 385-BBQV IDRAC9, ENTERPRISE 15G Open Market 8 540-BCOB BROADCOM 5720 QUAD PORT 1GBE BASE-T ADAPTER, OCP NIC 3.0 Open Market 8 540-BDHG EMULEX LPE31000 SINGLE PORT 16GB FIBRE CHANNEL HBA, PCIE FULL HEIGHT, V2 325-BCHH STANDARD BEZEL Open Market 8 350-BCEI LUGGAGE TRAY X8 AND X10 CHASSIS, R650 Open Market 8	330-BBST		Open Market	8
540-BCOB BROADCOM 5720 QUAD PORT 1GBE BASE-T ADAPTER, OCP NIC 3.0 Open Market 8 540-BDHG EMULEX LPE31000 SINGLE PORT 16GB FIBRE CHANNEL HBA, PCIE FULL HEIGHT, V2 325-BCHH STANDARD BEZEL Open Market 8 350-BCEI LUGGAGE TRAY X8 AND X10 CHASSIS, R650 Open Market 8	329-BFGW		Open Market	8
540-BDHG EMULEX LPE31000 SINGLE PORT 16GB FIBRE CHANNEL HBA, PCIE FULL HEIGHT, V2 325-BCHH STANDARD BEZEL Open Market 8 350-BCEI LUGGAGE TRAY X8 AND X10 CHASSIS, R650 Open Market 8	385-BBQV	IDRAC9, ENTERPRISE 15G	Open Market	8
FULL HEIGHT, V2 325-BCHH STANDARD BEZEL Open Market 8 350-BCEI LUGGAGE TRAY X8 AND X10 CHASSIS, R650 Open Market 8	540-BCOB	BROADCOM 5720 QUAD PORT 1GBE BASE-T ADAPTER, OCP NIC 3.0	Open Market	8
325-BCHH STANDARD BEZEL Open Market 8 350-BCEI LUGGAGE TRAY X8 AND X10 CHASSIS, R650 Open Market 8	540-BDHG	·	Open Market	16
350-BCEI LUGGAGE TRAY X8 AND X10 CHASSIS, R650 Open Market 8	325-BCHH		Open Market	8
·	350-BCEI		Open Market	8
	403-BCMG		Open Market	8
403-BCNP BOSS CABLES AND BRACKET FOR R650 Open Market 8	403-BCNP		Open Market	8



379-BCSFIDRAC,FACTORY GENERATED PASSWORDOpen Market8379-BCQYIDRAC GROUP MANAGER, DISABLEDOpen Market8634-BWZGVMWARE ESXI 7.0 U3 EMBEDDED IMAGE (LICENSE NOT INCLUDED)Open Market8605-BBFNNO MEDIA REQUIREDOpen Market8770-BDMTCABLE MANAGEMENT ARMOpen Market8770-BECDREADYRAILS SLIDING RAILS WITHOUT CABLE MANAGEMENT ARM OR STRAIN RELIEF BAROpen Market8631-AACKNO SYSTEMS DOCUMENTATION, NO OPENMANAGE DVD KITOpen Market8340-CUQRPOWEREDGE R650 SHIPPINGOpen Market8340-CUQOR650 SHIP 8X2.5Open Market8389-DYHZPOWEREDGE R650 NON BIS MARKINGOpen Market8389-DYIBPOWEREDGE R650 CE, CCC, MARKINGOpen Market8332-1286US ORDEROpen Market8817-BBBBCUSTOM CONFIGURATIONOpen Market8853-2137DELL HARDWARE LIMITED WARRANTY PLUS ONSITE SERVICEOpen Market8853-2179PROSUPPORT PLUS MISSION CRITICAL 4-HOUR 7X24 ONSITE SERVICEOpen Market8WITH EMERGENCY DISPATCH 3 YEARSPROSUPPORT PLUS MISSION CRITICAL 7X24 TECHNICAL SUPPORT AND ASSISTANCE 3 YEARSOpen Market8951-2015THANK YOU FOR CHOOSING DELL PROSUPPORT PLUS. FOR TECH SUPPORT, VISIT //WWW.DELL.COM/CONTACTDELLOpen Market8				1
379-BCQYIDRAC GROUP MANAGER, DISABLEDOpen Market8634-BWZGVMWARE ESXI 7.0 U3 EMBEDDED IMAGE (LICENSE NOT INCLUDED)Open Market8605-BBFNNO MEDIA REQUIREDOpen Market8770-BDMTCABLE MANAGEMENT ARMOpen Market8770-BECDREADYRAILS SLIDING RAILS WITHOUT CABLE MANAGEMENT ARM OR STRAIN RELIEF BAROpen Market8631-AACKNO SYSTEMS DOCUMENTATION, NO OPENMANAGE DVD KITOpen Market8340-CUQRPOWEREDGE R650 SHIPPINGOpen Market8340-CUQOR650 SHIP 8X2.5Open Market8389-DYHZPOWEREDGE R650 NON BIS MARKINGOpen Market8389-DYIBPOWEREDGE R650 CE, CCC, MARKINGOpen Market8332-1286US ORDEROpen Market8817-BBBBCUSTOM CONFIGURATIONOpen Market8853-2137DELL HARDWARE LIMITED WARRANTY PLUS ONSITE SERVICEOpen Market8853-2179PROSUPPORT PLUS MISSION CRITICAL 4-HOUR 7X24 ONSITE SERVICEOpen Market8WITH EMERGENCY DISPATCH 3 YEARSOpen Market8951-2015THANK YOU FOR CHOOSING DELL PROSUPPORT PLUS. FOR TECH SUPPORT, VISIT //WWW.DELL.COM/CONTACTDELLOpen Market8	350-BBXM	NO QUICK SYNC	Open Market	8
634-BWZG VMWARE ESXI 7.0 U3 EMBEDDED IMAGE (LICENSE NOT INCLUDED) Open Market 8 605-BBFN NO MEDIA REQUIRED Open Market 8 770-BDMT CABLE MANAGEMENT ARM Open Market 8 770-BCD READYRAILS SLIDING RAILS WITHOUT CABLE MANAGEMENT ARM OR STRAIN RELIEF BAR 631-AACK NO SYSTEMS DOCUMENTATION, NO OPENMANAGE DVD KIT Open Market 8 340-CUQR POWEREDGE R650 SHIPPING Open Market 8 340-CUQO R650 SHIP 8X2.5 Open Market 8 389-DYHZ POWEREDGE R650 NON BIS MARKING Open Market 8 389-DYIB POWEREDGE R650 CE, CCC, MARKING Open Market 8 332-1286 US ORDER Open Market 8 817-BBBB CUSTOM CONFIGURATION Open Market 8 853-2137 DELL HARDWARE LIMITED WARRANTY PLUS ONSITE SERVICE Open Market 8 853-2179 PROSUPPORT PLUS MISSION CRITICAL 4-HOUR 7X24 ONSITE SERVICE Open Market 8 853-2180 PROSUPPORT PLUS MISSION CRITICAL 7X24 TECHNICAL SUPPORT AND ASSISTANCE 3 YEARS 951-2015 THANK YOU FOR CHOOSING DELL PROSUPPORT PLUS. FOR TECH SUPPORT, VISIT //WWW.DELL.COM/CONTACTDELL	379-BCSF	IDRAC,FACTORY GENERATED PASSWORD	Open Market	8
605-BBFN NO MEDIA REQUIRED Open Market 8 770-BDMT CABLE MANAGEMENT ARM Open Market 8 770-BECD READYRAILS SLIDING RAILS WITHOUT CABLE MANAGEMENT ARM OR STRAIN RELIEF BAR 631-AACK NO SYSTEMS DOCUMENTATION, NO OPENMANAGE DVD KIT Open Market 8 340-CUQR POWEREDGE R650 SHIPPING Open Market 8 340-CUQO R650 SHIP 8X2.5 Open Market 8 389-DYHZ POWEREDGE R650 NON BIS MARKING Open Market 8 389-DYIB POWEREDGE R650 CE, CCC, MARKING Open Market 8 332-1286 US ORDER Open Market 8 817-BBBB CUSTOM CONFIGURATION Open Market 8 853-2137 DELL HARDWARE LIMITED WARRANTY PLUS ONSITE SERVICE Open Market 8 853-2179 PROSUPPORT PLUS MISSION CRITICAL 4-HOUR 7X24 ONSITE SERVICE Open Market 8 853-2180 PROSUPPORT PLUS MISSION CRITICAL 4-HOUR 7X24 ONSITE SERVICE Open Market 8 951-2015 THANK YOU FOR CHOOSING DELL PROSUPPORT PLUS. FOR TECH Open Market 8 SUPPORT, VISIT //WWW.DELL.COM/CONTACTDELL	379-BCQY	IDRAC GROUP MANAGER, DISABLED	Open Market	8
770-BDMT CABLE MANAGEMENT ARM 770-BECD READYRAILS SLIDING RAILS WITHOUT CABLE MANAGEMENT ARM OR STRAIN RELIEF BAR 631-AACK NO SYSTEMS DOCUMENTATION, NO OPENMANAGE DVD KIT Open Market 8 340-CUQR POWEREDGE R650 SHIPPING Open Market 8 340-CUQO R650 SHIP 8X2.5 Open Market 8 389-DYHZ POWEREDGE R650 NON BIS MARKING Open Market 8 389-DYIB POWEREDGE R650 CE, CCC, MARKING Open Market 8 322-1286 US ORDER Open Market 8 817-BBBB CUSTOM CONFIGURATION Open Market 8 853-2137 DELL HARDWARE LIMITED WARRANTY PLUS ONSITE SERVICE Open Market 8 853-2179 PROSUPPORT PLUS MISSION CRITICAL 4-HOUR 7X24 ONSITE SERVICE Open Market 8 853-2180 PROSUPPORT PLUS MISSION CRITICAL 7X24 TECHNICAL SUPPORT Open Market 8 951-2015 THANK YOU FOR CHOOSING DELL PROSUPPORT PLUS. FOR TECH SUPPORT, VISIT //WWW.DELL.COM/CONTACTDELL	634-BWZG	VMWARE ESXI 7.0 U3 EMBEDDED IMAGE (LICENSE NOT INCLUDED)	Open Market	8
770-BECD READYRAILS SLIDING RAILS WITHOUT CABLE MANAGEMENT ARM OR STRAIN RELIEF BAR 631-AACK NO SYSTEMS DOCUMENTATION, NO OPENMANAGE DVD KIT Open Market 8 340-CUQR POWEREDGE R650 SHIPPING Open Market 8 340-CUQO R650 SHIP 8X2.5 Open Market 8 389-DYHZ POWEREDGE R650 NON BIS MARKING Open Market 8 389-DYIB POWEREDGE R650 CE, CCC, MARKING Open Market 8 312-1286 US ORDER Open Market 8 817-BBBB CUSTOM CONFIGURATION Open Market 8 853-2137 DELL HARDWARE LIMITED WARRANTY PLUS ONSITE SERVICE Open Market 8 853-2179 PROSUPPORT PLUS MISSION CRITICAL 4-HOUR 7X24 ONSITE SERVICE WITH EMERGENCY DISPATCH 3 YEARS 853-2180 PROSUPPORT PLUS MISSION CRITICAL 7X24 TECHNICAL SUPPORT OPEN Market 8 951-2015 THANK YOU FOR CHOOSING DELL PROSUPPORT PLUS. FOR TECH OPEN Market 8 SUPPORT, VISIT //WWW.DELL.COM/CONTACTDELL	605-BBFN	NO MEDIA REQUIRED	Open Market	8
STRAIN RELIEF BAR 631-AACK NO SYSTEMS DOCUMENTATION, NO OPENMANAGE DVD KIT Open Market 340-CUQR POWEREDGE R650 SHIPPING Open Market 8 340-CUQO R650 SHIP 8X2.5 Open Market 8 389-DYHZ POWEREDGE R650 NON BIS MARKING Open Market 8 389-DYIB POWEREDGE R650 CE, CCC, MARKING Open Market 8 332-1286 US ORDER Open Market 8 817-BBBB CUSTOM CONFIGURATION Open Market 8 853-2137 DELL HARDWARE LIMITED WARRANTY PLUS ONSITE SERVICE Open Market WITH EMERGENCY DISPATCH 3 YEARS 853-2180 PROSUPPORT PLUS MISSION CRITICAL 4-HOUR 7X24 ONSITE SERVICE WITH EMERGENCY DISPATCH 3 YEARS 951-2015 THANK YOU FOR CHOOSING DELL PROSUPPORT PLUS. FOR TECH SUPPORT, VISIT //WWW.DELL.COM/CONTACTDELL	770-BDMT	CABLE MANAGEMENT ARM	Open Market	8
631-AACK NO SYSTEMS DOCUMENTATION, NO OPENMANAGE DVD KIT Open Market 8 340-CUQR POWEREDGE R650 SHIPPING Open Market 8 340-CUQO R650 SHIP 8X2.5 Open Market 8 389-DYHZ POWEREDGE R650 NON BIS MARKING Open Market 8 389-DYIB POWEREDGE R650 CE, CCC, MARKING Open Market 8 332-1286 US ORDER Open Market 8 817-BBBB CUSTOM CONFIGURATION Open Market 8 853-2137 DELL HARDWARE LIMITED WARRANTY PLUS ONSITE SERVICE Open Market 8 853-2179 PROSUPPORT PLUS MISSION CRITICAL 4-HOUR 7X24 ONSITE SERVICE WITH EMERGENCY DISPATCH 3 YEARS 853-2180 PROSUPPORT PLUS MISSION CRITICAL 7X24 TECHNICAL SUPPORT AND ASSISTANCE 3 YEARS 951-2015 THANK YOU FOR CHOOSING DELL PROSUPPORT PLUS. FOR TECH SUPPORT, VISIT //WWW.DELL.COM/CONTACTDELL	770-BECD	READYRAILS SLIDING RAILS WITHOUT CABLE MANAGEMENT ARM OR	Open Market	8
340-CUQR POWEREDGE R650 SHIPPING Open Market 8 340-CUQO R650 SHIP 8X2.5 Open Market 8 389-DYHZ POWEREDGE R650 NON BIS MARKING Open Market 8 389-DYIB POWEREDGE R650 CE, CCC, MARKING Open Market 8 332-1286 US ORDER Open Market 8 817-BBBB CUSTOM CONFIGURATION Open Market 8 853-2137 DELL HARDWARE LIMITED WARRANTY PLUS ONSITE SERVICE Open Market 8 853-2179 PROSUPPORT PLUS MISSION CRITICAL 4-HOUR 7X24 ONSITE SERVICE WITH EMERGENCY DISPATCH 3 YEARS 853-2180 PROSUPPORT PLUS MISSION CRITICAL 7X24 TECHNICAL SUPPORT AND ASSISTANCE 3 YEARS 951-2015 THANK YOU FOR CHOOSING DELL PROSUPPORT PLUS. FOR TECH SUPPORT, VISIT //WWW.DELL.COM/CONTACTDELL		STRAIN RELIEF BAR		
340-CUQO R650 SHIP 8X2.5 389-DYHZ POWEREDGE R650 NON BIS MARKING 389-DYIB POWEREDGE R650 CE, CCC, MARKING Open Market 8 332-1286 US ORDER Open Market 8 817-BBBB CUSTOM CONFIGURATION Open Market 8 853-2137 DELL HARDWARE LIMITED WARRANTY PLUS ONSITE SERVICE PROSUPPORT PLUS MISSION CRITICAL 4-HOUR 7X24 ONSITE SERVICE WITH EMERGENCY DISPATCH 3 YEARS Open Market 8 853-2180 PROSUPPORT PLUS MISSION CRITICAL 7X24 TECHNICAL SUPPORT AND ASSISTANCE 3 YEARS 951-2015 THANK YOU FOR CHOOSING DELL PROSUPPORT PLUS. FOR TECH SUPPORT, VISIT //WWW.DELL.COM/CONTACTDELL	631-AACK	NO SYSTEMS DOCUMENTATION, NO OPENMANAGE DVD KIT	Open Market	8
389-DYHZ POWEREDGE R650 NON BIS MARKING Open Market 8 389-DYIB POWEREDGE R650 CE, CCC, MARKING Open Market 8 332-1286 US ORDER Open Market 8 817-BBBB CUSTOM CONFIGURATION Open Market 8 853-2137 DELL HARDWARE LIMITED WARRANTY PLUS ONSITE SERVICE Open Market 8 853-2179 PROSUPPORT PLUS MISSION CRITICAL 4-HOUR 7X24 ONSITE SERVICE WITH EMERGENCY DISPATCH 3 YEARS 853-2180 PROSUPPORT PLUS MISSION CRITICAL 7X24 TECHNICAL SUPPORT Open Market 8 853-2180 PROSUPPORT PLUS MISSION CRITICAL 7X24 TECHNICAL SUPPORT Open Market 8 951-2015 THANK YOU FOR CHOOSING DELL PROSUPPORT PLUS. FOR TECH SUPPORT, VISIT //WWW.DELL.COM/CONTACTDELL	340-CUQR	POWEREDGE R650 SHIPPING	Open Market	8
389-DYIB POWEREDGE R650 CE, CCC, MARKING Open Market 8 332-1286 US ORDER Open Market 8 817-BBBB CUSTOM CONFIGURATION Open Market 8 853-2137 DELL HARDWARE LIMITED WARRANTY PLUS ONSITE SERVICE Open Market 8 853-2179 PROSUPPORT PLUS MISSION CRITICAL 4-HOUR 7X24 ONSITE SERVICE WITH EMERGENCY DISPATCH 3 YEARS 853-2180 PROSUPPORT PLUS MISSION CRITICAL 7X24 TECHNICAL SUPPORT AND ASSISTANCE 3 YEARS 951-2015 THANK YOU FOR CHOOSING DELL PROSUPPORT PLUS. FOR TECH SUPPORT, VISIT //WWW.DELL.COM/CONTACTDELL	340-CUQO	R650 SHIP 8X2.5	Open Market	8
332-1286 US ORDER Open Market 8 817-BBBB CUSTOM CONFIGURATION Open Market 8 853-2137 DELL HARDWARE LIMITED WARRANTY PLUS ONSITE SERVICE Open Market 8 853-2179 PROSUPPORT PLUS MISSION CRITICAL 4-HOUR 7X24 ONSITE SERVICE WITH EMERGENCY DISPATCH 3 YEARS 853-2180 PROSUPPORT PLUS MISSION CRITICAL 7X24 TECHNICAL SUPPORT AND ASSISTANCE 3 YEARS 951-2015 THANK YOU FOR CHOOSING DELL PROSUPPORT PLUS. FOR TECH SUPPORT, VISIT //WWW.DELL.COM/CONTACTDELL	389-DYHZ	POWEREDGE R650 NON BIS MARKING	Open Market	8
817-BBBB CUSTOM CONFIGURATION Open Market 8 853-2137 DELL HARDWARE LIMITED WARRANTY PLUS ONSITE SERVICE Open Market 8 853-2179 PROSUPPORT PLUS MISSION CRITICAL 4-HOUR 7X24 ONSITE SERVICE WITH EMERGENCY DISPATCH 3 YEARS 853-2180 PROSUPPORT PLUS MISSION CRITICAL 7X24 TECHNICAL SUPPORT Open Market 8 AND ASSISTANCE 3 YEARS 951-2015 THANK YOU FOR CHOOSING DELL PROSUPPORT PLUS. FOR TECH SUPPORT, VISIT //WWW.DELL.COM/CONTACTDELL	389-DYIB	POWEREDGE R650 CE, CCC, MARKING	Open Market	8
853-2137 DELL HARDWARE LIMITED WARRANTY PLUS ONSITE SERVICE Open Market 8 853-2179 PROSUPPORT PLUS MISSION CRITICAL 4-HOUR 7X24 ONSITE SERVICE WITH EMERGENCY DISPATCH 3 YEARS 853-2180 PROSUPPORT PLUS MISSION CRITICAL 7X24 TECHNICAL SUPPORT AND ASSISTANCE 3 YEARS 951-2015 THANK YOU FOR CHOOSING DELL PROSUPPORT PLUS. FOR TECH SUPPORT, VISIT //WWW.DELL.COM/CONTACTDELL	332-1286	US ORDER	Open Market	8
853-2179 PROSUPPORT PLUS MISSION CRITICAL 4-HOUR 7X24 ONSITE SERVICE WITH EMERGENCY DISPATCH 3 YEARS 853-2180 PROSUPPORT PLUS MISSION CRITICAL 7X24 TECHNICAL SUPPORT AND ASSISTANCE 3 YEARS 951-2015 THANK YOU FOR CHOOSING DELL PROSUPPORT PLUS. FOR TECH SUPPORT, VISIT //WWW.DELL.COM/CONTACTDELL	817-BBBB	CUSTOM CONFIGURATION	Open Market	8
WITH EMERGENCY DISPATCH 3 YEARS 853-2180 PROSUPPORT PLUS MISSION CRITICAL 7X24 TECHNICAL SUPPORT Open Market 8 AND ASSISTANCE 3 YEARS 951-2015 THANK YOU FOR CHOOSING DELL PROSUPPORT PLUS. FOR TECH SUPPORT, VISIT //WWW.DELL.COM/CONTACTDELL Open Market 8	853-2137	DELL HARDWARE LIMITED WARRANTY PLUS ONSITE SERVICE	Open Market	8
853-2180 PROSUPPORT PLUS MISSION CRITICAL 7X24 TECHNICAL SUPPORT AND ASSISTANCE 3 YEARS 951-2015 THANK YOU FOR CHOOSING DELL PROSUPPORT PLUS. FOR TECH SUPPORT, VISIT //WWW.DELL.COM/CONTACTDELL	853-2179	PROSUPPORT PLUS MISSION CRITICAL 4-HOUR 7X24 ONSITE SERVICE	Open Market	8
AND ASSISTANCE 3 YEARS 951-2015 THANK YOU FOR CHOOSING DELL PROSUPPORT PLUS. FOR TECH SUPPORT, VISIT //WWW.DELL.COM/CONTACTDELL Open Market 8		WITH EMERGENCY DISPATCH 3 YEARS		
951-2015 THANK YOU FOR CHOOSING DELL PROSUPPORT PLUS. FOR TECH SUPPORT, VISIT //WWW.DELL.COM/CONTACTDELL Open Market 8	853-2180	PROSUPPORT PLUS MISSION CRITICAL 7X24 TECHNICAL SUPPORT	Open Market	8
SUPPORT, VISIT //WWW.DELL.COM/CONTACTDELL		AND ASSISTANCE 3 YEARS		
	951-2015	THANK YOU FOR CHOOSING DELL PROSUPPORT PLUS. FOR TECH	Open Market	8
900-9997 ON-SITE INSTALLATION DECLINED Open Market 8		SUPPORT, VISIT //WWW.DELL.COM/CONTACTDELL		
500 5557 ON SITE INSTITUTE DECEMBED	900-9997	ON-SITE INSTALLATION DECLINED	Open Market	8