




The following documentation is an electronically-submitted vendor response to an advertised solicitation from the *West Virginia Purchasing Bulletin* within the Vendor Self-Service portal at ***wvOASIS.gov***. As part of the State of West Virginia's procurement process, and to maintain the transparency of the bid-opening process, this documentation submitted online is publicly posted by the West Virginia Purchasing Division at ***WVPurchasing.gov*** with any other vendor responses to this solicitation submitted to the Purchasing Division in hard copy format.

## Header

 List View

[General Information](#) | 
 [Contact](#) | 
 [Default Values](#) | 
 [Discount](#) | 
 [Document Information](#) | 
 [Clarification Request](#)

Procurement Folder: 1410745

Procurement Type: Central Purchase Order

Vendor ID: 000000231426 

Legal Name: A&K RAILROAD MATERIALS INC

Alias/DBA:

Total Bid: \$0.00

Response Date: 04/19/2024 

Response Time: 8:48

Responded By User ID: AKRailroad1 

First Name: Fran

Last Name: Matay

Email: EasternRegionSales@akra

Phone: 724-941-1950

SO Doc Code: CRFQ

SO Dept: 0803

SO Doc ID: DOT2400000091

Published Date: 4/30/24

Close Date: 5/1/24

Close Time: 13:30

Status: Closed

Solicitation Description: Epoxy Coated Rebar & Class 1 Guardrail

Total of Header Attachments: 0

Total of All Attachments: 0



Department of Administration  
Purchasing Division  
2019 Washington Street East  
Post Office Box 50130  
Charleston, WV 25305-0130

State of West Virginia  
Solicitation Response

**Proc Folder:** 1410745  
**Solicitation Description:** Epoxy Coated Rebar & Class 1 Guardrail  
**Proc Type:** Central Purchase Order

Solicitation Closes	Solicitation Response	Version
2024-05-01 13:30	SR 0803 ESR04192400000006182	1

**VENDOR**  
000000231426  
A&K RAILROAD MATERIALS INC

**Solicitation Number:** CRFQ 0803 DOT2400000091  
**Total Bid:** 0  
**Response Date:** 2024-04-19  
**Response Time:** 08:48:57  
**Comments:**

**FOR INFORMATION CONTACT THE BUYER**  
John W Estep  
304-558-2566  
john.w.estep@wv.gov

<b>Vendor</b>		
<b>Signature X</b>	<b>FEIN#</b>	<b>DATE</b>

All offers subject to all terms and conditions contained in this solicitation

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
1	#5 Epoxy Coated Bent Rebar	3482.0000	LB		

Comm Code	Manufacturer	Specification	Model #
30103623			

**Commodity Line Comments:** A&K does not handle this type of material.

**Extended Description:**

Dimensions of all #5 epoxy coated bent rebar shall be manufactured to match the specifications listed in the accompanying set of pertinent plans for this project. All reinforcing steel shall be intermediate grade billet steel, grade 40 or grade 60 in accordance with subsection 709.1 of the Standard Specifications. The requirements of Section 602 of the Standard Specifications shall be followed.

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
2	#8 epoxy coated Bent rebar	2099.0000	LB		

Comm Code	Manufacturer	Specification	Model #
30103623			

**Commodity Line Comments:** A&K does not handle this type of material.

**Extended Description:**

Dimensions of all #8 epoxy coated bent rebar shall be manufactured to match the specifications listed in the accompanying set of pertinent plans for this project. All reinforcing steel shall be intermediate grade billet steel, grade 40 or grade 60 in accordance with subsection 709.1 of the Standard Specifications. The requirements of Section 602 of the Standard Specifications shall be followed.

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
3	#5 epoxy coated straight rebar	4952.0000	LB		

Comm Code	Manufacturer	Specification	Model #
30103623			

**Commodity Line Comments:** A&K does not handle this type of material.

**Extended Description:**

#5 epoxy coated straight rebar must be 36 pieces - 4 feet 4 inches. #5 epoxy coated straight rebar must be 224 pieces - 5 feet 6 inches. #5 epoxy coated straight rebar must be 168 pieces - 20 feet 0 inches. All reinforcing steel shall be intermediate grade billet steel, grade 40 or grade 60 in accordance with subsection 709.1 of the Standard Specifications. The requirements of Section 602 of the Standard Specifications shall be followed.

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
4	Class 1 W-beam Guardrail	100.00000	LF		

Comm Code	Manufacturer	Specification	Model #
30121717			

**Commodity Line Comments:** A&K does not handle this type of material.

**Extended Description:**

100 Linear feet - Class 1 W-Beam Approach Rail. 16 each - W6X9 x 6 feet 0 inches approach posts. 20 each - 6 inch X 8 inch X 14 inch Wood Block Outs 4 each - Buffer End Terminal Section. 4 each - Structure Mounted Post Assemblies w/ anchors. 20 each - Guardrail Bolt & Nut, Hex Head (5/8 inch dia. X 10 inch) 120 each - Guardrail Splice Bolt (5/8 inch dia. X 1 inch)