



2019 Washington Street, East Charleston, WV 25305 Telephone: 304-558-2306 General Fax: 304-558-6026

Bid Fax: 304-558-3970

The following documentation is an electronically-submitted vendor response to an advertised solicitation from the *West Virginia Purchasing Bulletin* within the Vendor Self-Service portal at *wvOASIS.gov*. As part of the State of West Virginia's procurement process, and to maintain the transparency of the bid-opening process, this documentation submitted online is publicly posted by the West Virginia Purchasing Division at *WVPurchasing.gov* with any other vendor responses to this solicitation submitted to the Purchasing Division in hard copy format.





State of West Virginia Solicitation Response

Proc Folder: 1410745

Solicitation Description: Epoxy Coated Rebar & Class 1 Guardrail

Proc Type: Central Purchase Order

 Solicitation Closes
 Solicitation Response
 Version

 2024-05-01 13:30
 SR 0803 ESR04302400000006559
 1

VENDOR

000000207543

GEORGE L WILSON & CO OF WV INC

Solicitation Number: CRFQ 0803 DOT2400000091

Total Bid: 8872.87999999999199644662439 **Response Date:** 2024-04-30 **Response Time:** 15:06:06

Comments:

FOR INFORMATION CONTACT THE BUYER

John W Estep 304-558-2566 john.w.estep@wv.gov

Vendor Signature X

FEIN# DATE

All offers subject to all terms and conditions contained in this solicitation

 Date Printed:
 May 1, 2024
 Page: 1
 FORM ID: WV-PRC-SR-001 2020/05

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
1	#5 Epoxy Coated Bent Rebar	3482.0000) LB	0.880000	3064.16

Comm Code	Manufacturer	Specification	Model #	
30103623				

Commodity Line Comments:

Extended Description:

Dimensions of all #5 epoxy coated bent rebar shall be manufactured to match the specifications listed in the accompanying set of pertinent plans for this project. All reinforcing steel shall be intermediate grade billet steel, grade 40 or grade 60 in accordance with subsection 709.1 of the Standard Specifications. The requirements of Section 602 of the Standard Specifications shall be followed.

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
2	#8 epoxy coated Bent rebar	2099.0000) LB	0.880000	1847.12

Comm Code	Manufacturer	Specification	Model #	
30103623				

Commodity Line Comments:

Extended Description:

Dimensions of all #8 epoxy coated bent rebar shall be manufactured to match the specifications listed in the accompanying set of pertinent plans for this project. All reinforcing steel shall be intermediate grade billet steel, grade 40 or grade 60 in accordance with subsection 709.1 of the Standard Specifications. The requirements of Section 602 of the Standard Specifications shall be followed.

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
3	#5 epoxy coated straight rebar	4952.0000) LB	0.800000	3961.60

Comm Code	Manufacturer	Specification	Model #	
30103623				

Commodity Line Comments:

Extended Description:

#5 epoxy coated straight rebar must be 36 pieces - 4 feet 4 inches. #5 epoxy coated straight rebar must be 224 pieces - 5 feet 6 inches. #5 epoxy coated straight rebar must be 168 pieces - 20 feet 0 inches. All reinforcing steel shall be intermediate grade billet steel, grade 40 or grade 60 in accordance with subsection 709.1 of the Standard Specifications. The requirements of Section 602 of the Standard Specifications shall be followed.

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
4	Class 1 W-beam Guardrail	100.000	000 LF		

Comm Code	Manufacturer	Specification	Model #	
30121717				

Commodity Line Comments: NOT BIDDING

Extended Description:

100 Linear feet - Class 1 W-Beam Approach Rail. 16 each - W6X9 x 6 feet 0 inches approach posts. 20 each - 6 inch X 8 inch X 14 inch Wood Block Outs 4 each - Buffer End Terminal Section. 4 each - Structure Mounted Post Assemblies w/ anchors. 20 each - Guardrail Bolt & Nut, Hex Head (5/8 inch dia. X 10 inch) 120 each - Guardrail Splice Bolt (5/8 inch dia. X 1 inch)

Date Printed: May 1, 2024 Page: 2 FORM ID: WV-PRC-SR-001 2020/05