


2019 Washington Street, East Charleston, WV 25305 Telephone: 304-558-2306 General Fax: 304-558-6026

Bid Fax: 304-558-3970

The following documentation is an electronically-submitted vendor response to an advertised solicitation from the *West Virginia Purchasing Bulletin* within the Vendor Self-Service portal at *wvOASIS.gov*. As part of the State of West Virginia's procurement process, and to maintain the transparency of the bid-opening process, this documentation submitted online is publicly posted by the West Virginia Purchasing Division at *WVPurchasing.gov* with any other vendor responses to this solicitation submitted to the Purchasing Division in hard copy format.





Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

# State of West Virginia Solicitation Response

Proc Folder: 1487804

Solicitation Description: Steel piling, epoxy coated rebar and guardrail

**Proc Type:** Central Purchase Order

 Solicitation Closes
 Solicitation Response
 Version

 2024-10-29 13:30
 SR 0803 ESR10292400000003118
 1

**VENDOR** 

000000110650 JAMATT INC

Solicitation Number: CRFQ 0803 DOT2500000022

Total Bid: 43858.80000000000291038304567 Response Date: 2024-10-29 Response Time: 12:00:39

Comments:

FOR INFORMATION CONTACT THE BUYER

John W Estep 304-558-2566 john.w.estep@wv.gov

Vendor Signature X

FEIN#

DATE

All offers subject to all terms and conditions contained in this solicitation

 Date Printed:
 Oct 29, 2024
 Page: 1
 FORM ID: WV-PRC-SR-001 2020/05

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
1	W12X65 Steel Piling	35100.000	) LB	0.920000	32292.00

Comm Code	Manufacturer	nufacturer Specification		
30103623				

#### **Commodity Line Comments:**

#### **Extended Description:**

Steel piling must be 18 pieces - 30 feet 0 inches. Steel piling shall conform to the requirements of ASTM A572 (fs = 50,000 p.s.i.).

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
2	#5 Epoxy Coated Bent Rebar	2236.0000	) LB	1.300000	2906.80

Comm Code	Manufacturer	Specification	Model #	
30103623				

#### **Commodity Line Comments:**

#### **Extended Description:**

Dimensions of all #5 epoxy coated bent rebar shall be manufactured to match the specifications listed in the accompanying set of pertinent plans for this project. All reinforcing steel shall be intermediate grade billet steel, grade 40 or grade 60 in accordance with subsection 709.1 of the Standard Specifications. The requirements of Section 602 of the Standard Specifications shall be followed.

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
3	#5 Epoxy Coated Straight Rebar	1377.0000	LB	1.300000	1790.10

Comm Code	Manufacturer	Specification	Model #	
30103623				

#### **Commodity Line Comments:**

#### **Extended Description:**

#5 epoxy coated straight rebar must be 66 pieces - 20 feet 0 inches. All reinforcing steel shall be intermediate grade billet steel, grade 40 or grade 60 in accordance with subsection 709.1 of the Standard Specifications. The requirements of Section 602 of the Standard Specifications shall be followed.

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
4	#8 Epoxy Coated Straight Rebar	2563.000	0 LB	1.300000	3331.90

Comm Code Manufacturer		Specification	Model #	
30103623				

#### Commodity Line Comments: 35.38

#### **Extended Description:**

#8 epoxy coated straight rebar must be 48 pieces - 20 feet 0 inches. All reinforcing steel shall be intermediate grade billet steel, grade 40 or grade 60 in accordance with subsection 709.1 of the Standard Specifications. The requirements of Section 602 of the Standard Specifications shall be followed.

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
5	Class 1 W-beam Guardrail	100.00000 LF		35.380000	3538.00

Date Printed: Oct 29, 2024 Page: 2 FORM ID: WV-PRC-SR-001 2020/05

 Comm Code
 Manufacturer
 Specification
 Model #

 30121717

#### **Commodity Line Comments:**

#### **Extended Description:**

100 Linear feet - Class 1 W-Beam Approach Rail. \*\*Dimensions of all approach rail shall be delivered to match the radii listed in the accompanying set of pertinent plans for this project.\*\* 16 each - W6X9 x 6 feet 0 inches approach posts. 4 each - W6X9 x 2 feet 8-1/2 inches structure mounted posts. 4 each - 1 feet 0 inches x 1 feet 0 inches x 1/2 inch plates. 20 each - 6 inch X 8 inch X 14 inch Wood Block Outs. 4 each - Buffer End Terminal Section. 20 each - Guardrail Bolt & Nut, Hex Head (5/8 inch dia. X 10 inch). 112 each - Guardrail Splice Bolt (5/8 inch dia X 1-1/4 inch)

Date Printed: Oct 29, 2024 Page: 3 FORM ID: WV-PRC-SR-001 2020/05



Department of Administration **Purchasing Division** 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

## State of West Virginia **Centralized Request for Quote Highways**

Proc Folder:	1487804		Reason for Modification:
Doc Description	n: Steel piling, epoxy coate	- Industrial Moderna	
Proc Type:	Central Purchase Order		
Date Issued	Solicitation Closes	Solicitation No	Version
2024-10-08	2024-10-29 13:30	CRFQ 0803 DOT2500000022	1

-	 12.						
<b>-</b> 1	DE	111	INIO	 20		-	
		'IV	ING	21 . 4	A	( )	N

**BID CLERK** 

DEPARTMENT OF ADMINISTRATION

PURCHASING DIVISION

2019 WASHINGTON ST E

CHARLESTON

WV 25305

US

V	F	N	n	0	R
w	_	3.4	$\boldsymbol{\omega}$	w	•

Vendor Customer Code: 110650

Vendor Name: JAMATT, NAC

Address:

Street: 801 PEYTON WAY # 149

City: Currieston

State:

Country: US

Zip: 25309

Principal Contact: JIMMATTINGLY

Vendor Contact Phone: 304-677-0582

Extension:

FOR INFORMATION CONTACT THE BUYER

John W Estep 304-558-2566

john.w.estep@wv.gov

Vendor

and Waltwigh Signature X

FEIN# 20 1894398

10/29/2021

All offers subject to all terms and conditions contained in this solicitation

## ADDITIONAL INFORMATION

## REQUEST FOR QUOTATION:

The West Virginia Purchasing Division is soliciting bids on behalf of the West Virginia Division of Highways to establish a contract for the onetime purchase of Steel piling, epoxy coated rebar, and guardrail for Sand Fork of Fink Girder Replacement. Per the Bid Requirements, Specifications, Terms and Conditions attached to this solicitation.

INVOICE TO		SHIP TO	
DIVISION OF HIGHWAYS DISTRICT SEVEN DRAWER 1228		STATE OF WEST VIRGINIA JOBSITE - SEE SPECIFICATIONS	
WESTON US	WV	No City US	WV

Line	Comm Ln Desc	Othy			
1	W12X65 Steel Piling	Qty	Unit Issue	Unit Price	<b>Total Price</b>
1.	W 12X03 Steel Piling	35100.00000	LB	(P 000	# 72
				0.96	22,292.00

Comm Code	Manufacturer	Specification	Model #	
30103623				

## **Extended Description:**

Steel piling must be 18 pieces - 30 feet 0 inches. Steel piling shall conform to the requirements of ASTM A572 (fs = 50,000 p.s.i.).

INVOICE TO		SHIP TO		
DIVISION OF HIGHWA DISTRICT SEVEN DRAWER 1228	YS	STATE OF WEST VI JOBSITE - SEE SPECIFICATIONS	RGINIA	
WESTON US	WV	No City US	WV	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Dai	
2	#5 Epoxy Coated Bent Rebar		Onit issue	Unit Price	Total Price
1	" Epoxy Godied Deni Repai	2236.00000	LB	5/20	4 4 80
		-80		1.70	1 290600

Comm Code	Manufacturer	Specification	Model #	
30103623				
F. 4				

## **Extended Description:**

Dimensions of all #5 epoxy coated bent rebar shall be manufactured to match the specifications listed in the accompanying set of pertinent plans for this project. All reinforcing steel shall be intermediate grade billet steel, grade 40 or grade 60 in accordance with subsection 709.1 of the Standard Specifications. The requirements of Section 602 of the Standard Specifications shall be followed.

INVOICE TO		SHIP TO	
DIVISION OF HIGH	VAYS	STATE OF WEST VIRGINIA	
DISTRICT SEVEN		JOBSITE - SEE SPECIFICATIONS	
DRAWER 1228			
WESTON	WV	No City	WV
US		US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
3	#5 Epoxy Coated Straight Rebar	1377.00000	LB	41.30	# 170010
					7770-

Comm Code	Manufacturer	Specification	Model #	
30103623				

## **Extended Description:**

#5 epoxy coated straight rebar must be 66 pieces - 20 feet 0 inches. All reinforcing steel shall be intermediate grade billet steel, grade 40 or grade 60 in accordance with subsection 709.1 of the Standard Specifications. The requirements of Section 602 of the Standard Specifications shall be followed.

INVOICE TO	CE TO SHIP TO			
DIVISION OF HIGHW	/AYS	STATE OF WEST VI	RGINIA	
DISTRICT SEVEN		JOBSITE - SEE SPECIFICATIONS		
DRAWER 1228				
WESTON	WV	No City	WV	
US		US		

Unit Issue	Unit Price	Total Price
LB	\$ 1.30	B 3331.90
)	Unit Issue  D LB	1.5

Comm Code	Manufacturer	Specification	Model #	
30103623				W 1

## **Extended Description:**

#8 epoxy coated straight rebar must be 48 pieces - 20 feet 0 inches. All reinforcing steel shall be intermediate grade billet steel, grade 40 or grade 60 in accordance with subsection 709.1 of the Standard Specifications. The requirements of Section 602 of the Standard Specifications shall be followed.

INVOICE TO		SHIP TO		
DIVISION OF HIGHWAYS		STATE OF WEST VIRGINIA		
DISTRICT SEVEN		JOBSITE - SEE SPECIFICATIONS		
DRAWER 1228				
WESTON	WV	No City WV		
US		US		

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
5	Class 1 W-beam Guardrail	100.00000	LF	# 35,38	\$3,538°

Comm Code	Manufacturer	Specification	Model #	<del></del>
30121717		<u> </u>		

### **Extended Description:**

100 Linear feet - Class 1 W-Beam Approach Rail. \*\*Dimensions of all approach rail shall be delivered to match the radii listed in the accompanying set of pertinent plans for this project.\*\* 16 each - W6X9 x 6 feet 0 inches approach posts. 4 each - W6X9 x 2 feet 8-1/2 inches structure mounted posts. 4 each - 1 feet 0 inches x 1 feet 0 inches x 1/2 inch plates. 20 each - 6 inch X 8 inch X 14 inch Wood Block Outs. 4 each - Buffer End Terminal Section. 20 each - Guardrail Bolt & Nut, Hex Head (5/8 inch dia. X 10 inch). 112 each - Guardrail Splice Bolt (5/8 inch dia X 1-1/4 inch)

SCHEDU	LE OF EVENTS	
Line	Event	Event Date
1	Tech Questions due by 10:00am	2024-10-17

·	Document Phase	Document Description	Page 5
DOT2500000022		Steel piling, epoxy coated rebar and guardrail	

## ADDITIONAL TERMS AND CONDITIONS

See attached document(s) for additional Terms and Conditions

DESIGNATED CONTACT:	Vendor appoints the individual identified in this Section as the
Control A 1	vendor appoints the individual identified in this Section as the
Contract Administrator and the	initial point of contact for matters relating to this Contract.
	resident for matters relating to this Contract.

(Printed Name and Title) JIM MATTINGY, PRESIDENT
(Address) 801 PEYTON Way 149, CHARLESTON, W/25309
(Phone Number) / (Fax Number) 304-677-0582
(email address) SHAGEMOUNTAND NET
CERTIFICATION AND SIGNATURE: By signing below, or submitting documentation through wvOASIS, I certify that: I have reviewed this Solicitation/Contract in its entirety; that I understand the requirements, terms and conditions, and other information contained herein; that this bid, offer or proposal constitutes an offer to the State that cannot be unilaterally withdrawn; that the product or service proposed meets the mandatory requirements contained in the Solicitation/Contract for that product or service, unless otherwise stated herein; that the Vendor accepts the terms and conditions contained in the Solicitation, unless otherwise stated herein; that I am submitting this bid, offer or proposal for review and consideration; that this bid or offer was made without prior understanding, agreement, or connection with any entity submitting a bid or offer for the same material, supplies, equipment or services; that this bid or offer is in all respects fair and without collusion or fraud; that this Contract is accepted or entered into without any prior understanding, agreement, or connection to any other entity that could be considered a violation of law; that I am authorized by the Vendor to execute and submit this bid, offer, or proposal, or any documents related thereto on Vendor's behalf; that I am authorized to bind the vendor in a contractual relationship; and that to the best of my knowledge, the vendor has properly registered with any State agency that may require registration.
By signing below, I further certify that I understand this Contract is subject to the provisions of West Virginia Code § 5A-3-62, which automatically voids certain contract
clauses that violate State law; and that pursuant to W. Va. Code 5A-3-63, the entity
entering into this contract is prohibited from engaging in a boycott against Israel.
(Company)  (Signature of Authorized Representative)
(Signature of Authorized Representative)
(Printed Name and Title of Authorized Representative) (Date)
304-677-0582
(Phone Number) (Fax Number)
SHAGE MOUSTAIN, NET
(Email Address)

<b>EXHIBIT A-Pricing Page</b>	EXHIE	BIT A	-Pricing	Page
-------------------------------	-------	-------	----------	------

Item Number	Quantity	Unit of Measure	Description	Unit Cost	Total
1	35,100	LBS	35,100 pounds W12X65 Steel Piling - Steel piling must be 18 pieces - 30 feet 0 inches. Steel piling shall conform to the requirements of ASTM A572 (fs = 50,000 p.s.i.).	\$0.92	\$32,292.00
2	2,236	LBS	2,236 pounds of #5 Epoxy Coated Bent Rebar - Dimensions of all #5 epoxy coated bent rebarshall be manufactured to match the specifications listed in the accompanying set of pertinent plans for this project. All reinforcing steel shall be intermediate grade billet steel, grade 40 or grade 60 in accordance with subsection 709.1 of the Standard Specifications. The requirements of Section 602 of the Standard Specifications shall be followed.	\$1.30	\$2,906.80
3	1,377	LBS	1,377 pounds #5 Epoxy Coated Straight Rebar - #5 epoxy coated straight rebar must be 66 pieces - 20 feet 0 inches. All reinforcing steel shall be intermediate grade billet steel, grade 40 or grade 60 in accordance with subsection 709.1 of the Standard Specifications. The requirements of Section 602 of the Standard Specifications shall be followed.	\$1.30	\$1,790.10
4	2,563	LBS	2,563 pounds #8 Epoxy Coated Straight Rebar- #8 epoxy coated straight rebar must be 48 pieces - 20 feet 0 inches. All reinforcing steel shall be intermediate grade billet steel, grade 40 or grade 60 in accordance with subsection 709.1 of the Standard Specifications. The requirements of Section 602 of the Standard Specifications shall be followed. W 12"x65#x40' structural steel beams	\$1.30	\$3,331.90
5	100		100 Linear Feet, Class 1 W-beam Guardrail. 100 linear feet - Class 1 W-Beam Approach Rail. Dimensions of all approach rail shall be delivered to match the radii listed in the accompanying set of pertinent plans for this project. 16 each - W6X9 x 6 feet 0 inches approach posts, 4 each W6X9 x 2 feet 8-1/2 inches structure mounted posts, 4 each 1 feet 0 inches x 1 feet 0 inches x 1/2 inch plates, 20 each 6 inch x 8 inch x 14 inch Wood Block Outs, 4 each Buffer End Terminal Section, 20 each Guardrail Bolt & Nut, Hex Head (5/8 inch dia. X 10 inch) and 112 each Guardrail Splice Bolt (5/8 inch dia. X 1-1/4 inch)	\$ 35.38	\$3,538.00
	Grand Total				\$43,858.80