



The following documentation is an electronically-submitted vendor response to an advertised solicitation from the *West Virginia Purchasing Bulletin* within the Vendor Self-Service portal at [wvOASIS.gov](http://wvOASIS.gov). As part of the State of West Virginia's procurement process, and to maintain the transparency of the bid-opening process, this documentation submitted online is publicly posted by the West Virginia Purchasing Division at [WVPurchasing.gov](http://WVPurchasing.gov) with any other vendor responses to this solicitation submitted to the Purchasing Division in hard copy format.

Header # 1

[List View](#)

[General Information](#) | [Contact](#) | [Default Values](#) | [Discard](#) | [Document Information](#) | [Certification Request](#)

Procurement Folder: 1627348

Procurement Type: Central Purchase Order

Vendor ID: [V59008942964](#)

Legal Name: RED VEST SUPPLY LLC

Alias/DBA:

Total Bid: 988,491.49

Response Date: 03/11/2025

Response Time: 13:04

Responded By User ID: [Redvestsupply](#)

First Name: Mickael

Last Name: Lachey

Email: [gsordani@redvestsupply.com](mailto:gsordani@redvestsupply.com)

Phone: 740577375

SO Doc Code: CRPO

SO Dept: 1408

SO Doc ID: AGR2588000413

Published Date: 3/11/25

Close Date: 3/18/25

Close Time: 15:30

Status: Closed

Solicitation Description: [Chief Procurement](#)

Total of Header Attachments: 3

Total of All Attachments: 3



Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

**State of West Virginia  
 Solicitation Response**

**Proc Folder:** 1627348  
**Solicitation Description:** Chest Freezers  
**Proc Type:** Central Purchase Order

| Solicitation Closes | Solicitation Response        | Version |
|---------------------|------------------------------|---------|
| 2025-03-19 13:30    | SR 1400 ESR03112500000005449 | 1       |

**VENDOR**  
 VS0000042984  
 RED VEST SUPPLY LLC

**Solicitation Number:** CRFQ 1400 AGR2500000013  
**Total Bid:** 66401.39999999999417923390865 **Response Date:** 2025-03-11 **Response Time:** 13:06:41  
**Comments:**

**FOR INFORMATION CONTACT THE BUYER**  
 Larry D McDonnell  
 304-558-2063  
 larry.d.mcdonnell@wv.gov

**Vendor Signature X** **FEIN#** **DATE**

All offers subject to all terms and conditions contained in this solicitation

| Line | Comm Ln Desc   | Qty      | Unit Issue | Unit Price  | Ln Total Or Contract Amount |
|------|----------------|----------|------------|-------------|-----------------------------|
| 1    | Chest Freezers | 60.00000 | EA         | 1106.690000 | 66401.40                    |

| Comm Code | Manufacturer | Specification | Model # |
|-----------|--------------|---------------|---------|
| 24131601  |              |               |         |

**Commodity Line Comments:** Please note that delivery time is 7-10 business days at receipt of order. A detailed spec sheet is also attached of the unit with requirements highlighted in yellow. Thank you!

**Extended Description:**

See attached documentation for further details.

# Quotation

RED VEST SUPPLY  
604 Jett Street  
West Portsmouth, OH 45663  
Phone (740) 357-7371



**DATE** 03/10/25  
**Quotation #** CRFQ-1400-  
AGR2500000013-1  
**Customer ID** STWV

**Quotation For:**  
STATE OF WEST  
VIRGINIA

*Quotation valid until:* 04-10-2025

### Comments or Special Instructions:

Please see attached spec sheet with highlighted sections that match requirements.

| SALESPERSON | P.O. NUMBER | LEAD TIME     | SHIP VIA | F.O.B. POINT | TERMS       |
|-------------|-------------|---------------|----------|--------------|-------------|
| Nikki Baffa |             | 7-10 BUS DAYS |          |              | Net 30 Days |

| QUANTITY | DESCRIPTION  | UNIT PRICE  | AMOUNT       |
|----------|--|-------------|--------------|
| 60       | Kelvinator KCCF170WH Chest Freezers - 17.7 cu. ft. - 115V - Horizontal, opens from the top - 59.5" Long - Temp. Range: -15 to +10 F - Includes heavy duty casters with (2) that lock - Includes bottom drain - Energy Star Rating - ETL Safety listed for US & Canada - Color: White | \$ 1,106.69 | \$ 66,401.40 |

|              |                     |
|--------------|---------------------|
| SUBTOTAL     | \$ 66,401.40        |
| TAX RATE     | 0.00%               |
| SALES TAX    | \$ 0.00             |
| OTHER        | -                   |
| <b>TOTAL</b> | <b>\$ 66,401.40</b> |

If you have any questions concerning this quotation, contact [sales@redvestsupply.com](mailto:sales@redvestsupply.com)



# CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)  
09/26/2024

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

**IMPORTANT:** If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

|   |  |  |       |
|---|--|--|-------|
| <b>PRODUCER</b><br>Coverdash<br>286 5th Ave<br>New York NY 10001                        |  | <b>CONTACT NAME:</b> Coverdash Agents<br><b>PHONE (A/C. No. Ext):</b><br><b>FAX (A/C. No):</b><br><b>E-MAIL ADDRESS:</b> agents@coverdash.com  |       |
| <b>INSURED</b><br>Red Vest Supply, LLC<br>604 Jett Street<br>West Portsmouth Ohio 45663 |  | <b>INSURER(S) AFFORDING COVERAGE</b><br><b>INSURER A :</b> THE STANDARD FIRE INSURANCE COMPANY<br><b>INSURER B :</b><br><b>INSURER C :</b><br><b>INSURER D :</b><br><b>INSURER E :</b><br><b>INSURER F :</b> |       |
|   |  | NAIC #   | 19070 |

### COVERAGES

CERTIFICATE NUMBER:

REVISION NUMBER:

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

| INSR LTR | TYPE OF INSURANCE   | ADDL INSR | SUBR WVD | POLICY NUMBER | POLICY EFF (MM/DD/YYYY) | POLICY EXP (MM/DD/YYYY) | LIMITS   |
|----------|---|-----------|----------|---------------|-------------------------|-------------------------|--|
| A        | <b>GENERAL LIABILITY</b><br><input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY<br><input type="checkbox"/> CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR<br>GEN'L AGGREGATE LIMIT APPLIES PER:<br><input checked="" type="checkbox"/> POLICY <input type="checkbox"/> PROJECT <input type="checkbox"/> LOC <input type="checkbox"/> OTHER | Y         | Y        | 002Y472318    | 2024-04-22              | 2025-04-22              | EACH OCCURRENCE \$1,000,000<br>DAMAGE TO RENTED PREMISES (Ea occurrence) \$300,000<br>MED EXP (Any one person) \$5,000<br>PERSONAL & ADV INJURY \$1,000,000<br>GENERAL AGGREGATE \$2,000,000<br>PRODUCTS - COMP/OP AGG \$2,000,000 |
|          | <b>AUTOMOBILE LIABILITY</b><br><input type="checkbox"/> ANY AUTO<br><input type="checkbox"/> ALL OWNED AUTOS<br><input type="checkbox"/> HIRED AUTOS<br><input type="checkbox"/> SCHEDULED AUTOS<br><input type="checkbox"/> NON-OWNED AUTOS  |           |          |               |                         |                         | COMBINED SINGLE LIMIT (Ea accident) \$<br>BODILY INJURY (Per person) \$<br>BODILY INJURY (Per accident) \$<br>PROPERTY DAMAGE (Per accident) \$  |
|          | <b>UMBRELLA LIAB</b> <input type="checkbox"/> OCCUR<br><b>EXCESS LIAB</b> <input type="checkbox"/> CLAIMS-MADE<br>DED RETENTION \$  |           |          |               |                         |                         | EACH OCCURRENCE \$<br>AGGREGATE \$   |
|          | <b>WORKERS COMPENSATION AND EMPLOYERS' LIABILITY</b><br>ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH)<br>If yes, describe under DESCRIPTION OF OPERATIONS below   |           |          |               |                         |                         | <input type="checkbox"/> PER STATUTE <input type="checkbox"/> OTHER<br>E.L. EACH ACCIDENT \$<br>E.L. DISEASE - EA EMPLOYEE \$<br>E.L. DISEASE - POLICY LIMIT \$  |

### DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (Attach ACORD 101, Additional Remarks Schedule, if more space is required)

This certificate was generated automatically by the insured through the Coverdash self service portal.

The Commonwealth and its agents as an Additional Insured for the contract resulting from the solicitation. Additional insured protection afforded is on a primary and non-contributory basis.

### CERTIFICATE HOLDER

### CANCELLATION

|   |   |
|---|---|
| Finance and Administration Cabinet, DCM<br>Office of Procurement Services<br>200 Mero Street, 5th Floor<br>Frankfort KY 40622 | SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.<br><br>AUTHORIZED REPRESENTATIVE<br> |
|---|---|

© 1988-2010 ACORD CORPORATION. All rights reserved.

AGENCY CUSTOMER ID: \_\_\_\_\_

LOC #: \_\_\_\_\_



## ADDITIONAL REMARKS SCHEDULE

Page 2 of 2

|                     |           |                 |
|---------------------|-----------|-----------------|
| AGENCY<br>Coverdash |           |                 |
| POLICY NUMBER       |           |                 |
| CARRIER             | NAIC CODE | EFFECTIVE DATE: |
|                     |           |                 |

### ADDITIONAL REMARKS

THIS ADDITIONAL REMARKS FORM IS A SCHEDULE TO ACORD FORM,  
FORM NUMBER: 25 FORM TITLE: CERTIFICATE OF LIABILITY INSURANCE

## Chest Freezer Solid Top Chest Freezer 59.5 " Long

ITEM # \_\_\_\_\_

MODEL # \_\_\_\_\_

NAME # \_\_\_\_\_

SIS # \_\_\_\_\_

AIA # \_\_\_\_\_



738231 (KCCF170WH)

Solid Top Chest Freezer 59.5  
" Long

### Short Form Specification

Item No. \_\_\_\_\_

Solid top chest freezer, 59.5 inches long, with foamed lid and soft closing mechanism to ensure gentle lid closure. Internal and external structure in white painted steel. Basket, vertical basket divider, NSF thermometer and lock included as standard. Defrost water drain with plug for easy cleaning. R290 refrigerant gas for the lowest environmental impact (GWP=3).

The temperature range is -15° to 10°F.

ETL safety and sanitation listed for US and Canada.

Equipped with NEMA 5-15P plug.

### Main Features

- Temperature range of -15 to +10 F°
- Hydrocarbon refrigerant gas R290 for the lowest environmental impact (GWP=3) - CFC and HCFC free.
- Low energy consumption
- Mechanical control panel with adjustable temperature
- Included as standard 1 NSF® certified temperature gauge and 1 basket (including one vertical divider) durable and reliable for safety in food storage
- Removable rubber bumper guards
- Bottom drain with plug for easy interior cleaning and defrost water discharge

### Construction

- Foamed lid for best insulation and product robustness
- Soft closing lid mechanism
- Static condenser
- Exterior and Interior finish in white painted steel
- Locking lid and key protect the contents of the unit
- Mounted on heavy-duty casters, two locking to keep unit in place but allows position adjusting.


### Sustainability

- CFC and HCFC free, highly ecological refrigerant type: R290 (ecological gas in foam: cyclopentane). Hydrocarbon refrigerant gas R290 for the lowest environmental impact (GWP=3), to reduce green house and ozone depletion effects.
- Hydrocarbon refrigerant gas R290 for the lowest environmental impact (GWP=3) - CFC and HCFC free.
- High efficiency components to minimize the energy consumption still guaranteeing the highest performances.

### Optional Accessories

- Basket for Solid Top Chest Freezer PNC 882000   
22.63x8.15x7.52 in. (575x207x191 mm)

APPROVAL: \_\_\_\_\_



## Electric

|                        |                    |                  |
|------------------------|--------------------|------------------|
| Supply voltage:        | 738231 (KCCF170WH) | 115 V/1 ph/60 Hz |
| Electrical power, max: |                    | 0.2 kW           |
| Plug type:             |                    | USA NEMA 1-15P   |

## Capacity:

|                 |              |
|-----------------|--------------|
| Gross capacity: | 17.7 cu.feet |
|-----------------|--------------|

## Key Information:

|                                |  |
|--------------------------------|--|
| External dimensions, Width:    | 59 7/16" (1510 mm)                           |
| External dimensions, Depth:    | 29 5/16" (744.22 mm)                         |
| External dimensions, Height:   | 36 1/2" (927 mm)                             |
| Freezer baskets (Number/Type): | 1 / Wire                                     |
| Control                        | Mechanical                                   |
| Warranty                       | 1/5 Years                                    |
| Internal Dimensions (depth):   | 21 5/8" / (550 mm)                           |
| Internal Dimensions (width):   | 53 3/4" / (1366 mm)                          |
| Net weight:                    | 170 lbs (77 kg)                              |
| Shipping width:                | 30 1/2" (775 mm)                             |
| Shipping height:               | 42 1/64" (1067 mm)                           |
| Shipping weight:               | 205 lbs (93 kg)                              |
| Shipping volume:               | 46.22 ft <sup>3</sup> (1.31 m <sup>3</sup> ) |

## Approvals

ENERGY STAR; ETL C&US; ETL SANITATION

## Refrigeration Data

|                               |          |
|-------------------------------|----------|
| Condenser type:               | Static   |
| Temperature display location: | Internal |
| Compressor power:             | 1/5 hp   |
| Operating temperature min.:   | -20.2 °F |
| Operating temperature max.:   | 10.4 °F  |

## Sustainability

|                      |          |
|----------------------|----------|
| Current consumption: | 1.9 Amps |
| Refrigerant type:    | R290     |
| GWP Index:           | 3        |
| Refrigerant weight:  | 119 g    |

Chest Freezer  
Solid Top Chest Freezer 59.5" Long

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.

