



Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

**State of West Virginia  
 Centralized Request for Quote  
 Equipment**

<b>Proc Folder:</b> 1358302			<b>Reason for Modification:</b> ADDENDUM NO_3 Vendor Questions and Responses
<b>Doc Description:</b> Addendum No_3 Skid Steer Attachments			
<b>Proc Type:</b> Central Master Agreement			
<b>Date Issued</b>	<b>Solicitation Closes</b>	<b>Solicitation No</b>	<b>Version</b>
2024-02-15	2024-02-22 13:30	CRFQ 0803 DOT2400000061	4

**BID RECEIVING LOCATION**


BID CLERK  
 DEPARTMENT OF ADMINISTRATION  
 PURCHASING DIVISION  
 2019 WASHINGTON ST E  
 CHARLESTON WV 25305  
 US

RECEIVED  
 2024 FEB 21 PM 2:52  
 WV PURCHASING  
 DIVISION

**VENDOR**

**Vendor Customer Code:** 000000205464  
**Vendor Name :** STATE EQUIPMENT, INC.  
**Address :**  
**Street :** 560 NEW GOFF MOUNTAIN ROAD  
**City :** CROSS LANES  
**State :** WV **Country :** USA **Zip :** 25313  
**Principal Contact :** SETH GARDNER  
**Vendor Contact Phone:** 304-776-4405 **Extension:**

**FOR INFORMATION CONTACT THE BUYER**  
 John W Estep  
 304-558-2566  
 john.w.estep@wv.gov

Vendor Signature  **FEIN#** 550658298 **DATE** 2/21/24

All offers subject to all terms and conditions contained in this solicitation

**ADDITIONAL INFORMATION**

ADDENDUM NO\_3

Addendum No\_3 issued to publish and distribute the attached information to the Vendor Community

**REQUEST FOR QUOTATION:**

The West Virginia Purchasing Division is soliciting bids on behalf of West Virginia Division of Highways to establish an open-end contract for a Skid Steer Attachments. Per the Bid Requirements, Specifications, Terms and Conditions attached to this solicitation.

**INVOICE TO** | **SHIP TO**

DIVISION OF HIGHWAYS EQUIPMENT DIVISION RT 33 83 BRUSHY ROAD CROSSING, PO BOX 610 BUCKHANNON WV US	DIVISION OF HIGHWAYS EQUIPMENT DIVISION 83 BRUSHY FORK RD CROSSING BUCKHANNON WV US
---	--

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
1	Industrial Grapple Rake	10.00000	EA	\$5,900.00	\$59,000.00

Comm Code	Manufacturer	Specification	Model #
27112003	ERSKINE	INDUSTRIAL GRAPPLE RAKE	925060

**Extended Description:**

Skid Steer Attachments Industrial Grapple Rake

**INVOICE TO** | **SHIP TO**

DIVISION OF HIGHWAYS EQUIPMENT DIVISION RT 33 83 BRUSHY ROAD CROSSING, PO BOX 610 BUCKHANNON WV US	DIVISION OF HIGHWAYS EQUIPMENT DIVISION 83 BRUSHY FORK RD CROSSING BUCKHANNON WV US
---	--

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
2	Pallet Forks	10.00000	EA	\$1,585.00	\$15,850.00

Comm Code	Manufacturer	Specification	Model #
24101628	ERSKINE	PALLET FORKS	900710

**Extended Description:**

Skid Steer Attachments Pallet Forks

INVOICE TO		SHIP TO	
DIVISION OF HIGHWAYS EQUIPMENT DIVISION RT 33 83 BRUSHY ROAD CROSSING, PO BOX 610 BUCKHANNON WV US		DIVISION OF HIGHWAYS EQUIPMENT DIVISION 83 BRUSHY FORK RD CROSSING BUCKHANNON WV US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
3	Wheel Saw	10.00000	EA	\$23,400.00	\$234,000.00

Comm Code	Manufacturer	Specification	Model #
27112745	ERSKINE	WHEEL SAW	18HDRS

**Extended Description:**  
Skid Steer Attachments Wheel Saw

INVOICE TO		SHIP TO	
DIVISION OF HIGHWAYS EQUIPMENT DIVISION RT 33 83 BRUSHY ROAD CROSSING, PO BOX 610 BUCKHANNON WV US		DIVISION OF HIGHWAYS EQUIPMENT DIVISION 83 BRUSHY FORK RD CROSSING BUCKHANNON WV US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
4	RoadRunner	10.00000	EA	\$8,195.00	\$81,950.00

Comm Code	Manufacturer	Specification	Model #
22101600	ROAD RUNNER	ROAD RUNNER	MTS2434

**Extended Description:**  
Skid Steer Attachments Roadrunner

**SCHEDULE OF EVENTS**

<u>Line</u>	<u>Event</u>	<u>Event Date</u>
1	Prebid meeting Buckhannon WV 11:00am	2024-02-07
2	Tech Questions due by 10:00am	2024-02-13

# SOLICITATION NUMBER: CRFQ DOT2400000061

## Addendum Number: 3

The purpose of this addendum is to modify the solicitation identified as CRFQ DOT2400000061 ("Solicitation") to reflect the change(s) identified and described below.

### Applicable Addendum Category:

- Modify bid opening date and time
- Modify specifications of product or service being sought
- Attachment of vendor questions and responses
- Attachment of pre-bid sign-in sheet
- Correction of error
- Other

### Additional Documentation:

Bid Opening remains 02/22/2024 at 1:30pm

### Terms and Conditions:

1. All provisions of the Solicitation and other addenda not modified herein shall remain in full force and effect.
2. Vendor should acknowledge receipt of all addenda issued for this Solicitation by completing an Addendum Acknowledgment, a copy of which is included herewith. Failure to acknowledge addenda may result in bid disqualification. The addendum acknowledgement should be submitted with the bid to expedite document processing.

**ADDENDUM FOR PRE-BID**

**CRFQ 0803 DOT2400000061**

**Skid Steer Attachments**

**The original language in contract will be listed first with question and answer to follow below.**

- 1. Question:** Is this a bid all or nothing?

**Answer:** Yes

- 2. 3.1.1.2** Skid steer attachments shall fit without modifications to the machine tool carrier with skid steer quick connect:
- A. CAT 299D3 XE
  - B. CAT 246C
  - C. CAT 246D
  - D. CAT 259D
  - E. CAT 279D
  - F. CAT 289XPS

**Question:** What size hydraulic couplers are on these machines?

**Answer:** The machines are equipped with the standard size fittings that CAT supplies on the machines.

- 3. 3.1.2.4** Weight shall be a minimum 1100 pounds and a maximum 1200 pounds.

**Question:** Would you allow a weight of 1,350 pounds?

**Answer:** Will accept.

- 4. 3.1.2.5** Shall have 11 serrated tines on the ground side allowing dirt and other small debris to fall through to the ground.

**Question:** Would you allow a rake that has 8 tines?

**Answer:** Will accept.

5. 3.1.4.3 Overall width shall be maximum of 66 inches and a minimum of 64 inches.

**Question:** Would you accept 66.5 inches?

**Answer:** Will accept.

6. 3.1.4.4 Overall height shall be a maximum of 58 inches and a minimum of 56 inches.

**Question:** Would you accept 64 inches?

**Answer:**

7. 3.1.4.5 Cutting wheel shall have a minimum of 64 bits and loaded with all purpose asphalt/concrete bits.

**Question:** Would you allow a unit that has 30 bits?

**Answer:** Will accept.

8. 3.1.4.5 Cutting wheel shall have a minimum of 64 bits and loaded with all purpose asphalt/concrete bit.

**Question:** Would you accept 54 bits.

**Answer:** Will accept.

9. 3.1.4.10 Wheel width shall be 3 inches.

**Question:** Would you accept 2.75 inches

**Answer:** Will accept.

10. 3.1.4.11 Shall have a pressure gauge to provide operator feedback for saw performance and be viewable from the cab.

**Question # 1:** Will you accept no pressure gauge (having trouble finding a manu. That offers this)

**Question # 2:** We do not offer a pressure gauge on our unit. Would this be acceptable? Pressure may be displayed by machine in cab, but we cannot guarantee.

**Answer:** Will accept with or without pressure gauge.

**11. 3.1.5 Roadrunner MTH 24-34 Multitask Paver/Spreader or equal.**

**Question # 1:** This model is no longer offered per Roadrunner

**Question # 2:** Roadrunner Equipment has advised that they are no longer producing the MTH model pavers/spreaders. They have been replaced by the MTS series. It appears the main difference is that it is no longer bucket mounted and instead has a skid steer bracket built into the attachment. I have attached a copy of the spec sheet for the new MTS series. Please advise on how to proceed.

**Answer:** We will accept the MTS 24-34

**12. 3.1.5.1 Shall be bucket mount.**

**Question:** Would you allow paver/spreader to be quick attached directly to quick coupler instead of bucket mount?

**Answer:** Will accept.

**13. Question:** Would you allow any attachment that requires a case drain to be used?

**Answer:** No

**ADDENDUM ACKNOWLEDGEMENT FORM**  
**SOLICITATION NO.: CRFO DOT240000061**

**Instructions:** Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

**Acknowledgment:** I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

**Addendum Numbers Received:**


(Check the box next to each addendum received)

- |  |  |
|--|--|
| <input type="checkbox"/> Addendum No. 1            | <input type="checkbox"/> Addendum No. 6  |
| <input type="checkbox"/> Addendum No. 2            | <input type="checkbox"/> Addendum No. 7  |
| <input checked="" type="checkbox"/> Addendum No. 3 | <input type="checkbox"/> Addendum No. 8  |
| <input type="checkbox"/> Addendum No. 4            | <input type="checkbox"/> Addendum No. 9  |
| <input type="checkbox"/> Addendum No. 5            | <input type="checkbox"/> Addendum No. 10 |

I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

STATE EQUIPMENT, INC

\_\_\_\_\_  
Company

  
Authorized Signature

2/21/24

\_\_\_\_\_  
Date

**NOTE:** This addendum acknowledgment should be submitted with the bid to expedite document processing.





Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

State of West Virginia  
 Centralized Request for Quote  
 Equipment

<b>Proc Folder:</b> 1358302			<b>Reason for Modification:</b> ADDENDUM NO_3 Vendor Questions and Responses
<b>Doc Description:</b> Addendum No_3 Skid Steer Attachments			
<b>Proc Type:</b> Central Master Agreement			
<b>Date Issued</b>	<b>Solicitation Closes</b>	<b>Solicitation No</b>	<b>Version</b>
2024-02-15	2024-02-22 13:30	CRFQ 0803 DOT2400000061	4

**BID RECEIVING LOCATION**

BID CLERK  
 DEPARTMENT OF ADMINISTRATION  
 PURCHASING DIVISION  
 2019 WASHINGTON ST E  
 CHARLESTON WV 25305  
 US

**VENDOR**

**Vendor Customer Code:**

**Vendor Name :** STATE EQUIPMENT, INC

**Address :**

**Street :** 560 NEW GOFF MOUNTAIN ROAD


**City :** CROSS LANES

**State :** WV **Country :** USA **Zip :** 25313

**Principal Contact :** SETH GARDNER

**Vendor Contact Phone:** 304-776-4405 **Extension:**

**FOR INFORMATION CONTACT THE BUYER**  
 John W Estep  
 304-558-2566  
 john.w.estep@wv.gov

**Vendor Signature**  **FEIN#** 550658298 **DATE** 2/21/24

All offers subject to all terms and conditions contained in this solicitation

**ADDITIONAL INFORMATION**

ADDENDUM NO\_3

Addendum No\_3 issued to publish and distribute the attached information to the Vendor Community

**REQUEST FOR QUOTATION:**

The West Virginia Purchasing Division is soliciting bids on behalf of West Virginia Division of Highways to establish an open-end contract for a Skid Steer Attachments. Per the Bid Requirements, Specifications, Terms and Conditions attached to this solicitation.

INVOICE TO		SHIP TO	
DIVISION OF HIGHWAYS EQUIPMENT DIVISION RT 33 83 BRUSHY ROAD CROSSING, PO BOX 610 BUCKHANNON WV US		DIVISION OF HIGHWAYS EQUIPMENT DIVISION 83 BRUSHY FORK RD CROSSING BUCKHANNON WV US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
1	Industrial Grapple Rake	10.00000	EA	\$5,900.00	\$59,000.00

Comm Code	Manufacturer	Specification	Model #
27112003	ERSKINE	INDUSTRIAL GRAPPLE RAKE	925060

**Extended Description:**

Skid Steer Attachments Industrial Grapple Rake

INVOICE TO		SHIP TO	
DIVISION OF HIGHWAYS EQUIPMENT DIVISION RT 33 83 BRUSHY ROAD CROSSING, PO BOX 610 BUCKHANNON WV US		DIVISION OF HIGHWAYS EQUIPMENT DIVISION 83 BRUSHY FORK RD CROSSING BUCKHANNON WV US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
2	Pallet Forks	10.00000	EA	\$1,585.00	\$15,850.00

Comm Code	Manufacturer	Specification	Model #
24101628	ERSKINE	PALLET FORKS	900710

**Extended Description:**

Skid Steer Attachments Pallet Forks

INVOICE TO		SHIP TO	
DIVISION OF HIGHWAYS EQUIPMENT DIVISION RT 33 83 BRUSHY ROAD CROSSING, PO BOX 610 BUCKHANNON WV US		DIVISION OF HIGHWAYS EQUIPMENT DIVISION 83 BRUSHY FORK RD CROSSING BUCKHANNON WV US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
3	Wheel Saw	10.00000	EA	\$23,400.00	\$234,000.00

Comm Code	Manufacturer	Specification	Model #
27112745	ERSKINE	WHEEL SAW	18HDRS

**Extended Description:**  
Skid Steer Attachments Wheel Saw

INVOICE TO		SHIP TO	
DIVISION OF HIGHWAYS EQUIPMENT DIVISION RT 33 83 BRUSHY ROAD CROSSING, PO BOX 610 BUCKHANNON WV US		DIVISION OF HIGHWAYS EQUIPMENT DIVISION 83 BRUSHY FORK RD CROSSING BUCKHANNON WV US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
4	RoadRunner	10.00000	EA	\$8,195.00	\$81,950.00

Comm Code	Manufacturer	Specification	Model #
22101600	ROAD RUNNER	ROAD RUNNER	MTS2434

**Extended Description:**  
Skid Steer Attachments Roadrunner

**SCHEDULE OF EVENTS**

Line	Event	Event Date
1	Prebid meeting Buckhannon WV 11:00am	2024-02-07
2	Tech Questions due by 10:00am	2024-02-13

**DESIGNATED CONTACT:** Vendor appoints the individual identified in this Section as the Contract Administrator and the initial point of contact for matters relating to this Contract.

(Printed Name and Title) EDDIE ROWAN, JR      GENERAL MANAGER

(Address) 560 NEW GOFF MOUNTAIN ROAD CROSS LANES, WV 25313

(Phone Number) / (Fax Number) (304) 776-4405      (304) 776-4409


(email address) \_\_\_\_\_

**CERTIFICATION AND SIGNATURE:** By signing below, or submitting documentation through wvOASIS, I certify that: I have reviewed this Solicitation/Contract in its entirety; that I understand the requirements, terms and conditions, and other information contained herein; that this bid, offer or proposal constitutes an offer to the State that cannot be unilaterally withdrawn; that the product or service proposed meets the mandatory requirements contained in the Solicitation/Contract for that product or service, unless otherwise stated herein; that the Vendor accepts the terms and conditions contained in the Solicitation, unless otherwise stated herein; that I am submitting this bid, offer or proposal for review and consideration; that this bid or offer was made without prior understanding, agreement, or connection with any entity submitting a bid or offer for the same material, supplies, equipment or services; that this bid or offer is in all respects fair and without collusion or fraud; that this Contract is accepted or entered into without any prior understanding, agreement, or connection to any other entity that could be considered a violation of law; that I am authorized by the Vendor to execute and submit this bid, offer, or proposal, or any documents related thereto on Vendor's behalf; that I am authorized to bind the vendor in a contractual relationship; and that to the best of my knowledge, the vendor has properly registered with any State agency that may require registration.

*By signing below, I further certify that I understand this Contract is subject to the provisions of West Virginia Code § 5A-3-62, which automatically voids certain contract clauses that violate State law; and that pursuant to W. Va. Code 5A-3-63, the entity entering into this contract is prohibited from engaging in a boycott against Israel.*

STATE EQUIPMENT, INC

(Company)

  
(Signature of Authorized Representative)

EDDIE ROWAN, JR      GENERAL MANAGER      2/21/24

(Printed Name and Title of Authorized Representative) (Date)

(304) 776-4405      (304) 776-4409

(Phone Number) (Fax Number)

eddie@stateequipment.com

(Email Address)


REQUEST FOR QUOTATION  
Class 123 Skid Steer Attachments

---

- 8.2 Reports:** Vendor shall provide quarterly reports and annual summaries to the Agency showing the Agency's items purchased, quantities of items purchased, and total dollar value of the items purchased. Vendor shall also provide reports, upon request, showing the items purchased during the term of this Contract, the quantity purchased for each of those items, and the total value of purchases for each of those items. Failure to supply such reports may be grounds for cancellation of this Contract.
- 8.3 Contract Manager:** During its performance of this Contract, Vendor must designate and maintain a primary contract manager responsible for overseeing Vendor's responsibilities under this Contract. The Contract manager must be available during normal business hours to address any customer service or other issues related to this Contract. Vendor should list its Contract manager and his or her contact information below.


**Contract Manager:** EDDIE ROWAN, JR  
**Telephone Number:** (304)776-4405  
**Fax Number:** (304)776-4409  
**Email Address:** eddie@stateequipment.com

**VENDOR:** STATE EQUIPMENT, INC **Skid Steer Attachments**

Item No.	Description:	Model & Part Number Being Bid	Estimated Unit Quantity	Unit Price	Item Total Cost
1	Industrial Grapple Rake	ERSKINE 925060	10	\$5,900.00	\$59,000.00
2	Pallet Forks	ERSKINE 900710	10	\$1,585.00	\$15,850.00
3	Wheel Saw SW345	ERSKINE 18HTRS	10	\$23,400.00	\$234,000.00
4	Roadrunner MTH 24-34	ROADRUNNER MTS2434	10	\$8,195.00	\$81,950.00
<b>Total Bid Cost</b>					<b>\$390,800.00</b>

**Bid Will Be Awarded To The Lowest Overall Bid Total For All Items**

**Vendor Information**



<b>Company Name:</b> STATE EQUIPMENT, INC
<b>Contact Manager:</b> SETH GARDNER
<b>Address:</b> 560 NEW GOFF MOUNTAIN ROAD CROSS LANES, WV 25313
<b>Phone:</b> (304)776-4405
<b>Fax:</b> (304)776-4409
<b>E-mail:</b> seth@stateequipment.com
<b>Signature:</b> 



# ROADRUNNER

## WHY CHOOSE ROADRUNNER?

As a small, family-owned business, we are committed to providing you with well-built solutions to save both time and money. As part of our commitment to excellent customer service, we offer our customers the personal, one-on-one attention they deserve before, during, and after the sale. Our products are 100% American made, and we stand behind our products with a 3-year manufacturer's warranty.



### MULTITASK PAVER/SPREADER

#### FEATURES

- Bucket mount quickly attaches to any bucket lip.
- Receiving hopper tapered front to back to improve material flow.
- Gates adjust with screw jacks to work from 5" below grade to 4" above grade.
- Telescoping rods with case-hardened set screws.
- 2" skid shoes.
- Applications include asphalt trench paving, backfilling trenches, spreading base material on road shoulders, grading median strips, and grading sidewalks, or other confined areas.
- Variable widths achieved with hand crank, or with optional hydraulic widening.

#### OPTIONS

Two 4" cutoff plates bolted to inside of hopper to narrow paving width on any size by 8" (e.g. MT 30" -50" narrows to 22"). Also available in 6".

#### MT MODELS

##### Model - Paving Widths

MT 16-26 - 16" to 26"

MT 24-36 - 24" to 36"

MT 30-50 - 30" to 50"

MT 40-60 - 40" to 60"

#### MTH WITH ON-THE-GO HYDRAULIC WIDENING

##### Model - Paving Widths

MTH 24-34 - 24" to 34"

MTH 40-54 - 40" to 54"

Requires two remote outlets on boom.

### MULTITASK PAVER/SPREADER

Our heavy-duty paver/spreader tackles a wide range of paving applications. From trench grading and backfilling, to spreading base material on road shoulders and grading median strips, sidewalks, or other confined areas, this paver makes any tough paving job look easy.



# ROADRUNNER

PHONE  
717.405.7785

FAX  
717.983.4669

MAIL  
491 Fieldcrest Drive  
Willow Street, PA 17584

WEBSITE  
roadrunnerblade.com

EMAIL  
steven@roadrunnerblade.com





The Pallet Forks are a vital tool for any industry where bulk bales or palletized materials are moved. Forks are adjustable in width – just lift a lever to move them from 8" to 45" via the notch bar across the back.



PROTECTIVE LASER CUT BRICK GUARD



EACH FORK CAN BE MOVED INDEPENDENTLY




MULTIPLE FORK LENGTH OPTIONS TO TACKLE ANY PALLET SIZE







Take a Picture of This QR Code With Your Smart Phone to See it in Action



Solid Back shown below



SKID STEER

## FEATURES & BENEFITS

- Adjustable width from 8" to 45"
- Quick and easy movement of forks to desired width
- Brick guard is standard equipment

## SPECIFICATIONS / OPTIONS

Model	42" Utility	48" Utility	42"	48"	60"
Solid Back	900713	900714	900711	900710	900712
Walk Through	901642	901643	901639	901640	901641
Fork Length	42"	48"	42"	48"	60"
Weight	405 lb.	425 lb.	425 lb.	445 lb.	482 lb.
Load Rating (pair @ 24")	3,700 lb.	3,700 lb.	5,500 lb.	5,500 lb.	5,500 lb.

### Options

Bolt-on Steps

\* For more specification details please see our website [www.erskineattachments.com](http://www.erskineattachments.com)



# Heavy-Duty Rock Saw



Cut through asphalt and concrete with greater efficiency with the Heavy-Duty Rock Saw. This powerhouse delivers up to 20 FPM cutting speeds. Hydraulic side-shift and depth control allows skid steer operators to shift it up to 24" for maneuvering close to buildings and other obstacles from the comfort of your seat. Cut up to 18" or 24" deep. Side cutting teeth, a side motor protection blade, and a floating spoil deflector come standard.


2.75" CUTTING WIDTH



PUSH SPOIL MATERIAL TO THE SIDE  
SO YOU WON'T COMPACT IT




IDEAL FOR CUTTING EXPANSION JOINTS





Take a Picture of This QR Code With Your Smart-Phone to See It in Action



Guide arm allows operator to follow marked path for accurate, straight cuts

Wheel Apertures and inset teeth ensure a clean cut trench wall

Side teeth help with clean-out and reduce friction and binding

SKID STEER

## FEATURES & BENEFITS

- Highly visible depth gauge allows for more precise control over cutting depth
- Large spindle & support bearing improves cutting efficiency by stabilizing the cutter head
- Side cutter head teeth minimize any cutter head binding while cutting full depth trenches
- Dual depth control legs improve stability while cutting
- New motor & gearbox provides 33% more available torque than the standard Rock Saw
- Our universal quick attach plates fit most skid steers

## SPECIFICATIONS / OPTIONS

Model	18HDRS	24HDRS
Part Number	901306	901307
Minimum Flow Rate	25 GPM	25 GPM
Maximum Flow Rate	60 GPM	60 GPM
Maximum Speed	130 RPM	130 RPM
Minimum Operating Pressure	2,200 psi	2,200 psi
Maximum Pressure	4,800 psi	4,800 psi
Maximum Power Output	80 HP	80 HP
Maximum Torque	6,640 lb-ft	6,640 lb-ft
Hydraulic Flow Classification	High Flow	High Flow
Number of Teeth	54	72
Width of Cut	2.75"	2.75"
Depth of Cut	18"	24"
Depth Control	Hydraulic	Hydraulic
Side-Shift Distance	24"	24"
Side-Shift Control	Hydraulic	Hydraulic
Overall Width	66.5"	66.5"
Overall Length	69.5"	76.2"
Overall Height	53"	64"
Weight	2,700 lb.	3,300 lb.
Cutting Speed	Up to 20 FPM	Up to 20 FPM

### Options

Pistol Grip Control Harness
Loader Specific Wire Harness
Case Drain Required
Factory Installed Case Drain Coupler
Factory Installed Couplers
Factory Installed High Flow Couplers

\* For more specification details please see our website [www.erskineattachments.com](http://www.erskineattachments.com)

# Industrial Skeleton Grapple Rock Bucket



The HD Grapple Skeleton Rock Bucket is engineered to pick rocks and debris from the soil with the added feature of independent grapples to secure a variety of materials. Extra long tines allow you to carry larger loads. Gusseted tines make this attachment versatile for rooting and back dragging as well.

REINFORCED TUBING FOR  
ADDED TINE STRENGTH


BUCKET CONSTRUCTED OF  
1/2" THICK GRADE 50 STEEL

CARRY WHAT YOU WANT WHILE  
SIFTING OUT WHAT YOU DON'T





Take a Picture of This QR Code With Your Smart Phone to See it in Action



SKID STEER

## FEATURES & BENEFITS

- Open design for excellent operator visibility
- Extra long tines for carrying larger loads
- Tines designed to keep material from rolling forward
- 1/2" Grade 50 steel bucket construction
- Gusseted tines for added strength
- Excellent for rooting and back dragging
- Independent grapples for uneven loads

## SPECIFICATIONS / OPTIONS

Model	72"	84"
Part Number	925059	925060
Weight	1,044 lb.	1,164 lb.
Width	73"	85"
Depth	35"	35"
Spacing Between Teeth	3"	3"
Maximum Grapple Opening	36"	36"
Height (closed)	34"	34"
Height (open)	44"	44"
Hydraulic Cylinders	2"x10" (2)	2"x10" (2)
Bucket Steel Construction	Grade 50	Grade 50
Bucket Tine Thickness	1/2"	1/2"

### Options

Factory Installed Couplers

\* For more specification details please see our website [www.erskineattachments.com](http://www.erskineattachments.com)