



Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

State of West Virginia Purchase Order

Order Date: 08-27-2024

CORRECT ORDER NUMBER MUST APPEAR
ON ALL PACKAGES, INVOICES, AND
SHIPPING PAPERS. QUESTIONS
CONCERNING THIS ORDER SHOULD BE
DIRECTED TO THE DEPARTMENT
CONTACT.

Order Number:	CPO 0603 0603 ADJ2500000007 1	Procurement Folder:	1460530
Document Name:	Fencing Replacement for FWAATS (Bridgeport, WV)	Reason for Modification:	
Document Description:	Fencing Replacement for FWAATS (Bridgeport, WV)		
Procurement Type:	Central Purchase Order		
Buyer Name:	David H Pauline		
Telephone:	304-558-0067		
Email:	david.h.pauline@wv.gov		
Shipping Method:	Best Way	Effective Start Date:	
Free on Board:	FOB Dest, Freight Prepaid	Effective End Date:	

VENDOR		DEPARTMENT CONTACT	
Vendor Customer Code:	VS0000018890	Requestor Name:	Robert A Skaggs
RAA CONTRACTING		Requestor Phone:	(304) 561-6550
2682 CAMP GROUND RD		Requestor Email:	robert.a.skaggsii.nfg@army.mil
TUNNELTON	WV		
US	26444		
Vendor Contact Phone:	304-698-6660		
Extension:			
Discount Details:			
	Discount Allowed	Discount Percentage	Discount Days
#1	No	0.0000	0
#2	Not Entered		
#3	Not Entered		
#4	Not Entered		

2025
FILE LOCATION _____

INVOICE TO	SHIP TO
DIVISION ENGINEERING & FACILITIES ADJUTANT GENERALS OFFICE 1707 COONSKIN DR CHARLESTON WV 25311 US	FIXED WING ARMY AVIATION TRAINING SITE (FWAATS) ADJUTANT GENERALS OFFICE NORTH CENTRAL WEST VIRGINIA AIRPORT 1000 FIXED WING DRIVE BRIDGEPORT WV 26630 US

8/27/24 GC

Total Order Amount: \$87,168.00

Purchasing Division's File Copy

PURCHASING DIVISION AUTHORIZATION DATE: 8.27.24 ELECTRONIC SIGNATURE ON FILE	ATTORNEY GENERAL APPROVAL AS TO FORM DATE: 8/30/24 ELECTRONIC SIGNATURE ON FILE	ENCUMBRANCE CERTIFICATION DATE: 8-30-24 ELECTRONIC SIGNATURE ON FILE
--	---	--

Extended Description:

Construction Contract
(Entrance Fencing & Gate Installation Bridgeport)

The Vendor, RAA Contracting., agrees to enter into this one-time construction contract with the Agency, West Virginia Army National Guard, Construction and Facilities Management Office, to provide all labor, material, tools, equipment, supplies and supervision necessary to complete the fencing installation at the WVNG FWAATS facility located at 1000 Fixed Wing Drive in Bridgeport, WV, per the bid requirements, terms, conditions, specifications, Addendum No. 1 issued 07/25/2024, Addendum No. 2 issued 07/29/2024, and the vendor's bid dated 08/07/2024 all incorporated herein by reference and made apart of hereof. See the attached documents.

Line	Commodity Code	Quantity	Unit	Unit Price	Total Price
1	72154013	0.00000		0.000000	87168.00
Service From	Service To	Manufacturer	Model No		

Commodity Line Description: Fencing Installation

Extended Description:

See attached Bid Form to input pricing.

CONTRACT ITEM NO. 1 - Provide and furnish all labor, materials, tools, expendable equipment and all services to complete fencing installation per the attached specifications and documentation.

GENERAL TERMS AND CONDITIONS:

1. CONTRACTUAL AGREEMENT: Issuance of an Award Document signed by the Purchasing Division Director, or his designee, and approved as to form by the Attorney General's office constitutes acceptance by the State of this Contract made by and between the State of West Virginia and the Vendor. Vendor's signature on its bid, or on the Contract if the Contract is not the result of a bid solicitation, signifies Vendor's agreement to be bound by and accept the terms and conditions contained in this Contract.

2. DEFINITIONS: As used in this Solicitation/Contract, the following terms shall have the meanings attributed to them below. Additional definitions may be found in the specifications included with this Solicitation/Contract.

2.1. "Agency" or "Agencies" means the agency, board, commission, or other entity of the State of West Virginia that is identified on the first page of the Solicitation or any other public entity seeking to procure goods or services under this Contract.

2.2. "Bid" or "Proposal" means the vendors submitted response to this solicitation.

2.3. "Contract" means the binding agreement that is entered into between the State and the Vendor to provide the goods or services requested in the Solicitation.

2.4. "Director" means the Director of the West Virginia Department of Administration, Purchasing Division.

2.5. "Purchasing Division" means the West Virginia Department of Administration, Purchasing Division.

2.6. "Award Document" means the document signed by the Agency and the Purchasing Division, and approved as to form by the Attorney General, that identifies the Vendor as the contract holder.

2.7. "Solicitation" means the official notice of an opportunity to supply the State with goods or services that is published by the Purchasing Division.

2.8. "State" means the State of West Virginia and/or any of its agencies, commissions, boards, etc. as context requires.

2.9. "Vendor" or "Vendors" means any entity submitting a bid in response to the Solicitation, the entity that has been selected as the lowest responsible bidder, or the entity that has been awarded the Contract as context requires.

3. CONTRACT TERM; RENEWAL; EXTENSION: The term of this Contract shall be determined in accordance with the category that has been identified as applicable to this Contract below:

☐ **Term Contract**

Initial Contract Term: The Initial Contract Term will be for a period of _____. The Initial Contract Term becomes effective on the effective start date listed on the first page of this Contract, identified as the State of West Virginia contract cover page containing the signatures of the Purchasing Division, Attorney General, and Encumbrance clerk (or another page identified as _____), and the Initial Contract Term ends on the effective end date also shown on the first page of this Contract.

Renewal Term: This Contract may be renewed upon the mutual written consent of the Agency, and the Vendor, with approval of the Purchasing Division and the Attorney General's office (Attorney General approval is as to form only). Any request for renewal should be delivered to the Agency and then submitted to the Purchasing Division thirty (30) days prior to the expiration date of the initial contract term or appropriate renewal term. A Contract renewal shall be in accordance with the terms and conditions of the original contract. Unless otherwise specified below, renewal of this Contract is limited to _____ successive one (1) year periods or multiple renewal periods of less than one year, provided that the multiple renewal periods do not exceed the total number of months available in all renewal years combined. Automatic renewal of this Contract is prohibited. Renewals must be approved by the Vendor, Agency, Purchasing Division and Attorney General's office (Attorney General approval is as to form only)

☐ **Alternate Renewal Term** – This contract may be renewed for _____ successive _____ year periods or shorter periods provided that they do not exceed the total number of months contained in all available renewals. Automatic renewal of this Contract is prohibited. Renewals must be approved by the Vendor, Agency, Purchasing Division and Attorney General's office (Attorney General approval is as to form only)

Delivery Order Limitations: In the event that this contract permits delivery orders, a delivery order may only be issued during the time this Contract is in effect. Any delivery order issued within one year of the expiration of this Contract shall be effective for one year from the date the delivery order is issued. No delivery order may be extended beyond one year after this Contract has expired.

☒ **Fixed Period Contract:** This Contract becomes effective upon Vendor's receipt of the notice to proceed and must be completed within Sixty (60) calendar days.

☐ **Fixed Period Contract with Renewals:** This Contract becomes effective upon Vendor's receipt of the notice to proceed and part of the Contract more fully described in the attached specifications must be completed within _____ days. Upon completion of the work covered by the preceding sentence, the vendor agrees that:

☐ the contract will continue for _____ years;

☐ the contract may be renewed for _____ successive _____ year periods or shorter periods provided that they do not exceed the total number of months contained in all available renewals. Automatic renewal of this Contract is prohibited. Renewals must be approved by the Vendor, Agency, Purchasing Division and Attorney General's Office (Attorney General approval is as to form only).

☐ **One-Time Purchase:** The term of this Contract shall run from the issuance of the Award Document until all of the goods contracted for have been delivered, but in no event will this Contract extend for more than one fiscal year.

☐ **Construction/Project Oversight:** This Contract becomes effective on the effective start date listed on the first page of this Contract, identified as the State of West Virginia contract cover page containing the signatures of the Purchasing Division, Attorney General, and Encumbrance clerk (or another page identified as _____), and continues until the project for which the vendor is providing oversight is complete.

☐ **Other:** Contract Term specified in _____

4. AUTHORITY TO PROCEED: Vendor is authorized to begin performance of this contract on the date of encumbrance listed on the front page of the Award Document unless either the box for "Fixed Period Contract" or "Fixed Period Contract with Renewals" has been checked in Section 3 above. If either "Fixed Period Contract" or "Fixed Period Contract with Renewals" has been checked, Vendor must not begin work until it receives a separate notice to proceed from the State. The notice to proceed will then be incorporated into the Contract via change order to memorialize the official date that work commenced.

5. QUANTITIES: The quantities required under this Contract shall be determined in accordance with the category that has been identified as applicable to this Contract below.

☐ **Open End Contract:** Quantities listed in this Solicitation/Award Document are approximations only, based on estimates supplied by the Agency. It is understood and agreed that the Contract shall cover the quantities actually ordered for delivery during the term of the Contract, whether more or less than the quantities shown.

☐ **Service:** The scope of the service to be provided will be more clearly defined in the specifications included herewith.

☒ **Combined Service and Goods:** The scope of the service and deliverable goods to be provided will be more clearly defined in the specifications included herewith.

☐ **One-Time Purchase:** This Contract is for the purchase of a set quantity of goods that are identified in the specifications included herewith. Once those items have been delivered, no additional goods may be procured under this Contract without an appropriate change order approved by the Vendor, Agency, Purchasing Division, and Attorney General's office.

☐ **Construction:** This Contract is for construction activity more fully defined in the specifications.

6. EMERGENCY PURCHASES: The Purchasing Division Director may authorize the Agency to purchase goods or services in the open market that Vendor would otherwise provide under this Contract if those goods or services are for immediate or expedited delivery in an emergency. Emergencies shall include, but are not limited to, delays in transportation or an unanticipated increase in the volume of work. An emergency purchase in the open market, approved by the Purchasing Division Director, shall not constitute a breach of this Contract and shall not entitle the Vendor to any form of compensation or damages. This provision does not excuse the State from fulfilling its obligations under a One-Time Purchase contract.

7. REQUIRED DOCUMENTS: All of the items checked in this section must be provided to the Purchasing Division by the Vendor as specified:

☒ **LICENSE(S) / CERTIFICATIONS / PERMITS:** In addition to anything required under the Section of the General Terms and Conditions entitled Licensing, the apparent successful Vendor shall furnish proof of the following licenses, certifications, and/or permits upon request and in a form acceptable to the State. The request may be prior to or after contract award at the State's sole discretion.

☒ WV Contractor's License

☐

☐

☐

The apparent successful Vendor shall also furnish proof of any additional licenses or certifications contained in the specifications regardless of whether or not that requirement is listed above.

8. INSURANCE: The apparent successful Vendor shall furnish proof of the insurance identified by a checkmark below prior to Contract award. The insurance coverages identified below must be maintained throughout the life of this contract. Thirty (30) days prior to the expiration of the insurance policies, Vendor shall provide the Agency with proof that the insurance mandated herein has been continued. Vendor must also provide Agency with immediate notice of any changes in its insurance policies, including but not limited to, policy cancellation, policy reduction, or change in insurers. The apparent successful Vendor shall also furnish proof of any additional insurance requirements contained in the specifications prior to Contract award regardless of whether that insurance requirement is listed in this section.

Vendor must maintain:

☒ **Commercial General Liability Insurance** in at least an amount of: \$1,000,000.00 per occurrence.

☒ **Automobile Liability Insurance** in at least an amount of: \$1,000,000.00 per occurrence.

☐ **Professional/Malpractice/Errors and Omission Insurance** in at least an amount of: _____ per occurrence. Notwithstanding the forgoing, Vendor's are not required to list the State as an additional insured for this type of policy.

☐ **Commercial Crime and Third Party Fidelity Insurance** in an amount of: _____ per occurrence.

☐ **Cyber Liability Insurance** in an amount of: _____ per occurrence.

☐ **Builders Risk Insurance** in an amount equal to 100% of the amount of the Contract.

☐ **Pollution Insurance** in an amount of: _____ per occurrence.

☐ **Aircraft Liability** in an amount of: _____ per occurrence.

☐

☐

☐

☐

9. WORKERS' COMPENSATION INSURANCE: Vendor shall comply with laws relating to workers compensation, shall maintain workers' compensation insurance when required, and shall furnish proof of workers' compensation insurance upon request.

10. VENUE: All legal actions for damages brought by Vendor against the State shall be brought in the West Virginia Claims Commission. Other causes of action must be brought in the West Virginia court authorized by statute to exercise jurisdiction over it.

11. LIQUIDATED DAMAGES: This clause shall in no way be considered exclusive and shall not limit the State or Agency's right to pursue any other available remedy. Vendor shall pay liquidated damages in the amount specified below or as described in the specifications:

☐ _____ for _____.

☒ Liquidated Damages Contained in the Specifications.

☐ Liquidated Damages Are Not Included in this Contract.

12. ACCEPTANCE: Vendor's signature on its bid, or on the certification and signature page, constitutes an offer to the State that cannot be unilaterally withdrawn, signifies that the product or service proposed by vendor meets the mandatory requirements contained in the Solicitation for that product or service, unless otherwise indicated, and signifies acceptance of the terms and conditions contained in the Solicitation unless otherwise indicated.

13. PRICING: The pricing set forth herein is firm for the life of the Contract, unless specified elsewhere within this Solicitation/Contract by the State. A Vendor's inclusion of price adjustment provisions in its bid, without an express authorization from the State in the Solicitation to do so, may result in bid disqualification. Notwithstanding the foregoing, Vendor must extend any publicly advertised sale price to the State and invoice at the lower of the contract price or the publicly advertised sale price.

14. PAYMENT IN ARREARS: Payments for goods/services will be made in arrears only upon receipt of a proper invoice, detailing the goods/services provided or receipt of the goods/services, whichever is later. Notwithstanding the foregoing, payments for software maintenance, licenses, or subscriptions may be paid annually in advance.

15. PAYMENT METHODS: Vendor must accept payment by electronic funds transfer and P-Card. (The State of West Virginia's Purchasing Card program, administered under contract by a banking institution, processes payment for goods and services through state designated credit cards.)

16. TAXES: The Vendor shall pay any applicable sales, use, personal property or any other taxes arising out of this Contract and the transactions contemplated thereby. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.

17. ADDITIONAL FEES: Vendor is not permitted to charge additional fees or assess additional charges that were not either expressly provided for in the solicitation published by the State of West Virginia, included in the Contract, or included in the unit price or lump sum bid amount that Vendor is required by the solicitation to provide. Including such fees or charges as notes to the solicitation may result in rejection of vendor's bid. Requesting such fees or charges be paid after the contract has been awarded may result in cancellation of the contract.

18. FUNDING: This Contract shall continue for the term stated herein, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise made available, this Contract becomes void and of no effect beginning on July 1 of the fiscal year for which funding has not been appropriated or otherwise made available. If that occurs, the State may notify the Vendor that an alternative source of funding has been obtained and thereby avoid the automatic termination. Non-appropriation or non-funding shall not be considered an event of default.

19. CANCELLATION: The Purchasing Division Director reserves the right to cancel this Contract immediately upon written notice to the vendor if the materials or workmanship supplied do not conform to the specifications contained in the Contract. The Purchasing Division Director may also cancel any purchase or Contract upon 30 days written notice to the Vendor in accordance with West Virginia Code of State Rules § 148-1-5.2.b.

20. TIME: Time is of the essence regarding all matters of time and performance in this Contract.

21. APPLICABLE LAW: This Contract is governed by and interpreted under West Virginia law without giving effect to its choice of law principles. Any information provided in specification manuals, or any other source, verbal or written, which contradicts or violates the West Virginia Constitution, West Virginia Code, or West Virginia Code of State Rules is void and of no effect.

22. COMPLIANCE WITH LAWS: Vendor shall comply with all applicable federal, state, and local laws, regulations and ordinances. By submitting a bid, Vendor acknowledges that it has reviewed, understands, and will comply with all applicable laws, regulations, and ordinances.

SUBCONTRACTOR COMPLIANCE: Vendor shall notify all subcontractors providing commodities or services related to this Contract that as subcontractors, they too are required to comply with all applicable laws, regulations, and ordinances. Notification under this provision must occur prior to the performance of any work under the contract by the subcontractor.

23. ARBITRATION: Any references made to arbitration contained in this Contract, Vendor's bid, or in any American Institute of Architects documents pertaining to this Contract are hereby deleted, void, and of no effect.

24. MODIFICATIONS: This writing is the parties' final expression of intent. Notwithstanding anything contained in this Contract to the contrary no modification of this Contract shall be binding without mutual written consent of the Agency, and the Vendor, with approval of the Purchasing Division and the Attorney General's office (Attorney General approval is as to form only). Any change to existing contracts that adds work or changes contract cost, and were not included in the original contract, must be approved by the Purchasing Division and the Attorney General's Office (as to form) prior to the implementation of the change or commencement of work affected by the change.

25. WAIVER: The failure of either party to insist upon a strict performance of any of the terms or provision of this Contract, or to exercise any option, right, or remedy herein contained, shall not be construed as a waiver or a relinquishment for the future of such term, provision, option, right, or remedy, but the same shall continue in full force and effect. Any waiver must be expressly stated in writing and signed by the waiving party.

26. SUBSEQUENT FORMS: The terms and conditions contained in this Contract shall supersede any and all subsequent terms and conditions which may appear on any form documents submitted by Vendor to the Agency or Purchasing Division such as price lists, order forms, invoices, sales agreements, or maintenance agreements, and includes internet websites or other electronic documents. Acceptance or use of Vendor's forms does not constitute acceptance of the terms and conditions contained thereon.

27. ASSIGNMENT: Neither this Contract nor any monies due, or to become due hereunder, may be assigned by the Vendor without the express written consent of the Agency, the Purchasing Division, the Attorney General's office (as to form only), and any other government agency or office that may be required to approve such assignments.

28. WARRANTY: The Vendor expressly warrants that the goods and/or services covered by this Contract will: (a) conform to the specifications, drawings, samples, or other description furnished or specified by the Agency; (b) be merchantable and fit for the purpose intended; and (c) be free from defect in material and workmanship.

29. STATE EMPLOYEES: State employees are not permitted to utilize this Contract for personal use and the Vendor is prohibited from permitting or facilitating the same.

30. PRIVACY, SECURITY, AND CONFIDENTIALITY: The Vendor agrees that it will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the Agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the Agency's policies, procedures, and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in www.state.wv.us/admin/purchase/privacy.

31. YOUR SUBMISSION IS A PUBLIC DOCUMENT: Vendor's entire response to the Solicitation and the resulting Contract are public documents. As public documents, they will be disclosed to the public following the bid/proposal opening or award of the contract, as required by the competitive bidding laws of West Virginia Code §§ 5A-3-1 et seq., 5-22-1 et seq., and 5G-1-1 et seq. and the Freedom of Information Act West Virginia Code §§ 29B-1-1 et seq.

DO NOT SUBMIT MATERIAL YOU CONSIDER TO BE CONFIDENTIAL, A TRADE SECRET, OR OTHERWISE NOT SUBJECT TO PUBLIC DISCLOSURE.

Submission of any bid, proposal, or other document to the Purchasing Division constitutes your explicit consent to the subsequent public disclosure of the bid, proposal, or document. The Purchasing Division will disclose any document labeled "confidential," "proprietary," "trade secret," "private," or labeled with any other claim against public disclosure of the documents, to include any "trade secrets" as defined by West Virginia Code § 47-22-1 et seq. All submissions are subject to public disclosure without notice.

32. LICENSING: In accordance with West Virginia Code of State Rules § 148-1-6.1.e, Vendor must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agency or political subdivision. Obligations related to political subdivisions may include, but are not limited to, business licensing, business and occupation taxes, inspection compliance, permitting, etc. Upon request, the Vendor must provide all necessary releases to obtain information to enable the Purchasing Division Director or the Agency to verify that the Vendor is licensed and in good standing with the above entities.

SUBCONTRACTOR COMPLIANCE: Vendor shall notify all subcontractors providing commodities or services related to this Contract that as subcontractors, they too are required to be licensed, in good standing, and up-to-date on all state and local obligations as described in this section. Obligations related to political subdivisions may include, but are not limited to, business licensing, business and occupation taxes, inspection compliance, permitting, etc. Notification under this provision must occur prior to the performance of any work under the contract by the subcontractor.

33. ANTITRUST: In submitting a bid to, signing a contract with, or accepting a Award Document from any agency of the State of West Virginia, the Vendor agrees to convey, sell, assign, or transfer to the State of West Virginia all rights, title, and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the State of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to Vendor.

34. VENDOR NON-CONFLICT: Neither Vendor nor its representatives are permitted to have any interest, nor shall they acquire any interest, direct or indirect, which would compromise the performance of its services hereunder. Any such interests shall be promptly presented in detail to the Agency.

35. VENDOR RELATIONSHIP: The relationship of the Vendor to the State shall be that of an independent contractor and no principal-agent relationship or employer-employee relationship is contemplated or created by this Contract. The Vendor as an independent contractor is solely liable for the acts and omissions of its employees and agents. Vendor shall be responsible for selecting, supervising, and compensating any and all individuals employed pursuant to the terms of this Solicitation and resulting contract. Neither the Vendor, nor any employees or subcontractors of the Vendor, shall be deemed to be employees of the State for any purpose whatsoever. Vendor shall be exclusively responsible for payment of employees and contractors for all wages and salaries, taxes, withholding payments, penalties, fees, fringe benefits, professional liability insurance premiums, contributions to insurance and pension, or other deferred compensation plans, including but not limited to, Workers' Compensation and Social Security obligations, licensing fees, etc. and the filing of all necessary documents, forms, and returns pertinent to all of the foregoing.

Vendor shall hold harmless the State, and shall provide the State and Agency with a defense against any and all claims including, but not limited to, the foregoing payments, withholdings, contributions, taxes, Social Security taxes, and employer income tax returns.

36. INDEMNIFICATION: The Vendor agrees to indemnify, defend, and hold harmless the State and the Agency, their officers, and employees from and against: (1) Any claims or losses for services rendered by any subcontractor, person, or firm performing or supplying services, materials, or supplies in connection with the performance of the Contract; (2) Any claims or losses resulting to any person or entity injured or damaged by the Vendor, its officers, employees, or subcontractors by the publication, translation, reproduction, delivery, performance, use, or disposition of any data used under the Contract in a manner not authorized by the Contract, or by Federal or State statutes or regulations; and (3) Any failure of the Vendor, its officers, employees, or subcontractors to observe State and Federal laws including, but not limited to, labor and wage and hour laws.

37. NO DEBT CERTIFICATION: In accordance with West Virginia Code §§ 5A-3-10a and 5-22-1(i), the State is prohibited from awarding a contract to any bidder that owes a debt to the State or a political subdivision of the State. By submitting a bid, or entering into a contract with the State, Vendor is affirming that (1) for construction contracts, the Vendor is not in default on any monetary obligation owed to the state or a political subdivision of the state, and (2) for all other contracts, neither the Vendor nor any related party owe a debt as defined above, and neither the Vendor nor any related party are in employer default as defined in the statute cited above unless the debt or employer default is permitted under the statute.

38. CONFLICT OF INTEREST: Vendor, its officers or members or employees, shall not presently have or acquire an interest, direct or indirect, which would conflict with or compromise the performance of its obligations hereunder. Vendor shall periodically inquire of its officers, members and employees to ensure that a conflict of interest does not arise. Any conflict of interest discovered shall be promptly presented in detail to the Agency.

39. REPORTS: Vendor shall provide the Agency and/or the Purchasing Division with the following reports identified by a checked box below:

☒ Such reports as the Agency and/or the Purchasing Division may request. Requested reports may include, but are not limited to, quantities purchased, agencies utilizing the contract, total contract expenditures by agency, etc.

☐ Quarterly reports detailing the total quantity of purchases in units and dollars, along with a listing of purchases by agency. Quarterly reports should be delivered to the Purchasing Division via email at purchasing.division@wv.gov.

40. BACKGROUND CHECK: In accordance with W. Va. Code § 15-2D-3, the State reserves the right to prohibit a service provider's employees from accessing sensitive or critical information or to be present at the Capitol complex based upon results addressed from a criminal background check. Service providers should contact the West Virginia Division of Protective Services by phone at (304) 558-9911 for more information.

41. PREFERENCE FOR USE OF DOMESTIC STEEL PRODUCTS: Except when authorized by the Director of the Purchasing Division pursuant to W. Va. Code § 5A-3-56, no contractor may use or supply steel products for a State Contract Project other than those steel products made in the United States. A contractor who uses steel products in violation of this section may be subject to civil penalties pursuant to W. Va. Code § 5A-3-56. As used in this section:

- a. "State Contract Project" means any erection or construction of, or any addition to, alteration of or other improvement to any building or structure, including, but not limited to, roads or highways, or the installation of any heating or cooling or ventilating plants or other equipment, or the supply of and materials for such projects, pursuant to a contract with the State of West Virginia for which bids were solicited on or after June 6, 2001.
- b. "Steel Products" means products rolled, formed, shaped, drawn, extruded, forged, cast, fabricated or otherwise similarly processed, or processed by a combination of two or more or such operations, from steel made by the open hearth, basic oxygen, electric furnace, Bessemer or other steel making process.
- c. The Purchasing Division Director may, in writing, authorize the use of foreign steel products if:
 1. The cost for each contract item used does not exceed one tenth of one percent (.1%) of the total contract cost or two thousand five hundred dollars (\$2,500.00), whichever is greater. For the purposes of this section, the cost is the value of the steel product as delivered to the project; or
 2. The Director of the Purchasing Division determines that specified steel materials are not produced in the United States in sufficient quantity or otherwise are not reasonably available to meet contract requirements.

42. PREFERENCE FOR USE OF DOMESTIC ALUMINUM, GLASS, AND STEEL: In Accordance with W. Va. Code § 5-19-1 et seq., and W. Va. CSR § 148-10-1 et seq., for every contract or subcontract, subject to the limitations contained herein, for the construction, reconstruction, alteration, repair, improvement or maintenance of public works or for the purchase of any item of machinery or equipment to be used at sites of public works, only domestic aluminum, glass or steel products shall be supplied unless the spending officer determines, in writing, after the receipt of offers or bids, (1) that the cost of domestic aluminum, glass or steel products is unreasonable or inconsistent with the public interest of the State of West Virginia, (2) that domestic aluminum, glass or steel products are not produced in sufficient quantities to meet the contract requirements, or (3) the available domestic aluminum, glass, or steel do not meet the contract specifications. This provision only applies to public works contracts awarded in an amount more than fifty thousand dollars (\$50,000) or public works contracts that require more than ten thousand pounds of steel products.

The cost of domestic aluminum, glass, or steel products may be unreasonable if the cost is more than twenty percent (20%) of the bid or offered price for foreign made aluminum, glass, or steel products. If the domestic aluminum, glass or steel products to be supplied or produced in a “substantial labor surplus area”, as defined by the United States Department of Labor, the cost of domestic aluminum, glass, or steel products may be unreasonable if the cost is more than thirty percent (30%) of the bid or offered price for foreign made aluminum, glass, or steel products. This preference shall be applied to an item of machinery or equipment, as indicated above, when the item is a single unit of equipment or machinery manufactured primarily of aluminum, glass or steel, is part of a public works contract and has the sole purpose or of being a permanent part of a single public works project. This provision does not apply to equipment or machinery purchased by a spending unit for use by that spending unit and not as part of a single public works project.

All bids and offers including domestic aluminum, glass or steel products that exceed bid or offer prices including foreign aluminum, glass or steel products after application of the preferences provided in this provision may be reduced to a price equal to or lower than the lowest bid or offer price for foreign aluminum, glass or steel products plus the applicable preference. If the reduced bid or offer prices are made in writing and supersede the prior bid or offer prices, all bids or offers, including the reduced bid or offer prices, will be reevaluated in accordance with this rule.

43. INTERESTED PARTY SUPPLEMENTAL DISCLOSURE: W. Va. Code § 6D-1-2 requires that for contracts with an actual or estimated value of at least \$1 million, the Vendor must submit to the Agency a disclosure of interested parties prior to beginning work under this Contract. Additionally, the Vendor must submit a supplemental disclosure of interested parties reflecting any new or differing interested parties to the contract, which were not included in the original pre-work interested party disclosure, within 30 days following the completion or termination of the contract. A copy of that form is included with this solicitation or can be obtained from the WV Ethics Commission. This requirement does not apply to publicly traded companies listed on a national or international stock exchange. A more detailed definition of interested parties can be obtained from the form referenced above.

44. PROHIBITION AGAINST USED OR REFURBISHED: Unless expressly permitted in the solicitation published by the State, Vendor must provide new, unused commodities, and is prohibited from supplying used or refurbished commodities, in fulfilling its responsibilities under this Contract.

45. VOID CONTRACT CLAUSES: This Contract is subject to the provisions of West Virginia Code § 5A-3-62, which automatically voids certain contract clauses that violate State law.

46. ISRAEL BOYCOTT: Bidder understands and agrees that, pursuant to W. Va. Code § 5A-3-63, it is prohibited from engaging in a boycott of Israel during the term of this contract.

ADDITIONAL TERMS AND CONDITIONS (Construction Contracts Only)

1. CONTRACTOR'S LICENSE: Until June 15, 2021, West Virginia Code § 21-11-2, and after that date, § 30-42-2, requires that all persons desiring to perform contracting work in this state be licensed. The West Virginia Contractors Licensing Board is empowered to issue the contractor's license. Applications for a contractor's license may be made by contacting the West Virginia Contractor Licensing Board.

The apparent successful Vendor must furnish a copy of its contractor's license prior to the issuance of a contract award document.

2. BONDS: The following bonds must be submitted:

- ☒ **BID BOND:** Pursuant to the requirements contained in W. Va. Code § 5-22-1(c), All Vendors submitting a bid on a construction project shall furnish a valid bid bond in the amount of five percent (5%) of the total amount of the bid protecting the State of West Virginia. **THE BID BOND MUST BE SUBMITTED WITH THE BID OR VENDOR'S BID WILL BE DISQUALIFIED.**
- ☒ **PERFORMANCE BOND:** The apparent successful Vendor shall provide a performance bond in the amount of 100% of the contract. The performance bond must be received by the Purchasing Division prior to Contract award. (Attorney General requires use of the State approved bond forms found at: www.state.wv.us/admin/purchase/forms2.html)
- ☒ **LABOR/MATERIAL PAYMENT BOND:** The apparent successful Vendor shall provide a labor/material payment bond in the amount of 100% of the Contract value. The labor/material payment bond must be delivered to the Purchasing Division prior to Contract award. (Attorney General requires use of the State approved bond forms found at: www.state.wv.us/admin/purchase/forms2.html)
- ☐ **MAINTENANCE BOND:** The apparent successful Vendor shall provide a two (2) year maintenance bond covering the roofing system if the work impacts an existing roof. The amount of the bond must be equal to the price associated with the percentage of the project impacting the roof. The maintenance bond must be issued and delivered to the Purchasing Division prior to Contract award. (Attorney General requires use of the State approved bond forms found at: www.state.wv.us/admin/purchase/forms2.html)

At a minimum, all construction projects require a bid bond, performance bond, and labor/material payment bond. Failure on the part of the state of West Virginia to checkmark the required bonds above does not relieve the vendor from the legal requirement of providing these bonds.

In lieu of the Bid Bond, the Vendor may provide certified checks, cashier's checks, or irrevocable letters of credit. Any certified check, cashier's check, or irrevocable letter of credit provided in lieu of the bid bond must be of the same amount required of the Bid Bond and delivered with the bid.

3. DRUG-FREE WORKPLACE AFFIDAVIT: W. Va. Code § 21-1D-5 provides that any solicitation for a public improvement contract requires each Vendor that submits a bid for the work to submit an affidavit that the Vendor has a written plan for a drug-free workplace policy. If the affidavit is not submitted with the bid submission, the Purchasing Division shall promptly request by telephone and electronic mail that the low bidder and second low bidder provide the affidavit within one business day of the request. Failure to submit the affidavit within one business day of receiving the request shall result in disqualification of the bid. To comply with this law, Vendor should complete the enclosed drug-free workplace affidavit and submit the same with its bid. Failure to submit the signed and notarized drugfree workplace affidavit or a similar affidavit that fully complies with the requirements of the applicable code, within one business day of being requested to do so shall result in disqualification of Vendor's bid. Pursuant to W. Va. Code 21-1D-2(b) and (k), this provision does not apply to public improvement contracts the value of which is \$100,000 or less or temporary or emergency repairs.

3.1. DRUG-FREE WORKPLACE POLICY: Pursuant to W. Va. Code § 21-1D-4, Vendor and its subcontractors must implement and maintain a written drug-free workplace policy that complies with said article. The awarding public authority shall cancel this contract if: (1) Vendor fails to implement and maintain a written drug-free workplace policy described in the preceding paragraph, (2) Vendor fails to provide information regarding implementation of its drug-free workplace policy at the request of the public authority; or (3) Vendor provides to the public authority false information regarding the contractor's drug-free workplace policy.

Pursuant to W. Va. Code 21-1D-2(b) and (k), this provision does not apply to public improvement contracts the value of which is \$100,000 or less or temporary or emergency repairs.

4. DRUG FREE WORKPLACE REPORT: Pursuant to W. Va. Code § 21-1D-7b, no less than once per year, or upon completion of the project, every contractor shall provide a certified report to the public authority which let the contract. For contracts over \$25,000, the public authority shall be the West Virginia Purchasing Division. For contracts of \$25,000 or less, the public authority shall be the agency issuing the contract. The report shall include:

- (1) Information to show that the education and training service to the requirements of West Virginia Code § 21-1D-5 was provided;
- (2) The name of the laboratory certified by the United States Department of Health and Human Services or its successor that performs the drug tests;
- (3) The average number of employees in connection with the construction on the public improvement;
- (4) Drug test results for the following categories including the number of positive tests and the number of negative tests: (A) Pre-employment and new hires; (B) Reasonable suspicion; (C) Post-accident; and (D) Random.

Vendor should utilize the attached Certified Drug Free Workplace Report Coversheet when submitting the report required hereunder. Pursuant to W. Va. Code 21-1D-2(b) and (k), this provision does not apply to public improvement contracts the value of which is \$100,000 or less or temporary or emergency repairs.

5. AIA DOCUMENTS: All construction contracts that will be completed in conjunction with architectural services procured under Chapter 5G of the West Virginia Code will be governed by the attached AIA documents, as amended by the Supplementary Conditions for the State of West Virginia, in addition to the terms and conditions contained herein.

6. PROHIBITION AGAINST GENERAL CONDITIONS: Notwithstanding anything contained in the AIA Documents or the Supplementary Conditions, the State of West Virginia will not pay for general conditions, or winter conditions, or any other condition representing a delay in the contracts. The Vendor is expected to mitigate delay costs to the greatest extent possible and any costs associated with Delays must be specifically and concretely identified. The state will not consider an average daily rate multiplied by the number of days extended to be an acceptable charge.

7. GREEN BUILDINGS MINIMUM ENERGY STANDARDS: In accordance with § 22-29-4, all new building construction projects of public agencies that have not entered the schematic design phase prior to July 1, 2012, or any building construction project receiving state grant funds and appropriations, including public schools, that have not entered the schematic design phase prior to July 1, 2012, shall be designed and constructed complying with the ICC International Energy Conservation Code, adopted by the State Fire Commission, and the ANSI/ASHRAE/IESNA Standard 90.1-2007: Provided, That if any construction project has a commitment of federal funds to pay for a portion of such project, this provision shall only apply to the extent such standards are consistent with the federal standards.

8. LOCAL LABOR MARKET HIRING REQUIREMENT: Pursuant to West Virginia Code §21-1C-1 et seq., Employers shall hire at least seventy-five percent of employees for public improvement construction projects from the local labor market, to be rounded off, with at least two employees from outside the local labor market permissible for each employer per project.

Any employer unable to employ the minimum number of employees from the local labor market shall inform the nearest office of Workforce West Virginia of the number of qualified employees needed and provide a job description of the positions to be filled.

If, within three business days following the placing of a job order, Workforce West Virginia is unable to refer any qualified job applicants to the employer or refers less qualified job applicants than the number requested, then Workforce West Virginia shall issue a waiver to the employer stating the unavailability of applicant and shall permit the employer to fill any positions covered by the waiver from outside the local labor market. The waiver shall be in writing and shall be issued within the prescribed three days. A waiver certificate shall be sent to both the employer for its permanent project records and to the public authority.

Any employer who violates this requirement is subject to a civil penalty of \$250 per each employee less than the required threshold of seventy-five percent per day of violation after receipt of a notice of violation.

Any employer that continues to violate any provision of this article more than fourteen calendar days after receipt of a notice of violation is subject to a civil penalty of \$500 per each employee less than the required threshold of seventy-five percent per day of violation.

The following terms used in this section have the meaning shown below.

(1) The term “construction project” means any construction, reconstruction, improvement, enlargement, painting, decorating or repair of any public improvement let to contract in an amount equal to or greater than \$500,000. The term “construction project” does not include temporary or emergency repairs;

(2) The term “employee” means any person hired or permitted to perform hourly work for wages by a person, firm or corporation in the construction industry; The term “employee” does not include: (i) Bona fide employees of a public authority or individuals engaged in making temporary or emergency repairs; (ii) Bona fide independent contractors; or (iii) Salaried supervisory personnel necessary to assure efficient execution of the employee's work;

(3) The term “employer” means any person, firm or corporation employing one or more employees on any public improvement and includes all contractors and subcontractors;

(4) The term “local labor market” means every county in West Virginia and any county outside of West Virginia if any portion of that county is within fifty miles of the border of West Virginia;

(5) The term “public improvement” includes the construction of all buildings, roads, highways, bridges, streets, alleys, sewers, ditches, sewage disposal plants, waterworks, airports and all other structures that may be let to contract by a public authority, excluding improvements funded, in whole or in part, by federal funds.

9. DAVIS-BACON AND RELATED ACT WAGE RATES:

☒ The work performed under this contract is federally funded in whole, or in part. Pursuant to 2 CFR 200.317, Vendors are required to pay applicable Davis-Bacon wage rates.

☐ The work performed under this contract is not subject to Davis-Bacon wage rates.

10. SUBCONTRACTOR LIST SUBMISSION: In accordance with W. Va. Code § 5-22-1, the apparent low bidder on a contract valued at more than \$250,000.00 for the construction, alteration, decoration, painting or improvement of a new or existing building or structure shall submit a list of all subcontractors who will perform more than \$25,000.00 of work on the project including labor and materials. (This section does not apply to any other construction projects, such as highway, mine reclamation, water or sewer projects.) The subcontractor list shall be provided to the Purchasing Division within one business day of the opening of bids for review. If the apparent low bidder fails to submit the subcontractor list, the Purchasing Division shall promptly request by telephone and electronic mail that the low bidder and second low bidder provide the subcontractor list within one business day of the request. Failure to submit the subcontractor list within one business day of receiving the request shall result in disqualification of the bid.

If no subcontractors who will perform more than \$25,000.00 of work are to be used to complete the project, the apparent low bidder must make this clear on the subcontractor list, in the bid itself, or in response to the Purchasing Division's request for the subcontractor list.

a. Required Information. The subcontractor list must contain the following information:

i. Bidder's name

ii. Name of each subcontractor performing more than \$25,000 of work on the project.

iii. The license number of each subcontractor, as required by W. Va. Code § 21-11-1 et. seq.

iv. If applicable, a notation that no subcontractor will be used to perform more than \$25,000.00 of work. (This item iv. is not required if the vendor makes this clear in the bid itself or in documentation following the request for the subcontractor list.)

b. Subcontractor List Submission Form: The subcontractor list may be submitted in any form, including the attached form, as long as the required information noted above is included. If any information is missing from the bidder's subcontractor list submission, it may be obtained from other documents such as bids, emails, letters, etc. that accompany the subcontractor list submission.

c. Substitution of Subcontractor. Written approval must be obtained from the State Spending Unit before any subcontractor substitution is permitted. Substitutions are not permitted unless:

i. The subcontractor listed in the original bid has filed for bankruptcy;

ii. The subcontractor in the original bid has been debarred or suspended; or

iii. The contractor certifies in writing that the subcontractor listed in the original bid fails, is unable, or refuses to perform his subcontract.

Subcontractor List Submission (Construction Contracts Only)

Bidder's Name:

[illegible]

Attach additional pages if necessary

Revised 8/24/2023

DESIGNATED CONTACT: Vendor appoints the individual identified in this Section as the Contract Administrator and the initial point of contact for matters relating to this Contract.

(Printed Name and Title) Robert Ayersman III, owner
(Address) 2662 Campground Rd Tunnelton, WV 26444
(Phone Number) / (Fax Number) 304-698-6660
(email address) robbyayersman85@gmail.com

CERTIFICATION AND SIGNATURE: By signing below, or submitting documentation through wvOASIS, I certify that: I have reviewed this Solicitation/Contract in its entirety; that I understand the requirements, terms and conditions, and other information contained herein; that this bid, offer or proposal constitutes an offer to the State that cannot be unilaterally withdrawn; that the product or service proposed meets the mandatory requirements contained in the Solicitation/Contract for that product or service, unless otherwise stated herein; that the Vendor accepts the terms and conditions contained in the Solicitation, unless otherwise stated herein; that I am submitting this bid, offer or proposal for review and consideration; that this bid or offer was made without prior understanding, agreement, or connection with any entity submitting a bid or offer for the same material, supplies, equipment or services; that this bid or offer is in all respects fair and without collusion or fraud; that this Contract is accepted or entered into without any prior understanding, agreement, or connection to any other entity that could be considered a violation of law; that I am authorized by the Vendor to execute and submit this bid, offer, or proposal, or any documents related thereto on Vendor's behalf; that I am authorized to bind the vendor in a contractual relationship; and that to the best of my knowledge, the vendor has properly registered with any State agency that may require registration.

By signing below, I further certify that I understand this Contract is subject to the provisions of West Virginia Code § 5A-3-62, which automatically voids certain contract clauses that violate State law; and that pursuant to W. Va. Code 5A-3-63, the entity entering into this contract is prohibited from engaging in a boycott against Israel.

RAA Contracting
(Company)
Robert Ayersman III
(Signature of Authorized Representative)
Robert Ayersman III, owner 8/6/2024
(Printed Name and Title of Authorized Representative) (Date)
304-698-6660
(Phone Number) (Fax Number)
robbyayersman85@gmail.com
(Email Address)

REQUEST FOR QUOTATION – CRFQ ADJ25*04
FWAATS Fencing Replacement

GENERAL CONSTRUCTION SPECIFICATIONS (No AIA Documents)

1. **PURPOSE AND SCOPE:** The West Virginia Purchasing Division is soliciting bids on behalf of the WV Army National Guard, Construction & Facilities Management Office, to establish a contract for the following:

PROVIDE ALL LABOR, MATERIAL, TOOLS, SUPPLIES, AND EQUIPMENT TO REMOVE AND INSTALL FENCING AT THE FWAATS FACILITY IN BRIDGEPORT, WV. Contractor shall coordinate work through the Agency Project Manager.

The Vendor shall furnish all materials, labor, and equipment necessary to complete all Construction Services. The Vendor shall furnish any incidental work, materials, labor, and equipment that are necessary to complete the Construction Services, even if such incidental work is not explicitly included in the Project Plans.

Where brand names are shown, these names are intended to describe a quality of product, and in no way are intended to limit products of equal quality. Therefore, products of other manufacturers may be employed for this work provided they are of equivalent materials and construction and are equally adaptable to the conditions as approved by the agency.

2. **DEFINITIONS:** The terms listed below shall have the meanings assigned to them below. Additional definitions can be found in Section 2 of the General Terms and Conditions and in the Project Plans as defined below.

2.1 **“Construction Services”** means to provide turn-key installation, including all labor, materials, tools, supplies and equipment, to install fencing at the FWAATS facility located at 1000 Fixed Wing Drive, Bridgeport, WV 26330 as more fully described in the Project Plans.

2.2 **“Pricing Page”** means the pages contained in wvOASIS, attached hereto as Exhibit A, or included in the Project Plans upon which Vendor should list its proposed price for the Construction Services.

2.3 **“Solicitation”** means the official notice of an opportunity to supply the State with Construction Services that is published by the Purchasing Division.

2.4 **“Project Plans”** means documents developed by an architect, an engineer, the Agency, or another design professional, which are attached hereto as Exhibit B-E, that provide detailed instructions on how the Construction Services are to be performed. In the event that Project Plans contain drawings or other documents too large to attach in Exhibit B-E, Vendors can obtain copies in accordance with Section 9 of these Specifications.

3. **ORDER OF PRECEDENCE:** This General Construction Specifications document will have priority over, and supersede, anything contained in the Project Plans.

REQUEST FOR QUOTATION – CRFQ ADJ25*04
FWAATS Fencing Replacement

4. **QUALIFICATIONS:** Vendor, or Vendor's staff if requirements are inherently limited to individuals rather than corporate entities, shall have the following minimum qualifications:
- 4.1. **Experience:** Vendor, or Vendor's supervisory staff assigned to this project, must have successfully completed at least five (5) projects and have at least five (5) years of experience in installing fencing and that involved work similar to that described in these specifications or the Project Plans. Compliance with this experience requirement will be determined prior to contract award by the State through references provided by the Vendor upon request, through knowledge or documentation of the Vendor's past projects, through confirmation of experience requirements from the architect assisting the State in this project, or some other method that the State determines to be acceptable. Vendor must provide any documentation requested by the State to assist in confirmation of compliance with this provision. References, documentation, or other information to confirm compliance with this experience requirement may be requested after bid opening and prior to contract award.
5. **CONTRACT AWARD:** The Contract is intended to provide Agency with a purchase price for the Construction Services. The Contract will be awarded to the lowest qualified responsible bidder meeting the required specifications.
6. **SELECTION OF ALTERNATES:** Pursuant to W. Va. Code § 5-22-1(f), any solicitation of bids shall include no more than five alternates. Alternates, if accepted, shall be accepted in the order in which they are listed on the bid form. Any unaccepted alternate contained within a bid shall expire ninety (90) days after the date of the opening of bids for review. Determination of the lowest qualified responsible bidder shall be based on the sum of the base bid and any alternates accepted. **This project does not contain any alternates.**
7. **PERFORMANCE:** Vendor shall perform the Construction Services in accordance with this document and the Project Plans.
8. **SUBSTITUTIONS:** Any substitution requests must be submitted in accordance with the official question and answer period described in the INSTRUCTIONS TO VENDORS SUBMITTING BIDS, Paragraph 4. Vendor Question Deadline. Vendors submitting substitution requests should submit product brochures and product specifications during the official question and answer period.
9. **PROJECT PLANS:** The checked box will apply to Project Plans for this solicitation.
- [x] **No Additional Project Plan Documents:** There are no additional Project Plans other than those attached hereto as Exhibit(s) B-E or any subsequent addenda modifying Exhibit(s) B-E.

REQUEST FOR QUOTATION – CRFQ ADJ25*04
FWAATS Fencing Replacement

10. CONDITIONS OF THE WORK

10.1. Permits: The Vendor shall procure all necessary permits and licenses to comply with all applicable Federal, State, or Local laws, regulations, and ordinances of any regulating body.

10.2. Existing Conditions: If discrepancies are discovered between the existing conditions and those noted in the specifications, Vendor must immediately notify the Agency's representative. Vendor must also immediately notify the Agency if suspected hazardous materials are encountered.

10.3. Standard Work Hours: The standard hours of work for this Contract will be Monday through Friday from 7:30am to 4:00pm, excluding holidays recognized by the State of West Virginia. Any work outside of the standard hours of work must be approved in advance at the Agency's sole discretion. Authorization of work outside of the standard hours of work will not entitle Vendor to additional compensation.

10.4. Project Closeout: Project Closeout shall include the following:

10.4.1. Final Cleanup: Vendor shall perform the final cleanup activities listed below, along with any other final cleanup activities normally associated with the work performed under this Contract, prior to final inspection:

10.4.1.1. Contractor is responsible for removing all construction debris daily.

10.4.1.2. Contractor is responsible for removing and disposing of any demolished material; off site and at the contractor's expense.

10.4.2. Final Inspection: Vendor shall participate in a final inspection with the Agency's project manager. The purpose of the final inspection will be to identify deficiencies that need to be remedied prior to Agency's final acceptance of the work. Vendor shall at all times be obligated to perform in accordance with the Contract and must take all actions necessary to ensure that work complies with requirements of Contract prior to final acceptance. Final acceptance does not waive or release Vendor from its obligation to ensure that work complies with the Contract requirements. Vendor shall submit any warranty documents to the Agency project manager at final inspection.

10.5. Payment:

10.5.1 Agency shall pay flat fee as shown on the Bid Form, for all Contract Services performed and accepted under this Contract. Vendor shall accept payment in accordance with the payment procedures of the State of West Virginia.

REQUEST FOR QUOTATION – CRFQ ADJ25*04
FWAATS Fencing Replacement

10.5.2 Invoices shall be submitted for payment (in arrears) and must include the following information:

10.5.2.1 Invoice must include, at a minimum, invoice date, FEIN number, complete address of vendor and Contract number.

10.5.2.2 Invoices shall be mailed to the following address:

**WV Army National Guard
Construction & Facilities Management Office
ATTN: Accounts Payable
1707 Coonskin Drive
Charleston, WV 25311**

11. FACILITIES ACCESS: Performance of Contract Services may require access cards and/or keys to gain entrance to Agency's facilities. In the event that access cards and/or keys are required:

11.1. Vendor must identify principal service personnel which will be issued access cards and/or keys to perform service.

11.2. Vendor will be responsible for controlling cards and keys and will pay replacement fee, if the cards or keys become lost or stolen.

11.3. Vendor shall notify Agency immediately of any lost, stolen, or missing card or key.

11.4. Anyone performing under this Contract will be subject to Agency's security protocol and procedures.

11.5. Vendor shall inform all staff of Agency's security protocol and procedures.

REQUEST FOR QUOTATION – CRFQ ADJ25*04
FWAATS Fencing Replacement

12. MISCELLANEOUS:

- 12.1. Contract Manager:** During its performance of this Contract, Vendor must designate and maintain a primary contract manager responsible for overseeing Vendor's responsibilities under this Contract. The Contract manager must be available during normal business hours to address any customer service or other issues related to this Contract. Vendor should list its Contract manager and his or her contact information below.

Contract Manager: Robert Ayersman III

Telephone Number: 304-698-6660

Fax Number: N/A

Email Address: robbyayersman85@gmail.com

- a. **Liquidated Damages:** Contractor shall pay liquidated damages in the amount of \$1,500.00 per day of delay, plus a one-time fixed cost of \$1,250.00 for Staff Judge Advocate review for work not completed after contract completion date. This clause shall in no way be considered exclusive and shall not limit the State or Agency's right to pursue any other available remedy.

REQUEST FOR QUOTATION – CRFQ ADJ25*04
FWAATS Fencing Replacement

EXHIBIT A – Pricing Page

REQUEST FOR QUOTATION – CRFQ ADJ25*04
FWAATS Fencing Replacement

EXHIBIT B – PROJECT PLANS

13. GENERAL REQUIREMENTS:

13.1 Mandatory Contract Item Requirements: Contract Item must meet or exceed the mandatory requirements listed below.

13.1.1 All work to be performed according to specifications provided in the following attachments.

13.1.1.1 Exhibit A Pricing Page

13.1.1.2 Exhibit C Specifications and Drawings

13.1.1.3 Exhibit D Aerial Map

13.1.1.4 Exhibit E Scope of Work

14. PERFORMANCE: Vendor and Agency shall agree upon a schedule for performance of Contract Services and Contract Services Deliverables, unless such a schedule is already included herein by Agency.

15. TRAVEL: Vendor shall be responsible for all mileage and travel costs, including travel time, associated with performance of this Contract. Any anticipated mileage or travel costs may be included in the Vendor's bid, but such costs will not be paid by the Agency separately.

16. PROJECT SPECIFIC CONDITIONS OF THE WORK

16.1 Limits of Work

16.1.1 Work areas will be limited to those spaces required for access to the jobsites.

16.1.2 Some interior space may be utilized for temporary (overnight) storage of equipment and tools. Coordinate storage needs with the Agency Project Manager. Vendor shall take full responsibility for the storage of any supplies or equipment on the jobsite, whether inside or outside. Agency cannot guarantee availability of its employees during off-hours (evenings, holidays, weekends, etc.) to provide access to any supplies and equipment stored inside.

16.1.3 Agency facilities shall remain in use during this contract. Contractor shall work with the Trades Specialist to coordinate the temporary access to work areas and otherwise provide for the Contractor needs to complete work. Contractor shall minimize disruption to building work areas and loading dock access.

REQUEST FOR QUOTATION – CRFQ ADJ25*04
FWAATS Fencing Replacement

Contractor shall be permitted reasonable use of building utilities including power, water and sanitary sewage disposal as required for conducting the work. Contractor shall coordinate the location of service connections or use of receptacles with the Trades Specialist to avoid overloading existing circuits.

16.2 Contractor Visitor Badges

Contractor shall provide a list of all personnel working on this project within the facility. This list shall include a copy of a valid driver's license or other legal identification and include date of birth and cell phone number. Workers shall carry valid Contractor Photo ID Badges to be worn when working in the facility. Under no circumstances shall a worker be assigned to this project without the validation first being submitted to the WV Army National Guard and approval given.

16.3 Work Restrictions

Access to the buildings shall be coordinated with the Owner. Contractor shall not leave open doors unattended and shall close doors when not in use.

These are non-smoking buildings. Smoking is not permitted within the buildings or near entrances, operable windows or outdoor air intakes.

Vendor MAY NOT block access to any fire hydrant located at jobsite.

Vendor MAY NOT block access to parking lot entrances and exits without prior approval of the Agency.

16.4 Parking

Some parking is available on the project sites. Parking in non-designated areas is not permitted. Parking is the responsibility of the contractor. With prior approval, contractor's vehicles may be brought on-site for loading & unloading or to provide equipment necessary for conducting the work.

Use of loading dock areas or sidewalk areas for parking is strictly prohibited.

16.5 Codes

All work is to be performed in compliance with applicable Federal and State codes including but not limited to the International Building Code, International Mechanical Code, Life Safety Code, NEC, OSHA, UL, ANSI, ASME and related standards.

REQUEST FOR QUOTATION – CRFQ ADJ25*04
FWAATS Fencing Replacement

16.6 Safety

All applicable local safety and OSHA rules and guidelines shall be met by the Contractor. Work shall be subject to verification and inspection by WV Army National Guard Safety representatives. Such verification shall not relieve the Contractor from meeting all applicable safety regulations and inspection by other agencies.

16.7 Hot Work Permit

Contractor shall obtain Owner's permission prior to performing any work that requires an open flame, creates sparks, use's equipment that creates combustible temperatures, or performs any work that could result in a fire hazard. Owner will review work area and issue a 'Hot Work Permit' prior to Contractor commencing work. Note that the Contractor must take proper precautions and may be required to provide a Fire Watch as a condition of the permit.

16.8 Workmanship

Contractor shall complete all work in a neat and workmanlike manner. All work shall be done using new materials in a manner that meets commercial quality standards. Work shall be neat, true, plumb and square, as applicable. Contractor shall verify all dimensions.



Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

State of West Virginia
Centralized Request for Quote

Proc Folder: 1460530			Reason for Modification: Addendum No. 1
Doc Description: Fencing Replacement for FWAATS (Bridgeport, WV)			
Proc Type: Central Purchase Order			
Date Issued	Solicitation Closes	Solicitation No	Version
2024-07-25	2024-08-07 13:30	CRFQ 0603 ADJ2500000004	2

BID RECEIVING LOCATION

BID CLERK
DEPARTMENT OF ADMINISTRATION
PURCHASING DIVISION
2019 WASHINGTON ST E
CHARLESTON WV 25305
US

VENDOR

Vendor Customer Code:

Vendor Name :

Address :

Street :

City :

State :

Country :

Zip :

Principal Contact :

Vendor Contact Phone:

Extension:

FOR INFORMATION CONTACT THE BUYER

David H Pauline
304-558-0067
david.h.pauline@wv.gov

Vendor
Signature X

FEIN#

DATE

All offers subject to all terms and conditions contained in this solicitation

ADDITIONAL INFORMATION
Addendum No. 1 issued to -
1.To extend the Bid Opening date from 7/30/2024 to 8/7/2024. Time remains at 1:30 pm.
2.To extend the Technical Question deadline from 7/25/2024 to 7/30/2024 by 11:00 am.
3.To provide the pre-bid meeting sign-in sheets.

INVOICE TO	SHIP TO
ADJUTANT GENERALS OFFICE 1707 COONSKIN DR CHARLESTON WV US	ADJUTANT GENERALS OFFICE NORTH CENTRAL WEST VIRGINIA AIRPORT 1000 FIXED WING DRIVE BRIDGEPORT WV US

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
1	Fencing Installation				

Comm Code	Manufacturer	Specification	Model #
72154013			

Extended Description:
See attached Bid Form to input pricing.

CONTRACT ITEM NO. 1 - Provide and furnish all labor, materials, tools, expendable equipment and all services to complete fencing installation per the attached specifications and documentation.

SCHEDULE OF EVENTS		
<u>Line</u>	<u>Event</u>	<u>Event Date</u>
1	Mandatory Pre-Bid Meeting at 10:30 am., est.	2024-07-23
2	Vendor Technical Questions Due By 11:00 am., est.	2024-07-25
3	Extend Tech Ques. Deadline by 11:00 am	2024-07-30

SOLICITATION NUMBER: ADJ2500000004

Addendum Number: 1

The purpose of this addendum is to modify the solicitation identified as ("Solicitation") to reflect the change(s) identified and described below.

Applicable Addendum Category:

- ☐ Modify bid opening date and time
- ☐ Modify specifications of product or service being sought
- ☐ Attachment of vendor questions and responses
- ☒ Attachment of pre-bid sign-in sheet
- ☐ Correction of error
- ☒ Other

Description of Modification to Solicitation:

1. To extend the Bid Opening date from 7/30/2024 to 8/7/2024. Time remains at 1:30 pm.
2. To extend the Technical Question deadline from 7/25/2024 to 7/30/2024 by 11:00 am.
3. To provide the pre-bid meeting sign-in sheets.

Additional Documentation: Documentation related to this Addendum (if any) has been included herewith as Attachment A and is specifically incorporated herein by reference.

Terms and Conditions:

1. All provisions of the Solicitation and other addenda not modified herein shall remain in full force and effect.
2. Vendor should acknowledge receipt of all addenda issued for this Solicitation by completing an Addendum Acknowledgment, a copy of which is included herewith. Failure to acknowledge addenda may result in bid disqualification. The addendum acknowledgement should be submitted with the bid to expedite document processing.

Pre-Bid Sign-In Sheet

Solicitation Number: CRFQ ADJ25000000004

Date of Pre-Bid Meeting: July 23, 2024 at 10:30AM

Location of Prebid Meeting: Bridgeport FWAATS, Bridgeport, WV

Please Note:

Vendors must sign-in on this sheet to verify attendance at the Pre-Bid meeting.
Failure to legibly sign in may be grounds for declaring a vendor ineligible to bid.
For further verification, please also provide a business card if possible.

Firm Represented:*	Rep Name (Printed):	Firm Address:	Telephone #:	Fax #:	Email:
Adj-General's office WVMA	Cara Suppa Procurement	-	-	-	-
All quality	Robert Sinder Beth Baugher		304-764-9478		Allquality2@Aol.com
Guardian Construction	Jeff Bonaventura	1060 Elizabeth St. S. 109 Nicholasville KY 40356	304-844-2829		jeff.bonaventura@ guardian-co.com
Meadow Ridge Constr. SR Fence Specialist	Angie Hartless	P.O. Box 36 Kenra WV	304-548-2537		angie.hartless@yashou.com
RAA Contracting	Robby Ayers	2682 Compground Rd Tunnelton WV 26444	304-698- 6660		Robby Ayers mar285@gmail.com
WVMA	Todd Reynolds	-	-	-	-

***One Vendor Per Representative** - No one individual is permitted to represent more than one vendor at the pre-bid meeting. Any individual that does attempt to represent two or more vendors will be required to select one vendor to which the individual's attendance will be attributed. The vendors not selected will be deemed to have not attended the pre-bid meeting unless another individual attended on their behalf.

Pre-Bid Sign-In Sheet

Solicitation Number: CRFQ ADJ25000000004

Date of Pre-Bid Meeting: July 23, 2024 at 10:30AM

Location of Prebid Meeting: Bridgeport FWAATS, Bridgeport, WV

Please Note:

Vendors must sign-in on this sheet to verify attendance at the Pre-Bid meeting.
Failure to legibly sign in may be grounds for declaring a vendor ineligible to bid.
For further verification, please also provide a business card if possible.

<u>Firm Represented:*</u>	<u>Rep Name (Printed):</u>	<u>Firm Address:</u>	<u>Telephone #:</u>	<u>Fax #:</u>	<u>Email:</u>
WVMA	Craig Welch				
FWAATS	Daniel Lichtenstein		304-290-9091		

**One Vendor Per Representative - No one individual is permitted to represent more than one vendor at the pre-bid meeting. Any individual that does attempt to represent two or more vendors will be required to select one vendor to which the individual's attendance will be attributed. The vendors not selected will be deemed to have not attended the pre-bid meeting unless another individual attended on their behalf.*



Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

State of West Virginia
Centralized Request for Quote

Proc Folder: 1460530			Reason for Modification: Addendum No. 2
Doc Description: Fencing Replacement for FWAATS (Bridgeport, WV)			
Proc Type: Central Purchase Order			
Date Issued	Solicitation Closes	Solicitation No	Version
2024-07-29	2024-08-07 13:30	CRFQ 0603 ADJ2500000004	3

BID RECEIVING LOCATION

BID CLERK
DEPARTMENT OF ADMINISTRATION
PURCHASING DIVISION
2019 WASHINGTON ST E
CHARLESTON WV 25305
US

VENDOR

Vendor Customer Code:

Vendor Name :

Address :

Street :

City :

State : **Country :** **Zip :**

Principal Contact :

Vendor Contact Phone: **Extension:**

FOR INFORMATION CONTACT THE BUYER
David H Pauline
304-558-0067
david.h.pauline@wv.gov

Vendor Signature X **FEIN#** **DATE**

All offers subject to all terms and conditions contained in this solicitation

ADDITIONAL INFORMATION

Addendum No. 2

1. To provide a revised scope of work, see attached.
2. To provide a drawing with property lines, see attached.
3. To provide responses to Technical Questions from the Pre-Bid Meeting, see attached.
4. Bid opening remains August 7, 2024, at 1:30 pm., est.

No other changes.

INVOICE TOADJUTANT GENERALS
OFFICE
1707 COONSKIN DRCHARLESTON
US

WV

SHIP TOADJUTANT GENERALS
OFFICE
NORTH CENTRAL WEST
VIRGINIA AIRPORT
1000 FIXED WING DRIVE
BRIDGEPORT
US

WV

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
------	--------------	-----	------------	------------	-------------

1	Fencing Installation				
---	----------------------	--	--	--	--

Comm Code**Manufacturer****Specification****Model #**

72154013

Extended Description:

See attached Bid Form to input pricing.

CONTRACT ITEM NO. 1 - Provide and furnish all labor, materials, tools, expendable equipment and all services to complete fencing installation per the attached specifications and documentation.

SCHEDULE OF EVENTS

<u>Line</u>	<u>Event</u>	<u>Event Date</u>
1	Mandatory Pre-Bid Meeting at 10:30 am., est.	2024-07-23
2	Vendor Technical Questions Due By 11:00 am., est.	2024-07-25
3	Extend Tech Ques. Deadline by 11:00 am	2024-07-30

SOLICITATION NUMBER: CRFQ ADJ2500000004

Addendum Number: 2

The purpose of this addendum is to modify the solicitation identified as ("ADJ2500000004") to reflect the change(s) identified and described below.

Applicable Addendum Category:

- ☐ Modify bid opening date and time.
- ☐ Modify specifications of product or service being sought.
- ☒ Attachment of vendor questions and responses.
- ☐ Attachment of pre-bid sign-in sheet.
- ☐ Correction of error.
- ☒ Other.

Description of Modification to Solicitation:

1. To provide Exhibit "E" a revised scope of work, see attached.
2. To provide a drawing with property lines, see attached.
3. To provide responses to Technical Questions from the Pre-Bid Meeting, see attached.
4. Bid opening date and time remains August 7, 2024, at 1:30 pm., est.

No other changes

Additional Documentation: Documentation related to this Addendum (if any) has been included herewith as Attachment A and is specifically incorporated herein by reference.

Terms and Conditions:

1. All provisions of the Solicitation and other addenda not modified herein shall remain in full force and effect.
2. Vendor should acknowledge receipt of all addenda issued for this Solicitation by completing an Addendum Acknowledgment, a copy of which is included herewith. Failure to acknowledge addenda may result in bid disqualification. The addendum acknowledgement should be submitted with the bid to expedite document processing.



DEPARTMENT OF THE ARMY
JOINT FORCES HEADQUARTERS WEST VIRGINIA
1707 COONSKIN DRIVE
CHARLESTON, WEST VIRGINIA 25311-1026

July 26, 2024

ADDENDUM NO. 2- CRFQ-ADJ2500000004

RE: Fencing Installation for the Bridgeport FWAATS

TO: Prospective Bidders

FROM: West Virginia Adjutant General's Office

PART 1 – TO ISSUE A REVISED EXHIBIT E: SCOPE OF WORK

See revised attachment.

PART 2 – TO ISSUE A REVISED EXHIBIT D: MAP WITH PROPERTY LINES

See attachment.

PART 3 – TO PROVIDE RESPONSES TO TECHNICAL QUESTIONS

Q1: Are Davis-Bacon wages a part of this job?

A1: Yes. Please refer to Section 9 of the Terms and Conditions in the solicitation documents.



**WVARNG
Bridgeport
FWAATS**

Site: 54A12

July, 2024

 Site_A



WEST VIRGINIA ARMY NATIONAL GUARD
FWAATS Fencing Replacement
Located at 1000 Fixed Wing Drive, Bridgeport, WV
Exhibit E

GENERAL REQUIREMENTS

Instructions to Bidders

- Any and all contractual documents, information and procedures distributed by, or by any other means conveyed, by WV State Purchasing or the office of; supersedes the language in this document.

Summary

The scope of work for this project is to perform the replacement of two (2) sections of fencing in Bridgeport, WV

Work to be performed:

1. Demolition of two (2) existing fence sections.
2. Installation of new fencing.
 - a. New fence will be approximately 685' feet long. (Contractor must Field Verify)
 - b. Fence will be nine feet (9') high with match existing fence one foot (1') of three-(3) strand barbwire.
 - c. ATFP (Anti-Terrorism Force Protection) standards of two inches (2") off the ground will be required.
3. Contractor shall provide all labor and materials needed to install new galvanized steel chain link fence per attached specifications.
4. Clean up all debris and dispose of off-site.
5. Restore all disturbed areas.
6. Add six foot (6') man gate. Placement to be decided once awarded.
7. Ten (10') of vegetation clearance on both sides of the fence is required for force protection standards. Mulch in place will be allowed.

ADMINISTRATIVE REQUIREMENTS

PROJECT COORDINATION

Coordinate construction activities included in Contract Documents to assure efficient and orderly installation of each part of the Work.

- Where availability of space is limited, coordinate installation of different components to assure maximum accessibility for required maintenance, service, and repair.
- Where necessary prepare memoranda for distribution to each party involved outlining special procedures required for coordination. Include such items as required notices, reports, and

attendance at meetings. Prepare similar memoranda for Owner and separate Contractors where coordination of their Work is required.

ADMINISTRATIVE PROCEDURES

- Coordinate scheduling and timing of required administrative procedures with other construction activities to avoid conflicts and ensure orderly progress of the Work. Such administrative activities include, but are not limited to:
 - Preparing of schedules.
 - Delivering and processing submittals.
 - Progress meetings.
 - Project Close-out activities.

CONSERVATION

- Coordinate construction activities to ensure that operations are carried out with consideration given to conservation of energy, water, and materials.

PROGRESS MEETINGS

- Contractor will conduct progress meetings at site agreed upon by the Owner/Owner's Representative at regularly scheduled intervals, generally bi-weekly.
- Progress meeting minutes are to be provided by the Contractor within three (3) business days of conclusion of the meeting. The meeting minutes shall be approved at the next meeting.
- The progress agenda shall include:
 - Review and correct or approve minutes of previous progress meeting.
 - Review and discuss old business.
 - Review and discuss new business.
 - Review and discuss Contractor's issues and concerns.
 - Review and discuss Owner's issues and concerns.
 - Review and discuss progress since last meeting.
 - Review where each activity is in relation to Contractor's Construction Schedule, whether on time or ahead or behind schedule, will be determined.
 - Contractor to present a new updated schedule at each progress meeting; to include a two week look ahead.
 - Contractor shall provide meeting minutes of each progress meeting within three (3) days after each progress meeting date. Contractor will distribute copies of minutes of meeting to the Owner.

GENERAL RESPONSIBILITIES

- The successful Contractor is responsible for providing all parts, labor, equipment, and materials required to provide a finished fully functional product as described in the objectives.
- The Contractor is responsible for the cost and obtaining of all required permits.
- The Contractor is responsible to ensure all work is in compliance with all Federal, State, Local Municipalities, State Fire Marshal, and ATFP requirements.

- Contractor is responsible for all permits; the Contractor shall obtain all required permits prior to initiation of any work. The Contractor shall be responsible for the associated costs or permitting.
- Contractor is responsible for field verifying all distances and quantities of materials and components necessary for completion.
- The Contractor is responsible for cleaning up the work site and repairing the site to original conditions once work is completed.
- Contractor responsible for keeping the work site clean daily, free from excess debris and safety hazards.
- Contractor responsible for providing waste disposal for the project; Contractor is responsible for removing all construction waste debris off site at the Contractor's expense.
- All materials shall be submitted and approved by the WVARNG prior to installation.
- The West Virginia Army National Guard reserves the right to claim removed equipment from the project. A list of equipment to be retained will be provided to the Contractor prior to beginning work. Contractor to make every effort to remove these items without damage.
- The Contractor will provide a schedule of values broken down per line item with material and labor.
- Owner has seven (7) business days to review and respond to Requests for Information (RFI)s.
- Owner has fourteen (14) business days to review and respond to contract submittals.
- Owner has fourteen (14) business days to review and respond to review drawings.

SITE ACCESS REQUIREMENTS

- Access and general protection/security policy and procedures. This standard language is for Contractor employees with an area of performance within Army controlled installation, facility, or area. Contractor and all associated sub-contractors employees shall provide all information required for background checks to meet installation access requirements.
- Contractor is responsible for coordinating with the Owner/Owner's Representative, for access and deliveries. The Owner requires two (2) business days' notice to approve access to the facility.

QUALITY REQUIREMENTS

- The successful Contractor will be required to provide a one (1)-year warranty on all parts, labor, and materials on the entire project.

Temporary Facilities and Controls

- The successful Contractor will be required to provide their own temporary facilities. The West Virginia Army National Guard will provide an area for the Contractor to have a lay down area and a place for a job trailer.
- The West Virginia Army National Guard will make every effort to provide electric and water for the Contractor's lay down and job trailer site; however, it is not guaranteed.

Execution Requirements

Within thirty (30) days of the government Final Acceptance of the project; the Contractor shall be responsible to provide any and all field notes, as-built drawings, or any other associated records to the Owner.

SITE CONSTRUCTION

PARTIAL DEMOLITION FOR REMODELING / GENERAL DEMOLITION

- Review, confirm and coordinate all demolition work and full extent of Owner's requirements prior to starting demolition work.
- Deliver salvageable materials requested by Owner.
- Perform all demolition in a manner acceptable to the Owner and regulatory agencies.
- Protect and maintain conduits, drains, sewers, pipes, and wires that are to remain on the property.
- Protect existing construction indicated to remain.
- Where existing construction is damaged by demolition operations, make repairs equal to or better than condition prior to start of demolition work.

CLEANING

- Promptly remove materials, rubbish, and debris from building and from property.

SALVAGEABLE MATERIALS

- Review with Owner at Pre-Construction Meeting about salvaged materials the Owner wishes to retain from building renovation project.
- Remove with care materials to be retained by Owner and store on site where directed for pickup by owner.

HANDLING

- Exercise care in unloading, storing, and erecting materials to prevent bending, warping, twisting, and surface damage.
- Deliver materials and other components so they will not be damaged or deformed.
- Stack materials on platforms/pallets, covered with suitable weather-tight ventilated covering.

WARRANTY

- Furnish manufacturer's written warranty covering materials installed. This warranty shall be in addition to and not a limitation of other rights the Owner may have against the Contractor under the Contract Documents.

PRODUCTS

- Will be in accordance with attached specifications.

INSTALLATION

General: Comply with manufacturers' instructions and recommendations for installation, as applicable to project.

ADDENDUM ACKNOWLEDGEMENT FORM
SOLICITATION NO.: CRFO ADJ2500000004

Instructions: Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.


Acknowledgment: I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

Addendum Numbers Received:

(Check the box next to each addendum received)

- | | |
|--|--|
| ☒ Addendum No. 1 | ☐ Addendum No. 6 |
| ☒ Addendum No. 2 | ☐ Addendum No. 7 |
| ☐ Addendum No. 3 | ☐ Addendum No. 8 |
| ☐ Addendum No. 4 | ☐ Addendum No. 9 |
| ☐ Addendum No. 5 | ☐ Addendum No. 10 |

I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

RAA Contracting
Company

Authorized Signature
9/6/2024
Date

NOTE: This addendum acknowledgment should be submitted with the bid to expedite document processing.

CHAIN LINK FENCES AND GATES

PART 1 - GENERAL

1.1 RELATED DOCUMENTS

- A. Contract Drawings and general provisions of the Contract, including General and Supplementary Conditions and Division 1 Specification Sections, apply to this Section.

1.2 SUMMARY

- A. This Section includes the following:
 - 1. Galvanized steel chain-link fabric.
 - 2. Galvanized steel framework.
 - 3. Barbed wire.
 - 4. Grounding and bonding.
 - 5. Horizontal Sliding Gates.
 - 6. Swing Gates.
 - 7. Field fencing.
- B. Related Sections include the following:
 - 1. Division 31 Section "Earth Moving" for filling and for grading work.
 - 2. Division 03 Section "Cast-in-Place Concrete" for concrete post footings.

1.3 DEFINITIONS

- A. CLFMI: Chain Link Fence Manufacturers Institute.
- B. Technical Advisor: An employee of the company producing the system who is certified in writing by the manufacturer to be technically qualified in design, installation, and servicing of the required gate systems. Personnel involved solely in sales do not qualify.

1.4 SUBMITTALS

- A. Product Data: Material descriptions, construction details, dimensions of individual components and profiles, and finishes for the following:
 - 1. Fence and gate posts, rails, and fittings.
 - 2. Chain-link fabric, reinforcements, and attachments.
 - 3. Gates and hardware.
 - 4. Barbed wire.
 - 5. Heavy Duty Slide Gates.
 - 6. Swing Gates.

CHAIN LINK FENCES AND GATES

- B. Shop Drawings: Show locations of fence, each gate, posts, rails, and tension wires and details of extended posts, extension arms, gate swing, or other operation, hardware, and accessories. Indicate materials, dimensions, sizes, weights, and finishes of components. Include plans, elevations, sections, gate swing and other required installation and operational clearances, and details of post anchorage and attachment and bracing.
- C. Product Certifications:
 - 1. Signed by manufacturers of chain-link fences certifying that products furnished comply with requirements.
 - 2. All cantilever gate aluminum welders and welding processes must be certified per section 2.1-A/2
 - 3. Gate system(s) manufacturer shall supply gate performance certification as per specification section 2.6 A/1.
- D. Qualification Data: For firms and persons specified in "Quality Assurance" Article to demonstrate their capabilities and experience. Include lists of completed projects with project names and addresses, names and addresses of architects and COTR, and other information specified.
- E. Field Test Reports: Indicate and interpret test results for compliance of chain-link fence and gate grounding and bonding with performance requirements.

1.5 QUALITY ASSURANCE

- A. Installer Qualifications: An experienced installer who has completed chain-link fences and gates similar in material, design, and extent to those indicated for this Project and whose work has resulted in construction with a record of successful in-service performance.
- B. Testing Agency Qualifications: Testing agency as defined by OSHA in 29 CFR 1910.7 or a member company of the InterNational Electrical Testing Association and that is acceptable to authorities having jurisdiction.
 - 1. Testing Agency's Field Supervisor: Person currently certified by the InterNational Electrical Testing Association or the National Institute for Certification in Engineering Technologies, to supervise on-site testing specified in Part 3.
- C. Source Limitations for Chain-Link Fences and Gates: Obtain each color, grade, finish, type, and variety of component for chain-link fences and gates from one source with resources to provide chain-link fences and gates of consistent quality in appearance and physical properties.

1.6 CLOSE OUT SUBMITTALS

- A. Operation and Maintenance Data for each Gate Type: Deliver 3 copies of instructions for operation, maintenance, recommendations, and parts manuals covering the installed products to the Owners Representative. Include name, address and telephone number of nearest fully equipped service organization.
- B. Certification: Deliver to the Owners Representative written certification from the manufacturer's technical advisor that the gate systems and accessories are installed and

CHAIN LINK FENCES AND GATES

operating properly. Include System Acceptance Test Report as per specification 2.7-E-7 /c.-5 and 1.5- D

1.7 PROJECT CONDITIONS

- A. Existing Utilities: Do not interrupt utilities serving facilities occupied by COTR or others unless permitted under the following conditions and then only after arranging to provide temporary utility services according to requirements indicated:
 - 1. Notify COTR not less than two days in advance of proposed utility interruptions.
 - 2. Do not proceed with utility interruptions without COTR's written permission.
- B. Field Measurements: Verify layout information for chain-link fences and gates shown on Contract Drawings in relation to property survey and existing structures. Verify dimensions by field measurements.

PART 2 - PRODUCTS

2.1 CHAIN-LINK FENCE FABRIC

- A. Steel Chain-Link Fence Fabric: Height indicated on Contract Drawings. Provide fabric fabricated in one-piece widths for fencing in height of 12 feet and less. Comply with CLFMI's "Product Manual" and with requirements indicated below:
 - 1. Mesh and Wire Size: As indicated on Contract Drawings.
 - 2. Zinc-Coated Fabric: ASTM A 392, with zinc coating applied to steel wire before weaving according to ASTM A 817, Type II, zinc coated (galvanized) with the following minimum coating weight:
 - a. Class 1: Not less than 1.2 oz./sq. ft. of uncoated wire surface.
 - b. Class 2: Not less than 2 oz./sq. ft. of uncoated wire surface.
 - 3. Coat selvage ends of fabric that is metallic coated during the weaving process with manufacturer's standard clear protective coating.
- B. Selvage: Knuckled at both selvages.

2.2 INDUSTRIAL FENCE FRAMING

- A. Round Steel Pipe: Standard weight, Schedule 40, galvanized steel pipe complying with ASTM F 1083. Comply with ASTM F 1043, Material Design Group IA, external and internal coating Type A, consisting of not less than 1.8-oz./sq. ft. zinc; and the following strength and stiffness requirements:
 - 1. Line, End, Corner, and Pull Posts and Top Rail: Per requirements for Heavy Industrial Fence.
- B. Roll-Formed Steel Shapes: C-sections or other shape, produced from structural steel. Comply with ASTM F 1043, Material Design Group II, with minimum yield strength of 45,000 psi; and the following coating and strength and stiffness requirements:

CHAIN LINK FENCES AND GATES

1. Coating: Type A, consisting of not less than minimum 2.0-oz./sq. ft. average zinc coating per ASTM A 123/A 123M or 4.0-oz./sq. ft. zinc coating per ASTM A 653/A 653M.
 2. Line, End, Corner, and Pull Posts and Top Rail: Per requirements for Heavy Industrial Fence.
 3. Line, End, Corner, and Pull Posts and Top Rail: Per requirements for Light Industrial Fence.
- C. Roll-Formed Steel Shapes: Hot-rolled H-beams or other shape, produced from structural steel. Comply with ASTM F 1043, Material Design Group III, with minimum yield strength of 45,000 psi; Heavy Industrial Fence strength and stiffness for line posts, and external and internal coating Type A, consisting of not less than minimum 2.0-oz./sq. ft. average zinc coating per ASTM A 123/A 123M or 4.0-oz./sq. ft. zinc coating per ASTM A 653/A 653M.
- D. Square Steel Tubing: Galvanized steel-tubing end, corner, and pull posts and top rail with coating Type A, consisting of not less than 1.8-oz./sq. ft. zinc according to ASTM F 1043, and complying with CLFMI's "Product Manual," Type I for the following components and fence fabric height:
1. End, Corner, and Pull Posts: For fence fabric height more than 6 feet.
- E. Post Brace Rails: Provide brace rail with truss rod assembly for each gate, end, and pull post. Provide two brace rails extending in opposing directions, each with truss rod assembly, for each corner post and for pull posts. Provide rail ends and clamps for attaching rails to posts.
- 2.3 TENSION WIRE
- A. General: Provide horizontal tension wire at the following locations:
1. Location: Extended along top and bottom of fence fabric.
- B. Metallic-Coated Steel Wire: 0.177-inch- diameter, marcelled tension wire complying with ASTM A 824 and the following:
1. Coating: Type II, zinc coated (galvanized) by the hot-dip process, with the following minimum coating weight:
 - a. Matching chain-link fabric coating weight.
- 2.4 INDUSTRIAL SWING GATES
- A. General: Comply with ASTM F 900 for the following swing-gate types:
1. Single gate.
- B. Metal Pipe and Tubing: Galvanized steel. Comply with ASTM F 1083 and ASTM F 1043 for materials and protective coatings.
- C. Frames and Bracing: Fabricate members from galvanized steel tubing with outside dimension and weight according to ASTM F 900 for the following gate fabric height:

CHAIN LINK FENCES AND GATES

1. Gate Fabric Height: More than 6 feet.
- D. Frame Corner Construction: As follows:
 1. Welded or assembled with corner fittings and 5/16-inch- diameter, adjustable truss rods for panels 5 feet wide or wider.
- E. Gate Posts: Fabricate members from round aluminum pipe with outside dimension and weight according to ASTM F 900 for the following gate fabric heights and leaf widths:
 1. Gate Fabric Height by Leaf Width: Over 6 feet by 6 feet or less.
- F. Extended Gate Posts and Frame Members: Extend gate posts and frame end members above top of chain-link fabric at both ends of gate frame as required to attach barbed wire assemblies.
- G. Hardware: Latches permitting operation from both sides of gate, hinges, center gate stops and, for each gate leaf more than 3 feet wide, keepers. Fabricate latches with integral eye openings for padlocking; padlock accessible from both sides of gate.

2.5 INDUSTRIAL HORIZONTAL SLIDE GATES

- A. General: Comply with ASTM F 1184, Type II, Class 2 for the following slide-gate types and as listed below. ASTM offers minimal requirements; cantilever sliding gate system(s) shall additionally meet the performance requirements as listed in spec section 2.6-A/1:
 1. Certification of Performance Criteria
 - a. Manufacturer of gate system shall provide certification stating the gate system includes the following material components that provide superior performance and longevity. Alternate designs built to minimum ASTM F1184 standards that do not include these additional structural features shall not be accepted.
 - b. Gate track system shall be keyed to interlock into gate frame member (providing 200% additional strength when compared to weld only keyless systems). When interlocked with and welded to the "keyed" frame top member, gate track forms a composite structure.
 - c. Gate shall have a minimum counterbalance length of 50% opening width which provides a 36% increase in lateral resistance (when compared to ASTM minimum of 40% counterbalance).
 - d. To provide superior structural integrity, major vertical members shall be used with spacing between verticals to be less than the gate frame height.
 - e. Entire gate frame (including counterbalance section) shall include 2 adjustable stainless steel cables (minimum 3/16") per bay to allow complete gate frame adjustment (maintaining strongest structural square and level orientation).
 - f. Gate truck assemblies shall be tested for continuous duty and shall have plated steel bearings meeting ASTM B 117-07 salt spray test with no red rust after 790 hours (see 1.02 E). Bearings shall be specifically designed for roller applications with full compliment ball bearings, shock resistant outer races, and captured seals.
 - g. Gate truck assemblies shall be supported by a minimum 5/8" plated steel bolt with self aligning capability, rated to support a 2,000 # reaction load.
 - h. Hanger brackets shall be hot dipped galvanized steel with a minimum 3/8"

CHAIN LINK FENCES AND GATES

- thickness that is also gusseted for additional strength.
- i. Gate top track and supporting hangar bracket assemblies shall be certified by a licensed professional engineer to withstand a 2,000 lb. vertical reaction load without exceeding allowable stresses.
2. Scope of work: The scope of work is furnishing and erecting cantilever slide gate(s) as shown at the location(s) on the Contract Drawing(s).
 - a. The cantilever slide gate shall be a Fortress Gate as manufactured by The Tymetal Corp; 2566 State Route 40; Greenwich, NY, 12834 (800-328-4283), or approved equal.
 - b. Box Frame Cantilever Gates: Utilize for 30 foot wide openings, 8 in height, that are reinforced.
 - c. Heavy Duty Cantilever Gates: Utilize for openings up to 30 feet in opening width that are non-reinforced.
- B. Metal Pipe and Tubing: Galvanized steel. Comply with ASTM F 1083 and ASTM F 1043 for materials and protective coatings.
- C. Materials:
1. The gate frame shall be fabricated from 6063-T5 aluminum alloy extrusions. The top member shall be a 3" x 5" aluminum structural channel/tube extrusion weighing not less than 3.9 lbs/lf. This is also referred to as a "5" extrusion" or "large primary". This member shall be "keyed" to interlock with the "keyed" track member. If fabricated as a single horizontal piece, the bottom member shall be a 2" x 5" aluminum structural tube weighing not less than 2.0 lbs/lf. If fabricated in two horizontal pieces, the bottom member shall be a 5" aluminum structural channel weighing not less than 2.65 lbs/lf. The two horizontal pieces or sections shall be spliced in the field.

SPLICING: A 1/4" x 5" x 24" galvanized steel splice plate shall be used to secure the two 5" channel bottom members together utilizing eight (8) 3/8" x 1 1/2" plated carriage bolts with lock nuts. The top members will be spliced together on the side opposite the track member using a 1/4" x 2" x 24" aluminum splice plate secured with six (6) 1/4" x 1/2" drive rivets on one side and welded to the top member on the other side. On the track side, the track is overlapped 24" onto the opposing section, interlocked with the primary member and vertically secured on top using six (6) 1/4" x 1/2" drive rivets and secured on the bottom using six (6) 5/16" x 1" plated hex head cap screws. The respective splice end vertical member shall be 1"x2" weighing not less than .82 lbs/lf. The 1"x2" members will be joined utilizing 5/16" x 3" plated hex head cap screws, quantity varying by height of gate.
 2. The vertical members shall alternate between 2" x 2" and 1" x 2" in cross section weighing not less 1.1 lbs/lf and .82 lbs/lf respectively. The spacing for the vertical intermediates shall be no greater than half the height of the gate frame.
 3. The gate frame shall be fabricated in one or multiple sections depending on size requirements/ constraints.
 4. The gate frame shall have a separate semi-enclosed "keyed" track, extruded from 6105-T6 aluminum alloy, weighing not less than 2.9 lbs/lf. Track member to be located on only one side of the top primary. When interlocked with the "keyed" top member and welded to it, it forms a composite structure with the top of the gate frame. Welds to be placed

CHAIN LINK FENCES AND GATES

alternately along the top and side of the track at 9" centers and will be a minimum of 2" long.

5. The gate frame is to be supported from the track by two swivel type, self-aligning, 4 or 8-wheeled, sealed lubricant, ball-bearing truck assemblies. The bottom of the support posts shall be equipped with two pairs of 3" rubber guide wheels.
 6. Diagonal "X" bracing of 3/16" minimum diameter stainless steel aircraft cable shall be installed to brace the gate.
 7. The gate shall be completed by installation of approved filler as specified. It shall extend the entire length of the gate which (including the opening and counterbalance) and shall be secured at the ends by standard fence industry tension bars and tied with standard fence industry ties at each vertical member.
 8. The gate and installation shall conform to ASTM F-1184 standards for aluminum cantilever slide gates, Type II, Class 2 and as specified in specification section 2.6 – A/1.
- D. Gate Posts: Fabricate members from 4" OD SCH 40 round galvanized steel pipe with concrete footings as specified by the COTR and outside dimension and minimum weight according to ASTM F 1184 for the following gate characteristics:
1. Type II, Class 2 Gate Opening.
- E. Extended Gate Posts and Frame Members: Extend gate posts and frame end members above top of chain-link fabric at both ends of gate frame as required to attach barbed wire assemblies.
- F. Guide Posts and Roller Guards: As required per ASTM F 1184.
- G. Hardware: Latches permitting operation from both sides of gate, locking devices, hangers, roller assemblies and stops. Fabricate latches with integral eye openings for padlocking; padlock accessible from both sides of gate.
- H. Installation: Excavate, place concrete and install 4" OD posts in footings as detailed, and in accordance with the COTR's design. Install hanger brackets and guide roller assemblies, attach truck assemblies to hanger and make final adjustments to align gate with latch.

2.6 FITTINGS

- A. General: Provide fittings for a complete fence installation, including special fittings for corners. Comply with ASTM F 626.
- B. Post and Line Caps: Hot-dip galvanized pressed steel or hot-dip galvanized cast iron. Provide weathertight closure cap for each post.
 1. Provide line post caps with loop to receive tension wire or top rail.
- C. Rail and Brace Ends: Hot-dip galvanized pressed steel or hot-dip galvanized cast iron. Provide rail ends or other means for attaching rails securely to each gate, corner, pull, and end post.
- D. Tension and Brace Bands: Hot-dip galvanized pressed steel.
- E. Tension Bars: Hot-dip galvanized steel, length not less than 2 inches shorter than full height of chain-link fabric. Provide one bar for each gate and end post, and two for each corner and pull post, unless fabric is integrally woven into post.

CHAIN LINK FENCES AND GATES

- F. Truss Rod Assemblies: Hot-dip galvanized steel rod and turnbuckle or other means of adjustment.
- G. Barbed Wire Arms: Hot-dip galvanized pressed steel. Provide the following type, according to ASTM F 626, with clips, slots, or other means for attaching strands of barbed wire, integral with post cap; one for each post, unless otherwise indicated. Provide line posts with arms designed with opening to accommodate tension wire. Provide corner arms at fence corner posts, unless extended posts are indicated.
 - 1. Type I, single slanted arm.
- H. Tie Wires, Clips, and Fasteners: Provide the following types according to ASTM F 626:
 - 1. Standard Round Wire Ties: For attaching chain-link fabric to posts, rails, and frames, complying with the following:
 - a. Hot-Dip Galvanized Steel: 0.148-inch- diameter wire; galvanized coating thickness matching coating thickness of chain-link fence fabric.
 - 2. Power-driven fasteners.
 - 3. Round Wire Clips: Hot-dip galvanized steel or aluminum for attaching chain-link fabric to H-beam posts.
 - 4. Round Wire Hog Rings: Hot-dip galvanized steel or aluminum for attaching chain-link fabric to horizontal tension wires.
- I. Pipe Sleeves: For posts set into concrete, provide preset hot-dip galvanized steel pipe sleeves complying with ASTM A 53, not less than 6 inches long with inside dimensions not less than 1/2 inch more than outside dimension of post, and flat steel plate forming bottom closure.

2.7 BARBED WIRE

- A. Zinc-Coated Steel Barbed Wire: Comply with ASTM A 121, Chain-Link Fence grade for the following two-strand barbed wire:
 - 1. Standard Size and Construction: 0.099-inch- diameter line wire with 0.080-inch-diameter, 2-point round barbs spaced not more than 4 inches o.c.

2.8 CAST-IN-PLACE CONCRETE

- A. General: Comply with ACI 301 for cast-in-place concrete.
- B. Materials: Portland cement complying with ASTM C 150 aggregates complying with ASTM C 33, and potable water for ready-mixed concrete complying with ASTM C 94. Measure, batch, and mix Project-site-mixed concrete according to ASTM C 94.
 - 1. Concrete Mixes: Normal-weight concrete with not less than 3000-psi compressive strength (28 days), 3-inch slump, and 1-inch maximum size aggregate.
- C. Materials: Dry-packaged concrete mix complying with ASTM C 387 for normal-weight concrete mixed with potable water according to manufacturer's written instructions.

2.9 GROUT AND ANCHORING CEMENT

- A. Nonshrink, Nonmetallic Grout: Premixed, factory-packaged, nonstaining, noncorrosive, nongaseous grout complying with ASTM C 1107. Provide grout, recommended in writing by manufacturer, for exterior applications.
- B. Erosion-Resistant Anchoring Cement: Factory-packaged, nonshrink, nonstaining, hydraulic-controlled expansion cement formulation for mixing with potable water at Project site to create pourable anchoring, patching, and grouting compound. Provide formulation that is resistant to erosion from water exposure without needing protection by a sealer or waterproof coating and that is recommended in writing by manufacturer for exterior applications.

2.10 FENCE GROUNDING

- A. Conductors: Bare, solid wire for No. 6 AWG and smaller; stranded wire for No. 4 AWG and larger.
 - 1. Material Above Finished Grade: Copper.
 - 2. Material On or Below Finished Grade: Copper.
 - 3. Bonding Jumpers: Braided copper tape, 1 inch wide, woven of No. 30 AWG bare copper wire, terminated with copper ferrules.
- B. Connectors and Ground Rods: Listed in UL 467.
 - 1. Connectors for Below-Grade Use: Exothermic welded type.
 - 2. Ground Rods: Copper-clad steel.
 - a. Size: 5/8 inch by 96 inches.

2.11 FIELD FENCE AND GATES

- A. General: Posts for farm-field fence shall be wood. Gate frames shall be constructed of tubing having the dimensions and weights called for in the Plans. Gate frames may be constructed using pressed steel corner fittings or die-cast aluminum corner fittings, may be provided with heavy malleable iron corner fittings or otherwise shall be of an adequate, sturdy design. Gate frame corner attachments may be of welded construction, if the gate frame receives its coating protection after fabrication of the gate structure is completed. All gate frames shall have truss rods as shown on the Plans. All gates shall be equipped with approved latches, stops, suitable locking devices, and satisfactory provisions for padlocking. Means shall be provided for securing and supporting the free ends of vehicular gates in the open position. Hinges shall be malleable iron, pivot type, heavy and strong, with large bearing surfaces for clamping onto the posts, or equal. Hinges shall not twist or turn under the action of the gate and shall be so arranged that a closed gate cannot be lifted off its hinges to obtain entry. Vehicular gates shall be capable of being operated easily by one person and shall be of the full 180 degree open swing type. Pedestrian gates shall be equipped with a positive stop which will not permit the gate to swing toward the highway and shall be provided with a satisfactory spring or other positive means to maintain the gate in a closed position.
- B. Materials:

CHAIN LINK FENCES AND GATES

1. Farm-field fence (woven wire): Zinc-coated (galvanized) iron or steel farm-field and railroad right-of-way wire fencing.
 - a. This fencing shall meet the requirements of AASHTO M 279 and details shown on the Plans. Either of the following styles and coating classes may be used:
 - 1) Style 1047-6-9 with Class 1 coating.
 - 2) Style 1047-6-11 with Class 3 coating.
 - b. Zinc coating for miscellaneous steel fittings and hardware shall conform to the requirements of AASHTO M 232. Zinc coating for clips used for securing fence or wire shall conform to AASHTO M 279, Class 1 coating.
2. Pressure-treated wood posts and braces: Wood posts shall meet the requirements of AASHTO M 168.
 - a. The preservative shall be one of the following:
 - 1) Coal tar creosote meeting AWWA P1. Creosote shall be analyzed by AWWA A1.
 - 2) Waterborne meeting AWWA P5. Waterbornes shall be analyzed by AWWA A2 and/or A9.

PART 3 - EXECUTION

3.1 EXAMINATION

- A. Examine areas and conditions, with Installer present, for compliance with requirements for site clearing, earthwork, pavement work, and other conditions affecting performance.
 1. Do not begin installation before final grading is completed, unless otherwise permitted by COTR.
- B. Proceed with installation only after unsatisfactory conditions have been corrected.

3.2 PREPARATION

- A. Stake locations of fence lines, gates, and terminal posts. Do not exceed intervals of 500 feet or line of sight between stakes. Indicate locations of utilities, lawn sprinkler system, underground structures, benchmarks, and property monuments.

3.3 INSTALLATION, GENERAL

- A. General: Install chain-link fencing to comply with ASTM F 567 and more stringent requirements specified.
 1. Install fencing on established boundary lines inside property line.
- B. Post Excavation: Drill or hand-excavate holes for posts to diameters and spacings indicated, in firm, undisturbed or compacted soil.

CHAIN LINK FENCES AND GATES

- C. **Post Setting:** Hand-excavate holes for post foundations in firm, undisturbed or compacted soil. Set terminal line gate posts in concrete footing. Protect portion of posts aboveground from concrete splatter. Place concrete around posts and vibrate or tamp for consolidation. Using mechanical devices to set line posts per ASTM F 567 is not permitted. Verify that posts are set plumb, aligned, and at correct height and spacing, and hold in position during placement and finishing operations until concrete is sufficiently cured.
 - 1. **Dimensions and Profile:** As indicated on Contract Drawings.
 - 2. **Exposed Concrete Footings:** Extend concrete 2 inches above grade, smooth, and shape to shed water.

3.4 CHAIN-LINK FENCE INSTALLATION

- A. **Terminal Posts:** Locate terminal end, corner, and gate posts per ASTM F 567 and terminal pull posts at changes in horizontal or vertical alignment of 30 degrees or more.
- B. **Line Posts:** Space line posts uniformly at 10 feet maximum o.c.
- C. **Post Bracing Assemblies:** Install according to ASTM F 567, maintaining plumb position and alignment of fencing. Install braces at end and gate posts and at both sides of corner and pull posts. Locate horizontal braces at two-thirds fabric height on fences without top rail. Install so posts are plumb when diagonal rod is under proper tension.
- D. **Tension Wire:** Install according to ASTM F 567, maintaining plumb position and alignment of fencing. Pull wire taut, without sags. Fasten fabric to tension wire with 0.120-inch- diameter hog rings of same material and finish as fabric wire, spaced a maximum of 24 inches o.c. Install tension wire in locations indicated before stretching fabric.
 - 1. **Top Tension Wire:** Install tension wire through post cap loops.
 - 2. **Bottom Tension Wire:** Install tension wire within 6 inches of bottom of fabric and tie to each post with not less than same gage and type of wire.
- E. **Intermediate Rails:** Install in one piece at as indicated on Contract Drawings, spanning between posts, using fittings, special offset fittings, and accessories.
- F. **Chain-Link Fabric:** Apply fabric to outside of enclosing framework. Leave 2 inches between finish grade or surface and bottom selvage, unless otherwise indicated. Pull fabric taut and tie to posts, rails, and tension wires. Anchor to framework so fabric remains under tension after pulling force is released.
- G. **Tension or Stretcher Bars:** Thread through fabric and secure to end, corner, pull, and gate posts with tension bands spaced not more than 15 inches o.c.
- H. **Tie Wires:** Use wire of proper length to firmly secure fabric to line posts and rails. Attach wire at one end to chain-link fabric, wrap wire around post a minimum of 180 degrees, and attach other end to chain-link fabric per ASTM F 626. Bend ends of wire to minimize hazard to individuals and clothing.
 - 1. **Maximum Spacing:** Tie fabric to line posts 12 inches o.c. and to braces 24 inches o.c.

CHAIN LINK FENCES AND GATES

- I. Fasteners: Install nuts for tension bands and carriage bolts on the side of the fence opposite the fabric side. Peen ends of bolts or score threads to prevent removal of nuts.
- J. Barbed Wire: Install barbed wire uniformly spaced as indicated on Contract Drawings. Pull wire taut and install securely to extension arms and secure to end post or terminal arms.

3.5 GATE INSTALLATION

- A. General: Install gates according to manufacturer's written instructions, level, plumb, and secure for full opening without interference. Attach fabric as for fencing. Attach hardware using tamper-resistant or concealed means. Install ground-set items in concrete for anchorage. Adjust hardware for smooth operation and lubricate where necessary.

3.6 GROUNDING AND BONDING

- A. Fence Grounding: Install at maximum intervals of 1500 feet except as follows:
 - 1. Fences within 100 Feet of Buildings, Structures, Walkways, and Roadways: Ground at maximum intervals of 750 feet.
 - a. Gates and Other Fence Openings: Ground fence on each side of opening.
 - 1) Bond metal gates to gate posts.
 - 2) Bond across openings, with and without gates, except openings indicated as intentional fence discontinuities. Use No. 2 AWG wire and bury it at least 18 inches below finished grade.
- B. Protection at Crossings of Overhead Electrical Power Lines: Ground fence at location of crossing and at a maximum distance of 150 feet on each side of crossing.
- C. Grounding Method: At each grounding location, drive a ground rod vertically until the top is 6 inches below finished grade. Connect rod to fence with No. 6 AWG conductor. Connect conductor to each fence component at the grounding location, including the following:
 - 1. Each Barbed Wire Strand. Make grounding connections to barbed wire with wire-to-wire connectors designed for this purpose.
- D. Bonding Method for Gates: Connect bonding jumper between gate post and gate frame.
- E. Connections: Make connections so possibility of galvanic action or electrolysis is minimized. Select connectors, connection hardware, conductors, and connection methods so metals in direct contact will be galvanically compatible.
 - 1. Use electroplated or hot-tin-coated materials to ensure high conductivity and to make contact points closer in order of galvanic series.
 - 2. Make connections with clean, bare metal at points of contact.
 - 3. Make aluminum-to-steel connections with stainless-steel separators and mechanical clamps.
 - 4. Make aluminum-to-galvanized-steel connections with tin-plated copper jumpers and mechanical clamps.

CHAIN LINK FENCES AND GATES

5. Coat and seal connections having dissimilar metals with inert material to prevent future penetration of moisture to contact surfaces.
- F. Bonding to Lightning Protection System: If fence terminates at lightning-protected building or structure, ground the fence and bond the fence grounding conductor to lightning protection down conductor or lightning protection grounding conductor complying with NFPA 780.

3.7 FIELD QUALITY CONTROL

- A. Ground-Resistance Testing Agency: Contractor shall engage a qualified independent testing agency to perform field quality-control testing.
- B. Ground-Resistance Tests: Subject completed grounding system to a megger test at each grounding location. Measure ground resistance not less than two full days after last trace of precipitation, without soil having been moistened by any means other than natural drainage or seepage and without chemical treatment or other artificial means of reducing natural ground resistance. Perform tests by two-point method according to IEEE 81.
- C. Desired Maximum Grounding Resistance Value: 25 ohms.
- D. Excessive Ground Resistance: If resistance to ground exceeds desired value, notify COTR promptly. Include recommendations to reduce ground resistance and proposal to accomplish recommended work.
- E. Report: Prepare test reports, certified by testing agency, of ground resistance at each test location. Include observations of weather and other phenomena that may affect test results.

3.8 ADJUSTING

- A. Gate: Adjust gate to operate smoothly, easily, and quietly, free from binding, warp, excessive deflection, distortion, nonalignment, misplacement, disruption, or malfunction, throughout entire operational range. Confirm that latches and locks engage accurately and securely without forcing or binding.
- B. Lubricate hardware, gate operator, and other moving parts.

3.9 DEMONSTRATION

- A. Engage a factory-authorized service representative to train COTR's personnel to adjust, operate, and maintain gates.
 1. Test and adjust hardware, and other operable components. Replace damaged or malfunctioning operable components.
 2. Train COTR's personnel on procedures and schedules for starting and stopping, troubleshooting, servicing, and maintaining equipment and schedules.
 3. Review data in maintenance manuals. Refer to Division 1 Section "Project Closeout".
 4. Schedule training with COTR with at least seven days' advance notice.



ASSEMBLY SECTION



1 CANTILEVER SLIDE GATE ELEVATION
223 NOT TO SCALE



LINE AND TERMINAL POSTS				
FABRIC HEIGHT	TYPE POST	"A" DIA	"E" DEPTH	"C" POS. CANTOWAY
8'-0" TO 9'-0"	LINE	12"	36"	36"
	TERMINAL	12"	36"	29"

NOTE: TERMINAL POSTS INCLUDE END, CORNER, AND FULL POSTS



2 CHAIN-LINK SECURITY FENCE DETAIL
C223 NOT TO SCALE

**PRELIMINARY
NOT FOR CONSTRUCTION**

Exhibit D



WEST VIRGINIA ARMY NATIONAL GUARD

FWAATS Fencing Replacement

Located at 1000 Fixed Wing Drive, Bridgeport, WV

Exhibit E

GENERAL REQUIREMENTS

Instructions to Bidders

- Any and all contractual documents, information and procedures distributed by, or by any other means conveyed, by WV State Purchasing or the office of; supersedes the language in this document.

Summary

The scope of work for this project is to perform the replacement of two (2) sections of fencing in Bridgeport, WV

Work to be performed:

1. Demolition of two (2) existing fence sections.
2. Installation of new fencing.
 - a. New fence will be approximately 685' feet long. (Contractor must Field Verify)
 - b. Fence will be nine feet (9') high with one foot (1') of three-(3) strand barbwire.
 - c. ATFP (Anti-Terrorism Force Protection) standards of two inches (2") off the ground will be required.
3. Contractor shall provide all labor and materials needed to install new galvanized steel chain link fence per attached specifications.
4. Clean up all debris and dispose of off-site.
5. Restore all disturbed areas.

ADMINISTRATIVE REQUIREMENTS

PROJECT COORDINATION

Coordinate construction activities included in Contract Documents to assure efficient and orderly installation of each part of the Work.

- Where availability of space is limited, coordinate installation of different components to assure maximum accessibility for required maintenance, service, and repair.
- Where necessary prepare memoranda for distribution to each party involved outlining special procedures required for coordination. Include such items as required notices, reports, and attendance at meetings. Prepare similar memoranda for Owner and separate Contractors where coordination of their Work is required.

ADMINISTRATIVE PROCEDURES

- Coordinate scheduling and timing of required administrative procedures with other construction activities to avoid conflicts and ensure orderly progress of the Work. Such administrative activities include, but are not limited to:
 - Preparing of schedules.
 - Delivering and processing submittals.
 - Progress meetings.
 - Project Close-out activities.

CONSERVATION

- Coordinate construction activities to ensure that operations are carried out with consideration given to conservation of energy, water, and materials.

PROGRESS MEETINGS

- Contractor will conduct progress meetings at site agreed upon by the Owner/Owner's Representative at regularly scheduled intervals, generally bi-weekly.
- Progress meeting minutes are to be provided by the Contractor within three (3) business days of conclusion of the meeting. The meeting minutes shall be approved at the next meeting.
- The progress agenda shall include:
 - Review and correct or approve minutes of previous progress meeting.
 - Review and discuss old business.
 - Review and discuss new business.
 - Review and discuss Contractor's issues and concerns.
 - Review and discuss Owner's issues and concerns.
 - Review and discuss progress since last meeting.
 - Review where each activity is in relation to Contractor's Construction Schedule, whether on time or ahead or behind schedule, will be determined.
 - Contractor to present a new updated schedule at each progress meeting; to include a two week look ahead.
 - Contractor shall provide meeting minutes of each progress meeting within three (3) days after each progress meeting date. Contractor will distribute copies of minutes of meeting to the Owner.

GENERAL RESPONSIBILITIES

- The successful Contractor is responsible for providing all parts, labor, equipment, and materials required to provide a finished fully functional product as described in the objectives.
- The Contractor is responsible for the cost and obtaining of all required permits.
- The Contractor is responsible to ensure all work is in compliance with all Federal, State, Local Municipalities, State Fire Marshal, and ATFP requirements.
- Contractor is responsible for all permits; the Contractor shall obtain all required permits prior to initiation of any work. The Contractor shall be responsible for the associated costs or permitting.
- Contractor is responsible for field verifying all distances and quantities of materials and components necessary for completion.

- The Contractor is responsible for cleaning up the work site and repairing the site to original conditions once work is completed.
- Contractor responsible for keeping the work site clean daily, free from excess debris and safety hazards.
- Contractor responsible for providing waste disposal for the project; Contractor is responsible for removing all construction waste debris off site at the Contractor's expense.
- All materials shall be submitted and approved by the WVARNG prior to installation.
- The West Virginia Army National Guard reserves the right to claim removed equipment from the project. A list of equipment to be retained will be provided to the Contractor prior to beginning work. Contractor to make every effort to remove these items without damage.
- The Contractor will provide a schedule of values broken down per line item with material and labor.
- Owner has seven (7) business days to review and respond to Requests for Information (RFI)s.
- Owner has fourteen (14) business days to review and respond to contract submittals.
- Owner has fourteen (14) business days to review and respond to review drawings.

SITE ACCESS REQUIREMENTS

- Access and general protection/security policy and procedures. This standard language is for Contractor employees with an area of performance within Army controlled installation, facility, or area. Contractor and all associated sub-contractors employees shall provide all information required for background checks to meet installation access requirements.
- Contractor is responsible for coordinating with the Owner/Owner's Representative, for access and deliveries. The Owner requires two (2) business days' notice to approve access to the facility.

QUALITY REQUIREMENTS

- The successful Contractor will be required to provide a one (1)-year warranty on all parts, labor, and materials on the entire project.

Temporary Facilities and Controls

- The successful Contractor will be required to provide their own temporary facilities. The West Virginia Army National Guard will provide an area for the Contractor to have a lay down area and a place for a job trailer.
- The West Virginia Army National Guard will make every effort to provide electric and water for the Contractor's lay down and job trailer site; however, it is not guaranteed.

Execution Requirements

Within thirty (30) days of the government Final Acceptance of the project; the Contractor shall be responsible to provide any and all field notes, as-built drawings, or any other associated records to the Owner.

SITE CONSTRUCTION

PARTIAL DEMOLITION FOR REMODELING / GENERAL DEMOLITION

- Review, confirm and coordinate all demolition work and full extent of Owner's requirements prior to starting demolition work.
- Deliver salvageable materials requested by Owner.
- Perform all demolition in a manner acceptable to the Owner and regulatory agencies.
- Protect and maintain conduits, drains, sewers, pipes, and wires that are to remain on the property.
- Protect existing construction indicated to remain.
- Where existing construction is damaged by demolition operations, make repairs equal to or better than condition prior to start of demolition work.

CLEANING

- Promptly remove materials, rubbish, and debris from building and from property.

SALVAGEABLE MATERIALS

- Review with Owner at Pre-Construction Meeting about salvaged materials the Owner wishes to retain from building renovation project.
- Remove with care materials to be retained by Owner and store on site where directed for pickup by owner.

HANDLING

- Exercise care in unloading, storing, and erecting materials to prevent bending, warping, twisting, and surface damage.
- Deliver materials and other components so they will not be damaged or deformed.
- Stack materials on platforms/pallets, covered with suitable weather-tight ventilated covering.

WARRANTY

- Furnish manufacturer's written warranty covering materials installed. This warranty shall be in addition to and not a limitation of other rights the Owner may have against the Contractor under the Contract Documents.

PRODUCTS

- Will be in accordance with attached specifications.

INSTALLATION

General: Comply with manufacturers' instructions and recommendations for installation, as applicable to project.

EXHIBIT A - PRICING PAGE
CRFQ # ADJ25000000004

ALL LABOR, MATERIALS, EQUIPMENT, AND SUPPLIES NECESSARY TO INSTALL NEW
FENCING AND FENCE GATE AT:
WVNG FWAATS FACILITY
1000 FIXED WING DRIVE
BRIDGEPORT, WV 26330

The undersigned, hereafter called the Bidder, being familiar with and understanding the bidding documents;
and being familiar with the site and all local conditions affecting the Project, hereby proposes to furnish labor,
material, equipment, supplies, and transportation to perform the work as described in the bidding documents.

BIDDER'S COMPANY NAME: RAA Contracting
VENDOR ADDRESS: 2462 Campground Rd
Tunnelton, WV 26444
TELEPHONE: 304-698 6660
FAX NUMBER: N/A
E-MAIL ADDRESS: robbyagersman85@gmail.com
WV CONTRACTOR'S
LICENSE NO. WV043427

CONTRACT OVERALL TOTAL COST: Install new fencing and fence gate at the Bridgeport
FWAATS facility per the attached documentation.

Eighty-seven thousand, one hundred & sixty-eight dollars, zero cents
\$ 87,168.00 ** (Contract bid to be written in words and numbers.)

Failure to use this bid form may result in bid disqualification.

SIGNATURE: Robert Aagersman III DATE: 8/6/2024
NAME: Robert Aagersman III
(Please Print)
TITLE: owner