

MODZEA

\*709024003 02

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

MOTOROLA COMMUNICATIONS & ELEC

304-253-0086

## Request for Quotation

DPS0660

ADDRESS CORRESPONDENCE TO ATTENTION OF:::

BETTY FRANCISCO

304-558-0468

DEPARTMENT OF PUBLIC SAFETY 4124 KANAWHA TURNPIKE

SH-P 101 BLUFF ROAD **BECKLEY WV** T O 25801 SOUTH CHARLESTON, WV 25309 746-2141 SHIP VIA FREIGHT TERMS DATE PRINTED TERMS OF SALE F.O.B.

05/22/	2006		1				
BID OPENING DATE:	06/15/	2006			BID	OPENING TIME	01:30PM
LINE	QUANTITY		CAT.	ITEM NUME	ER	UNIT PRICE	AMOUNT
	THE PURCHASI OPEN END CON STATE BASE S COUNTY AGENC ATTACHMENTS:  1. SPECIFICA 2. BID FORM 3. AFFIDAVIT QUESTIONS: WRITTEN QUES 2006, 2:00 P EMAIL (PREFE IN ORDER TO	REQUING DIVITRACT TATION IES, AITONS TIONS MEAST RRED MI ASSURE O SUBSI ESS IN	U SI FO M  HAN.OO T TO M  SERTHO T TO DEU CHAEM  TO T	FOR QUOTA  N IS SOLIC  URNISH A L  THE WEST N  UNICIPALIT  L BE ACCER  QUESTIONS  ON USPS,  VENDOR REC  IVE QUESTI  IES TO:  HN ABBOTT,  PARTMENT OF  RCHASING II  19 WASHING  ARLESTON,  X: (304) E  AIL: JABBO	TION CITING OW BAN VIRGINI TED TH S MAY B FAX, C CEIVES ONS WI SENIO OF ADMI OIVISIO OTON ST WV 253 558-411 OTTOWVA	BIDS FOR AN D 100 WATT SOLIT A STATE POLICE,  ROUGH JUNE 7, E SENT VIA OURIER, OR MAIL AN UNFAIR LL BE ANSWERED  R BUYER NISTRATION N REET, EAST 11 5 DMIN.GOV	D
SIGNATURE /	- / 2 ~:		OCC MC	ERSE SIDE FOR TE		VOTTIONS DAT	E .
-Buchan	Celent				ELEPHONE (304)7	253-0086	5/26/06
TITLE	F	EIN				ADDRESS CHANG	SES TO BE NOTED ABOVE



VENDOR

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

# Request for Quotation

DPS0660

PA(	3E
	2

ADDRESS CORRESPONDENCE TO ATTENTION OF

BETTY FRANCISCO 304-558-0468

ØⅡ-₽-+O

DEPARTMENT OF PUBLIC SAFETY 4124 KANAWHA TURNPIKE

SOUTH CHARLESTON, WV 25309 746-2141

\*709024003 02 304-253-0086 MOTOROLA COMMUNICATIONS & ELEC 101 BLUFF ROAD

BECKLEY WV 25801

DATE PRINT	ED:	TEF	IMS OF SAL	E		SHIP VIA			F.O.B		FREIGHT TERMS
05/22/											
BID OPENING DATE:		06/15/	2006				BID	OPENI	NG TIM	<u>1E 01</u>	:30PM
LINE	QUAN	ITITY	UOP.	CAT. NO.	ITΕ	MNUMBER			UNITPRIC	E	AMOUNT
							364636463364			eranin taurunga Santium.	
0001			EA		725-27						
		1									
	LOW BA	ND 100	WATT	SOLI	D STAT	E BASE	STA	TION			
	****	THIS	IS T	HE EN	D OF R	FQ	DPS0	660 ×	****	TOTAL:	***************************************
ļ											
***************************************											
***************************************											
							.				
							***************************************				
1							į				
-							ĺ				
**************************************											
The state of the s											
							***************************************				
				SEE REV	/ERSE SIDE F	OR TERMS	ND CON	IDITIONS			
SIGNATURE	<u></u>	ay and the second se	<u>,</u>			TELEPH		<u>- 17,000,000,000</u>	<u> </u>	DATE	
TITLE		FE	EIN						ADDDESS	CHANGES	TO BE NOTED ABOVE
											IO BE MOIED WROAF

# Low Band 100 Watt Solid State Base Station Specifications

### **Purpose**

The West Virginia State Police is requesting competitive bids for a Low Band (42-50 MHZ) Solid State Base Station as per the attached specifications. The contract shall be available for use by all other entities of state government, as well as counties and municipalities.

### **General Specifications**

Station shall be mounted in an 84" aluminum rack. Service speakers for each receiver and a service microphone will be provided. Each speaker will be individually adjustable.

A 72" cabinet shall be available as an option, and listed on the bid form as a separate line item. The front and rear doors shall be removable, and both shall be capable of being locked with the same key.

Station shall be capable of a 100% transmit duty cycle (Continuous duty).

Station shall be capable of functioning from -30°C to +60°C. Station shall includ full metering capability built into each cabinet. All metering shall take place at centralized metering sockets for the receiver and transmitters. Auxiliary receivers shall have the same capability, and metering shall be functional in these stations. If metering in the auxiliary receivers requires a "portable" test set, one shall be included. The metering test set shall not be a VTVM or equivalent, but rather a piece of test equipment capable of performing readings from a centralized metering jack by means of switch settings on the meter. Minimum metering shall include Forward & Reverse power measurement, Power supply voltage, and Receiver IF signal strength level.

Any and all programming and diagnostic software available shall be provided. Programming that is necessary shall take place from a Windows based computer. Any interfacing hardware necessary that is proprietary to the manufacturer shall be provided with each radio.

Installation and Service Manuals: A complete and comprehensive installation and instruction manual shall be supplied as part of the radio equipment, including all options. The manual shall provide complete service information, including theory of operation, schematics, layout drawings and parts list to permit quick and efficient maintenance or repair of the equipment by a technician.

Power Supply: Station shall be operated on 120 volts standard AC line voltage. The Power supply shall include lightning protection. Optional standby battery source power will be priced as an option, but not included in the standard station pricing.

Transmitter: Stations must be capable of delivering at least 100 watts RF to the output terminals of the transmitter when the output terminals are connected to an antenna or load with a nominal impedance of 50 ohms. Station shall be capable of operating on two frequencies to be specified at time of award. Transmitter shall operate at Full Specifications with a transmitter bandwidth not less than .25 MHz. Transmitter shall consist of all solid state components. Station shall have an output RF impedance of 50 ohms. Spurious and Harmonic Emission shall be -70 db or greater. Frequency stability shall be +-0.0005% or better. Modulation deviation shall be +-5 kHz. Audio distortion shall be less than 3%. Transmitter exciter shall be capable of transmitting a full 50 watts, and of being connected to allow independent operation of the exciter in continuous duty mode at full power in the event of failure of the power amplifier module.

Receiver: Receivers shall have single frequency capability with rated EIA 12dB SINAD of .251 microvolts or less. 20dB Quieting shall be achieved at .354 microvolts or less. Receivers shall have a modulation acceptance of +-7.5 kHz. Inter-modulation at 20kHz shall be -80 dB or better. Spurious and Image rejection shall be -90 db or better. Audio output shall be 5 watts with less than 3% distortion. Receivers shall have independent, programmable CTCSS decoders. It shall be possible to disable the CTCSS decoders by means of an external switch provided.

Station shall have the capability for four independent receivers. All receivers shall be self contained and function independently of each other with regard to power supply, audio and control circuitry. An antenna matching/preamplifier (multi-coupler) shall be employed to enable fully rated specification on each receiver with no degradation. Receivers shall have noise blanking. A carrier operated relay shall be provided with 2 form C outputs available at the system plug for each receiver. Audio shall be available at a screw type terminal strip near each receiver. Each receiver shall be provided with an independent speaker, which may be disabled while causing receiver output levels to remain unchanged. A common terminal strip area shall be provided to allow for CTCSS enable/disable and COR output to be accessed for all receivers.

Two receivers described above will be provided. As an option, two additional receivers may be added and listed on the bid form as a separate line item. All circuitry for all four receivers will already be in place in the station, and the receivers will plug in and be operational.

A Doug Hall Electronics Receiver Line Card (RCL) will be provided and installed in the station enabling all four receivers to be selected to vote. RLC input will be from the unsquelched receiver discriminator audio. Utilization of the squelched 600 ohm receiver audio output is not acceptable.

These receivers shall be configured to operate in a priority arrangement, with all audio sources being available at one connection point with an impedance not lower than 600 ohms. The prioritization shall cause receivers to mute when a "higher level" unit is operating. Priority may be illustrated as follows:

```
Recvr. 1 Priority 1 (muted only by transmitter)
| Recvr. 2 Priority 2 (muted when Recvr. 1 or transmitter active)
| Recvr. 3 Priority 3 (muted when Recvr. 1 or 2 or transmitter active) (Optional)
| Recvr. 4 Priority 4 (muted when Recvr. 1, 2 or 3 or transmitter active) (Optional)
```

Control Circuitry: Station shall contain interfacing hardware to allow station to be utilized with 600 ohm telephone line utilizing standard tone control, or connected to radio link type equipment, utilizing 600 ohm input and output circuits for audio connections. Station shall have circuitry to allow for transmit frequency to be changed from a remote location.

Audio circuitry shall be provided for all receivers to be combined into a single 600 ohm audio output, prioritized as indicated.

### **OPTIONS:**

- 1) Option to increase power of transmitter to 250 watts RF output
- 2) Battery backup capability (batteries not included)
- 3) Each additional receiver (maximum two additional)
- 4) Mount radio in 72" cabinet

ITEM DESCRIPTION	QTY.	UNIT PRI
Low Band 100 Watt Solid State Base Station	1	\$
84" Aluminim Rack	1	\$
OPTIONS:		
250 Watt Transmitter - RF Output	1	\$
Battery Backup (batteries not included)	1	\$
Additional Receivers (Maximum purchase qty. = 2)	11	\$
Mounted in 72" Cabinet	1	\$
	otal	<b>\$</b>
	otai	\$
BIDDER / VENDOR INFORMATION: Name:	otal	\$
BIDDER / VENDOR INFORMATION:	otai	
BIDDER / VENDOR INFORMATION: Name:	otai	
BIDDER / VENDOR INFORMATION: Name:	otai	-
BIDDER / VENDOR INFORMATION:  Name:  Address:  Phone#:	otal	-
BIDDER / VENDOR INFORMATION: Name: Address:	otal	
BIDDER / VENDOR INFORMATION:  Name:  Address:  Phone#:  Email:	otal	
BIDDER / VENDOR INFORMATION:  Name: Address:  Phone#: Email:  CONTRACT COORDINATOR INFORMATION:	·	<b>5</b>
BIDDER / VENDOR INFORMATION:  Name:  Address:  Phone#:  Email:  CONTRACT COORDINATOR INFORMATION:  Name:	·	-
BIDDER / VENDOR INFORMATION:  Name:  Address:  Phone#:  Email:  CONTRACT COORDINATOR INFORMATION:  Name:	Otal	<b>5</b>

RFQ	No.	

# **AFFIDAVIT**

West Virginia Code §5A-3-10a states:

No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owned is an amount greater than one thousand dollars in the aggregate.

### **DEFINITIONS:**

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions.

"Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities.

"Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

### **EXCEPTION:**

The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

### LICENSING:

The vendor must be licensed in accordance with any and all state requirements to do business with the state of West Virginia.

### **CONFIDENTIALITY:**

The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendors should visit www.state.wv.us/admin/purchase/privacy for the Notice of Agency Confidentiality Policies.

Under penalty of law for false swearing (West Virginia Code, §61-5-3), it is hereby certified that the vendor acknowledges the information in this said affidavit and are in compliance with the requirements as stated.

Vendor's Name:	
Authorized Signature:	Date:

No Debt Affidavit Revised 02/08/06