

NODZE

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

667C0012

RFQ NUMBER

ADDRESS CORRESPONDENCE TO ATTENTION OF:

JOHN JOHNSTON 304-558-2402

S H - P

T

*205110957 740-635-4335 LASH EXCAVATING & PAVING PO BOX 296

COLERAIN OH 43916

DATE PRIN	TED	TER	MS OF SAL	- L. (100)	SHIP)	VIA	a de la companya de	O.B.		FREIGHT TERMS
10/30/	2006						<u> </u>			
BID OPENING DATE.		11/22/	2006	***************************************	·	BID	OPENING	TIME	01	:30PM
LINE	QUAN	VTITY	UOP	CAT. NO	ITEM NU	MBER	UNI	T PRICE		AMOUNT
0001		1	TN		745-67		The state of the s			
A section and the section and	WINTER	GRADE	BITU	MINOU	S PATCHIN	IG MIXTU	RE		***************************************	
	VENDOR	S PLEA	SE TY	PE PR	ICES.					
				OPE	N END CON	ITRACT				
	TO SUP	PLY WI ARD AN	NTER D/OR	GRADE MODIF SPECI	MATERIALS BITUMING IED) IN T FIED IN T	OUS PATC THE ESTI THE BID	HING MIX	(TURE JANTIT:		
	EXHIBI	т з								
	LIFE O YEAR O NECESS ORIGIN NOT EX	F CONT R UNTI ARY TO AL CON CEED T THE VE UPON	L SUC OBTA TRACT WELVE NDOR GIVIN	AN H "RE IN A . TH (12) MAY T	IS CONTRA D EXTENDS ASONABLE NEW CONTR E "REASON MONTHS. ERMINATE DIRECTOR	FOR A TIME" T ACT OR ABLE TI DURING THIS CO	PERIOD (HEREAFTE RENEW TH ME" PERI THIS "F NTRACT F	OF ONE ER AS IE LOD SHA REASONA	(1) IS ALL ABLE Y	
	IN THI	S CONT G SET	RACT	DOCUM	IONS ARE ENT, THE FIRM FOR	TERMS,	CONDITIO	NS ANI	D	
	RENEWA	L: THI	S CON		MAY BE R			MUTUA	A L	
SIGNATURE	I find		David	SEE REV	erse side for t 1, Jr.		40-635-4335		DATE	11-22-06
TITLE ()	- / · ww/!"	FE	<u>34-13</u>	08133	Thinks are					TO BE NOTED ABOVE
VVHI	~N KESE(JIMEDHMG i	() H(h()	HIVISHE	T NAME AND	ADDRESS	iiv SPAC⊬ A	$H()V \vdash I A$	H-1 H-	11 VI~NiD()H



VENDOR

ĺ

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

RFQ NUMBER

667C0012

ADDRESS CORRESPONDENCE TO ATTENTION OF:

JOHN JOHNSTON 304-558-2402

SH-P

T O

740-635-4335 LASH EXCAVATING & PAVING

COLERAIN OH 43916

*205110957

PO BOX 296

DATE PRIN	TED	TER	IMS OF SALE	SHIP	VIA	F.	O.B.	FREIGHTTERMS
10/30/								
BID OPENING DATE:		11/22/	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		BID	OPENING	TIME 01	:30PM
LINE	QUA	ŇTIŤÝ	UOP CA NO		JMBER	UNI	Ť PRICE	AMOUNT
P-MARIER PARTY AND ADDRESS AND	WDTTTE	N CONS	ENT OF T	HE SPENDIN	C HAITT A	ND VENDO	מו	
				ECTOR OF P				
				PIRATION D			VAL SHALL	
	BE IN	ACCORD	ANCE WIT	H THE TERM	S AND CO	NDITIONS	OF THE	######################################
				D SHALL BE	LIMITED	TO TWO	(2) ONE	
	(1) YE	AR PER	IODS.	***************************************				
	CANCEL	LATION	. THE DI	RECTOR OF	PURCHAST	NG RESER	VES THE	-
				CONTRACT				
				IF THE CO				***************************************
***************************************				NFERIOR QU				00000000000000000000000000000000000000
	TO THE	SPECI	FICATION	S OF THE B	ID AND C	ONTRACT	HEREIN.	
The state of the s	00511	4 A D 1/ P T		THE DIDECT	00 05 DU	DOUAGINA	\ 44 8 4	
				THE DIRECT UNIT TO P				
				FILING OF				
				IFIED ON T				
	3	-	;	N EMERGENC		}		
	i		1 ;	T NOT LIMI		1		
	PORTAT	TION OR	AN UNAN	TICIPATED	INCREASE	IN THE	VOLUME	
	OF WOR	?K.)	- Company of the Comp					
	OHANTI	TIEC.	OUANTITI	ES LISTED	TN TUE D	ENUTETTI	TON ADE	
	1		€ I	BASED ON				
				NIT. IT I				
	1		()	ALL COVER				
				DURING TH				
	WHETHE	R MORE	OR LESS	THAN THE	QUANTITI	ES SHOWN	1.	
	00000	NC DDO	CEDUDE.	CDENDING H	HTT/C) C	UALL TOO	N117" A	
				SPENDING U CT ORDER (
				DITIES COV				
				THE WV-39				
				ION FOR SH				
	MAILED) TO TH	E PURCHA	SING DIVIS	ION, AND	A THIRE	COPY	
	RETAIN	IED BY	THE SPEN	DING NNIT.				
	1 /	n A	l <u>İ</u> See	L REVERSE SIDE FOR	TERMS AND CON	NDITIONS		
SIGNATURE	121	111	David P. La		<u> Angle in planting balance in include to a</u>	40-635-4335	DATE	11-22-06
TITLE	L//W	IFE	=IN			1	DESC OUANOTO	***************************************
Owner	m11 mma-	, , , , , , , , , , , , , , , , , , ,	34-130					TO BE NOTED ABOVE
WH	EN KESP	ONDING	IO KFQ, INS	ERT NAME AND	ADDRESS	IN SPACE A	ROAF TYBETE	D AFUDOK,



VENDOR

ĬĬ

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

740-635-4335

Request for Quotation

RFQ NUMBER 667C0012

ADDRESS CORRESPONDENCE TO ATTENTION OF:

JOHN JOHNSTON 304-558-2402

SH-P

T O

LASH EXCAVATING & PAVING PO BOX 296

*205110957

COLERAIN OH 43916

DATE PRIN	ΓED	TEF	MS OF SAL	E	SHIP)	/IA	F,	O,B.		FREIGHT TERMS
10/30/										
BID OPENING DATE:		11/22/	2006			BID	OPENING	TIME	0]	L:30PM
LINE	QUAI	VIITY	UOP	CAT. NO.	ITEM:NUI	VBER.	UNI	T PRICE		AMOUNT
	FOR BA	NKRUPT NULL A	CY PR	OTECT	ENT THE V ION, THIS ND IS TER	. CONTRA	CT IS AU	JTOMATI		
	SHALL CONDIT DOCUME AGREEM ELECTR	SUPERS IONS W NTS SU ENTS O ONIC M	EDE A HICH CH AS R MAI EDIUM	NY AN MAY A PRIC NTENA	NS CONTAI D ALL SUB PPEAR ON E LISTS, NCE AGREE AS CD-RO	SEQUENT ANY ATT ORDER F MENTS,	TERMS A ACHED PR ORMS, SA	AND RINTED ALES		
	CURREN IS ISS MUST A CARD F	SING C TLY UT UED TH CCEPT OR PAY FOR O	ARD A ILIZE ROUGH THE S MENT RDERS	S A V A LO TATE OF AL	ANCE: TH ISA PURCH CAL BANK. OF WEST V L ORDERS ARE LESS	ASING C THE S IRGINIA PLACED	ARD PROG UCCESSFU VISA PU BY ANY S	GRAM WH JL VEND JRCHASI STATE	ICH OR NG	7
	PREFER 5A-3-3	ENCE I 7 (DOE	N AND N ACC S NOT	APPL ORDAN APPL	EFERENCE ICATION* CE WITH W Y TO CONS	IS HERE EST VIR TRUCTIO	BY MADE GINIA CO N CONTRA	DE, (CTS).		
Value of the state	REASON () HAS RE	CHECK BIDDER SIDED	ED: IS A CONTI	N IND NUOUS	E FOR 2.5 IVIDUAL R LY IN WES PRECEDING	ESIDENT T VIRGI	VENDOR NIA FOR	AND FOUR		
SIGNATURE	Plant	1	David	SEE REV	verse side for t , Jr.		NDITIONS 40-635-4335	 	DATE	11-22-06
TITLE Owner) *** [·	Y L FI	IN 34-	-13 08133	-	I	·····	1	NGES	S TO BE NOTED ABOVE
WH	EN RESP	ONDING	TO RFQ	. INSER	T NAME AND	ADDRESS	IN SPACE A	BOVE LA	BELE	ED 'VENDOR'



ii

State of West Virginia Department of Administration Quotation Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for

RFQ NUMBER 667C0012

ADDRESS CORRESPONDENCE TO ATTENTION OF

JOHN JOHNSTON 304-558-2402

740-635-4335 *205110957 LASH EXCAVATING & PAVING PO BOX 296 COLERAIN OH 43916

SHIP

Ö

DIVISION OF HIGHWAYS VARIOUS LOCALES AS INDICATED BY ORDER

DATE PRINTED TERMS OF SALE SHIP VIA FREIGHT TERMS F.O.B. 10/30/2006 BID OPENING DATE 11/22/2006 01:30PM BID OPENING TIME CAT. LINE QUANTITY UOP ITEM NUMBER UNIT PRICE AMOUNT CERTIFICATION; OR BIDDER IS A PARTNERSHIP, ASSOCIATION OR CORPORA-TION RESIDENT VENDOR AND HAS MAINTAINED ITS HEAD-QUARTERS OR PRINCIPAL PLACE OF BUSINESS CONTINUOUSLY IN WEST VIRGINIA FOR FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION; OR 80% OF THE OWNERSHIP INTEREST OF BIDDER IS HELD BY ANOTHER INDIVIDUAL, PARTNERSHIP, ASSOCIATION OR CORPORATION RESIDENT VENDOR WHO HAS MAINTAINED ITS HEADQUARTERS OR PRINCIPAL PLACE OF BUSINESS CONTINUOUSLY IN WEST VIRGINIA FOR FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION; OR BIDDER IS A CORPORATION NONRESIDENT VENDOR WHICH HAS AN AFFILIATE OR SUBSIDIARY WHICH EMPLOYS A MINIMUM OF ONE HUNDRED STATE RESIDENTS AND WHICH HAS MAINTAINED ITS HEAQUARTERS OR PRINCIPAL PLACE OF BUSINESS WITHIN WEST VIRGINIA CONTINUOUSLY FOR THE FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION. APPLICATION IS MADE FOR 2.5% PREFERENCE FOR THE REASON CHECKED: BIDDER IS A RESIDENT VENDOR WHO CERTIFIES THAT, DURING THE LIFE OF THE CONTRACT, ON AVERAGE AT LEAST 75% OF THE EMPLOYEES WORKING ON THE PROJECT BEING BID ARE RESIDENTS OF WEST VIRGINIA WHO HAVE RESIDED IN THE STATE CONTINUOUSLY FOR THE TWO YEARS IMMEDIATELY PRECEDING SUBMISSION OF THIS BID; OR BIDDER IS A NONRESIDENT VENDOR EMPLOYING A MINIMUM OF ONE HUNDRED STATE RESIDENTS OR IS A NONRESIDENT VENDOR WITH AN AFFILIATE OR SUBSIDIARY WHICH MAINTAINS ITS HEADQUARTERS OR PRINCIPAL PLACE SEE REVERSE SIDE FOR TERMS AND CONDITIONS SIGNATURE TELEPHONE 740-635-4335 David P. Lash, Jr. 11-22-06 TITLE FEIN ADDRESS CHANGES TO BE NOTED ABOVE 34-1308133 Owner



П

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for Quotation

REQ NUMBER 667C0012

PAGE 5

ADDRESS CORRESPONDENCE TO ATTENTION OF:

JOHN JOHNSTON 304-558-2402

>EZDOR:

*205110957 740-635-4335 LASH EXCAVATING & PAVING PO BOX 296

COLERAIN OH 43916

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B	FREIGHT TERMS
10/30/2006				
BID OPENING DATE:	11/22/2006	BID	OPENING TIME	01:30PM
LINE Q	UANTITY UOP CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
OF ON DURIN	NE HUNDRED STATE NG THE LIFE OF TH DF THE EMPLOYEES IDIARY'S EMPLOYEE HAVE RESIDED IN T	ST VIRGINIA EMPLO RESIDENTS WHO CER E CONTRACT, ON AV OR BIDDERS' AFFIL S ARE RESIDENTS O HE STATE CONTINUO CEDING SUBMISSION	TIFIES THAT, ERAGE AT LEAS ⁻ IATE'S OR F WEST VIRGIN: USLY FOR THE	r ra
DETER FAILE PREFE PURCH ORDER BIDDE AND TAGENO	RMINES THAT A BID ED TO CONTINUE TO ERENCE, THE SECRE HASING TO: (A) R R ISSUED; OR (B) ER IN AN AMOUNT NUTHAT SUCH PENALTY	THE SECRETARY OF DER RECEIVING PRE MEET THE REQUIRE TARY MAY ORDER THE SCIND THE CONTRA ASSESS A PENALTY OT TO EXCEED 5% OWILL BE PAID TO OM ANY UNPAID BALORDER.	FERENCE HAS MENTS FOR SUCH E DIRECTOR OF CT OR PURCHASE AGAINST SUCH F THE BID AMOUTHE	H E JNT
DISCL PURCH TAX A PURCH BIDDE THAT TAXES	OSE ANY REASONAB HASING DIVISION A AND REVENUE TO DI HASING APPROPRIAT ER HAS PAID THE R SUCH INFORMATION	CERTIFICATE, BID LY REQUESTED INFO ND AUTHORIZES THE SCLOSE TO THE DIR E INFORMATION VER EQUIRED BUSINESS DOES NOT CONTAIN HER INFORMATION D NFIDENTIAL.	RMATION TO THE DEPARTMENT OF ECTOR OF IFYING THAT TAXES, PROVIDE THE AMOUNTS (ED OF
CODE CERTI THAT CONTA TERM	61-5-3), BIDDER FICATE IS TRUE A IF A CONTRACT IS INED WITHIN THIS OF THE CONTRACT, SION IN WRITING I	FOR FALSE SWEARIN HEREBY CERTIFIES ND ACCURATE IN AL ISSUED TO BIDDER CERTIFICATE CHAN BIDDER WILL NOTI MMEDIATELY. EVERSE SIDE FOR TERMS AND CON	THAT THIS L RESPECTS; AN AND IF ANYTHI GES DURING THE FY THE PURCHAS	ID NG
SIGNATURE // / /	David P. Las	Iven contents		DATE 11-22-06
TITLE Owner	FEIN 34-1308133			NGES TO BE NOTED ABOVE
WHENDER	PONDING TO DECLINE	RT NAME AND ADDRESS I	NODACE ADOLE LA	DELED WENDOD!



VEZDOR

COLERAIN OH

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER

PAGE 6

<u> </u>	
ADDRESS CORRESPONDENCE TO ATTEN	TION OF

JOHN JOHNSTON 304-558-2402

*205110957 740-635-4335 LASH EXCAVATING & PAVING PO BOX 296

43916

8H-P-TO

DATE PRINT	red	TER	MS OF SAL	œ	SHIP V	IA		O.B.		FREIGHT TERMS
10/30/										
BID OPENING DATE:		11/22/	2006	,	······	BID	OPENING	TIME	01	:30PM
LINE	QUAI	NTITY	UOP	CAT. NO.	ITEM NUM	1BER	UNF	TPRICE		AMOUNT
				BIDDE	Lash Ex R:	cavating & 	Paving			
				DATE:	Novembe	r 22, 2006	- <i>f</i>) <i>f</i>	y		
				SIGNE	D: Har David F	Lash, Jr	lash (_	t	<u>.</u>	
				TITLE	Owner _	**** *** *** *** ***				
	IN EIT ENTITL	HER "A ED TO FERENC	" OR RECEI	"B", VE.	N OF PREF OR BOTH " YOU MAY R "A" AND	A" AND EQUEST	"B" WHIC	CH YOU	ARE	
	,			NOT	ICE					
	A SIGN	ED BID	MUST	BE S	UBMITTED	T0:				
	P B 2	URCHAS UILDIN	ING D G 15 SHING	IVISI TON S	INISTRATI ON TREET, EA 5305-0130					
	THE BI	D SHOU	LD CO	NTAIN	THIS INF	ORMATIO	N ON THE	FACE	OF	
	THE EN SEALED]	OR T		D MAY NOT					
SIGNATURE //	10 /	1//		produced and address and a	VERSE SIDE FOR TI	ERMS AND CONTELEPHONE	NDITIONS		DATE	
dail	Y. Ali	M/		P. Lash,	Jr.	IELEFRUNE _	740-635-4335		DATE	11-22-06
TITLE Owner	, , , , , , , , , , , , , , , , , , , ,	FE	^{IN} 34-	1308133			ADE	RESS CHA	NGES	TO BE NOTED ABOVE
\\/LI	ENIDEED	ONIDINIO -	TO DEO	INICED	T NAME AND	ADDDECC	INI CDACE A	DOVELA	DELE	ים יעראססטי



VENDOR

Ш

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
667C0012

;	PΑ	GE	34,6
		•	7

	•	
ADDRESS CORRE	SPONDENCE TO	DATTENTION OF

JOHN JOHNSTON 304-558-2402

*205110957 740-635-4335 LASH EXCAVATING & PAVING PO BOX 296 COLERAIN OH 43916

⊘H-д-FO

DATE PRIN	TED	TER	MS OF SAL	E	SHIP	VIA	Į F	.О.В.		. FREIGHT TERMS
10/30/										
BID OPENING DATE:	Table eren, ele	11/22/	A1980 . 25 A198	CAT			OPENING	PARSON MARKET	01	:30PM
LINE	QUAI	VTITY	UOP	No.	ITEM NU	MBER	UN	TPRICE		AMOUNT
8881-1-Account of Account										
dayi hadanayee	BUYER:				33	•				
	RFQ. N	O.:			667C0012	2				
	BID OP	ENING	DATE	AND T	IME					,
			***************************************				**************************************			
	:									
ļ						•				
					UMBER IN NG YOUR E		IS NEC	ESSARY		
A CANADA PARA PARA PARA PARA PARA PARA PARA P	0011	170: 1	JO RE	OHNDI	740-635-1047					
MAXIMIN 1-4-4-4-4-4-4-4-4-4-4-4-4-4-4-4-4-4-4-4	-						_ ** **			
off transferrence	CONTAC	T PERS	ON (P	LEASE	PRINT CL	EARLY):				
		-	****		David Lash		***************************************			
										
							11. (m. 11. (m			
A metalogical management of the second managem	*****	THIS	IS T	HE EN	D OF RFQ	667C0	012 ***	*** TO	TAL:	
The state of the s										
man A thomas A the										

Ŋ		11 1		SEE REV	ERSE SIDE FOR T	ERMS AND CO	L VDITIONS			
SIGNATURE	J. J. 10A	1/1	David :	P. Lash	, Jr.	TELEPHONE	740-635-433:	5	DATE	11-22-06
TITLE Owner	1 1/1	FE	in 34-:	1308133			ADI	DRESS CHA	NGES	TO BE NOTED ABOVE
`WH!	EN RESPO	ONDING	TO RFO.	INSER	T NAME AND	ADDRESS	IN SPACE A	BOVE LA	BFI F	D 'VENDOR'

1. SPECIFICATIONS:

The following sections of the West Virginia Department of Transportation, Division of Highways' Standard Specifications Roads and Bridges, adopted 2000 and the current Supplemental Specifications, shall apply to the administration of this Contract: Sections 101, 102.4, 102.5, 105.1, 105.3, 105.4, 105.10, 105.11, 105.12, 105.13, 106.3, 106.4, 106.5, 106.6, 106.7, 106.9, 107.1, 107.2, 107.3, 107.14, 107.19, 107.20, 108.8, 109.1, 109.2 and 109.20.

The requirements of the West Virginia Department of Transportation, Division of Highways', Standard Specifications Section 109.20, PRICE ADJUSTMENT FOR LOAD LIMIT VIOLATIONS shall apply to all material supplied under this contract. This will include material loaded by the vendor into Division of Highways owned and/or rented trucks.

"Contractor" and "Vendor" used in the above specifications of this contract are interchangeable. Contractor shall mean Vendor and Vendor shall mean Contractor.

West Virginia Department of Transportation, Division of Highways' Standard Specifications Roads and Bridges, adopted 2000 and the current Supplemental Specifications may be obtained from:

West Virginia Division of Highways Contract Administration Division 1900 Kanawha Blvd., East Building 5, Room A-725 Charleston, West Virginia 25305-0430

DESCRIPTION

The patching material shall be composed of a suitable aggregate plant mixed with a liquid bituminous material and chemical additives. The bituminous material with additives shall be capable of coating the aggregate without stripping. The material shall maintain adhesive qualities for all moisture conditions in the patched areas, except those having standing water.

MATERIALS

Aggregate

The coarse aggregate shall consist of crushed stone, crushed gravel or slag, meeting the requirements of the Division of Highways' Standard Specifications subsections 703.1, 703.2 and 703.3 respectively. Fine aggregate shall meet the requirements of the Division of Highways Standard Specifications meet the requirements of the Division of Highways' Standard Specifications subsection 702.3. The gradation of the final mixture shall be the same as the Vendor's currently approved plant mix formula for Type 1 Hot-Mix Asphalt Wearing Course when Standard Winter Grade Bituminous Patching Mix is being produced, or as recommended by the supplier of the liquid asphalt with additives when Modified Winter Grade Bituminous Patching Mix is being produced.

The gradation shall be determined in accordance with AASHTO T-27 and T-11.

The aggregate fraction of the final mixture, in addition to meeting the requirements of 703.2.2, shall have a majority of all particle sizes crushed. Questionable aggregates shall be tested as per MP 703.00.21, except the No. 8 sieve will be used.

Bituminous Material

1. Standard Winter Grade Bituminous Patching Mix
The bituminous material shall be a liquid asphalt with chemical anti-stripping additives conforming to the requirement of the West Virginia Division of Highways' Standard Specifications, Subsection 705.1.

or,

2. Modified Winter Grade Bituminous Patching Mix
The bituminous material shall be liquid asphalt with chemical anti-stripping additives conforming to the requirements of ASTM D 1664 and ASTM D 2027 modified as follows:

Flash Point: 79°C (175°F) Minimum

Kinematic Viscosity at 60° (140°F) CST 250-800

Water: 0.2% Maximum

Distillate Test:

To 225°C (437°F): None To 260°C (500°F): 0-15% To 315°C (600°F): 15-75% Residue at 360°C (680°F): 75% Minimum Residue Tests:

Penetration at 25°C (77°F): 150-300 Ductility at 25°C (77°F): 100 cm. minimum Solubility in trichloroethylene: 99% minimum

The test results for the liquid asphalt with chemical antistripping additives shall be presented to the respective Division of Highways District Materials Engineers/Supervisors for review prior to production of Modified Winter Grade Bituminous Patching Mix.

COMPOSITION OF MIXTURE

The aggregates and bituminous material shall be combined in such proportions that the composition by weight of the finished mix shall meet the requirements of the plant mix formula.

The aggregate fraction of the mixture shall be evaluated in accordance with MP 401.02.23, except material failing to meet specification requirements on the No. 200 sieve shall not be accepted.

The asphalt fraction of the mixture shall be within the master ranges when Standard Winter Grade Bituminous Patching Mix is being produced, or as recommended by the supplier of the liquid asphalt with additives when Modified Winter Grade Bituminous Patching Mix is being produced.

Plant Mix Formula

The plant mix formula for Modified Winter Grade Bituminous Patching Mix shall be in accordance with the recommendations of the supplier of the liquid asphalt with additives. A plant mix formula for Standard Winter Grade Bituminous Patching Mix shall be developed in accordance with MP 401.02.22, and the Marshall Test Procedure described in AASHTO T-245. Initial submission of the proposed plant mix formula for Standard Winter Grade Bituminous Patching Mix will not be considered unless accompanied by sufficient test data developed by supplier to indicate that the formula being proposed can be met. As a minimum, this test data shall include: three separate gradations of samples taken from the hot bin, or separate gradations from cold bins or storage facility, the percentage of each material to be used and the calculated combined gradation. The test data submitted shall have been developed from material that is to be used in the proposed Additional data which shall be submitted includes that described in MP 401.02.22. This data will not be required to meet the limits given in Table 401.02.22A and Table 401.02.22B. air void content for Standard Winter Grade Bituminous Patching Material shall be 5-7 percent.

The proposed plant mix formula shall be documented on Department Form T-400 and together with plant calibration test data set forth above shall be forwarded to the District Materials Engineer/Supervisor. The T-400 shall then be transmitted to the Materials Control and Testing Division for final review and revision.

Changes in Plant Mix Formula

Should the producer at any time propose to change the source of aggregate in the mix, the definite asphalt content or change the source of the bituminous material, the provisions of the Division of Highways' Standard Specifications subsection 401.4.2 shall apply.

Quality Control Testing

Quality control is the responsibility of the contractor. Quality control testing shall be done in accordance with MP 401.02.23.

Acceptance Testing

Shall be as stipulated in Section 401.7.1 of the Division of Highways' Standard Specifications.

PREPARATION OF MIXTURE

The aggregate shall be heated to insure that it is surface dry at the time of mixing, however, the aggregate shall not be heated in excess of $180^{\circ}F$.

The asphaltic binder shall not be heated to a temperature greater than 165°F. Care shall be taken to prevent local overheating. The aggregate and bituminous material shall be measured separately and accurately to the proportions in which they are to be mixed. After the aggregate and binder have been combined, they shall be thoroughly mixed until the particles of aggregate are coated. At no time shall the finished mixture be at a temperature greater than 175°F.

WORKABILITY

The mixture shall be stockpiled on the vendors site for 14 days or until the internal mix temperature is within 10° of ambient temperature without stripping and when taken from a stockpile, shall be capable of being shoveled, raked, spread and compacted.

The aggregate and liquid asphalt intended for usage shall meet the 95% coating requirement in ASTM D 1664 before utilizing the materials.

When tested in accordance with ASTM D 2489, modified to perform the test at the end of the stockpiling period on the producer's yard, the total amount of not coated particles shall not exceed 10%.

If the material fails to conform to the requirement of the specifications the producer may rework the existing material or provide new material.

STORAGE

The mix shall be maintained on the producer's property in stockpiles not exceeding a height of four (4) feet until the internal mix temperature is within 10° of the ambient temperature. In addition, the top of all stockpiles shall be leveled to eliminate any peaked areas.

2. BIDDING INSTRUCTIONS

The purpose of this contract is to provide for the delivery of WINTER GRADE BITUMINOUS PATCHING MIXTURE Standard/or Modified) to the various locations and in the estimated quantities set out in the bid schedule.

Actual quantities to be delivered to each location will be specified in a State Contract Purchase Order (SCO) which will be issued by the Division of Highways at the time delivery is required.

Vendors may bid to deliver the estimated quantities of either or both types of material at any or all of the designated delivery sites.

Any qualification of bids, or any modification of the specifications or conditions governing the bids may be cause for their rejection.

3. CONTRACT AWARD

The Division of Highways will consider Vendor's performance history in the award of this Purchase Order Contract.

Qualified Vendors who submit a valid bid "F.O.B. Division Storage Site" will be awarded a contract for those locations for which their bid is low for Standard Winter Grade Bituminous Patching Material and for which their bid is low for Modified Winter Grade Bituminous Patching Material.

In the event a Vendor fails to conform to the requirements set out in this contract document, the State Contract Purchase Order or the governing specifications, the Purchase Order Contract may be cancelled and awarded to the next low bidder.

4. SAMPLING AND TESTING

Upon award of contract, the Vendor shall inform the Division of the location of Vendor's storage sites so that materials may be sampled and tested prior to shipment. Information shall be directed to the respective Division of Highways District Materials Engineers/Supervisors.

5. WEIGHING MATERIALS DELIVERED BY TRUCK

Material delivered by truck shall be weighed in accordance with Section 401.9.3 of the West Virginia Department of Transportation, Division of Highways' Standard Specifications.

6. SUPPLYING OTHER ORGANIZATIONAL ENTITIES

County Courts, Municipalities, School Boards, other political subdivisions and governmental entities, etc., may have a need for these materials, and Vendors may wish to supply that need. Accordingly, bidders may wish to extend their contract prices to these other entities. If the bidder wishes to supply these other entities, but with prices different from those quoted for the Highway Department, the bidder shall include a set of bid schedules clearly and unambiguously marked for the express use of entities other than the Division of Highways. Failure by the bidder to include a set of bid schedules for other entities will be taken to mean that the bid schedules extended to the Division of Highways will also be extended to these other entities.

In the event any Vendor does not wish to extend the prices, terms and conditions of this bid and subsequent contract to other entities of the State, he must so indicate in a clear and unambiguous manner in his bid. This indication does not prejudice the award of the contract. If a Vendor does not indicate his refusal to extend the prices, terms and conditions of his bid to other entities of the State he is bound to extend them upon issuance of a purchase order by these other entities.

Other organizational entities using his provision of the contract shall do so without any involvement of the Division of Highways; that is, the entity shall make its own purchase arrangements with the Vendor and shall make its own arrangement for payment.

7. BASIS OF PAYMENT

The quantity, determined in accordance with Section Number 5, will be paid for at the delivered price per ton, which price and payment shall be full compensation for furnishing and handling all the material incorporated in the mixture and delivering the mixture to a designated storage site.

8. PRODUCTION SCHEDULE

Vendor should produce material within two weeks of receipt of SCO.

9. VENDOR'S INVOICES

Vendor's invoices must be submitted in original and one copy containing the following:

- a. Division of Highway's State Contract Purchase Order Number, and this Contract Number.
- b. Total quantity and unit price with the total cost of the material furnished.

Note: Under no circumstance will the West Virginia Division of Highways accept, or pay for, quantities of material in excess of the quantity stated on the State Contract Purchase Order.

NOTE: Vendor should type price

10. BIDDING SCHEDULE

WINTER GRADE BITUMINOUS PATCHING MIXTURE DISTRICT 1

COUNTY	DELIVERY SITE	ESTIMATED NEEDS (TONS)	STANDARD DELIVERED PRICE PER TON FOB DIV. STORAGE SITE	MODIFIED DELIVERED PRICE PER TON FOB DIV. STORAGE SITE
Boone	Rock Creek	o		
Boone	Seth	0		
Boone	Clinton	0		
Clay	C.R 11	75		
Clay	Maysel Lot	0		
Kanawha	North Charleston	0		
Kanawha	Elkview	50		
Kanawha	Chelyan	35		
Kanawha	St. Albans	50		
Mason	Point Pleasant	100		
Putnam	Red House	75		
Putnam	Hurricane	75		
I-64 Sec. 2	Scary	0		
I-64 Sec. 3	Rt 119 & Penn. Ave.	0		
I-79 Sec. 6	Amma	20		
Corridor G	Ruth	0		
I-77 Sec. 3	Sissonsville	45		

WINTER GRADE BITUMINOUS PATCHING MIXTURE

COUNTY	DELIVERY SITE	ESTIMATED NEEDS (TONS	STANDARD DELIVERED PRICE PER TON FOB DIV. STORAGE SITE	MODIFIED DELIVERED PRICE PER TON FOB DIV. STORAGE SITE
Cabell	Barboursville	250	MERICAN AND AND AND AND AND AND AND AND AND A	
Lincoln	West Hamlin	0		
Lincoln	Yawkey	0		-
Logan	Chapmanville & Corridor G	100		***************************************
Logan	Wilkinson HQ	100	NAME OF THE PARTY	
Logan	Man Substation	80		***************************************
Mingo	Millers Creek HQ	100	And the state of t	
Mingo	Gilber	100	**************************************	***************************************
Wayne	Wayne	300		***************************************
Wayne	Kenova	100		****
Wayne	Crum	100		
I-64	Huntington	80		

WINTER GRADE BITUMINOUS PATCHING MIXTURE

COUNTY	DELIVERY SITE	ESTIMATED NEEDS (TONS)	STANDARD DELIVERED PRICE PER TON FOB DIV. STORAGE SITE	MODIFIED DELIVERED PRICE PER TON FOB DIV. STORAGE SITE
Calhoun	Millstone	200	***************************************	
Jackson	Ripley	300		N=444444444444444444444444444444444444
Pleasants	St. Marys (Colin-Anderson Lot	.) 75		**************************************
Ritchie	Ellenboro	75		
Roane	Spencer	225		
Roane	WV 36 Left Hand	75		***************************************
Wirt	Elizabeth	75		**************************************
Wood	WV 95, Parkersburg	300		BANGO A
Corridor D	Greenwood	0		*****
I-77	Mill Run Road	35		
I-77 Sec. 2	Medina	20		

WINTER GRADE BITUMINOUS PATCHING MIXTURE

COUNTY	DELIVERY SITE	ESTIMATED NEEDS (TONS)	STANDARD DELIVERED PRICE PER TON FOB DIV. STORAGE SITE	ODIFIED DELIVERED PRICE PER TON FOB DIV. STORAGE SITE
Doddridge	Smithburg	100		
Harrison	Gore	300		
Marion	Fairmont	100		
Marion	Mannington	100		
Monongalia	Sabraton	150		
Monongalia	Pentress	75	***************************************	
Preston	Albright	100		
Preston	Bruceton	50	***************************************	
Preston	Terra Alta	50		
Preston	Fellowsville	50	-	
Preston	Aurora	50		
Taylor	Pruntytown	200		
APD-50	Tunnel Hill	50	,	
I-68	Coopers Rock	50		
I-79	Lost Creek Yard	100		
I-79	Goshen Road	50		

WINTER GRADE BITUMINOUS PATCHING MIXTURE

COUNTY	DELIVERY SITE	ESTIMATED NEEDS (TONS)	STANDARD DELIVERED PRICE PER TON FOB DIV. STORAGE SITE	MODIFIED DELIVERED PRICE PER TON FOB DIV. STORAGE SITE
Berkeley	Martinsburg & I-81	300		
Grant	Petersburg	75	-	
Grant	Mt. Storm	50		
Hampshire	Romney	50	***************************************	W-Photos
Hampshire	Capon Bridge	30		***************************************
Hampshire	Slanesville	50	Market Market Walter to the control of the control	***************************************
Hardy	Moorefield	75		
Hardy	Baker	75	-	
Jefferson	Charles Town	100		
Mineral	New Creek	75	And the second s	****
Mineral	Sky Line	50	And the state of t	
Mineral	Short Gap	50		
Morgan	Berkeley Springs	250		

WINTER GRADE BITUMINOUS PATCHING MIXTURE

COUNTY	DELIVERY SITE	ESTIMATED NEEDS (TONS)	STANDARD DELIVERED PRICE PER TON FOB DIV. STORAGE SITE	MODIFIED DELIVERED PRICE PER TON FOB DIV. STORAGE SITE
Brooke	Wellsburg	100		\$64.50
Hancock	New Manchester	200		\$67.25
Marshall	Cameron	175		\$70.00
Marshall	Glen Dale	300		\$63.50
Ohio	Triadelphia	150		\$63.00
Tyler	Centerville	100	***************************************	\$76.00
Tyler	Sistersville	80		\$73.00
Wetzel	Hundred	100		\$76.00
Wetzel	New Martinsville	100		\$71.00
Wetzel	Pine Grove	100		\$73.00
I-70	Woodland (Elm Grove)	0	Western State of the State of t	\$63.00

WINTER GRADE BITUMINOUS PATCHING MIXTURE

COUNTY	DELIVERY SITE	ESTIMATED NEEDS (TONS)	STANDARD DELIVERED PRICE PER TON FOB DIV. STORAGE SITE	MODIFIED DELIVERED PRICE PER TON FOB DIV. STORAGE SITE
Barbour	Philippi	70		-
Braxton	Laurel Court	150	ples spiloners and the second spiloners and the	
Gilmer	Glenville HQ	60		d-1000-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1
Lewis	Weston	100		
Upshur	Buckhannon	75		W ^{aa} in Brain ahaan ahaa
Webster	Cherry Falls	25	No. of the Control of	
Webster	Cowen	25	Annual desiration of the second secon	
Webster	Hacker Valley	25		***************************************
I-79 Sec. 4	Burnsville	25		
I-79 Sec. 5	Coon Knob	25	***************************************	

WINTER GRADE BITUMINOUS PATCHING MIXTURE


COUNTY	DELIVERY SITE	ESTIMATED NEEDS (TONS)	STANDARD DELIVERED PRICE PER TON FOB DIV. STORAGE SITE	MODIFIED DELIVERED PRICE PER TON FOB DIV. STORAGE SITE
Pendleton	Franklin	100		
Pocahontas	Marlinton	25		***
Randolph	Elkins	100	***************************************	***************************************
Tucker	Parsons	60		

WINTER GRADE BITUMINOUS PATCHING MIXTURE

COUNTY	DELIVERY SITE	ESTIMATED NEEDS (TONS)	STANDARD DELIVERED PRICE PER TON FOB DIV. STORAGE SITE	MODIFIED DELIVERED PRICE PER TON FOB DIV. STORAGE SITE
Fayette	Oak Hill	75		
Fayette	Lookout	60	***************************************	***************************************
Fayette	Glen Ferris	20		
Fayette	Cor. L, Oak Hill	0		V
Greenbrier	Lewisburg	80		***************************************
Greenbrier	Crawley	100		**************************************
Greenbrier	I-64, Harts Run	20	REAL ROOM (1997)	***************************************
Monroe	Union	75	***************************************	B12522244E20444444444444444444444444444444
Monroe	Peterstown	50		
Nicholas	Summersville	160		
Nicholas	Curtin	0	***************************************	MATERIAL STATE OF THE STATE OF
Summers	Summers Co. HQ	100		MARINE AND

WINTER GRADE BITUMINOUS PATCHING MIXTURE

COUNTY	DELIVERY SITE	ESTIMATED NEEDS (TONS)	STANDARD DELIVERED PRICE PER TON FOB DIV. STORAGE SITE	MODIFIED DELIVERED PRICE PER TON FOB DIV. STORAGE SITE
McDowell	Havaco	100		****
McDowell	Johnny Cake	0		######################################
McDowell	Yukon	О	**************************************	
Mercer	Mercer Co. HQ	200	<u> </u>	A
Raleigh	Raleigh Co. HQ	200		
Wyoming	Still Run	100		****



RFQ	No.	66700012

AFFIDAVIT

West Virginia Code §5A-3-10a states:

No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owned is an amount greater than one thousand dollars in the aggregate.

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions.

"Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities.

"Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

EXCEPTION:

The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

LICENSING:

The vendor must be licensed in accordance with any and all state requirements to do business with the state of West Virginia.

CONFIDENTIALITY:

The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendors should visit www.state.wv.us/admin/purchase/privacy for the Notice of Agency Confidentiality Policies.

Under penalty of law for false swearing (West Virginia Code, §61-5-3), it is hereby certified that the vendor acknowledges the information in this said affidavit and are in compliance with the requirements as stated.

Vendor's Name:	Lash Excavating & Paving		
Authorized Signature:	eland F. Lash	Date:	November 22, 2006
No Debt Affidavit Revised 02/08/06	David P. Lash, Jr.		