

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

SH-p

ő

PAGE

667C0019

ADDRESS CORRESPONDENCE TO ATTENTION OF

ЈОНИ ЈОНИЅТОМ 304-558-2402

301-724-1760 ***709010517** I A CONSTRUCTION CORPORATION PO BOX 507

CUMBERLAND MD 21502 DIVISION OF HIGHWAYS VARIOUS LOCALES AS INDICATED BY ORDER

03/11		IEF	MS OF SA	JE	SHIP VIA	F.O.B:		FREIGHT TERMS
BID OPENING DATE: 04/		04/04/	2007		BID	OPENING TIME	01	:30PM
LINE	QUAI	NTITY	UOP	CAT. NO:	JTEM NUMBER	UNITPRICE		AMOUNT
0001	HOT-MI	1	TN ALT		745-21			
<i>~</i> .				ļ	END CONTRACT			
	THE VE	NDOR'S IA DIV	PLAN ISION	T, HO OF H	EQUIPMENT AND LATE TO THE PROPERTY OF THE PROP	THE WEST	AT	
				AND	∕oR			
	LAY DO	WN HOT HWAYS	-MIX AT VA	ASPHA RIOUS	EQUIPMENT AND LA LT FOR THE WEST LOCATIONS IN TH EREINAFTER.	VIRGINIA DIVI	SION	
	LICENS	E, INS SATION	URANC CERT	E CER IFICA	UBMIT A COPY OF TIFICATE, AND WO TE IF BIDDING IT	RKERS		
	EXHIBI	Т 3						
	YEAR ONECESS	 R UNTI ARY TO AL CON	 L SUC OBTA TRACT	AN H "RE IN A . TH	IS CONTRACT BECO D EXTENDS FOR A ASONABLE TIME" T NEW CONTRACT OR E "REASONABLE TI	PERIOD OF ONE HEREAFTER AS RENEW THE ME" PERIOD SH	(1) IS ALL	
	TIME"	THE VE UPON	NDOR GIVIN	MAY T	MONTHS. DURING ERMINATE THIS CODIRECTOR OF PUR	NTRACT FOR AN	Y 🖆	11 101 -3 A 10:38
50.00005000000000000000000000000000000	Augustassassasiii nin			See See	JEDRENIAE BAD TERMANNA AA	NOUTIONS		
SEE REVERSE SIDE FOR TERMS AND C						DI-124-1760	DATE /	1/2/2007
TITLE ARBA M	AUAGER	FE FE	D N 23 -	222-4			i 7 ANGES	TO BE NOTED ABOVE
	1,010	ONDING T		INICED	T NAME AND ADDRESS	IN SPACE ABOVE LA	VDELE	יעבאססטי -



VENDOR

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

SH-p

T O REGNUMBER 667C0019

PAGE

2

ADDRESS CORRESPONDENCE TO ATTENTION OF:

JOHN JOHNSTON 304-558-2402

DIVISION OF HIGHWAYS
VARIOUS LOCALES AS INDICATED
BY ORDER

*709010517 301-724-1760
I A CONSTRUCTION CORPORATION
PO BOX 507

CUMBERLAND MD 21502

DATE PRINT	ΓED	TER	MS OF SAL	E	SH	IP VIA		FOB.		FREIGHT TERMS
03/11/										
BID OPENING DATE:		04/04/	2007		I construction of the cons	B :	(D 0	PENING TIME	01	:30PM
LINE	QUAI	NTITY	UOP	CAT. NO.	ITEM	NUMBER		UNIT PRICE		AMOUNT
		<u> </u>								
* *								•		
	HNI FSS	SPECT	ETC P	PUVIC	TONS ARI	E STIPI	11 A T	ED ELSEWHERE	:	
	?							ONDITIONS AN		
i			: }					E OF THE		,
•	CONTRA									
								PON THE MUTU	JAL	
								D VENDOR,		
								THIRTY (30)		
	i		: 1					H RENEWAL SH		
								DITIONS OF TO TWO (2)		·
		AR PER		AND	SHALL DI	- LINI	בח	10 1WU (2) L	INE	
		AN I LI	1003.							
	CANCEL	LATION	: THE	DIRE	CTOR OF	PURCH!	SIN	G RESERVES T	HE	
			I I					LY UPON WRIT		
	NOTICE	TO TH	E VEN	DOR I	F THE C	TIGOMMO	IES	AND/OR SERV	ICES	
•	SUPPLI	ED ARE	OF A	N INF	ERIOR QU	JALITY	OR	DO NOT CONFO	RM	
	TO THE	SPECI	FICAT	IONS	OF THE	BID AND	CO	NTRACT HERE	N.	
								CHASING MAY		
								N THE OPEN		
								TION OR COST		
		- 3	,	•	IED ON T			O UNFORESEEN	ı	
		,	,	1				LAYS IN TRAN	1	
1							- 1	IN THE VOLUM		
1	OF WOR								-	
							ĺ			
	QUANTI	TIES:	QUANT:	ITIES	LISTED	IN THE	RE	QUISITION AR	E	
								SUPPLIED BY		
								OOD AND AGRE		
								ITIES ACTUAL		
								THE CONTRAC	Τ,	T T T T T T T T T T T T T T T T T T T
	WHEIHE	K MUKE	UK LE	:SS [HAN IHE	ŲUAN I I	IIE	S SHOWN.		
		ļ	•							
	Λ	4		SEE REV	ÆRSE SIDE FOI					
IGNATURE I I I I I	in V	1 Lemen	<u>Ia</u>			TELEPHONI	301	-724-1760	DATE	4/2/2007
TLE AREA M		lec		222-	H715				ANGES	TO BE NOTED ABOVE



VENDOR

TITLE

AREA

MANAGEYL

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for Quotation

5 H - P

T

667C0019

PAGE

7

ESPONDENCE TO	

JOHN JOHNSTON 304-558-2402

DIVISION OF HIGHWAYS
VARIOUS LOCALES AS INDICATED
BY ORDER

ADDRESS CHANGES TO BE NOTED ABOVE

*709010517 301-724-1760 I A CONSTRUCTION CORPORATION PO BOX 507

CUMBERLAND MD 21502

DATE PRINT	ΓED	TER	IMS OF SAI	E	SHIP	/IA	F.O.B.		FREIGHT TERMS
03/11/									
BID OPENING DATE:	100000000000000000000000000000000000000	04/04/	2007		Percentian	BID	OPENING TIME	01	:30PM
LINÉ	QUA	VTITY	UOP	CAT.	ITEM NUI	VIBER	UNIT PRICE		AMOUNT
•	WRITTE THE VE THE OR VENDOR MAILED	N STAT NDOR F IGINAL AS AU TO TH	E CON OR CO COPY THORI E PUR	TRACT MMODI OF T ZATIO CHASI	ORDER (F TIES COVE HE WV-39 N FOR SHI	ORM NUM RED BY SHALL B PMENT,	HALL ISSUE A BER WV-39) TO THIS CONTRACT E MAILED TO TI A SECOND COPY A THIRD COPY		
	FOR BA	NKRUPT NULL A	CY PR	OTECT	ION, THIS	CONTRA	ONTRACTOR FILI CT IS AUTOMAT: WITHOUT FURTI	[-	
	SHALL CONDIT DOCUME AGREEM	SUPERS IONS W NTS SU ENTS O	EDE A HICH CH AS R MAI	NY AN May a Pric Ntena	D ALL SUB PPEAR ON E LISTS,	SEQUENT ANY ATT ORDER F MENTS,	THIS CONTRACT TERMS AND ACHED PRINTED ORMS, SALES INCLUDING ANY		
	CURREN IS ISS MUST A CARD F	SING C TLY UT UED TH CCEPT OR PAY FOR O	ARD A ILIZE ROUGH THE S MENT RDERS	S A V A BA TATE OF AL	ISA PURCH NK. THE OF WEST V L ORDERS	ASING C SUCCESS IRGINIA PLACED	OF WEST VIRG ARD PROGRAM WH FUL VENDOR VISA PURCHAS BY ANY STATE 2,500 AS A COM	IIC	
	COVERA PRIOR SPECIF	GE OF TO ISS IED IN	COMME UANCE THE	RCIAL OF T BID D E REQ	GENERAL HE CONTRA OCUMENTS, UIRED IS	LIABILI CT. UNL THE MI \$250,00	IDITIONS)F	
IGNATURE (1).00	101	/ \	านี			TELEPHONE 3	01- 124-1760	DATE	4/2/2007



State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for Quotation

SH-P

ō

667C0019

PAGE

4

ADDRESS CORRESPONDENCE TO ATTENTION OF:

JOHN JOHNSTON 304-558-2402

DIVISION OF HIGHWAYS
VARIOUS LOCALES AS INDICATED
BY ORDER

ADDRESS CHANGES TO BE NOTED ABOVE

*709010517 301-724-1760 I A CONSTRUCTION CORPORATION PO BOX 507

CUMBERLAND MD 21502

DATE PRINT	ΓED	TER	MS OF SAL	E	SHIP VIA		F.O.B.		FREIGHT TERMS
03/11/		<u> </u>	ü.						Marrie
BID OPENING DATE:	Indonesia (Constitution of Constitution of Constitution of Constitution of Constitution of Constitution of Cons	04/04/	2007			BID	OPENING TIM	<u> </u>	:30PM
LINE	QUAI	YTITY	UOP	CAT. NO:	ITEM NUMBER		UNIT PRICE		AMOUNT
					VENDOR IS RE RS COMPENSAT				
				CON	TRACTORS LIC	ENSE			
	PERSON STATE LICENS LICENS MADE B CAPITO	S DESI MUST B ING BO E. AP Y CONT L COMP	RING E LIC ARD I PLICA ACTIN LEX,	TO PE ENSED S EMP TIONS G THE BUILD	DE 21-11-2 R RFORM CONTRA . THE WEST OWERED TO IS FOR A CONTR WEST VIRGIN ING 3, ROOM 4) 558-7890.	CTIN VIRG SUE ACTO IIA D 319,	G WORK IN TO INIA CONTRACT THE CONTRACT RS LICENSE OF IVISION OF	HIS CTORS TORS MAY BE LABOR	
	PROSPE		BIDDE	R TO	DE 21-11-11 INCLUDE THE			ENSE	
*	CONTRA	TO CO	NAME		IA COUSTRISC	i ioù	CORPORATION		
	CONTRA	CTORS	LICEN	SE NO	_ WV 005	464	• • • • • • • •		
	OF THE		TRACT	ORS L	WILL REQUIRE ICENSE PRIOR T.				
			VEND	OR PR	EFERENCE CER	TIFI	CATE		
-	PREFER	ENCE I	N ACC	ORDAN	ICATION* IS CE WITH WEST Y TO CONSTRU	VIR	GINIA CODE,).	
((PLICAT CHECK			E FOR 2.5% P . VERSE SIDE FOR TERMS			HE	
SIGNATURE	<i>0</i>	$\sqrt{2}$		oec ne				DATE	41212.
111,00	Len X	Danie	17			ک	1-724-1760	1	4/2/2007



VEXDOR

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

S H-₽

T O 667C0019

PAGE 5

ADDRESS CORRESPONDENCE TO ATTENTION OF:

JOHN JOHNSTON 304-558-2402

DIVISION OF HIGHWAYS
VARIOUS LOCALES AS INDICATED
BY ORDER

ADDRESS CHANGES TO BE NOTED ABOVE

*709010517 301-724-1760 I A CONSTRUCTION CORPORATION PO BOX 507

CUMBERLAND MD 21502

DATE PRINT	ED	TER	MS OF SAI	E	SHIP	(IA	F.O.E	3	FREIGHT TERMS
03/11/									
BID OPENING DATE:	04/04/2007		BID OPENING TIME 0:			1:30PM			
LINE	QUA	VTITY	UOP	CAT.	ITEM NUM	/BER	UNITP	RICE	AMOUNT
	() HAS RE (4) YE CERTIF () TION R QUARTE WEST V THE DA INTERE PARTNE WHO HA OF BUS YEARS	BIDDER SIDED ARS IM ICATIO BIDDER ESIDEN RS OR IRGINI TE OF ST OF RSHIP, S MAIN INESS	IS A CONTI MEDIA N; OR IS A T VEN PRINC A FOR THIS BIDDE ASSO TAINE CONTI	N IND NUOUS TELY PART DOR A IPAL FOUR CERTI R IS CIATI D ITS NUOUS PREC	IVIDUAL R LY IN WES PRECEDING NERSHIP, ND HAS MA PLACE OF (4) YEAR FICATION; HELD BY A ON OR COR	ESIDENT T VIRGI THE DA ASSOCIA INTAINE BUSINES S IMMED OR 80% NOTHER PORATIO TERS OR T VIRGI	VENDOR A NIA FOR F TE OF THI TION OR C D ITS HEA S CONTINU IATELY PR OF THE O INDIVIDUA N RESIDEN PRINCIPA NIA FOR F	ND OUR S ORPORA- D- OUSLY I ECEDING WNERSHI L, T VENDO L PLACE	N P R
	() WHICH A MINI HAS MA BUSINE FOUR (CERTIF	BIDDER HAS AN MUM OF INTAIN SS WIT 4) YEA ICATIO	IS A AFFI ONE ED IT HIN W RS IM N.	CORP LIATE HUNDR S HEA EST V MEDIA	OR SUBSI ED STATE QUARTERS IRGINIA C TELY PREC	DIARY W RESIDEN OR PRIN ONTINUO EDING T	ENT VENDO HICH EMPL TS AND WH CIPAL PLA USLY FOR HE DATE O	OYS ICH CE OF THE F THIS	
	REASON () DURING 75% OF ARE RE THE ST	CHECK BIDDER THE L THE E SIDENT ATE CO	ED: IS A IFE O MPLOY S OF NTINU	RESI F THE EES W WEST OUSLY ION O	DENT VEND CONTRACT ORKING ON VIRGINIA	OR WHO , ON AV THE PR WHO HAV TWO YEA D;	RENCE FOR CERTIFIES ERAGE AT OJECT BEI E RESIDED RS IMMEDI	THAT, LEAST NG BID IN	
IGNATURE	()	/)						ZZ DATE	dist
Will	1 Lema	Juen.	I 5		•	3	01-724-17	60	4/2/2007



State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

S H I P

Ţ O

667C0019

ADDRESS CORRESPONDENCE TO ATTENTION OF:

JOHN JOHNSTON 304-558-2402

DIVISION OF HIGHWAYS VARIOUS LOCALES AS INDICATED BY ORDER

ADDRESS CHANGES TO BE NOTED ABOVE

*709010517 301-724-1760 I A CONSTRUCTION CORPORATION PO BOX 507

CUMBERLAND MD 21502

DATE PRINT	ED	TER	MS OF SAL	E.	SHIP V	IA	F.O.B.		FREIGHT TERMS
03/11/	2007								
BID OPENING DATE:		04/04/	2007			BID	OPENING TIME	01	:30PM
LINE	QUAN	VTITY	UOP	CAT. NO.	ITEM NUM	1BER	UNIT PRICE		AMOUNT
	() MINUS WHICH SOLUTION OF SID WHICH SID WARRES SID	BIDDE O IDDE O I	IS HOO I S	NRTHESHIC SEACHADA TOOORETYE LDU	ESIDENT V STATE RE H AN AFFI ADQUARTER T VIRGINI ESIDENTS CONTRACT R BIDDERSI E SECRE EDING SUB THE SECEIV MEET THE ARY MAY O SCIND THE SSES A P T TO EXP WILL BE P M ANY UNP RDER. CERTIFICA Y REQUEST D AUTHORI CLOSE TO INFORMAT QUIES NOT QUIES NOT ER INFORM FIDENTIAL OR FALSE ERESIDEFORTE	ENDOR E SIDENTS LIATE O S AMPLO S AMPLO WHO OFFS WHO OFF WHO OFFS	MPLOYING A OR IS A R SUBSIDIARY INCIPAL PLACE YING A MINIMUN TIFIES THAT, ERAGE AT LEAST IATE'S OR F WEST VIRGIN: USLY FOR THE OF THIS BID. TAX & REVENUE FERENCE HAS MENTS FOR SUCH E DIRECTOR OF CT OR PURCHASE AGAINST SUCH F THE BID AMOUNTS ANCE ON THE DER AGREES TO RMATION TO THE DEPARTMENT OF ECTOR OF IFYING THAT TAXES, PROVIDE THE AMOUNTS OF IFYING THAT TAXES, PROVIDE THAT THIS L RESPECTS; AN	TA TWO IA TWO I I I I I I I I I I I I I I I I I I	
IGNATURE 1	0 0	₹ ₹ =				TELEPHONE 2	01-724-1760	DATE	4/2/2007
しんしん	liend	11000	سلاب			30	01-124-1160		1/2/2001



VENDOR

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for Quotation

SHIP

ŏ

667C0019

PAGE

ADDRESS CORRESPONDENCE TO ATTENTION OF:

ADDRESS CHANGES TO BE NOTED ABOVE

JOHN JOHNSTON 304-558-2402

DIVISION OF HIGHWAYS
VARIOUS LOCALES AS INDICATED
BY ORDER

*709010517 301-724-1760 I A CONSTRUCTION CORPORATION PO BOX 507

CUMBERLAND MD 21502

DATE PRINT	ED	TER	MS OF SAL	E	SHIP VIA	F.O.B.	FREIGHT TERMS
03/11/	2007				·		
BID OPENING DATE:		04/04/	2007		BID	OPENING TIME 01	:30PM
LINE	QUAN		UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
	CONTAI TERM O	NED WI F THE	THIN CONTR	THIS ACT,	CERTIFICATE CHAN	AND IF ANYTHING GES DURING THE FY THE PURCHASING	
				BIDDE	R: <u>TA</u> GNSTRUCT	иом Сверентиен	
				DATE:	APRIL 2, 20	x2	·
				SIGNE	p. William	James III	
				TITLE	Alea_Ma	UA GER	·
	IN EIT ENTITL	HER "A ED TO FERENC	" OR RECEI	"B", VE.	OR BOTH "A" AND	CONSIDERATION(S) "B" WHICH YOU ARE UP TO THE MAXIMUM	
				NOT	ICE		
	A SIGN	ED BID	MUST	BE S	UBMITTED TO:		
	PI BI 2	URCHAS UILDIN	ING D G 15 SHING	IVISI TON S	INISTRATION ON TREET, EAST 5305-0130		
•		00		SEE REV	VERSE SIDE FOR TERMS AND CON		1
IGNATURE // /	10	1/1/		•	TELEPHONE 2	1-724-1760 DATE	1/2/2007

23-222-4715

HREA MANAGENL



VEXDOR

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for Quotation

8 H I P

T O 667C0019

PAGE

ADDRESS CORRESPONDENCE TO ATTENTION OF:

JOHN JOHNSTON 304-558-2402

BY ORDER

DIVISION OF HIGHWAYS
VARIOUS LOCALES AS INDICATED

ADDRESS CHANGES TO BE NOTED ABOVE

*709010517 301-724-1760
I A CONSTRUCTION CORPORATION
PO BOX 507

CUMBERLAND MD 21502

DATE PRINT	TED TERMS C	FSALE	SHIP VIA	F.O.B.	FREIGHT TERMS
03/11/					ALICE CONTRACTOR
BID OPENING DATE:	04/04/20	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	BID	OPENING TIME 01	:30PM
LINE	QUANTITY U	DP CAT: 1	TEM NUMBER	UNIT PRICE	AMOUNT
		CONTAIN THIS R THE BID MAY	INFORMATIO	N ON THE FACE OF	
	PLEASE PROVIDE TO CONTACT YOU CONTACT PERSON	REGARDING YO	UR BID: <i>724-0864</i> T CLEARLY):		
	***** THIS I		RFQ 667C0	019 ***** TOTAL:	
SIGNATURE 1 0/	: . PR -	- SEE HEVERSE SIU		01-124-1760 DATE	4/2/2007

1. SPECIFICATIONS

The following sections of the West Virginia Department of Transportation, Division of Highways' Standard Specifications Roads and Bridges, Adopted 2000, as modified by the current Supplemental Specifications shall apply to the administration of this Contract: Sections 101, 102.4, 102.5, 105.1, 105.3, 105.4, 105.10, 105.11, 105.12, 105.13, 106.3, 106.4, 106.5, 106.6, 106.7, 106.9, 107.1, 107.2, 107.3, 107.12, 107.14, 107.15, 107.16, 107.19, 107.20, 107.23, 108.3, 108.5, 108.7, 108.8, 109.1, 109.2 and 109.20.

The requirements of the West Virginia Department of Transportation, Division of Highways' Standard Specifications, Roads and Bridges, Section 109.20, PRICE ADJUSTMENT FOR LOAD LIMIT VIOLATIONS, shall apply to all material supplied under this contract. This will include material loaded by the Vendor into Division of Highways owned and/or rented trucks.

The terms "Contractor" and "Vendor" used in the above specifications of this Contract are interchangeable. Contractor shall mean Vendor and Vendor shall mean Contractor.

West Virginia Department of Transportation, Division of Highways' Standard Specifications Roads and Bridges, Adopted 2000, and the current Supplemental Specifications may be obtained from:

West Virginia Division of Highways Contract Administration Division Room A-729, Building Five 1900 Kanawha Blvd., East Charleston, West Virginia 25305

shall be furnished material, except Item F, All accordance with the requirements of the following West Division Transportation, Department of Virginia Bridges, and Specifications Roads Highways' Standard Adopted 2000 as modified by the current Supplemental Specifications.

Item F shall meet West Virginia Division of Highways' Specifications, specifications of adjacent state highway departments or specifications acceptable to the Engineer for similar material as bid in Items A through E.

The Division of Highways may purchase Hot-Mix Asphalt F.O.B. Vendor's plant. The bid price F.O.B. Vendor's plant shall include the loading of Division of Highways', owned or rented, trucks and the furnishing of a coating solution in accordance with Paragraph 401.9.7 of the Specifications by Vendor.

2. BIDDING INSTRUCTIONS

Any qualification of bids or any modification of the specifications or conditions governing the bids may be cause to reject bids.

If a Vendor will be supplying materials from more than one plant, the bid prices that apply to each plant shall be clearly indicated in the bid, preferably on separate bid schedules.

3. DETERMINING LOW BID

The purpose of this contract is to establish unit prices for Items A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, and V which are to be used as the basis for requisitioning Hot-Mix Asphalt for use on various maintenance and repair projects throughout the District.

State Contract Purchase Orders individual for (SCO's) paving projects will be based on the lowest overall total cost of the pick-up price of material (Items A through E) plus the haul cost (Item G) plus the lay down cost (Item H), plus cleaning & sweeping (Item I), tack material (Item J), mobilization for paving (Items K or L), off season plant opening (Item M), additional heel-in joints (Item N), skip paving surcharge (Item O), mobilization for profiling (Item P), pavement profiling (Item Q), and Traffic Control (Items R, S, & T) as applicable; however, material (Items A through E) may be furnished from any approved production location. Items I, J, K, L, M, N, O, P, Q, R, S, T, U, and V shall be shown on the SCO as a separate pay item when requested by the Engineer.

State Contract Purchase Orders (SCO's) for material to be picked up at the Vendor's plant by the Division of Highways will be based on the lowest unit price of Items A through F and the Division's most economical haul cost from the Vendor's plant to individual job sites. Factors to be considered shall include but not be limited to; bid price of material, haul cost @ \$0.25 for each additional tonmile, loading and transportation delays, and availability of material.

The distances allowed for haul costs will be over suitable routes selected by the Engineer that provides the lowest total cost to the Division of Highways and shall be measured from the Vendor's plant location to the mid-point of the project. All such chosen routes shall have acceptable load limits for both roads and bridges.

The Division of Highways reserves the right to request any one or combination of items for which bids are received at the lowest overall total as set forth above.

Acceptance of a bid for any one item shall not be dependent upon the acceptance of a bid for any other item or any combination of items. However, Item F shall not be requested except when determined by the Engineer that all other equivalent items of material are not available, then only on a pick-up basis. Also, Item G will only be requested in combination with other quoted items.

Upon receipt of a State Contract Purchase Order (SCO) for lay down of Hot Mix Asphalt or pavement profiling, the Vendor shall advise the Division of Highways, in writing, within five (5) calendar days of their acceptance of the SCO. Failure to acknowledge may result in cancellation of the SCO and re-award to the next lowest bidder.

4. CONTRACT CONDITIONS

Vendors may bid any or all items on the bid schedule. However, the amount bid on any one item may not be conditioned on the acceptance of the bid on any other item or items.

All qualified Vendors who submit a valid bid "F.O.B. Vendor's Plant" will be awarded a Contract for those items bid (see Section 12).

In the event a Contractor fails to conform to the requirements set out in this contract document, the State Contract Purchase Order or the governing specifications, the State Contract Purchase Order may be canceled and reawarded to the next lowest bidder.

The State of West Virginia reserves the right to make multiple awards on this Contract when it is in the best interest of the State to do so.

All labor rates paid by Vendor under Items H, I, J, N, O, Q, R, and T of this contract must be in compliance with the West Virginia Department of Labor Prevailing Rates, Chapter 21-5A, Series 15, 2006.

The Vendor is not authorized to ship, nor is the Division authorized to receive materials prior to the issuance of an "SCO".

5. CONTRACT COMPLETION

All State Contract Purchase Order's (SCO's) for lay down work shall be started within fifteen (15) calendar days of receipt of the "SCO", unless otherwise specified by the Engineer, and be completed within thirty (30) calendar days of the starting date. Liquidated damages will be assessed in accordance with Section 108.7 of the Standard Specifications Roads and Bridges.

6. GENERAL PROVISIONS

6.1 Lay down

Lay down as noted in Item H shall be provided by the Vendor as requested by the Division of Highways at projects designated by the Engineer.

6.2 Skip Paving

The Vendor may be required to perform Skip Paving projects at a paving location, provided the distance between the end of one skip and the beginning of the next does not exceed two thousand five hundred (2500) feet. When Skip Paving is requested the Vendor shall be paid the Skip Paving Surcharge, Item O for each ton of final surface course material completed in place on the project. Patching and leveling in preparation for resurfacing of a project shall not be considered Skip Paving.

6.3 Heel-In

Heel-in of joints at the beginning and the end of each paving location, will be performed by the Vendor in accordance with the Resurfacing Heel-In Detail (Figure 1).

Payment for beginning and ending heel-in joints shall be included in the unit price bid for Item H, K or L as appropriate.

constructed Item N, Heel-In Joints, Additional accordance with the Resurfacing Heel-In Detail (Figure 1) may be required as directed by the Engineer at intersecting roadways, at the beginning and end of each paving skip, and other designated locations. Payment of additional Heel-In Joints shall be paid per lineal foot as measured along the complete full payment for which shall be construction of the joint.

6.4 Cleaning and Sweeping

Cleaning and Sweeping will normally be performed by the Division. However, Cleaning and Sweeping, if provided by the Vendor, shall be performed in accordance with Subsection 401.10.1 of the Standard Specifications. Payment shall be calculated as the paving length times the width swept in accordance with subsection 401.10.1.

6.5 Off Season Plant Opening

If the Vendor is required to open his plant in the offseason to service the needs of the Division, an additional payment will be made under Item M, off-season plant opening. Vendor will be paid additional day charge for each additional consecutive day that the plant is open after the first day to serve the needs of the Division.

If the plant produces no material for any user on any calendar day, either during the week or on the weekend, the Division will pay the first day rate for off-season plant opening on the next day of Division usage. Payment for this item is subject to the following conditions:

6.5.1 Payment for Item M can only be authorized and made during the winter months, i.e., between December 15 and March 15, and then only if the plant would not have otherwise been open.

These dates may be revised by the State Highway Engineer, if necessary, to meet specific needs in the field. Any such revision of dates will be in writing and shall be attached to the Vendor's invoice at the time payment is requested.

- 6.5.2 Payment will always be made in the full contract bid price amount for first day of plant opening. However, the amount paid from each additional day of plant opening will be reduced as follows:
 - a. Payment for additional day charge will not be made if the plant has produced over 500 tons on that particular day. If between 300 and 500 tons have been produced, payment for additional day charge will be made equal to one-half of the amount bid for additional day charge. The quantity produced to make this determination shall include all material produced that day, which includes tonnage bought by the State, the various local governments, and all private work.

- b. The State will only pay its share of the amount determined to be due for additional day charge in paragraph 6.5.2a above. For example, if the plant produces 375 tons and the Division takes 150 tons of the total, in this illustration 40% of the plant's daily production, payment for additional day charge would be calculated as follows: Since the total daily production is between 300 and 500 tons, Vendor is due one-half (50%) of the additional day charge in accordance with paragraph 6.5.2a Because the Division's share of this daily production is 40%, the Division would pay 40% of one-half of the additional day charge, or in this case, 20% of the additional day charge.
- 6.5.3 In order to be paid for additional day charge, a certified statement shall accompany the invoice stating the total quantity produced on that day. If payment for additional day of plant opening is not made due to tonnage produced, the next consecutive day of plant operation, if any, will only qualify for payment at the additional day rate, not the first day rate for plant opening.

6.6 Pavement Profiling (Milling)

6.6.1 Description of Work:

This work shall consist of profiling the existing pavement to the specified grade and cross slope by grinding, planing or milling. The profiling equipment shall be capable of accurately establishing profile grades (1/4 inch plus or minus) along each edge of the machine by reference from the existing pavement by use of ski or matching shoe or by reference to independent The equipment shall have an automatic grade control. system for controlling grade and cross slope. Vendor shall provide adequate manpower and auxiliary equipment to control dust and remove cutting from the Stockpiling of cuttings on the project project site. site will not be permitted. All cuttings shall become The Vendor shall be the property of the Vendor. facilities. drainage damage for to responsible manholes or other appurtenances within the pavement area.

6.6.2 Method of Measurement:

- 6.6.2.1 Mobilization for Profiling: The work shall consist of preparatory operations including movement of necessary personnel and equipment onto the project site to begin the profiling work. Only one Mobilization for Profiling per State Contract Order (SCO) shall be paid when Pavement Profiling (Milling) is required.
- 6.6.2.2 Pavement Profiling (Milling): "Pavement Profiling (Milling)" shall be measured as the total number of square yards planed or ground to a depth not exceeding two (2) inches. Should the required removal depth exceed two (2) inches additional quantities shall be measured for each additional two (2) inch increment.
- 6.6.2.3 Haul of Profiled Cuttings: Hauling of cuttings from project site to the Vendor's nearest production facility shall be paid under Item G "Haul by Vendor", and weighted on truck scales in accordance with Section 401.9.3 of the West Virginia Department of Transportation, Division of Highways' Standard Specifications Roads and Bridges, Adopted 2000 as modified by the current Supplemental Specifications.

6.7 Maintenance of Traffic

Maintenance of Traffic: Traffic Control and Temporary Pavement Marking Paint may be furnished by DOH. When Items R, S, T, U, and V are requested, traffic shall be maintained by the Vendor in accordance with Section 636 of the West Virginia Division of Highways Standard Specifications Roads and Bridges, Adopted 2000 as modified by the current Supplemental Specifications.

The project, while undergoing improvement, shall be kept open to traffic in such condition that both local and through traffic will be adequately and safely accommodated. All construction operations shall be scheduled by the Contractor to keep traffic delay to a minimum.

6.8 PRICE ADJUSTMENT OF ASPHALT CEMENT

Due to the uncertainty in estimating the costs of petroleum products that will be used during the life of this Contract, adjustment in compensation for contract Items A, B, C, D, E and F is provided for as follows:

The contract price for the items listed above will be adjusted in accordance with the Division of Highways index for asphalt cement. This index will be the average of the posted prices of asphalt cement per ton as reported from the following sources:

Marathon Ashland Petroleum, LLC, Catlettsburg, Kentucky Asphalt Materials, Marietta, Ohio Marathon Ashland Petroleum, LLC, Floreffe, Pennsylvania Citgo Asphalt Refining Co., Baltimore, Maryland Citgo, Incorporated, Bristol, Virginia Koch, Baltimore Maryland.

The bidding index (I_b) as determined above is the index price for the first working day of the month in which the bids are opened. The price adjustment for the specified material at the time of purchase will be based on an index price determined by averaging the posted prices reported by the sources listed above for the first working day of the month in which the material is purchased. If one of the sources listed above changes ownership and/or name the posted price from that terminal will continue in use as though the ownership and/or name change had not occurred.

If one of the sources used for determining the index goes out of business the index in the proposal I_b and the index at the time of purchase I_p will be based on the average of the remaining sources. Thus, I_b could be based on an average of 5 sources and the I_p on the average of 4 sources or vice versa. If a source that goes out of business reopens at a later date the index determined will once again be based on 5 sources as per the previous paragraph

The posted price for each source will be compared to the average of all sources. If the difference between the average and the individual price is greater than 25% of the average, that individual source will be excluded from the calculation of the average price I_b or I_p and a new average will be calculated using the remaining sources.

When the ratio of the price index at purchase (I_p) divided by the price index at bidding (I_b) is less than 0.90 or greater than 1.10, the portion of the contract unit price which reflects the cost of the specified material will be adjusted for the change in accordance with the following formula:

$$AUP = CAP + [(I_p \div I_b) - 1.0] X C$$

where

AUP = Adjusted Unit Price CAP = Contract Award Price

 I_b = Price Index at Time of Bid Opening I_p = Price Index at time of Purchase C = Adjustment Factor for Contract Item

The Adjustment Factor (C) for Contract Items A, B, C, D, E and F shall be calculated as follows:

$$C = AC X I_b$$

where

AC = Statewide Average Asphalt Cement Content for The Materials Listed Under Items A, B, C, D, E and F.

The average asphalt cement content for use in the above formula is as follows:

Item	Asphalt Content (AC)
A	3.9%
B	4.8%
C	5.9%
D	7.5%
E	5.9%
F	See Below

The asphalt cement content used for Item F shall be that specified above for the similar materials in Item A through D.

6.9 PRICE ADJUSTMENT OF FUEL OIL NO. 2 (DIESEL FUEL)

Because of the uncertainty in estimating the cost of diesel fuel that will be used during the life of this contract, adjustment in compensation for contract Items A, B, C, D, E, and F is provided for as follows:

Product price quotations for Fuel Oil No. 2 (diesel fuel) as published by the Oil Price Information Service (OPIS) will be utilized to establish the contract base price as well as the monthly base price thereafter. These prices will be the average of the individual prices for the following locations:

Charleston, West Virginia Ashland, Kentucky Pittsburgh, Pennsylvania Roanoke, Virginia Marietta, Ohio

The initial contract base price will be based on the Fuel Index as published on the WVDOT Internet, Contractor Resources Center for the month immediately preceding the bid of this contract. The initial contract base price will be used for the first quarter (3 months) period of this contract. Thereafter, the OPIS Fuel Oil No. 2 prices as published monthly on the WV DOT Internet, Contractor Resource Center for the prior three months will be averaged and used for the quarterly base price each quarter.

The contract base price (Cbp) and the quarterly base price (Qbp) may be found posted at the Division's Internet website www.wvdot.com by selecting the 'Contractors' link under 'Doing Business' and then by choosing the 'Fuel and Asphalt Prices' option from the 'Contractors Resource Center' drop down menu.

The portion of the contract unit price which reflects the cost of the specified material will be adjusted for the change in accordance with the following formulae:

$Pa=[(Qbp+Cbp)-1.00] \times Cbp \times C \times Q$

Where:

Pa = Price Adjustment

Obp = Quarterly Base Price at time of placement Cbp = Contract Base Price at time of bidding

C = Cost Adjustment Factors per Unit of Contract Item

Bid as outlined in chart below

Q = Quantity

Adjustments in bid price for any period may be either plus or minus. If (Qbp) is greater than (Cbp), the adjustment will be plus. If (Cbp) is greater than (Qbp), the adjustment will be minus.

The adjustment in compensation for diesel fuel used for the listed items will be made on the separate items on the basis of the average diesel fuel requirements for processing a unit of the item as shown in the table below.

The gallons (liters) of diesel fuel for price adjustment will be determined by multiplying the usage factors listed in the table below by the amount of acceptable work performed.

All adjustments will be made based on the gallons (liters) of diesel fuel indicated in the table below and no changes will be made for variations between these usage factors and the actual factors.

COST ADJUSTMENT FACTORS FOR DIESEL FUEL USAGE

	UNITS	FACTOR
Items A, B, C, D, E, and F	Gallons per ton (Liters per megagram)	1.06 (4.43)

7. MOBILIZATION FOR PAVING LIMITS

Mobilization for Paving, Items K and L will be paid when Vendor is required to place lay down quantities (Item H) under 500 tons. In addition, nighttime mobilization for paving, Item L, will only be paid when Vendor is directed by the Engineer to perform lay down at night.

Only one mobilization for paving per day of operation will be paid, unless moves of over five miles between individual paving locations are required. In cases where a Vendor is required to move from one roadway to the adjacent roadway of a divided highway, additional mobilization for paving will only be paid if the nearest interchange or crossing point that will accommodate the Vendor's equipment is over five miles from the paving locations. (This provision may require roundtrip moves of up to 10 miles with no additional mobilization for paving payment).

At an individual paving location where the Vendor is required to place quantities of less than 500 tons on successive days and/or nights, mobilization for paving will only be paid for the initial day's and/or night's operation.

An individual paving location shall be defined as a paving job where no skips exceeding two thousand five hundred (2500) feet are involved, except between the approach slabs of a bridge or parallel pair of bridges.

8. WEIGHING MATERIALS DELIVERED BY TRUCK

Material delivered by truck shall be weighed in accordance with Section 401.9.3 of the West Virginia Department of Transportation, Division of Highways' Standard Specifications Roads and Bridges, Adopted 2000 as modified by the current Supplemental Specifications.

9. ACCEPTANCE PLAN

Quality control shall be the responsibility of the Vendor and meet the requirements of MP 401.03.50.

Acceptance testing shall be the responsibility of the Division.

Quality assurance of the material shall be as set forth in MP 401.02.23.

Sampling frequencies shall be in accordance with Section 6.2 of MP 401.02.23 or Section 4.1 and 4.2 of MP 700.00.52.

10. SUPPLYING OTHER ORGANIZATION ENTITIES

County Courts, Municipalities, School Boards, and other political subdivision and governmental entities, etc., may have a need for these materials, and Vendors may wish to supply that need.

Accordingly, bidders may wish to extend their contract prices to these other entities. If the bidder wishes to supply these other entities, but with prices different from quoted for the Division of Highways, the bidder shall include a set of bid schedules clearly and unambiguously marked for the express use of entities other than the Division of Highways. Failure by the bidder to include a set of bid schedules for other entities will be taken to mean that the bid schedules extended to the Division of Highways will also be extended to these other entities.

In the event any Vendor does not wish to extend the prices, terms and conditions of his bid and subsequent contract to other entities of the State, he must so indicate in a clear and unambiguous manner in his bid. This indication does not prejudice the award of the contract. If a Vendor does not indicate his refusal to extend the prices, terms and conditions of his bid to other entities of the State, he is bound to extend them upon issuance of a purchase order by these other entities.

Other organizational entities using this provision of the contract shall do so without any involvement of the Division of Highways. That is, the entity shall make its own purchase arrangements with the Vendor and shall make its own arrangement for payment.

11. VENDOR'S INVOICES

Separate invoices must be submitted for Items "A" through "F" and for Items "G" through "V".

Vendor's invoices must be submitted in original and one copy and contain the following:

- a. All weigh ticket numbers for material delivered and cuttings hauled during the invoicing period.
- b. Division of Highways' State Contract Purchase Order (SCO) number, and this contract number.
- c. Total quantity and unit price with the total cost of each type of material furnished.
- d. Vendors shall show all weigh ticket numbers on their individual invoices.
- e. No payment will be made to a Contractor for Item K or L unless he performs the lay down operation and the quantity involved is less than 201 tons.

Under no circumstance will the West Virginia Division of Highways accept, or pay for, quantities of material in excess of the quantity stated on the State Contract Purchase Order.

DISTRICT ONE

12.	BID SCHEDU	LE	
	<u>Item A</u> -	Hot-Mix Asphalt Base I F.O.B. Vendor Plant per ton	@
	<u>Item B</u> -	Hot-Mix Asphalt Base II (Patch & Level), or Wearing IV F.O.B. Vendor Plant per ton	@
	<u>Item C</u> -	Hot-Mix Asphalt Wearing I (Scratch) F.O.B. Vendor Plant per ton	@
	<u>Item D</u> -	Hot-Mix Asphalt Wearing III F.O.B. Vendor Plant per ton	@
	Virginia I Standard S modified b	e above items shall be in Department of Transportation Specifications Roads and Doy the current Supplementations in the SCO.	on, Division of Highways, Bridges, Adopted 2000 as
	<u>Item E</u> -	Hot-Mix Asphalt Skid Resistant Pavement F.O.B. Vendor Plant per ton	@
	Department Specificat	item shall be in accordance of Transportation, Divisi ions Roads and Bridges, Ade t Supplemental Specificatio	on of Highways, Standard opted 2000 as modified by
	Item F -	Hot-Mix Asphalt Plant Run F.O.B. Vendor Plant per ton	@
	<u>Item G</u> -		irst ton mile and ach additional mile
	<u>Item H</u> -	Lay down of Materials Items A thru E, Each 0 to 100 tons @ 101 to 200 tons @ 201 to 500 tons @ 501 and up @	Site per ton per ton per ton per ton per ton

DISTRICT ONE

12. BID SCHEDULE (Continued)

Material placed under Item H shall be constructed in accordance with the Requirements of The West Virginia Department of Transportation, Division of Highways, Standard Specifications Roads and Bridges, Adopted 2000 as modified by the current Supplemental Specifications, Section 401 or 402 as specified in the SCO.

Item I -	Cleaning & Sweeping @per sq. yd.
Item J -	Bituminous Material for Tack Coat or Prime All Types @per gallon
Material Section Engineer	furnished and applied under Item J to be in accordance with 408 of the referenced specifications, as directed by the
Item K -	Daytime Paving Mobilization - A Mobilization for Paving Charge of \$ may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is not specified.
Item L -	Nighttime Paving Mobilization - A Mobilization for Paving Charge of \$ may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is specified.
Item M -	Off Season Plant Opening @ for first day @ for each additional day
Item N -	Additional Heel-In Joints @per lineal foot
Item O -	Skip Paving Surcharge @per ton
Item P -	Mobilization for Profiling @ per SCO
Item Q -	Pavement Profiling (Milling), square yards per SCO
	Less than 250 @ per Sq. Yd. 250 less than 500 @ per Sq. Yd. 500 less than 1000 @ per Sq. Yd. 1000 less than 2500 per Sq. Yd. 2500 less than 5000 per Sq. Yd. 5000 and greater @ per Sq. Yd.
Item R -	Pilot Truck and Driver @ per day

DISTRICT ONE

Item S - Traili	c Control Device @	per	Unit
Item T - Flagge	r @	per	Hour
<u>Item U</u> - Arrow	Board @	per	Day
<u>Item V</u> - Rumble	Strips @	per	LF

DISTRICT TWO

BID SCHEDU	LE (Continued)	
Item A -	Hot-Mix Asphalt Base I F.O.B. Vendor Plant per ton	@
<u>Item B</u> -	Hot-Mix Asphalt Base II (Patch & Level) or Wearing IV F.O.B. Vendor Plant per ton	, @
<u>Item C</u> -	Hot-Mix Asphalt Wearing I (Scratch) F.O.B. Vendor Plant per ton	@
Item D -	Hot-Mix Asphalt Wearing III F.O.B. Vendor Plant per ton	@
Virginia 1 Standard modified 1	Department of Transporta Specifications Roads and	in accordance with The West tion, Division of Highways d Bridges, Adopted 2000 as htal Specifications, Section
<u>Item E</u> -	Hot-Mix Asphalt Skid Resistant Pavement F.O.B. Vendor Plant per ton	@
Department Specificat	of Transportation, Div	lance with The West Virginia ision of Highways, Standard Adopted 2000 as modified by tions, Section 402.
Item F -	Hot-Mix Asphalt Plant Run F.O.B. Vendor Plant per ton	@
<u>Item G</u> -		first ton mile and each additional mile
Item H -	Lay down of Materials Items A thru E, Each Si 0 to 100 tons @ 101 to 200 tons @ 201 to 500 tons @ 501 and up @	te per ton per ton per ton per ton per ton

DISTRICT TWO

12. BID SCHEDULE (Continued)

Material placed under Item H shall be constructed in accordance with the Requirements of The West Virginia Department of Transportation, Division of Highways, Standard Specifications Roads and Bridges, Adopted 2000 as modified by the current Supplemental Specifications, Section 401 or 402 as specified in the SCO.

Item I	- C	leaning & Sweeping @	per sq. yd.
Item J	- B:	ituminous Material or Prime	for Tack Coat
	Al	l Types @	per gallon
Section	40	urnished and applie 8 of the reference ngineer/Manager.	ed under Item J to be in accordance with ed specifications, as directed by the
Item K		Charge of \$	bilization - A Mobilization for Paving may be made when the purchase order ng location is less than 500 tons of nd nighttime paving is not specified.
Item L	-	Paving Charge or purchase order qua	Mobilization - A Mobilization for f \$ may be made when the antity per paving location is less than -Mix Asphalt and nighttime paving is
Item M		Off Season Plant (@	Opening for first day for each additional day
Item N	-	Additional Heel-In@	n Joints per lineal foot
Item O	-	Skip Paving Surcha	arge per ton
Item P	-	Mobilization for I	Profiling per SCO
Item Q	_	Pavement Profiling yards per SCO	(Milling), square
		Less than 250 250 less than 500 500 less than 1000 1000 less than 250 2500 less than 500 5000 and greater	00 @ per Sq. Yd.
Item R	_	Pilot Truck and D	river per day

DISTRICT TWO

Item S - Tr	affic Control De @	vices per Unit
Item T - F1	agger @	_ per Hour
<u>Item U</u> - Arro	w Board @	per Day
Item V - Rumb	le Strips @	per LF

DISTRICT THREE

12.	BID SCHEDU.	LE (Continued)	
	Item A -	Hot-Mix Asphalt Base I F.O.B. Vendor Plant per ton	@
	Item B -	Hot-Mix Asphalt Base II (Patch & Level), or Wearing IV F.O.B. Vendor Plant per ton	@
	Item C -	Hot-Mix Asphalt Wearing I (Scratch) F.O.B. Vendor Plant per ton	@
	<u>Item D</u> -	Hot-Mix Asphalt Wearing III F.O.B. Vendor Plant per ton	@
	Virginia E Standard S modified b	epartment of Transportati Specifications Roads and	accordance with The West on, Division of Highways, Bridges, Adopted 2000 as al Specifications, Section
	Item E -	Hot-Mix Asphalt Skid Resistant Pavement F.O.B. Vendor Plant per ton	@
	Department Specificat	of Transportation, Divis	ice with The West Virginia ion of Highways, Standard dopted 2000 as modified by ons, Section 402.
	Item F -	Hot-Mix Asphalt Plant Run F.O.B. Vendor Plant per ton	@
	<u>Item G</u> -		first ton mile and each additional mile
	Item H -	Lay down of Materials Items A thru E, Each Site 0 to 100 tons @ 101 to 200 tons @ 201 to 500 tons @ 501 and up @	per ton per ton per ton per ton per ton

DISTRICT THREE

BID SCHEDULE (Continued) 12.

Material placed under Item H shall be constructed in accordance with the Requirements of The West Virginia Department of Transportation, Division of Highways, Standard Specifications Roads and Bridges, Adopted 2000 as modified by the current Supplemental Specifications, Section 401 or 402 as specified in the SCO.

Item I - Cl	eaning & Sweeping @per sq. yd.
	tuminous Material for Tack Coat or Prime
Al	l Types @per gallon
Section 40	urnished and applied under Item J to be in accordance with 8 of the referenced specifications, as directed by the agineer/Manager.
<u>Item K</u> -	Daytime Paving Mobilization - A Mobilization for Paving Charge of \$ may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is not specified.
Item L -	Nighttime Paving Mobilization - A Mobilization for Paving Charge of \$ may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is specified.
Item M -	Off Season Plant Opening @ for first day @ for each additional day
Item N -	Additional Heel-In Joints @per lineal foot
Item O -	Skip Paving Surcharge @per ton
Item P -	Mobilization for Profiling @ per SCO
Item Q -	Pavement Profiling (Milling), square yards per SCO
	Less than 250 @ per Sq. Yd. 250 less than 500 @ per Sq. Yd. 500 less than 1000 @ per Sq. Yd. 1000 less than 2500 per Sq. Yd. 2500 less than 5000 per Sq. Yd. 5000 and greater per Sq. Yd.
Item R -	Pilot Truck and Driver @ per day

DISTRICT THREE

Item s -	Traffic Control Device	per	Unit
Item T -	Flagger @	per	Hour
Item U -	Arrow Board	per	Day
Item V -	Rumble Strips @	per	LF

DISTRICT FOUR

BID SCHEDU	LE (Continued)	
Item A -	Hot-Mix Asphalt Base I F.O.B. Vendor Plant per ton	@
Item B -	Hot-Mix Asphalt Base II (Patch & Level), or Wearing IV F.O.B. Vendor Plant per ton	œ
<u>Item C</u> -	Hot-Mix Asphalt Wearing I (Scratch) F.O.B. Vendor Plant per ton	@
<u>Item D</u> -	Hot-Mix Asphalt Wearing III F.O.B. Vendor Plant per ton	@
Virginia D Standard S modified b	e above items shall be in epartment of Transportati Specifications Roads and by the current Supplementa cified in the SCO.	on, Division of Highways, Bridges, Adopted 2000 as
Item E -	Hot-Mix Asphalt Skid Resistant Pavement F.O.B. Vendor Plant per ton	@
Department Specificat	item shall be in accordan of Transportation, Divis ions Roads and Bridges, Ad t Supplemental Specification	ion of Highways, Standard Ropted 2000 as modified by
<u>Item F</u> -	Hot-Mix Asphalt Plant Run F.O.B. Vendor Plant per ton	@
<u>Item G</u> -		first ton mile and each additional mile
Item H -	Lay down of Materials Items A thru E, Each Site 0 to 100 tons @ 101 to 200 tons @ 201 to 500 tons @ 501 and up @	per ton per ton per ton per ton per ton

DISTRICT FOUR

BID SCHEDULE (Continued) 12.

Material placed under Item H shall be constructed in accordance with the Requirements of The West Virginia Department of Transportation, Division of Highways, Standard Specifications Roads and Bridges, Adopted 2000 as modified by the current Supplemental Specifications, Section 401 or 402 as specified in the SCO.

Item I -	Cleaning & Sweeping per sq. yd.
Item J -	Bituminous Material for Tack Coat or Prime
	All Types @per gallon
Section	furnished and applied under Item J to be in accordance with 408 of the referenced specifications, as directed by the Engineer/Manager.
Item K -	Daytime Paving Mobilization - A Mobilization for Pavin Charge of \$ may be made when the purchase orde quantity per paving location is less than 500 tons o Hot-Mix Asphalt and nighttime paving is not specified.
Item L -	Nighttime Paving Mobilization - A Mobilization fo Paving Charge of \$may be made when th purchase order quantity per paving location is less tha 500 tons of Hot-Mix Asphalt and nighttime paving i specified.
Item M -	Off Season Plant Opening @ for first day @ for each additional day
Item N -	Additional Heel-In Joints @per lineal foot
<u>Item O</u> -	Skip Paving Surcharge @per ton
Item P -	Mobilization for Profiling @ per SCO
Item Q -	Pavement Profiling (Milling), square yards per SCO
	Less than 250 @ per Sq. Yd. 250 less than 500 @ per Sq. Yd. 500 less than 1000 @ per Sq. Yd. 1000 less than 2500 @ per Sq. Yd. 2500 less than 5000 @ per Sq. Yd. 5000 and greater @ per Sq. Yd.
<u>Item R</u> -	Pilot Truck and Driver @ per day

DISTRICT FOUR

TCEM D	Traffic Control Devi	per	Unit
Item T -	Flagger @	per	Hour
<u>Item U</u> -	Arrow Board @	per	Day
<u>Item V</u> -	Rumble Strips @	per	LF


DISTRICT FIVE

12. BID SCHEDULE (Continued)


per ton

Hot-Mix Asphalt Item A -Base I F.O.B. Vendor Plant per ton Hot-Mix Asphalt Item B -Base II (Patch & Level), or Wearing IV F.O.B. Vendor Plant per ton Hot-Mix Asphalt Item C -Wearing I (Scratch) F.O.B. Vendor Plant per ton Hot-Mix Asphalt Item D -Wearing III F.O.B. Vendor Plant

All of the above items shall be in accordance with The West Virginia Department of Transportation, Division of Highways, Standard Specifications Roads and Bridges, Adopted 2000 as modified by the current Supplemental Specifications, Section 401 as specified in the SCO.



The above item shall be in accordance with The West Virginia Department of Transportation, Division of Highways, Standard Specifications Roads and Bridges, Adopted 2000 as modified by the current Supplemental Specifications, Section 402.



DISTRICT FIVE

12. BID SCHEDULE (Continued)

Material placed under Item H shall be constructed in accordance with the Requirements of The West Virginia Department of Transportation, Division of Highways, Standard Specifications Roads and Bridges, Adopted 2000 as modified by the current Supplemental Specifications, Section 401 or 402 as specified in the SCO.

Item I - Cleaning & Sweeping

@ #0.25 per sq. yd.

All Types @ \$2.75 per gallon

Material furnished and applied under Item J to be in accordance with Section 408 of the referenced specifications, as directed by the District Engineer/Manager.

- Daytime Paving Mobilization A Mobilization for Paving Charge of \$ 2,900.00 may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is not specified.
- Item L Nighttime Paving Mobilization A Mobilization for Paving Charge of \$ 3,950,00 may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is specified.
- Item M Off Season Plant Opening

 @ # 5.000.00 for first day

 @ # 2,500.00 for each additional day
- Item N Additional Heel-In Joints
 @ # 19.75 per lineal foot
- Item 0 Skip Paving Surcharge
 @ \$ \$.00 per ton
- Item P Mobilization for Profiling
 @ # 3.800.00 per SCO

Less than 250	@	\$ 48.00	per		
250 less than 500	@	\$ 39.00	per		
	@	# 30.00	per		
1000 less than 2500	@	# 20.00	per		
2500 less than 5000		# 16,00		Sq.	
	@	\$ 12.00	per	Sq.	Yd.

Item R - Pilot Truck and Driver

@ # 790.00 per day

DISTRICT FIVE

12. BID SCHEDULE (Continued)

<u>Item S</u> - Traffic Control Devices @ \$25,00 per Unit

Item T - Flagger
@ #75.00 per Hour

Item U - Arrow Board # 65.00 per Day

Item V - Rumble Strips

@ No Quote per LF

Vendor's Plant Location Rock Cot PLANT - CARICAN VILLE, MARYLAND.

DISTRICT SIX

BID SCHEDU	LE (Continued)	
Item A -	Hot-Mix Asphalt Base I F.O.B. Vendor Plant per ton	@
Item B -	Hot-Mix Asphalt Base II (Patch & Level), or Wearing IV F.O.B. Vendor Plant per ton	@
<u>Item C</u> -	Hot-Mix Asphalt Wearing I (Scratch) F.O.B. Vendor Plant per ton	@
<u>Item D</u> -	Hot-Mix Asphalt Wearing III F.O.B. Vendor Plant per ton	@
Virginia E Standard S modified b	Department of Transportat Epecifications Roads and	n accordance with The West ion, Division of Highways, Bridges, Adopted 2000 as al Specifications, Section
Item E -	Hot-Mix Asphalt Skid Resistant Pavement F.O.B. Vendor Plant per ton	@
Department Specificat:	of Transportation, Divi	nce with The West Virginia sion of Highways, Standard Adopted 2000 as modified by ions, Section 402.
	Hot-Mix Asphalt Plant Run F.O.B. Vendor Plant per ton	@
<u>Item G</u> -	Haul by Vendor @ for @ for	first ton mile and each additional mile
Item H -	Items A thru E, Each Site	per ton per ton per ton per ton

DISTRICT SIX

12. BID SCHEDULE (Continued)

Material placed under Item H shall be constructed in accordance with the Requirements of The West Virginia Department of Transportation, Division of Highways, Standard Specifications Roads and Bridges, Adopted 2000 as modified by the current Supplemental Specifications, Section 401 or 402 as specified in the SCO.

Item I - C	leaning & Sweeping @per sq. yd.
Item J - E	situminous Material for Tack Coat or Prime
A	ll Types @per gallon
Section 4	furnished and applied under Item J to be in accordance with 08 of the referenced specifications, as directed by the ingineer/Manager.
Item K -	Daytime Paving Mobilization - A Mobilization for Paving Charge of \$ may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is not specified.
Item L -	Nighttime Paving Mobilization - A Mobilization for Paving Charge of \$may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is specified.
<u>Item M</u> -	Off Season Plant Opening @ for first day @ for each additional day
Item N -	Additional Heel-In Joints @per lineal foot
Item O -	Skip Paving Surcharge @per ton
Item P -	Mobilization for Profiling @ per SCO
<u>Item Q</u> -	Pavement Profiling (Milling), square yards per SCO
	Less than 250 @ per Sq. Yd. 250 less than 500 @ per Sq. Yd. 500 less than 1000 @ per Sq. Yd. 1000 less than 2500 per Sq. Yd. 2500 less than 5000 per Sq. Yd. 5000 and greater @ per Sq. Yd.
Item R -	Pilot Truck and Driver

DISTRICT SIX

<u> Item S</u> -	@	_ per Unit
Item T -	Flagger @	_ per Hour
Item U -	Arrow Board	_ per Day
<u>Item V</u> -	Rumble Strips	_ per LF

DISTRICT SEVEN

2.	BID SCHEDO	LE (Continued)	•
	Item A -	Hot-Mix Asphalt Base I F.O.B. Vendor Plant per ton	@
	<u>Item B</u> -	Hot-Mix Asphalt Base II (Patch & Level), or Wearing IV F.O.B. Vendor Plant per ton	@
	<u>Item C</u> -	Hot-Mix Asphalt Wearing I (Scratch) F.O.B. Vendor Plant per ton	@
	<u>Item D</u> -	Hot-Mix Asphalt Wearing III F.O.B. Vendor Plant per ton	@
	Virginia I Standard S modified h	e above items shall be in a Department of Transportation Specifications Roads and B: Dy the current Supplemental Cified in the SCO.	ı, Division of Highways, ridges, Adopted 2000 as
	Item E -	Hot-Mix Asphalt Skid Resistant Pavement F.O.B. Vendor Plant per ton	@
	Department Specificat	item shall be in accordance of Transportation, Division ions Roads and Bridges, Ado t Supplemental Specification	on of Highways, Standard pted 2000 as modified by
	<u>Item F</u> -	Hot-Mix Asphalt Plant Run F.O.B. Vendor Plant per ton	@
	<u>Item G</u> -	@ for fi	rst ton mile and ch additional mile
	<u>Item H</u> -	Lay down of Materials Items A thru E, Each Site 0 to 100 tons @ 101 to 200 tons @ 201 to 500 tons @ 501 and up @	per ton per ton per ton per ton per ton

DISTRICT SEVEN

12. BID SCHEDULE (Continued)

Material placed under Item H shall be constructed in accordance with the Requirements of The West Virginia Department of Transportation, Division of Highways, Standard Specifications Roads and Bridges, Adopted 2000 as modified by the current Supplemental Specifications, Section 401 or 402 as specified in the SCO.

Item I - Cl	eaning & Sweeping per sq. yd.
	ituminous Material for Tack Coat or Prime l Types @per gallon
Section 40	urnished and applied under Item J to be in accordance with 8 of the referenced specifications, as directed by the agineer/Manager.
<u>Item K</u> -	Daytime Paving Mobilization - A Mobilization for Paving Charge of \$ may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is not specified.
Item L -	Nighttime Paving Mobilization - A Mobilization for Paving Charge of \$ may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is specified.
<u>Item M</u> -	Off Season Plant Opening @ for first day @ for each additional day
<u>Item N</u> -	Additional Heel-In Joints @per lineal foot
<u>Item O</u> -	Skip Paving Surcharge @per ton
<u>Item P</u> -	Mobilization for Profiling @ per SCO
<u>Item Q</u> -	Pavement Profiling (Milling), square yards per SCO
	Less than 250 @ per Sq. Yd. 250 less than 500 @ per Sq. Yd. 500 less than 1000 @ per Sq. Yd. 1000 less than 2500 @ per Sq. Yd. 2500 less than 5000 @ per Sq. Yd. 5000 and greater @ per Sq. Yd.
Item R -	Pilot Truck and Driver @ per day

DISTRICT SEVEN

100m B	Traffic Control Devi	per Unit
Item T -	Flagger @	per Hour
Item U -	Arrow Board	per Day
Item V -	Rumble Strips @	per LF

DISTRICT EIGHT

BID SCHEDU	LE (Continued)	•
Item A -	Hot-Mix Asphalt Base I F.O.B. Vendor Plant per ton	@
Item B -	Hot-Mix Asphalt Base II (Patch & Level), or Wearing IV F.O.B. Vendor Plant per ton	@
Item C -	Hot-Mix Asphalt Wearing I (Scratch) F.O.B. Vendor Plant per ton	@
<u>Item D</u> -	Hot-Mix Asphalt Wearing III F.O.B. Vendor Plant per ton	@
Virginia D Standard S modified b	e above items shall be in epartment of Transportation Specifications Roads and by the current Supplementa cified in the SCO. Hot-Mix Asphalt	on, Division of Highways Bridges, Adopted 2000 a
Trem F -	Skid Resistant Pavement F.O.B. Vendor Plant per ton	@
Department Specificat	item shall be in accordan of Transportation, Divis: ions Roads and Bridges, Ad t Supplemental Specificatio	ion of Highways, Standard opted 2000 as modified by
Item F -	Hot-Mix Asphalt Plant Run F.O.B. Vendor Plant per ton	@
Item G -		irst ton mile and ach additional mile
Item H -	Lay down of Materials Items A thru E, Each Site 0 to 100 tons @	per ton per ton per ton per ton per ton per ton

DISTRICT EIGHT

12. BID SCHEDULE (Continued)

Material placed under Item H shall be constructed in accordance with the Requirements of The West Virginia Department of Transportation, Division of Highways, Standard Specifications Roads and Bridges, Adopted 2000 as modified by the current Supplemental Specifications, Section 401 or 402 as specified in the SCO.

Item I -	Cleaning & Sweeping @per sq. yd.
<u>Item J</u> -	Bituminous Material for Tack Coat or Prime
	All Types @ per gallon
Section	furnished and applied under Item J to be in accordance with 408 of the referenced specifications, as directed by the Engineer/Manager.
Item K -	Daytime Paving Mobilization - A Mobilization for Paving Charge of \$ may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is not specified.
Item L -	Nighttime Paving Mobilization - A Mobilization for Paving Charge of \$ may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is specified.
<u>Item M</u> -	Off Season Plant Opening @ for first day @ for each additional day
Item N -	Additional Heel-In Joints @per lineal foot
<pre>Item 0 -</pre>	Skip Paving Surcharge per ton
<u>Item P</u> -	Mobilization for Profiling @ per SCO
Item Q -	Pavement Profiling (Milling), square yards per SCO
	Less than 250 @ per Sq. Yd. 250 less than 500 per Sq. Yd. 500 less than 1000 per Sq. Yd. 1000 less than 2500 per Sq. Yd. 2500 less than 5000 per Sq. Yd. 5000 and greater per Sq. Yd.
<u>Item R</u> -	Pilot Truck and Driver @ per day

DISTRICT EIGHT

Item S -	Traffic Control Devi	.ces per Unit
<u>Item T</u> -	Flagger @	per Hour
Item U -	Arrow Board @	per Day
<u>Item V</u> -	Rumble Strips	

DISTRICT NINE

BID SCHEDU	LE (Continued)	
Item A -	Hot-Mix Asphalt Base I F.O.B. Vendor Plant per ton	@
<u>Item B</u> -	Hot-Mix Asphalt Base II (Patch & Level), or Wearing IV F.O.B. Vendor Plant per ton	@
<u>Item C</u> -	Hot-Mix Asphalt Wearing I (Scratch) F.O.B. Vendor Plant per ton	@
<u>Item D</u> -	Hot-Mix Asphalt Wearing III F.O.B. Vendor Plant per ton	@
Virginia 1	Department of Transportat	ion, Division of Highwa
modified 1 401 as spe	by the current Supplement cified in the SCO. Hot-Mix Asphalt Skid Resistant Pavement F.O.B. Vendor Plant	Bridges, Adopted 2000 tal Specifications, Sect
modified 1 401 as specificate the current	by the current Supplement cified in the SCO. Hot-Mix Asphalt Skid Resistant Pavement F.O.B. Vendor Plant per ton item shall be in accordated of Transportation, Divisions Roads and Bridges, Act Supplemental Specificated Hot-Mix Asphalt Plant Run F.O.B. Vendor Plant	ance with The West Virginsion of Highways, Standardopted 2000 as modified
modified 1 401 as specificate the current specificate the current specificate the current specificate the current specificate current specificate spec	by the current Supplement of the SCO. Hot-Mix Asphalt Skid Resistant Pavement F.O.B. Vendor Plant per ton item shall be in accordat of Transportation, Dividions Roads and Bridges, At Supplemental Specificat: Hot-Mix Asphalt Plant Run F.O.B. Vendor Plant per ton Haul by Vendor	ance with The West Virgision of Highways, Standadopted 2000 as modified ions, Section 402.

DISTRICT NINE

BID SCHEDULE (Continued) 12.

Material placed under Item H shall be constructed in accordance with the Requirements of The West Virginia Department of Transportation, Division of Highways, Standard Specifications Roads and Bridges, Adopted 2000 as modified by the current Supplemental Specifications, Section 401 or 402 as specified in the SCO.

Item I - Cl	Leaning & Sweeping @per sq. yd.
	ituminous Material for Tack Coat or Prime l Types @per gallon
Section 40	urnished and applied under Item J to be in accordance with 8 of the referenced specifications, as directed by the agineer/Manager.
<u>Item K</u> -	Daytime Paving Mobilization - A Mobilization for Paving Charge of \$ may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is not specified.
Item L -	Nighttime Paving Mobilization - A Mobilization for Paving Charge of \$ may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is specified.
<u>Item M</u> -	Off Season Plant Opening @ for first day @ for each additional day
Item N -	Additional Heel-In Joints @per lineal foot
<u>Item O</u> -	Skip Paving Surcharge @per ton
<u>Item P</u> -	Mobilization for Profiling @ per SCO
Item Q -	Pavement Profiling (Milling), square yards per SCO
	Less than 250 @ per Sq. Yd. 250 less than 500 @ per Sq. Yd. 500 less than 1000 @ per Sq. Yd. 1000 less than 2500 @ per Sq. Yd. 2500 less than 5000 @ per Sq. Yd. 5000 and greater @ per Sq. Yd.
Item R -	Pilot Truck and Driver @ per day

DISTRICT NINE

Item S -	Traffic Control Devi		Unit
Item T -	Flagger @	per	Hour
Item U -	Arrow Board @	per	Day
Item V -	Rumble Strips @	per	LF

DISTRICT TEN

BID SCHEDU	LE (Continued)	
<u>Item A</u> -	Hot-Mix Asphalt Base I F.O.B. Vendor Plant per ton	@
<u>Item B</u> -	Hot-Mix Asphalt Base II (Patch & Level), or Wearing IV F.O.B. Vendor Plant per ton	@
<u>Item C</u> -	Hot-Mix Asphalt Wearing I (Scratch) F.O.B. Vendor Plant per ton	@
<u>Item D</u> -	Hot-Mix Asphalt Wearing III F.O.B. Vendor Plant per ton	@
Virginia I Standard S modified b	e above items shall be in Department of Transportation Specifications Roads and by the current Supplementa cified in the SCO. Hot-Mix Asphalt	on, Division of Highways Bridges, Adopted 2000 a
	Skid Resistant Pavement F.O.B. Vendor Plant per ton	@
Department Specificat	item shall be in accordant of Transportation, Divisions Roads and Bridges, Ad t Supplemental Specification	ion of Highways, Standard opted 2000 as modified by
	Hot-Mix Asphalt Plant Run F.O.B. Vendor Plant per ton	@
Item G -	Haul by Vendor @ for f for each	irst ton mile and ach additional mile
<u>Item H</u> -	101 to 200 tons @	per ton per ton per ton per ton per ton per ton

DISTRICT TEN

12. BID SCHEDULE (Continued)

Material placed under Item H shall be constructed in accordance with the Requirements of The West Virginia Department of Transportation, Division of Highways, Standard Specifications Roads and Bridges, Adopted 2000 as modified by the current Supplemental Specifications, Section 401 or 402 as specified in the SCO.

Item 1 - C	@per sq. yd.
	Bituminous Material for Tack Coat or Prime All Types @per gallon
Material f Section 4	Furnished and applied under Item J to be in accordance with 08 of the referenced specifications, as directed by the Engineer/Manager.
Item K -	Daytime Paving Mobilization - A Mobilization for Paving Charge of \$ may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is not specified.
<u>Item L</u> -	Nighttime Paving Mobilization - A Mobilization for Paving Charge of \$ may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is specified.
Item M -	Off Season Plant Opening @ for first day @ for each additional day
Item N -	Additional Heel-In Joints @per lineal foot
Item O -	Skip Paving Surcharge @per ton
Item P -	Mobilization for Profiling @ per SCO
Item Q -	Pavement Profiling (Milling), square yards per SCO
	Less than 250 @ per Sq. Yd. 250 less than 500 @ per Sq. Yd. 500 less than 1000 @ per Sq. Yd. 1000 less than 2500 @ per Sq. Yd. 2500 less than 5000 @ per Sq. Yd. 5000 and greater @ per Sq. Yd.
Item R -	Pilot Truck and Driver @ per day

DISTRICT TEN

Item S -	Traffic Control Devi	per Unit
Item T -	Flagger @	per Hour
<u>Item U</u> -	Arrow Board	per Day
<u>Item V</u> -	Rumble Strips @	per LF

DISTRICT ADDRESSES


District One 1334 Smith Street Charleston, West Virginia 25301-1492 District Six 1 DOT Drive Moundsville, West Virginia 26041-1605

District Two 801 Madison Avenue Huntington, West Virginia 25712-0880 District Seven 255 Depot Street Weston, West Virginia 26452-1228

District Three 624 Depot Street Parkersburg, West Virginia 26102-0308 District Eight US 219 North Elkins, West Virginia 26241-1516

District Four I-79 & Meadowbrook Road Clarksburg, West Virginia 26302-2570 District Nine 103 1/2 Church Street Lewisburg, West Virginia 24901

District Five US Route 50 Post Office Box 99 Burlington, West Virginia 26710-0099 District Ten 270 Hardwood Lane Princeton, West Virginia 24740-2737



Certificate of Insurance

THIS CERTIFICATE ISSUED AS A MATTER OF INFORMATION. ONLY AND CONFERS NO RIGHT UPON YOU THE CERTIFICATE HOLDER. THIS CERTIFICATE IS NOT AN INSURANCE POLICY AND DOES NOT AMEND, EXTEND, OR ALTER THE COVERAGE AFFORDED BY THE POLICIES LISTED BELOW.

	This is to Certify that
***********	IA CONSTRUCTION CORPORATION

P.O. Box 507

NAME AND ADDRESS OF INSURED



Cumberland

MD 21502

is, at the issue date of this certificate, insured by the Company under the policy(ies) listed below. The insurance afforded by the listed policy(ies) is subject to all their terms, exclusions and

is, at the issue date of this certificate, Conditions and is not altered by any	requirement, term or condit	ion of any contract or other document with	respect to which this certificate may be issued.	
TYPE OF POLICY	EXP DATE CONTINUOUS EXTENDED POLICY TERM	POLICY NUMBER	LIMIT OF LIABILITY	
WORKERS COMPENSATION	4/1/2008	WC7-631-004090-017	COVERAGE AFFORDED UNDER WC LAW OF THE FOLLOWING STATES: IN, KY, ME, MD, MI, NJ,NY, PA, VA	EMPLOYERS LIABILITY Bodily Injury by Accident 1,000,000 gach Accident Bodily Injury By Disease 1,000,000 Policy Limit Bodily Injury By Disease 1,000,000 Bach Person
GENERAL LIABILITY OCCURRENCE CLAIMS MADE	4/1/2008	TB2-631-004090-027	General Aggregate—Other than Products / Completed Operations \$2,000,000 Products / Completed Operations Aggregate \$2,000,000 Bodily Injury and Property Damage Liability \$2,000,000 Per Occurrence	
	RETRO DATE		Other Fire Damage Liability \$100,000 per fire	Ided Per Person / Organization ther Medical Payments \$10,000 each person Bach Accident—Single Limit
AUTOMOBILE LIABILITY OWNED NON-OWNED HIRED	4/1/2008	AS2-631-004090-437	\$2,000,0	Bach Person Each Accident or Occurrence Each Accident or Occurrence
OTHER	- · · · · · · · · · · · · · · · · · · ·			
ADDITIONAL COMMENTS 667C0019 Hot Mix A	1		d or reduced before the certificate expiration date ATING A FRAUD AGAINST AN INSURER, SUBMIT	

If the certificate expiration date is continuous of extend 1 termayou will be notined if coverage is istribusing of reduced object the certificate expiration date.
 SPECIAL NOTICE-OBIO: ANY PERSON WHO, WITH INTENT TO DEFRAUD OR KNOWING THAT HE IS FACILITATING A FRAUD AGAINST AN INSURER, SUBMITS AN APPLICATION OR FILES A CLAIM CONTAINING A FALSE OR DECEPTIVE STATEMENT IS GUILTY OF INSURANCE FRAUD.

IMPORTANT NOTICE TO FLORIDA POLICYHOLDERS AND CERTIFICATE HOLDERS; IN THE EVENT YOU HAVE ANY QUESTIONS OR NEED INFORMATION ABOUT THIS CERTIFICATE FOR ANY REASON, PLEASE CONTACT YOUR LOCAL SALES PRODUCER WHOSE NAME AND TELEPHONE NUMBER AFFEARS IN THE LOWER RIGHT HAND CORNER OF THIS CERTIFICATE. THE APPROPRIATE LOCAL SALES OFFICE MAILING ADDRESS MAY ALSO BE OBTAINED BY CALLING THIS NUMBER.

NOTICE OF CANCELLATION: (NOT APPLICABLE UNLESS A NUMBER OF DAYS IS ENTERED BELOW.)
BEFORE THE STATED EXPIRATION DATE THE COMPANY WILL NOT CANCEL OR REDUCE THE
INSURANCE AFFORDED UNDER THE ABOVE POLICIES UNTIL AT LEAST 30

DAYS NOTICE
OF SUCH CANCELLATION HAS BEEN MAILED TO:

Liberty Mutual **Insurance Group**

·State of West Virginia Dept. of Administration Purchasing Divn.

2019 Washington St. P.O. Box 50130

WVA 25305 Charleston

Geraldine Fernandez AUTHORIZED REPRESENTATIVE New York / 0202 114 West 47th St. NY 10036 212-391-7500 **New York** DATE ISSUED PHONE OFFICE

NM 772



PRODUCER:

BrickStreet Mutual Insurance Company 4700 MacCorkle Ave., S.E. Charleston, WV 25304

CERTIFICATE HOLDER:

13.00

INSURED:

IA CONSTRUCTION CORPORATION 3 BECKER FARM ROAD SUITE 307 ROSELAND NJ 07068 IA CONSTRUCTION CORPORATION 3 BECKER FARM ROAD SUITE 307 ROSELAND NJ 07068

CERTIFICATE OF INSURANCE

The policy of insurance listed below has been issued to the insured named above for the policy period and coverage indicated. This certificate is issued as a matter of information only and confers no rights upon the certificate holder. This certificate does not amend, extend or alter the coverage afforded by the policy below. Coverage is contingent on the insured's compliance with policy conditions and premium payment.

If the policy is canceled before the expiration date, BrickStreet Mutual Insurance Company will endeavor to mail a written notice to the certificate holder within 30 days of cancelation. Failure to mail the notice shall impose no obligation or liability of any kind upon BrickStreet Mutual Insurance Company.

POLICY NUMBER: WC10007452-03

DATE CERTIFICATE ISSUED: 12/21/2006

POLICY EFFECTIVE DATE: 1/1/2007

POLICY EXPIRATION DATE: 7/1/2007

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

LIMITS / COVERAGE

- [X] WORKERS COMPENSATION STATUTORY LIMITS
- [X] EMPLOYERS LIABILITY LIMITS:

BODILY INJURY BY ACCIDENT:

\$100,000.00 EACH ACCIDENT

BODILY INJURY BY DISEASE:

\$500.000.00

POLICY LIMIT


BODILY INJURY BY DISEASE:

\$100,000.00

EACH EMPLOYEE

- [] WV BROAD FORM EMPLOYERS LIABILITY ENDORSEMENT COVERAGE FOR WV CODE 23-4-2(d)(2)(ii)
- [] FEDERAL COAL MINE HEALTH AND SAFETY ACT COVERAGE ENDORSEMENT COVERAGE FOR WV CODE 23-4b-1 FEDERAL BLACK LUNG COVERAGE

SPECIAL PROVISIONS IF ANY:



CONTRACTOR LICENSE

Authorized by the

West Virginia Contractor Licensing Board

Number:

WV005466

Classification:

GENERAL ENGINEERING

IA CONSTRUCTION CORPORATION 158 LINDSAY ROAD ZELIENOPLE,

Expiration Date

SEPTEMBER 20, 2007 SEPTHMBER 20, 2006

Hille A. Carl

Chair, West Virginia Contractor **Licensing Board**

CONTRACTOR

AFFIDAVIT

West Virginia Code §5A-3-10a states:

No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owned is an amount greater than one thousand dollars in the aggregate

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

EXCEPTION:

The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

LICENSING:

Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.

CONFIDENTIALITY:

The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendors should visit www.state.wv.us/admin/purchase/privacy for the Notice of Agency Confidentiality Policies.

Under penalty of law for false swearing (West Virginia Code, §61-5-3), it is hereby certified that the vendor acknowledges the information in this said affidavit and are in compliance with the requirements as stated.

Vendor's Name:	·
Authorized Signature: _	Date: