

State of West Virginia Department of Administration Quotation Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

# Request for

8 H P

667C0019

PAGE

ADDRESS CORRESPONDENCE TO ATTENTION OF:

JOHN JOHNSTON 304-558-2402

**\*709005939** 814-766-2211 NEW ENTERPRISE STONE & LIME CO PO BOX 77

**NEW ENTERPRISE PA** 16664 DIVISION OF HIGHWAYS VARIOUS LOCALES AS INDICATED BY ORDER

DATE PRI	NTED	TER	MS OF SAL	E	SHIP VIA		F.O.B.	FREIGHT TERMS
03/11	/2007							
BID OPENING DATE	Ξ:	04/04/	2007		В	ID O	PENING TIME	01:30PM
LINE	QUA	NTITY	UOP	CAT. NO.	ITEM NUMBER		UNIT PRICE	AMOUNT
0001	HOT-MI	l X ASPH	TN ALT		745-21			
	THE VE	NDOR'S IA DIV	ATERI PLAN ISION	ALS, T, HO OF H IED H	T-MIX ASPHALT IGHWAYS FOR US EREINAFTER.	TO		AT
	LAY DO OF HIG CONDIT NOTE: LICENS	WN HOT HWAYS IONS S VENDOR E, INS SATION	-MIX AT VA PECIF S SHO URANC CERT	ASPHA RIOUS IED H ULD S E CER IFICA	EQUIPMENT AND LT FOR THE WES	ST V THE OF C WOR	KERS	EON
	EXHIBI LIFE O YEAR O NECESS ORIGIN NOT EX TIME"	T 3 F CONT R UNTI ARY TO AL CON CEED T THE VE UPON	RACT: L SUC OBTA TRACT WELVE NDOR	TH AN H "RE IN A . TH (12) MAY T G THE	D EXTENDS FOR ASONABLE TIME'NEW CONTRACT OF FOR THE PROPERTY OF THE PROPERTY OF T	A P TH TIM TIM CON	E" PERIOD SHAL THIS "REASONAE TRACT FOR ANY HASING 30 DAYS	RECTIVED
	den OS		<sup>м</sup> дз-	umes 1374	051	<sup>E</sup> 1814	1)766-2211 DA	TE 3-30-07 GES TO BE NOTED ABOVE



VENDOR

State of West Virginia Department of Administration Quotation Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for

S H | P

T O

667C0019

ADDRESS CORRESPONDENCE TO ATTENTION OF

JOHN JOHNSTON 304-558-2402

DIVISION OF HIGHWAYS VARIOUS LOCALES AS INDICATED BY ORDER

\*709005939 814-766-2211 NEW ENTERPRISE STONE & LIME CO PO BOX 77

DATE PRIN	TED	ļτε	RMS OF SA	LE		SHIP VIA			F	O.B.		FREIGHT	TERMS
03/11/	0000000000000000000				<u> </u>	.00000000000000000000000000000000000000		100000	000000000000000000000000000000000000000				
ID OPENING DATE:		04/04	/2007		ī		BID	0P	ENING	TIME	01	:30PM	- restriction
LINE	1:50:0000000000000000000000000000000000	NTITY	UOP	CAT.	17	EM NUMBE				TPRICE		1	DUNT
			1 20000000000	NO.									
	UNLESS											Ì	
	IN THI PRICIN										ΑD		
	CONTRA		HEKEL	NAKE	FIKN	FUR .	IME LI		UF IF	1 E			
	CUNTRA	<b>C</b> 1.											
	RENEWA	L: TH	IS CON	TRACT	MAY	BE REN	NEWED	UP	ON THE	MUTL	JAL		
	WRITTE												
	SUBMIT										1	]	
	DAYS P	RIOR 1	O THE	EXPI	RATIO	N DATE	E. SU	СН	RENEW	IAL SE	IALL		
	BE IN												
	ORIGIN				SHALL	BE L	IMITED	TO	OWT C	(2) (	NE		
	(1) YE	AR PER	RIODS.										
	CANCEL			D.T.D.E									
	CANCEL												
	RIGHT NOTICE												
	SUPPLI												
	TO THE												
		0. 20.		10.10	J		71112		i itho				
	OPEN M	ARKET	CLAUS	E: TH	E DIRE	CTOR	OF PU	RCI	ASING	MAY			
	AUTHOR												
	MARKET										-		
	ESTIMA										Ì		
	IMMEDI.											-	
	CAUSES												
	PORTAT		AN U	NANTI	CIPATE	D INC	REASE	IN	1 THE	VOLUM	IE		
	OF WOR	K • J	}					}					
	QUANTI	TIEC.	חוואאוד	TTTES	LICTE	ואד מ	TUE D	בחי	ITCTTT	UN VD	,_		
	APPROX.												
	THE ST												
	THAT T												
	ORDERE												
	WHETHE										-		
ļ													
	010000000000000000000000000000000000000	000000000000000000000000000000000000000		OSEF DEV	ERSE SIDE	CAD TEST	IS AND CON	UDITIO	inecono	100100000000000			
SNATURE				VER DEN	FUNE OINE		EPHONE	NLAFT IX	ZINO		DATE		
TLE		le:	7151						****			- New Addition	
LE		JFI	EIN					}	ADD	RESS CH	ANGES	TO BE NOTED	ABOVE



VENDOR

State of West Virginia
Department of Administration
Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

# Request for Quotation

667C0019

PAGE

3

ADDRESS CORRESPONDENCE TO ATTENTION OF

ЈОНИ ЈОНИЅТОМ 304-558-2402

S H -P

Ţ

**\*709005939** 814-766-2211 NEW ENTERPRISE STONE & LIME CO PO BOX 77

NEW ENTERPRISE PA 16664 DIVISION OF HIGHWAYS VARIOUS LOCALES AS INDICATED BY ORDER

DATEPHINIEU	(ERIVIS OF S		SHIP VIA	F.O.B	FREIGHT TERMS
03/11/2007					
BID OPENING DATE:	<u>04/04/2007</u>		BID	OPENING TIME 0	L:30PM
LINE QUAN	ITITY UOP	CAT	ITEM NUMBER	UNIT PRICE	AMOUNT
ORDERI WRITTE THE VE THE OR VENDOR MAILED RETAIN BANKRU FOR BAI CALLY ORDER.  THE TEI SHALL CONDIT DOCUMEI AGREEM ELECTRI REV. OF PURCHAS CURREN IS ISSI MUST AGENCY TION OF INSURAI COVERAG PRIOR SPECIF	NG PROCEDUN STATE CON NOR FOR COPY THE PUED BY THE PUED BY PAYMENT FOR ORDER FAWARD.	RE: SP NTRODI Y OF T IZATIO Y OF T I IZATIO Y OF T IZATIO Y OF T I I I I I I I I I I I I I I I I I I	ENDING UNIT(S) S ORDER (FORM NUM TIES COVERED BY HE WV-39 SHALL B N FOR SHIPMENT, NG DIVISION, AND NG UNIT.  ENT THE VENDOR/C ION, THIS CONTRA ND IS TERMINATED  NS CONTAINED IN D ALL SUBSEQUENT PPEAR ON ANY ATT E LISTS, ORDER F NCE AGREEMENTS, AS CD-ROM.  ANCE: THE STATE ISA PURCHASING C NK. THE SUCCESS OF WEST VIRGINIA L ORDERS PLACED	HALL ISSUE A BER WV-39) TO THIS CONTRACT. E MAILED TO THE A SECOND COPY A THIRD COPY  ONTRACTOR FILES CT IS AUTOMATI- WITHOUT FURTHER  THIS CONTRACT TERMS AND ACHED PRINTED ORMS, SALES INCLUDING ANY  OF WEST VIRGINIA ARD PROGRAM WHIC FUL VENDOR VISA PURCHASING BY ANY STATE 2,500 AS A CONDI- NISH PROOF OF TY INSURANCE ESS OTHERWISE NIMUM AMOUNT OF	
INSURAI	TOL CUVERA	ב אבע	OTHER TO ACOUSED	<b>u</b> .	
		SEE RE	VERSE SIDE FOR TERMS AND CON	IDITIONS	I .
SIGNATURE			TELEPHONE	DATE	
TITLE	FEIN		J	ADDRESS CHANGES	TO BE NOTED ABOVE



State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130 Charleston, WV 25305-0130

# Request for Quotation

T O

667C0019

ADDRESS CORRESPONDENCE TO ATTENTION OF

JOHN JOHNSTON 304-558-2402

\*709005939 814-766-2211 NEW ENTERPRISE STONE & LIME CO PO BOX 77

NEW ENTERPRISE PA 16664 DIVISION OF HIGHWAYS VARIOUS LOCALES AS INDICATED BY ORDER

DATE PRINT	CED .	TERMS OF SALE	SHIP VIA	FOE		FREIGHT TERMS
03/11/ BID OPENING DATE:			77.7	D ODENING T	T145	0.D.M
LINE	0471 QUANTITY	14/2007 UOP C	KT	D OPENING T		
LINE	GUANTITY		NO ITEM NUMBER	UNITP	HICE	AMOUNT
i i	ì	1 5	N: VENDOR IS REQU RKERS COMPENSATIO			
			CONTRACTORS LICEN	SE		
	PERSONS DE STATE MUST LICENSING LICENSE. MADE BY CO CAPITOL CO	SIRING TO BE LICEN BOARD IS APPLICATION INTACTING IMPLEX, BU	CODE 21-11-2 REQ PERFORM CONTRACT SED. THE WEST VI EMPOWERED TO ISSU ONS FOR A CONTRAC THE WEST VIRGINIA ILDING 3, ROOM 31 (304) 558-7890.	ING WORK IN RGINIA CONT E THE CONTR TORS LICENS DIVISION O	THIS RACTORS ACTORS E MAY BE F LABOR	
		E BIDDER	CODE 21-11-11 RE TO INCLUDE THE CO	*	ICENSE	
	BIDDER TO CONTRACTOR	COMPLETE: S NAME -	New Enterprise S	stone + Lime	Co., Inc.	
	CONTRACTOR	S LICENSE	NO W.Y.OO.16.0	25		
		ONTRACTORS	ER WILL REQUIRED S LICENSE PRIOR TO RACT.	\$		
		VENDOR	PREFERENCE CERTI	EICATE		
l	PREFERENCE	IN ACCORI	PPLICATION* IS HEI DANCE WITH WEST VI PPLY TO CONSTRUCTI	IRGINIA CODI	Ε,	
	A. APPLIC REASON CHE	l í	MADE FOR 2.5% PREI	FERENCE FOR	THE	
BIGNATURE		SE	E REVERSE SIDE FOR TERMS AND TELEPHONE	CONDITIONS	DATE	
TITLE		FEIN		ADDRE	SS CHANGES TO B	E NOTED ABOVE



State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

# Request for Quotation

\$ H P

Ť Ö 667C0019

PAGE

5

ADDRESS CORRESPONDENCE TO ATTENTION OF:

JOHN JOHNSTON 304-558-2402

DIVISION OF HIGHWAYS
VARIOUS LOCALES AS INDICATED
BY ORDER

\*709005939 814-766-2211 NEW ENTERPRISE STONE & LIME CO PO BOX 77

DATE PRINT	red	TER	MS OF SAL	E	SHIPV	IA		F,O.B.		FREIGHT TERMS
03/11/	2007									
BID OPENING DATE:		04/04/	2007		•	BID	OPENING	TIME	01	:30PM
LINE		ITITY	UOP	CAT. NO	ITEM NUM			NITPRICE		AMOUNT
	( ) HAS RE (4) YE CERTIF ( ) TION RI QUARTE WEST V THE DA INTERE PARTNE WHO HA OF BUS CERTIF ( ) WHICH HAS MA BUSINE FOUR (CERTIF	BIDDER SIDED ARS IM ICATIO BIDDER ESIDEN RS OR IRGINI TE OF ST OF RSHIP, S MAIN INESS IMMEDI ICATIO BIDDER HAS AN MUM OF INTAIN SS WIT 4) YEA ICATIO	IS A CONTI MEDIA N; OR IS A T VEN PRINC A FOR THIS B ASSO TAINE CONTI ATELY N; OR AFFI ED IT HIN W RS IM N.	NO IND NUOUS TELY PART DOR A IPAL CERTI DUREC CORPLIATE HUNDR SHEAR SHEA	IVIDUAL R LY IN WES PRECEDING  NERSHIP, ND HAS MA PLACE OF (4) YEAR FICATION; HELD BY A ON OR COR HEADQUAR LY IN WES EDING THE  ORATION N OR SUBSI ED STATE QUARTERS IRGINIA C TELY PREC	ESIDENT T VIRGI THE DA  ASSOCIA INTAINE BUSINES S IMMED OR 80% NOTHER PORATIO TERS OR T VIRGI DATE O  ONRESID DIARY W RESIDEN OR PRIN ONTINUO EDING T	VENDORNIA FOR TE OF THE SENT VENDIVIENT FOR THE SENT VENDIVIENT FOR THE SENT VENDIVIENTS AND CIPAL FOR TE DATE	R AND R FOUR THIS R CORPOR HEAD- INUOUSLY PRECEDI E OWNERS DUAL, DENT VEN IPAL PLA R FOUR ( IPAL PLA R FOUR ( IPACE OF IPACE OF IR THE E OF THIS	IN NG HIP DOR CE (4)	
	REASON	CHECK	ED:		E FOR 2.5					
	DURING 75% OF ARE RES THE STA	THE L THE E SIDENT ATE CO	IFE OF MPLOYE S OF V NTINU	F THE EES W WEST DUSLY ION O	DENT VENDO CONTRACT DRKING ON VIRGINIA OF THE FOR THE FOR THIS BIS	, ON AV THE PR WHO HAV TWO YEA D;	ERAGE A OJECT B E RESID RS IMME	T LEAST SEING BII SED IN		
IGNATURE				OLE DEV		TELEPHONE	APAT (1791)	in.	ATE	
INTALLOUC						LCCF HUNE		10,	~1E	
ITLE	L.L. Dumining	FE	IN		l		A	DDRESS CHAN	GES	TO BE NOTED ABOVE



VENDOR

State of West Virginia Department of Administration Quotation Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

# Request for

SH-p

Ţ

667C0019

ADDRESS CORRESPONDENCE TO ATTENTION OF

JOHN JOHNSTON 304-558-2402

DIVISION OF HIGHWAYS VARIOUS LOCALES AS INDICATED BY ORDER

\*709005939 814-766-2211 NEW ENTERPRISE STONE & LIME CO PO BOX 77

DATE PRINTED	TE	RMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
03/11/200	7				
BID OPENING DATE:	04/04/	2007	BID	OPENING TIME	01:30PM
LINE	QUANTITY	UOP CAT. NO	ITEM NUMBER	UNIT PRICE	AMOUNT
NOM WHI OF OF DUF 75% SUE WHO YEA BII DET FAI PRE PUF ORI	NIMUM OF CONTRESIDENT ICH MAINTA BUSINESS ONE HUNDR RING THE LE SSIDIARY'S ARS IMMEDIA DER UNDER TERMINES T ILED TO CONTRES RCHASING T DER ISSUED	NE HUNDRED VENDOR WIT INS ITS HE WITHIN WES ED STATE R IFE OF THE MPLOYEES O EMPLOYEES IDED IN TH ATELY PREC STANDS IF HAT A BIDD NTINUE TO THE SECRET O: (A) RE ; OR (B) A	ESIDENT VENDOR E STATE RESIDENTS H AN AFFILIATE O ADQUARTERS OR PR T VIRGINIA EMPLO ESIDENTS WHO CER CONTRACT, ON AV R BIDDERS' AFFIL ARE RESIDENTS O E STATE CONTINUO EDING SUBMISSION THE SECRETARY OF ER RECEIVING PRE MEET THE REQUIRE ARY MAY ORDER TH SCIND THE CONTRA SSESS A PENALTY	OR IS A R SUBSIDIARY INCIPAL PLACE YING A MINIMUM TIFIES THAT, ERAGE AT LEAST IATE'S OR F WEST VIRGINIA USLY FOR THE TW OF THIS BID.  TAX & REVENUE FERENCE HAS MENTS FOR SUCH E DIRECTOR OF CT OR PURCHASE AGAINST SUCH	
AND AGE	THAT SUC	H PENALTY	T TO EXCEED 5% O WILL BE PAID TO M ANY UNPAID BAL RDER.	THE CONTRACTING	1
DIS PUR TAX PUR BIC THA TAX	SCLOSE ANY CCHASING D C AND REVE CCHASING A DDER HAS P AT SUCH IN CES PAID N	REASONABL IVISION AN NUE TO DIS PPROPRIATE AID THE RE FORMATION	CERTIFICATE, BID Y REQUESTED INFO D AUTHORIZES THE CLOSE TO THE DIR INFORMATION VER QUIRED BUSINESS DOES NOT CONTAIN ER INFORMATION D FIDENTIAL.	RMATION TO THE DEPARTMENT OF ECTOR OF IFYING THAT TAXES, PROVIDED THE AMOUNTS OF	
COE	E 61-5-3)	, BIDDER H IS TRUE AN	OR FALSE SWEARING EREBY CERTIFIES D ACCURATE IN AL	THAT THIS L RESPECTS; AND	
SIGNATURE			TELEPHONE	DAT	E
TITLE	FE	in.		ADDRESS CHANG	SES TO BE NOTED ABOVE



VEXDOR

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

# Request for Quotation

T O RFQ NUMBER

PAGE

ADDRESS CORRESPONDENCE TO ATTENTION OF

JOHN JOHNSTON 304-558-2402

DIVISION OF HIGHWAYS
VARIOUS LOCALES AS INDICATED
BY ORDER

\*709005939 814-766-2211 NEW ENTERPRISE STONE & LIME CO PO BOX 77

DATE PRINT		······································	MS OF SAL	.t	SHIP	VIA	F.O.B.		FREIGHT TERMS
03/11/ BID OPENING DATE:		07.707.1	2007		l s	D T D	ODENING TIVE		. 7004
		04/04/		CAT			OPENING TIME	Ul	:30PM
LINE	QUAN	ITITY	UOP	NO.	ITEM NU	MBER	UNIT PRICE		AMOUNT
		F 4 05	NTDAG	T # 0	TOOLED TO	DIRECT		N.C	
							AND IF ANYTHI GES DURING THE		
							FY THE PURCHAS		
					MEDIATELY		, , , , , , , , , , , , , , , , , , , ,		
				BIDDE	R:				
								-	
				DATE:					
	* #			PWIE			<b></b>		
				SIGNE	<b>ט:</b>		<b></b>		
				TITLE	:				
	* CHECI	K ANY	COMBI	NATIO	N OF PREF	ERENCE	CONSIDERATION(	s)	
	IN EITI	HER "A	" OR	"B",	OR BOTH "	A" AND	"B" WHICH YOU	ARE	
							UP TO THE MAXI	MUM	
1	5% PREI (REV.		E FOR	вотн	"A" AND	"В".			
	CKEV.	12/00/							
				тои	ICE				
	а стем	EN RIN	MUST	BF S	UBMITTED	TO:			
T. Andrews Co.									age of the second
		L			INISTRATI	ON			
		URCHAS UILDIN		IVISI	UN				
			ì	TON S	TREET, EA	ST		ļ	,
					5305-0130				
						Ì			
				SEE REV	/EASE SIDE FOR T	ERMS AND CON	DITIONS	1	
GNATURE						TELEPHONE	D	ATE	
TLE		FE	IN			<u> </u>	ADDRESS CHAN	IGES 7	O BE NOTED ABOVE



State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

# Request for Quotation

SH-P

Ţ

AFO NUMBER
667C0019

PAGE

8

ADDRESS CORRESPONDENCE TO ATTENTION OF:

JOHN JOHNSTON 304-558-2402

DIVISION OF HIGHWAYS
VARIOUS LOCALES AS INDICATED
BY ORDER

\*709005939 814-766-2211 NEW ENTERPRISE STONE & LIME CO PO BOX 77

DATE PRINT	red Ter	RMS OF SALE	SHIP VIA	F.O:B,	FREIGHT TERMS
03/11/					
BID OPENING DATE:	04/04/		BID	OPENING TIME O	1:30PM
LINE	QUANTITY	UOP CAT	ITEM NUMBER	UNITPRICE	AMOUNT
			THIS INFORMATIO D MAY NOT BE CON		
	SEALED BID				
	BUYER:		33		
	RFQ. NO.:		667C0019		
	BID OPENING	DATE AND T	IME		
			UMBER IN CASE IT NG YOUR BID: 2-4402	IS NECESSARY	
,			PRINT CLEARLY): B. Barley		
			D 05 D50 ((700	010 22222 TOTAL	
	*****	12 IHE EN	D OF RFQ 667CO	UIJ XXXXXX IUIAL	•
		SEE REV	/ERSE SIDE FOR TERMS AND COM	ADITIONS	
DIGNATURE			TELEPHONE	DATE	
TTLE	FI	EIN		ADDRESS CHANGE	S TO BE NOTED ABOVE

#### 1. SPECIFICATIONS

The following sections of the West Virginia Department of Transportation, Division of Highways' Standard Specifications Roads and Bridges, Adopted 2000, as modified by the current Supplemental Specifications shall apply to the administration of this Contract: Sections 101, 102.4, 102.5, 105.1, 105.3, 105.4, 105.10, 105.11, 105.12, 105.13, 106.3, 106.4, 106.5, 106.6, 106.7, 106.9, 107.1, 107.2, 107.3, 107.12, 107.14, 107.15, 107.16, 107.19, 107.20, 107.23, 108.3, 108.5, 108.7, 108.8, 109.1, 109.2 and 109.20.

The requirements of the West Virginia Department of Transportation, Division of Highways' Standard Specifications, Roads and Bridges, Section 109.20, PRICE ADJUSTMENT FOR LOAD LIMIT VIOLATIONS, shall apply to all material supplied under this contract. This will include material loaded by the Vendor into Division of Highways owned and/or rented trucks.

The terms "Contractor" and "Vendor" used in the above specifications of this Contract are interchangeable. Contractor shall mean Vendor and Vendor shall mean Contractor.

West Virginia Department of Transportation, Division of Highways' Standard Specifications Roads and Bridges, Adopted 2000, and the current Supplemental Specifications may be obtained from:

West Virginia Division of Highways Contract Administration Division Room A-729, Building Five 1900 Kanawha Blvd., East Charleston, West Virginia 25305

All material, except Item F, shall be furnished in accordance with the requirements of the following West Virginia Department of Transportation, Division of Highways' Standard Specifications Roads and Bridges, Adopted 2000 as modified by the current Supplemental Specifications.

Item F shall meet West Virginia Division of Highways' Specifications, specifications of adjacent state highway departments or specifications acceptable to the Engineer for similar material as bid in Items A through E.

The Division of Highways may purchase Hot-Mix Asphalt F.O.B. Vendor's plant. The bid price F.O.B. Vendor's plant shall include the loading of Division of Highways', owned or rented, trucks and the furnishing of a coating solution in accordance with Paragraph 401.9.7 of the Specifications by Vendor.

## 2. BIDDING INSTRUCTIONS

Any qualification of bids or any modification of the specifications or conditions governing the bids may be cause to reject bids.

If a Vendor will be supplying materials from more than one plant, the bid prices that apply to each plant shall be clearly indicated in the bid, preferably on separate bid schedules.

## 3. DETERMINING LOW BID

The purpose of this contract is to establish unit prices for Items A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, and V which are to be used as the basis for requisitioning Hot-Mix Asphalt for use on various maintenance and repair projects throughout the District.

State Contract Purchase Orders (SCO's) for individual paving projects will be based on the lowest overall total cost of the pick-up price of material (Items A through E) plus the haul cost (Item G) plus the lay down cost (Item H), plus cleaning & sweeping (Item I), tack material (Item J), mobilization for paving (Items K or L), off season plant opening (Item M), additional heel-in joints (Item N), skip paving surcharge (Item O), mobilization for profiling (Item P), pavement profiling (Item Q), and Traffic Control (Items R, S, & T) as applicable; however, material (Items A through E) may be furnished from any approved production location. Items I, J, K, L, M, N, O, P, Q, R, S, T, U, and V shall be shown on the SCO as a separate pay item when requested by the Engineer.

State Contract Purchase Orders (SCO's) for material to be picked up at the Vendor's plant by the Division of Highways will be based on the lowest unit price of Items A through F and the Division's most economical haul cost from the Vendor's plant to individual job sites. Factors to be considered shall include but not be limited to; bid price of material, haul cost @ \$0.25 for each additional tonmile, loading and transportation delays, and availability of material.

The distances allowed for haul costs will be over suitable routes selected by the Engineer that provides the lowest total cost to the Division of Highways and shall be measured from the Vendor's plant location to the mid-point of the project. All such chosen routes shall have acceptable load limits for both roads and bridges.

The Division of Highways reserves the right to request any one or combination of items for which bids are received at the lowest overall total as set forth above.

Acceptance of a bid for any one item shall not be dependent upon the acceptance of a bid for any other item or any combination of items. However, Item F shall not be requested except when determined by the Engineer that all other equivalent items of material are not available, then only on a pick-up basis. Also, Item G will only be requested in combination with other quoted items.

Upon receipt of a State Contract Purchase Order (SCO) for lay down of Hot Mix Asphalt or pavement profiling, the Vendor shall advise the Division of Highways, in writing, within five (5) calendar days of their acceptance of the SCO. Failure to acknowledge may result in cancellation of the SCO and re-award to the next lowest bidder.

# 4. CONTRACT CONDITIONS

Vendors may bid any or all items on the bid schedule. However, the amount bid on any one item may not be conditioned on the acceptance of the bid on any other item or items.

All qualified Vendors who submit a valid bid "F.O.B. Vendor's Plant" will be awarded a Contract for those items bid (see Section 12).

In the event a Contractor fails to conform to the requirements set out in this contract document, the State Contract Purchase Order or the governing specifications, the State Contract Purchase Order may be canceled and reawarded to the next lowest bidder.

The State of West Virginia reserves the right to make multiple awards on this Contract when it is in the best interest of the State to do so.

All labor rates paid by Vendor under Items H, I, J, N, O, Q, R, and T of this contract must be in compliance with the West Virginia Department of Labor Prevailing Rates, Chapter 21-5A, Series 15, 2006.

The Vendor is not authorized to ship, nor is the Division authorized to receive materials prior to the issuance of an "SCO".

# 5. CONTRACT COMPLETION

All State Contract Purchase Order's (SCO's) for lay down work shall be started within fifteen (15) calendar days of receipt of the "SCO", unless otherwise specified by the Engineer, and be completed within thirty (30) calendar days of the starting date. Liquidated damages will be assessed in accordance with Section 108.7 of the Standard Specifications Roads and Bridges.

## 6. GENERAL PROVISIONS

## 6.1 Lay down

Lay down as noted in Item H shall be provided by the Vendor as requested by the Division of Highways at projects designated by the Engineer.

# 6.2 Skip Paving

The Vendor may be required to perform Skip Paving projects at a paving location, provided the distance between the end of one skip and the beginning of the next does not exceed two thousand five hundred (2500) feet. When Skip Paving is requested the Vendor shall be paid the Skip Paving Surcharge, Item O for each ton of final surface course material completed in place on the project. Patching and leveling in preparation for resurfacing of a project shall not be considered Skip Paving.

#### 6.3 Heel-In

Heel-in of joints at the beginning and the end of each paving location, will be performed by the Vendor in accordance with the Resurfacing Heel-In Detail (Figure 1).

Payment for beginning and ending heel-in joints shall be included in the unit price bid for Item H, K or L as appropriate.

Additional Heel-In Joints, Item N, constructed in accordance with the Resurfacing Heel-In Detail (Figure 1) may be required as directed by the Engineer at intersecting roadways, at the beginning and end of each paving skip, and other designated locations. Payment of additional Heel-In Joints shall be paid per lineal foot as measured along the joint, which shall be full payment for complete construction of the joint.

# 6.4 Cleaning and Sweeping

Cleaning and Sweeping will normally be performed by the Division. However, Cleaning and Sweeping, if provided by the Vendor, shall be performed in accordance with Subsection 401.10.1 of the Standard Specifications. Payment shall be calculated as the paving length times the width swept in accordance with subsection 401.10.1.

# 6.5 Off Season Plant Opening

If the Vendor is required to open his plant in the offseason to service the needs of the Division, an additional payment will be made under Item M, off-season plant opening. Vendor will be paid additional day charge for each additional consecutive day that the plant is open after the first day to serve the needs of the Division.

If the plant produces no material for any user on any calendar day, either during the week or on the weekend, the Division will pay the first day rate for off-season plant opening on the next day of Division usage. Payment for this item is subject to the following conditions:

6.5.1 Payment for Item M can only be authorized and made during the winter months, i.e., between December 15 and March 15, and then only if the plant would not have otherwise been open.

These dates may be revised by the State Highway Engineer, if necessary, to meet specific needs in the field. Any such revision of dates will be in writing and shall be attached to the Vendor's invoice at the time payment is requested.

- 6.5.2 Payment will always be made in the full contract bid price amount for first day of plant opening. However, the amount paid from each additional day of plant opening will be reduced as follows:
  - a. Payment for additional day charge will not be made if the plant has produced over 500 tons on that particular day. If between 300 and 500 tons have been produced, payment for additional day charge will be made equal to one-half of the amount bid for additional day charge. The quantity produced to make this determination shall include all material produced that day, which includes tonnage bought by the State, the various local governments, and all private work.

- b. The State will only pay its share of the amount determined to be due for additional day charge in paragraph 6.5.2a above. For example, if the plant produces 375 tons and the Division takes 150 tons of the total, in this illustration 40% of the plant's daily production, payment for additional day charge would be calculated as follows: Since the total daily production is between 300 and 500 tons, the Vendor is due one-half (50%) of the additional day charge in accordance with paragraph 6.5.2a Because the Division's share of this daily production is 40%, the Division would pay 40% of one-half of the additional day charge, or in this case, 20% of the additional day charge.
- 6.5.3 In order to be paid for additional day charge, a certified statement shall accompany the invoice stating the total quantity produced on that day. If payment for additional day of plant opening is not made due to tonnage produced, the next consecutive day of plant operation, if any, will only qualify for payment at the additional day rate, not the first day rate for plant opening.

# 6.6 Pavement Profiling (Milling)

# 6.6.1 Description of Work:

This work shall consist of profiling the existing pavement to the specified grade and cross slope by grinding, planing or milling. The profiling equipment shall be capable of accurately establishing profile grades (1/4 inch plus or minus) along each edge of the machine by reference from the existing pavement by use of ski or matching shoe or by reference to independent The equipment shall have an automatic grade control. system for controlling grade and cross slope. Vendor shall provide adequate manpower and auxiliary equipment to control dust and remove cutting from the project site. Stockpiling of cuttings on the project site will not be permitted. All cuttings shall become the property of the Vendor. The Vendor shall be facilities, damage drainage to for responsible manholes or other appurtenances within the pavement area.

#### 6.6.2 Method of Measurement:

- 6.6.2.1 Mobilization for Profiling: The work shall consist of preparatory operations including movement of necessary personnel and equipment onto the project site to begin the profiling work. Only one Mobilization for Profiling per State Contract Order (SCO) shall be paid when Pavement Profiling (Milling) is required.
- 6.6.2.2 Pavement Profiling (Milling): "Pavement Profiling (Milling)" shall be measured as the total number of square yards planed or ground to a depth not exceeding two (2) inches. Should the required removal depth exceed two (2) inches additional quantities shall be measured for each additional two (2) inch increment.
- 6.6.2.3 Haul of Profiled Cuttings: Hauling of cuttings from project site to the Vendor's nearest production facility shall be paid under Item G "Haul by Vendor", and weighted on truck scales in accordance with Section 401.9.3 of the West Virginia Department of Transportation, Division of Highways' Standard Specifications Roads and Bridges, Adopted 2000 as modified by the current Supplemental Specifications.

# 6.7 Maintenance of Traffic

Maintenance of Traffic: Traffic Control and Temporary Pavement Marking Paint may be furnished by DOH. When Items R, S, T, U, and V are requested, traffic shall be maintained by the Vendor in accordance with Section 636 of the West Virginia Division of Highways Standard Specifications Roads and Bridges, Adopted 2000 as modified by the current Supplemental Specifications.

The project, while undergoing improvement, shall be kept open to traffic in such condition that both local and through traffic will be adequately and safely accommodated. All construction operations shall be scheduled by the Contractor to keep traffic delay to a minimum.

# 6.8 PRICE ADJUSTMENT OF ASPHALT CEMENT

Due to the uncertainty in estimating the costs of petroleum products that will be used during the life of this Contract, adjustment in compensation for contract Items A, B, C, D, E and F is provided for as follows:

The contract price for the items listed above will be adjusted in accordance with the Division of Highways index for asphalt cement. This index will be the average of the posted prices of asphalt cement per ton as reported from the following sources:

Marathon Ashland Petroleum, LLC, Catlettsburg, Kentucky Asphalt Materials, Marietta, Ohio Marathon Ashland Petroleum, LLC, Floreffe, Pennsylvania Citgo Asphalt Refining Co., Baltimore, Maryland Citgo, Incorporated, Bristol, Virginia Koch, Baltimore Maryland.

The bidding index  $(I_b)$  as determined above is the index price for the first working day of the month in which the bids are opened. The price adjustment for the specified material at the time of purchase will be based on an index price determined by averaging the posted prices reported by the sources listed above for the first working day of the month in which the material is purchased. If one of the sources listed above changes ownership and/or name the posted price from that terminal will continue in use as though the ownership and/or name change had not occurred.

If one of the sources used for determining the index goes out of business the index in the proposal  $I_b$  and the index at the time of purchase  $I_p$  will be based on the average of the remaining sources. Thus,  $I_b$  could be based on an average of 5 sources and the  $I_p$  on the average of 4 sources or vice versa. If a source that goes out of business reopens at a later date the index determined will once again be based on 5 sources as per the previous paragraph

The posted price for each source will be compared to the average of all sources. If the difference between the average and the individual price is greater than 25% of the average, that individual source will be excluded from the calculation of the average price  $I_b$  or  $I_p$  and a new average will be calculated using the remaining sources.

When the ratio of the price index at purchase  $(I_p)$  divided by the price index at bidding  $(I_b)$  is less than 0.90 or greater than 1.10, the portion of the contract unit price which reflects the cost of the specified material will be adjusted for the change in accordance with the following formula:

$$AUP = CAP + [(I_p \div I_b) - 1.0] X C$$

where

AUP = Adjusted Unit Price CAP = Contract Award Price

 $I_b$  = Price Index at Time of Bid Opening  $I_p$  = Price Index at time of Purchase

C = Adjustment Factor for Contract Item

The Adjustment Factor (C) for Contract Items A, B, C, D, E and F shall be calculated as follows:

$$C = AC X I_b$$

where

AC = Statewide Average Asphalt Cement Content for The Materials Listed Under Items A, B, C, D, E and F.

The average asphalt cement content for use in the above formula is as follows:

Item	Asphalt Content (AC)
A	3.9%
B	4.8%
C	5.9%
D	7.5%
E	5.9%
F	See Below

The asphalt cement content used for Item F shall be that specified above for the similar materials in Item A through D.

# 6.9 PRICE ADJUSTMENT OF FUEL OIL NO. 2 (DIESEL FUEL)

Because of the uncertainty in estimating the cost of diesel fuel that will be used during the life of this contract, adjustment in compensation for contract Items A, B, C, D, E, and F is provided for as follows:

Product price quotations for Fuel Oil No. 2 (diesel fuel) as published by the Oil Price Information Service (OPIS) will be utilized to establish the contract base price as well as the monthly base price thereafter. These prices will be the average of the individual prices for the following locations:

Charleston, West Virginia Ashland, Kentucky Pittsburgh, Pennsylvania Roanoke, Virginia Marietta, Ohio

The initial contract base price will be based on the Fuel Index as published on the WVDOT Internet, Contractor Resources Center for the month immediately preceding the bid of this contract. The initial contract base price will be used for the first quarter (3 months) period of this Thereafter, the OPIS Fuel Oil No. 2 prices as contract. published monthly on the WV DOT Internet, Contractor Resource Center for the prior three months will be averaged and used for the quarterly base price each quarter.

The contract base price (Cbp) and the quarterly base price (Qbp) may be found posted at the Division's Internet website www.wvdot.com by selecting the 'Contractors' link under 'Doing Business' and then by choosing the 'Fuel and Asphalt Prices' option from the 'Contractors Resource Center' drop down menu.

The portion of the contract unit price which reflects the cost of the specified material will be adjusted for the change in accordance with the following formulae:

# $Pa=[(Qbp+Cbp)-1.00] \times Cbp \times C \times Q$

#### Where:

Price Adjustment Pa

Quarterly Base Price at time of placement = qdQ

Contract Base Price at time of bidding Cbp =

Cost Adjustment Factors per Unit of Contract Item Bid as outlined in chart below

0 Quantity

Adjustments in bid price for any period may be either plus If (Qbp) is greater than (Cbp), the adjustment If (Cbp) is greater than (Qbp), the will be plus. adjustment will be minus.

The adjustment in compensation for diesel fuel used for the listed items will be made on the separate items on the of the average diesel fuel requirements processing a unit of the item as shown in the table below.

The gallons (liters) of diesel fuel for price adjustment will be determined by multiplying the usage factors listed in the table below by the amount of acceptable work performed.

All adjustments will be made based on the gallons (liters) of diesel fuel indicated in the table below and no changes will be made for variations between these usage factors and the actual factors.

## COST ADJUSTMENT FACTORS FOR DIESEL FUEL USAGE

	UNITS	FACTOR
Items A, B, C, D, E, and F	Gallons per ton (Liters per megagram)	1.06 (4.43)

## 7. MOBILIZATION FOR PAVING LIMITS

Mobilization for Paving, Items K and L will be paid when Vendor is required to place lay down quantities (Item H) under 500 tons. In addition, nighttime mobilization for paving, Item L, will only be paid when Vendor is directed by the Engineer to perform lay down at night.

Only one mobilization for paving per day of operation will be paid, unless moves of over five miles between individual paving locations are required. In cases where a Vendor is required to move from one roadway to the adjacent roadway of a divided highway, additional mobilization for paving will only be paid if the nearest interchange or crossing point that will accommodate the Vendor's equipment is over five miles from the paving locations. (This provision may require roundtrip moves of up to 10 miles with no additional mobilization for paving payment).

At an individual paving location where the Vendor is required to place quantities of less than 500 tons on successive days and/or nights, mobilization for paving will only be paid for the initial day's and/or night's operation.

An individual paving location shall be defined as a paving job where no skips exceeding two thousand five hundred (2500) feet are involved, except between the approach slabs of a bridge or parallel pair of bridges.

## 8. WEIGHING MATERIALS DELIVERED BY TRUCK

Material delivered by truck shall be weighed in accordance with Section 401.9.3 of the West Virginia Department of Transportation, Division of Highways' Standard Specifications Roads and Bridges, Adopted 2000 as modified by the current Supplemental Specifications.

#### 9. ACCEPTANCE PLAN

Quality control shall be the responsibility of the Vendor and meet the requirements of MP 401.03.50.

Acceptance testing shall be the responsibility of the Division.

Quality assurance of the material shall be as set forth in MP 401.02.23.

Sampling frequencies shall be in accordance with Section 6.2 of MP 401.02.23 or Section 4.1 and 4.2 of MP 700.00.52.

## 10. SUPPLYING OTHER ORGANIZATION ENTITIES

County Courts, Municipalities, School Boards, and other political subdivision and governmental entities, etc., may have a need for these materials, and Vendors may wish to supply that need.

Accordingly, bidders may wish to extend their contract prices to these other entities. If the bidder wishes to supply these other entities, but with prices different from quoted for the Division of Highways, the bidder shall include a set of bid schedules clearly and unambiguously marked for the express use of entities other than the Division of Highways. Failure by the bidder to include a set of bid schedules for other entities will be taken to mean that the bid schedules extended to the Division of Highways will also be extended to these other entities.

In the event any Vendor does not wish to extend the prices, terms and conditions of his bid and subsequent contract to other entities of the State, he must so indicate in a clear and unambiguous manner in his bid. This indication does not prejudice the award of the contract. If a Vendor does not indicate his refusal to extend the prices, terms and conditions of his bid to other entities of the State, he is bound to extend them upon issuance of a purchase order by these other entities.

Other organizational entities using this provision of the contract shall do so without any involvement of the Division of Highways. That is, the entity shall make its own purchase arrangements with the Vendor and shall make its own arrangement for payment.

#### 11. VENDOR'S INVOICES

Separate invoices must be submitted for Items "A" through "F" and for Items "G" through "V".

Vendor's invoices must be submitted in original and one copy and contain the following:

- a. All weigh ticket numbers for material delivered and cuttings hauled during the invoicing period.
- b. Division of Highways' State Contract Purchase Order (SCO) number, and this contract number.
- c. Total quantity and unit price with the total cost of each type of material furnished.
- d. Vendors shall show all weigh ticket numbers on their individual invoices.
- e. No payment will be made to a Contractor for Item K or L unless he performs the lay down operation and the quantity involved is less than 201 tons.

Under no circumstance will the West Virginia Division of Highways accept, or pay for, quantities of material in excess of the quantity stated on the State Contract Purchase Order.

#### DISTRICT ONE

#### 12. BID SCHEDULE

MO BID Item A - Hot-Mix Asphalt Base I F.O.B. Vendor Plant per ton Hot-Mix Asphalt Item B -Base II (Patch & Level), or Wearing IV F.O.B. Vendor Plant per ton Hot-Mix Asphalt Item C -Wearing I (Scratch) F.O.B. Vendor Plant per ton Hot-Mix Asphalt Item D -Wearing III F.O.B. Vendor Plant

All of the above items shall be in accordance with The West Virginia Department of Transportation, Division of Highways, Standard Specifications Roads and Bridges, Adopted 2000 as modified by the current Supplemental Specifications, Section 401 as specified in the SCO.

Item E - Hot-Mix Asphalt
Skid Resistant Pavement
F.O.B. Vendor Plant
per ton

Hot-Mix Asphalt

Skid Resistant Pavement

F.O.B. Vendor Plant

@ \_\_\_\_\_\_

per ton

The above item shall be in accordance with The West Virginia Department of Transportation, Division of Highways, Standard Specifications Roads and Bridges, Adopted 2000 as modified by the current Supplemental Specifications, Section 402.

Item F - Hot-Mix Asphalt
Plant Run
F.O.B. Vendor Plant
per ton

Haul by Vendor

@ for first ton mile and
for each additional mile

Item H - Lay down of Materials

Items A thru E, Each Site

0 to 100 tons @ per ton

101 to 200 tons @ per ton

201 to 500 tons @ per ton

501 and up @ per ton

#### DISTRICT ONE

#### 12. BID SCHEDULE (Continued)

Material placed under Item H shall be constructed in accordance with the Requirements of The West Virginia Department of Transportation, Division of Highways, Standard Specifications Roads and Bridges, Adopted 2000 as modified by the current Supplemental Specifications, Section 401 or 402 as specified in the SCO.

Section 4	101 or 402 as specified in the SCO.
Item I -	Cleaning & Sweeping per sq. yd.
Item J -	Bituminous Material for Tack Coat or Prime All Types @
Material Section Engineer	furnished and applied under Item J to be in accordance with 408 of the referenced specifications, as directed by the
Item K -	Daytime Paving Mobilization - A Mobilization for Paving Charge of 5 may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is not specified.
Item L -	Nighttime Paving Mobilization - A Mobilization for Paving Charge of \$ may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is specified.
Item M -	Off Season Plant Opening  @ No Property Age  @ The Property Age of the Common C
	Additional Heel-In Joints  @per lineal foot  Skip Paving Surcharge  @per ton
Item P -	Mobilization for Profiling  @per SCO
Item Q -	Pavement Profiling (Milling), square yards per SCO
	Less than 250 @ per Sq. Yd. 250 less than 500 @ per Sq. Yd. 500 less than 1000 @ per Sq. Yd. 1000 less than 2500 @ per Sq. Yd. 2500 less than 5000 @ per Sq. Yd. 5000 and greater @ per Sq. Yd.

## DISTRICT ONE

Item S -	Traffic	Control Device	per	Unit
Item T -	Flagger	e	per	Hour
<u>Item U</u> -	Arrow B		per	Day
<u>Item V</u> -	Rumble	Strips @	per	LF


# DISTRICT TWO

12.	BID SCHEDU	LE (Continued)	
	<u>Item A</u> -	Hot-Mix Asphalt Base I F.O.B. Vendor Plant per ton	NOBED
	<u>Item B</u> -	Hot-Mix Asphalt Base II (Patch & Level), or Wearing IV F.O.B. Vendor Plant per ton	
	<u>Item C</u> -	Hot-Mix Asphalt Wearing I (Scratch) F.O.B. Vendor Plant per ton	
	<pre>Item D -</pre>	Hot-Mix Asphalt Wearing III F.O.B. Vendor Plant @ per ton	
	Virginia D Standard S modified b	e above items shall be in accordance and separtment of Transportation, specifications Roads and Bridgy the current Supplemental Specified in the SCO.	Division of Highways, ges, Adopted 2000 as
	Item E -	Hot-Mix Asphalt Skid Resistant Pavement F.O.B. Vendor Plant per ton	
	Department Specificat:	item shall be in accordance w of Transportation, Division of ions Roads and Bridges, Adopted Supplemental Specifications,	of Highways, Standard d 2000 as modified by
	<u>Item F</u> -	Hot-Mix Asphalt Plant Run F.O.B. Vendor Plant per ton	
	Item G -	Haul by Vendor  @for first  @for each a	ton mile and additional mile
	<u>Item H</u> -	Lay down of Materials Items A thru E, Each Site 0 to 100 tons @ 101 to 200 tons @ 201 to 500 tons @ 501 and up @	per ton per ton per ton per ton per ton

#### DISTRICT TWO

#### 12. BID SCHEDULE (Continued)

Material placed under Item H shall be constructed in accordance with the Requirements of The West Virginia Department of Transportation, Division of Highways, Standard Specifications Roads and Bridges, Adopted 2000 as modified by the current Supplemental Specifications, Section 401 or 402 as specified in the SCO.



Item R - Pilot Truck and Driver

@ per day

5000 and greater

2500 less than 5000 @

per Sq. Yd.

per Sq. Yd.

11. 1000-1480 Te-su

# DISTRICT TWO

	@_	 per	Unit
Item T -	Flagger @_	 per	Hour
Item U -	Arrow Boa	per	Day
Item V -	Rumble St	per	LF

## DISTRICT THREE

BID SCHEDU	LE (Continued)			
Item A -	Hot-Mix Asphalt Base I F.O.B. Vendor Plant per ton	@ _		
Item B -	Hot-Mix Asphalt Base II (Patch & Level), or Wearing IV F.O.B. Vendor Plant per ton	@	Contraction of the Contraction o	
Item C -	Hot-Mix Asphalt Wearing I (Scratch) F.O.B. Vendor Plant per ton	@		
Item D -	Hot-Mix Asphalt Wearing III F.O.B. Vendor Plant per ton	@	100 mm	
Virginia I Standard : modified l	e above items shall be in Department of Transportati Specifications Roads and by the current Supplementa cified in the SCO.	lon, Di Bridge	ivision es, Ado	of Highways, pted 2000 as
Item E -	Hot-Mix Asphalt Skid Resistant Pavement F.O.B. Vendor Plant per ton	@ <u>_</u>		
Department Specificat	item shall be in accordar of Transportation, Divis ions Roads and Bridges, Ad t Supplemental Specificati	sion of dopted	Highwa 2000 a	ays, Standard s modified by
Item F -	Hot-Mix Asphalt Plant Run F.O.B. Vendor Plant per ton	@		
<u>Item G</u> -			on mile Iditiona	
<u>Item H</u> -	Lay down of Materials Items A thru E, Each Site 0 to 100 tons @ 101 to 200 tons @ 201 to 500 tons @ 501 and up @		per t per t per t per t	on on

#### DISTRICT THREE

#### 12. BID SCHEDULE (Continued)

Material placed under Item H shall be constructed in accordance with the Requirements of The West Virginia Department of Transportation, Division of Highways, Standard Specifications Roads and Bridges, Adopted 2000 as modified by the current Supplemental Specifications, Section 401 or 402 as specified in the SCO.

Item I - Cleaning & Sweeping per sq. yd. Item J - Bituminous Material for Tack Coat or Prime All Types @ per gallon Material furnished and applied under Item J to be in accordance with Section 408 of the referenced specifications, as directed by the District Engineer/Manager. Daytime Paving Mobilization - A Mobilization for Paving Item K -Charge of \$ may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is not specified. Nighttime Paving Mobilization - A Mobilization Item L -Paving Charge of \$ may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is specified. Off Season Plant Opening Item M for first day

For each additional day Additional Heel-In Joints Item N -@ per lineal foot Skip Paving Surcharge Item O -@\_\_\_\_per ton Mobilization for Profiling Item P -@ 👌 💚 💮 🚔 per SCO Pavement Profiling (Milling), square Item Q yards per SCO per Sq. Yd. Less than 250 per Sq. Yd. 250 less than 500

<u>Item R</u> - Pilot Truck and Driver @\_\_\_\_\_ per day

5000 and greater

500 less than 1000

1000 less than 2500 @

2500 less than 5000 @

@

\_ per Sq. Yd.

per Sq. Yd.

per Sq. Yd.

\_\_\_\_\_ per Sq. Yd.

# DISTRICT THREE

	Traffic Control Devi @	per Unit
Item T -	Flagger @	per Hour
Item U -	Arrow Board	per Day
<u>Item V</u> -	Rumble Strips @	per LF

# DISTRICT FOUR

BID SCHED	JLE (Continued)			
Item A -	Hot-Mix Asphalt Base I F.O.B. Vendor Plant per ton	@	NO 310	
Item B -	Hot-Mix Asphalt Base II (Patch & Level), or Wearing IV F.O.B. Vendor Plant per ton	@		
Item C -	Hot-Mix Asphalt Wearing I (Scratch) F.O.B. Vendor Plant per ton	@		
<u>Item D</u> -	Hot-Mix Asphalt Wearing III F.O.B. Vendor Plant per ton	@		Ž
Standard	Department of Transportation Specifications Roads and	Bridge	es, Adopted 2	000
Standard modified	Specifications Roads and S by the current Supplementa ecified in the SCO.  Hot-Mix Asphalt Skid Resistant Pavement F.O.B. Vendor Plant	Bridge	es, Adopted 2	000
Standard modified 401 as specificat	Specifications Roads and S by the current Supplementa ecified in the SCO.  Hot-Mix Asphalt Skid Resistant Pavement	Bridge 1 Spe @ ce with ion of	cifications, Some season of the season of th	000 Sect:
Standard modified 401 as specificat the current	Specifications Roads and Depth the current Supplemental Supplemental Secified in the SCO.  Hot-Mix Asphalt Skid Resistant Pavement F.O.B. Vendor Plant per ton  item shall be in accordant of Transportation, Divisions Roads and Bridges, Adn't Supplemental Specification Hot-Mix Asphalt Plant Run F.O.B. Vendor Plant per ton  Haul by Vendor	e with ion of lopted ons, Some —	cifications, Some season of the season of th	000 Sect:

#### DISTRICT FOUR

## 12. BID SCHEDULE (Continued)

Material placed under Item H shall be constructed in accordance with the Requirements of The West Virginia Department of Transportation, Division of Highways, Standard Specifications Roads and Bridges, Adopted 2000 as modified by the current Supplemental Specifications, Section 401 or 402 as specified in the SCO.

Item I - C	leaning & Sweeping per sq. yd.
	ituminous Material for Tack Coat or Prime
Al	1 Types @per gallon
Section 40	urnished and applied under Item J to be in accordance with 8 of the referenced specifications, as directed by the agineer/Manager.
Item K -	Daytime Paving Mobilization - A Mobilization for Paving Charge of \$ may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is not specified.
Item L -	Nighttime Paving Mobilization - A Mobilization for Paving Charge of \$ may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is specified.
Item M -	Off Season Plant Opening  @for first day  @for each additional day
Item N -	Additional Heel-In Joints  @per lineal foot
Item O -	Skip Paving Surcharge  @ per ton
Item P -	Mobilization for Profiling @per SCO
Item Q -	Pavement Profiling (Milling), square yards per SCO
	Less than 250 @ per Sq. Yd. 250 less than 500 @ per Sq. Yd. 500 less than 1000 @ per Sq. Yd. 1000 less than 2500 @ per Sq. Yd. 2500 less than 5000 @ per Sq. Yd. 5000 and greater @ per Sq. Yd.
Item R -	Pilot Truck and Driver @per day

# DISTRICT FOUR

	@	per Unit
Item T -	Flagger @	per Hour
<u>Item U</u> -	Arrow Board	per Day
<u>Item V</u> -	Rumble Strips	per LF

# DISTRICT FIVE

	LE (Continued)	
Item A -	Hot-Mix Asphalt Base I F.O.B. Vendor Plant per ton	@ 37.05
Item B -	Hot-Mix Asphalt Base II (Patch & Level), or Wearing IV F.O.B. Vendor Plant per ton	@31.50
Item C -	Hot-Mix Asphalt Wearing I (Scratch) F.O.B. Vendor Plant per ton	@ 37.05
Item D -	Hot-Mix Asphalt Wearing III F.O.B. Vendor Plant per ton	@ 41.45
	by the gurrent Cumplements	Bridges, Adopted 2
modified 1	by the current Supplementa ecified in the SCO.  Hot-Mix Asphalt Skid Resistant Pavement F.O.B. Vendor Plant	al Specifications, S
modified 1 401 as specificate the current	by the current Supplementa ecified in the SCO.  Hot-Mix Asphalt Skid Resistant Pavement F.O.B. Vendor Plant per ton  item shall be in accordant of Transportation, Divistions Roads and Bridges, Act Supplemental Specification	al Specifications, Solutions, Solutions  @ 43.80  ace with The West Vision of Highways, Solutions  dopted 2000 as modified.  Accordingly the solution of t
modified 1 401 as specificat  The above Department Specificat	by the current Supplementa ecified in the SCO.  Hot-Mix Asphalt Skid Resistant Pavement F.O.B. Vendor Plant per ton  item shall be in accordant of Transportation, Divis	al Specifications, Solutions, Solutions  @ 43.80  ace with The West Vision of Highways, Solutions  dopted 2000 as modified.  Accordingly the solution of t
modified 1 401 as specificate The above Department Specificate the current	by the current Supplemental ecified in the SCO.  Hot-Mix Asphalt Skid Resistant Pavement F.O.B. Vendor Plant per ton  item shall be in accordant of Transportation, Divistions Roads and Bridges, Act Supplemental Specification Hot-Mix Asphalt Plant Run F.O.B. Vendor Plant per ton  Haul by Vendor  @ 2.25 for i	@ 43.80  ace with The West Vion of Highways, Stopted 2000 as modifions, Section 402.

#### DISTRICT FIVE

## 12. BID SCHEDULE (Continued)

Material placed under Item H shall be constructed in accordance with the Requirements of The West Virginia Department of Transportation, Division of Highways, Standard Specifications Roads and Bridges, Adopted 2000 as modified by the current Supplemental Specifications, Section 401 or 402 as specified in the SCO.

<u>Item I - Cl</u>	eaning & Sweeping  @0.45per sq. yd.
<u>Item J</u> - Bi	tuminous Material for Tack Coat or Prime
Al	1 Types @ 3.00 per gallon
Section 40	urnished and applied under Item J to be in accordance with 8 of the referenced specifications, as directed by the agineer/Manager.
Item K -	Daytime Paving Mobilization - A Mobilization for Paving Charge of \$800.00 may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is not specified.
Item L -	Nighttime Paving Mobilization - A Mobilization for Paving Charge of $\frac{1,500.00}{1,500.00}$ may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is specified.
<u>Item M</u> -	Off Season Plant Opening  @ 2,500.00 for first day  @ 800.00 for each additional day
<u>Item N</u> -	Additional Heel-In Joints  @ 8.00 per lineal foot
<u>Item O</u> -	Skip Paving Surcharge @ 7.00 per ton
<u>Item P</u> -	Mobilization for Profiling @ 2,000.00 per SCO
Item Q -	Pavement Profiling (Milling), square yards per SCO
	Less than 250 @ 12.00 per Sq. Yd. 250 less than 500 @ 8.50 per Sq. Yd. 500 less than 1000 @ 7.00 per Sq. Yd. 1000 less than 2500 @ 6.00 per Sq. Yd. 2500 less than 5000 @ 5.00 per Sq. Yd. 5000 and greater @ 5.00 per Sq. Yd.
Item R -	Pilot Truck and Driver @ 608.00 per day

#### DISTRICT FIVE

12. BID SCHEDULE (Continued)

Item S - Traffic Control Devices
@ 2.25 per Unit

Item T - Flagger
@ 48.00 per Hour

<u>Item U</u> - Arrow Board @\_\_\_35.00 \_\_\_ per Day

Vendor's Plant Location

Ashcom, Bedford County, Pennsylvania
526 Ashcom Road
Everett, PA 15537

#### DISTRICT SIX

# 12. BID SCHEDULE (Continued) Hot-Mix Asphalt Item A -Base I F.O.B. Vendor Plant per ton Hot-Mix Asphalt Item B -Base II (Patch & Level), or Wearing IV F.O.B. Vendor Plant per ton Hot-Mix Asphalt Item C -Wearing I (Scratch) F.O.B. Vendor Plant per ton Hot-Mix Asphalt Item D -Wearing III F.O.B. Vendor Plant per ton All of the above items shall be in accordance with The West Virginia Department of Transportation, Division of Highways, Standard Specifications Roads and Bridges, Adopted 2000 as modified by the current Supplemental Specifications, Section 401 as specified in the SCO. Hot-Mix Asphalt Item E -Skid Resistant Pavement F.O.B. Vendor Plant per ton The above item shall be in accordance with The West Virginia Department of Transportation, Division of Highways, Standard Specifications Roads and Bridges, Adopted 2000 as modified by the current Supplemental Specifications, Section 402. Hot-Mix Asphalt Item F -Plant Run F.O.B. Vendor Plant per ton Haul by Vendor @ \_ \_ for first ton mile and @ \_ for each additional mile Item G -Lay down of Materials Item H -Items A thru E, Each Site

0 to 100 tons @

101 to 200 tons @ 201 to 500 tons @ 330

501 and up


per ton

per ton per ton

#### DISTRICT SIX

#### 12. BID SCHEDULE (Continued)

Material placed under Item H shall be constructed in accordance with the Requirements of The West Virginia Department of Transportation, Division of Highways, Standard Specifications Roads and Bridges, Adopted 2000 as modified by the current Supplemental Specifications, Section 401 or 402 as specified in the SCO.



Item R - Pilot Truck and Driver
@ N per day

5000 and greater

1000 less than 2500 @

2500 less than 5000 @

per Sq. Yd.

per Sq. Yd.

\_\_\_\_ per Sq. Yd.

# DISTRICT SIX

<del></del>	@	_ per Unit
Item T -	Flagger @	per Hour
Item U -	Arrow Board	_ per Day
<u>Item V</u> -	Rumble Strips @	_ per LF

# DISTRICT SEVEN

	ULE (Continued)			
Item A -	Hot-Mix Asphalt Base I F.O.B. Vendor Plant per ton	@ _	A CONTRACTOR OF THE CONTRACTOR	
<u>Item B</u> -	Hot-Mix Asphalt Base II (Patch & Level), or Wearing IV F.O.B. Vendor Plant per ton	@	Action to the second se	000
Item C -	Hot-Mix Asphalt Wearing I (Scratch) F.O.B. Vendor Plant per ton	@ _		
Item D -	Hot-Mix Asphalt Wearing III F.O.B. Vendor Plant per ton	@ _		
	by the current Supplementa			
Item E -	ecified in the SCO.  Hot-Mix Asphalt Skid Resistant Pavement F.O.B. Vendor Plant per ton	@ _	Marie port	
Item E - The above Department Specificat	Hot-Mix Asphalt Skid Resistant Pavement F.O.B. Vendor Plant per ton  item shall be in accordant t of Transportation, Divistions Roads and Bridges, Adnt Supplemental Specification Hot-Mix Asphalt	ce wi ion o lopted	f Highw 2000 a ection	West Virgiways, Standas modified 402.
Item E - The above Department Specificat the current	Hot-Mix Asphalt Skid Resistant Pavement F.O.B. Vendor Plant per ton  item shall be in accordant t of Transportation, Divistions Roads and Bridges, Adnt Supplemental Specification	ce wi ion o lopted	f Highw 2000 a ection	West Virgi ways, Standas modified
Item E - The above Department Specificat the current	Hot-Mix Asphalt Skid Resistant Pavement F.O.B. Vendor Plant per ton  item shall be in accordant t of Transportation, Divistions Roads and Bridges, Ad at Supplemental Specification Hot-Mix Asphalt Plant Run F.O.B. Vendor Plant per ton  Haul by Vendor	ce wiion o lopted ons, S @_	f Highw 2000 a section	West Virgiways, Standas modified 402.

#### DISTRICT SEVEN

# 12. BID SCHEDULE (Continued)

Material placed under Item H shall be constructed in accordance with the Requirements of The West Virginia Department of Transportation, Division of Highways, Standard Specifications Roads and Bridges, Adopted 2000 as modified by the current Supplemental Specifications, Section 401 or 402 as specified in the SCO.

Item I - C	leaning & Sweeping per sq. yd.
	ituminous Material for Tack Coat or Prime 1 Types @per gallon
Section 40	arnished and applied under Item J to be in accordance with 8 of the referenced specifications, as directed by the agineer/Manager.
Item K -	Daytime Paying Mobilization - A Mobilization for Paying Charge of \$ may be made when the purchase order quantity per paying location is less than 500 tons of Hot-Mix Asphalt and nighttime paying is not specified.
Item L -	Nighttime Paving Mobilization - A Mobilization for Paving Charge of \$ may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is specified.
Item M -	Off Season Plant Opening  @
Item N -	Additional Heel-In Joints  @per lineal foot
Item O -	Skip Paving Surcharge  @per ton
Item P -	Mobilization for Profiling @ per SCO
Item Q -	Pavement Profiling (Milling), square yards per SCO
	Less than 250 @ per Sq. Yd. 250 less than 500 @ per Sq. Yd. 500 less than 1000 @ per Sq. Yd. 1000 less than 2500 @ per Sq. Yd. 2500 less than 5000 @ per Sq. Yd. 5000 and greater @ per Sq. Yd.
Item R -	Pilot Truck and Driver @ per day

# DISTRICT SEVEN

Item S -	Traffic Control Devi	per Unit
Item T -	Flagger	
	<u> </u>	per Hour
Item U -	Arrow Board	Basa
	@	per Day
Item V -	Rumble Strips	
	@	per LF

#### DISTRICT EIGHT

# BID SCHEDULE (Continued) 12. Hot-Mix Asphalt Item A -Base I F.O.B. Vendor Plant per ton Item B -Hot-Mix Asphalt Base II (Patch & Level), or Wearing IV F.O.B. Vendor Plant per ton Hot-Mix Asphalt Item C -Wearing I (Scratch) F.O.B. Vendor Plant per ton Hot-Mix Asphalt Item D -Wearing III F.O.B. Vendor Plant per ton All of the above items shall be in accordance with The West Virginia Department of Transportation, Division of Highways, Standard Specifications Roads and Bridges, Adopted 2000 as modified by the current Supplemental Specifications, Section 401 as specified in the SCO. Hot-Mix Asphalt Item E -Skid Resistant Pavement F.O.B. Vendor Plant per ton The above item shall be in accordance with The West Virginia Department of Transportation, Division of Highways, Standard Specifications Roads and Bridges, Adopted 2000 as modified by the current Supplemental Specifications, Section 402. Hot-Mix Asphalt Item F -Plant Run F.O.B. Vendor Plant per ton Haul by Vendor Item G for first ton mile and for each additional mile Lay down of Materials Item H -Items A thru E, Each Site 0 to 100 tons per ton 101 to 200 tons @

201 to 500 tons @

501 and up

per ton

per ton

#### DISTRICT EIGHT

#### BID SCHEDULE (Continued) 12.

Material placed under Item H shall be constructed in accordance with the Requirements of The West Virginia Department of Transportation, Division of Highways, Standard Specifications Roads and Bridges, Adopted 2000 as modified by the current Supplemental Specifications, Section 401 or 402 as specified in the SCO.

<u>Item I</u> -	Cleaning & Sweeping  per sq. yd.
Item J -	Bituminous Material for Tack Coat or Prime All Types @per gallon
Section ·	furnished and applied under Item J to be in accordance with 408 of the referenced specifications, as directed by the Engineer/Manager.
<u>Item K</u> -	Daytime Paving Mobilization - A Mobilization for Paving Charge of \$ may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is not specified.
Item L -	Nighttime Paving Mobilization - A Mobilization for Paving Charge of S may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is specified.
Item M -	Off Season Plant Opening  @
Item N -	Additional Heel-In Joints  @per lineal foot
Item O -	
Item P -	Mobilization for Profiling  @ per SCO
Item Q -	Pavement Profiling (Milling), square yards per SCO
	Less than 250 @ per Sq. Yd. 250 less than 500 @ per Sq. Yd. 500 less than 1000 @ per Sq. Yd. 1000 less than 2500 @ per Sq. Yd. 2500 less than 5000 @ per Sq. Yd. 5000 and greater @ per Sq. Yd.
Item R -	Pilot Truck and Driver

# DISTRICT EIGHT

rcem 5	Traffic Control Dev	per Unit
Item T -	Flagger @	per Hour
Item U -	Arrow Board	per Day
Item V -	Rumble Strips	

#### DISTRICT NINE

#### BID SCHEDULE (Continued) 12. Hot-Mix Asphalt Item A -Base I F.O.B. Vendor Plant per ton Hot-Mix Asphalt Item B -Base II (Patch & Level), or Wearing IV F.O.B. Vendor Plant per ton Hot-Mix Asphalt Item C -Wearing I (Scratch) F.O.B. Vendor Plant per ton Hot-Mix Asphalt Item D -Wearing III F.O.B. Vendor Plant per ton All of the above items shall be in accordance with The West Virginia Department of Transportation, Division of Highways, Standard Specifications Roads and Bridges, Adopted 2000 as modified by the current Supplemental Specifications, Section 401 as specified in the SCO. Hot-Mix Asphalt Item E -Skid Resistant Pavement F.O.B. Vendor Plant per ton The above item shall be in accordance with The West Virginia Department of Transportation, Division of Highways, Standard Specifications Roads and Bridges, Adopted 2000 as modified by the current Supplemental Specifications, Section 402. Item F -Hot-Mix Asphalt Plant Run F.O.B. Vendor Plant per ton Item G -Haul by Vendor for first ton mile and for each additional mile Lay down of Materials Item H -Items A thru E, Each Site 0 to 100 tons @ per ton 101 to 200 tons @ \_\_\_\_\_ per ton 201 to 500 tons @\_\_\_\_\_ per ton

@

501 and up

\_\_\_\_ per ton

#### DISTRICT NINE

#### BID SCHEDULE (Continued) 12.

Material placed under Item H shall be constructed in accordance with the Requirements of The West Virginia Department of Transportation, Division of Highways, Standard Specifications Roads and Bridges, Adopted 2000 as modified by the current Supplemental Specifications, Section 401 or 402 as specified in the SCO.

<u>Item I</u> - Cl	eaning & Sweeping per sq. yd.
Item J - Bi	tuminous Material for Tack Coat or Prime l Types @per gallon
Section 408	urnished and applied under Item J to be in accordance with 8 of the referenced specifications, as directed by the agineer/Manager.
Item K -	Daytime Paving Mobilization - A Mobilization for Paving Charge of 5 may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is not specified.
Item L -	Nighttime Paving Mobilization - A Mobilization for Paving Charge of S may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is specified.
Item M -	Off Season Plant Opening  @ for first day  @ for each additional day
Item N -	Additional Heel-In Joints  @
Item O -	Skip Paving Surcharge  @ per ton
Item P -	Mobilization for Profiling  @ per SCO
Item Q -	Pavement Profiling (Milling), square yards per SCO
	Less than 250 @ per Sq. Yd. 250 less than 500 @ per Sq. Yd. 500 less than 1000 @ per Sq. Yd. 1000 less than 2500 @ per Sq. Yd. 2500 less than 5000 @ per Sq. Yd. 5000 and greater @ per Sq. Yd.
Item R -	Pilot Truck and Driver

# DISTRICT NINE

Item S -	@	per	Unit
<u>Item T</u> -	Flagger @	per	Hour
Item U -	Arrow Board	per	Day
Item V -	Rumble Strips	per	LF

# DISTRICT TEN

12.	BID SCHEDU	LE (Continued)	
	<u>Item A</u> -	Hot-Mix Asphalt Base I F.O.B. Vendor Plant per ton	
	Item B -	Hot-Mix Asphalt Base II (Patch & Level), or Wearing IV F.O.B. Vendor Plant @ per ton	
	<u>Item C</u> -	Hot-Mix Asphalt Wearing I (Scratch) F.O.B. Vendor Plant per ton	
	<pre>Item D -</pre>	Hot-Mix Asphalt Wearing III F.O.B. Vendor Plant per ton	
	Virginia D Standard S modified b	e above items shall be in accompartment of Transportation, Inspectifications Roads and Bridgey the current Supplemental Specified in the SCO.  Hot-Mix Asphalt Skid Resistant Pavement F.O.B. Vendor Plant	Division of Highways, ges, Adopted 2000 as
	Department Specificat:	per ton  item shall be in accordance wi  of Transportation, Division of  lons Roads and Bridges, Adopted  Supplemental Specifications, S	of Highways, Standard 1 2000 as modified by
	Item F -	Hot-Mix Asphalt Plant Run F.O.B. Vendor Plant per ton	
	Item G -		ton mile and dditional mile
	Item H -	Lay down of Materials Items A thru E, Each Site 0 to 100 tons @ 101 to 200 tons @ 201 to 500 tons @ 501 and up @	per ton per ton per ton per ton per ton

# DISTRICT TEN

#### 12. BID SCHEDULE (Continued)

Material placed under Item H shall be constructed in accordance with the Requirements of The West Virginia Department of Transportation, Division of Highways, Standard Specifications Roads and Bridges, Adopted 2000 as modified by the current Supplemental Specifications, Section 401 or 402 as specified in the SCO.

<u>Item I</u> - C	leaning & Sweeping per sq. yd.
<u>Item J</u> - B	ituminous Material for Tack Coat or Prime All Types @per gallon
Section 40	urnished and applied under Item J to be in accordance with 08 of the referenced specifications, as directed by the ngineer/Manager.
<u>Item K</u> -	Daytime Paving Mobilization - A Mobilization for Paving Charge of \$ may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is not specified.
Item L -	Nighttime Paving Mobilization - A Mobilization for Paving Charge of \$ may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is specified.
Item M -	Off Season Plant Opening  @ for first day  @ for each additional day
Item N -	Additional Heel-In Joints  @per lineal foot
Item O -	Skip Paving Surcharge @per ton
Item P -	Mobilization for Profiling  @ per SCO
Item Q -	Pavement Profiling (Milling), square yards per SCO
	Less than 250       @       per Sq. Yd.         250 less than 500       @       per Sq. Yd.         500 less than 1000       @       per Sq. Yd.         1000 less than 2500       @       per Sq. Yd.         2500 less than 5000       @       per Sq. Yd.         5000 and greater       @       per Sq. Yd.
Item R -	Pilot Truck and Driver  @per day

# DISTRICT TEN

	@	per	Unit
Item T -	Flagger		
	<u>@</u>	per	Hour
<u> Item U</u> -	Arrow Board		_
	<b>@</b>	per	Day
Item V -	Rumble Strips		
	@	per	LF

# **DISTRICT ADDRESSES**

District One 1334 Smith Street

Charleston, West Virginia 25301-1492

District Six 1 DOT Drive

Moundsville, West Virginia 26041-1605

District Two

801 Madison Avenue

Huntington, West Virginia 25712-0880

District Seven 255 Depot Street

Weston, West Virginia 26452-1228

District Three 624 Depot Street

Parkersburg, West Virginia 26102-0308

District Eight US 219 North

Elkins, West Virginia 26241-1516

**District Four** 

I-79 & Meadowbrook Road

Clarksburg, West Virginia 26302-2570

**District Nine** 

103 1/2 Church Street

Lewisburg, West Virginia 24901

District Five US Route 50


Post Office Box 99

Burlington, West Virginia 26710-0099

District Ten

270 Hardwood Lane

Princeton, West Virginia 24740-2737



		144560						
		MARSH		CERTIFIC	CATE OF IN	ISURANCE		CATE NUMBER 01221 363-18
PR	DUC	ER MARSH USA INC.				MATTER OF INFORMATION OF	NLY AND	CONFERS
İ		Six PPG Place, Suite 300 Pittsburgh, PA 15222		POLICY. TH	IS CERTIFICATE DOES I	E HOLDER OTHER THAN THOSE NOT AMEND, EXTEND OR ALTE		
		Attn: Harriet Greenwell	412-552-5230	AFFORDED	BY THE POLICIES DESCR	RIBED HEREIN. ES AFFORDING COVER.	ACE	
		•		COMPANY	COMPANI	LO AFFORDING COVER	AGE	
<b>—</b>		-ALL-07/08 A	KR		National Union Fire	Insurance Company of P	gh., PA	
INS	URED	New Enterprise Stone & Lin	ao Co. Inc	COMPANY				
3912 Brumbaugh Road								
		New Enterprise, PA 16664-0	0077	COMPANY	American Home As	surance Company		
		•		COMPANY				
L_	ggarger.		de	D				
Co		AGES	F INSURANCE DESCRIBED HEREIN HAVE	REEN JOOUEN TO	T.F. Slovens vives			
	NO	MITTO TANDING ANY REQUIREMENT,	. TERM OR CONDITION OF ANY CONTRACT C	OTHER DOCUMEN	IT WITH RESPECT TO W	HICH THE CEPTIFICATE MAY D	SE ICCLIED	ODMAN
	LIMI	TS SHOWN MAY HAVE BEEN REDUCE	Y THE POLICIES DESCRIBED HEREIN IS SUE D BY PAID CLAIMS.	SJECT TO ALL THE T	ERMS, CONDITIONS AN	D EXCLUSIONS OF SUCH POL	ICIES. AG	GREGATE
co		TYPE OF INSURANCE	POLICY NUMBER	POLICY EFFECTIVE				
LTR	CE	NERAL LIABILITY		DATE (MM/DD/YY)	DATE (MM/DD/YY)	LI	MITS	
A	X	7	GL6949102	01/01/07	04/04/00	GENERAL AGGREGATE	\$	4,000,000
^			GC0949102	01/01/07	01/01/08	PRODUCTS - COMP/OP AGG	\$	4,000,000
l		CLAIMS MADE X OCCUR OWNER'S & CONTRACTOR'S PROT				PERSONAL & ADV INJURY	<b>\$</b>	1,000,000
	X	Per Project Aggregate				EACH OCCURRENCE	\$	2,000,000 1,000,000
L						FIRE DAMAGE (Any one fire) MED EXP (Any one person)	\$	10,000
	<u> </u>	FOMOBILE LIABILITY				COMBINED SINGLE LIMIT	\$	2,000,000
Α	X	ANY AUTO	CA8261906	01/01/07	01/01/08		<u> </u>	
	×	ALL OWNED AUTOS				BODILY INJURY (Per person)	\$	
	X	SCHEDULED AUTOS HIRED AUTOS					<del> </del>	
	Х	NON-OWNED AUTOS				BODILY INJURY (Per accident)	\$	
					L'ALLES AND	PROPERTY DAMAGE	s	
	GAF	RAGE LIABILITY					<b>↓</b> *	
	-	ANY AUTO				AUTO ONLY - EA ACCIDENT	\$	
		ANT AUTO				OTHER THAN AUTO ONLY:	\$	
						EACH ACCIDENT  AGGREGATE	\$	
	EX	CESS LIABILITY				EACH OCCURRENCE	\$	10,000,000
С	X	UMBRELLA FORM	BE6798975	01/01/07	01/01/08	AGGREGATE	\$	10,000,000
	WO	OTHER THAN UMBRELLA FORM				RETAINED LIMIT	\$	10,000
_		LOYERS' LIABILITY	14/00004000			X WC STATU- OTH TORY LIMITS ER		
В	THE	DECEDETOR:	WC2691866	01/01/07	01/01/08	EL EACH ACCIDENT	\$	1,000,000
	PAF	RTNERS/EXECUTIVE X INCL.				EL DISEASE-POLICY LIMIT	\$	1,000,000
	отн		· · · · · · · · · · · · · · · · · · ·			EL DISEASE-EACH EMPLOYEE	Ψ	1,000,000
								•
		ION OF OPERATIONS/LOCATIONS/VE	HICLES/SPECIAL ITEMS		<u> </u>		<del></del>	
Evid	ence	e of Insurance						
CER	TIFI	CATE HOLDER		CANCELL	ATION			
						EDENI DE CANCELLE		
		e of West Virgini		i		IEREIN BE CANCELLED BEFORE THI L ENDEAVOR TO MAIL		· 1
		artment of Adminis	tration	1		AILURE TO MAIL SUCH NOTICE SHAI		1
		chasing Division		1		FORDING COVERAGE, ITS AGENTS O		
		Washington Stree		ISSUER OF THIS C	ERTIFICATE.	<u> </u>		
		Office Box 50130	•	MARSH USA INC.		A - 81	- Anna	
U	ual	leston, WV 25305	-0130	BY: R Scott I	noiden 🔝	· Dest Art	memorane	
				MM1(3/02)		VALID AS OF:	<sub>@</sub> 03/21/0	)/



#### PRODUCER:

BrickStreet Mutual Insurance Company 4700 MacCorkle Ave., S.E. Charleston, WV 25304

# **CERTIFICATE HOLDER:**

NEW ENTERPRISE STONE & LIME INC ATTN BILL CARR PO BOX 77 CHURCH STREET NEW ENTERPRISE PA 16664

#### INSURED:

NEW ENTERPRISE STONE & LIME INC ATTN BILL CARR PO BOX 77 CHURCH STREET NEW ENTERPRISE PA 16664

# **CERTIFICATE OF INSURANCE**

The policy of insurance listed below has been issued to the insured named above for the policy period and coverage indicated. This certificate is issued as a matter of information only and confers no rights upon the certificate holder. This certificate does not amend, extend or alter the coverage afforded by the policy below. Coverage is contingent on the insured's compliance with policy conditions and premium payment.

If the policy is canceled before the expiration date, BrickStreet Mutual Insurance Company will endeavor to mail a written notice to the certificate holder within 30 days of cancelation. Failure to mail the notice shall impose no obligation or liability of any kind upon BrickStreet Mutual Insurance Company.

POLICY NUMBER: WC10041340-03

DATE CERTIFICATE ISSUED: 12/21/2006

POLICY EFFECTIVE DATE: 1/1/2007

**POLICY EXPIRATION DATE: 7/1/2007** 

# WORKERS COMPENSATION AND EMPLOYERS LIABILITY

#### LIMITS / COVERAGE

- [X] WORKERS COMPENSATION STATUTORY LIMITS
- [X] EMPLOYERS LIABILITY LIMITS:

**BODILY INJURY BY ACCIDENT:** 

\$100,000.00

**EACH ACCIDENT** 

BODILY INJURY BY DISEASE: BODILY INJURY BY DISEASE:

\$500,000.00 \$100,000.00 POLICY LIMIT EACH EMPLOYEE

[ ] WV BROAD FORM EMPLOYERS LIABILITY ENDORSEMENT -

COVERAGE FOR WV CODE 23-4-2(d)(2)(ii)

[ ] FEDERAL COAL MINE HEALTH AND SAFETY ACT COVERAGE ENDORSEMENT -COVERAGE FOR WV CODE 23-4b-1 - FEDERAL BLACK LUNG COVERAGE

SPECIAL PROVISIONS IF ANY:

COI-1 (Ed. 4-06)



# **CONTRACTOR LICENSE**

Authorized by the

West Virginia Contractor Licensing Board

Number:

WV001605


Classification:

GENERAL ENGINEERING

NEW ENTERPRISE STONE & LIME CO INC PO BOX 77. NEW ENTERPRISE, PA 16664-0077

# **Date Issued**

# **Expiration Date**



Authorized Company Signature

Chair, West Virginia Contractor

Licensing Board

This license, or a copy thereof, must be posted in a conspicuous place at every construction site where work is being performed. This license number must appear in all advertisements, on all bid submissions and on all fully executed and binding contracts. This license cannot be assigned or transferred by licensee. Issued under provisions of West Virginia Code, Chapter 21, Article 11.

NEW ENTERPRISE STONE & LIME CO., INC.



# AFFIDAVIT

#### West Virginia Code §5A-3-10a states:

No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owned is an amount greater than one thousand dollars in the aggregate

#### **DEFINITIONS:**

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

#### **EXCEPTION:**

The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

#### LICENSING:

Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.

#### **CONFIDENTIALITY:**

The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendors should visit <a href="https://www.state.wv.us/admin/purchase/privacy">www.state.wv.us/admin/purchase/privacy</a> for the Notice of Agency Confidentiality Policies.

Under penalty of law for false swearing (West Virginia Code, §61-5-3), it is hereby certified that the vendor acknowledges the information in this said affidavit and are in compliance with the requirements as stated.

Vendor's Name: New Enterprise Stope & Lime Co., Inc.	
Authorized Signature:	Date: March 30, 2007
No Debt Affidavit (Revised 10/13/06)  James B. Barley Vice President Sales	
NEW ENTERPRISE STONE & LI	ME CO., INC.