

State of West Virginia Department of Administration
Purchasing Division
2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for

P

T

667C0019

ADDRESS CORRESPONDENCE TO ATTENTION OF:

ЈОНИ ЈОНИЅТОИ 304-558-2402

*709041421 304-453-6196 **BLACKTOP INDUSTRIES & EQUIPMEN** PO BOX 29 2334 BIG SANDY ROAD KENOVA WV 25530

DIVISION OF HIGHWAYS VARIOUS LOCALES AS INDICATED BY ORDER

03/11/			INS OF SAI		SHIP VIA	F:0/B:	FREIGHTTERMS
BID OPENING DATE:		04/04/	2007		BID	OPENING TIME O	1:30PM
LINE		VTITY	UOP	CAT.	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	HOT-MI	1	TN ALT		745-21		
	THE VE VIRGIN CONDIT TO FUR LAY DO	NDOR'S IA DIV IONS S NISH M WN HOT	ATERI PLAN ISION PECIF ATERI -MIX	ALS, T, HO OF H IED H AND ALS, ASPHA	EQUIPMENT AND LA LT FOR THE WEST	THE WEST UNDER THE BOR NECESSARY TO VIRGINIA DIVISIO	
	CONDIT NOTE: LICENS COMPEN: DOWN OF	IONS S VENDOR E, INS SATION F MATE T 3	PECIF S SHO URANC CERT RIALS	IED H ULD S E CER IFICA	LOCATIONS IN THEREINAFTER. UBMIT A COPY OF TIFICATE, AND WO TE IF BIDDING IT	CONTRACTORS RKERS EM "H" LAY	
	YEAR OI NECESS ORIGINA NOT EXC TIME"	R UNTI ARY TO AL CON CEED T THE VE UPON	L SUC OBTA TRACT WELVE NDOR	AN H "RE IN A . TH (12) MAY T G THE	IS CONTRACT BECO D EXTENDS FOR A ASONABLE TIME" TO NEW CONTRACT OR E "REASONABLE TI MONTHS. DURING ERMINATE THIS CO DIRECTOR OF PUR	PERIOD OF ONE (1) HEREAFTER AS IS RENEW THE ME" PERIOD SHALL THIS "REASONABLE NTRACT FOR ANY CHASING 30 DAYS	RECEIVED 2001 APR - 4 A 8: 15 PUREALSING DEVISION
BIGNATURE /	_/_			SEE REV	ERSE SIDE FOR TERMS AND CON ITELEPHONE	IDATE	STATE OF WV
Nore - M	100-	 FEI	KI .		304-453	3-6196	4-4-07
Presider	+	PE	<u>" 55</u>	-048	0566	ADDRESS CHANGES	TO BE NOTED ABOVE



State of West Virginia Department of Administration Quotation Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for

8 H P

T

667C0019

ADDRESS CORRESPONDENCE TO ATTENTION OF:

JOHN JOHNSTON 304-558-2402

DIVISION OF HIGHWAYS VARIOUS LOCALES AS INDICATED BY ORDER

ADDRESS CHANGES TO BE NOTED ABOVE

304-453-6196 *709041421 BLACKTOP INDUSTRIES & EQUIPMEN PO BOX 29 2334 BIG SANDY ROAD KENOVA WV 25530

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
03/11/2007				
BID OPENING DATE:	04/04/2007	BID	OPENING TIME 0	:30PM
LINE QUA	NTITY UOP CAT.	ITEM NUMBER	UNIT PRICE	AMOUNT
UNLESS IN THI PRICIN CONTRA RENEWA WRITTE SUBMIT DAYS F BE IN ORIGIN (1) YE CANCEL RIGHT NOTICE SUPPLI TO THE	S SPECIFIC PROVISES CONTRACT DOCUMING SET HEREIN AREACT. AL: THIS CONTRACT DIRECT TO THE DIRECT DIRECT DIRECT AND ACCORDANCE WITH ACCORDANCE WITH ACCORDANCE AND AR PERIODS. LATION: THE DIRECT CANCEL THIS CONTRACT DIRECT DIRE	IONS ARE STIPULA ENT, THE TERMS, FIRM FOR THE LI MAY BE RENEWED SPENDING UNIT A TOR OF PURCHASIN RATION DATE. SU THE TERMS AND CO SHALL BE LIMITED CTOR OF PURCHASI ONTRACT IMMEDIAT	TED ELSEWHERE CONDITIONS AND FE OF THE UPON THE MUTUAL ND VENDOR, G THIRTY (30) CH RENEWAL SHALL NDITIONS OF THE TO TWO (2) ONE NG RESERVES THE ELY UPON WRITTEN S AND/OR SERVICES DO NOT CONFORM ONTRACT HEREIN.	
AUTHOR MARKET ESTIMA IMMEDI CAUSES PORTAT OF WOR QUANTI APPROX THE ST THAT T ORDERE	IZE A SPENDING U , WITHOUT THE FI TE, ITEMS SPECIF ATE DELIVERY IN (INCLUDING BUT ION OR AN UNANTI K.) TIES: QUANTITIES IMATIONS ONLY, B ATE SPENDING UNI HE CONTRACT SHAL D FOR DELIVERY D R MORE OR LESS T	NIT TO PURCHASE LING OF A REQUIS IED ON THIS CONT EMERGENCIES DUE NOT LIMITED TO DI CIPATED INCREASE LISTED IN THE RE ASED ON ESTIMATES T. IT IS UNDERS L COVER THE QUAN URING THE TERM OF HAN THE QUANTITIE VERSE SIDE FOR TERMS AND CON	ON THE OPEN ITION OR COST RACT FOR TO UNFORESEEN ELAYS IN TRANS- IN THE VOLUME EQUISITION ARE S SUPPLIED BY TOOD AND AGREED TITIES ACTUALLY THE CONTRACT, ES SHOWN.	
		*ELEPHONE	DATE	
TITLE	IFEIN			



State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130 Charleston, WV 25305-0130

Request for

SH-p

Ţ

RFQ NUMBER 667C0019

ADDRESS CORRESPONDENCE TO ATTENTION OF:

JOHN JOHNSTON 304-558-2402

DIVISION OF HIGHWAYS VARIOUS LOCALES AS INDICATED BY ORDER

***709041421** 304-453-6196 BLACKTOP INDUSTRIES & EQUIPMEN PO BOX 29 2334 BIG SANDY ROAD KENOVA WV 25530

DATEPRIN	200000000000000000000000000000000000000		INS UF SALI		элн	, VIA		F.O.B.		FHEIGHI IERMS
03/11/							<u> </u>			
BID OPENING DATE:	000000000000000000000000000000000000000	04/04/	2007	000 <u>00</u> 0000		BID OPENING TIME C			0 1	:30PM
LINE	AUQ	ITITY	UOP	CAT. NO.	ITEM N	UMBER		UNIT PRICE		TAUOMA
							213233333		00000000	
	ODDEDI	NC DDO	CE DUDE	- 00	ENDING H	NITION O				
								L ISSUE A		
								R WV-39) TO IS CONTRACT.		
								AILED TO TH		
								SECOND COPY	E	
	I							THIRD COPY		
	l				NG UNIT.	-	, A	INIKO CUFT		
	KLIMIN	וט טו	IIIL 3	LIADI	NG UNIT.					
	BANKRII	PTCY:	TN T	łF FV	FNT THE	VENDOR/C	ักพา	RACTOR FILE	S	
								IS AUTOMATI		
								THOUT FURTH		
	ORDER.			_						
							}			
			,					S CONTRACT		
						BSEQUENT				
			I				1	IED PRINTED		
			I		-		1	IS, SALES		
			I			_	INC	LUDING ANY		
	ELECIRI	DNIC M	EDIUM	SUCH	AS CD-R	om.				
	REV. 0	(/ 1 1 / 2	001							,
į	KEV. U	4/11/2	001							
	PURCHAS	SING C	ARD AC	CEPT	ANCE: T	HE STATE	OF	WEST VIRGI	ΝΤΔ	·
								PROGRAM WH		
						SUCCESS				
1		4	ļ.			4	1	SA PURCHASII	NG	
i	CARD F	DR PAY	MENT C)F AL	L ORDERS	PLACED	ΒY	ANY STATE		d and a second a second and a second a second and a second a second and a second an
4	AGENCY	FOR O	RDERS	THAT	ARE LES	S THAN \$	2,5	00 AS A CON	DI-	
ľ	TION OF	FAWAR	D.							
					MENDOD 5		ļ. ₋ -			
				-				H PROOF OF		
								INSURANCE		
			1	1				OTHERWISE	_	
· i			,			\$250,00	3	INDUMA NO	-	
	THUONAL	102 00	LINAGE	. IL (2)	TIVED IS	7230,00	٠.			
				SEE REV	ERSE SIDE FOR	TERMS AND CON	NDITIC			
IGNATURE						TELEPHONE		DA	ATE	
ITLE		FE	N					ADDRESS CHAN	IGES	TO BE NOTED ABOVE



State of West Virginia Department of Administration Quotation Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for

T

RFQ NUMBER 667C0019

PAGE

ADDRESS CORRESPONDENCE TO ATTENTION OF:

JOHN JOHNSTON 304-558-2402

DIVISION OF HIGHWAYS VARIOUS LOCALES AS INDICATED BY ORDER

***709041421** 304-453-6196 BLACKTOP INDUSTRIES & EQUIPMEN PO BOX 29 2334 BIG SANDY ROAD KENOVA WV 25530

03/11/	000000000000000000000000000000000000000	EE	MS OF SAI		SHIP VIA		F.O.B.		FREIGHT TERMS
BID OPENING DATE:		1 04/04/	2007		BID	OP	ENING TIME	01	:30PM
LINE		NTITY	UOP	CAT.	ITEM NUMBER		UNIT PRICE		AMOUNT
				ION: WORKE	VENDOR IS REQUI RS COMPENSATION TRACTORS LICENS	IF			
	PERSON STATE LICENS LICENS MADE B CAPITO	S DESI MUST B ING BO E. AP Y CONT L COMP	RING E LIC ARD I PLICA ACTIN LEX,	TO PE ENSED S EMP TIONS G THE BUILD	DE 21-11-2 REQUERFORM CONTRACTION THE WEST VIROUSERED TO ISSUEFOR A CONTRACTOWEST VIRGINIA DESTRUCTORY STORMS 19 10 558-7890.	NG GIN TH ORS DIV	WORK IN THIS IA CONTRACTO E CONTRACTOR LICENSE MAY ISION OF LAB	RS S BE OR	
		CTIVE	BIDDE	R TO	DE 21-11-11 REQUINCLUDE THE CON			Е	
	BIDDER CONTRA CONTRA	TO CO CTORS CTORS	MPLET NAME LICEN	E: GICA SE NO	:ktop Industrie	, e ,	and Equipments	nt C	ompany.
		IR CON	TRACT	ORS L	WILL REQUIRED TO ICENSE PRIOR TO T.			Y	
			VEND	OR PR	EFERENCE CERTIF	ICA	TE		
	PREFERI 5A-3-3	ENCE I 7 (DOE	N ACC S NOT	ORDAN APPL	ICATION* IS HERE CE WITH WEST VIR Y TO CONSTRUCTION E FOR 2.5% PREFE	RGII	NIA CODE, CONTRACTS).		
	REASON			3 MAD	L PUR 2.5% FREFE		NGC FUR INE		
<u> </u>			j	SEE REV	ERSE SIDE FOR TERMS AND CO	I I			
SIGNATURE A	See				TELEPHONE 304-45	53~	6196	ATE	4-4-07
TILE Presid	ent	JFE!	^N 55.	0480	566		ADDRESS CHAI	IGES	TO BE NOTED ABOVE



President

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for

S H | P

ō

667C0019

5

ADDRESS CORRESPONDENCE TO ATTENTION OF:

ADDRESS CHANGES TO BE NOTED ABOVE

JOHN JOHNSTON 304-558-2402

DIVISION OF HIGHWAYS VARIOUS LOCALES AS INDICATED BY ORDER

***709041421** 304-453-6196 BLACKTOP INDUSTRIES & EQUIPMEN PO BOX 29 2334 BIG SANDY ROAD KENOVA WV 25530

DATE PRINT	TED	TEP	IMS OF SAI	E	SHIF	VIA:	F.O.B.		FREIGHT TERMS
03/11/	2007								
BID OPENING DATE:		04/04/	2007			BID	OPENING TIME	01	:30PM
LINE	QUAN	ITITY	UOP	CAT	ITEM N	UMBER	UNITPRICE		AMOUNT
LINE	QUAN () HAS RE (4) YE (4) YE CERTIF TION R QUARTE WEST V THE DA INTERE PARTNE WHO HAS OF BUS YEARS CERTIF WHICH HAS MA BUSINES FOUR (FOR THE CERTIF) REASON	BIDDER SIDED ARS IM ICATIO BIDDER ESIDEN RS OR IRGINI TE OF S MAIN INESS IMMEDI ICATIO BIDDER HAS AN MUM OF INTAIN SS WIT 4) YEA ICATIO CHECK	IST A CONTINUE ON THE CONTINUE	NO IND NUOUS TELY PART DOR A I FOUR IS CERTIS NUOUS PREC CORPLIATE HUNDR S MAD S MAD	IVIDUAL LY IN WE PRECEDIN NERSHIP, ND HAS M PLACE OF (4) YEA FICATION HELD BY ON OR CO HEADQUA LY IN WE EDING TH ORATION OR SUBS ED STATE QUARTERS IRGINIA TELY PRE	RESIDENT ST VIRGI G THE DA ASSOCIA AINTAINE BUSINES RS IMMED; OR 80% ANOTHER RPORATIO RTERS OR ST VIRGI E DATE O NONRESID IDIARY W RESIDEN OR PRIN CONTINUO CEDING T	VENDOR AND NIA FOR FOUR TE OF THIS TION OR CORP D ITS HEAD- S CONTINUOUS IATELY PRECE OF THE OWNE INDIVIDUAL, N RESIDENT V PRINCIPAL P NIA FOR FOUR	ORA- LY IN DING RSHIP ENDOR LACE (4)	AMQUNT
	DURING 75% OF ARE RES THE STA	THE L THE E SIDENT ATE CO	IFE O MPLOY S OF NTINU	F THE EES W WEST OUSLY	CONTRACTORKING OF VIRGINIA	T, ON AV N THE PR WHO HAV TWO YEA	ERAGE AT LEA OJECT BEING E RESIDED IN RS IMMEDIATE	ST BID	
,	,			SEE REV	ÆRSE SIDE FOR		IDITIONS		
IGNATURE/						TELEPHONE	57 40161	DATE	4.11 27

55-0480566



State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

SH-p

Ţ

RFONUMBER 667C0019

PAGE

6

ADDRESS CORRESPONDENCE TO ATTENTION OF:

JOHN JOHNSTON 304-558-2402

DIVISION OF HIGHWAYS
VARIOUS LOCALES AS INDICATED
BY ORDER

*709041421 304-453-6196
BLACKTOP INDUSTRIES & EQUIPMEN
PO BOX 29
2334 BIG SANDY ROAD
KENOVA WV 25530

DATE PRINT	ED	TER	MS OF SAL	£	SHIP V	A		F.O.B.		FREIGHT TERMS
03/11/	2007									
BID OPENING DATE:		04/04/	2007	***	<u> </u>	BID	OPENI	NG TIME	01	:30PM
LINE	QUAN		UOP	CAT. NO.	ІТЕМ NUM			UNIT PRICE		AMOUNT
			1		ESIDENT VI STATE RE					
	NONRES	IDENT	VENDO	R WIT	H AN AFFI ADQUARTER	LIATE O	R SUE	SSIDIARY	:	
	OF BUS	INESS	WITHI	N WES	T VIRGINIA ESIDENTS	A EMPLO	AINE	A MINIMUN		
	DURING	THE L	IFE O	F THE	CONTRACT R BIDDERS	, ON AV	ERAGE	AT LEAS	Т	
	SUBSID WHO HA	IARY'S VE RES	EMPL IDED	OYEES IN TH	ARE RESI E STATE CO EDING SUB	DENTS O ONTINUO	F WES	T VIRGINE FOR THE		
					THE SECRE				É	
	FAILED PREFERI	TO CO ENCE,	NTINU THE S	E TO ECRET	MEET THE I ARY MAY OI	REQUIRE RDER TH	MENTS E DIF	FOR SUCI		
	ORDER	ISSUED	; OR	(B) A	SCIND THE SSESS A PI T TO EXCEI	ENALTY	AGAIN	IST SUCH		
	AND TH	AT SUC OR DE	H PEN DUCTE	ALTY D FRO	WILL BE PA	AID TO	THE C	CONTRACTI		
					CERTIFICA Y REQUESTI					
	TAX ANI	D REVE	NUE T	O DIS	D AUTHORI: CLOSE TO	THE DIR	ECTOR	OF	-	
4	BIDDER.	HAS P	AID T	HE RE	INFORMAT: QUIRED BUS DOES NOT (SINESS	TAXES	, PROVIDE		
	TAXES I	PAID N	OR AN	Y OTH	ER INFORMA FIDENTIAL	ATION D				
	CODE 6	1-5-3)	, BID	DER H	OR FALSE S	TIFIES	THAT	THIS		
	CERTIF	ICATE	IS TR		D ACCURATI			SPECTS; AN	ווו	
				SEE RE	VERSE SIDE FOR TE		NDITIONS		In a mer	
SIGNATURE					Ţ	FELEPHONE			DATE	
ITLE		FE	IN					ADDRESS CHA	NGES T	O BE NOTED ABOVE



State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

S H-p

T

RFQ NUMBER 667C0019

ADDRESS CORRESPONDENCE TO ATTENTION OF

иотгинос инос 304-558-2402

DIVISION OF HIGHWAYS VARIOUS LOCALES AS INDICATED BY ORDER

***709041421** 304-453-6196 BLACKTOP INDUSTRIES & EQUIPMEN PO BOX 29 2334 BIG SANDY ROAD KENOVA WV 25530

DATE PRINT	rED TE	RMS OF SALE	SHIP VIA	F.O.B:	FREIGHT TERMS
03/11/	2007				
BID OPENING DATE:	04/04.	/2007	BID	OPENING TIME 01	:30PM
LINE	QUANTITY	UOP CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
	CONTAINED W	THIN THIS CONTRACT,	CERTIFICATE CHAN BIDDER WILL NOTI	AND IF ANYTHING GES DURING THE FY THE PURCHASING	
		BIDDE	R: Blacktop Indu	stries and Equipm	ent Company
		DATE	Apcil 4,	2007	
		SIGNE	p: Duntable		
		TITLE	President		
- -	IN EITHER "/ ENTITLED TO	" OR "B", RECEIVE. E FOR BOTH		CONSIDERATION(S) "B" WHICH YOU ARE UP TO THE MAXIMUM	
ļ		ГОИ	ICE		
	A SIGNED BIL	MUST BE S	UBMITTED TO:		T de la constante de la consta
		ING DIVISI	INISTRATION ON		
			TREET, EAST 5305-0130		
				INTO) (6	
IGNATURE	, 1	oee He	VERSE SIDE FOR TERMS AND CON TELEPHONE	ÍDATE	
Such	ule-		304-	453-6196	4-4-07
Preside	w-t-	55-048	0566	ADDRESS CHANGES	TO BE NOTED ABOVE



VENDOR

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

S H P

T O AFO NUMBER

PAGE 8

A	DURESS CORRES	PONDENCE TO ATTENTION
OHIL	LOUNCTON	

JOHN JOHNSTON 304-558-2402

DIVISION OF HIGHWAYS
VARIOUS LOCALES AS INDICATED
BY ORDER

×709041421	304-453-6196
BLACKTOP INDUST	RIES & EQUIPMEN
PO BOX 29	
2334 BIG SANDY	ROAD
KENOVA WV 2553	0

03/11/ BID OPENING DATE:	2007	04/04/	2007		SHIFVIA		PENING TIME 0	1:30PM
LINE	QUAN		UOP	CAT.	ITEM NUMB		UNIT PRICE	AMOUNT
	3		1	NTAIN	THIS INFO D MAY NOT		ON THE FACE OF	
	SEALED	BID			o d			·
:	BUYER:				33			
	RFQ. N	0.:			667C0019			
	BID OP	ENING	DATE	AND T	IME 4-4-0	7 1:30	opm	
					UMBER IN C. NG YOUR BII 304-453	D:	is necessary	
	CONTAC				PRINT CLE	ARLY):		
	*****	THIS	IS T	HE EN	D OF RFQ	667C00	19 ***** TOTAL	•
1								
		ļ				a de la constitución de la const		
SIGNATURE //	///	,		SEE REV	ERSE SIDE FOR TERI TEI		1710NS 153-6196 DATE	4-4-07
TILE Preside	- HIBO	JFE	IN 55	5-048	70566	307-5		S TO BE NOTED ABOVE

1. SPECIFICATIONS

The following sections of the West Virginia Department of Transportation, Division of Highways' Standard Specifications Roads and Bridges, Adopted 2000, as modified by the current Supplemental Specifications shall apply to the administration of this Contract: Sections 101, 102.4, 102.5, 105.1, 105.3, 105.4, 105.10, 105.11, 105.12, 105.13, 106.3, 106.4, 106.5, 106.6, 106.7, 106.9, 107.1, 107.2, 107.3, 107.12, 107.14, 107.15, 107.16, 107.19, 107.20, 107.23, 108.3, 108.5, 108.7, 108.8, 109.1, 109.2 and 109.20.

The requirements of the West Virginia Department of Transportation, Division of Highways' Standard Specifications, Roads and Bridges, Section 109.20, PRICE ADJUSTMENT FOR LOAD LIMIT VIOLATIONS, shall apply to all material supplied under this contract. This will include material loaded by the Vendor into Division of Highways owned and/or rented trucks.

The terms "Contractor" and "Vendor" used in the above specifications of this Contract are interchangeable. Contractor shall mean Vendor and Vendor shall mean Contractor.

West Virginia Department of Transportation, Division of Highways' Standard Specifications Roads and Bridges, Adopted 2000, and the current Supplemental Specifications may be obtained from:

West Virginia Division of Highways Contract Administration Division Room A-729, Building Five 1900 Kanawha Blvd., East Charleston, West Virginia 25305

All material, except Item F, shall be furnished in accordance with the requirements of the following West Virginia Department of Transportation, Division of Highways' Standard Specifications Roads and Bridges, Adopted 2000 as modified by the current Supplemental Specifications.

Item F shall meet West Virginia Division of Highways' Specifications, specifications of adjacent state highway departments or specifications acceptable to the Engineer for similar material as bid in Items A through E.

The Division of Highways may purchase Hot-Mix Asphalt F.O.B. Vendor's plant. The bid price F.O.B. Vendor's plant shall include the loading of Division of Highways', owned or rented, trucks and the furnishing of a coating solution in accordance with Paragraph 401.9.7 of the Specifications by Vendor.

2. BIDDING INSTRUCTIONS

Any qualification of bids or any modification of the specifications or conditions governing the bids may be cause to reject bids.

If a Vendor will be supplying materials from more than one plant, the bid prices that apply to each plant shall be clearly indicated in the bid, preferably on separate bid schedules.

3. DETERMINING LOW BID

The purpose of this contract is to establish unit prices for Items A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, and V which are to be used as the basis for requisitioning Hot-Mix Asphalt for use on various maintenance and repair projects throughout the District.

State Contract Purchase Orders (SCO's) for individual paving projects will be based on the lowest overall total cost of the pick-up price of material (Items A through E) plus the haul cost (Item G) plus the lay down cost (Item H), plus cleaning & sweeping (Item I), tack material (Item J), mobilization for paving (Items K or L), off season plant opening (Item M), additional heel-in joints (Item N), skip paving surcharge (Item O), mobilization for profiling (Item P), pavement profiling (Item Q), and Traffic Control (Items R, S, & T) as applicable; however, material (Items A through E) may be furnished from any approved production location. Items I, J, K, L, M, N, O, P, Q, R, S, T, U, and V shall be shown on the SCO as a separate pay item when requested by the Engineer.

State Contract Purchase Orders (SCO's) for material to be picked up at the Vendor's plant by the Division of Highways will be based on the lowest unit price of Items A through F and the Division's most economical haul cost from the Vendor's plant to individual job sites. Factors to be considered shall include but not be limited to; bid price of material, haul cost @ \$0.25 for each additional tonmile, loading and transportation delays, and availability of material.

The distances allowed for haul costs will be over suitable routes selected by the Engineer that provides the lowest total cost to the Division of Highways and shall be measured from the Vendor's plant location to the mid-point of the project. All such chosen routes shall have acceptable load limits for both roads and bridges.

The Division of Highways reserves the right to request any one or combination of items for which bids are received at the lowest overall total as set forth above.

Acceptance of a bid for any one item shall not be dependent upon the acceptance of a bid for any other item or any combination of items. However, Item F shall not be requested except when determined by the Engineer that all other equivalent items of material are not available, then only on a pick-up basis. Also, Item G will only be requested in combination with other quoted items.

Upon receipt of a State Contract Purchase Order (SCO) for lay down of Hot Mix Asphalt or pavement profiling, the Vendor shall advise the Division of Highways, in writing, within five (5) calendar days of their acceptance of the SCO. Failure to acknowledge may result in cancellation of the SCO and re-award to the next lowest bidder.

4. CONTRACT CONDITIONS

Vendors may bid any or all items on the bid schedule. However, the amount bid on any one item may not be conditioned on the acceptance of the bid on any other item or items.

All qualified Vendors who submit a valid bid "F.O.B. Vendor's Plant" will be awarded a Contract for those items bid (see Section 12).

In the event a Contractor fails to conform to the requirements set out in this contract document, the State Contract Purchase Order or the governing specifications, the State Contract Purchase Order may be canceled and reawarded to the next lowest bidder.

The State of West Virginia reserves the right to make multiple awards on this Contract when it is in the best interest of the State to do so.

All labor rates paid by Vendor under Items H, I, J, N, O, Q, R, and T of this contract must be in compliance with the West Virginia Department of Labor Prevailing Rates, Chapter 21-5A, Series 15, 2006.

The Vendor is not authorized to ship, nor is the Division authorized to receive materials prior to the issuance of an "SCO".

5. CONTRACT COMPLETION

All State Contract Purchase Order's (SCO's) for lay down work shall be started within fifteen (15) calendar days of receipt of the "SCO", unless otherwise specified by the Engineer, and be completed within thirty (30) calendar days of the starting date. Liquidated damages will be assessed in accordance with Section 108.7 of the Standard Specifications Roads and Bridges.

6. GENERAL PROVISIONS

6.1 Lay down

Lay down as noted in Item H shall be provided by the Vendor as requested by the Division of Highways at projects designated by the Engineer.

6.2 Skip Paving

The Vendor may be required to perform Skip Paving projects at a paving location, provided the distance between the end of one skip and the beginning of the next does not exceed two thousand five hundred (2500) feet. When Skip Paving is requested the Vendor shall be paid the Skip Paving Surcharge, Item O for each ton of final surface course material completed in place on the project. Patching and leveling in preparation for resurfacing of a project shall not be considered Skip Paving.

6.3 Heel-In

Heel-in of joints at the beginning and the end of each paving location, will be performed by the Vendor in accordance with the Resurfacing Heel-In Detail (Figure 1).

Payment for beginning and ending heel-in joints shall be included in the unit price bid for Item H, K or L as appropriate.

constructed N, Item Heel-In Joints, Additional accordance with the Resurfacing Heel-In Detail (Figure 1) may be required as directed by the Engineer at intersecting roadways, at the beginning and end of each paving skip, and other designated locations. Payment of additional Heel-In Joints shall be paid per lineal foot as measured along the complete for full payment shall be which construction of the joint.

6.4 Cleaning and Sweeping

Cleaning and Sweeping will normally be performed by the Division. However, Cleaning and Sweeping, if provided by the Vendor, shall be performed in accordance with Subsection 401.10.1 of the Standard Specifications. Payment shall be calculated as the paving length times the width swept in accordance with subsection 401.10.1.

6.5 Off Season Plant Opening

If the Vendor is required to open his plant in the offseason to service the needs of the Division, an additional payment will be made under Item M, off-season plant opening. Vendor will be paid additional day charge for each additional consecutive day that the plant is open after the first day to serve the needs of the Division.

If the plant produces no material for any user on any calendar day, either during the week or on the weekend, the Division will pay the first day rate for off-season plant opening on the next day of Division usage. Payment for this item is subject to the following conditions:

6.5.1 Payment for Item M can only be authorized and made during the winter months, i.e., between December 15 and March 15, and then only if the plant would not have otherwise been open.

These dates may be revised by the State Highway Engineer, if necessary, to meet specific needs in the field. Any such revision of dates will be in writing and shall be attached to the Vendor's invoice at the time payment is requested.

- 6.5.2 Payment will always be made in the full contract bid price amount for first day of plant opening. However, the amount paid from each additional day of plant opening will be reduced as follows:
 - a. Payment for additional day charge will not be made if the plant has produced over 500 tons on that particular day. If between 300 and 500 tons have been produced, payment for additional day charge will be made equal to one-half of the amount bid for additional day charge. The quantity produced to make this determination shall include all material produced that day, which includes tonnage bought by the State, the various local governments, and all private work.

- b. The State will only pay its share of the amount determined to be due for additional day charge in paragraph 6.5.2a above. For example, if the plant produces 375 tons and the Division takes 150 tons of the total, in this illustration 40% of the plant's daily production, payment for additional day charge would be calculated as follows: Since the total daily production is between 300 and 500 tons, the Vendor is due one-half (50%) of the additional day charge in accordance with paragraph 6.5.2a Because the Division's share of this daily production is 40%, the Division would pay 40% of one-half of the additional day charge, or in this case, 20% of the additional day charge.
- 6.5.3 In order to be paid for additional day charge, a certified statement shall accompany the invoice stating the total quantity produced on that day. If payment for additional day of plant opening is not made due to tonnage produced, the next consecutive day of plant operation, if any, will only qualify for payment at the additional day rate, not the first day rate for plant opening.

6.6 Pavement Profiling (Milling)

6.6.1 Description of Work:

This work shall consist of profiling the existing pavement to the specified grade and cross slope by grinding, planing or milling. The profiling equipment shall be capable of accurately establishing profile grades (1/4 inch plus or minus) along each edge of the machine by reference from the existing pavement by use of ski or matching shoe or by reference to independent The equipment shall have an automatic grade control. system for controlling grade and cross slope. Vendor shall provide adequate manpower and auxiliary equipment to control dust and remove cutting from the Stockpiling of cuttings on the project project site. site will not be permitted. All cuttings shall become The Vendor shall be the property of the Vendor. drainage facilities, damage to responsible for manholes or other appurtenances within the pavement area.

6.6.2 Method of Measurement:

- 6.6.2.1 Mobilization for Profiling: The work shall consist of preparatory operations including movement of necessary personnel and equipment onto the project site to begin the profiling work. Only one Mobilization for Profiling per State Contract Order (SCO) shall be paid when Pavement Profiling (Milling) is required.
- 6.6.2.2 Pavement Profiling (Milling): "Pavement Profiling (Milling)" shall be measured as the total number of square yards planed or ground to a depth not exceeding two (2) inches. Should the required removal depth exceed two (2) inches additional quantities shall be measured for each additional two (2) inch increment.
- 6.6.2.3 Haul of Profiled Cuttings: Hauling of cuttings from project site to the Vendor's nearest production facility shall be paid under Item G "Haul by Vendor", and weighted on truck scales in accordance with Section 401.9.3 of the West Virginia Department of Transportation, Division of Highways' Standard Specifications Roads and Bridges, Adopted 2000 as modified by the current Supplemental Specifications.

6.7 Maintenance of Traffic

Maintenance of Traffic: Traffic Control and Temporary Pavement Marking Paint may be furnished by DOH. When Items R, S, T, U, and V are requested, traffic shall be maintained by the Vendor in accordance with Section 636 of the West Virginia Division of Highways Standard Specifications Roads and Bridges, Adopted 2000 as modified by the current Supplemental Specifications.

The project, while undergoing improvement, shall be kept open to traffic in such condition that both local and through traffic will be adequately and safely accommodated. All construction operations shall be scheduled by the Contractor to keep traffic delay to a minimum.

6.8 PRICE ADJUSTMENT OF ASPHALT CEMENT

Due to the uncertainty in estimating the costs of petroleum products that will be used during the life of this Contract, adjustment in compensation for contract Items A, B, C, D, E and F is provided for as follows:

The contract price for the items listed above will be adjusted in accordance with the Division of Highways index for asphalt cement. This index will be the average of the posted prices of asphalt cement per ton as reported from the following sources:

Marathon Ashland Petroleum, LLC, Catlettsburg, Kentucky Asphalt Materials, Marietta, Ohio Marathon Ashland Petroleum, LLC, Floreffe, Pennsylvania Citgo Asphalt Refining Co., Baltimore, Maryland Citgo, Incorporated, Bristol, Virginia Koch, Baltimore Maryland.

The bidding index (I_b) as determined above is the index price for the first working day of the month in which the bids are opened. The price adjustment for the specified material at the time of purchase will be based on an index price determined by averaging the posted prices reported by the sources listed above for the first working day of the month in which the material is purchased. If one of the sources listed above changes ownership and/or name the posted price from that terminal will continue in use as though the ownership and/or name change had not occurred.

If one of the sources used for determining the index goes out of business the index in the proposal I_b and the index at the time of purchase I_p will be based on the average of the remaining sources. Thus, I_b could be based on an average of 5 sources and the I_p on the average of 4 sources or vice versa. If a source that goes out of business reopens at a later date the index determined will once again be based on 5 sources as per the previous paragraph

The posted price for each source will be compared to the average of all sources. If the difference between the average and the individual price is greater than 25% of the average, that individual source will be excluded from the calculation of the average price I_b or I_p and a new average will be calculated using the remaining sources.

When the ratio of the price index at purchase (I_p) divided by the price index at bidding (I_b) is less than 0.90 or greater than 1.10, the portion of the contract unit price which reflects the cost of the specified material will be adjusted for the change in accordance with the following formula:

$$AUP = CAP + [(I_p \div I_b) - 1.0] X C$$

where

AUP = Adjusted Unit Price CAP = Contract Award Price

 I_b = Price Index at Time of Bid Opening I_p = Price Index at time of Purchase

 \tilde{C} = Adjustment Factor for Contract Item

The Adjustment Factor (C) for Contract Items A, B, C, D, E and F shall be calculated as follows:

$$C = AC \times I_b$$

where

AC = Statewide Average Asphalt Cement Content for The Materials Listed Under Items A, B, C, D, E and F.

The average asphalt cement content for use in the above formula is as follows:

Item	Asphalt Content (AC)
A	3.9%
B	4.8%
C	5.9%
D	7.5%
E	5.9%
F	See Below

The asphalt cement content used for Item F shall be that specified above for the similar materials in Item A through D.

6.9 PRICE ADJUSTMENT OF FUEL OIL NO. 2 (DIESEL FUEL)

Because of the uncertainty in estimating the cost of diesel fuel that will be used during the life of this contract, adjustment in compensation for contract Items A, B, C, D, E, and F is provided for as follows:

Product price quotations for Fuel Oil No. 2 (diesel fuel) as published by the Oil Price Information Service (OPIS) will be utilized to establish the contract base price as well as the monthly base price thereafter. These prices will be the average of the individual prices for the following locations:

Charleston, West Virginia Ashland, Kentucky Pittsburgh, Pennsylvania Roanoke, Virginia Marietta, Ohio

The initial contract base price will be based on the Fuel Index as published on the WVDOT Internet, Contractor Resources Center for the month immediately preceding the bid of this contract. The initial contract base price will be used for the first quarter (3 months) period of this contract. Thereafter, the OPIS Fuel Oil No. 2 prices as published monthly on the WV DOT Internet, Contractor Resource Center for the prior three months will be averaged and used for the quarterly base price each quarter.

The contract base price (Cbp) and the quarterly base price (Qbp) may be found posted at the Division's Internet website www.wvdot.com by selecting the 'Contractors' link under 'Doing Business' and then by choosing the 'Fuel and Asphalt Prices' option from the 'Contractors Resource Center' drop down menu.

The portion of the contract unit price which reflects the cost of the specified material will be adjusted for the change in accordance with the following formulae:

$Pa=[(Qbp+Cbp)-1.00] \times Cbp \times C \times Q$

Where:

Pa = Price Adjustment

Obp = Quarterly Base Price at time of placement Cbp = Contract Base Price at time of bidding

C = Cost Adjustment Factors per Unit of Contract Item

Bid as outlined in chart below

O = Quantity

Adjustments in bid price for any period may be either plus or minus. If (Qbp) is greater than (Cbp), the adjustment will be plus. If (Cbp) is greater than (Qbp), the adjustment will be minus.

The adjustment in compensation for diesel fuel used for the listed items will be made on the separate items on the basis of the average diesel fuel requirements for processing a unit of the item as shown in the table below.

The gallons (liters) of diesel fuel for price adjustment will be determined by multiplying the usage factors listed in the table below by the amount of acceptable work performed.

All adjustments will be made based on the gallons (liters) of diesel fuel indicated in the table below and no changes will be made for variations between these usage factors and the actual factors.

COST ADJUSTMENT FACTORS FOR DIESEL FUEL USAGE

	UNITS	FACTOR
Items A, B, C, D, E, and F	Gallons per ton (Liters per megagram)	1.06 (4.43)

7. MOBILIZATION FOR PAVING LIMITS

Mobilization for Paving, Items K and L will be paid when Vendor is required to place lay down quantities (Item H) under 500 tons. In addition, nighttime mobilization for paving, Item L, will only be paid when Vendor is directed by the Engineer to perform lay down at night.

Only one mobilization for paving per day of operation will be paid, unless moves of over five miles between individual paving locations are required. In cases where a Vendor is required to move from one roadway to the adjacent roadway of a divided highway, additional mobilization for paving will only be paid if the nearest interchange or crossing point that will accommodate the Vendor's equipment is over five miles from the paving locations. (This provision may require roundtrip moves of up to 10 miles with no additional mobilization for paving payment).

At an individual paving location where the Vendor is required to place quantities of less than 500 tons on successive days and/or nights, mobilization for paving will only be paid for the initial day's and/or night's operation.

An individual paving location shall be defined as a paving job where no skips exceeding two thousand five hundred (2500) feet are involved, except between the approach slabs of a bridge or parallel pair of bridges.

8. WEIGHING MATERIALS DELIVERED BY TRUCK

Material delivered by truck shall be weighed in accordance with Section 401.9.3 of the West Virginia Department of Transportation, Division of Highways' Standard Specifications Roads and Bridges, Adopted 2000 as modified by the current Supplemental Specifications.

9. ACCEPTANCE PLAN

Quality control shall be the responsibility of the Vendor and meet the requirements of MP 401.03.50.

Acceptance testing shall be the responsibility of the Division.

Quality assurance of the material shall be as set forth in MP 401.02.23.

Sampling frequencies shall be in accordance with Section 6.2 of MP 401.02.23 or Section 4.1 and 4.2 of MP 700.00.52.

10. SUPPLYING OTHER ORGANIZATION ENTITIES

County Courts, Municipalities, School Boards, and other political subdivision and governmental entities, etc., may have a need for these materials, and Vendors may wish to supply that need.

Accordingly, bidders may wish to extend their contract prices to these other entities. If the bidder wishes to supply these other entities, but with prices different from quoted for the Division of Highways, the bidder shall include a set of bid schedules clearly and unambiguously marked for the express use of entities other than the Division of Highways. Failure by the bidder to include a set of bid schedules for other entities will be taken to mean that the bid schedules extended to the Division of Highways will also be extended to these other entities.

In the event any Vendor does not wish to extend the prices, terms and conditions of his bid and subsequent contract to other entities of the State, he must so indicate in a clear and unambiguous manner in his bid. This indication does not prejudice the award of the contract. If a Vendor does not indicate his refusal to extend the prices, terms and conditions of his bid to other entities of the State, he is bound to extend them upon issuance of a purchase order by these other entities.

Other organizational entities using this provision of the contract shall do so without any involvement of the Division of Highways. That is, the entity shall make its own purchase arrangements with the Vendor and shall make its own arrangement for payment.

11. VENDOR'S INVOICES

Separate invoices must be submitted for Items "A" through "F" and for Items "G" through "V".

Vendor's invoices must be submitted in original and one copy and contain the following:

- a. All weigh ticket numbers for material delivered and cuttings hauled during the invoicing period.
- b. Division of Highways' State Contract Purchase Order (SCO) number, and this contract number.
- c. Total quantity and unit price with the total cost of each type of material furnished.
- d. Vendors shall show all weigh ticket numbers on their individual invoices.
- e. No payment will be made to a Contractor for Item K or L unless he performs the lay down operation and the quantity involved is less than 201 tons.

Under no circumstance will the West Virginia Division of Highways accept, or pay for, quantities of material in excess of the quantity stated on the State Contract Purchase Order.

12.

DISTRICT ONE

BID SCHED	<u>nte</u>	
Item A -	Hot-Mix Asphalt Base I F.O.B. Vendor Plant per ton	@
Item B -	Hot-Mix Asphalt Base II (Patch & Level), or Wearing IV F.O.B. Vendor Plant per ton	@
<u>Item C</u> -	Hot-Mix Asphalt Wearing I (Scratch) F.O.B. Vendor Plant per ton	@
<u>Item D</u> -	Hot-Mix Asphalt Wearing III F.O.B. Vendor Plant per ton	@
Virginia Standard modified	ne above items shall be in Department of Transportation Specifications Roads and I by the current Supplementation in the SCO.	on, Division of Highways, Bridges, Adopted 2000 as
Item E -	Hot-Mix Asphalt Skid Resistant Pavement F.O.B. Vendor Plant per ton	@
Department Specificat	item shall be in accordance of Transportation, Divisitions Roads and Bridges, Ade nt Supplemental Specification	on of Highways, Standard opted 2000 as modified by
<u>Item F</u> -	Hot-Mix Asphalt Plant Run F.O.B. Vendor Plant per ton	@
<u>Item G</u> -	Haul by Vendor @ for fi @ for ea	irst ton mile and ach additional mile
<u>Item H</u> -	Lay down of Materials Items A thru E, Each 0 to 100 tons @ 101 to 200 tons @ 201 to 500 tons @ 501 and up @	per ton per ton

DISTRICT ONE

12.	OTD.	SCHEDILE	(Continued)
12.	BID	ってロロカハカロ	(COTTETTIMEM)

Material placed under Item H shall be constructed in accordance with the Requirements of The West Virginia Department of Transportation, Division of Highways, Standard Specifications Roads and Bridges, Adopted 2000 as modified by the current Supplemental Specifications, Section 401 or 402 as specified in the SCO.

Item I -	Cleaning & Sweeping @per sq. yd.
Item J -	Bituminous Material for Tack Coat or Prime All Types @ per gallon
Material Section Engineer	furnished and applied under Item J to be in accordance with 408 of the referenced specifications, as directed by the
<u>Item K</u> -	Daytime Paving Mobilization - A Mobilization for Paving Charge of \$ may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is not specified.
Item L -	Nighttime Paving Mobilization - A Mobilization for Paving Charge of \$ may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is specified.
Item M -	Off Season Plant Opening @ for first day @ for each additional day
<u>Item N</u> -	Additional Heel-In Joints @per lineal foot
Item O -	Skip Paving Surcharge @per ton
Item P -	Mobilization for Profiling @ per SCO
Item Q -	Pavement Profiling (Milling), square yards per SCO
	Less than 250 @ per Sq. Yd. 250 less than 500 @ per Sq. Yd. 500 less than 1000 @ per Sq. Yd. 1000 less than 2500 @ per Sq. Yd. 2500 less than 5000 @ per Sq. Yd. 5000 and greater @ per Sq. Yd.
Item R -	Pilot Truck and Driver

DISTRICT ONE

<pre>Item T - Flagger @ per Hour Item U - Arrow Board @ per Day</pre>	<u> Item S</u> - Traffic	Control Device	s per	Unit
@ per Day	<u> [tem T</u> - Flagger		per	Hour
	Item U - Arrow B	oard @	per	Day
<u>Item V</u> - Rumble Strips @ per LF	<u> Item V</u> - Rumble		per	LF

DISTRICT TWO

12.	BID SCHEDU	LE (Continued)	: :
	Item A -	Hot-Mix Asphalt Base I F.O.B. Vendor Plant per ton	@
	Item B -	Hot-Mix Asphalt Base II (Patch & Level), or Wearing IV F.O.B. Vendor Plant per ton	@
	<u>Item C</u> -	Hot-Mix Asphalt Wearing I (Scratch) F.O.B. Vendor Plant per ton	@
	Item D -	Hot-Mix Asphalt Wearing III F.O.B. Vendor Plant per ton	@
	Virginia I Standard S modified b	Department of Transportat Specifications Roads and	n accordance with The West ion, Division of Highways, Bridges, Adopted 2000 as al Specifications, Section
	Item E -	Hot-Mix Asphalt Skid Resistant Pavement F.O.B. Vendor Plant per ton	@
	Department Specificat	of Transportation, Divi	nce with The West Virginia sion of Highways, Standard Adopted 2000 as modified by ions, Section 402.
	Item F -	Hot-Mix Asphalt Plant Run F.O.B. Vendor Plant per ton	· #41.80
	<u>Item G</u> -		first ton mile and each additional mile
	<u>Item H</u> -	101 to 200 tons @ 19 201 to 500 tons @ 18	per ton ,50 per ton 0,50 per ton per ton per ton

DISTRICT TWO

12.	BID	SCHEDULE	(Continued)

Material placed under Item H shall be constructed in accordance with the Requirements of The West Virginia Department of Transportation, Division of Highways, Standard Specifications Roads and Bridges, Adopted 2000 as modified by the current Supplemental Specifications, Section 401 or 402 as specified in the SCO.

Item I - C	leaning & Sweeping @per sq. yd.
Item J - B	ituminous Material for Tack Coat or Prime
Al	1 Types @ 1,50 per gallon
Section 40	urnished and applied under Item J to be in accordance with 8 of the referenced specifications, as directed by the agineer/Manager.
Item K -	Daytime Paving Mobilization - A Mobilization for Paving Charge of \$\frac{700.00}{100.00}\$ may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is not specified.
<u>Item L</u> -	Nighttime Paving Mobilization - A Mobilization for Paving Charge of \$\frac{1800.00}{2000}\$ may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is specified.
Item M -	Off Season Plant Opening @ 3000.00 for first day @ 600.00 for each additional day
Item N -	Additional Heel-In Joints @ 10.00 per lineal foot
<u>Item O</u> -	Skip Paving Surcharge @4.75per ton
Item P -	Mobilization for Profiling @ 3000.00 per SCO
Item Q -	Pavement Profiling (Milling), square yards per SCO
	Less than 250 @ 50.00 per Sq. Yd. 250 less than 500 @ (6.00 per Sq. Yd. 500 less than 1000 @ (0.00 per Sq. Yd. 1000 less than 2500 @ 6.00 per Sq. Yd. 2500 less than 5000 @ 3.00 per Sq. Yd. 5000 and greater @ (.99 per Sq. Yd.

Pilot Truck and Driver

<u>790.00</u> per day

Item R -

DISTRICT TWO

12.	BID SCHEDULE (Continued)
	<pre>Item S - Traffic Control Devices @ per Unit</pre>
	Item T - Flagger @ 50.00 per Hour
	Item U - Arrow Board @ 25.00 per Day
	Item V - Rumble Strips @ per LF
	Vendor's Plant Location 2334 Big Sandy Road Rt 525 Kenova, WV

DISTRICT THREE

	LE (Continued)	
Item A -	Hot-Mix Asphalt Base I F.O.B. Vendor Plant per ton	@
Item B -	Hot-Mix Asphalt Base II (Patch & Level), or Wearing IV F.O.B. Vendor Plant per ton	@
Item C -	Hot-Mix Asphalt Wearing I (Scratch) F.O.B. Vendor Plant per ton	@
<u>Item D</u> -	Hot-Mix Asphalt Wearing III F.O.B. Vendor Plant per ton	@
modified 1 401 as spe	Specifications Roads and by the current Supplements cified in the SCO.	al Specifications, Sec
<u>Item E</u> -	Hot-Mix Asphalt Skid Resistant Pavement F.O.B. Vendor Plant per ton	@
The above Department Specificat	Skid Resistant Pavement F.O.B. Vendor Plant	nce with The West Virg sion of Highways, Star dopted 2000 as modifie
The above Department Specificat the curren Item F -	Skid Resistant Pavement F.O.B. Vendor Plant per ton item shall be in accordant of Transportation, Divisions Roads and Bridges, A	nce with The West Virg sion of Highways, Star dopted 2000 as modifie
The above Department Specificat the curren	Skid Resistant Pavement F.O.B. Vendor Plant per ton item shall be in accordant of Transportation, Divisions Roads and Bridges, Act Supplemental Specificati Hot-Mix Asphalt Plant Run F.O.B. Vendor Plant per ton Haul by Vendor @ for:	nce with The West Virg sion of Highways, Star dopted 2000 as modifie ons, Section 402.

DISTRICT THREE

BID SCHEDULE (Continued) 12.

Material placed under Item H shall be constructed in accordance with the Requirements of The West Virginia Department of Transportation, Division of Highways, Standard Specifications Roads and Bridges, Adopted 2000 as modified by the current Supplemental Specifications, Section 401 or 402 as specified in the SCO.

Item I - Cleaning & Sweeping
@ per sq. yd.
Item J - Bituminous Material for Tack Coat or Prime
All Types @per gallon
Material furnished and applied under Item J to be in accordance with Section 408 of the referenced specifications, as directed by the District Engineer/Manager.
Ttem K - Daytime Paving Mobilization - A Mobilization for Paving Charge of \$ may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is not specified.
Item L - Nighttime Paving Mobilization - A Mobilization for Paving Charge of \$ may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is specified.
Item M - Off Season Plant Opening @ for first day @ for each additional day
Item N - Additional Heel-In Joints @per lineal foot
Item O - Skip Paving Surcharge per ton
Item P - Mobilization for Profiling @ per SCO
<pre>Item Q - Pavement Profiling (Milling), square yards per SCO</pre>
Less than 250 @ per Sq. Yd. 250 less than 500 @ per Sq. Yd. 500 less than 1000 @ per Sq. Yd. 1000 less than 2500 @ per Sq. Yd. 2500 less than 5000 @ per Sq. Yd. 5000 and greater @ per Sq. Yd.
Item R - Pilot Truck and Driver

DISTRICT THREE

item s -	Traffic Control Device	per	Unit
Item T -	Flagger @	per	Hour
Item U -	Arrow Board @	per	Day
<u>Item V</u> -	Rumble Strips @	per	LF

DISTRICT FOUR

	LE (Continued)	
Item A -	Hot-Mix Asphalt Base I F.O.B. Vendor Plant per ton	@
Item B -	Hot-Mix Asphalt Base II (Patch & Level), or Wearing IV F.O.B. Vendor Plant per ton	@
Item C -	Hot-Mix Asphalt Wearing I (Scratch) F.O.B. Vendor Plant per ton	@
<u>Item D</u> -	Hot-Mix Asphalt Wearing III F.O.B. Vendor Plant per ton	@
Standard S modified b 401 as spec	Department of Transportations Roads and by the current Supplementacified in the SCO. Hot-Mix Asphalt Skid Resistant Pavement	Bridges, Adopted 2000
	F.O.B. Vendor Plant per ton	***************************************
Department Specificat	F.O.B. Vendor Plant per ton item shall be in accordan of Transportation, Divis ions Roads and Bridges, Ac t Supplemental Specification	ion of Highways, Stand dopted 2000 as modified
Department Specificat the curren	per ton item shall be in accordan of Transportation, Divis ions Roads and Bridges, Ac	ion of Highways, Stand dopted 2000 as modified
Department Specificat the current Item F -	per ton item shall be in accordant of Transportation, Divisions Roads and Bridges, Act Supplemental Specification Hot-Mix Asphalt Plant Run F.O.B. Vendor Plant per ton Haul by Vendor	ion of Highways, Standopted 2000 as modified ons, Section 402.

DISTRICT FOUR

12. BID SCHEDULE (Continued)

Material placed under Item H shall be constructed in accordance with the Requirements of The West Virginia Department of Transportation, Division of Highways, Standard Specifications Roads and Bridges, Adopted 2000 as modified by the current Supplemental Specifications, Section 401 or 402 as specified in the SCO.

Item I - Cl	eaning & Sweeping @per sq. yd.
	tuminous Material for Tack Coat or Prime
Al	l Types @per gallon
Section 40	urnished and applied under Item J to be in accordance with 8 of the referenced specifications, as directed by the agineer/Manager.
<u>Item K</u> -	Daytime Paving Mobilization - A Mobilization for Paving Charge of \$ may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is not specified.
Item L -	Nighttime Paving Mobilization - A Mobilization for Paving Charge of \$ may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is specified.
<u>Item M</u> -	Off Season Plant Opening @ for first day @ for each additional day
Item N -	Additional Heel-In Joints @per lineal foot
Item O -	Skip Paving Surcharge @per ton
<u>Item P</u> -	Mobilization for Profiling @ per SCO
Item Q -	Pavement Profiling (Milling), square yards per SCO
	Less than 250 @ per Sq. Yd. 250 less than 500 @ per Sq. Yd. 500 less than 1000 @ per Sq. Yd. 1000 less than 2500 per Sq. Yd. 2500 less than 5000 per Sq. Yd. 5000 and greater per Sq. Yd.
<u>Item R</u> -	Pilot Truck and Driver @ per day

DISTRICT FOUR

Item S -	Traffic Control Devi @	per Unit
<u>Item T</u> -	Flagger @	per Hour
Item U -	Arrow Board @	per Day
<u>Item V</u> -	Rumble Strips @	per LF

DISTRICT FIVE

BID SCHEDU	LE (Continued)	
Item A -	Hot-Mix Asphalt Base I F.O.B. Vendor Plant per ton	@
<u>Item B</u> -	Hot-Mix Asphalt Base II (Patch & Level), or Wearing IV F.O.B. Vendor Plant per ton	@
Item C -	Hot-Mix Asphalt Wearing I (Scratch) F.O.B. Vendor Plant per ton	@
<u>Item D</u> -	Hot-Mix Asphalt Wearing III F.O.B. Vendor Plant per ton	@
Virginia E Standard S modified b	e above items shall be in Department of Transportation Specifications Roads and Department Supplemental cified in the SCO.	on, Division of Highways, Bridges, Adopted 2000 as
Item E -	Hot-Mix Asphalt Skid Resistant Pavement F.O.B. Vendor Plant per ton	@
Department Specificat	item shall be in accordance of Transportation, Divisi ions Roads and Bridges, Add t Supplemental Specification	ion of Highways, Standard opted 2000 as modified by
Item F -	Hot-Mix Asphalt Plant Run F.O.B. Vendor Plant per ton	@
Item G -	Haul by Vendor @ for f @ for e	irst ton mile and ach additional mile
Item H -	Items A thru E, Each Site	per ton per ton per ton per ton per ton per ton

DISTRICT FIVE

12. BID SCHEDULE (Continued)

Material placed under Item H shall be constructed in accordance with the Requirements of The West Virginia Department of Transportation, Division of Highways, Standard Specifications Roads and Bridges, Adopted 2000 as modified by the current Supplemental Specifications, Section 401 or 402 as specified in the SCO.

<u>Item I</u> -	Cleaning & Sweeping @per sq. yd.
Item J -	Bituminous Material for Tack Coat or Prime
	All Types @per gallon
Section	furnished and applied under Item J to be in accordance with 408 of the referenced specifications, as directed by the Engineer/Manager.
Item K -	Daytime Paving Mobilization - A Mobilization for Paving Charge of \$ may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is not specified.
Item L -	Nighttime Paving Mobilization - A Mobilization for Paving Charge of \$ may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is specified.
Item M -	Off Season Plant Opening @ for first day @ for each additional day
Item N -	Additional Heel-In Joints @per lineal foot
<pre>Item 0 -</pre>	Skip Paving Surcharge @per ton
Item P -	Mobilization for Profiling @ per SCO
<u>Item Q</u> -	Pavement Profiling (Milling), square yards per SCO
	Less than 250 @ per Sq. Yd. 250 less than 500 @ per Sq. Yd. 500 less than 1000 @ per Sq. Yd. 1000 less than 2500 per Sq. Yd. 2500 less than 5000 per Sq. Yd. 5000 and greater per Sq. Yd.
Item R -	Pilot Truck and Driver

DISTRICT FIVE

Item S -	Traffic Control Devi	per Unit
Item T -	Flagger @	per Hour
Item U -	Arrow Board @	per Day
Item V -	Rumble Strips @	per LF

DISTRICT SIX

	LE (Continued)	
Item A -	Hot-Mix Asphalt Base I F.O.B. Vendor Plant per ton	@
Item B -	Hot-Mix Asphalt Base II (Patch & Level), or Wearing IV F.O.B. Vendor Plant per ton	@
Item C -	Hot-Mix Asphalt Wearing I (Scratch) F.O.B. Vendor Plant per ton	@
Item D -	Hot-Mix Asphalt Wearing III F.O.B. Vendor Plant per ton	@
Standard & modified b	Department of Transportation Specifications Roads and by the current Supplementa cified in the SCO. Hot-Mix Asphalt Skid Resistant Pavement	Bridges, Adopted 2000 al Specifications, Sect
	F.O.B. Vendor Plant per ton	@
Department Specificat		ce with The West Virgi ion of Highways, Stand lopted 2000 as modified
Department Specificat the curren	per ton item shall be in accordan of Transportation, Divisions Roads and Bridges, Ad	ce with The West Virgi ion of Highways, Stand lopted 2000 as modified
Department Specificat the current Item F -	per ton item shall be in accordant of Transportation, Divisions Roads and Bridges, Adt Supplemental Specification Hot-Mix Asphalt Plant Run F.O.B. Vendor Plant per ton Haul by Vendor	ce with The West Virgi ion of Highways, Stand lopted 2000 as modified ons, Section 402.

DISTRICT SIX

BID SCHEDULE (Continued) 12.

Material placed under Item H shall be constructed in accordance with the Requirements of The West Virginia Department of Transportation, Division of Highways, Standard Specifications Roads and Bridges, Adopted 2000 as modified by the current Supplemental Specifications, Section 401 or 402 as specified in the SCO.

<u>Item I</u> - C	leaning & Sweeping @per sq. yd.
Item J - B	ituminous Material for Tack Coat or Prime
A.	ll Types @per gallon
Section 40	urnished and applied under Item J to be in accordance with 08 of the referenced specifications, as directed by the ngineer/Manager.
<u>Item K</u> -	Daytime Paving Mobilization - A Mobilization for Paving Charge of \$ may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is not specified.
Item L -	Nighttime Paving Mobilization - A Mobilization for Paving Charge of \$ may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is specified.
Item M -	Off Season Plant Opening @ for first day @ for each additional day
Item N -	Additional Heel-In Joints @per lineal foot
Item O -	Skip Paving Surcharge @per ton
Item P -	Mobilization for Profiling @ per SCO
	Pavement Profiling (Milling), square yards per SCO
	Less than 250 @ per Sq. Yd. 250 less than 500 @ per Sq. Yd. 500 less than 1000 @ per Sq. Yd. 1000 less than 2500 @ per Sq. Yd. 2500 less than 5000 @ per Sq. Yd. 5000 and greater @ per Sq. Yd.
tem R -	Pilot Truck and Driver

DISTRICT SIX

Item 5 -	Traffic Control Devi @	per Unit
Item T -	Flagger @	per Hour
Item U -	Arrow Board	per Day
Item V -	Rumble Strips @	per LF

DISTRICT SEVEN

12. BID SC	EDULE (Continued)	
Item A	Hot-Mix Asphalt Base I F.O.B. Vendor Plant @ per ton	_
<u>Item B</u>	Hot-Mix Asphalt Base II (Patch & Level), or Wearing IV F.O.B. Vendor Plant per ton	_
<u>Item C</u>	Hot-Mix Asphalt Wearing I (Scratch) F.O.B. Vendor Plant @ per ton	-
<u>Item D</u>	Hot-Mix Asphalt Wearing III F.O.B. Vendor Plant @ per ton	_
Virgin: Standa: modifie	the above items shall be in accordance with To Department of Transportation, Division of Hill Specifications Roads and Bridges, Adopted 2 by the current Supplemental Specifications, specified in the SCO. Hot-Mix Asphalt Skid Resistant Pavement	ghways 2000 a
	F.O.B. Vendor Plant @ per ton	-
Departn Specifi	ve item shall be in accordance with The West Vent of Transportation, Division of Highways, Stations Roads and Bridges, Adopted 2000 as modifications, Section 402.	tandar
Item F	Hot-Mix Asphalt Plant Run F.O.B. Vendor Plant @ per ton	 .
<u>Item G</u>	Haul by Vendor @ for first ton mile and @ for each additional mile	ŧ
Item H	Lay down of Materials Items A thru E, Each Site 0 to 100 tons @ per ton 101 to 200 tons @ per ton 201 to 500 tons @ per ton	

DISTRICT SEVEN

BID SCHEDULE (Continued) 12.

Material placed under Item H shall be constructed in accordance with the Requirements of The West Virginia Department of Transportation, Division of Highways, Standard Specifications Roads and Bridges, Adopted 2000 as modified by the current Supplemental Specifications, Section 401 or 402 as specified in the SCO.

<u>Item I</u> - C	leaning & Sweeping @per sq. yd.
	ituminous Material for Tack Coat or Prime Il Types @per gallon
Section 40	urnished and applied under Item J to be in accordance with 08 of the referenced specifications, as directed by the ngineer/Manager.
Item K -	Daytime Paving Mobilization - A Mobilization for Paving Charge of \$ may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is not specified.
Item L -	Nighttime Paving Mobilization - A Mobilization for Paving Charge of \$ may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is specified.
Item M -	Off Season Plant Opening @ for first day @ for each additional day
Item N -	Additional Heel-In Joints @ per lineal foot
Item O -	Skip Paving Surcharge per ton
Item P -	Mobilization for Profiling @ per SCO
Item Q -	Pavement Profiling (Milling), square yards per SCO
	Less than 250 @ per Sq. Yd. 250 less than 500 @ per Sq. Yd. 500 less than 1000 @ per Sq. Yd. 1000 less than 2500 @ per Sq. Yd. 2500 less than 5000 @ per Sq. Yd. 5000 and greater @ per Sq. Yd.
Item R -	Pilot Truck and Driver @ per day

DISTRICT SEVEN

item 5	Traffic Control Devi	per Unit
Item T -	Flagger @	per Hour
Item U -	Arrow Board	per Day
Item V -	Rumble Strips	per LF

DISTRICT EIGHT

2.	BID SCHEDU	TLE (Continued)	
	Item A -	Hot-Mix Asphalt Base I F.O.B. Vendor Plant per ton	@
	<u>Item B</u> -	Hot-Mix Asphalt Base II (Patch & Level), or Wearing IV F.O.B. Vendor Plant per ton	@
	<u>Item C</u> -	Hot-Mix Asphalt Wearing I (Scratch) F.O.B. Vendor Plant per ton	@
	<u>Item D</u> -	Hot-Mix Asphalt Wearing III F.O.B. Vendor Plant per ton	@
	Virginia I Standard : modified h	e above items shall be in Department of Transportation Specifications Roads and Foy the current Supplemental cified in the SCO.	on, Division of Highways Bridges, Adopted 2000 a
	Item E -	Hot-Mix Asphalt Skid Resistant Pavement F.O.B. Vendor Plant per ton	@
	Department Specificat	item shall be in accordance of Transportation, Divisi ions Roads and Bridges, Add t Supplemental Specification	on of Highways, Standar opted 2000 as modified h
		Hot-Mix Asphalt Plant Run F.O.B. Vendor Plant per ton	@
	<u>Item G</u> -	Haul by Vendor @ for fi @ _ for ea	irst ton mile and ach additional mile
	<u>Item H</u> -	Lay down of Materials Items A thru E, Each Site 0 to 100 tons @ 101 to 200 tons @ 201 to 500 tons @ 501 and up @	per ton

DISTRICT EIGHT

12. BID SCHEDULE (Continued)

Material placed under Item H shall be constructed in accordance with the Requirements of The West Virginia Department of Transportation, Division of Highways, Standard Specifications Roads and Bridges, Adopted 2000 as modified by the current Supplemental Specifications, Section 401 or 402 as specified in the SCO.

<u>Item I</u> -	Cleaning & Sweeping @per sq. yd.
Item J -	Bituminous Material for Tack Coat or Prime All Types @per gallon
Section	furnished and applied under Item J to be in accordance with 408 of the referenced specifications, as directed by the Engineer/Manager.
Item K -	Daytime Paving Mobilization - A Mobilization for Paving Charge of \$ may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is not specified.
Item L -	Nighttime Paving Mobilization - A Mobilization for Paving Charge of \$ may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is specified.
Item M -	Off Season Plant Opening @ for first day @ for each additional day
Item N -	Additional Heel-In Joints @per lineal foot
Item O -	Skip Paving Surcharge @per ton
Item P -	Mobilization for Profiling @ per SCO
<u>Item Q</u> -	Pavement Profiling (Milling), square yards per SCO
	Less than 250 @ per Sq. Yd. 250 less than 500 @ per Sq. Yd. 500 less than 1000 @ per Sq. Yd. 1000 less than 2500 @ per Sq. Yd. 2500 less than 5000 per Sq. Yd. 5000 and greater @ per Sq. Yd.
Item R -	Pilot Truck and Driver @ per day

DISTRICT EIGHT

<u> Item S</u> -	Traffic Control Devi	
	@	per Unit
Item T -		
	@	per Hour
Item U -	Arrow Board	
	@	per Day
Item V -	Rumble Strips	
	-	

DISTRICT NINE

BID SCHEDU	LE (Continued)	
<u>Item A</u> -	Hot-Mix Asphalt Base I F.O.B. Vendor Plant per ton	@
<u>Item B</u> -	Hot-Mix Asphalt Base II (Patch & Level), or Wearing IV F.O.B. Vendor Plant per ton	@
<u>Item C</u> -	Hot-Mix Asphalt Wearing I (Scratch) F.O.B. Vendor Plant per ton	@
<u>Item D</u> -	Hot-Mix Asphalt Wearing III F.O.B. Vendor Plant per ton	@
Virginia I Standard S modified b	Department of Transportati Specifications Roads and	accordance with The West on, Division of Highways, Bridges, Adopted 2000 as al Specifications, Section
<u> Item E</u> -	Hot-Mix Asphalt Skid Resistant Pavement F.O.B. Vendor Plant per ton	@
Department Specificat:	of Transportation, Divis	nce with The West Virginia ion of Highways, Standard dopted 2000 as modified by ons, Section 402.
	Hot-Mix Asphalt Plant Run F.O.B. Vendor Plant per ton	@
<u>Item G</u> -	Haul by Vendor @ for f @ for e	first ton mile and each additional mile
<u>Item H</u> -	Lay down of Materials Items A thru E, Each Site 0 to 100 tons @ 101 to 200 tons @ 201 to 500 tons @ 501 and up @	per ton per ton per ton per ton per ton per ton

DISTRICT NINE

BID SCHEDULE (Continued) 12.

Material placed under Item H shall be constructed in accordance with the Requirements of The West Virginia Department of Transportation, Division of Highways, Standard Specifications Roads and Bridges, Adopted 2000 as modified by the current Supplemental Specifications, Section 401 or 402 as specified in the SCO.

Item I -	@per sq. yd.
	Bituminous Material for Tack Coat or Prime
	All Types @per gallon
Section	furnished and applied under Item J to be in accordance with 408 of the referenced specifications, as directed by the Engineer/Manager.
Item K -	Daytime Paving Mobilization - A Mobilization for Paving Charge of \$ may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is not specified.
Item L -	Nighttime Paving Mobilization - A Mobilization for Paving Charge of \$ may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is specified.
<u>Item M</u> -	Off Season Plant Opening @ for first day @ for each additional day
Item N -	Additional Heel-In Joints @per lineal foot
Item O -	Skip Paving Surcharge @per ton
Item P -	Mobilization for Profiling @ per SCO
Item Q -	Pavement Profiling (Milling), square yards per SCO
	Less than 250 @ per Sq. Yd. 250 less than 500 @ per Sq. Yd. 500 less than 1000 @ per Sq. Yd. 1000 less than 2500 @ per Sq. Yd. 2500 less than 5000 @ per Sq. Yd. 5000 and greater @ per Sq. Yd.
Item R -	Pilot Truck and Driver

DISTRICT NINE

Item S -	Traffic Control Devi @		Unit
<u>Item T</u> -	Flagger @	per	Hour
Item U -	Arrow Board @	per	Day
<u>Item V</u> -	Rumble Strips @	per	LF

DISTRICT TEN

12.	BID SCHEDULE (Continued)				
	<u>Item A</u> -	Hot-Mix Asphalt Base I F.O.B. Vendor Plant per ton	@		
	<u>Item B</u> -	Hot-Mix Asphalt Base II (Patch & Level), or Wearing IV F.O.B. Vendor Plant per ton	@		
	Item C -	Hot-Mix Asphalt Wearing I (Scratch) F.O.B. Vendor Plant per ton	@		
	<u>Item D</u> -	Hot-Mix Asphalt Wearing III F.O.B. Vendor Plant per ton	@		
	All of the above items shall be in accordance with The West Virginia Department of Transportation, Division of Highways, Standard Specifications Roads and Bridges, Adopted 2000 as modified by the current Supplemental Specifications, Section 401 as specified in the SCO.				
	Item E -	Hot-Mix Asphalt Skid Resistant Pavement F.O.B. Vendor Plant per ton	@		
	The above item shall be in accordance with The West Virginia Department of Transportation, Division of Highways, Standard Specifications Roads and Bridges, Adopted 2000 as modified by the current Supplemental Specifications, Section 402.				
	<u>Item F</u> -	Hot-Mix Asphalt Plant Run F.O.B. Vendor Plant per ton	@		
	<u>Item G</u> -	Haul by Vendor @ for f: for each	irst ton mile and ach additional mile		
	<u>Item H</u> -	Lay down of Materials Items A thru E, Each Site 0 to 100 tons @ 101 to 200 tons @ 201 to 500 tons @ 501 and up @	per ton per ton per ton per ton per ton		

DISTRICT TEN

12. BID SCHEDULE (Continued)

Material placed under Item H shall be constructed in accordance with the Requirements of The West Virginia Department of Transportation, Division of Highways, Standard Specifications Roads and Bridges, Adopted 2000 as modified by the current Supplemental Specifications, Section 401 or 402 as specified in the SCO.

<u>Item I</u> - C	leaning & Sweeping @per sq. yd.
	situminous Material for Tack Coat or Prime All Types @per gallon
Section 40	furnished and applied under Item J to be in accordance with 08 of the referenced specifications, as directed by the ingineer/Manager.
<u>Item K</u> -	Daytime Paving Mobilization - A Mobilization for Paving Charge of \$ may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is not specified.
Item L -	Nighttime Paving Mobilization - A Mobilization for Paving Charge of \$ may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is specified.
Item M -	Off Season Plant Opening @ for first day @ for each additional day
Item N -	Additional Heel-In Joints @per lineal foot
<u>Item O</u> -	Skip Paving Surcharge @per ton
Item P -	Mobilization for Profiling @ per SCO
<u>Item Q</u> -	Pavement Profiling (Milling), square yards per SCO
	Less than 250 @ per Sq. Yd. 250 less than 500 @ per Sq. Yd. 500 less than 1000 @ per Sq. Yd. 1000 less than 2500 @ per Sq. Yd. 2500 less than 5000 per Sq. Yd. 5000 and greater @ per Sq. Yd.
	Pilot Truck and Driver @ per day

DISTRICT TEN

ICEM D	Traffic Control Devi	per Unit
Item T -	Flagger @	per Hour
Item U -	Arrow Board @	per Day
Item V -	Rumble Strips @	per LF

DISTRICT ADDRESSES

District One 1334 Smith Street

Charleston, West Virginia 25301-1492

District Six 1 DOT Drive

Moundsville, West Virginia 26041-1605

District Two 801 Madison Avenue Huntington, West Virginia 25712-0880

District Seven
255 Depot Street
Weston West Virginia

Weston, West Virginia 26452-1228

District Three 624 Depot Street


Parkersburg, West Virginia 26102-0308

District Eight US 219 North

Elkins, West Virginia 26241-1516

District Four I-79 & Meadowbrook Road Clarksburg, West Virginia 26302-2570 District Nine 103 1/2 Church Street Lewisburg, West Virginia 24901

District Five US Route 50 Post Office Box 99 Burlington, West Virginia 26710-0099 District Ten 270 Hardwood Lane Princeton, West Virginia 24740-2737





CERTIFICATE OF INSURANCE

— THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY —

BATE(MM/DD/YY) 4/3/07

		surence Place • Erie, PA 16530 D'ADDRESS OF AGENCY				
NA		ESNER INSURANCE A	FNCV		AGENTSNO. EE1354	CO.: C ENTE INSURANCE COMPANY
S26 6TH AVENUE						CO.: C ERIE INSURANCE COMPANY CO.: D ERIE INSURANCE PROPERTY & CASUALTY COMPANY CO.: E ERIE INSURANCE EXCHANGE Erie Indemnity Co., Attoriev-in-Fact CO.: F ERIE INSURANCE COMPANY OF NEW YORK CO.: G FLAGSHIP CITY INSURANCE COMPANY
	H	UNTINGTON, WV 2570	1-4722			Erie Indemnity Co., Attorney-in-Fact Co.: F ERIE INSURANCE COMPANY OF NEW YORK
						Co.: G FLAGSHIP CITY INSURANCE COMPANY This Certificate is issued for information purposes only. It does not
7LA	HE AN	D MAILING ADDRESS OF INSURED		<u> </u>		list, amend, extend, or otherwise after the terms and conditions of i
		Blacktop Industries	& Equip.Co			insurance coverage contained in the Policy(ies) indicated below issued by ERIE. The terms and conditions of the Policy(ies)
PO Box 29					govern the insurance coverage as applied to any given situation.	
		Kenova, WV 25530				Any party can request a policy and/or Declaration by asking the insured or the Agent. Limits shown may have been reduced by claims paid.
	This	is to certify that policies, as	indicated by the Policy Numb	er below, are in fo	rce for the Nan	ned Insured at the time that the Certificate is being issued
,		TYPEOF RESURANCE JENERAL LIABILITY	POLET MINUTE		DITE CONTRACT	uers
1	1-	X COMMERCIAL GENERAL LIABILITY	Q40 6250029	4/12/07	4/12/08	EASTER # 1,000,000
2	- 1	CLAIMS MADE X OCCUR	· ,			FIRE DAUTE DAY Sine Free \$ 1,000,000
ن. ا	D	7				MED (4P margin remaily \$ 5,000
	Ī			Ì		CHECAL SCHOOL \$ 2,000,000
2 .	G	SEN'L AGGREGATELIANT APPLIES PER:			1	RHSDLETS-COMPZOE ASS \$ 2,000,000
入 美		POLICY X PROJECT LOC				
1 }		AUTONOBILE LIABILITY	Q04 6240009	4/12/07	4/12/08	CASTERON A
20 s	ŀ	X "ANY AUTO" (OWNED, HIRED, HON-OWNED)	Qu. 02.000			GALESCE SONS SOUND LINE GARCACCE SON
Ġ.	D¦¦	OWNED				Talangary .
E	Į.	HRED		Į.		PROPERTY DATAGET \$
Æ	ŀ	NON-OWNED GARAGE				PROPERTY DELIVERS \$ 1,000,000
COVERAGES	F	XCESS LIABILITY		 	-	PAGE BOOKEN \$ 2,000,000
8	<u> </u>	X OCCURRENCE	Q28 6270008	4/12/07	4/12/08	AGGREGIE \$ 2,000,000
ere e Eriz	Dľ	-				\$
		RETENTION S				
	L					
	4		Q40 6250029	4/12/07	4/12/08	STATUTORY ACCIDENT \$ 1 OOO DOO EACH ACCIDENT
	υļ	MPLOYERS LIABILITY	Q 10 0=20023			REDIENT \$ 1,000,000 EACH ACCIDENT \$ 1,000,000 POLICY LIMIT
-		WVSTOPGAP			İ	DISEASE \$ 1,000,000 EACH EMPLOYEE
**	Ō	THER				2,000,000
- 24	1					
				Ì		
	\mathbf{I}					
DES	CRIPT	TION OF OPERATIONS/LOCATIONS/VEH	CLES/EXCLUSIONS ADDED BY ENDOR	SEMENT/SPECIAL PROV	SICKS	
l						
						į
CAN	CELL	ATION FOR MON-PAYMENT, CAUS	E OR MAMED INSURED'S REQUI	ST: When an automo	bile policy is care	called, written notice will be mailed to the Certificate Holder. When any neesewor to mall written notice to the Certificate Holder after the decision
O Ca	incei.	. Fallure to mail such notice shall	impose no obligation or liability o	fany kind upon ERIE,	, its Agenis or rep	resentatives.
X	CANC	ELLATION FOR SPECIAL CONTRA	CTS: (If the box is checked, this Ce	rtificate involves a sp	ecial contract and	the following cancellation provisions apply.) When an automobile policy is
lo m	ail	<u>30</u> days written notice to th	ocusions numer, when any of the a e Certificate Holder after the decisi	auove sescriced polici On to cancel. Fallure t	es (omer th an auto o mail such notic e	mobile) are cancelled before the expiration date thereof. BRIE will endeavor e shall impose no obligation or liability of any kind upon ERIE, its Agents or
		atives.				,
JEK	1111	CATE HOLDER ADI	OITIONAL INSURED; COMPA	witeilek		
		State of WAY Dans of A	dmin			If your firm is a Certificate Holder for other policies of this
		State of WV - Dept. of A Purchasing Division	umit.			Insured, Certificates of Insurance for these other policies will
		2019 Washington St. E	•			be forwarded to you as soon as they are processed.
		Charleston, WV 25305				1/I
		,				Connie Llessier



PRUDUCEK:

BrickStreet Mutual Insurance Company 4700 MacCorkle Ave., S.E. Charleston, WV 25304

CERTIFICATE HOLDER:

BLACKTOP INDUSTRIES & EQUIPMENT COMPANY ATTN DARON F DEAN PRESIDENT P O BOX 29 KENOVA WV 25530-0029

INSURED:

BLACKTOP INDUSTRIES & EQUIPMENT COMPANY ATTN DARON F DEAN PRESIDENT P O BOX 29 KENOVA WV 25530-0029

CERTIFICATE OF INSURANCE

The policy of insurance listed below has been issued to the insured named above for the policy period and coverage indicated. This certificate is issued as a matter of information only and confers no rights upon the certificate holder. This certificate does not amend, extend or alter the coverage afforded by the policy below. Coverage is contingent on the insured's compliance with policy conditions and premium payment.

If the policy is canceled before the expiration date, BrickStreet Mutual Insurance Company will endeavor to mail a written notice to the certificate holder within 30 days of cancelation. Failure to mail the notice shall impose no obligation or liability of any kind upon BrickStreet Mutual Insurance Company.

POLICY NUMBER: WC10008862-03

DATE CERTIFICATE ISSUED: 12/21/2006

POLICY EFFECTIVE DATE: 1/1/2007

POLICY EXPIRATION DATE: 8/27/2007

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

LIMITS / COVERAGE

- [X] WORKERS COMPENSATION STATUTORY LIMITS
- [X] EMPLOYERS LIABILITY LIMITS:


BODILY INJURY BY ACCIDENT: BODILY INJURY BY DISEASE:

\$100,000.00 \$500,000.00 **EACH ACCIDENT**

POLICY LIMIT

- **BODILY INJURY BY DISEASE:**
- \$100,000.00
- **EACH EMPLOYEE**
- [] WV BROAD FORM EMPLOYERS LIABILITY ENDORSEMENT -COVERAGE FOR WV CODE 23-4-2(d)(2)(ii)
- [] FEDERAL COAL MINE HEALTH AND SAFETY ACT COVERAGE ENDORSEMENT -COVERAGE FOR WV CODE 23-4b-1 - FEDERAL BLACK LUNG COVERAGE

SPECIAL PROVISIONS IF ANY:



CONTRACTOR LICENSE

Authorized by the

West Virginia Contractor Licensing Board

Number:

WV003326

Classification:

ASPHALT DEMOLITION

> BLACKTOP INDUSTRIES & EQUIPMENT CO PO BOX 29 KENOVA, WV 25530-0029

Date Issued

Expiration Date

Authorized Company Signature

Chair, West Virginia Contractor

Licensing Board

This license, or a copy thereof, must be posted in a conspicuous place at every construction site where work is being performed. This license number must appear in all advertisements, on all bid submissions and on all fully executed and binding contracts. This license cannot be assigned or transferred by licensee. Issued under provisions of West Virginia Code, Chapter 21, Article 11.

AFFIDAVIT

West Virginia Code §5A-3-10a states:

No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owned is an amount greater than one thousand dollars in the aggregate

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

EXCEPTION:

The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

LICENSING:

Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.

CONFIDENTIALITY:

The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendors should visit www.state.wv.us/admin/purchase/privacy for the Notice of Agency Confidentiality Policies.

Under penalty of law for false swearing (West Virginia Code, §61-5-3), it is hereby certified that the vendor acknowledges the information in this said affidavit and are in compliance with the requirements as stated.

Vendor's Name: Blacktop Industries	and Equipment Company
Authorized Signature:	Date: 4-4-07