



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER
707EC005

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF:
JOHN JOHNSTON 304-558-2402

VENDOR

\*709054014      304-776-4406  
 STATE EQUIPMENT INC  
 PO BOX 3939  
 CHARLESTON WV 25339

SHIP TO

DIVISION OF HIGHWAYS  
 EQUIPMENT DIVISION  
 ROUTE 33  
 BRUSHY FORK ROAD  
 BUCKHANNON, WV  
 26201      304-472-1750

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
08/01/2006	NET 30		DOH BUCKHANNON	
BID OPENING DATE: 09/13/2006		BID OPENING TIME 01:30PM		

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	1	EA		760-47	91,106	91,106
<p>4 WHEEL DRIVE, RUBBER TIRED ENDLOADER</p> <p>OPEN END CONTRACT</p> <p>TO PROVIDE 4 WHEEL DRIVE, RUBBER TIRED ENDLOADER, AS DESCRIBED IN ATTACHED PROCUREMENT SPECIFICATION 353-1-R.</p> <p>THERE WILL BE A MANDATORY PRE-BID CONFERENCE AT THE STATE CAPITOL COMPLEX, BUILDING 15, CONFERENCE ROOM, AT 1:00 PM ON 8/31/06. FAILURE TO ATTEND THE PRE-BID CONFERENCE WILL RESULT IN BID DISQUALIFICATION.</p> <p>QUESTIONS: WRITTEN QUESTIONS WILL BE ACCEPTED THROUGH CLOSE OF BUSINESS (5:00PM EST) ON WEDNESDAY 8/23/06.</p> <p>SEND YOUR QUESTIONS TO: PURCHASING DIVISION          ATTENTION JOHN JOHNSTON          2019 WASHINGTON ST. E.          CHARLESTON, WV. 25305</p> <p>QUESTIONS MAY BE SENT VIA FAX, E-MAIL, OR REGULAR MAIL.          E-MAIL: JJOHNSTON@WVADMIN.GOV          FAX: 304-558-4115</p> <p>IT IS THE VENDORS RESPONSIBILITY TO VERIFY THAT THEIR QUESTIONS HAVE BEEN RECEIVED BY CALLING 304-558-2402.</p> <p>EXHIBIT 2</p> <p>LIFE OF CONTRACT: THIS CONTRACT BECOMES EFFECTIVE ON ..... AND EXTENDS FOR A PERIOD OF ONE (1) YEAR OR UNTIL SUCH "REASONABLE TIME" THEREAFTER AS IS</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS		
SIGNATURE <i>John Johnston</i> VICE PRESIDENT	TELEPHONE 304 776 4405	DATE 9/19/06
FEIN 55065 8298	ADDRESS CHANGES TO BE NOTED ABOVE	

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER
707EC005

PAGE
2

ADDRESS CORRESPONDENCE TO ATTENTION OF:
JOHN JOHNSTON 304-558-2402

VENDOR

\*709054014      304-776-4406  
 STATE EQUIPMENT INC  
 PO BOX 3939  
 CHARLESTON WV 25339

SHIP TO

DIVISION OF HIGHWAYS  
 EQUIPMENT DIVISION  
 ROUTE 33  
 BRUSHY FORK ROAD  
 BUCKHANNON, WV  
 26201      304-472-1750

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
08/01/2006				

BID OPENING DATE: 09/13/2006      BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>NECESSARY TO OBTAIN A NEW CONTRACT OR RENEW THE ORIGINAL CONTRACT. THE "REASONABLE TIME" PERIOD SHALL NOT EXCEED TWELVE (12) MONTHS. DURING THIS "REASONABLE TIME" THE VENDOR MAY TERMINATE THIS CONTRACT FOR ANY REASON UPON GIVING THE DIRECTOR OF PURCHASING THIRTY (30) DAYS WRITTEN NOTICE.</p> <p>UNLESS SPECIFIC PROVISIONS ARE STIPULATED IN THIS CONTRACT DOCUMENT, THE TERMS, CONDITIONS, AND PRICING SET HEREIN ARE FIRM FOR THE LIFE OF THE CONTRACT.</p> <p>RENEWAL: THIS CONTRACT MAY BE RENEWED UPON THE MUTUAL WRITTEN CONSENT OF THE SPENDING UNIT AND VENDOR, SUBMITTED TO THE DIRECTOR OF PURCHASING THIRTY (30) DAYS PRIOR TO THE EXPIRATION DATE. SUCH RENEWAL SHALL BE IN ACCORDANCE WITH THE TERMS AND CONDITIONS OF THE ORIGINAL CONTRACT AND SHALL BE LIMITED TO TWO (2) ONE (1) YEAR PERIODS.</p> <p>CANCELLATION: THE DIRECTOR OF PURCHASING RESERVES THE RIGHT TO CANCEL THIS CONTRACT IMMEDIATELY UPON WRITTEN NOTICE TO THE VENDOR IF THE COMMODITIES AND/OR SERVICES SUPPLIED ARE OF AN INFERIOR QUALITY OR DO NOT CONFORM WITH THE SPECIFICATIONS OF THE BID AND CONTRACT HEREIN</p> <p>OPEN MARKET CLAUSE: THE DIRECTOR OF PURCHASING MAY AUTHORIZE A SPENDING UNIT TO PURCHASE ON THE OPEN MARKET, WITHOUT THE FILING OF A REQUISITION OR COST ESTIMATE, ITEMS SPECIFIED ON THIS CONTRACT FOR IMMEDIATE DELIVERY IN EMERGENCIES DUE TO UNFORESEEN CAUSES (INCLUDING BUT NOT LIMITED TO DELAYS IN TRANSPORTATION OR AN UNANTICIPATED INCREASE IN THE VOLUME OF WORK).</p> <p>QUANTITIES: QUANTITIES LISTED IN THE REQUISITION ARE APPROXIMATIONS ONLY, BASED ON ESTIMATES SUPPLIES BY THE STATE SPENDING UNIT. IT IS UNDERSTOOD AND AGREED THAT</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS			
SIGNATURE	TELEPHONE	DATE	
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE	

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER
707EC005

PAGE
3

ADDRESS CORRESPONDENCE TO ATTENTION OF:
JOHN JOHNSTON 304-558-2402

VENDOR

\*709054014      304-776-4406  
 STATE EQUIPMENT INC  
 PO BOX 3939  
 CHARLESTON WV 25339

SHIP TO

DIVISION OF HIGHWAYS  
 EQUIPMENT DIVISION  
 ROUTE 33  
 BRUSHY FORK ROAD  
 BUCKHANNON, WV  
 26201      304-472-1750

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
08/01/2006				
BID OPENING DATE: 09/13/2006		BID OPENING TIME 01:30PM		

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>THE CONTRACT SHALL COVER THE QUANTITIES ACTUALLY ORDERED FOR DELIVERY DURING THE TERM OF CONTRACT, WHETHER MORE OR LESS THAN THE QUANTITIES SHOWN.</p> <p>ORDERING PROCEDURE: SPENDING UNIT(S) SHALL ISSUE A WRITTEN EQUIPMENT CONTRACT ORDER (FORM NUMBER WV-35) FOR COMMODITIES COVERED BY THIS CONTRACT. THE ORIGINAL WV-35 MUST BE SENT TO THE PURCHASING DIVISION OF THE DEPARTMENT OF ADMINISTRATION. AFTER APPROVAL AND ENCUMBRANCE, ONE COPY OF THE PURCHASE ORDER WILL BE RETURNED TO THE SPENDING UNIT AND ONE COPY FORWARDED TO THE VENDOR AS AUTHORIZATION FOR SHIPMENT. NO ORDER IS VALID UNLESS APPROVED AND ENCUMBERED BY THE PURCHASING DIVISION.</p> <p>BANKRUPTCY: IN THE EVENT THE VENDOR/CONTRACTOR FILES FOR BANKRUPTCY PROTECTION, THIS CONTRACT IS AUTOMATICALLY NULL AND VOID, AND IS TERMINATED WITHOUT FURTHER ORDER.</p> <p>REV. 9/98</p> <p>EXHIBIT 6</p> <p>PRICE ADJUSTMENT PROVISION:          THE STATE OF WEST VIRGINIA WILL CONSIDER BIDS THAT CONTAIN PROVISIONS FOR PRICE ADJUSTMENTS PRIOR TO THE ORIGINAL EXPIRATION OF THE CONTRACT, PROVIDED THAT SUCH PRICE ADJUSTMENT COVERS BOTH UPWARD AND DOWNWARD MOVEMENT OF THE COMMODITY PRICE, AND THAT ADJUSTMENT IS BASED ON THE "PASS THROUGH" INCREASE OR DECREASE OF RAW MATERIALS AND/OR LABOR, WHICH MAKE UP ALL OR A SUBSTANTIAL PART OF A PRODUCT. ADJUSTMENTS ARE TO BE BASED UPON AN ACTUAL DOLLAR FIGURE, NOT A PERCENTAGE. ALL PRICE ADJUSTMENT REQUESTS MUST BE SUBSTANTIATED IN</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS			
SIGNATURE	TELEPHONE	DATE	
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE	

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER  
**707EC005**

PAGE  
**4**

ADDRESS CORRESPONDENCE TO ATTENTION OF:  
**JOHN JOHNSTON**  
**304-558-2402**

VENDOR

\*709054014      304-776-4406  
 STATE EQUIPMENT INC  
 PO BOX 3939  
  
 CHARLESTON WV 25339

SHIP TO

DIVISION OF HIGHWAYS  
 EQUIPMENT DIVISION  
 ROUTE 33  
 BRUSHY FORK ROAD  
 BUCKHANNON, WV  
 26201      304-472-1750

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
08/01/2006				

BID OPENING DATE: **09/13/2006**      BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>A MANNER ACCEPTABLE TO THE DIRECTOR PURCHASING, E.G. GOVERNMENTAL BENCH MARKS, GENERAL MARKET INCREASE, PUBLISHED PRICE LISTS. SUCH REQUESTS FOR AND INCREASE SHOULD BE RECEIVED IN WRITING BY THE DIRECTOR OF PURCHASING AT LEAST 30 DAYS IN ADVANCE OF THE EFFECTIVE DATE OF THE INCREASE. ANY TIME THE VENDOR REQUESTS A PRICE ADJUSTMENT, THE PURCHASING DIVISION MAY EITHER ACCEPT THE PRICE ADJUSTMENT AND AMEND THE CONTRACT ACCORDINGLY OR REJECT THE ADJUSTMENT IN ITS ENTIRETY AND CANCEL THE CONTRACT.</p> <p>VENDOR PREFERENCE CERTIFICATE</p> <p>CERTIFICATION AND APPLICATION* IS HEREBY MADE FOR PREFERENCE IN ACCORDANCE WITH WEST VIRGINIA CODE, 5A-3-37 (DOES NOT APPLY TO CONSTRUCTION CONTRACTS).</p> <p>A. APPLICATION IS MADE FOR 2.5% PREFERENCE FOR THE REASON CHECKED:</p> <p>( ) BIDDER IS AN INDIVIDUAL RESIDENT VENDOR AND HAS RESIDED CONTINUOUSLY IN WEST VIRGINIA FOR FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION; OR</p> <p>(X) BIDDER IS A PARTNERSHIP, ASSOCIATION OR CORPORATION RESIDENT VENDOR AND HAS MAINTAINED ITS HEAD-QUARTERS OR PRINCIPAL PLACE OF BUSINESS CONTINUOUSLY IN WEST VIRGINIA FOR FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION; OR 80% OF THE OWNERSHIP INTEREST OF BIDDER IS HELD BY ANOTHER INDIVIDUAL, PARTNERSHIP, ASSOCIATION OR CORPORATION RESIDENT VENDOR WHO HAS MAINTAINED ITS HEADQUARTERS OR PRINCIPAL PLACE OF BUSINESS CONTINUOUSLY IN WEST VIRGINIA FOR FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION; OR</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER  
**707EC005**

PAGE  
**5**

ADDRESS CORRESPONDENCE TO ATTENTION OF:  
**JOHN JOHNSTON**  
**304-558-2402**

VENDOR

\*709054014      304-776-4406  
 STATE EQUIPMENT INC  
 PO BOX 3939  
  
 CHARLESTON WV 25339

SHIP TO

DIVISION OF HIGHWAYS  
 EQUIPMENT DIVISION  
 ROUTE 33  
 BRUSHY FORK ROAD  
 BUCKHANNON, WV  
 26201      304-472-1750

DATE PRINTED <b>08/01/2006</b>	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
-----------------------------------	---------------	----------	--------	---------------

BID OPENING DATE: **09/13/2006**      BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>( ) BIDDER IS A CORPORATION NONRESIDENT VENDOR WHICH HAS AN AFFILIATE OR SUBSIDIARY WHICH EMPLOYS A MINIMUM OF ONE HUNDRED STATE RESIDENTS AND WHICH HAS MAINTAINED ITS HEADQUARTERS OR PRINCIPAL PLACE OF BUSINESS WITHIN WEST VIRGINIA CONTINUOUSLY FOR THE FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION.</p> <p>B. APPLICATION IS MADE FOR 2.5% PREFERENCE FOR THE REASON CHECKED:</p> <p>(X) BIDDER IS A RESIDENT VENDOR WHO CERTIFIES THAT, DURING THE LIFE OF THE CONTRACT, ON AVERAGE AT LEAST 75% OF THE EMPLOYEES WORKING ON THE PROJECT BEING BID ARE RESIDENTS OF WEST VIRGINIA WHO HAVE RESIDED IN THE STATE CONTINUOUSLY FOR THE TWO YEARS IMMEDIATELY PRECEDING SUBMISSION OF THIS BID;</p> <p>OR</p> <p>( ) BIDDER IS A NONRESIDENT VENDOR EMPLOYING A MINIMUM OF ONE HUNDRED STATE RESIDENTS OR IS A NONRESIDENT VENDOR WITH AN AFFILIATE OR SUBSIDIARY WHICH MAINTAINS ITS HEADQUARTERS OR PRINCIPAL PLACE OF BUSINESS WITHIN WEST VIRGINIA EMPLOYING A MINIMUM OF ONE HUNDRED STATE RESIDENTS WHO CERTIFIES THAT, DURING THE LIFE OF THE CONTRACT, ON AVERAGE AT LEAST 75% OF THE EMPLOYEES OR BIDDERS' AFFILIATE'S OR SUBSIDIARY'S EMPLOYEES ARE RESIDENTS OF WEST VIRGINIA WHO HAVE RESIDED IN THE STATE CONTINUOUSLY FOR THE TWO YEARS IMMEDIATELY PRECEDING SUBMISSION OF THIS BID.</p> <p>BIDDER UNDERSTANDS IF THE SECRETARY OF TAX &amp; REVENUE DETERMINES THAT A BIDDER RECEIVING PREFERENCE HAS FAILED TO CONTINUE TO MEET THE REQUIREMENTS FOR SUCH PREFERENCE, THE SECRETARY MAY ORDER THE DIRECTOR OF PURCHASING TO: (A) RESCIND THE CONTRACT OR PURCHASE</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER
707EC005

PAGE
6

ADDRESS CORRESPONDENCE TO ATTENTION OF
JOHN JOHNSTON 304-558-2402

VENDOR

\*709054014      304-776-4406  
 STATE EQUIPMENT INC  
 PO BOX 3939  
 CHARLESTON WV 25339

SHIP TO

DIVISION OF HIGHWAYS  
 EQUIPMENT DIVISION  
 ROUTE 33  
 BRUSHY FORK ROAD  
 BUCKHANNON, WV  
 26201      304-472-1750

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
08/01/2006				

BID OPENING DATE: **09/13/2006**      BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>ORDER ISSUED; OR (B) ASSESS A PENALTY AGAINST SUCH BIDDER IN AN AMOUNT NOT TO EXCEED 5% OF THE BID AMOUNT AND THAT SUCH PENALTY WILL BE PAID TO THE CONTRACTING AGENCY OR DEDUCTED FROM ANY UNPAID BALANCE ON THE CONTRACT OR PURCHASE ORDER.</p> <p>BY SUBMISSION OF THIS CERTIFICATE, BIDDER AGREES TO DISCLOSE ANY REASONABLY REQUESTED INFORMATION TO THE PURCHASING DIVISION AND AUTHORIZES THE DEPARTMENT OF TAX AND REVENUE TO DISCLOSE TO THE DIRECTOR OF PURCHASING APPROPRIATE INFORMATION VERIFYING THAT BIDDER HAS PAID THE REQUIRED BUSINESS TAXES, PROVIDED THAT SUCH INFORMATION DOES NOT CONTAIN THE AMOUNTS OF TAXES PAID NOR ANY OTHER INFORMATION DEEMED BY THE TAX COMMISSIONER TO BE CONFIDENTIAL.</p> <p>UNDER PENALTY OF LAW FOR FALSE SWEARING (WEST VIRGINIA CODE 61-5-3), BIDDER HEREBY CERTIFIES THAT THIS CERTIFICATE IS TRUE AND ACCURATE IN ALL RESPECTS; AND THAT IF A CONTRACT IS ISSUED TO BIDDER AND IF ANYTHING CONTAINED WITHIN THIS CERTIFICATE CHANGES DURING THE TERM OF THE CONTRACT, BIDDER WILL NOTIFY THE PURCHASING DIVISION IN WRITING IMMEDIATELY.</p> <p style="text-align: right;">STATE EQUIPMENT, INC.</p> <p>BIDDER: -----</p> <p style="text-align: center;">9/19/06</p> <p>DATE: -----</p> <p>SIGNED: ----- <i>[Signature]</i> vice president</p> <p style="text-align: center;">VICE PRESIDENT</p> <p>TITLE: -----</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'





State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER
707EC005

PAGE
8

ADDRESS CORRESPONDENCE TO ATTENTION OF
JOHN JOHNSTON
304-558-2402

VENDOR
*709054014 304-776-4406
STATE EQUIPMENT INC
PO BOX 3939
CHARLESTON WV 25339

SHIP TO
DIVISION OF HIGHWAYS
EQUIPMENT DIVISION
ROUTE 33
BRUSHY FORK ROAD
BUCKHANNON, WV
26201
304-472-1750

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
08/01/2006				

BID OPENING DATE: 09/13/2006 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
CONTACT PERSON (PLEASE PRINT CLEARLY): EDDIE ROWAN JR.						
***** THIS IS THE END OF RFQ 707EC005 ***** TOTAL:						91,106

SEE REVERSE SIDE FOR TERMS AND CONDITIONS			
SIGNATURE	TELEPHONE	DATE	
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE	

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



WEST VIRGINIA DEPARTMENT OF TRANSPORTATION  
DIVISION OF HIGHWAYS  
EQUIPMENT DIVISION

PROCUREMENT SPECIFICATIONS  
NO. 353-1-R

4 WHEEL DRIVE, RUBBER TIRED, ENDLOADER

1.0 PURPOSE

It is the purpose of these specifications to describe a 4 Wheel Drive, Rubber Tired, Endloader (hereinafter referred to as a "endloader" or a "unit") to be purchased for use by the West Virginia Division of Highways (DOH) on an Open End Contract basis.

2.0 BIDDING PROCEDURES

The current purchasing procedures regarding bidding as established by the Department of Administration, Purchasing Division, shall apply. Failure to submit the "Request for Quotation" forms, complete in its entirety and according to directions indicated, may subject the bidder to disqualification. Each bid submitted shall also be accompanied by a Bidder's Evaluation Report completed in detail. **FAILURE TO SUBMIT THE BIDDER'S EVALUATION REPORT, COMPLETE IN ITS ENTIRETY, MAY RESULT IN AUTOMATIC DISQUALIFICATION.**

3.0 SPECIFICATIONS

The specifications named herein, mandatory and non-mandatory, establish the acceptable level of quality only and are not intended to reflect a preference or favor any particular brand or vendor.

3.1 EXCEPTIONS TO NON-MANDATORY SPECIFICATIONS

Exception to a non-mandatory unit specification may be made by the bidder, providing the exception is not available from the manufacturer. Any such exception must be noted on the bidder's evaluation report and should be accompanied by supporting documentation/literature from the manufacturer. Any exception must be indicated on a separate attachment to the bidder's evaluation report and labeled as "Exception to Specifications". The state reserves the right to determine whether the stated exception does or does not reduce the quality and performance of the unit. Failure to provide information for any exceptions may be grounds for rejection of the bid. The state reserves the right to waive minor irregularities in bids or specifications in accordance with §148-1-4(f) of the WV Legislative Rules and Regulations.

### 3.2 MANDATORY SPECIFICATIONS

All specifications preceded by "shall and/or must" or are stated as a "minimum and/or maximum" are mandatory. Any bid failing to meet any mandatory item shall be immediately disqualified. Failure to respond in the appropriate evaluation section may also be grounds for immediate disqualification at the discretion of the State.

A mandatory pre-bid conference is scheduled for this equipment purchase as stated in the RFQ. Vendors having products with variations or exceptions in specified mandatory items are expected to address any such variations or exceptions during the pre-bid conference. The State shall review and consider any such variation or exception, and may at its sole discretion, issue an addendum to change mandatory specifications deemed to be in the State's best interest. Bids from any vendor failing to attend the mandatory pre-bid shall be disqualified. Bids containing any variation or exception to a mandatory specification that was not addressed during the pre-bid conference and accepted by the issuance of an Addendum shall be disqualified.

### 4.0 REPRESENTATIVE UNIT FOR TEST

The successful vendor must (if specified) provide DOH one (1) completed representative unit to be observed and evaluated on the first order only to insure compliance with specification. If requested, the time period for testing and evaluation shall be seven (7) calendar days following receipt of the unit. DOH will incur no obligation for deterioration of surfaces, finishes, seals, and mechanical or electrical parts on the unit resulting from operation and testing within the limits of these specifications; nor will DOH incur obligation for damage to the unit resulting from failure to meet specifications when due care and attention is given by DOH and testing is done within the limits of these specifications. Failure of the pilot unit to satisfactorily meet specifications as bid shall be cause for cancellation of the purchase order, and return of the delivered unit along with all associated equipment to the vendor at the vendors expense.

### 4.1 CONDITION OF UNIT(S) UPON DELIVERY

All units must arrive at the prescribed delivery point having been completely preserviced with oil, lubricants, and coolant. All prescribed precautions pertaining to first operations and break-in of the unit are to be posted conspicuously on the unit for ready observance by the operator.

### 4.2 DELIVERY

Delivery point of the completely assembled representative unit will be the DOH, Equipment Division, Route 33 at Brushy Fork Road, Buckhannon, West Virginia (26201).

The vendor is responsible for guaranteeing delivery of the completed units within the time specified and agreed to by the State. Delivery is preferred within approximately 100 days. The vendor is responsible for establishing and coordinating delivery terms with allied manufacturers or suppliers. Delivery terms shall be stated in the bid and the State reserves the right to accept or negotiate such terms. Failure to reach an agreement may result in rejection of the bid. The successful bidder shall provide their manufacturer's confirmation of the order to the WVDOH contact person within seven (7) working days after receiving the approved purchase order.

A completed pilot model for inspection is preferred within 100 calendar days after the date of the purchase agreement by the successful vendor.

Delivery is an integral part of this specification and failure to comply will be cause to initiate a D.O.T. Administrative Form WV-82, Vendor Performance Form. The WV-82 Form will provide a means of officially notifying the Purchasing Division and the vendor of unsatisfactory performance; such as late deliveries, poor service, inadequate parts supplies, etc.

The decision to initiate subject Form will be at the sole discretion of the D.O.H. Commissioner's established Equipment Review Board.

Issuance of the WV-82 Vendor Complaint Form on unsatisfactory delivery against any vendor will be cause to refuse to consider similar items from those vendors on future Request For Quotations.

(NOTE: Delivery time could be altered due to labor strikes, severe inclement weather conditions, etc.)

## 5.0 AWARD CRITERIA

- 5.1 DOH will recommend the award in accordance with the RFQ evaluation criteria described in the requisition. The award shall be made to the lowest unit cost vendor that meets or exceeds the specifications.

Prices for the units shall be in quantities of 1-10, 11-20, 21-30, and 31 and over. However, for evaluation purposes, we will use quantities 1-10. DOH reserves the right to place multiple orders in any quantity.

## 6.0 SPECIFICATIONS AND GUIDELINES - GENERAL

### 6.1 IDENTIFICATION OF THE UNIT BEING PROPOSED

The bidder must identify the unit by manufacturer, model, series, and year of manufacture, in the bid to enable identification by DOH in the manufacturer's specifications of the proposed unit. The bidder will submit complete descriptive literature of the proposed unit, to establish that the bid is the manufacturer's most current model, including latest engineering improvements, which have been, or will imminently

be, regularly advertised and sold on the open market. The unit specified herein and offered to be manufactured after January 1, 2006 and be clearly identified and marked with date of manufacture.

## 6.2 OPERATING AND SERVICE MANUALS AND PARTS LISTS

An operator's manual must be included with each unit upon delivery. A "line sheet" (if applicable) and Equipment Preventative Maintenance Questionnaire (as shown in X6 2 of the Bidder's Evaluation Report) must be with pilot unit upon delivery. In addition, there must be 12 service, shop, or maintenance manuals; ten (10) to be distributed to the Districts and two (2) for the Equipment Division. Also, there must be 14 parts manuals; ten (10) to be distributed to the Districts and four (4) for Equipment Division use. CD ROM is preferred in lieu of parts manuals.

\* NOTE: MANUALS SHALL BE DELIVERED UPON COMPLETION OF DELIVERY OF TOTAL UNITS. FAILURE TO DO SO WILL DELAY PAYMENT.

## 6.3 TRAINING:

Manufacturers and/or dealers will be required to stage a thorough seminar on the subjects of Preventative Maintenance, Operator and Mechanic Training. In order to keep the operators and mechanics updated, the successful vendor shall conduct training with each purchase order against this open end contract. Training is preferred within 2 working days after delivery of the pilot unit on the individual purchase order.

Manufacturers and/or dealers shall be required to furnish the Training Academy with one (1) Operator's Manual.

The seminar to be held at the W. Va. Division of Highways, Equipment Division, Buckhannon, West Virginia.

## 6.4 PREVENTIVE MAINTENANCE AND OPERATOR PROCEDURES:

Manufacturers and/or dealers will be required to submit to the Equipment Division, in addition to the operating and service manuals, booklets and pamphlets explaining the Preventive Maintenance and Operator Procedures to be used by the operators of this equipment, and must include such things as daily prestart inspection procedure, service schedule, and routine maintenance required, safety precautions, etc.

The successful vendor shall furnish all training aids; i.e., videos, projectors, etc. required in conducting the training.

## 6.5 WARRANTY AND SERVICE POLICY

The Manufacturers warranty or service policy is to apply to the unit. Such warranty or service policy is to be recognized at any authorized unit dealer, representing manufacturer of proposed unit throughout the State of West Virginia. The applicable

warranty or service policy will not be contingent upon obtaining routine service, lubrication, and servicing of the unit from factory authorized agencies. It will be the responsibility of the bidder to have available labor to repair or replace any defective replacement parts, components and materials, and to have available those replacement parts, components, and/or materials found to be defective during the terms of the warranty period. The bidder should state the labor rates, locations where parts will be stocked, availability of parts, and discounts offered for parts, when terms of the warranty offer a pro-rated cost for parts and labor. In addition, the successful bidder should offer field work to repair or replace defective parts, components, and materials found to be defective during the terms of the warranty and should provide mechanic's travel rates, mileage charges, field mechanic rates, and any surcharge for miscellaneous items, if applicable, for field work during the warranty period. Submit to Division of Highways any technical or engineering improvements during the term of the warranty. The unit must be accompanied upon delivery by the unit's manufacturer's executed warranty or service policy.

THE "WARRANTY AND SERVICE POLICY QUESTIONNAIRE" ATTACHED IN THE BIDDER'S EVALUATION REPORT MUST BE COMPLETED IN ITS ENTIRETY BY THE SUCCESSFUL BIDDER OR MANUFACTURER PRIOR TO DELIVERY OF THE PILOT MODEL. (SEE SECTION X6.5 OF BIDDER'S EVALUATION REPORT).

#### 6.6 EVALUATION COMMITTEE REQUIREMENTS

Detailed component specifications, product literature, component models, required for specification compliance determination by the Evaluation Committee should be provided with each bid. Any information supplied that is contrary to/or conflicting with the specifications and/or attached Bidders Evaluation Report may be sufficient cause for rejection of bid.

#### 6.7 UNSPECIFIED ACCESSORIES & FEATURES

All parts, equipment, accessories, material, design and performance characteristics not specified herein, but which are necessary to provide a complete unit, must be furnished with each unit and required to conform to strength, quality of material, and quality of workmanship to those which are advertised and provided to the market in general by the unit industry.

All parts and accessories advertised and regularly supplied as standard shall be included, except those which would represent duplication of these specified, and except those which, by specification, are not to be furnished. All standard safety features, required by Federal and State Law, shall be included.

7 0 SPECIFICATIONS OF THE QUOTED UNIT ARE AS FOLLOWS:

8 0 Endloader Specification:

8 1 Operating weight to be approximately 22,000 pounds (exclusive of tire ballast).

8.1.1 Unit shall have a breakout force of 22,000 pounds minimum.

8 2 Overall length (bucket lowered) 23 foot approximately.

8 3 Loader shall have articulated frame with full hydraulic power steering.

8.3.1 Tipping load straight 14,500 pounds minimum.

8 4 Overall height 10 feet 8 inches to top of cab (maximum).

8.4.1 Dumping clearance at maximum height and 45° dump angle shall be 110 inches minimum

8 5 Loader shall be equipped with a quick coupler system for interchangeability of attachments, controlled from operator station.

8 6 Unit shall be equipped with manufacturers vandalism package and all machines keyed alike.

8 7 All daily services should be done from ground level.

8.8 Engine:

8.8.1 Engine shall be manufacturers water cooled diesel powered and shall provide approximately 115-125 horse power and torque to operate machine and hydraulic system at maximum efficiency.

8.8.2 Manufacturers standard governor with key shut off, wire sealed by manufacturer.

8.8.3 Engine shall have an engine block water heating element (1500-2000 watt).

8.8.4 Heating element to have a male plug easily accessible, 110 volt AC.

8.9 Engine Lubrication:

8.9.1 Full pressure lubrication with oil filter and oil by-pass system.

8.9.2 Engine oil cooler.

#### 8.10 Cooling System:

- 8.10.1 Manufacturer shall provide maximum cooling system available to allow machine to operate at full capability during all seasons.
- 8.10.2 Cooling system shall be supplied with Dex-cool or equal extended life anti-freeze protected to a point of -34 degrees F.
- 8.10.3 Engine coolant filter shall be provided if recommend by manufacturer for this application.

#### 8.11 Air Induction System:

- 8.11.1 Dry type dual element (2 stage) air cleaner with pre-cleaner.
- 8.11.2 Unit shall have dash mounted air filter restriction indicator that is operator visible when service is required.

#### 8.12 Exhaust System:

- 8.12.1 Complete exhaust system shall be manufacturers standard for unit specified.
- 8.12.2 Exhaust pipe shall be rain proof.

#### 8.13 Electrical System:

- 8.13.1 Unit electrical system to be manufacturers noise suppression wiring.
- 8.13.2 System to be 12 volts/24 volts negative ground (manufacturers standard).
- 8.13.3 Manufacturers heavy duty cold cranking amp battery(s), approximately 825 CCA; reserve capacity 160 minimum.

#### 8.14 Charging System:

- 8.14.1 Unit should have 70 amp alternator (minimum) with internal regulator.

#### 8.15 Engine Fuel System:

- 8.15.1 Fuel capacity to be 12 working hours, minimum.
- 8.15.2 Unit to be provided with a fuel/water separator.
- 8.15.3 Dual stage fuel filtering shall be provided.

8.16 Transmission:

8.16.1 Transmission shall be full power shift design with torque converter, capable of "On the GO" shifting in all speed ranges and full automatic feature with on-board diagnostic capabilities and kickdown controls.

8.16.2 Torque converter shall handle maximum power output of engine.

8.16.3 Transmission to have four (4) forward speeds and three (3) reverse with a top forward ground speed of approximately 23 MPH.

8.16.4 Transmission shall have a neutral start switch for safety purposes.

8.17 Differential:

8.17.1 Manufacturers front and rear conventional.

8.18 Axles:

8.18.1 Front axle to be fixed.

8.18.2 Rear axle should oscillate 13 degrees minimum.

8.19 Brakes to be as follows:

8.19.1 Manufacturers recommended emergency braking system.

8.19.2 Emergency brake must be independent of service brake.

8.19.3 Hydraulic actuated powered assisted service brakes

8.19.4 Wet type disk service brakes.

8.20 Hydraulic System:

8.20.1 Unit shall provide hydraulic lift, lower, dump, roll back and float plus third spool auxiliary valve and cab controller.

8.20.2 All hydraulic cylinders shall be double action chrome plated piston type.

8.20.3 Loader to be equipped with a hydraulic oil cooler if recommend by manufacturer.

8.20.4 A sight glass shall be provided for daily checking of hydraulic oil.

8.20.5 Hydraulic system relief pressure of approximately 2500 PSI.



8.20.6 Unit shall be equipped with manufacturers standard hydraulic filtering system.

8.21 Tires and Wheels:

8.21.1 Wheels shall be manufacturers recommended size for unit bid.

8.21.2 Tires shall be grader/loader type front and rear tubeless radials.

8.21.3 Overall tire width (outside left to outside right) not to exceed 8 feet.

8.22 Cab and related Accessories:

8.22.1 Cab shall be OSHA approved ROPS.

8.22.2 Cab shall be insulated and pressurized.

8.22.3 Cab shall be equipped with heater, defroster and air conditioning installed by manufacturer.

8.22.4 Cab shall have front and rear windshield wipers and washers.

8.22.5 Cab shall have safety, tinted glass at all locations.

8.22.6 Left and right side rear view mirrors and in cab rear view mirror shall be provided.

8.22.7 Cab must have at least one (1) entry door, lockable.

8.22.8 Doors should be hinged at rear to provide front to back opening.

8.22.9 Unit shall be provided with non-skid steps and hand holds.

8.22.10 Seat to be cloth type with scotchguard (or equivalent) and with adjustable seat belt.

8.22.11 Seat to be equipped with adjustable arm rest.

8.22.12 Seat shall provide height and weight adjustments.

8.22.13 Unit shall have adjustable tilt and telescoping steering wheel for easier operator control.

8.22.14 Front and rear fenders shall be provided on unit.

8.22.15 Fire extinguisher shall be provided and mounted in unit. (Successful bidder should notify DOH before mounting).

- 8.22.16 AM/FM radio must be provided and installed in unit
- 8.23 Lighting System:
- 8.23.1 Unit to have two (2) hi/low halogen beam front lights for tramming and working.
- 8.23.2 Loader to have four (4) work lights, two (2) front and two (2) rear mounted in accordance to cab features.
- 8.23.3 Unit to have flash/turn signals (front/rear) stoplights and taillights.
- 8.23.4 Unit shall be provided with console and dome lighting.
- 8.23.5 Low profile high intensity strobe light mounted at top rear of cab. Code 3 92QASH, 12/48 VDC, 11 Jules, five (5) flash generating not more than 1.0 UV of interference on radio receiver with 12 db of quieting.
- 8.23.6 Unit shall be equipped with OSHA approved audible reverse alarm.
- 8.23.7 Articulation locking bar and pin to be provided.
- 8.24 Unit Instrumentation to provide the following:
- 8.24.1 Tachometer.
- 8.24.2 Speedometer.
- 8.24.3 Hour meter shall be operable from engine operation not key switch.
- 8.24.4 Fuel gauge.
- 8.24.5 Ammeter/or volt meter.
- 8.24.6 Coolant temperature indicator with audible buzzer or visual warning light.
- 8.24.7 Engine oil pressure indicator with audible buzzer or visual warning light.
- 8.24.8 Transmission oil temperature indicator.
- 8.24.9 Transmission oil pressure indicator.
- 8.24.10 All features that are considered to be manufacturers standard equipment that are not specifically addressed above shall be provided.

8.24.11 Unit shall be delivered to WVDOH with all manufacturers recommended safety related decals and safety features intact.

8.24.12 One (1) complete set of replacement filters shall be provided with each unit upon delivery.

8.25 Bucket:

8.25.1 Bucket shall be general purpose 1.75 cubic yard struck and 2.1 cubic yard heaped capacity approximate

8.25.2 Bucket width to be approximately 96 inches.

8.25.3 Bucket shall roll back 50 degrees at ground level and dump at 45 degrees minimum at full height.

8.25.4 Unit shall be equipped with automatic return to work leveler for bucket and attachments.

8.25.5 Bucket cutting edge and bottom wear strips shall be replaceable.

8.25.6 The cutting edge welded to bucket and a bolt-on replaceable cutting edge shall be mounted under it.

8.25.7 Digging depth below horizontal, (bucket leveled) should be 3 inches (approximately).

8.26 Forks:

8.26.1 Forks shall be heavy duty steel construction.

8.26.2 Carriage shall be heavy duty steel construction.

8.26.3 Carriage size approximately 3/4 inches side plates and 60 inches wide.

8.26.4 Tines/Forks are to be 6 inches wide and 48 inches long.

8.26.5 Tines/Forks to be approximately 2 inches thick at heel and to be forged solid steel.

8.26.6 Tines/Forks should be mounted on approximately 2.5 inches diameter round bar and adjustable laterally 60 inches approximate.

8.27 Material Handling Boom:

8.27.1 Material handling boom shall be of heavy duty construction type with hook.

- 8.27.2 Boom of three (3) locking sections with a minimum reach of approximately 12 feet.
- 8.28 Paint:
- 8.28.1 The endloader and attachments shall be painted white, Federal Standard White 595A (No. 17875).
- 8.28.2 Detail/Decorative Stripes with Logo:
- 8.28.3 Width: to be 4 inches.
- 8.28.4 WV DOH logo (to be supplied by WV DOH) is attached (black and white copy) and is approximately 7 inches tall by 7 inches wide. Area behind logo and within ½ inches of logo is not to be striped. Stripes should be cut to follow contour of logo, in lieu of straight cut.
- 8.28.5 Striping material shall meet the requirements of ASTM D4956-91 Type V sheeting, a super high-intensity retroreflective sheeting consisting of microprismatic retroreflective elements. The conspicuity sheeting must meet the requirement of NHSTA, DOT, 49CFR, Part 571 Federal Motor Vehicle safety standards for conspicuity sheeting and be "DOT approved".
- 8.28.6 The sheeting for both applications above shall not be more than .008 inch thick having approximately 47,000 microprisms per square inch and shall come with an aggressive high tack pressure sensitive adhesive, reflexite or equivalent.
- 8.28.7 Upper stripe color: Dark Blue.
- 8.28.8 Lower stripe color: Light Gold.
- 8.28.9 Bidder must consult with the WV DOH on proposal for striping before inspection of pilot model.
- 8.28.10 Bidder to attach proposed paint plan with this bid. It should include chips or samples of proposed paints as well as a proposed striping detail on a cab silhouette sheet. Bidder may modify attached striping plan to fit his particular cab shape.
- 8.28.11 In order to test the adhesive quality of the paint, the DOH may, at its option, require that the vendor measure adhesion by the criteria set forth in ASTM D3359-74, Method B. A rating of less than 4 on this test would be deemed unacceptable.

- 8.28.12 The procedures used by the manufacturer in cleaning, de-greasing, priming, and painting are sufficient to meet this requirement except that the manufacturer must substitute white paint (of equivalent grade or quality to manufacturer's standard colored paint) for manufacturer's standard paint in the finish coats.
- 8.28.13 The Department reserves the right to view larger paint samples after award of contract and the right to require subtle color changes. Such changes, if any, will only be used for selecting a suitable paint color to match the WV DOH logo.
- 8.28.14 The Department is desirous of avoiding units painted white over top the standard color. However, if bidder/manufacturer is unable to substitute white paint in its normal plant painting procedures, then bidder must state so and offer his proposed paint method.
- 8.28.15 Areas not normally painted the manufacturer's standard color(s) on standard units (e.g. some rubber parts, mirrors, exhaust pipe, etc.) Are not to be painted white on units specified herein. Also, areas painted a distinct color (e.g. safety reasons) should be painted as they normally would.
- 8.29 Vendor must certify that loader offered will meet or exceed the "Occupational Safety and Health Act of 1970" or subsequent changes that are in effect at time of manufacturer of the unit.
- 8.30 Advertising: Only one (1) manufacturer name plate, which must include model number, may appear on exterior of unit. Logos created through the stamping or casting process of manufacture are also acceptable. No logo will interfere with the Department's striping and logo.
- 8.31 Preventive Maintenance and Operators Orientation/Training:
- 8.31.1 The Manufacturer or dealer shall provide preventive maintenance/operator orientation seminar to be conducted at the Equipment Division, Buckhannon. All training aids i.e. videos, charts, manuals, etc., to be furnished by successful vendor.

NOTE: Vendor should type Bidder's Evaluation Report

WEST VIRGINIA DEPARTMENT OF TRANSPORTATION  
DIVISION OF HIGHWAYS  
EQUIPMENT DIVISION

BIDDER'S EVALUATION REPORT

PROCUREMENT SPECIFICATIONS FOR OPEN END CONTRACT  
NO. 353-1-R

4 WHEEL DRIVE, RUBBER TIRED, ENDLOADER

NOTE TO BIDDER: Procurement Specification No. 353-1-R, Paragraph 2 0 recommends the completion and submittal of this Report with your bid. Purpose of this Report is to enable the West Virginia Division of Highways Evaluation Committee to make full and fair evaluation of the bid.

FAILURE TO SUBMIT THIS REPORT, COMPLETE IN ITS ENTIRETY, MAY SUBJECT THE BIDDER TO DISQUALIFICATION.

Reference Requisition No : 707EC005

Bidder's Name: STATE EQUIPMENT

Address: 560 NEW GOFF MTN. RD. CROSS LANES WV 25313

Telephone Number: (304) 776-4405

Years Bidder has been registered to do business with the State of West Virginia: 20 YRS.

Years Company has been an authorized dealer for proposed unit: 9 YRS.

X4 2 DELIVERY:

X4.2.1 Delivery date of completed representative unit: 100 Calendar Days After Date of Purchase Agreement

X4.2.2 Delivery date of balance of completed units: 185 Calendar Days After Date of Purchase Agreement

X5 0 AWARD CRITERIA;

X5 1 Prices for endloaders in quantities of	1-10	\$91,106	per unit
	11-20	\$91,106	per unit
	21-30	\$91,106	per unit
	31 and over	\$91,106	per unit

X6 0 SPECIFICATIONS - GENERAL

X6.1 Manufacturer, model, series, and date of manufacture of proposed unit:

2006 DOOSAN MEGA 200-V

Is descriptive literature, fully describing proposed unit attached to your bid?  YES  NO

If not, why? \_\_\_\_\_

X6 2 Will the required number of service manuals, and complete parts list be delivered to the Equipment Division at Buckhannon upon completion of delivery of total units?  YES  NO

Will the required Equipment Preventive Maintenance Form (Section X6 2 of Bidders Evaluation Report) be provided upon inspection of the pilot unit?  YES  NO

X62  
2-10-00

EQUIPMENT PREVENTATIVE MAINTENANCE QUESTIONNAIRE

THIS FORM MUST BE COMPLETED IN ITS ENTIRETY BY SUCCESSFUL BIDDER OR MANUFACTURER'S TECHNICAL REPRESENTATIVE PRIOR TO DELIVERY OF PILOT MODEL TO THE WVDOH.

DESCRIPTION: \_\_\_\_\_ MAKE: \_\_\_\_\_  
MODEL: \_\_\_\_\_ YEAR: \_\_\_\_\_ PURCHASE AMOUNT: \_\_\_\_\_

ENGINE: MAKE: \_\_\_\_\_ MODEL: \_\_\_\_\_ FUEL TYPE: \_\_\_\_\_  
HORSEPOWER: \_\_\_\_\_ CYLINDER: \_\_\_\_\_ ENGINE SERIAL: \_\_\_\_\_  
COOLING SYSTEM CAPACITY: \_\_\_\_\_

BELTS: DESCRIPTION: \_\_\_\_\_ PART NUMBERS: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

GVW: \_\_\_\_\_ AXLE CAPACITY: FRONT: \_\_\_\_\_ REAR: \_\_\_\_\_

TIRES: FRONT MAKE & SIZE: \_\_\_\_\_  
REAR MAKE & SIZE: \_\_\_\_\_

DIMENSIONS OF UNIT: LENGTH: \_\_\_\_\_ WIDTH: \_\_\_\_\_ LENGTH: \_\_\_\_\_

VENDOR CONTACT PERSON: \_\_\_\_\_ PHONE: \_\_\_\_\_

PARTS:

BATTERY MAKE: \_\_\_\_\_ MODEL: \_\_\_\_\_ CCA: \_\_\_\_\_  
TOP OR SIDE POST: \_\_\_\_\_ DIMENSIONS: LENGTH \_\_\_\_\_ WIDTH \_\_\_\_\_ HEIGHT \_\_\_\_\_  
SPARK PLUGS OR FUEL INJECTORS MAKE: \_\_\_\_\_ PART #: \_\_\_\_\_  
FUEL PUMP OR INJECTION PUMP MAKE: \_\_\_\_\_ MODEL: \_\_\_\_\_  
ALTERNATOR MAKE: \_\_\_\_\_ PART #: \_\_\_\_\_  
STARTER MAKE: \_\_\_\_\_ PART #: \_\_\_\_\_  
TURBO CHARGER MAKE: \_\_\_\_\_ PART #: \_\_\_\_\_  
TRANS. MAKE: \_\_\_\_\_ MODEL: \_\_\_\_\_ AUTO/MANUAL: \_\_\_\_\_  
HYDRAULIC PUMP MAKE: \_\_\_\_\_ MODEL: \_\_\_\_\_

FILTERS	MAKE	PART NO.	LUBRICANT	MANUFACTURER TYPE
OIL	_____	_____	ENGINE	_____
AIR INNER	_____	_____	TRANSMISSION	_____
AIR OUTER	_____	_____	POWER STEERING	_____
FUEL PRIMARY	_____	_____	HYDRAULIC	_____
FUEL SECONDARY	_____	_____	DIFFERENTIALS	_____
COOLANT	_____	_____	BRAKE FLUID	_____
HYDRAULIC	_____	_____	COOLANT	_____
OTHER	_____	_____	OTHER	_____



X6.3 TRAINING:

Will training seminar be conducted on Preventive Maintenance, Operator and Mechanic Training  YES  NO

Will you conduct training with each purchase order against this open end contract?  YES  NO

Will training be conducted within 2 working days from the delivery of the pilot unit on the individual purchase order?  YES  NO

If NO, explain time frame \_\_\_\_\_

Will an Operator's Manual be furnished to the Training Academy?  YES  NO

X6.4 If you are the successful vendor, will you furnish all training aids, i.e., videos, projectors, required in conducting the training?  YES  NO

X6.4.1 Will all manuals, booklets, etc. explaining preventive maintenance, operator procedures, and service schedule be delivered with each unit?  YES  NO

If NO, explain \_\_\_\_\_

X6.5 WARRANTY AND SERVICE POLICY

Will the warranty and service you provide comply with all areas as stated in Section 6.5 of specifications  YES  NO

Is warranty literature attached?  YES  NO

X6.5 WARRANTY AND SERVICE POLICY QUESTIONNAIRE

THIS FORM MUST BE COMPLETED IN ITS ENTIRETY BY THE SUCCESSFUL BIDDER OR MANUFACTURERS TECHNICAL REPRESENTATIVE PRIOR TO DELIVERY OF PILOT MODEL TO THE WVDOH (If additional lines are needed, make copies of form.)

1. Define the terms of the standard warranty. If not offered, so state. (Attach copy)  
SEE ATTACHED COPY

---

---

---

2. Define warranty service to be performed at DOH facilities and warranty service to be performed at manufacturer's representative facility. List name and location of manufacturer's representative.

STATE EQUIPMENT, INC. CHARLESTON, BRIDGEPORT, BECKLEY, PARKERSBURG

WARRANTY WORK PERFORMED @ OUR FACILITY = NO CHARGE

WARRANTY WORK PERFORMED @ DOH FACILITY= CHARGE FOR TRAVEL TIME AND MILAGE

3. List locations for parts inventories that are within the State of West Virginia Also, list availability levels, if known.

CHARLESTON, BRIDGEPORT, BEAVER, PARKERSBURG

4. During the term of warranty, list the guarantee discount to manufacturer's published list price for parts that bidder will sell the parts to owner.

- A. Terms: Net 30      Manufacturer's published list price less: 0 % discount
- B. Terms: Net 60      Manufacturer's published list price less: 0 % discount
- C. Terms: Net 90      Manufacturer's published list price less: 0 % discount

5. During the term of warranty, will all manufacturers or engineering improvements be submitted to Division of Highways?      X YES           NO

6. During the term of warranty, list the guaranteed rates charged for repair to the unit.

A. Shop Rate      \$ 70 per mechanic hour

B. Travel Time Charge      \$ 75 per mechanic hour  
(Specify if one-way)      \_\_\_\_\_; port to port X

C. Mileage Charge      \$ 1.25 per vehicle mile  
(Specify if one-way)      \_\_\_\_\_; port to port X

D. Field Mechanic Rate      \$ 75 per mechanic hour

E. Specify period of time that prices are in effect: 12 MONTH

F. Surcharge for miscellaneous items: 3 %

## X6.6 EVALUATION COMMITTEE REQUIREMENTS

Is all component specifications, product literature, component models provided for Evaluation Committee bid determination?  YES  NO

X6.7 Will all parts, equipment, accessories, material, design and performance characteristics not specified herein, but which are necessary to provide a complete unit, be furnished with the unit and conform in strength, quality of material, and quality of workmanship to those which are advertised and provided to the market in general by the unit industry?  YES  NO

X6.7.1 Are all parts and accessories adequate and regularly supplied as standard to be included except those which may be duplications of specifications herein, and except these by specification are not to be furnished?  YES  NO

X6.7.2 Are all standard safety features that are required by Federal and State statutes of law included?  YES  NO

## X7.0 SPECIFICATIONS OF THE QUOTED UNIT

The bidder should complete the following schedule in order for the Division to compare the actual bid unit to the specifications. Should the bidder except a requirement, then such exception may be only on the basis that such feature is not offered by the manufacturer. The Division will have the sole discretion as to whether the bidder's substitution meets the requirements of the specifications.

Manufacturer: DOOSAN Model: MEGA 200-V

X8.0 Endloader Specification:

X8.1 Operating weight: 25,330 pounds (exclusive of tire ballast)

X8.1.1 Breakout force: 22,930 pounds

X8.2 Overall length (bucket lowered): 23 foot

X8.3 Does loader have articulated frame and full hydraulic power steering?  YES  NO

X8.3.1 Tipping load straight: 16986 pounds

- X8.4 Overall height: 10' 7" to top of cab
- X8.4.1 Dumping clearance at maximum height and 45° dump angle: 111" inches
- X8.5 Are units provided with a quick coupler system for interchangeability of attachments, controlled from operator station X YES      NO
- X8.6 Do machine(s) have vandalism package/keyed alike? X YES      NO
- X8.7 Are daily services done from ground level? X YES      NO
- X8.8 Engine:
- X8.8.1 Is engine manufacturers water cooled diesel powered providing 143 HP and torque to operate machine and hydraulic system at maximum efficiency?  
X YES      NO  
Specify HP: 143
- X8.8.2 Is unit equipped with manufacturer's standard governor with key shut off, wire sealed by Manufacturer? X YES      NO
- X8.8.3 Engine equipped with an engine block water heating element (1500-2000 watt)? X YES      NO
- X8.8.4 Does heating element have male plug easily accessible, 110 volt AC? X YES      NO
- X8.9 Engine Lubrication:
- X8.9.1 Has full pressure lubrication with oil filter and oil by-pass system? X YES      NO
- X8.9.2 Is engine equipped with oil cooler? X YES      NO
- X8.10 Cooling System:
- X8.10.1 Is cooling system of manufacturers maximum to allow full capability of operation for all seasons? X YES      NO
- X8.10.2 Cooling system supplied with Dex-Cool or equal extended life anti freeze to -34°F? X YES      NO
- X8.10.3 Is coolant filter provided if recommended manufacturer for this application? X YES      NO

## X8.11 Air Induction System:

X8.11.1 Is dry type (2 stage) dual element air cleaner with pre-cleaner provided?  
 YES  NO

X8.11.2 Does unit have dash mounted air filter restriction indicator that is visible when service is required?  
 YES  NO

## X8.12 Exhaust System:

X8.12.1 Is complete exhaust system manufacturers standard for unit specified?  
 YES  NO

X8.12.2 Is exhaust pipe rain proof?  
 YES  NO

## X8.13 Electrical System:

X8.13.1 Is unit provided with manufacturers noise suppression wiring?  
 YES  NO

X8.13.2 Is system 12 volts/24 volts negative ground  
 YES  NO

X8.13.3 Are heavy duty CCA battery(s) provided?  
 YES  NO

CCA 950 reserve capacity 160

## X8.14 Charging System:

X8.14.1 Alternator AMPS: 70 with internal regulator?  YES  NO

## X8.15 Engine Fuel System:

X8.15.1 Is fuel capacity at least 12 working hours  
 YES  NO

X8.15.2 Is unit provided with a fuel/water separator?  
 YES  NO

X8.15.3 Is dual stage fuel filtering provided?  
 YES  NO

## X8.16 Transmission:

X8.16.1 Is transmission full power shift with torque converter capable of "on the Go" shifting in all ranges?  YES  NO

Does it have full automatic feature with on-board diagnostic capabilities and kickdown controls  YES  NO

X8.16.2 Is torque converter capable of handling maximum power output of engine?  YES  NO

X8.16.3 Number of forward speeds 4 Number of reverse speeds 3 ?

Top forward ground speed: 24 MPH HP

X8.16.4 Is neutral start switch provided for safety purposes?  YES  NO

## X8.17 Differential:

X8.17.1 Is front and rear differential manufacturers conventional type?  YES  NO

## X8.18 Axles:

X8.18.1 Is front axle fixed?  YES  NO

X8.18.2 Oscillation of rear axle: 11 degrees

## X8.19 Brakes:

X8.19.1 Is Manufacturers recommended emergency braking system provided?  YES  NO

X8.19.2 Is emergency brake independent of service brake?  YES  NO

X8.19.3 Are service brakes powered assisted hydraulic actuated?  YES  NO

X8.19.4 Are service brakes wet disk type?  YES  NO

## X8.20 Hydraulic System:

X8.20.1 Does unit provide hydraulic lift, lower, dump, roll back and float  YES  NO

Does unit have third spool auxiliary valve and cab controller  YES  NO

- X8.20.2 Are hydraulic cylinders double action chrome plated piston type?  YES  NO
- X8.20.3 Is hydraulic oil cooler provided if recommended by manufacturer?  YES  NO
- X8.20.4 Is sight glass provided for daily service checks?  YES  NO
- X8.20.5 Hydraulic system relief pressure: 2874 P.S.I.
- X8.20.6 Is Manufacturers standard hydraulic filtering system provided?  YES  NO
- X8.21 Tires and Wheels:
- X8.21.1 Are wheels manufacturers recommended size for unit bid?  YES  NO  
Specify size 17.5 X 25 X 12 PR
- X8.21.2 Are tires grader/loader type tubeless radials front and rear?  YES  NO  
Specify size: 17.5 X 25 X 12 PR
- X8.21.3 Overall tire width (outside left to outside right): 7 feet 4 inches
- X8.22 Cab and related accessories:
- X8.22.1 Is cab OSHA approved ROPS?  YES  NO
- X8.22.2 Is cab insulated and pressurized?  YES  NO
- X8.22.3 Is cab equipped with heater, defroster, air conditioning installed by the manufacturer?  YES  NO
- X8.22.4 Is cab equipped with wipers and washers front and rear?  YES  NO
- X8.22.5 Is Manufacturers tinted safety glass at all locations?  YES  NO
- X8.22.6 Are left and right rear view mirrors and in cab rear view mirror provided?  YES  NO
- X8.22.7 Does cab have one (1) lockable entry door?  YES  NO
- X8.22.8 Are doors hinged at rear to provide front to back opening  YES  NO

- X8.22.9 Is unit provided with non-skid steps and hand holds  YES  NO
- X8.22.10 Is seat cloth type with scotchguard or equal and with adjustable seat belt  YES  NO
- X8.22.11 Is seat equipped with adjustable arm rests?  YES  NO
- X8.22.12 Does seat provide height and weight adjustments?  YES  NO
- X8.22.13 Is unit equipped with adjustable tilt and telescoping steering wheel for easier operator control?  YES  NO
- X8.22.14 Are fenders provided front and rear?  YES  NO
- X8.22.15 Is fire extinguisher provided and mounted on unit?  YES  NO
- X8.22.16 Is AM/FM radio provided and installed in unit?  YES  NO
- X8.23 Lighting System:
  - X8.23.1 Is unit equipped with two (2) hi/low halogen beam front lights for tramming and working?  YES  NO
  - X8.23.2 Does unit have four (4) work lights; two (2) front/two (2) rear cab mounted work lights  YES  NO
  - X8.23.3 Does unit have flash/turn signals (front and rear), stoplights, and taillights?  YES  NO
  - X8.23.4 Does unit have console and dome lighting?  YES  NO
  - X8.23.5 Is unit equipped with low profile high intensity strobe light mounted at top rear of cab as specified  YES  NO

If NO, explain \_\_\_\_\_

\_\_\_\_\_
- X8.23.6 Is unit equipped with audible OSHA approved reverse alarm?  YES  NO
- X8.23.7 Is articulation locking bar and pin provided?  YES  NO
- X8.24 Unit Instrumentation:
  - X8.24.1 Tachometer?  YES  NO



- X8.24.2 Speedometer?  YES  NO
- X8.24.3 Does hour meter operate from engine operation?  YES  NO
- X8.24.4 Fuel gauge?  YES  NO
- X8.24.5 Ammeter/ or volt meter?  YES  NO
- X8.24.6 Does coolant temperature indicator have audible buzzer or visual warning light?  YES  NO
- X8.24.7 Does engine oil pressure indicator have audible buzzer or visual warning light?  YES  NO
- X8.24.8 Does unit have transmission oil temperature indicator?  YES  NO
- X8.24.9 Does unit have transmission oil pressure indicator?  YES  NO
- X8.24.10 All features considered to be standard equipment not addressed above:  
SEE BROCHURE
- X8.24.11 Will unit be delivered to WV DOH with manufacturer's safety decals and features intact?  YES  NO
- X8.24.12 Is one (1) complete set of replacement filters for each unit provided?  YES  NO
- X8.25 Bucket:
- X8.25.1 Bucket capacity struck: 1.47 Cu Yd. Heaped capacity: 1.76 Cu Yd
- X8.25.2 Bucket width: 98 inches
- X8.25.3 Bucket roll back 46 degrees at ground level and dump at full height  
52 degrees
- X8.25.4 Does unit have automatic return to work leveler for bucket and attachments  YES  NO
- X8.25.5 Are replaceable cutting edge and bottom wear strips provided  YES  NO

- X8.25.6 Is cutting edge welded to bucket and bolt on replaceable cutting edge mounted under it?  YES  NO
- X8.25.7 Digging depth below horizontal (bucket level): 6.8 inches
- X8.26 Forks:
- X8.26.1 Are forks heavy duty steel construction?  YES  NO
- X8.26.2 Is carriage of heavy duty steel construction?  YES  NO
- X8.26.3 Carriage size: 7/8" inch side plates and 79.5 inches wide?
- X8.26.4 Tines/Forks: 6 inches wide and 48 inches long
- X8.26.5 Tines/Forks: 2 inches thick at heel and forged solid steel  YES  NO
- X8.26.6 Tines/Forks mounted on 2.5 inches diameter round bar  
Adjustable laterally 60 inches
- X8.27 Material Handling Boom:
- X8.27.1 Is material handling boom of heavy duty construction with hook?  YES  NO
- X8.27.2 Boom has 3 locking sections Boom reach: 14.5 feet
- X8.28 Paint:
- X8.28.1 Is endloader painted Federal Standard White 595A (NO. 17875)?  YES  NO
- X8.28.2 Will detail/decorative stripes be provided and installed on unit by successful bidder?  YES  NO
- X8.28.3 Are stripe(s) width 4 inches as specified?  YES  NO
- X8.28.4 Does striping method and striping material meet required specifications quoted in sections 8.28.4; 8.28.5; and 8.28.6?  YES  NO
- If NO, explain \_\_\_\_\_  
\_\_\_\_\_

- X8.28.7 Describe color and type of material of upper stripe:  
DARK BLUE 4" REFLEXITE  
D82-2342-040150
- 
- X8.28.8 Describe color and type of material of lower stripe:  
LIGHT GOLD 4" REFLEXITE  
D82-1842-040150
- 
- 8.28.9 Will bidder consult WV DOH on proposed striping?  YES  NO
- X8.28.10 Has bidder attached paint plan (chips/samples/striping details) to compliance form?  YES  NO
- If no will samples be submitted?  YES  NO
- X8.28.11 Describe manufacturers paint procedure as specified in sections 8.30.11; 8.30.12; and 8.30.13  
MANUFACTURES STANDARD PAINTING PROCEDURES WITH  
DOH SPECIFIED FEDERAL STANDARD WHITE.
- 
- X8.28.14 Is white paint specified applied over top of manufacturer's standard color?  
 YES  NO
- X8.28.15 Are areas of distinct color(s) (e.g. safety reason) be painted as they normally would?  
 YES  NO
- X8.29 Does proposed unit meet or exceed the "OSHA of 1970" and/or subsequent changes?  
 YES  NO
- X8.30 Does unit conform to the advertising guidelines?  YES  NO
- X8.31 Preventive Maintenance and Operators Orientation/Training:
- X8.31.1 Have you attached a copy of proposed training program. Attach schedule describing course offered with a brief explanation of each subject with the time required for each class. Do not attach instruction material or manuals. Will you furnish all training aids; i.e. videos, projectors, etc., required in conducting the training?  
 YES  NO

# AFFIDAVIT

**West Virginia Code §5A-3-10a states:**

No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owned is an amount greater than one thousand dollars in the aggregate

**DEFINITIONS:**

'Debt' means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

'Debtor' means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions.

'Political subdivision' means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities.

'Related party' means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceeds five percent of the total contract amount.

**EXCEPTION:**

The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

**LICENSING:**


The vendor must be licensed in accordance with any and all state requirements to do business with the state of West Virginia


**CONFIDENTIALITY:**

The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendors should visit [www.state.wv.us/admin/purchase/privacy](http://www.state.wv.us/admin/purchase/privacy) for the Notice of Agency Confidentiality Policies.

Under penalty of law for false swearing (West Virginia Code, §61-5-3), it is hereby certified that the vendor acknowledges the information in this said affidavit and are in compliance with the requirements as stated

Vendor's Name: STATE EQUIPMENT, INC.

Authorized Signature:  via President Date: 9/19/06





*Infracore  
America*

## NEW MACHINE WARRANTY

Doosan Infracore America (DIA) warrants the Daewoo Wheel Loader, hereinafter referred to as Machine to be free from defects in material and workmanship. If any part of Machine proves defective in material and or workmanship during the warranty period, Daewoo (Dealer) shall repair or replace free of charges including Related labor or any such defective part. The warranty period is 12 months or 1,500 hours, whichever occurs first, after the date of delivery of Machine to the original retail purchaser.

This warranty does not apply in the following cases even when they occur during the warranty period

- (1) Damage or defects caused by accident, misuse, negligence or natural calamity.
- (2) Damage or defects caused by using other than DIA genuine parts or installing attachments to machine not authorized in writing by DIA (Dealer)
- (3) Change, alteration or modification to Machine or any of its components/parts by other than DIA nominated dealers which in the sole judgement of DIA, affects the performance, stability or purpose for which it was manufactured
- (4) Slight defects which generally do not affect the stability or reliability of Machine
- (5) Service maintenance, such as engine cleaning, replacement of consumable parts, lubrication and brake adjustment, etc.
- (6) Consumable articles, such as oil, grease, fan belt, gaskets, fuses, brake or clutch lining, fuel filter, tires, cables, carbon brushes, bulbs, fuel injection nozzles, glow plugs and other similar parts.

This warranty is expressly in lieu of any other warranties, express or implied, including any warranty of merchantability or fitness for a particular purpose.

The liability of DIA under this warranty is expressly limited to the provisions specified above and in no event shall DIA incur any liability (including liability for general, special, incidental or consequential damages, economic or moral loss, arising out of any failure of Machine) which is not expressly assumed by DIA under this warranty. In all matters DIA's decision is final.



# STATE EQUIPMENT, INC.

P O BOX 3939  
CHARLESTON WV 25339

PHONE: 304-776-4405

FAX: 304-776-4409

INFO@STATEEQUIPMENT.COM

WWW.STATEEQUIPMENT.COM

---

## Maintenance and Operator Training

State Equipment, Inc. in conjunction with the wheel loader manufacturer will conduct maintenance and operators training session to the satisfaction of the WVDOH. The session will cover daily maintenance operations and machine orientation. It should take approximately two hours and will be conducted at the WVDOH Buckhannon facility. Training will take place within two working days from delivery of pilot unit