

***709015804**

100 COLLEGE DRIVE

LEMONT FURNACE PA

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

UNIONTOWN INDUSTRIAL EQUIP CO

724-437-1578

15456

Request for Quotation

707EC008



ADDRESS CORRESPONDENCE TO A THENTION OF JOHN JOHNSTON 304-558-2402

DIVISION OF HIGHWAYS EQUIPMENT DIVISION ROUTE 33 BRUSHY FORK ROAD

BUCKHANNON, WV 26201

304-472-1750

DATE PRINTED TEAMS OF SALE SHIP VIA FO.B FREIGHT, TEMMS 08/24/2006 BID OPENING DATE: 10/04/2006 BID OPENING TIME 01:30PM CAT UNE OUANTITY ... UOP ITEM NUMBER UNITPRICE AMOUNT 0001 EΑ 760-66 3 \$31,854.40 **\$31,854.**50 DOUBLE DRUM VIBRATORY ROLLER/COMPACTOR OPEN END CONTRACT TO PROVIDE DOUBLE DRUM VIBRATORY ROLLER/COMPACTOR AS DESCRIBED IN ATTACHED PROCUREMENT SPECIFICATION 591-2-K. THERE WILL BE A MANDATORY PRE-BID CONFERENCE AT THE STATE CAPITOL COMPLEX, BUILDING 15, CONFERENCE ROOM, AT 10:00 AM ON 9/22/06. FAILURE TO ATTEND THE PRE-BID CONFERENCE WILL RESULT IN BID DISQUALIFICATION. QUESTIONS: WRITTEN QUESTIONS WILL BE ACCEPTED THROUGH CLOSE OF BUSINESS (5:00PM EST) ON WEDNESDAY 9/13/06. SEND YOUR QUESTIONS TO: PURCHASING DIVISION NOTENHOL NOITHETTA 2019 WASHINGTON ST. E. CHARLESTON, WV. 25305 QUESTIONS MAY BE SENT VIA FAX, E-MAIL, OR REGULAR MAIL E-MAIL: JJOHNSTONDWVADMIN.GOV 304-558-4115 IT IS THE VENDORS RESPONSIBILITY TO VERIFY THAT THEIR QUESTIONS HAVE BEEN RECEIVED BY CALLING 304-558-2402. EXHIBIT 2 LIFE OF CONTRACT: THIS CONTRACT BECOMES EFFECTIVE ON AND EXTENDS FOR A PERIOD OF ONE (1) YEAR OR UNTIL SUCH "REASONABLE TIME" THEREAFTER AS IS NECESSARY TO DETAIN A NEW CONTRACT OR RENEW THE ORIGINAL CONTRACT. THE "REASONABLE TIME" PERIOD SHALL SEE AEVERSE SIDE FOR TERMS AND CONDITIONS TELEPHONE <u>724-437-1578</u> 10/02/06 ADDRESS CHANGES TO BE NOTED AROVE <u> 25-1389</u>795



State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for REONUMBER Quotation

<u>707EC0</u>08



ADDRESS CORRESPONDENCE TO ALIENTION OF NOTENHOL NHOL 304-558-2402

*709015804 724-437-1578 UNIONTOWN INDUSTRIAL EQUIP CO 100 COLLEGE DRIVE LEMONT FURNACE PA 15456

DIVISION OF HIGHWAYS EQUIPMENT DIVISION ROUTE 33 BRUSHY FORK ROAD BUCKHANNON, WV 26201

304-472-1750 DATE PRINTED TERMS OF SALE SHIP VIA F.Q.8 FREIGHT TERMS 08/24/2006 BID OPENING DATE: 10/04/2006 BID OPENING TIME 01:30PM LINE QUANTITY CAT NO UOP ITEM NUMBER UNITPRICE AMOUNT

NOT EXCEED TWELVE (12) MONTHS. DURING THIS "REASONABLE TIME" THE VENDOR MAY TERMINATE THIS CONTRACT FOR ANY REASON UPON GIVING THE DIRECTOR OF PURCHASING THIRTY (30) DAYS WRITTEN NOTICE.

UNLESS SPECIFIC PROVISIONS ARE STIPULATED IN THIS CONTRACT DOCUMENT, THE TERMS, CONDITIONS, AND PRICING SET HEREIN ARE FIRM FOR THE LIFE OF THE CONTRACT.

THIS CONTRACT MAY BE RENEWED UPON THE MUTUAL RENEWAL: WRITTEN CONSENT OF THE SPENDING UNIT AND VENDOR, SUBMITTED TO THE DIRECTOR OF PURCHASING THIRTY (30) DAYS PRIOR TO THE EXPIRATION DATE. SUCH RENEWAL SHALL BE IN ACCORDANCE WITH THE TERMS AND CONDITIONS OF THE ORIGINAL CONTRACT AND SHALL BE LIMITED TO TWO (2) ONE (1) YEAR PERIODS.

CANCELLATION: THE DIRECTOR OF PURCHASING RESERVES THE RIGHT TO CANCEL THIS CONTRACT IMMEDIATELY UPON WRITTEN NOTICE TO THE VENDOR IF THE COMMODITIES AND/OR SERVICES SUPPLIED ARE OF AN INFERIOR QUALITY OR DO NOT CONFORM WITH THE SPECIFICATIONS OF THE BID AND CONTRACT HEREIN.

OPEN MARKET CLAUSE: THE DIRECTOR OF PURCHASING MAY AUTHORIZE A SPENDING UNIT TO PURCHASE ON THE OPEN MARKET, WITHOUT THE FILING OF A REQUISITION OR COST ESTIMATE, ITEMS SPECIFIED ON THIS CONTRACT FOR IMME-DIATE DELIVERY IN EMERGENCIES DUE TO UNFORESEEN CAUSES (INCLUDING BUT NOT LIMITED TO DELAYS IN TRANSPORTATION OR AN UNANTICIPATED INCREASE IN THE VOLUME OF WORK).

QUANTITIES LISTED IN THE REQUISITION ARE QUANTITIES: APPROXIMATIONS DNLY, BASED ON ESTIMATES SUPPLIES BY THE STATE SPENDING UNIT. IT IS UNDERSTOOD AND AGREED THAT THE CONTRACT SHALL COVER THE QUANTITIES ACTUALLY DRDERED FOR DELIVERY DURING THE TERM OF CONTRACT,

SECREVERSE SIDE FOR TERMS AND CONDITIONS

TELEPHONE 724-437-1578

10/02/06

VICE PRESIDENT 25-1389795

ADDRESS CHANGES TO BE NOTED ADOVE



DOL

VICE PRESIDENT

***709015804**

100 COLLEGE DRIVE

LEMONT FURNACE PA

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Dox 50130 Charleston, WV 25305-0130

UNIONTOWN INDUSTRIAL EQUIP CO


724-437-1578

15456

2<u>5-13897</u>95

Request for Quotation

7<u>07EC008</u>



ADDHESS CORRESPONDENCE TO ATTENTION OF NOTSNHOL NHOL 304-558-2402

DIVISION OF HIGHWAYS EQUIPMENT DIVISION ROUTE 33 BRUSHY FORK ROAD BUCKHANNON, WV 26201

304-472-1750

10/02/06

ADDRESS CHANGES TO RE NOTED ABOVE


*DATE PRINTED TERMS OF SALE SHIP VIA F.O.B FREIGHTTERMS 08/24/2006 BID OPENING DATE: <u> 10/04/2006</u> BID OPENING TIME LÎNE * 01:30PM CAT NO CUANTITY UÓP TEM NUMBER UNIT PRICE AMOUNT WHETHER MORE OR LESS THAN THE QUANTITIES SHOWN. ORDERING PROCEDURE: SPENDING UNIT(S) SHALL ISSUE A WRITTEN EQUIPMENT CONTRACT ORDER (FORM NUMBER WV-35) FOR COMMODITIES COVERED BY THIS CONTRACT. WV-35 MUST BE SENT TO THE PURCHASING DIVISION OF THE DEPARTMENT OF ADMINISTRATION. AFTER APPROVAL AND ENCUMBRANCE, ONE COPY OF THE PURCHASE ORDER WILL BE RETURNED TO THE SPENDING UNIT AND DIE COPY FOR-WARDED TO THE VENDOR AS AUTHORIZATION FOR SHIPMENT. NO ORDER IS VALID UNLESS APPROVED AND ENCUMBERED BY THE PURCHASING DIVISION. IN THE EVENT THE VENDOR/CONTRACTOR FILES BANKRUPTCY: FOR BANKRUPTCY PROTECTION, THIS CONTRACT IS AUTOMATI-CALLY NULL AND VOID, AND IS TERMINATED WITHOUT FURTHER REV. 9/98 EXHIBIT 6 PRICE ADJUSTMENT PROVISION: THE STATE OF WEST VIRGINIA WILL CONSIDER BIDS THAT CONTAIN PROVISIONS FOR PRICE ADJUSTMENTS PRIOR TO THE ORIGINAL EXPIRATION OF THE CONTRACT, PROVIDED THAT SUCH PRICE ADJUSTMENT COVERS BOTH UPWARD AND DOWNWARD MOVEMENT OF THE COMMODITY PRICE, AND THAT ADJUSTMENT IS BASED ON THE "PASS THROUGH" INCREASE OR DECREASE OF RA MATERIALS AND/OR LABOR, WHICH MAKE UP ALL OR A SUBSTANTIAL PART OF A PRODUCT. ADJUSTMENTS ARE TO BE BASED UPON AN ACTUAL DOLLAR FIGURE, NOT A PERCENTAGE. ALL PRICE ADJUSTMENT REQUESTS MUST BE SUBSTANTIATED IN A MANNER ACCEPTABLE TO THE DIRECTOR PURCHASING, E.G. GOVERNMENTAL BENCH MARKS, GENERAL MARKET INCREASE, SEE REVERSE SIDE FOR TERMS AND CONDITIONS IGNATURE TELEPHONE <u>724-437-1578</u>



State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for Quotation

<u> 707EC008</u>



ADBRESS CORRESPONDENCE TO ATTENTION OF

JOHN JOHNSTON 304-558-2402

DIVISION OF HIGHWAYS EQUIPMENT DIVISION ROUTE 33 BRUSHY FORK ROAD BUCKHANNON, WV 26201 304-0

304-472-1750

*709015804 724-437-1578 UNIONTOWN INDUSTRIAL EQUIP CO 100 COLLEGE DRIVE

LEMONT FURNACE PA 15456


			**************************************	- · ·	304-472-1750
DATE PR	The state of the s	ERMS OF SALE	SHIP VIA	. For	
08/24 TID OPENING DAT	/2006				FREIGHTTERIUS
LÍNE	St 150° See See Land 10 200 See See See	1/2006	BID	OPENING TIME	01:30PM
LINE	QUANTITY	UOP CAT.	ITEM NUMBER	UNO PRICE	AMOUNT
	PUBLISHED F	RICE LISTS.	SUCH REQUESTS	EDB AND THAT	
	h analivatio	MI LEWARN SI	II IIAVC TREAMSIASIAS		ナモルト
					R
,			THE ADUSTMENT IN		
	CANCEL THE	CONTRACT.	INE ADOSTMENT TO	ITS ENTIRETY	AND
		,	•		
. **	:	VENDOR PR	EFERENCE CERTIFI	CATE	
ing the	CEDTTETCATT	1 1			
	PREFERENCE	UN AND APPL	ICATION* IS HERE	BY MADE FOR	
	5A-3-37 (DO	ES NOT APPL	CE WITH WEST VIR Y TO CONSTRUCTIO	GINIA CODE,	
	1	1 1	•		
	A. APPLICA	TION IS MADE	FOR 2.5% PREFE	PENCE COS TUE	
	REASON CHEC	(ED:		WENCE FOR THE	
	() pinner				
İ	HAS RESIDED	CONTINUOUS INDI	VIDUAL RESIDENT	VENDOR AND	j
	(4) YEARS IN	MEDIATEL V P	Y IN WEST VIRGING THE DA	VIA FOR FOUR	
	CERTIFICATIO	N; DR	WECEDING THE DA	IE OF THIS	
ĺ					
	() BIDDER	IS A PARTN	ERSHIP, ASSOCIAT	TION OR CORPOR	Λ_
į.	4 ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	raivilent e	IACE DE BUCTUESIA		IN
			(4) YEARS IMMEDITION; OR 80%		1G
#	ついにはだいろにましょ	ASSULTATION	N 1112 CODDONA *** (v		·n
l'		INTRACTOR INC.	MEALINIAN LEGG AND	D B = 11 a	1
17	· · · · · · · · · · · · · · · · · · ·	VVIII THEOUSE.	Y IN WEST VIDATE	Y 4 Process	5
I -	ERTIFICATIO	1 1 5 6 7 7 K G U E 1	DING THE DATE OF	THIS	
	,		ļ		
C) BIDDER	IS A CORPOR	RATION NONRESIDE	NT VENDOR	
			1		
TURE.	That he	A SCENE PER	SE SIDE FOR TERMS AND COND	The state of the s	
	IFEI (FEI	JUELL	1 -	-437-1578 OAT	10/02/06
VICE PRE		<u>25</u> -1389799	5		FRIO DE NOTED ADOLE
* * * * * * * * * * * * * * * * * * * *	-				



State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for Quotation

707EC008



JOHN JOHNSTON
304-558-2402

DOUZIN<

*709015804 724-437-1578 UNIONTOWN INDUSTRIAL EQUIP CO 100 COLLEGE DRIVE

LEMONT FURNACE PA 15456

DIVISION OF HIGHWAYS EQUIPMENT DIVISION ROUTE 33 BRUSHY FORK ROAD BUCKHANNON, WV 26201 304-6

304-472-1750

	004 415-1150
DATE PRINTED TERMS OF SALE SHIP WA	
08/24/2006 Fos	FAEIGHTTERMS
BID OPENING DATE: 10 (06 (200)	
LINE CHANTIES CAT BID UPENING TIM	IE 01:30PM
NO ITEM NUMBER UNIT PRICE	AMOUNT
WHICH HAS AN AFFILIATE OR SUBSIDIARY WHICH EMPLOY	
The state of the control of the cont	Ture J
CERTIFICATION.	1112
B APPLICATION TO WAR	
B. APPLICATION IS MADE FOR 2.5% PREFERENCE FOR THE	4E
MEASON CHECKED:	
BIDDER IS A PECTAGENT VENTAGE	
	IAT,
75% OF THE EMPLOYEES WORKING ON THE PROJECT BEING ARE RESIDENTS OF WEST VIRGINIA WHO HAVE RESIDED IN	BID
PRECEDING SUBMISSION OF THIS BID;	LY
jur j j],
() BIDDER IS A NONRESIDENT VENDOR EMPLOYING A	
1, _ 1, 1, m A why 13 M L 18 1, 1 18 1 18 1 18 1 18 1 4 1 4 1 4 1 4 1 4 1 4 1 4 1 4 1	
	E.
	T T
	VIA
YEARS IMMEDIATELY PRECEDING SUBMISSION OF THIS BID.	
BIDDER UNDERSTANDS IF THE SECRETARY OF TAX & REVENU	ie
FAILED TO CONTINUE TO MEET THE BEST FRENCE HAS	
FAILED TO CONTINUE TO MEET THE REQUIREMENTS FOR SUC PREFERENCE, THE SECRETARY MAY ORDER THE DIRECTOR OF PURCHASING TO: (A) RESCIND THE DIRECTOR OF	н
PURCHASING TO: (A) RESCIND THE CONTRACT OR PURCHAS	
ORDER ISSUED; OR (B) ASSESS A PENALTY AGAINST SUCH	E
BIDDER IN AN AMOUNT NOT TO EXCEED 5% OF THE BID AMOUNT	
	UNT
ATURE SEE BENGING FOR TERMS AND CONDITIONS	
TELEPHONE TELEPHONE	DATE
VICE PRESIDENT 25-1389705 ADDRESS CHA	10/02/06
WHEN DESCAIDING TO THE 25-1389795 ADDRESS CHA	INGES TO BE NOTED ABOVE



***709015804**

100 COLLEGE DRIVE

LEMONT FURNACE PA

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

UNIONTOWN INDUSTRIAL EQUIP CO

724-437-1578

15456

Request for Quotation



707EC008

ADDRESS CORRESPONDENCE (OAN ENHOR OF NOTENHOL NHOL 304-558-2402

DIVISION OF HIGHWAYS EQUIPMENT DIVISION ROUTE 33 BRUSHY FORK ROAD BUCKHANNON, WV

304-472-1750

26201 DATE PRINTED TERMS OF SALE SHIP VIA FO B 08/24/2006 BID OPENING DATE: 10/04/2006 BID OPENING TIME <u>01:</u>30PM LINE QUANTITY UOP TEM NUMBER UNIT PRICE AMOUNT: AND THAT SUCH PENALTY WILL BE PAID TO THE CONTRACTING AGENCY OR DEDUCTED FROM ANY UNPAID BALANCE ON THE CONTRACT OR PURCHASE ORDER. BY SUBMISSION OF THIS CERTIFICATE, BIDDER AGREES TO DISCLOSE ANY REASONABLY REQUESTED INFORMATION TO THE PURCHASING DIVISION AND AUTHORIZES THE DEPARTMENT OF TAX AND REVENUE TO DISCLOSE TO THE DIRECTOR OF PURCHASING APPROPRIATE INFORMATION VERIFYING THAT BIDDER HAS PAID THE REQUIRED BUSINESS TAXES. PROVIDED THAT SUCH INFORMATION DOES NOT CONTAIN THE AMOUNTS OF TAXES PAID NOR ANY OTHER INFORMATION DEEMED BY THE TAX COMMISSIONER TO BE CONFIDENTIAL. UNDER PENALTY OF LAW FOR FALSE SWEARING (WEST VIRGINIA CODE 61-5-3), BIDDER HEREBY CERTIFIES THAT THIS CERTIFICATE IS TRUE AND ACCURATE IN ALL RESPECTS; AND THAT IF A CONTRACT IS ISSUED TO BIDDER AND IF ANYTHING CONTAINED WITHIN THIS CERTIFICATE CHANGES DURING THE TERM OF THE CONTRACT, BIDDER WILL NOTIFY THE PURCHASING DIVISION IN WRITING IMMEDIATELY. RIDDEK: MMIOMIOMM INDPRIRIT EOUIF CO LUC OCTOBER 2 2 2006 DATE: TITLE: ----YICE_PRESIDENT * CHECK ANY COMBINATION OF PREFERENCE CONSIDERATION(S) IN EITHER "A" OR "B", OR BOTH "A" AND "B" WHICH YOU AR REE REVERSE SIDE FOR TERMS AND CONDITIONS GNATURE TELEPHONE 724-437-1578 10/02/06 VICE PRESIDENT 25-1389795 ADDRESS CHANGES TO BE NOTED ABOVE



State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation 70.75.00

707EC008



ADDRESS:CORRESPONDENCE TO A LITERATION OF JOHN JOHNSTON 304-558-2402

DIVISION OF HIGHWAYS EQUIPMENT DIVISION ROUTE 33 BRUSHY FORK ROAD BUCKHANNON, WV

26201 304-472-1750

*709015804 724-437-1578 UNIONTOWN INDUSTRIAL EQUIP CO 100 COLLEGE DRIVE

LEMONT FURNACE PA 15456

	RINTED	* SETE	MS OF SA	Les de la compa	SHIP VIA			0.6	en de la companya de	
8ID OPËNING D	24/2006 ATE:	10/0/				<u> </u>			FRE	SHT TERMS
LINE	AUG STEEL	10/04/ VIII*	2006 UGP	CA NO	ITEM NUMBE	BID	OPENING UN	TIME TPRICE	01:30PM	AMOUNT
	ENTITL 5% PRE (REV.			VE. BOTH	YOU MAY REQ "A" AND "B	UEST	UP TO TI	HE MAXIM		
				тои						
	A SIGNE	D BID	MUST	BE S	UBMITTED TO	:				
	BL	ILDING	ING DI 5 15	VISI						
		19 WAS	CHINGT ON, W	ON ST	REET, EAST					
	THE BID THE ENV		D CON	TAIN E BID	THIS INFORM MAY NOT BE	ATION CONS	ON THE	FACE OF		
	BUYER:			3	3					
	RFQ. NO.	. :	,	7 (07EC008					3
	BID OPEN	ling D	TE AN	ID TIN	1E					
	PLEASE P TO CONTA	ROVIDE CT YOU	A FA REGA	X NUM RDING	BER IN CASE YOUR BID:	IT	S NECES	SARY		
- <u> </u>					<u>437-2098</u>			b		And the second s
NATURE	701, 1			EREVER	PE SIDE FOR TERMS AN		IONS .			
E		FEIN					37-1578		0/02/06	
VICE PR	ESIDENT		25-1	38979	25		ADDRE	SS CHANGES		




State of West Virginia
Department of Administration
Request for
Quotation Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Requirements

0-1 d-19

707EC008



иотгинас инос

ADDRESS:CORRESPONDENCES O ATTENTION OF 304-558-2402 DIVISION OF HIGHWAYS

***709015804** 724-437-1578 UNIONTOWN INDUSTRIAL EQUIP CO 100 COLLEGE DRIVE

LEMONT FURNACE PA 15456

EQUIPMENT DIVISION ROUTE .33 BRUSHY FORK ROAD BUCKHANNON, WV 26201 304-472-1750

DATE PRINTED	TERMS OF SALE	SHIP VIA	[50 500 50 50 50 50 50 50 50 50 50 50 50	
08/24/2006			F.O.8	FREIGHTTERMS
BID OPENING DATE;	10/04/2006	· BID	ODENTILO TIMO	
4 Prof. Comp. 10, 100 (100) 100 (100) 100, 150 (100) 100 (100) 100 (100)	YTITY ÜÖP ÖAT NO	TEM NUMBER	kantatan dan beradakan kerebakan bahan berdalah berbebah bahan berdakan kelebah berdalak	1:30PM
	NO.	- III JUMDEIX	UNIT PRICE	AMOUNT
-				
CONTAC	T PERCON CO			
CONTAC	T PERSON (PLEASE	PRINT CLEARLY):		
		HAEL W_ CLOWER	•	
				,
****	THIS IS THE END	OF RFQ 707ECO	OR ***** TOTAL:	\$31,854,50
, , ,			TO INC.	
		}	***************************************	
		ļ		
	,			
†				
		į		
	and the state of t	-		
***************************************	Transmission .			
				j
į				

			j	
NATURE	/ SEE REVERSE	SIDE FOR TERMS AND CONDITI	ONS STATE OF THE PROPERTY OF T	
1011 1 1 March	1. Willer	TELEPHONE	DATE	
VICE DESTRUM	FEIN	/24-4	437-1578 10	/02/06
VICE PRESIDENT	25-13897	95	ADDRESS CHANGES TO	BE MOTEN ADDITE



WEST VIRGINIA DEPARTMENT OF TRANSPORTATION DIVISION OF HIGHWAYS EQUIPMENT DIVISION

PROCUREMENT SPECIFICATIONS NO. 591-2-K

DOUBLE DRUM VIBRATORY ROLLER/COMPACTOR

1.0 PURPOSE

It is the purpose of these specifications to describe a Double Drum Vibratory Roller/Compactor (hereinafter referred to as a "roller" or a "unit") to be purchased for use by the West Virginia Division of Highways (DOH) on an Open End Contract basis.

2.0 BIDDING PROCEDURES

The current purchasing procedures regarding bidding as established by the Department of Administration, Purchasing Division, shall apply. Failure to submit the "Request for Quotation" forms, complete in its entirety and according to directions indicated, may subject the bidder to disqualification. Each bid submitted shall also be accompanied by a Bidder's Evaluation Report completed in detail. FAILURE TO SUBMIT THE BIDDER'S EVALUATION REPORT, COMPLETE IN ITS ENTIRETY, MAY RESULT IN AUTOMATIC DISQUALIFICATION.

3.0 SPECIFICATIONS

iv dv

44

The specifications named herein, mandatory and non-mandatory, establish the acceptable level of quality only and are not intended to reflect a preference or favor any particular brand or vendor.

3.1 EXCEPTIONS TO NON-MANDATORY SPECIFICATIONS

Exception to a non-mandatory unit specification may be made by the bidder, providing the exception is not available from the manufacturer. Any such exception must be noted on the bidder's evaluation report and should be accompanied by supporting documentation/literature from the manufacturer. Any exception must be indicated on a separate attachment to the bidder's evaluation report and labeled as "Exception to Specifications". The state reserves the right to determine whether the stated exception does or does not reduce the quality and performance of the unit. Failure to provide information for any exceptions may be grounds for rejection of the bid. The state reserves the right to waive minor irregularities in bids or specifications in accordance with §148-1-4(f) of the WV Legislative Rules and Regulations.

CORY

3.2 MANDATORY SPECIFICATIONS

All specifications preceded by "shall and/or must" or are stated as a "minimum and/or maximum" are mandatory. Any bid failing to meet any mandatory item shall be immediately disqualified. Failure to respond in the appropriate evaluation section may also be grounds for immediate disqualification at the discretion of the State.

A mandatory pre-bid conference is scheduled for this equipment purchase as stated in the RFQ. Vendors having products with variations or exceptions in specified mandatory items are expected to address any such variations or exceptions during the pre-bid conference. The State shall review and consider any such variation or exception, and may at its sole discretion, issue an addendum to change mandatory specifications deemed to be in the State's best interest. Bids from any vendor failing to attend the mandatory pre-bid shall be disqualified. Bids containing any variation or exception to a mandatory specification that was not addressed during the pre-bid conference and accepted by the issuance of an Addendum shall be disqualified.

4.0 REPRESENTATIVE UNIT FOR TEST

The successful vendor must (if specified) provide DOH one (1) completed representative unit to be observed and evaluated on the first order only to insure compliance with specification. If requested, the time period for testing and evaluation shall be seven (7) calendar days following receipt of the unit. DOH will incur no obligation for deterioration of surfaces, finishes, seals, and mechanical or electrical parts on the unit resulting from operation and testing within the limits of these specifications; nor will DOH incur obligation for damage to the unit resulting from failure to meet specifications when due care and attention is given by DOH and testing is done within the limits of these specifications. Failure of the pilot unit to satisfactorily meet specifications as bid shall be cause for cancellation of the purchase order, and return of the delivered unit along with all associated equipment to the vendor at the vendors expense.

4.1 CONDITION OF UNIT(S) UPON DELIVERY

All units must arrive at the prescribed delivery point having been completely preserviced with oil, lubricants, and coolant. All prescribed precautions pertaining to first operations and break-in of the unit are to be posted conspicuously on the unit for ready observance by the operator.

4.2 DELIVERY

Delivery point of the completely assembled representative unit will be the DOH, Equipment Division, Route 33 at Brushy Fork Road, Buckhannon, West Virginia (26201).

The vendor is responsible for guaranteeing delivery of the completed units within the time specified and agreed to by the State. Delivery is preferred within 120 days. The vendor is responsible for establishing and coordinating delivery terms with allied manufacturers or suppliers. Delivery terms shall be stated in the bid and the State reserves the right to accept or negotiate such terms. Failure to reach an agreement may result in rejection of the bid. The successful bidder shall provide their manufacturer's

CORY

confirmation of the order to the WVDOH contact person within seven (7) working days after receiving the approved purchase order.

A completed pilot model for inspection must be provided within 30 calendar days after the date of the purchase agreement by the successful vendor.

Delivery is an integral part of this specification and failure to comply will be cause to initiate a D.O.T. Administrative Form WV-82, Vendor Performance Form. The WV-82 Form will provide a means of officially notifying the Purchasing Division and the vendor of unsatisfactory performance; such as late deliveries, poor service, inadequate parts supplies, etc.

The decision to initiate subject Form will be at the sole discretion of the D.O.H. Commissioner's established Equipment Review Board.

Issuance of the WV-82 Vendor Complaint Form on unsatisfactory delivery against any vendor will be cause to refuse to consider similar items from those vendors on future Request For Quotations.

(NOTE: Delivery time could be altered due to labor strikes, severe inclement weather conditions, etc.)

5.0 AWARD CRITERIA

DOH will recommend the award in accordance with the RFQ evaluation criteria described in the requisition. The award shall be made to the lowest unit cost vendor that meets or exceeds the specifications.

Prices for the units shall be in quantities of 1-10, 11-20, and 21 and over. However, for evaluation purposes, we will use quantities 1-10. DOH reserves the right to place multiple orders in any quantity.

- 6.0 SPECIFICATIONS AND GUIDELINES GENERAL
- 6.1 IDENTIFICATION OF THE UNIT BEING PROPOSED

The bidder must identify the unit by manufacturer, model, series, and year of manufacture, in the bid to enable identification by DOH in the manufacturer's specifications of the proposed unit. The bidder will submit complete descriptive literature of the proposed unit, to establish that the bid is the manufacturer's most current model, including latest engineering improvements, which have been, or will imminently be, regularly advertised and sold on the open market. The unit specified herein and offered to be manufactured after January 1, 2006 and be clearly identified and marked with date of manufacture.

OPERATING AND SERVICE MANUALS AND PARTS LISTS
An operator's manual must be included with each unit upon delivery. A "line sheet" (if applicable) and Equipment Preventative Maintenance Questionnaire (as shown in X6.2 of the Bidder's Evaluation Report) must be with pilot unit upon delivery. In addition, there must be 12 service, shop, or maintenance manuals; ten (10) to be distributed to the Districts and two (2) for the Equipment Division. Also, there must be 14 parts manuals;

COPY

ten (10) to be distributed to the Districts and four (4) for Equipment Division use. ROM is preferred in lieu of parts manuals.

* NOTE: MANUALS SHALL BE DELIVERED UPON COMPLETION OF DELIVERY OF TOTAL UNITS. FAILURE TO DO SO WILL DELAY PAYMENT.

6.3 TRAINING:

Manufacturers and/or dealers will be required to stage a thorough seminar on the subjects of Preventative Maintenance, Operator and Mechanic Training. In order to keep the operators and mechanics updated, the successful vendor shall conduct training with each purchase order against this open end contract. Training is preferred within 2 working days after delivery of the pilot unit on the individual purchase order.

Manufacturers and/or dealers shall be required to furnish the Training Academy with one (1) Operator's Manual.

The seminar to be held at the W. Va. Division of Highways, Equipment Division, Buckhannon, West Virginia.


6.4 PREVENTIVE MAINTENANCE AND OPERATOR PROCEDURES:

Manufacturers and/or dealers will be required to submit to the Equipment Division, in addition to the operating and service manuals, booklets and pamphlets explaining the Preventive Maintenance and Operator Procedures to be used by the operators of this equipment, and must include such things as daily prestart inspection procedure, service schedule, and routine maintenance required, safety precautions, etc.

The successful vendor shall furnish all training aids; i.e., videos, projectors, etc. required in conducting the training.

6.5 WARRANTY AND SERVICE POLICY

The Manufacturers warranty or service policy is to apply to the unit. Such warranty or service policy is to be recognized at any authorized unit dealer, representing manufacturer of proposed unit throughout the State of West Virginia. The applicable warranty or service policy will not be contingent upon obtaining routine service, lubrication, and servicing of the unit from factory authorized agencies. It will be the responsibility of the bidder to have available labor to repair or replace any defective replacement parts, components and materials, and to have available those replacement parts, components, and/or materials found to be defective during the terms of the warranty period. The bidder should state the labor rates, locations where parts will be stocked, availability of parts, and discounts offered for parts, when terms of the warranty offer a pro-rated cost for parts and labor. In addition, the successful bidder should offer field work to repair or replace defective parts, components, and materials found to be defective during the terms of the warranty and should provide mechanic's travel rates, mileage charges, field mechanic rates, and any surcharge for miscellaneous items, if applicable, for field work during the warranty period. Submit to Division of Highways any technical or engineering improvements during the term of the warranty. The unit must be accompanied upon delivery by the unit's manufacturer's executed warranty or service policy.



THE "WARRANTY AND SERVICE POLICY QUESTIONNAIRE" ATTACHED IN THE BIDDER'S EVALUATION REPORT MUST BE COMPLETED IN ITS ENTIRETY BY THE SUCCESSFUL BIDDER OR MANUFACTURER PRIOR TO DELIVERY OF THE PILOT MODEL. (SEE SECTION X6.5 OF BIDDER'S EVALUATION REPORT).

6.6 EVALUATION COMMITTEE REQUIREMENTS

Detailed component specifications, product literature, component models, required for specification compliance determination by the Evaluation Committee should be provided with each bid. Any information supplied that is contrary to/or conflicting with the specifications and/or attached Bidders Evaluation Report may be sufficient cause for rejection of bid.

6.7 UNSPECIFIED ACCESSORIES & FEATURES

All parts, equipment, accessories, material, design and performance characteristics not specified herein, but which are necessary to provide a complete unit, must be furnished with each unit and required to conform to strength, quality of material, and quality of workmanship to those which are advertised and provided to the market in general by the unit industry.

All parts and accessories advertised and regularly supplied as standard shall be included, except those which would represent duplication of these specified, and except those which, by specification, are not to be furnished. All standard safety features, required by Federal and State Law, shall be included.

- 7.0 SPECIFICATIONS OF QUOTED UNIT ARE AS FOLLOWS:
- 7.1 Roller(s) shall be equipped with ROPS and FOPS canopy.
- Figure shall be manufacturers water/air cooled diesel powered and shall provide a minimum of 28 horsepower and sufficient torque to operate machine and hydraulic system at maximum efficiency.
- 7.3 Steering system shall be of hydraulic, full power, articulated design.
- 7.4 Unit shall be of a low profile design.
- 7.5 Unit weight to be approximately 6000 pounds.
- 7.6 Wheel base to be approximately 68 inches.
- 7.7 Roller(s) shall have dual drum drive with hydrostatic propulsion.
- 7.8 Unit shall be equipped with manufacturers vandalism package.
- 7.9 Unit shall travel 0 to 6 M.P.H. forward and reverse minimum.



7.10	Engine:
7.10.1	Engine to have a manufacturer's heaviest duty dual fuel filtering system offered.
7.10.2	Full pressure lubrication with oil filter and oil by-pass system.
7.10 3	Manufacturers standard governor with key shut off, wire sealed by manufacturer.
7.10.4	Cooling system shall be filled with permanent type Dex-Cool extended life (or equal) anti-freeze protected to a point of -34° F if unit is water cooled.
7.11]	Brakes:
7.11.1	Service brake to be through hydrostatic propulsion system.
7.11.2	Parking brake to be of spring-applied, hydraulically released on each drum drive.
7.12 D	Prums:
7.12 1	Drums shall be of manufacturer's heavy duty design.
7.12.2	Drum width approximately 48 inches.
7.12 3	Drum diameter approximately 28 inches.
7.12.4	Wiper bars shall be mounted front and rear of each drum.
7.12.5	Wiper bars shall be spring loaded, self adjusting.
7.12.6	Wiper bars shall have replaceable rubber/neoprene drum cleaners.
7.12.7	Front and rear drums shall be of vibratory compaction type.
7.12.8	Vibrating parts must be isolated from rest of roller.
7.12.9	Vibrating system isolators shall be replaceable.
7.12.10	Unit must be equipped with automatic vibration switch.
7.13 Elec	etrical:
7.13.1	Electrical system shall be manufacturer's heavy duty 12 volt D.C. negative ground.
7.13.2	Manufacturers recommended heavy duty maintenance free battery shall be provided.
7.13.3	Battery CCA 500 minimum.

Alternator to be 65 AMP with internal regulator.

7.13 4


4	
7,14	Gauges to be illuminated and shall be equipped with visual or audible warning that will advise operator when manufacturer recommended safe operating ranges are exceeded.
7.14.1	Unit shall be provided with hour meter operable from engine operation (not key switch.)
7.14.2	Ignition switch water sealed.
7.14,3	Fuel gauge.
7.14.4	Volt/Amp meter gauge.
7 14.5	Oil pressure gauge.
7.14.6	Engine temperature gauge
7.14.7	Operators station to have manufacturer's fully adjustable isolation mounted seat with seat belt.
7.14.8	OSHA approved back-up alarm shall be provided and installed by manufacturer.
7.14.9	Unit to have a parking brake "on" indicator.
7.14.10	A neutral start safety switch shall be provided.
7.15 W	ator System:
7.15.1	Tank capacity to be 50 gallon approximately.
7.15.2	Water system shall be pressurized.
7.15.3	Water flow must be variable.
7.15.4	Water filter(s) shall be provided in system.
7.15.5	Screened back nozzle type sprayers for drums.
7,15.6	Empty water tank indicator to be provided.
7.15.7	Water pump shall be capable of "Run Dry" situation without damage to pump or components.
7.15.8	Water tank and complete water system shall be constructed of rust proof materials.
7.15.9	Water tank shall have drain plug.

7.16 Lighting:

- CORY
- 7.16.1 Unit shall be equipped with flashers visible from front and rear of roller.
- 7.16.2 Work lights shall be installed front and rear of roller. Two (2) front and two (2) rear.
- 7.16.3 Low profile high intensity dual flash strobe light shall be mounted on top of cab/canopy. Aero Flash Model number M420 or equivalent. (Amber in color)
- 7.17 Unit shall be delivered to WV DOH with all manufacturers recommended safety related decals and safety features intact.
- 7.18 One (1) complete set of replacement filters shall be provided with each unit upon delivery.
- 7.19 Paint:
- 7.19.1 The Manufacturer's recommended paint preparation and color to be provided.
- 7.20 Vendor must certify that roller offered will meet or exceed the "Occupational Safety and Health Act of 1970" or subsequent changes that are in effect at time of manufacturer of unit.
- 7.21 Advertising: Only one (1) manufacturer name plate, which must include model number, may appear on exterior of unit. Logos created through the stamping or casting process of manufacturer are also acceptable. No logo will interfere with the Department's striping and logo.
- 7.22 Preventive Maintenance and Operators Orientation/Training:
- 7.22.1 The Manufacturer or Dealer shall provide preventive maintenance/operator orientation seminar to be conducted at the Equipment Division, Buckhannon. The successful vendor shall furnish all training aids; i.e. videos, projectors, etc., required in conducting the training.

No.0216 - P. 18/34 ---

NOTE: Vendor should type Bidder's Evaluation Report



WEST VIRGINIA DEPARTMENT OF TRANSPORTATION DIVISION OF HIGHWAYS EQUIPMENT DIVISION

BIDDER'S EVALUATION REPORT

PROCUREMENT SPECIFICATIONS FOR OPEN END CONTRACT NO. 591-2-K

DOUBLE DRUM VIBRATORY ROLLER/COMPACTOR

NOTE TO BIDDER: Procurement Specification No. 591-2-K, Paragraph 2.0 recommends the completion and submittal of this Report with your bid. Purpose of this Report is to enable the West Virginia Division of Highways Evaluation Committee to make full and fair evaluation of the bid. FAILURE TO SUBMIT THIS REPORT, COMPLETE IN ITS ENTIRETY, MAY SUBJECT THE BIDDER TO DISQUALIFICATION.

	Reference Requisition No.: 707EC008		
	Bidder's Name: UNIONTOWN INDUSTRIAL EQUIP CO INC		
	Address: 100 COLLEGE DRIVE LEMONT FURNACE, PA 15456		
	Telephone Number: 724-437-1578		
	Years Bidder has been registered to do business with the State of West Virginia	11	YRS.
	Years Company has been an authorized dealer for proposed unit:	5	YRS.
X4.2	DELIVERY:		x x \
X421	Delivery date of completed representative unit: 45 Calendar Day Purchase Agr	ys After Date of eement	
X4.2.2	Delivery date of balance of completed units: 90 Calendar Days		ment

X5.0	AWARD CRITERIA;			
X5.1	Prices for unit in quantities of	1-10 11-20 21 and over	\$31,854.50 per unit \$31,854.50 per unit \$31,854.50 per unit	
X6,0 X6.1	SPECIFICATIONS - GENERAL Manufacturer, model, series, and date of ma	nufacture of proposed	unit:	
	Is descriptive literature, fully describing pro		your bid? x YES NO	
X62	Will the required number of service manual Division at Buckhannon upon completion of	s, and complete parts li f delivery of total units'	st be delivered to the Equipment? XYESNO	
	Will the required Equipment Preventive Man be provided upon inspection of the pilot unit	intenance Form (Sectio	n X6.2 of Bidders Evaluation Repo	ort)

X6.2 2-10-00



EOUIPMENT PREVENTATIVF MAINTENANCE QUESTIONNAIRE

THIS FORM MUST BE COMPLETED IN ITS ENTIRETY BY SUCCESSFUL BIDDER OR MANUFACTURER'S TECHNICAL REPRESENTATIVE PRIOR TO DELIVERY OF PILOT MODEL TO THE WVDOH.

DESCRIPTION:				1	MAKE:	
М	ODEL:		YEAR:		URCHASE AMOUN	VT.
ENGINE.	MAKE.		MODEL:		FUEL TYPE	,
	HORSEPOWER:		CYLINDER:		NGINE SERIAL:	(, , , , , , , , , , , , , , , , , , ,
	COÓLING SYSTI	SM CAPACITY _	•		_ _	
BELTS.	DESCRIPTION-			PART NU	•	
GVW·		AXLE CAPAC	ITY:FRONT:	· · · · · · · · · · · · · · · · · · ·		REAR:
TIRES.	FRONT MAKE &	SIZE.	<u> </u>			
	REAR MAKE & SI	ZE:				
DIMENSION	VS OF UNIT:	LENGTH	··········	WIDTH:		LENGTH-
VENDOR CO	ONTACT PERSON				PHONE-	
PARTS.					~	
BATTERY M	AKE:		MODEL:		CCA	HEIGHT
SPARK PLU	GS OR FÜEL INJEC OR INJECTION PI	TORS MAKE	DIMENSIONS:	LENGTH	WIDTH	HEIGHT
FUEL PUMP	OR INJECTION PL	MP MAKE.		710000		
	OR MAKE: AKE:			N . N		······································
THE POPULATION AND A STREET	DATE LEVEL	<u> </u>				
I KANS, MAR	CE:	MANET		17d(1 #	AUTOMANDIAI	
HYDKAULIC	PUMP MAKE			MODEL:		
FILTERS	MAKE	PART NO	LUBRIC	CANT	MANUFACTUR	
OIL _			_ ENGIN	=		
AIR INNER _			TRANS	MISSION		
* *** ~ ~ ~ ~ ~ * * * * * * * * * * * *			カースメング	STEERING		
FUELFRINA	KY		HYDRA			
			DIFFER	ENTIALS		
HYDRAULIC						
OTHER _	· · · · · · · · · · · · · · · · · · ·		COOLAI			
.=			OXIADA			

X6.3 TR	AII	NN	G:
---------	-----	----	----

	Will training seminar be conducted on Preventive Maintenance, Oper	aior and i	Macha-I- T	. • -
	X	YES	NO	aining
	Will you conduct training with each purchase order against this open e	end contri	act?	
		_X	YES	_ NO
	Will training be conducted within 2 working days from the delivery of purchase order?	the pilot	unit on the YES x	individual NO
	If NO, explain time frame ONE WEEK			
	Will an Operator's Manual be furnished to the Training Academy?	x	YES	NO
X6.4	If you are the successful vendor, will you furnish all training aids, i.e., a conducting the training? XYESNO	videos, pr	ojectors, red	luired in
X6.4.1	schedule be delivered with each unit?	operator I YES	procedures, NO	and service
X6.5	WARRANTY AND SERVICE POLICY	· · · · · · · · · · · · · · · · · · ·		
	Will the warranty and service you provide comply with all areas as statedXYESN	d in Section	on 6.5 of sp	ecifications
	Is warranty literature attached?	_YES	NO	

No.0216-P. 22/34--

X6.5 WARRANTY AND SERVICE POLICY QUESTIONNAIRE



THIS FORM MUST BE COMPLETED IN ITS ENTIRETY BY THE SUCCESSFUL BIDDER OR MANUFACTURERS TECHNICAL REPRESENTATIVE PRIOR TO DELIVERY OF PILOT MODEL TO THE WVDOH (If additional lines are needed, make copies of form.)

1.	Define the terms of the SEE ATTACHED	standard warranty. If not offered, so state. (Attach copy)
Avenue		
		to be performed at DOII facilities and warranty service to be performed at live facility. List name and location of manufacturer's representative. NTIRELY THROUGH THE SERVICE DEALER UIEC. SERVICE TECHNICIANS ARE TRAINED & AUTHORIZED
T	D PERFORM REPAIRS BY TERE	X. UIEC HAS EQUIPPED SERVICE VEHICLES AVAILABLE TO MAKE CAUS OR MACHINE DOWN CONDITIO
		iventories that are within the State of West Virginia. Also, list availability levels, if
T\\	EXEX HAS FARIS LOCATIONS	IN W, PA, CHIO.& KENIUCKY. TEREX ARE SUPPORTED BY SOUTH HAVEN, MISS. INVENTORY
TLY	WHICH RESPONDED ON A 24	HUR BASIS.
4. E	During the term of warra der will sell the parts to o	nty, list the guarantee discount to manufacturer's published list price for parts that
A. B. C.	Terms: Net 30 Terms: Net 60 Terms: Net 90	Manufacturer's published list price less: 0 % discount Manufacturer's published list price less: 0 % discount
5. D High		Manufacturer's published list price less:% discount aty, will all manufacturers or engineering improvements be submitted to Division of
6. D	uring the term of warran	ty, list the guaranteed rates charged for repair to the unit.
Α.	Shop Rate	\$0 per mechanic hour
B.	Travel Time Charge (Specify if one-way)	\$0 per mechanic hour0; port to port
C.	Mileage Charge (Specify if one-way	\$o per vehicle mile o; port to port
D.	Field Mechanic Rate	\$o per mechanic hour
E.	Specify period of time	that prices are in effect: TERMS OF WARRANTY
P.	Surcharge for miscella	meons items:

-	~	· · · · · · · · · · · · · · · · · · ·		
i				= <i>=</i>
į	€			7
*****	-			≡

X6.6 EVALUATION COMMITTEE REQUIREME	NTS	;
-------------------------------------	-----	---

	Is all component specifications, product literature, component models pro- Committee bid determination?	vided for Evaluation YESNO
Χć	herein, but which are necessary to provide a complete unit, be furnished w conform in strength, quality of material, and quality of workmanship to the provided to the market in general by the unit industry?	ose which are advertised and XYES NO
	7.1 Are all parts and accessories adequate and regularly supplied as standard to which may be duplications of specifications herein, and except these by spe furnished?	x YES NO
X6.	7.2 Are all standard safety features that are required by Federal and State statut	es of law included? _xYESNO
X7 (SPECIFICATIONS OF THE QUOTED UNIT The bidder should complete the following schedule in order for the Division unit to the specifications. Should the bidder except a requirement, then such the basis that such feature is not offered by the manufacturer. The Division discretion as to whether the bidder's substitution meets the requirements of the Manufacturer: Model: TV1200	exception may be only on will have the sole ne specifications.
X7 1	Are roller(s) equipped with ROPS and FOPS canopy?	_x_YESNO
X7.2	Is engine manufacturer's water air WATER cooled diesel/sufficient torque to essential maximum efficiency? Specify engine horsepower 33 HP	perate machine/hydraulicX_YESNO
X7.3	Is steering of hydraulic, full power, articulated design?	_xYESNO
X7.4	Is unit a low profile design?	X YES NO
X7.5	Unit weight: 6,383 pounds	
X7.6	Wheel base: 65.94 inches	
X7 7	Does unit have dual drum drive with hydrostatic propulsion?	X YES NO
X7 8	Does unit have manufacturer's vandalism package?	_x_YESNO
X7.9	Travel speed: Forward 7.2, Reverse 7.2	

CORY

3 2777 10	r~ •
X/.10	Engine

X7,10.1	Is manufacturer heaviest duty dual fuel filtering system offered?			
		_X	YES.	NO
X7.10.2	Has full pressure lubrication with oil filter/by pass system?	_X	YES	NO
X7.10.3	Is governor key shut off, wire sealed by manufacturer?	X	YES	NO
X7.10.4	Is cooling system provided with permanent type Dex-Cool extended point of -34°?	life (or e	qual) to a YES_	freeze
X7.11 Bi	rakes:			1
X7.11.1	Has hydrostatic propulsion service brake?	X	YES _	NO
X7.11.2	Is parking brake spring-applied, hydraulically released on each drum			***************************************
X7.12 Dr			YES _	NO
X7.12.1	Are drums manufacturers heavy duty?	x	_YES	NO
X7.12.2	Drum width: 47.24 inches			,
X7.12.3	Drum diameter: 27.56 inches			
X7.12.4	Are wiper bars mounted front and rear of each drum?	<u>x</u>	_YES	NO
X7 12.5	Are wiper bars self adjusting and spring loaded?		YES	
X7.12.6	Do wiper bars have replaceable rubber/neoprene drum cleaners?		YES	
X7.12,7	Are front/rear drums of vibratory compaction type?		YES	
X7.12.8	Are vibrating parts isolated from rest of roller?		YES	•
X7.12.9	Are vibrating system isolators replaceable?		YES	
X7.12.10	Will unit be equipped with automatic vibration switch?		YES	
X7.13 Elect		_A	100	NO
X7.13.1	Does electrical system have manufacturer's heavy duty 12 volt D.C. nego	ative gro	und?	
V7 10 0			YES	_NO
X7.13 2	Has manufacturers recommended heavy duty maintenance free battery?	<u>X</u>	YES	_NO
X7.13.3	Has battery CCA approximate 500? CCA: 770	<u> </u>	/ES	_NO
X7.13.4	Alternator: 65 AMP with internal regulator?			



X7.14 V	Vill gauges be illuminated/equipped w/visual cecommended safe operating ranges are exceed	or audible warning that will a ed?	dvise operator when Mfg. X YES NO
X7.14.1	Is unit provided with hour meter operable	le from engine operation (not	
		2 17 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	<u>x</u> YES NO
X7.14.2	Is ignition switch water sealed?		X YES NO
X7.14.3	Has fuel gauge?		X_YESNO
X7 14.4	Has volt/amp meter gauge		YESNO
X7.14.5	Has oil pressure gauge?		
X7.14.6	Has engine temperature gauge?		X YES NO
X7.14.7	Are seats manufacturers fully adjustable, station?	isolation mounted and with s	X_YESNO eat belts at operatorsX_YESNO
X7.14.8	Has OSHA approved back-up alarm instal	lled by manufacturer?	X YES NO
X7.14.9	Does unit have a parking brake "on" indica	ator? SEE ATTACHED	NA YES NO
X7.14.10	Is provided with a neutral start safety switch		X_YES NO
X7.15 Wat	er System:		NO
X7.15.1	Tank capacity: 11.6 gallons		
X7.15.2	Is water system pressurized?		X YES NO
X7.15.3	Is water flow variable?		
X7 15.4	Are water filters provided?		г
X7.15 5	Has screened back nozzle sprayers?		X YES NO
X7 15.6	Is empty tank indicator provided?	SEE ATTACHED	X YES NO
X7.15.7	Has water pump capable of "Run Dry" situal		NA YES NO or components? NA YES NO
X7.15.8	Is water system of rust-proof material?		X YES NO
X7.15.9	Does water tank have drain plug?		X YES NO

		-	** *	•	. •	
X7	- 1	~	1 1	/Th	¥175	~
ΔL		U	ئىسل	XII.	LILI	к.

X7.16.1	Is unit equipped with visible flashers front and rear?	X	_YES _	NO
X7.16.2	Has work lights front and rear?	<u> </u>	_YES _	NO
X7.16.3	Is strobe light amber color, mounted and model specified?	X	_YES _	NO
X7.17 Are all	manufacturers safety decals/features provided?	X	_YES _	NO
X7.18 Is one	(1) complete set of replacement filters with unit upon delivery?	<u> </u>	_YES _	NO
X7.19 Paint:				
X7.19.1	Is manufacturer's recommended paint preparation/color provided?	<u> </u>	_YES	NO
X7.20 Does p	roposed unit meet or exceed the "OSHA of 1970"?	<u> X</u>	_YES _	NO
X7.21 Does u	nit conform to the advertising guidelines?	X	_YES_	NO
X7.22 Preven	tive Maintenance and Operators Orientation/Training:			
X7.22.1	Have you attached a copy of proposed training program along with sche furnish all training aids?			Will you NO



State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Part Office Part Forms Post Office Box 50130 Charleston, WV 25305-0130



707EC008

ADDRESS CORRESPONDENCE TO ATTENTION OF NOTENHOL NHOL 304-558-2402

MODZEK

***709015804** . 724-437-1578 UNIONTOWN INDUSTRIAL EQUIP CO 100 COLLEGE DRIVE

LEMONT FURNACE PA 15456

DIVISION OF HIGHWAYS EQUIPMENT DIVISION ROUTE 33 BRUSHY FORK ROAD BUCKHANNON, WV 26201 304-472-1750

DATE PRIM	NTED:		MS OF SAI	UÉ (1950)		SHIP VIA	5.824.24	F.O.B	William Eptimore Laboration
09/25/	/2006				3 33	<u>skultus "Addis</u>	<u> </u>		FREIGHTTERMS
BID OPENING DATE	() (1.16 - 00 + 1 - 2 2	10/04/	2006		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		BID	OPENING TIME	01:30PM
LINE	QUAN	TITY'S	UOP	CAT.	TE STE	M.NUMBER		UNITPRICE	
200 1 2			Signal Sign		<u> </u>		8.6° 8.6 (25).		AMOUNT
		•	۸	DDE NO	 UM NO.	3. V.			
				TO 5 1470	DIT NO.	T			
						•			
	CHANGES	F TO T	HE SP	ECIFI	CATION	S PER	THE	ATTACHED.	
	BID OPE	NING	DATE	ΔΝΌ Τ	TME OF	MATNO	T11 P	0 4 34 =	
				AIX2	INC RE	MAINS	1116	SAME.	
	NO OTHE	R CHA	NGES.						
\$		İ							
							1		
0001			ΞA		760-66		-		
		1		1			L	\$29,721.29	\$29,721.29
	DOUBLE	DRUM	/IBRA	TORY	ROLLER	/COMPA	CTOR		
			Withins	-					
									1
	****	THIS	IS TH	IE EN	OF RE	EQ 7	07EC	ATOT **** 801	\$29,721.29
		ļ							
	•	ļ	•						
		·					-		
				}					
		-	1						
		,			,				
		•							
<u> </u>	_4								
SIGNATURE	111	1	1	SEP PEYE	ASE SIDE PO	R:TERMS A	ND COND	TIÓNS	
Ĺ /	Jul	<u>aul</u>	111	/ ll		TELEPHO	14E	-437-1578 DATE	
VICE PRE	ESIDENT	FEIN	25-1	38979		<u> </u>			10/02/06 S TO BE NOTED ABOVE
	NIDECOOL			<u> </u>	<u> </u>				DE NOILD ABOVE



ADDENDUM #1 707EC008

OPEN END CONTRACT DOUBLE DRUM VIBRATORY ROLLER/COMPACTOR

CHANGES TO SPECIFICATIONS:

FROM:

4.0 REPRESENTATIVE UNIT FOR TEST (2nd Sentence)

If requested, the time period for testing and evaluation shall be seven (7) calendar days following receipt of the unit.

TO:

4.0 REPRESENTATIVE UNIT FOR TEST (2nd Sentence)

If requested, the time period for testing and evaluation shall be seven (7) working days following receipt of the unit.

FROM:

42 DELIVERY (3rd Paragraph)

A completed pilot model for inspection must be provided within 30 calendar days after the date of the purchase agreement by the successful vendor.

TQ...

4.2 DELIVERY (3rd Paragraph)

A completed pilot model for inspection should be provided within 45 calendar days after the date of the purchase agreement by the successful vendor

FROM:

7.14 Gauges to be illuminated and shall be equipped with visual or audible warning that will advise operator when manufacturer recommended safe operating ranges are exceeded.

TO:

Gauges to be illuminated and to be equipped with visual or audible warning that will advise operator when manufacturer recommended safe operating ranges are exceeded

FROM:

7.14.4 Volt/Amp meter gauge

TO:

7 14.4 Volt/Amp meter gauge or light

704EC008 Page 2

FROM:

7.14.5 Oil pressure gauge

TO:


7.14.5 Oil pressure gauge or light

FROM:

7.14.6 Engine temperature gauge

TO:

7.14.6 Engine temperature gauge or light



ADDENDUM #1 707EC008

OPEN END CONTRACT DOUBLE DRUM VIBRATORY ROLLER/COMPACTOR

CHANGES TO BIDDER'S EVALUATION REPORT:

X4.0	REPRESENTATIVE UNIT FOR TEST – NO CHANGE REQUIRED
X4.2	DELIVERY OF COMPLETED REPRESENTATIVE UNIT – NO CHANGE REQUIRED
X7.14	Gauges – NO CHANGE REQUIRED
FROM: X7.14.4	Has volt/amp meter gauge YES _X NO
TO: X7.14.4	Has volvamp meter gauge or light _x YESNO
FROM: X7.14.5	Has oil pressure gauge YESx NO
TO: X7.14.5	Has oil pressure gauge or light YES NO
FROM: X7.14.6	Has engine temperature gaugeYES NO
ΓΟ: X 7.14.6	Has engine temperature gauge or light XYESNO



SIGN	IN	SH	EE	T_{-}
RF	70	TEC.	<u>.</u>	متحثيج
Date	9	221	07	<u>, </u>

,.	تخيم	
Page		of

Firm & Representative Name:		Phone&Fax#:
1. VALLEY AIR TES. Land	Cars. 90.Box 6516	P 304/345-2851
In Parkey	CHARLESTON, W25362	F304/345.2856
2. Anderson Equipme		304-156-2800
Teri Surface	Chas, WV 25331	304-756-2799
3. Uniquitous Tay &C	100 College De	800-229-5948 724-437-1578
Mike Clower	LEMOUT PENNET PAISES	724-437-1578
4. State Equipment.	560 New Gaft Mtall	304 776 4405
Jason Lamm	Cross Laws AV 253/2	776 4409
5. State Equipment	Sloo New Goff Mr. Rl	304-776-4405
Alan Pase 1	Crossines W 25313	776-4409
6. WY TRACTOR	D.O BOX 473	<u>304 346-530/</u>
GARRY GRADY	CHARLESTON W 25322	<u>504 346-5805</u>
7. Lee Column		<u> </u>
Dar Waere		

Please print or write legibly!
Your Fax # is essential to contact you timely!



TEREX CONSTRUCTION AMERICAS NEW PRODUCT WARRANTY

TEREX CORPORATION diala TEREX CONSTRUCTION AMERICAS, hereafter referred to as TCA, warrants its new Products to be free, under normal use and service, of any defects in manufacture or materials for the period of 12 months from (a) delivery to , and placement into service by the first user or (b) delivery to the first retail purchaser, whichever occurs first; provided that TCA receives written notice of the defect within thirty (30) days of its discovery and Buyer establishes that (I) the equipment has been maintained and operated within the limits of rated and normal usage; and (ii) the defect did not result in any manner from the intentional or negligent action or inaction by Buyer, its agents or employees, if requested by TCA, Buyer must return the defective equipment to a TCA authorized distributor and defective parts to TCA, and if Buyer cannot establish that conditions (i) and (ii) above have been met, then this warranty shall not cover the alleged defect.

The term "Products" shall include only the following equipment sold by TCA: SCL, SKL and SKS model wheel loaders, HR, HML and HS, S1 and S2 model excavators, rollers and backhoes,

Delivery inspection forms are required for warranty validation and processing-

TCA's obligation and liability under this warranty is expressly limited to, at TCA's sole option, repairing or replacing, with new or remanufactured parts or components, any part, which appears to TCA upon inspection to have been defective in manufacture or materials. Such parts shall be provided at no cost to the owner, FOB TCA's parts facility.

This wanterty shall be null and void if parts (including wear parts) other than genuine OEM TCA parts are used in the equipment.

Accessories, assemblies and components included in the TCA equipment, which are not manufactured by TCA, are subject to the warranty of their respective manufacturers. Normal maintenance, adjustments, or maintenance/wear parts are not covered by this warranty and are the sole maintenance responsibility of Buyer.

TCA makes no other warranty, express or implied, and makes no warranty of merchantability or fitness for any particular purpose.

No employee or representative is authorized to modify this warranty unless such modification is made in writing and signed by an authorized officer of TCA.

TCA's obligation under this warranty shall not include duty, taxes, or any

TCA's obligation under this warranty shall not include duty, taxes, or any other charges whatsoever, or any liability for direct, indirect, incidental, or consequential damages.

improper maintenance, improper use, abuse, improper storage, operation beyond rated capacity, operation after discovery of defective or wom parts, or alteration or repair of the equipment by persons not authorized by TCA shall render this warranty mill and void. TCA reserves the right to irrspect the installation of the Product and review maintenance procedures to determine if the failure was due to improper maintenance, improper use, abuse; improper storage, operation beyond rated capacity, operation after discovery of defective or worn parts, or alteration or repair of the equipment by persons not authorized by TCA.

TCA reserves the right to make improvements or changes to its Products without incurring any obligation to make such changes or modifications to Products previously sold.

Parts Warranty: TCA warrants the parts ordered from the Parts Department to be free of defect in manufacture or materials for a period of 90 days from date of purchase from TCA.

TRANSFERABILITY OF WARRANTY: The unexpired portion of this warranty may be transferred, provided that (i) the warranty has not been valded or breached by the transfer or prior to transfer, (ii) TCA has received warranty registration for the relevant Product and (iii) the transferee completes and returns to TCA the appropriate warranty transfer documentation which shall be provided upon request. Please contact your local TCA Distributor for additional details if needed.

ITEMS NOT COVERED BY TCA WARRANTY

The following items are **NOT** covered under the TCA Warranty (the following list is not exhaustive):

- Items sold by any individual, corporation, parmership or any other organization or legal entity that is not an authorized TCA Distributor.
- 2. Components which are not manufactured by TCA are not covered by TCA's warranty. Such components are covered only by the warranty that is provided by the manufacturer of such components. Such components include, but are not limited to, engines, electric motors, air compressors, sir conditioners, batteries, these etc.
- 2. Replacement of assembles: TCA has the option to repair or replace any defective part or assembly. It is TCA's policy to refuse claims for the replacement of a complete assembly that is field repairable by the replacement or repair of defective part(s) within the assembly.
- 4. Normal Operational Maintenance Services and Wear Parts: Maintenance services and wear parts are excluded from warranty claims. Maintenance services not covered include, but are not limited to, such items as: tune-up, lubrication, fuel or hydraulic system cleaning, brake inspection or adjustment, or the replacement of any service items such as filters or brake linings made in connection with normal maintenance services.
- Transportation: Any damage caused by carrier handling is a transportation claim and should be filed immediately with the respective carrier. Travel and mileage costs are not covered under this warrantly.
- Deterioration: Work required or parts exposed as the result of age, storage, weathering, lack of use, demonstration use.
- 7. Secondary Failures; Should the Buyer continue to operate a machine after it has been noted that a falfure has occurred, TCA will not be responsible under the warranty for resultant damage to other parts due to that continued operation.
- Workmanship of Others: TCA does not accept responsibility for improper installation or labor costs of personnel other than authorized TCA Distributor personnel.
- 9. Stop and 60 Warranty: TCA does not recognize "Stop and Go" warranties: after the period of warranty commences it shall not be tolled for any reason.
- 10. Incidental or Consequential Damager TCA shall not be liable for any incidental or Consequential Damages of any kind. Including, but not limited to, lost profits, loss of production, increased overhead, loss of business opportunity, delays in production, costs of replacement components and increased costs of operation that may arise from the breach of this warrany. Customer's sale remedy shall be limited to (at TCA's sale option) repair or replacement of the defective part.
- 11. Diagnostic Labor: TCA shall not be responsible for diagnostic labor, travel mileage, travel labor or related travel expenses (such as meals and lodging); overtime or premium labor rates.

THIS WARRANTY IS EXPRESSLY IN LIEU OF AND EXCLUDES ALL OTHER WARRANTIES, EXPRESS OR IMPLIED (INCLUDING THE WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE) AND ALL OTHER OBLIGATIONS OR LIABILITY ON YCA'S PART. THERE ARE NO WARRANTIES THAT EXTEND BEYOND THE LIMITED WARRANTY CONTAINED WEREIN. TCA neither assumes nor authorizes any other person to assume for TCA any other liability in connection with the sale of TCA's equipment. This warranty shall not apply to any of YCA's equipment or sny part thereof which has been subject to misuse, elteration, abuse, negligence, accident, acts of God or saborage. No action by any party shall operate to extend or revive this limited warranty without the prior written consent of TCA.

IN THE EVENT OF ANY BREACH OF THE WARRANTY BY TCA, TCA'S LIABILITY SHALL BE LIMITED EXCLUSIVELY TO THE REMEDIES (AT TCA'S SQLE OPTION). OF REPAIR OR REPLACEMENT OF ANY DEFECTIVE EQUIPMENT COVERED BY THE WARRANTY, IN NO EVENT SHALL TCA, OR ANY SUBSIDIARY OR DIVISION THEREOF BE LIABLE FOR INCIDENTAL, INDIRECT, CONSEQUENTIAL OR OTHER DAMAGES OR LOSSES RESILETING FROM A BREACH OF WARRANTY INCLUDING, WITHOUT LIMITATION, LABOR COSTS, LOSS OF USE OF OTHER EQUIPMENT, THIRD PARTY REPAIRS, PERSONAL INJURY, EMOTIONAL OR MENTAL DISTRESS, IMPROPER PERFORMANCE OR WORK, PENALTIES OF ANY KIND, LOSS OF SERVICE OF PERSONNEL, OR FAILURE OF EQUIPMENT TO COMPLY WITH ANY FEDERAL, STATE OR LOCAL LAWS.

TEREX CONSTRUCTION AMERICAS

Southaven, MS 38671 USA

Uniontown Industrial Equipment Co., Inc.

100 College Drive • Lemont Furnace, PA 15456
Telephone (724) 437-1578 Fax (724) 437-2098

- 7.14.9 No parking break indicator is fitted because the parking break and service brakes are fully automatic.

 Once the travel lever is in neutral the brakes are on and as the lever is removed from neutral the parking break is released (we call it fail safe). The brakes are also automatically applied as soon as the engine is switched off.
- 7.15.6 Empty water tank indicator is not required because the water level can be seen from the operator's station and the water pump is capable of running dry.
- Automatic pump shut off to prevent the pump running dry is not required because the pump fitted to the TV1200 is capable of running dry.

All hydraulic, electrical, temperature and engine oil systems are illuminated however fuel level is not.

The TV1200 will run for over 10 hours on a full tank of fuel at 75% continuous load.











out-going fax # 304-558-2063

Uniontown industrial Equipment Co., inc.

100 College Drive Lemont Furnace, PA 15456 Telephone (724) 437-1578 Fax (724) 437-2098

email: office@wiec.com

FAX COVER SHEET

	To: Company: WVDOH
	From: Micheli Kenny Date: 10/4/06
	Total number of pages (including cover sheet): 34
	- Bid Opening Time 1:30 pm
,	Message: Double Drum Vib/Roller Compactor.
.la	
ril ->	Mike Clower Has Literature with.
el at column	file of the state of account of
que (The Bid which is wrong this
	Copy can be used as the correct
	one x & will send the original
	GEDEX.
	Thank You.
	Michile
	Any questions please
	Rall (724) 437-1578
•	OCT - 4 2006
-	· · · · · · · · · · · · · · · · · · ·
•	,
-	













TV1000-1 & TV1200-1

Tandem Asphalt Rollers

OPERATING WEIGHT

5,644 / 6,382 lbs (2,560 / 2,895 kg)

NET ENGINE POWER.


(24.5 kW)

LOAD

STATIC LINEAR 71.7 / 67.5 lbs/in (12.0 / 13.9 kg/cm)

CENTRIFUGAL

5,397 / 6,776 lbs (24.0 / 30.4 kN)



Operating weight Basic weight Static linear load fotal length	TV1060-1 5,644 lbs (2,560 kg) 5,238 lbs (2,376 kg) 71.7 lbs/in (12.0 kg/cm) 93.5 in (2,375 mm) 42.12 in (1,070 mm)	TV1200- 1 6,382 lbs (2,895 kg) 5,977 lbs (2,711 kg) 67.5 lbs/in (13.9 kg/cm) 93.5 in (2,375 mm)
Basic weight Static linear load	5,238 lbs (2,376 kg) 71.7 lbs/in (12.0 kg/cm) 93.5 in (2,375 mm)	5,977 lbs (2,711 kg) 67.5 lbs/in (13.9 kg/cm) 93.5 in (2,375 mm)
Static linear load	71.7 lbs/in (12.0 kg/cm) 93.5 in (2,375 mm)	67.5 lbs/in (13.9 kg/cm) 93.5 in (2,375 mm)
	93.5 in (2,375 mm)	93.5 in (2,375 mm
Total length	•	
	42.12 in (1.070 mm)	
Total width	\ 1101 & mmy	50 in (1,270 mm
furning radius (inside)	103 in (2,625 mm)	99 in (2,525 mm
fotal height	104.33 in (2,650 mm)	104.33 in (2,650 mm
rame articulation degrees	30°	30
rame oscillation degrees	15°	15
requency (Hz) VPM	3,120 (51 Hz)	3,120 (51 Hz
Amplitude	.022 in (0.6 mm)	.022 in (0.6 mm
Centrifugal Force	5,397 lbs (24.0 kN)	6,776 lbs (30.4 kN
Gradeability % (with vibration on)	30%	30%
Gradeability % (with vibration off)	40%	40%
Drum thickness	.78 in (20 mm)	.51 in (13 mm

Tandem Asphalt Rollers

TV1000-1 & TV1200-1

Specifications

Manufacturer, model	Kubota, D1703-M
Туре	3-cylinder, diesel engine
Power rating at 2,500 rpm	33 hp (24.5 kW)
Cooling system	Air

Nominal voltage	12 Volt
Battery	770 CCA
Alternator	65 Amp

Hydrosiatie Transmission

Hydrostatic drive. Forward and reverse selected from joystick. Infinitely variable speed control forward and reverse. 0 - 7.2 mph (0 - 11.6 km/h)

Dual radial piston drive motors.

Service brake: Hydrostatic drive provides dynamic braking.

Parking brake: Spring applied failsafe

Heavy-duty articulated steering

Fiuld Gapacities	
Fuel tank	11.6 gal (44 L)
Hydraulic system (includes tank)	11.6 gal (44 L)
Water tank	47.5 gal (180 L)


Open operator's seat with functional design, excellent all-round visibility and user-friendly operator controls.

Operator's suspension seat with hydraulic cushioning and lap belt; weight, height and longitudinally adjustable.

Standard Features Vandal protection package Back-up alarm 2 scraper bars per drum Hydraulic test points Electrical diagnostics system (LED lights) Tow valve 12 volt battery disconnect Pressure and gravity water

Dimensions

ROPS





Terex Construction Americas

8800 Rostin Road Southaven, MS 38671

USA

TEL 662-393-1800 SALES 866-837-3923

PARTS & TECH SUPPORT 888-201-6008

FAX 662-393-1700 EMAIL sales@terexca.com WEB terexca.com

For more information, product demonstration, or details on purchase, lease and rental plans, please contact your local Terex Distributor.

Effective date: August 15, 2006, For further information, please contact your local distributor or the Terex sales office listed. Product specifications are subject to change without notice or obligation. The photographs and drawings in this brochuse are for litustrative purposes only. Refer to the appropriate Operator's Manual for instructions on the proper use of this equipment. Failure to follow the appropriate Operator's Manual when using our equipment or to otherwise act irresponsibly may result in serious injury or death. Prices and specifications subject to change without notice. The only warranty applicable is the standard written warranty applicable to the particular product and sale. Terex makes no other warranty, expressed or implied. Products and services listed may be trademarks, service marks or trade-names of Terex Corporation and/or its subsidiaries in the USA and other countries and all rights are reserved. "Terex" is a Registered Trademark of Terex Corporation in the USA and many other countries. Copyright @2006 Terex Corporation

AARI	<u> </u>	Vo.021	6 P.	27/	34 .	•	
			<u>=</u>				<u></u>
			= -				f
			-	=	量 んじ)	
RFQ No 707E0008	RFQ No	707	EC008	****)))()

AFFIDAVIT

West Virginia Code §5A-3-10a states:

No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owned is an amount greater than one thousand dollars in the aggregate **DEFINITIONS:**

"Debt" means any assessment, premiuri, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions

"Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or

"Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed EXCEPTION:

The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement LICENSING:

The vendor must be licensed in accordance with any and all state requirements to do business with the state of CONFIDENTIALITY:

The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendors should visit www.state wv.us/admin/purchase/privacy for

Under penalty of law for false swearing (West Virginia Code, §61-5-3), it is hereby certified that the vendor acknowledges the information in this said affidavit and are in compliance with the requirements as stated

Vendor's Name UNIONTOWN ANDUSTRIAL EQUIPMENT	1 00 Trans
Authorized Signature Lehael W. Co.	Date: 10/02/06
No Debt Affidavit Revised 02/08/06	