



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER  
**707EC008**

PAGE  
**1**

ADDRESS CORRESPONDENCE TO ATTENTION OF:  
**JOHN JOHNSTON**  
**304-558-2402**

VENDOR

\*709051756      304-346-5301  
**WV TRACTOR COMPANY**  
**PO BOX 473**  
**CHARLESTON WV 25322**

SHIP TO

**DIVISION OF HIGHWAYS**  
**EQUIPMENT DIVISION**  
**ROUTE 33**  
**BRUSHY FORK ROAD**  
**BUCKHANNON, WV**  
**26201      304-472-1750**

DATE PRINTED <b>08/24/2006</b>	TERMS OF SALE <b>Net 30 Days</b>	SHIP VIA <b>Truck</b>	F.O.B. <b>Buckhannon</b>	FREIGHT TERMS <b>Prepaid</b>
-----------------------------------	-------------------------------------	--------------------------	-----------------------------	---------------------------------

BID OPENING DATE: **10/04/2006**      BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	1	EA		760-66 SAKAI SW320 DOUBLE DRUM VIBRATORY ROLLER/COMPACTOR	\$26,990	
<p>OPEN END CONTRACT</p> <p>TO PROVIDE DOUBLE DRUM VIBRATORY ROLLER/COMPACTOR AS DESCRIBED IN ATTACHED PROCUREMENT SPECIFICATION 591-2-K.</p> <p>THERE WILL BE A MANDATORY PRE-BID CONFERENCE AT THE STATE CAPITOL COMPLEX, BUILDING 15, CONFERENCE ROOM, AT 10:00 AM ON 9/22/06. FAILURE TO ATTEND THE PRE-BID CONFERENCE WILL RESULT IN BID DISQUALIFICATION.</p> <p>QUESTIONS: WRITTEN QUESTIONS WILL BE ACCEPTED THROUGH CLOSE OF BUSINESS (5:00PM EST) ON WEDNESDAY 9/13/06. SEND YOUR QUESTIONS TO: PURCHASING DIVISION            ATTENTION JOHN JOHNSTON            2019 WASHINGTON ST. E.            CHARLESTON, WV. 25305</p> <p>QUESTIONS MAY BE SENT VIA FAX, E-MAIL, OR REGULAR MAIL            E-MAIL: JJOHNSTON@WVADMIN.GOV            FAX: 304-558-4115</p> <p>IT IS THE VENDORS RESPONSIBILITY TO VERIFY THAT THEIR QUESTIONS HAVE BEEN RECEIVED BY CALLING 304-558-2402.</p> <p>EXHIBIT 2</p> <p>LIFE OF CONTRACT: THIS CONTRACT BECOMES EFFECTIVE ON ..... AND EXTENDS FOR A PERIOD OF ONE (1) YEAR OR UNTIL SUCH "REASONABLE TIME" THEREAFTER AS IS NECESSARY TO OBTAIN A NEW CONTRACT OR RENEW THE ORIGINAL CONTRACT. THE "REASONABLE TIME" PERIOD SHALL</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE *[Signature]*      TELEPHONE **346-5301**      DATE **10-3-06**

TITLE **President**      FEIN **550621655**      ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER  
**707EC008**

PAGE  
**2**

ADDRESS CORRESPONDENCE TO ATTENTION OF  
**JOHN JOHNSTON**  
**304-558-2402**

VENDOR

\*709051756                    304-346-5301  
**WV TRACTOR COMPANY**  
**PO BOX 473**  
  
**CHARLESTON WV 25322**

SHIP TO

**DIVISION OF HIGHWAYS**  
**EQUIPMENT DIVISION**  
**ROUTE 33**  
**BRUSHY FORK ROAD**  
**BUCKHANNON, WV**  
**26201                    304-472-1750**

DATE PRINTED <b>08/24/2006</b>	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
-----------------------------------	---------------	----------	--------	---------------

BID OPENING DATE: **10/04/2006**                    BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>NOT EXCEED TWELVE (12) MONTHS. DURING THIS "REASONABLE TIME" THE VENDOR MAY TERMINATE THIS CONTRACT FOR ANY REASON UPON GIVING THE DIRECTOR OF PURCHASING THIRTY (30) DAYS WRITTEN NOTICE.</p> <p>UNLESS SPECIFIC PROVISIONS ARE STIPULATED IN THIS CONTRACT DOCUMENT, THE TERMS, CONDITIONS, AND PRICING SET HEREIN ARE FIRM FOR THE LIFE OF THE CONTRACT.</p> <p>RENEWAL: THIS CONTRACT MAY BE RENEWED UPON THE MUTUAL WRITTEN CONSENT OF THE SPENDING UNIT AND VENDOR, SUBMITTED TO THE DIRECTOR OF PURCHASING THIRTY (30) DAYS PRIOR TO THE EXPIRATION DATE. SUCH RENEWAL SHALL BE IN ACCORDANCE WITH THE TERMS AND CONDITIONS OF THE ORIGINAL CONTRACT AND SHALL BE LIMITED TO TWO (2) ONE (1) YEAR PERIODS.</p> <p>CANCELLATION: THE DIRECTOR OF PURCHASING RESERVES THE RIGHT TO CANCEL THIS CONTRACT IMMEDIATELY UPON WRITTEN NOTICE TO THE VENDOR IF THE COMMODITIES AND/OR SERVICES SUPPLIED ARE OF AN INFERIOR QUALITY OR DO NOT CONFORM WITH THE SPECIFICATIONS OF THE BID AND CONTRACT HEREIN.</p> <p>OPEN MARKET CLAUSE: THE DIRECTOR OF PURCHASING MAY AUTHORIZE A SPENDING UNIT TO PURCHASE ON THE OPEN MARKET, WITHOUT THE FILING OF A REQUISITION OR COST ESTIMATE, ITEMS SPECIFIED ON THIS CONTRACT FOR IMMEDIATE DELIVERY IN EMERGENCIES DUE TO UNFORESEEN CAUSES (INCLUDING BUT NOT LIMITED TO DELAYS IN TRANSPORTATION OR AN UNANTICIPATED INCREASE IN THE VOLUME OF WORK).</p> <p>QUANTITIES: QUANTITIES LISTED IN THE REQUISITION ARE APPROXIMATIONS ONLY, BASED ON ESTIMATES SUPPLIES BY THE STATE SPENDING UNIT. IT IS UNDERSTOOD AND AGREED THAT THE CONTRACT SHALL COVER THE QUANTITIES ACTUALLY ORDERED FOR DELIVERY DURING THE TERM OF CONTRACT,</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER  
**707EC008**

PAGE  
**3**

ADDRESS CORRESPONDENCE TO ATTENTION OF:  
**JOHN JOHNSTON**  
**304-558-2402**

VENDOR

\*709051756      304-346-5301  
 WV TRACTOR COMPANY  
 PO BOX 473  
 CHARLESTON WV 25322

SHIP TO

DIVISION OF HIGHWAYS  
 EQUIPMENT DIVISION  
 ROUTE 33  
 BRUSHY FORK ROAD  
 BUCKHANNON, WV  
 26201      304-472-1750

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
08/24/2006				

BID OPENING DATE: **10/04/2006**      BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>WHETHER MORE OR LESS THAN THE QUANTITIES SHOWN.</p> <p>ORDERING PROCEDURE: SPENDING UNIT(S) SHALL ISSUE A WRITTEN EQUIPMENT CONTRACT ORDER (FORM NUMBER WV-35) FOR COMMODITIES COVERED BY THIS CONTRACT. THE ORIGINAL WV-35 MUST BE SENT TO THE PURCHASING DIVISION OF THE DEPARTMENT OF ADMINISTRATION. AFTER APPROVAL AND ENCUMBRANCE, ONE COPY OF THE PURCHASE ORDER WILL BE RETURNED TO THE SPENDING UNIT AND ONE COPY FORWARDED TO THE VENDOR AS AUTHORIZATION FOR SHIPMENT. NO ORDER IS VALID UNLESS APPROVED AND ENCUMBERED BY THE PURCHASING DIVISION.</p> <p>BANKRUPTCY: IN THE EVENT THE VENDOR/CONTRACTOR FILES FOR BANKRUPTCY PROTECTION, THIS CONTRACT IS AUTOMATICALLY NULL AND VOID, AND IS TERMINATED WITHOUT FURTHER ORDER.</p> <p>REV. 9/98</p> <p>EXHIBIT 6</p> <p>PRICE ADJUSTMENT PROVISION:          THE STATE OF WEST VIRGINIA WILL CONSIDER BIDS THAT CONTAIN PROVISIONS FOR PRICE ADJUSTMENTS PRIOR TO THE ORIGINAL EXPIRATION OF THE CONTRACT, PROVIDED THAT SUCH PRICE ADJUSTMENT COVERS BOTH UPWARD AND DOWNWARD MOVEMENT OF THE COMMODITY PRICE, AND THAT ADJUSTMENT IS BASED ON THE "PASS THROUGH" INCREASE OR DECREASE OF RA MATERIALS AND/OR LABOR, WHICH MAKE UP ALL OR A SUBSTANTIAL PART OF A PRODUCT. ADJUSTMENTS ARE TO BE BASED UPON AN ACTUAL DOLLAR FIGURE, NOT A PERCENTAGE. ALL PRICE ADJUSTMENT REQUESTS MUST BE SUBSTANTIATED IN A MANNER ACCEPTABLE TO THE DIRECTOR PURCHASING, E.G. GOVERNMENTAL BENCH MARKS, GENERAL MARKET INCREASE,</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER
707EC008

PAGE
4

ADDRESS CORRESPONDENCE TO ATTENTION OF:
JOHN JOHNSTON 304-558-2402

VENDOR

\*709051756      304-346-5301  
 WV TRACTOR COMPANY  
 PO BOX 473  
 CHARLESTON WV 25322

SHIP TO

DIVISION OF HIGHWAYS  
 EQUIPMENT DIVISION  
 ROUTE 33  
 BRUSHY FORK ROAD  
 BUCKHANNON, WV  
 26201      304-472-1750

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B	FREIGHT TERMS
08/24/2006				

BID OPENING DATE: 10/04/2006      BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>PUBLISHED PRICE LISTS. SUCH REQUESTS FOR AND INCREASE SHOULD BE RECEIVED IN WRITING BY THE DIRECTOR OF PURCHASING AT LEAST 30 DAYS IN ADVANCE OF THE EFFECTIVE DATE OF THE INCREASE. ANY TIME THE VENDOR REQUESTS A PRICE ADJUSTMENT, THE PURCHASING DIVISION MAY EITHER ACCEPT THE PRICE ADJUSTMENT AND AMEND THE CONTRACT ACCORDINGLY OR REJECT THE ADJUSTMENT IN ITS ENTIRETY AND CANCEL THE CONTRACT.</p> <p style="text-align: center;">VENDOR PREFERENCE CERTIFICATE</p> <p>CERTIFICATION AND APPLICATION* IS HEREBY MADE FOR PREFERENCE IN ACCORDANCE WITH WEST VIRGINIA CODE, 5A-3-37 (DOES NOT APPLY TO CONSTRUCTION CONTRACTS).</p> <p>A. APPLICATION IS MADE FOR 2.5% PREFERENCE FOR THE REASON CHECKED:</p> <p>( ) BIDDER IS AN INDIVIDUAL RESIDENT VENDOR AND HAS RESIDED CONTINUOUSLY IN WEST VIRGINIA FOR FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION; OR</p> <p>(xx) BIDDER IS A PARTNERSHIP, ASSOCIATION OR CORPORATION RESIDENT VENDOR AND HAS MAINTAINED ITS HEAD-QUARTERS OR PRINCIPAL PLACE OF BUSINESS CONTINUOUSLY IN WEST VIRGINIA FOR FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION; OR 80% OF THE OWNERSHIP INTEREST OF BIDDER IS HELD BY ANOTHER INDIVIDUAL, PARTNERSHIP, ASSOCIATION OR CORPORATION RESIDENT VENDOR WHO HAS MAINTAINED ITS HEADQUARTERS OR PRINCIPAL PLACE OF BUSINESS CONTINUOUSLY IN WEST VIRGINIA FOR FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION; OR</p> <p>( ) BIDDER IS A CORPORATION NONRESIDENT VENDOR</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
-----------	-----------	------

TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE
-------	------	-----------------------------------

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER
707EC008

PAGE
5

ADDRESS CORRESPONDENCE TO ATTENTION OF:
JOHN JOHNSTON 304-558-2402

VENDOR	*709051756	304-346-5301
	WV TRACTOR COMPANY	
	PO BOX 473	
	CHARLESTON WV 25322	

SHIP TO	DIVISION OF HIGHWAYS	
	EQUIPMENT DIVISION	
	ROUTE 33	
	BRUSHY FORK ROAD	
	BUCKHANNON, WV 26201	304-472-1750

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
08/24/2006				

BID OPENING DATE: 10/04/2006 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>WHICH HAS AN AFFILIATE OR SUBSIDIARY WHICH EMPLOYS A MINIMUM OF ONE HUNDRED STATE RESIDENTS AND WHICH HAS MAINTAINED ITS HEADQUARTERS OR PRINCIPAL PLACE OF BUSINESS WITHIN WEST VIRGINIA CONTINUOUSLY FOR THE FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION.</p> <p>B. APPLICATION IS MADE FOR 2.5% PREFERENCE FOR THE REASON CHECKED:</p> <p>(XX) BIDDER IS A RESIDENT VENDOR WHO CERTIFIES THAT, DURING THE LIFE OF THE CONTRACT, ON AVERAGE AT LEAST 75% OF THE EMPLOYEES WORKING ON THE PROJECT BEING BID ARE RESIDENTS OF WEST VIRGINIA WHO HAVE RESIDED IN THE STATE CONTINUOUSLY FOR THE TWO YEARS IMMEDIATELY PRECEDING SUBMISSION OF THIS BID;</p> <p>OR</p> <p>( ) BIDDER IS A NONRESIDENT VENDOR EMPLOYING A MINIMUM OF ONE HUNDRED STATE RESIDENTS OR IS A NONRESIDENT VENDOR WITH AN AFFILIATE OR SUBSIDIARY WHICH MAINTAINS ITS HEADQUARTERS OR PRINCIPAL PLACE OF BUSINESS WITHIN WEST VIRGINIA EMPLOYING A MINIMUM OF ONE HUNDRED STATE RESIDENTS WHO CERTIFIES THAT, DURING THE LIFE OF THE CONTRACT, ON AVERAGE AT LEAST 75% OF THE EMPLOYEES OR BIDDERS' AFFILIATE'S OR SUBSIDIARY'S EMPLOYEES ARE RESIDENTS OF WEST VIRGINIA WHO HAVE RESIDED IN THE STATE CONTINUOUSLY FOR THE TWO YEARS IMMEDIATELY PRECEDING SUBMISSION OF THIS BID.</p> <p>BIDDER UNDERSTANDS IF THE SECRETARY OF TAX &amp; REVENUE DETERMINES THAT A BIDDER RECEIVING PREFERENCE HAS FAILED TO CONTINUE TO MEET THE REQUIREMENTS FOR SUCH PREFERENCE, THE SECRETARY MAY ORDER THE DIRECTOR OF PURCHASING TO: (A) RESCIND THE CONTRACT OR PURCHASE ORDER ISSUED; OR (B) ASSESS A PENALTY AGAINST SUCH BIDDER IN AN AMOUNT NOT TO EXCEED 5% OF THE BID AMOUNT</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER  
**707EC008**

PAGE  
**6**

ADDRESS CORRESPONDENCE TO ATTENTION OF  
**JOHN JOHNSTON**  
**304-558-2402**

VENDOR

\*709051756                    304-346-5301  
**WV TRACTOR COMPANY**  
**PO BOX 473**  
  
**CHARLESTON WV 25322**

SHIP TO

**DIVISION OF HIGHWAYS**  
**EQUIPMENT DIVISION**  
**ROUTE 33**  
**BRUSHY FORK ROAD**  
**BUCKHANNON, WV**  
**26201**                    **304-472-1750**

DATE PRINTED <b>08/24/2006</b>	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
BID OPENING DATE: <b>10/04/2006</b> <b>BID OPENING TIME 01:30PM</b>				

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>AND THAT SUCH PENALTY WILL BE PAID TO THE CONTRACTING AGENCY OR DEDUCTED FROM ANY UNPAID BALANCE ON THE CONTRACT OR PURCHASE ORDER.</p> <p>BY SUBMISSION OF THIS CERTIFICATE, BIDDER AGREES TO DISCLOSE ANY REASONABLY REQUESTED INFORMATION TO THE PURCHASING DIVISION AND AUTHORIZES THE DEPARTMENT OF TAX AND REVENUE TO DISCLOSE TO THE DIRECTOR OF PURCHASING APPROPRIATE INFORMATION VERIFYING THAT BIDDER HAS PAID THE REQUIRED BUSINESS TAXES, PROVIDED THAT SUCH INFORMATION DOES NOT CONTAIN THE AMOUNTS OF TAXES PAID NOR ANY OTHER INFORMATION DEEMED BY THE TAX COMMISSIONER TO BE CONFIDENTIAL.</p> <p>UNDER PENALTY OF LAW FOR FALSE SWEARING (WEST VIRGINIA CODE 61-5-3), BIDDER HEREBY CERTIFIES THAT THIS CERTIFICATE IS TRUE AND ACCURATE IN ALL RESPECTS; AND THAT IF A CONTRACT IS ISSUED TO BIDDER AND IF ANYTHING CONTAINED WITHIN THIS CERTIFICATE CHANGES DURING THE TERM OF THE CONTRACT, BIDDER WILL NOTIFY THE PURCHASING DIVISION IN WRITING IMMEDIATELY.</p> <p>BIDDER: <u>West Virginia Tractor Company</u></p> <p>DATE: <u>10-3-06</u></p> <p>SIGNED: <u><i>George Tracy</i></u></p> <p>TITLE: <u>President</u></p> <p>* CHECK ANY COMBINATION OF PREFERENCE CONSIDERATION(S) IN EITHER "A" OR "B", OR BOTH "A" AND "B" WHICH YOU AR</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS			
SIGNATURE	TELEPHONE	DATE	
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE	

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'





State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER
707EC008

PAGE
8

ADDRESS CORRESPONDENCE TO ATTENTION OF:
JOHN JOHNSTON 304-558-2402

V E N D O R	*709051756      304-346-5301
	WV TRACTOR COMPANY
	PO BOX 473
	CHARLESTON WV 25322

S H I P T O	DIVISION OF HIGHWAYS
	EQUIPMENT DIVISION
	ROUTE 33
	BRUSHY FORK ROAD
	BUCKHANNON, WV 26201      304-472-1750

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
08/24/2006				

BID OPENING DATE: 10/04/2006      BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
CONTACT PERSON (PLEASE PRINT CLEARLY): Gary W. Grady						
***** THIS IS THE END OF RFQ 707EC008 ***** TOTAL: _____						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFO NUMBER  
**707EC008**

PAGE  
**1**

ADDRESS CORRESPONDENCE TO ATTENTION OF  
**JOHN JOHNSTON**  
**304-558-2402**

**VENDOR**  
 \*709051756      304-346-5301  
**WV TRACTOR COMPANY**  
**PO BOX 473**  
**CHARLESTON WV 25322**

**SHIP TO**  
**DIVISION OF HIGHWAYS**  
**EQUIPMENT DIVISION**  
**ROUTE 33**  
**BRUSHY FORK ROAD**  
**BUCKHANNON, WV**  
**26201**      **304-472-1750**

DATE PRINTED <b>09/25/2006</b>	TERMS OF SALE <b>Net 30 Days</b>	SHIP VIA <b>Truck</b>	F.O.B. <b>Buckhannon</b>	FREIGHT TERMS <b>Prepaid</b>
-----------------------------------	-------------------------------------	--------------------------	-----------------------------	---------------------------------

BID OPENING DATE: **10/04/2006**      **BID OPENING TIME 01:30PM**

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<b>ADDENDUM NO. 1</b>						
CHANGES TO THE SPECIFICATIONS PER THE ATTACHED.						
BID OPENING DATE AND TIME REMAINS THE SAME.						
NO OTHER CHANGES.						
0001	1	EA		SAKAI SW320 760-66	\$26,990	
DOUBLE DRUM VIBRATORY ROLLER/COMPACTOR						
***** THIS IS THE END OF RFO 707EC008 ***** TOTAL: _____						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>Gayle W. Tracy</i>	TELEPHONE 346-5301	DATE 10-3-06
TITLE President	FEIN 550621555	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFO, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

NOTE: Vendor should type Bidder's Evaluation Report

WEST VIRGINIA DEPARTMENT OF TRANSPORTATION  
DIVISION OF HIGHWAYS  
EQUIPMENT DIVISION

BIDDER'S EVALUATION REPORT

PROCUREMENT SPECIFICATIONS FOR OPEN END CONTRACT  
NO. 591-2-K

DOUBLE DRUM VIBRATORY ROLLER/COMPACTOR

NOTE TO BIDDER: Procurement Specification No. 591-2-K, Paragraph 2.0 recommends the completion and submittal of this Report with your bid. Purpose of this Report is to enable the West Virginia Division of Highways Evaluation Committee to make full and fair evaluation of the bid.  
FAILURE TO SUBMIT THIS REPORT, COMPLETE IN ITS ENTIRETY, MAY SUBJECT THE BIDDER TO DISQUALIFICATION.

Reference Requisition No.: 707EC008

Bidder's Name: West Virginia Tractor Company

Address: P.O. Box 473 Charleston, WV 25322

Telephone Number: 304-346-5301

Years Bidder has been registered to do business with the State of West Virginia: 24 YRS.

Years Company has been an authorized dealer for proposed unit: -1 YRS.

X4.2 DELIVERY:

X4.2.1 Delivery date of completed representative unit: 45 Calendar Days After Date of Purchase Agreement

X4.2.2 Delivery date of balance of completed units: 60-90 Calendar Days After Date of Purchase Agreement

## X5.0 AWARD CRITERIA;

X5.1 Prices for unit in quantities of	1-10	<u>\$26,990</u>	per unit
	11-20	<u>\$26,990</u>	per unit
	21 and over	<u>\$26,990</u>	per unit

## X6.0 SPECIFICATIONS - GENERAL

X6.1 Manufacturer, model, series, and date of manufacture of proposed unit:

SAKAI SW320

2007 and later as ordered

Is descriptive literature, fully describing proposed unit attached to your bid?  YES  NO

If not, why? \_\_\_\_\_

X6.2 Will the required number of service manuals, and complete parts list be delivered to the Equipment Division at Buckhannon upon completion of delivery of total units?  YES  NOWill the required Equipment Preventive Maintenance Form (Section X6.2 of Bidders Evaluation Report) be provided upon inspection of the pilot unit?  YES  NO

X6.2  
2-10-00

EQUIPMENT PREVENTATIVE MAINTENANCE QUESTIONNAIRE

THIS FORM MUST BE COMPLETED IN ITS ENTIRETY BY SUCCESSFUL BIDDER OR MANUFACTURER'S TECHNICAL REPRESENTATIVE PRIOR TO DELIVERY OF PILOT MODEL TO THE WVDOH.

DESCRIPTION: \_\_\_\_\_ MAKE: \_\_\_\_\_

MODEL: \_\_\_\_\_ YEAR: \_\_\_\_\_ PURCHASE AMOUNT: \_\_\_\_\_

ENGINE: MAKE: \_\_\_\_\_ MODEL: \_\_\_\_\_ FUEL TYPE: \_\_\_\_\_

HORSEPOWER: \_\_\_\_\_ CYLINDER: \_\_\_\_\_ ENGINE SERIAL: \_\_\_\_\_

COOLING SYSTEM CAPACITY: \_\_\_\_\_

BELTS: DESCRIPTION: \_\_\_\_\_ PART NUMBERS: \_\_\_\_\_

\_\_\_\_\_  
\_\_\_\_\_

GVW: \_\_\_\_\_ AXLE CAPACITY: FRONT: \_\_\_\_\_ REAR: \_\_\_\_\_

TIRES: FRONT MAKE & SIZE: \_\_\_\_\_

REAR MAKE & SIZE: \_\_\_\_\_

DIMENSIONS OF UNIT: LENGTH: \_\_\_\_\_ WIDTH: \_\_\_\_\_ LENGTH: \_\_\_\_\_

VENDOR CONTACT PERSON: \_\_\_\_\_ PHONE: \_\_\_\_\_

PARTS:

BATTERY MAKE: \_\_\_\_\_ MODEL: \_\_\_\_\_ CCA: \_\_\_\_\_

TOP OR SIDE POST: \_\_\_\_\_ DIMENSIONS: LENGTH \_\_\_\_\_ WIDTH \_\_\_\_\_ HEIGHT \_\_\_\_\_

SPARK PLUGS OR FUEL INJECTORS MAKE: \_\_\_\_\_ PART # \_\_\_\_\_

FUEL PUMP OR INJECTION PUMP MAKE: \_\_\_\_\_ MODEL: \_\_\_\_\_

ALTERNATOR MAKE: \_\_\_\_\_ PART #: \_\_\_\_\_

STARTER MAKE: \_\_\_\_\_ PART #: \_\_\_\_\_

TURBO CHARGER MAKE: \_\_\_\_\_ PART #: \_\_\_\_\_

TRANS. MAKE: \_\_\_\_\_ MODEL: \_\_\_\_\_ AUTO/MANUAL: \_\_\_\_\_

HYDRAULIC PUMP MAKE: \_\_\_\_\_ MODEL: \_\_\_\_\_

FILTERS	MAKE	PART NO.	LUBRICANT	MANUFACTURER TYPE
OIL	_____	_____	ENGINE	_____
AIR INNER	_____	_____	TRANSMISSION	_____
AIR OUTER	_____	_____	POWER STEERING	_____
FUEL PRIMARY	_____	_____	HYDRAULIC	_____
FUEL SECONDARY	_____	_____	DIFFERENTIALS	_____
COOLANT	_____	_____	BRAKE FLUID	_____
HYDRAULIC	_____	_____	COOLANT	_____
OTHER	_____	_____	OTHER	_____

## X6.3 TRAINING:

Will training seminar be conducted on Preventive Maintenance, Operator and Mechanic Training  
 YES  NO

Will you conduct training with each purchase order against this open end contract?  
 YES  NO

Will training be conducted within 2 working days from the delivery of the pilot unit on the individual  
 purchase order?  YES  NO

If NO, explain time frame \_\_\_\_\_

Will an Operator's Manual be furnished to the Training Academy?  YES  NO

X6.4 If you are the successful vendor, will you furnish all training aids, i.e., videos, projectors, required in  
 conducting the training?  YES  NO

X6.4.1 Will all manuals, booklets, etc. explaining preventive maintenance, operator procedures, and service  
 schedule be delivered with each unit?  YES  NO  
 If NO, explain \_\_\_\_\_

## X6.5 WARRANTY AND SERVICE POLICY

Will the warranty and service you provide comply with all areas as stated in Section 6.5 of specifications  
 YES  NO

Is warranty literature attached?  YES  NO

## X6.5 WARRANTY AND SERVICE POLICY QUESTIONNAIRE

THIS FORM MUST BE COMPLETED IN ITS ENTIRETY BY THE SUCCESSFUL BIDDER OR MANUFACTURERS TECHNICAL REPRESENTATIVE PRIOR TO DELIVERY OF PILOT MODEL TO THE WVDOH (If additional lines are needed, make copies of form.)

1. Define the terms of the standard warranty. If not offered, so state. (Attach copy)

One Year, 1000 hours warranty as per the attached

warranty statement

2. Define warranty service to be performed at DOH facilities and warranty service to be performed at manufacturer's representative facility. List name and location of manufacturer's representative.

Most work under warranty can be performed at West Virginia

Tractor in Charleston

3. List locations for parts inventories that are within the State of West Virginia. Also, list availability levels, if known.

West Virginia Tractor in Charleston will be the source of

Sakai parts.

4. During the term of warranty, list the guarantee discount to manufacturer's published list price for parts that bidder will sell the parts to owner.

A.	Terms: Net 30	Manufacturer's published list price less: <u>      -      </u> % discount
B.	Terms: Net 60	Manufacturer's published list price less: <u>      -      </u> % discount
C.	Terms: Net 90	Manufacturer's published list price less: <u>      -      </u> % discount

5. During the term of warranty, will all manufacturers or engineering improvements be submitted to Division of Highways?       x       YES        NO

6. During the term of warranty, list the guaranteed rates charged for repair to the unit.

A.	Shop Rate	\$ <u>60.00</u> per mechanic hour
B.	Travel Time Charge (Specify if one-way)	\$ <u>60.00</u> per mechanic hour <u>                    </u> ; port to port <u>  x  </u>
C.	Mileage Charge (Specify if one-way)	\$ <u>1.25</u> per vehicle mile <u>                    </u> ; port to port <u>  x  </u>
D.	Field Mechanic Rate	\$ <u>60.00</u> per mechanic hour
E.	Specify period of time that prices are in effect:	<u>  During warranty  </u>
F.	Surcharge for miscellaneous items:	<u>  Holidays and overtime 150%  </u>

## X6.6 EVALUATION COMMITTEE REQUIREMENTS

Is all component specifications, product literature, component models provided for Evaluation Committee bid determination?  YES  NO

X6.7 Will all parts, equipment, accessories, material, design and performance characteristics not specified herein, but which are necessary to provide a complete unit, be furnished with the unit and conform in strength, quality of material, and quality of workmanship to those which are advertised and provided to the market in general by the unit industry?  YES  NO

X6.7.1 Are all parts and accessories adequate and regularly supplied as standard to be included except those which may be duplications of specifications herein, and except these by specification are not to be furnished?  YES  NO

X6.7.2 Are all standard safety features that are required by Federal and State statutes of law included?  YES  NO

## X7.0 SPECIFICATIONS OF THE QUOTED UNIT

The bidder should complete the following schedule in order for the Division to compare the actual bid unit to the specifications. Should the bidder except a requirement, then such exception may be only on the basis that such feature is not offered by the manufacturer. The Division will have the sole discretion as to whether the bidder's substitution meets the requirements of the specifications.

Manufacturer: Sakai Model: SW320

X7.1 Are roller(s) equipped with ROPS and FOPS canopy?  YES  NO

X7.2 Is engine manufacturer's water/air water cooled diesel/sufficient torque to operate machine/hydraulic system at maximum efficiency?  YES  NO  
Specify engine horsepower 34

X7.3 Is steering of hydraulic, full power, articulated design?  YES  NO

X7.4 Is unit a low profile design?  YES  NO

X7.5 Unit weight: 6545 pounds

X7.6 Wheel base: 77 inches

X7.7 Does unit have dual drum drive with hydrostatic propulsion?  YES  NO

X7.8 Does unit have manufacturer's vandalism package?  YES  NO

X7.9 Travel speed: Forward 0-7.5, Reverse 0-7.5

## X7.10 Engine:

- X7.10.1 Is manufacturer heaviest duty dual fuel filtering system offered?  YES  NO
- X7.10.2 Has full pressure lubrication with oil filter/by pass system?  YES &  NO
- X7.10.3 Is governor key shut off, wire sealed by manufacturer?  YES  NO
- X7.10.4 Is cooling system provided with permanent type Dex-Cool extended life (or equal) to a freeze point of -34°?  YES  NO

## X7.11 Brakes:

- X7.11.1 Has hydrostatic propulsion service brake?  YES  NO
- X7.11.2 Is parking brake spring-applied, hydraulically released on each drum drive?  YES  NO

## X7.12 Drums:

- X7.12.1 Are drums manufacturers heavy duty?  YES  NO
- X7.12.2 Drum width: 47.2 inches
- X7.12.3 Drum diameter: 28 inches
- X7.12.4 Are wiper bars mounted front and rear of each drum?  YES  NO
- X7.12.5 Are wiper bars self adjusting and spring loaded?  YES  NO
- X7.12.6 Do wiper bars have replaceable rubber/neoprene drum cleaners?  YES  NO
- X7.12.7 Are front/rear drums of vibratory compaction type?  YES  NO
- X7.12.8 Are vibrating parts isolated from rest of roller?  YES  NO
- X7.12.9 Are vibrating system isolators replaceable?  YES  NO
- X7.12.10 Will unit be equipped with automatic vibration switch?  YES  NO

## X7.13 Electrical:

- X7.13.1 Does electrical system have manufacturer's heavy duty 12 volt D.C. negative ground?  YES  NO
- X7.13.2 Has manufacturers recommended heavy duty maintenance free battery?  YES  NO
- X7.13.3 Has battery CCA approximate 500? CCA: 675  YES  NO
- X7.13.4 Alternator: 60 AMP with internal regulator?

- X7.14 Will gauges be illuminated/equipped w/visual or audible warning that will advise operator when Mfg. recommended safe operating ranges are exceeded?  YES  NO
- X7.14.1 Is unit provided with hour meter operable from engine operation (not key switch)?  YES  NO
- X7.14.2 Is ignition switch water sealed?  YES  NO
- X7.14.3 Has fuel gauge?  YES  NO
- X7.14.4 Has volt/amp meter gauge SEE ADDENDUM  YES  NO
- X7.14.5 Has oil pressure gauge? SEE ADDENDUM  YES  NO
- X7.14.6 Has engine temperature gauge? SEE ADDENDUM  YES  NO
- X7.14.7 Are seats manufacturers fully adjustable, isolation mounted and with seat belts at operators station?  YES  NO
- X7.14.8 Has OSHA approved back-up alarm installed by manufacturer?  YES  NO
- X7.14.9 Does unit have a parking brake "on" indicator?  YES  NO
- X7.14.10 Is provided with a neutral start safety switch?  YES  NO
- X7.15 Water System:
- X7.15.1 Tank capacity: 48 gallons
- X7.15.2 Is water system pressurized?  YES  NO
- X7.15.3 Is water flow variable?  YES  NO
- X7.15.4 Are water filters provided?  YES  NO
- X7.15.5 Has screened back nozzle sprayers?  YES  NO
- X7.15.6 Is empty tank indicator provided?  YES  NO
- X7.15.7 Has water pump capable of "Run Dry" situation without damage to pump or components?  YES  NO
- X7.15.8 Is water system of rust-proof material?  YES  NO
- X7.15.9 Does water tank have drain plug?  YES  NO

## X7.16 Lighting:

X7.16.1 Is unit equipped with visible flashers front and rear?  YES  NO

X7.16.2 Has work lights front and rear?  YES  NO

X7.16.3 Is strobe light amber color, mounted and model specified?  YES  NO

X7.17 Are all manufacturers safety decals/features provided?  YES  NO

X7.18 Is one (1) complete set of replacement filters with unit upon delivery?  YES  NO

## X7.19 Paint:

X7.19.1 Is manufacturer's recommended paint preparation/color provided?  YES  NO

X7.20 Does proposed unit meet or exceed the "OSHA of 1970"?  YES  NO

X7.21 Does unit conform to the advertising guidelines?  YES  NO

## X7.22 Preventive Maintenance and Operators Orientation/Training:

X7.22.1 Have you attached a copy of proposed training program along with schedule of course. Will you furnish all training aids?  YES  NO

Training schedule for operators and maintenance should take about 6 hours in Buckhannon. We would like to limit class size to 20-25 maximum participants.

ADDENDUM #1  
707EC008

OPEN END CONTRACT  
DOUBLE DRUM VIBRATORY ROLLER/COMPACTOR

CHANGES TO BIDDER'S EVALUATION REPORT:

X4.0 REPRESENTATIVE UNIT FOR TEST – NO CHANGE REQUIRED

X4.2 DELIVERY OF COMPLETED REPRESENTATIVE UNIT – NO CHANGE  
REQUIRED

X7.14 Gauges – NO CHANGE REQUIRED

FROM:

X7.14.4 Has volt/amp meter gauge \_\_\_\_\_ YES \_\_\_\_\_ NO

TO:

X7.14.4 Has volt/amp meter gauge or light  YES \_\_\_\_\_ NO

FROM:

X7.14.5 Has oil pressure gauge \_\_\_\_\_ YES \_\_\_\_\_ NO

TO:

X7.14.5 Has oil pressure gauge or light  YES \_\_\_\_\_ NO

FROM:

X7.14.6 Has engine temperature gauge \_\_\_\_\_ YES \_\_\_\_\_ NO

TO:

X7.14.6 Has engine temperature gauge or light  YES \_\_\_\_\_ NO

WEST VIRGINIA TRACTOR COMPANY

707EC008 Exceptions to Specifications

- 7.10.2 The engine oil filtration system meets the specifications, except the oil filter does not have a bypass system. When the oil filter starts to become restricted, a warning light indicates the situation, giving the operator at least a day to have the filter changed. This system does not allow dirty oil to bypass into the engine.

WEST VIRGINIA TRACTOR COMPANY

COMPLIANCE WITH WEST VIRGINIA PURCHASING RULES

As required by law and West Virginia Department of Administration, Purchasing Division Legislative Rule 148 CSR 1, West Virginia Tractor Company is licensed and in good standing with any and all state and local laws and requirements, including the West Virginia Secretary of State's office, the West Virginia Tax Department, the West Virginia Insurance Commission, or any other state agencies or political subdivisions, including the West Virginia Division of Motor Vehicles as a trailer dealer (DTR-1594) and as a new vehicle dealer (D-43).

West Virginia Tractor Company does not discriminate against any employee or applicant for employment because of race, religion, color, sex, handicap, or national origin.

# WARRANTY CERTIFICATE

SAKAI WARRANTS that all products manufactured by SAKAI are free from any defects in material and workmanship subject to the following terms and conditions.



1. **Warranty Period.**  
For the period of 12 months or 1,000 hours on the meter, whichever comes first.
2. **Standard Warranty Policy**  
If any defects should be found in the original performance or function of SAKAI products within the period stipulated in the preceding clause, replacements and necessary repairs shall be made only when the manufacturer acknowledges that such defects are attributable to faulty material or workmanship of SAKAI products.
3. **Warranty Does Not Apply.**  
SAKAI's warranty does not apply to the following cases even if they occur during the warranty period.
  - a. Claim for damage or defects attributable to faulty assembly work and/or defective substitute parts locally procured.
  - b. When repair is required due to accident, misuse or negligence.
  - c. Where modifications have been made without any prior approval by SAKAI.
  - d. When user does not file claim within the period of fifteen (15) days from the date of repair.
  - e. Bulb, fuses, glass, clutch facing, brake lining, fuel injection nozzle, filter element, or other similar parts.

# SAKAI


Vibratory Asphalt Rollers

# SW300 Series

- Municipal Streets and County Roads
- Road Shoulders and Widening
- Driveways, Bike Paths and Tennis Courts
- Superpave and Other Perpetual Pavement Types
- High Frequency for Faster Compaction
- Counter-Rotating Eccentric Weights
- Dual Drum Hydrostatic Drive
- Independent Drum Vibration
- Advanced Shock Isolation System
- Triple Filtration Spray System



The Sakai SW300 Series are designed for small to medium range applications – municipal streets and county roads, highway shoulders and widening, driveways, parking lots, bike paths, and tennis courts. Sakai offers its SW300 Series in three different sizes for use on virtually any small or medium size job.




### Powerful Performance


- **Compaction System – The High Frequency Difference** – Sakai offers the highest productivity of any vibratory rollers on the market. The SW300 Series feature the same high frequency, 4,000 vpm, as the larger Sakai machines. The eccentric weights rotate faster – permitting faster ground speeds while maintaining the customary 10-12 impacts per foot. Or the ground speed can be maintained, increasing the impacts per foot and achieving density in fewer passes.

Sakai vibratory rollers are engineered from the ground up to produce a true 4,000 vpm – not like competitors' models that attempt to get faster compaction at the expense of the machine's components. Plus, smooth machined drums, excellent drum edge visibility, and a high 21-1/2" curb clearance permit smooth finishes in even the most confined applications. A 2.3" side frame clearance permits work up close to walls, guard rails and other obstructions.


- **Unique Eccentric Weight Design** – All Sakai vibratory compactors offer our unique eccentric weight design. In addition to rotating the weights faster, Sakai eccentric weights spin in a counter-rotational



direction. This feature directs the forces downward into the material – eliminating pavement shoving, scuffing and hairline cracks.




Sakai  
Counter-Rotating Weights



Competitive  
Unidirectional Weights

The Sakai hydrostatic vibration system consists of few moving parts. The hydraulic motor direct drives the eccentric shaft-type vibrator, and the vibrator bearings are automatically lubricated by an oil bath – providing long life and easy maintenance.




- **Traction** – The SW300 Series rollers offer dual drum drive to ensure excellent traction and eliminate bow wave build-up in front of the machine. The drum drive system is completely independent from the vibration system – ensuring that all the vibration force is applied to the ground. The drum drive and vibration motors are cross-mounted between the front and rear drums, balancing the weight from front to rear as well as left to right – and keeping the machines rolling straight even at slow speeds.

- **Efficient Engine** – The SW300 Series are powered by a fuel efficient, 34 hp Kubota water-cooled, diesel engine. This engine fully complies with current US emission standards. The engine is mounted on rubber isolators to absorb vibration. The engine hood is noise-suppressed and fully opens for simplified maintenance and safety.

### Heavy-Duty Components

- **Patented Shock Isolation** – Sakai is well known for its patented shock isolation systems. These custom designed shock isolators are stronger than any other on the market today. Located between the chassis frame and the drum drive motors, the shock isolators reduce the transmission of vibration back to critical machine components as well as the operator.


Competitive machines place the shock isolators between the drum and the drive motor – meaning these isolators wear out faster because the drive torque is transferred to the



drum through the rubber isolators – whether the vibration system is on or off. This wear then causes the machine to jerk with changes in direction. This irregular movement can cause pushing/pulling of the asphalt material, rough surfaces or hairline cracks in the pavement.

- Unsurpassed Spray System** – Sakai asphalt rollers offer the most reliable pressurized spray systems available. The system consists of rust-proof tanks, stainless pipes, and brass (not plastic) nozzles that can simply be cleaned or replaced by hand with 1/4 turn. A triple filtration system consists of filters at the reservoir intake, in line, and at the nozzles to prevent contamination and debris from clogging the system. The system also provides a pressurized water spray across the full width of the drums, and spring loaded, reinforced rubber scrapers swing open easily for clean-out. All components in this system are easy to maintain on site.

- Unique Hitch Design** – All Sakai vibratory compactors feature a



unique heavy-duty hitch design that is exceptionally stronger than competitive models. This joint system provides better control, smoother steering and unmatched chassis stability while vertical oscillation provides uniform compaction on uneven surfaces. Lubrication intervals are only required every 250 hours vs. competitive models that require daily service.

### High Safety Standards

- ROPS and Seat Belts** – Sakai believes that operator safety is our first priority. ROPS and seat belts are standard equipment on every Sakai roller sold in North America.
- Failsafe Braking System** – The SW300 Series are equipped with a two-brake, three-way failsafe system. A hydrostatic service brake is located at the forward-reverse lever. A wet disc, spring-applied, hydraulically released (SAHR) parking brake switch is located on the instrument panel. An emergency brake foot pedal activates both the hydrostatic and the SAHR brakes, and will automatically apply in the event of an engine or hydraulic system failure.

### Operator Comfort

The SW300 Series operator's station is a rubber-isolated deck designed to minimize the transmission of vibra-

tion to the operator and to reduce fatigue. Accessible from both sides of the machine, the operator's station, instrumentation and controls are conveniently located and within easy reach and view of the operator. The machines also provide an exceptional 2.3" side clearance, full view of both drums, and 360° visibility from the operator's seat.



### Superior Serviceability – Fast Support

The SW300 Series provide a fully opening engine hood for easy access to all main components including the engine, radiator and hydraulic components. The hydraulic system includes conveniently located pressure gauge ports. The vibrator bearing lubrication system consists of an oil bath that keeps the system lubricated regardless of conditions or terrain. ROPS fold down for simplified site-to-site transport.

Sakai has been building high quality construction equipment since 1918. We manufacture more vibratory compactors annually than anyone else in the world. Sakai stocks component parts for all its products and if necessary, are available via overnight dispatch from its North American headquarters in Georgia. Call (800) 323-0535 for prompt assistance with all your service needs.



Model			SW300		SW320		SW330	
<b>Operating Weight</b>	lbs	kg	6,115	2,775	6,480	2,940	6,655	3,020
On front			2,880	1,305	3,065	1,390	3,155	1,430
On rear			3,235	1,470	3,315	1,505	3,430	1,555
<b>Vibration Frequency</b>	vpm	Hz			4,000	67		
<b>Centrifugal Force</b>	lbs	kN	6,175	28	7,055	31	7,055	31
<b>Amplitude</b>	in	mm			0.014	0.36		
<b>Engine - Model</b>			Kubota D1703					
Engine Type			Water-cooled diesel					
Horsepower	hp	kW			34	25		
	rpm	min <sup>-1</sup>			2,800	2,800		
<b>2 Speed Range</b>	mph	km/h			0-7.5	0-12		
<b>Gradability</b>	%		44		41		39	
<b>Fuel Tank Capacity</b>	gal	L			13.2	50		
<b>Sprinkler System - Pressurized</b>	gal	L			48	182		
<b>Braking</b>	Hydrostatic, Wet Disc SAHR, Footbrake							
<b>Steering</b>	Articulated with heavy-duty hitch							
<b>Dimensional Data</b>	ins	mm						
Drum Diameter (A)					28	700		
Drum Width (B)	39.4	1,000			47.2	1,200	51	1,300
Overall Length (C)					104	2,640		
Overall Width (D)	44	1,120			52	1,320	52	1,320
Overall Height (E)					96	2,440		
Wheelbase (F)					77	1,955		
Curb Clearance (G)					21.5	545		
Side Overhang (H)	2.3	60			2.6	65	2.6	65
<b>Outside Turning Radius</b>	ins	mm	146	3,710	150	3,810	150	3,810
<b>Inside Turning Radius</b>	ins	mm	106.6	2,710	103	2,615	99	2,515
<b>Options</b>	Cab, Heater, Air Conditioning, Lights							



# SAKAI

Masters of Compaction

Sakai America Inc.

90 International Parkway, Adairsville, GA 30103

Tel 770-877-9433 or toll free 800-323-0535

Fax 770-877-9886 • www.sakaiamerica.com

SW300BROC804

Your authorized Sakai dealer:



# AFFIDAVIT

## West Virginia Code §5A-3-10a states:

No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owned is an amount greater than one thousand dollars in the aggregate.

## DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions.

"Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities.

"Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceeds five percent of the total contract amount.

## EXCEPTION:

The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

## LICENSING:


The vendor must be licensed in accordance with any and all state requirements to do business with the state of West Virginia.

## CONFIDENTIALITY:

The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendors should visit [www.state.wv.us/admin/purchase/privacy](http://www.state.wv.us/admin/purchase/privacy) for the Notice of Agency Confidentiality Policies.

Under penalty of law for false swearing (West Virginia Code, §61-5-3), it is hereby certified that the vendor acknowledges the information in this said affidavit and are in compliance with the requirements as stated.

Vendor's Name: West Virginia Tractor Company

Authorized Signature:  Date: 10/3/06