



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER  
**707EC019**

PAGE  
**1**

ADDRESS CORRESPONDENCE TO ATTENTION OF  
**JOHN JOHNSTON**  
**304-558-2402**

VENDOR

RFQ COPY  
 TYPE NAME/ADDRESS HERE  
**Benson Manufacturing, Inc.**  
**P.O. Box 970**  
**Mineral Wells, WV 26150**

SHIP TO

**DIVISION OF HIGHWAYS**  
**EQUIPMENT DIVISION**  
**ROUTE 33**  
**BRUSHY FORK ROAD**  
**BUCKHANNON, WV**  
**26201**      **304-472-1750**

DATE PRINTED <b>01/09/2007</b>	TERMS OF SALE <b>NET 30</b>	SHIP VIA <b>Motor Freight</b>	F.O.B. <b>Buckhannon, WV</b>	FREIGHT TERMS <b>PRE-PAID</b>
BID OPENING DATE: <b>02/21/2007</b>		BID OPENING TIME <b>01:30PM</b>		

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	1	EA		765-66		See Pricing Page
	9 CUBIC YARD	STAINLESS		STEEL DEMOUNTABLE SPREADER		
<p>OPEN END CONTRACT</p> <p>TO PROVIDE 9 CUBIC YARD STAINLESS STEEL DEMOUNTABLE ABRASIVE AND CHEMICAL SPREADER (HYDRAULIC) AS DESCRIBE IN THE ATTACHED PROCUREMENT SPECIFICATION 013-2-A.</p> <p>THERE WILL BE A MANDATORY PRE-BID CONFERENCE AT THE STATE CAPITOL COMPLEX, BUILDING 15, CONFERENCE ROOM, AT 1:00 PM ON 02/09/2007. FAILURE TO ATTEND THE PRE-BID CONFERENCE WILL RESULT IN BID DISQUALIFICATION</p> <p>QUESTIONS: WRITTEN QUESTIONS WILL BE ACCEPTED THROUGH CLOSE OF BUSINESS (5:00 PM EST) ON WEDNESDAY, 01/24/2007.</p> <p>SEND YOUR QUESTIONS TO: PURCHASING DIVISION            ATTENTION: JOHN JOHNSTON            2019 WASHINGTON STREET EAST            CHARLESTON, WV 25305</p> <p>QUESTIONS MAY BE SENT VIA FAX, E-MAIL OR REGULAR MAIL            E-MAIL: JJOHNSTON@WVADMIN.GOV            FAX: 304-558-4115</p> <p>IT IS THE VENDORS RESPONSIBILITY TO VERIFY THAT THEIR QUESTIONS HAVE BEEN RECEIVED BY CALLING 304-558-2402.</p> <p>EXHIBIT 2</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>[Signature]</i>	TELEPHONE <b>(304)-489-9020</b>	DATE <b>2/19/07</b>
TITLE <b>Municipal Sales</b>	FEIN <b>550514704</b>	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER  
**707EC019**

PAGE  
**2**

ADDRESS CORRESPONDENCE TO ATTENTION OF  
**JOHN JOHNSTON  
 304-558-2402**

RFQ COPY  
 TYPE NAME/ADDRESS HERE  
**Benson Manufacturing, Inc.**

VENDOR

SHIP TO

**DIVISION OF HIGHWAYS  
 EQUIPMENT DIVISION  
 ROUTE 33  
 BRUSHY FORK ROAD  
 BUCKHANNON, WV  
 26201 304-472-1750**

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
01/09/2007				

BID OPENING DATE: **02/21/2007** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p><b>LIFE OF CONTRACT:</b> THIS CONTRACT BECOMES EFFECTIVE ON ..... AND EXTENDS FOR A PERIOD OF ONE (1) YEAR OR UNTIL SUCH "REASONABLE TIME" THEREAFTER AS IS NECESSARY TO OBTAIN A NEW CONTRACT OR RENEW THE ORIGINAL CONTRACT. THE "REASONABLE TIME" PERIOD SHALL NOT EXCEED TWELVE (12) MONTHS. DURING THIS "REASONABLE TIME" THE VENDOR MAY TERMINATE THIS CONTRACT FOR ANY REASON UPON GIVING THE DIRECTOR OF PURCHASING THIRTY (30) DAYS WRITTEN NOTICE.</p> <p><b>UNLESS SPECIFIC PROVISIONS ARE STIPULATED IN THIS CONTRACT DOCUMENT, THE TERMS, CONDITIONS, AND PRICING SET HEREIN ARE FIRM FOR THE LIFE OF THE CONTRACT.</b></p> <p><b>RENEWAL:</b> THIS CONTRACT MAY BE RENEWED UPON THE MUTUAL WRITTEN CONSENT OF THE SPENDING UNIT AND VENDOR, SUBMITTED TO THE DIRECTOR OF PURCHASING THIRTY (30) DAYS PRIOR TO THE EXPIRATION DATE. SUCH RENEWAL SHALL BE IN ACCORDANCE WITH THE TERMS AND CONDITIONS OF THE ORIGINAL CONTRACT AND SHALL BE LIMITED TO TWO (2) ONE (1) YEAR PERIODS.</p> <p><b>CANCELLATION:</b> THE DIRECTOR OF PURCHASING RESERVES THE RIGHT TO CANCEL THIS CONTRACT IMMEDIATELY UPON WRITTEN NOTICE TO THE VENDOR IF THE COMMODITIES AND/OR SERVICES SUPPLIED ARE OF AN INFERIOR QUALITY OR DO NOT CONFORM WITH THE SPECIFICATIONS OF THE BID AND CONTRACT HEREIN.</p> <p><b>OPEN MARKET CLAUSE:</b> THE DIRECTOR OF PURCHASING MAY AUTHORIZE A SPENDING UNIT TO PURCHASE ON THE OPEN MARKET, WITHOUT THE FILING OF A REQUISITION OR COST ESTIMATE, ITEMS SPECIFIED ON THIS CONTRACT FOR IMMEDIATE DELIVERY IN EMERGENCIES DUE TO UNFORESEEN CAUSES (INCLUDING BUT NOT LIMITED TO DELAYS IN TRANSPORTATION OR AN UNANTICIPATED INCREASE IN THE VOLUME OF WORK).</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER:  
**707EC019**

PAGE:  
**3**

ADDRESS CORRESPONDENCE TO ATTENTION OF:  
**JOHN JOHNSTON  
 304-558-2402**

**RFQ COPY**  
 TYPE NAME/ADDRESS HERE  
**Benson Manufacturing, Inc.**

VENDOR

SHIP TO

**DIVISION OF HIGHWAYS  
 EQUIPMENT DIVISION  
 ROUTE 33  
 BRUSHY FORK ROAD  
 BUCKHANNON, WV  
 26201 304-472-1750**

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
01/09/2007				

BID OPENING DATE: **02/21/2007** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>QUANTITIES: QUANTITIES LISTED IN THE REQUISITION ARE APPROXIMATIONS ONLY, BASED ON ESTIMATES SUPPLIES BY THE STATE SPENDING UNIT. IT IS UNDERSTOOD AND AGREED THAT THE CONTRACT SHALL COVER THE QUANTITIES ACTUALLY ORDERED FOR DELIVERY DURING THE TERM OF CONTRACT, WHETHER MORE OR LESS THAN THE QUANTITIES SHOWN.</p> <p>ORDERING PROCEDURE: SPENDING UNIT(S) SHALL ISSUE A WRITTEN EQUIPMENT CONTRACT ORDER (FORM NUMBER WV-35) FOR COMMODITIES COVERED BY THIS CONTRACT. THE ORIGINAL WV-35 MUST BE SENT TO THE PURCHASING DIVISION OF THE DEPARTMENT OF ADMINISTRATION. AFTER APPROVAL AND ENCUMBRANCE, ONE COPY OF THE PURCHASE ORDER WILL BE RETURNED TO THE SPENDING UNIT AND ONE COPY FORWARDED TO THE VENDOR AS AUTHORIZATION FOR SHIPMENT. NO ORDER IS VALID UNLESS APPROVED AND ENCUMBERED BY THE PURCHASING DIVISION.</p> <p>BANKRUPTCY: IN THE EVENT THE VENDOR/CONTRACTOR FILES FOR BANKRUPTCY PROTECTION, THIS CONTRACT IS AUTOMATICALLY NULL AND VOID, AND IS TERMINATED WITHOUT FURTHER ORDER.</p> <p>REV. 9/98</p> <p>EXHIBIT 6</p> <p>PRICE ADJUSTMENT PROVISION:            THE STATE OF WEST VIRGINIA WILL CONSIDER BIDS THAT CONTAIN PROVISIONS FOR PRICE ADJUSTMENTS PRIOR TO THE ORIGINAL EXPIRATION OF THE CONTRACT, PROVIDED THAT SUCH PRICE ADJUSTMENT COVERS BOTH UPWARD AND DOWNWARD MOVEMENT OF THE COMMODITY PRICE, AND THAT ADJUSTMENT IS BASED ON THE "PASS THROUGH" INCREASE OR DECREASE OF RAW MATERIALS AND/OR LABOR, WHICH MAKE UP ALL OR A</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER:  
**707EC019**

PAGE:  
**4**

ADDRESS CORRESPONDENCE TO ATTENTION OF:  
**JOHN JOHNSTON  
 304-558-2402**

VENDOR

RFQ COPY  
 TYPE NAME/ADDRESS HERE  
**Benson Manufacturing, Inc.**

SHIP TO

**DIVISION OF HIGHWAYS  
 EQUIPMENT DIVISION  
 ROUTE 33  
 BRUSHY FORK ROAD  
 BUCKHANNON, WV  
 26201 304-472-1750**

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
01/09/2007				

BID OPENING DATE: **02/21/2007** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>SUBSTANTIAL PART OF A PRODUCT. ADJUSTMENTS ARE TO BE BASED UPON AN ACTUAL DOLLAR FIGURE, NOT A PERCENTAGE. ALL PRICE ADJUSTMENT REQUESTS MUST BE SUBSTANTIATED IN A MANNER ACCEPTABLE TO THE DIRECTOR PURCHASING, E.G. GOVERNMENTAL BENCH MARKS, GENERAL MARKET INCREASE, PUBLISHED PRICE LISTS. SUCH REQUESTS FOR AND INCREASE SHOULD BE RECEIVED IN WRITING BY THE DIRECTOR OF PURCHASING AT LEAST 30 DAYS IN ADVANCE OF THE EFFECTIVE DATE OF THE INCREASE. ANY TIME THE VENDOR REQUESTS A PRICE ADJUSTMENT, THE PURCHASING DIVISION MAY EITHER ACCEPT THE PRICE ADJUSTMENT AND AMEND THE CONTRACT ACCORDINGLY OR REJECT THE ADJUSTMENT IN ITS ENTIRETY AND CANCEL THE CONTRACT.</p> <p>EXHIBIT 4</p> <p>LOCAL GOVERNMENT BODIES: UNLESS THE VENDOR INDICATES IN THE BID HIS REFUSAL TO EXTEND THE PRICES, TERMS, AND CONDITIONS OF THE BID TO COUNTY, SCHOOL, MUNICIPAL AND OTHER LOCAL GOVERNMENT BODIES, THE BID SHALL EXTEND TO POLITICAL SUBDIVISIONS OF THE STATE OF WEST VIRGINIA. IF THE VENDOR DOES NOT WISH TO EXTEND THE PRICES, TERMS, AND CONDITIONS OF THE BID TO ALL POLITICAL SUBDIVISIONS OF THE STATE, THE VENDOR MUST CLEARLY INDICATE SUCH REFUSAL IN HIS BID. SUCH REFUSAL SHALL NOT PREJUDICE THE AWARD OF THIS CONTRACT IN ANY MANNER.</p> <p>REV. 3/88</p> <p>VENDOR PREFERENCE CERTIFICATE</p> <p>CERTIFICATION AND APPLICATION* IS HEREBY MADE FOR PREFERENCE IN ACCORDANCE WITH WEST VIRGINIA CODE, 5A-3-37 (DOES NOT APPLY TO CONSTRUCTION CONTRACTS).</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER:  
**707EC019**

PAGE:  
**5**

ADDRESS CORRESPONDENCE TO ATTENTION OF:  
**JOHN JOHNSTON**  
**304-558-2402**

VENDOR

RFQ COPY  
 TYPE NAME/ADDRESS HERE  
**Benson Manufacturing, Inc.**

SHIP TO

DIVISION OF HIGHWAYS  
 EQUIPMENT DIVISION  
 ROUTE 33  
 BRUSHY FORK ROAD  
 BUCKHANNON, WV  
 26201 304-472-1750

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
01/09/2007				

BID OPENING DATE: **02/21/2007** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>A. APPLICATION IS MADE FOR 2.5% PREFERENCE FOR THE REASON CHECKED:</p> <p>( ) BIDDER IS AN INDIVIDUAL RESIDENT VENDOR AND HAS RESIDED CONTINUOUSLY IN WEST VIRGINIA FOR FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION; OR</p> <p>(XX) BIDDER IS A PARTNERSHIP, ASSOCIATION OR CORPORATION RESIDENT VENDOR AND HAS MAINTAINED ITS HEAD-QUARTERS OR PRINCIPAL PLACE OF BUSINESS CONTINUOUSLY IN WEST VIRGINIA FOR FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION; OR 80% OF THE OWNERSHIP INTEREST OF BIDDER IS HELD BY ANOTHER INDIVIDUAL, PARTNERSHIP, ASSOCIATION OR CORPORATION RESIDENT VENDOR WHO HAS MAINTAINED ITS HEADQUARTERS OR PRINCIPAL PLACE OF BUSINESS CONTINUOUSLY IN WEST VIRGINIA FOR FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION; OR</p> <p>( ) BIDDER IS A CORPORATION NONRESIDENT VENDOR WHICH HAS AN AFFILIATE OR SUBSIDIARY WHICH EMPLOYS A MINIMUM OF ONE HUNDRED STATE RESIDENTS AND WHICH HAS MAINTAINED ITS HEADQUARTERS OR PRINCIPAL PLACE OF BUSINESS WITHIN WEST VIRGINIA CONTINUOUSLY FOR THE FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION.</p> <p>B. APPLICATION IS MADE FOR 2.5% PREFERENCE FOR THE REASON CHECKED:</p> <p>(XX) BIDDER IS A RESIDENT VENDOR WHO CERTIFIES THAT, DURING THE LIFE OF THE CONTRACT, ON AVERAGE AT LEAST 75% OF THE EMPLOYEES WORKING ON THE PROJECT BEING BID ARE RESIDENTS OF WEST VIRGINIA WHO HAVE RESIDED IN THE STATE CONTINUOUSLY FOR THE TWO YEARS IMMEDIATELY</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>[Signature]</i>	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER:  
**707EC019**

PAGE:  
**6**

ADDRESS CORRESPONDENCE TO ATTENTION OF:  
**JOHN JOHNSTON  
 304-558-2402**

VENDOR

RFQ COPY  
 TYPE NAME/ADDRESS HERE  
**Benson Manufacturing, Inc.**

SHIP TO

DIVISION OF HIGHWAYS  
 EQUIPMENT DIVISION  
 ROUTE 33  
 BRUSHY FORK ROAD  
 BUCKHANNON, WV  
 26201 304-472-1750

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B	FREIGHT TERMS
01/09/2007				

BID OPENING DATE: **02/21/2007** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>PRECEDING SUBMISSION OF THIS BID;  OR  ( ) BIDDER IS A NONRESIDENT VENDOR EMPLOYING A MINIMUM OF ONE HUNDRED STATE RESIDENTS OR IS A NONRESIDENT VENDOR WITH AN AFFILIATE OR SUBSIDIARY WHICH MAINTAINS ITS HEADQUARTERS OR PRINCIPAL PLACE OF BUSINESS WITHIN WEST VIRGINIA EMPLOYING A MINIMUM OF ONE HUNDRED STATE RESIDENTS WHO CERTIFIES THAT, DURING THE LIFE OF THE CONTRACT, ON AVERAGE AT LEAST 75% OF THE EMPLOYEES OR BIDDERS' AFFILIATE'S OR SUBSIDIARY'S EMPLOYEES ARE RESIDENTS OF WEST VIRGINIA WHO HAVE RESIDED IN THE STATE CONTINUOUSLY FOR THE TWO YEARS IMMEDIATELY PRECEDING SUBMISSION OF THIS BID.</p> <p>BIDDER UNDERSTANDS IF THE SECRETARY OF TAX &amp; REVENUE DETERMINES THAT A BIDDER RECEIVING PREFERENCE HAS FAILED TO CONTINUE TO MEET THE REQUIREMENTS FOR SUCH PREFERENCE, THE SECRETARY MAY ORDER THE DIRECTOR OF PURCHASING TO: (A) RESCIND THE CONTRACT OR PURCHASE ORDER ISSUED; OR (B) ASSESS A PENALTY AGAINST SUCH BIDDER IN AN AMOUNT NOT TO EXCEED 5% OF THE BID AMOUNT AND THAT SUCH PENALTY WILL BE PAID TO THE CONTRACTING AGENCY OR DEDUCTED FROM ANY UNPAID BALANCE ON THE CONTRACT OR PURCHASE ORDER.</p> <p>BY SUBMISSION OF THIS CERTIFICATE, BIDDER AGREES TO DISCLOSE ANY REASONABLY REQUESTED INFORMATION TO THE PURCHASING DIVISION AND AUTHORIZES THE DEPARTMENT OF TAX AND REVENUE TO DISCLOSE TO THE DIRECTOR OF PURCHASING APPROPRIATE INFORMATION VERIFYING THAT BIDDER HAS PAID THE REQUIRED BUSINESS TAXES, PROVIDED THAT SUCH INFORMATION DOES NOT CONTAIN THE AMOUNTS OF TAXES PAID NOR ANY OTHER INFORMATION DEEMED BY THE TAX COMMISSIONER TO BE CONFIDENTIAL.</p> <p>UNDER PENALTY OF LAW FOR FALSE SWEARING (WEST VIRGINIA</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER: 707EC019

PAGE: 7

ADDRESS CORRESPONDENCE TO ATTENTION OF:  
 JOHN JOHNSTON  
 304-558-2402

VENDOR

RFQ COPY  
 TYPE NAME/ADDRESS HERE  
**Benson Manufacturing, Inc.**

SHIP TO

DIVISION OF HIGHWAYS  
 EQUIPMENT DIVISION  
 ROUTE 33  
 BRUSHY FORK ROAD  
 BUCKHANNON, WV  
 26201 304-472-1750

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
01/09/2007				

BID OPENING DATE: 02/21/2007 BID OPENING TIME 01:30PM

LINE	QUANTITY	UQP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>CODE 61-5-3), BIDDER HEREBY CERTIFIES THAT THIS CERTIFICATE IS TRUE AND ACCURATE IN ALL RESPECTS; AND THAT IF A CONTRACT IS ISSUED TO BIDDER AND IF ANYTHING CONTAINED WITHIN THIS CERTIFICATE CHANGES DURING THE TERM OF THE CONTRACT, BIDDER WILL NOTIFY THE PURCHASING DIVISION IN WRITING IMMEDIATELY.</p> <p>BIDDER: <u>Benson Manufacturing, Inc.</u></p> <p>DATE: <u>02/19/07</u></p> <p>SIGNED: <u><i>Bobby Smith</i></u></p> <p>TITLE: <u>Municipal Sales</u></p> <p>* CHECK ANY COMBINATION OF PREFERENCE CONSIDERATION(S) IN EITHER "A" OR "B", OR BOTH "A" AND "B" WHICH YOU ARE ENTITLED TO RECEIVE. YOU MAY REQUEST UP TO THE MAXIMUM 5% PREFERENCE FOR BOTH "A" AND "B". (REV. 12/00)</p> <p>NOTICE</p> <p>A SIGNED BID MUST BE SUBMITTED TO:</p> <p>DEPARTMENT OF ADMINISTRATION          PURCHASING DIVISION          BUILDING 15          2019 WASHINGTON STREET, EAST          CHARLESTON, WV 25305-0130</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

### Request for Quotation

RFQ NUMBER
707EC019

PAGE
8

ADDRESS CORRESPONDENCE TO ATTENTION OF
JOHN JOHNSTON 304-558-2402

VENDOR

RFQ COPY  
 TYPE NAME/ADDRESS HERE  
**Benson Manufacturing ,Inc.**

SHIP TO

DIVISION OF HIGHWAYS  
 EQUIPMENT DIVISION  
 ROUTE 33  
 BRUSHY FORK ROAD  
 BUCKHANNON, WV  
 26201 304-472-1750

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B	FREIGHT TERMS
01/09/2007				

BID OPENING DATE: **02/21/2007** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>THE BID SHOULD CONTAIN THIS INFORMATION ON THE FACE OF THE ENVELOPE OR THE BID MAY NOT BE CONSIDERED:</p> <p>SEALED BID</p> <p>BUYER: 33</p> <p>RFQ. NO.: 707EC019</p> <p>BID OPENING DATE AND TIME:</p> <p>PLEASE PROVIDE A FAX NUMBER IN CASE IT IS NECESSARY TO CONTACT YOU REGARDING YOUR BID:            (304) - 489 -2828</p> <p>CONTACT PERSON (PLEASE PRINT CLEARLY):  <u>Bubba Smith</u></p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS			
SIGNATURE	TELEPHONE	DATE	
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE	

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'





State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER:  
**707EC019**

PAGE:  
**9**

ADDRESS CORRESPONDENCE TO ATTENTION OF:  
**JOHN JOHNSTON**  
**304-558-2402**

VENDOR

RFQ COPY  
 TYPE NAME/ADDRESS HERE  
**Benson Manufacturing, Inc.**

SHIP TO

**DIVISION OF HIGHWAYS**  
**EQUIPMENT DIVISION**  
**ROUTE 33**  
**BRUSHY FORK ROAD**  
**BUCKHANNON, WV**  
**26201**      **304-472-1750**

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
01/09/2007				

BID OPENING DATE: **02/21/2007**      BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
***** THIS IS THE END OF RFQ 707EC019 ***** TOTAL: <u>SEE PRICING PAGE</u>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

NOTE: Vendor should type the Bidder's Evaluation Report  
WEST VIRGINIA DEPARTMENT OF TRANSPORTATION  
DIVISION OF HIGHWAYS  
EQUIPMENT DIVISION

21

It is not necessary to return  
pages 10-20 of the specifications  
with the bid.

BIDDER'S EVALUATION REPORT

PROCUREMENT SPECIFICATIONS FOR OPEN END CONTRACT  
NO. 013-2-A

9 CUBIC YARD STAINLESS STEEL  
DEMOUNTABLE ABRASIVE AND CHEMICAL SPREADER (HYDRAULIC)

NOTE TO BIDDER: Procurement Specification No. 013-2-A, Paragraph 2.0 recommends the completion and submittal of this Report with your bid. Purpose of this Report is to enable the West Virginia Division of Highways Evaluation Committee to make full and fair evaluation of the bid. Addendums in order, along with exception sheets, should be with Bidder's Evaluation Report.

FAILURE TO SUBMIT THIS REPORT, COMPLETE IN ITS ENTIRETY, MAY SUBJECT THE BIDDER TO DISQUALIFICATION.

Reference Requisition No.: 707EC019

Bidder's Name: Benson Manufacturing, Inc.

Address: P.O. Box 970 Mineral Wells, WV 26150

Telephone Number: (304) 489-9020

Years Bidder has been registered to do business with the State of West Virginia: 20+ YRS.

Years Company has been an authorized dealer for proposed unit: 1 YRS.

X4.2 DELIVERY:

X4.2.1 Delivery date of completed representative unit: 45 Calendar Days After Date of Purchase Agreement

X4.2.2 Delivery date of balance of completed units: 135 Calendar Days After Date of Purchase Agreement

X5.0 AWARD CRITERIA:

X5.1	Prices in quantities of	1-10	<u>\$16,920.80</u> per unit
		11-20	<u>\$15,336.56</u> per unit
		21-30	<u>\$15,336.56</u> per unit
		31-40	<u>\$15,336.56</u> per unit
		41-50	<u>\$15,336.56</u> per unit
		51 and over	<u>\$15,336.56</u> per unit

X6.0 SPECIFICATIONS - GENERAL

X6.1 Manufacturer, model, series, and date of manufacture of proposed unit:

Henderson FSHIT-13'-WV'07

Is descriptive literature, fully describing proposed unit attached to your bid?  YES  NO

If not, why? \_\_\_\_\_

X6.2 Will the required number of service manuals, and complete parts list be delivered to the Equipment Division at Buckhannon upon completion of delivery of total units?  YES  NO

Will the required Equipment Preventive Maintenance Form (Section X6.2 of Bidders Evaluation Report) be provided upon inspection of the pilot unit?  YES  NO

X6.3 TRAINING:

Will training seminar be conducted on Preventive Maintenance, Operator and Mechanic Training XX YES \_\_\_\_ NO

Will you conduct training with each purchase order against this open end contract? XX YES \_\_\_\_ NO

Will training be conducted within 2 working days from the delivery of the pilot unit on the individual purchase order? XX YES \_\_\_\_ NO

If NO, explain time frame \_\_\_\_\_

Will an Operator's Manual be furnished to the Training Academy? XX YES \_\_\_\_ NO

X6.4 If you are the successful vendor, will you furnish all training aids, i.e., videos, projectors, required in conducting the training? XX YES \_\_\_\_ NO

X6.4.1 Will all manuals, booklets, etc. explaining preventive maintenance, operator procedures, and service schedule be delivered with each unit? XX YES \_\_\_\_ NO  
If NO, explain \_\_\_\_\_

X6.5 WARRANTY AND SERVICE POLICY

Will the warranty and service you provide comply with all areas as stated in Section 6.5 of specifications XX YES \_\_\_\_ NO

Is warranty literature attached? XX YES \_\_\_\_ NO

Is a minimum two (2) year bumper to bumper basic parts and labor warranty included? XX YES \_\_\_\_ NO

Describe:  
\_\_\_\_\_  
\_\_\_\_\_

X6.5 WARRANTY AND SERVICE POLICY QUESTIONNAIRE

THIS FORM MUST BE COMPLETED IN ITS ENTIRETY BY THE SUCCESSFUL BIDDER OR MANUFACTURERS TECHNICAL REPRESENTATIVE PRIOR TO DELIVERY OF PILOT MODEL TO THE WVDOH (If additional lines are needed, make copies of form.)

1. Define the terms of the standard warranty. If not offered, so state. (Attach copy)

**COPY ATTACHED**

---



---

2. Define warranty service to be performed at DOH facilities and warranty service to be performed at manufacturer's representative facility. List name and location of manufacturer's representative.

**Dave Cooper - Benson Manufacturing, Inc.**

---



---

3. List locations for parts inventories that are within the State of West Virginia. Also, list availability levels, if known.

**Benson Manufacturing, Inc. Mineral Wells, WV**

---



---

4. During the term of warranty, list the guarantee discount to manufacturer's published list price for parts that bidder will sell the parts to owner.

- A. Terms: Net 30      Manufacturer's published list price less:   0   % discount
- B. Terms: Net 60      Manufacturer's published list price less:   0   % discount
- C. Terms: Net 90      Manufacturer's published list price less:   0   % discount

5. During the term of warranty, will all manufacturers or engineering improvements be submitted to Division of Highways?        XX   YES             NO

6. During the term of warranty, list the guaranteed rates charged for repair to the unit.

- A. Shop Rate                      \$  60.00  per mechanic hour
- B. Travel Time Charge            \$  60.00  per mechanic hour  
(Specify if one-way)            \_\_\_\_\_; port to port **BOTH WAYS**
- C. Mileage Charge                \$       0  per vehicle mile  
(Specify if one-way)            \_\_\_\_\_; port to port \_\_\_\_\_
- D. Field Mechanic Rate            \$  60.00  per mechanic hour
- E. Specify period of time that prices are in effect:   12 Months
- F. Surcharge for miscellaneous items:       0   %

X6.6 EVALUATION COMMITTEE REQUIREMENTS

Is all component specifications, product literature, component models provided for Evaluation Committee bid determination? XX YES \_\_\_ NO

X6.7 Will all parts, equipment, accessories, material, design and performance characteristics not specified herein, but which are necessary to provide a complete unit, be furnished with the unit and conform in strength, quality of material, and quality of workmanship to those which are advertised and provided to the market in general by the unit industry? XX YES \_\_\_ NO

X6.7.1 Are all parts and accessories adequate and regularly supplied as standard to be included except those which may be duplications of specifications herein, and except these by specification are not to be furnished? XX YES \_\_\_ NO

X6.7.2 Are all standard safety features that are required by Federal and State statutes of law included? XX YES \_\_\_ NO

X7.0 SPECIFICATIONS OF THE QUOTED UNIT

The bidder should complete the following schedule in order for the Division to compare the actual bid unit to the specifications. Should the bidder except a requirement, then such exception may be only on the basis that such feature is not offered by the manufacturer. The Division will have the sole discretion as to whether the bidder's substitution meets the requirements of the specifications.

Manufacturer: Henderson Manufacturing Model: FSHII-13'-WV'07

X7.1 Is spreaders offered the commercial heavy duty, self contained, hopper type? x YES \_\_\_ NO

X7.2 Does spreader consist of a 12 gauge 304 stainless steel body, feeder conveyor, spinner disc, power drive, and all components necessary to make a complete operating unit? x YES \_\_\_ NO

X7.3 Is the unit capable of uniformly spreading sand, cinders, salt, calcium chloride, or other mixtures up to a width of forty (40) feet? x YES \_\_\_ NO

X7.4 Body:

X7.4.1 Is the body of 304 stainless steel construction 100% welded inside and outside of the body? x YES \_\_\_ NO

X7.4.2 Capacity struck: 9 cubic yards

X7.4.3 Inside length: 13 feet as measured from front of spreader hopper to the rear hopper gate and conveyor chain exit point

- X7.4.4 Overall height: 54 inches 27
- X7.4.5 Inside width: 82 inches
- X7.4.6 Are the body sides sloped approximately 45 degree pitch to insure free flow of materials to the conveyor  YES  NO
- X7.4.7 Gauge of 304 stainless steel in sides and endgates is 12 Gauge.
- X7.4.8 Is a formed double crimped section on top of body for additional support?  YES  NO
- X7.4.9 Sills constructed of 10 gauge 304 stainless steel.  
Supported on rectangular formed cross sills  YES  NO
- X7.4.10 Number of 10 gauge full slope body side supports tying the cross sills with body sides? 6
- X7.4.11 Are there four (4) 304 stainless steel 5/8 inch round lifting eyes  YES  NO  
Is the inside eye opening designed to allow the passage of an alloy eye type Grade 80 3/8 inch grab hook with a width dimension of 2 11/16 inch (with the top screen down in the rest position on top of the spreader)  YES  NO  
Two (2) on each side of spreader mounted and secured in a manner that the entire unit may be safely lifted for storage/installation purposes  YES  NO
- X7.4.12 Is all necessary hardware stainless steel  YES  NO
- X7.4.13 Will a 12 gauge 304 stainless steel cabshield be mounted on the front of body to protect cab from falling material when loading with slope design to fall in hopper as spreader unloads?  YES  NO  
Does cabshield extend 13 inches in front of the hopper at 45 degrees  YES  NO
- X7.4.14 Will a fold up ladder be mounted on the rear of spreader body at right side for easier access to top and secured in the folded position with two (2) flexible draw latches  YES  NO  
Does the ladder have hand holds and non slip grip strut steps  YES  NO
- X7.5 Conveyor:
- X7.5.1 Is the conveyor located in bottom of hopper and capable of engaging material along its full length and moving material to rear adjustable metering gate?  YES  NO
- X7.5.2 Is conveyor continuous ladder type consisting of two parallel chains with cross bars on 4 2" centers made of 1/4" x 1-1/2" steel?  YES  NO
- X7.5.3 Is each cross bar formed and welded both top and bottom to chain links  YES  NO
- X7.5.4 Tensile strength of each chain: 21,000 pounds

- X7.5.5 Overall width of chain conveyor: 20 inches 28
- X7.5.6 Are replaceable rubber wear strips provided to prevent contact of material being spread with the chain? x YES      NO
- X7.5.7 Is a 10 gauge 304 stainless steel heavy-duty replaceable conveyor plate at least 3/16" thick fitted? 3/16" thick fitted not specified - we offer 10ga 304ss      YES      NO
- X7.5.8 Is the chain drive through 1-1/2" sprockets and shafting front and rear?      YES      NO see addendum
- X7.5.9 Does conveyor have adjustment provisions at rear of spreader for at least 3" lateral takeup?      x YES      NO
- X7.5.10 Is additional 7 gauge 304 stainless steel reinforcing plate welded to longitudinal webs covering the area of the drive shaft, bearing, and idler bearing provided (if required)?      YES      x NO  
not required
- X7.5.11 Is material composition of adjustment mechanism stainless steel      x YES      NO
- X7.5.12 Is conveyor drive motor mounted on reduction gear box and has a ratio of approximately 50-1      x YES      NO
- X7.5.13 Does conveyor gear box have its drive shaft extended through rear of gear housing?      x YES      NO
- X7.5.13.1 Is the shaft end machined to accommodate the application rate sensor shaft for the Dickey-John Automatic Control System, Model ICS-2000?      x YES      NO
- X7.5.13.2 Is the necessary oil seal included?      x YES      NO
- X7.5.14 Is a 7 gauge stainless steel adjustable greasable screw jack type discharge gate located at the body rear to adjust the flow of material to the spinner?      x YES      NO
- X7.5.15 Feedgate opening: 10 inches high x 18 inches wide
- X7.5.16 Is any and all exposed moving or rotating mass adequately shielded in order to protect personnel while performing required operational adjustments including gear box extended input shaft when rate sensor is installed?      x YES      NO
- X7.5.17 Is the pintle conveyor chain heat treated form links with locked, non-turning pins      x YES      NO
- X7.6 Distributor Spinner Assembly:
- X7.6.1 Diameter of urethane distributor disc 20 inches
- X7.6.1.1 Number of fins: 6
- X7.6.1.2 Are fins designed to obtain a controlled spread of materials from four feet (4') to forty feet (40')?      x YES      NO



X7.6.2 Is material guided from conveyor end to distributor disc by means of an externally adjustable material flow baffles, enclosed within the chute?  YES  NO 29

X7.6.3 Is the spinner vertically adjustable to a full 16 inches?  YES  NO and \_\_\_\_\_ inch spinner position below mounting surface? see addendum

X7.6.4 Is a deflector baffle or diverter chute provided in an enclosed distributor spinner hopper assembly so it can be positioned in such a manner that material can be unloaded from spreader without striking spinner?  YES  NO

X7.7 Baffles:

X7.7.1 Are baffles provided to control direction and width of spread?  YES  NO

X7.7.1.2 Are there four (4) sections over right, left, rear and front of spinners?  YES  NO

X7.7.2 Are sections easily adjusted from the full down to the horizontal position without use of tools?  YES  NO

X7.8. Power Drive:

X7.8.1 Is the power drive hydraulic type?  YES  NO

X7.8.1.2 Are two (2) hydraulic motors provided - one (1) powering the spinner assembly and one (1) powering the conveyor?  YES  NO

X7.8.2 Spinner hydraulic motor mounted below the spinner hopper assembly?  YES  NO

X7.8.3 The conveyor hydraulic motor of the orbital, low speed, hi-torque integrally mounted to conveyor gear box?  YES  NO

X7.9 Screen Over Hopper:

X7.9.1 Are four (4) sectional screens hinged to 10 gauge 304 stainless steel 4 inch x 6 inch formed box beam running longitudinally the full length of spreader hopper?  YES  NO

If not specify: \_\_\_\_\_

X7.9.2 Do screen sections have 3/8" diameter carbon steel rods welded forming 2-1/2" x 2-1/2" square openings with reinforcing bars at the center of each section?  YES  NO

If not specify: \_\_\_\_\_

X7.9.3 Do screens increase overall height of spreader more than 7 inches down the center?  YES  NO

X7.9.4 Are screens powder coated black  YES  NO

X7.10 Is lighting in accordance with the attached sketch?  YES  NO

X7.10.1 Is the combination and marker lights LED type  YES  NO

X7.10.2 Are stop, tail, turn combination lights and marker lights shielded  YES  NO

X7.10.3 Is strobe light "quad flash"  YES  NO

X7.11 Hydraulic Components:

X7.11.1 Are all necessary fittings for complete hookup of spreader hydraulics to DOH dump trucks central hydraulic system provided?  YES  NO

X7.11.2 Are all fittings of the steel type and designed for hydraulic use?  YES  NO

X7.11.3 Is the truck central hydraulic system complete to and including the rear manifold, located at the rear cross member of truck  YES  NO

Will the rear manifold have attached to it one (1) 3/4" I.D. pressure line with 3/4" quick disconnect, one (1) 2" I.D. pressure line with 2 inch quick disconnect, one (1) 1" I.D. return line with 1 1/4" quick disconnect and disconnects will be "VH" series snap-tite.  YES  NO see addendum

Will you supply proper mating quick disconnects, metal caps, and plugs for connection to truck manifold  YES  NO

X7.12 Is an anodized 6061T6 aluminum grease manifold block mounted at the rear of the body which incorporates the front bearing grease extension tubes, rear bearing grease fittings and feedgate screw jack lubrication tube to allow for lubrication of the front bearings and feedgate screw jack from a single convenient location?  YES  NO

Will other fittings be placed at convenient location for normal maintenance  YES  NO

X7.12.1 Do the anodized 6061T6 aluminum grease manifold block have a minimum of 6 ports tapped to accept three (3) 1/8 inch straight grease zerks and three (3) 1/8 inch grease Parflex hoses to provide adequate one location greasing of the front and rear bearings and feed gate screw jack  YES  NO

Are unused ports properly plugged  YES  NO

X7.12.2 Are hoses used in the grease manifold system Parflex hose by Parker Hannifin or equal, with 1/8 inch I.D., 0.34 inch maximum O.D., a maximum working pressure of 2500 PSI and a minimum burst pressure of 10,000 PSI?  YES  NO

Are hose assemblies held in place by a sufficient number of rubber cushioned hose clamps?  YES  NO

X7.13 Is one (1) piece of angle iron 3/8" x 4" X 90" and two (2) pieces of 1" round shafting ten inches (10") long provided but not installed for each unit?  YES  NO

X7.14 Other standard features:

List other standard features offered but not specifically addressed above:

---



---



---



---

X7.15 Paint:

Describe method of painting parts and accessories that are not required to be stainless or rustproof:

All parts and accessories that are not required to be stainless or rustproof

will be painted Henderson standard color.

X7.16 Does unit offered meet or exceed "Occupational Safety and Health Act of 1970"?

YES  NO

X7.17 Does unit conform to the advertising guidelines?

YES  NO

ADDENDUM #1  
707EC019

OPEN END CONTRACT

9 CUBIC YARD STAINLESS STEEL  
DEMOUNTABLE ABRASIVE AND CHEMICAL SPREADER (HYDRAULIC)

CHANGES TO BIDDER'S EVALUATION REPORT:

CHANGE IN TITLE:  
9 CUBIC YARD 304 STAINLESS STEEL DEMOUNTABLE ABRASIVE AND CHEMICAL  
SPREADER (HYDRAULIC)

X4.2.1 DELIVERY (1<sup>ST</sup> PARAGRAPH):

FROM:

Delivery date of completed representative unit: \_\_\_ calendar days after date of purchase  
agreement

TO:

Delivery date of complete representative unit with all associated parts: 135  
calendar days after date of purchase agreement.

X6.3 TRAINING (5<sup>TH</sup> SENTENCE ONLY)

FROM:

Will an Operator's Manual be furnished to the Training Academy? \_\_\_ YES \_\_\_ NO

TO:

Will an Operator's Manual be furnished directly to the Training Academy prior to  
delivery of pilot? XX YES \_\_\_ NO

X6.5 WARRANTY AND SERVICE POLICY (3<sup>RD</sup> SENTENCE) – No Change Required

Is a minimum two (2) year bumper to bumper basic parts and labor warranty included?  
XX YES \_\_\_ NO

Page 2  
707EC019 Add #1

X7 5 8 FROM:

Is the chain drive through 1 1/2" sprockets and shafting front and rear?  YES  NO

TO:

Is chain driven by 6 tooth drop forged steel sprocket?  YES  NO

And 1 1/2" alloy steel shaft front and rear  YES  NO

If not, specify \_\_\_\_\_

X7 6 3 No Change Required

Is the spinner vertically adjustable to a full 16 inches?  YES  NO

And 29" to 38" inch spinner position below mounting surface?

X7.11 3 (2<sup>nd</sup> SENTENCE ONLY)

FROM:

Will the rear manifold have attached to it one (1) 3/4" I.D. pressure line with 3/4" quick disconnect, one (1) 2" I.D. pressure line with 2 inch quick disconnect, one (1) 1" I.D. return line with 1 1/4" quick disconnect and disconnects will be "VH" series snap-tite  
 YES  NO

TO:

Will the rear manifold have attached to it one (1) 3/4" I.D. pressure line with 3/4" quick disconnect, one (1) 1/2" I.D. pressure line with 1/2" quick disconnect, one (1) 1" I.D. return line with 1 1/4" quick disconnect and disconnects will be "VH" series snap-tite  
 YES  NO

PURCHASING CONTINUATION SHEET

Buyer: JJ-33	Page 8	Req or P O No : 707EC019
Spending Unit:		

Vendor.

Requisition No.: 707EC019

ADDENDUM ACKNOWLEDGEMENT

I hereby acknowledge receipt of the following checked addendum(s) and have made the necessary revisions to my proposal, plans and/or specifications, etc..

Addendum No.'s:

No. 1 XX

No. 2 \_\_\_\_\_

No. 3 \_\_\_\_\_

No. 4 \_\_\_\_\_

No. 5 \_\_\_\_\_

I understand that failure to confirm the receipt of the addendum(s) may be cause for rejection of bids.



Signature

Benson Manufacturing, Inc.

Company

2/19/07

Date

WV-96  
Rev. 5/94

**AGREEMENT ADDENDUM**

In the event of conflict between this addendum and the agreement, this addendum shall control:

1. **ARBITRATION** - Any references to arbitration contained in the agreement are hereby deleted. Disputes arising out of the agreement shall be presented to the West Virginia Court of Claims.
2. **HOLD HARMLESS** - Any clause requiring the Agency to indemnify or hold harmless any party is hereby deleted in its entirety.
3. **GOVERNING LAW** - The agreement shall be governed by the laws of the State of West Virginia. This provision replaces any references to any other State's governing law.
4. **TAXES** - Provisions in the agreement requiring the Agency to pay taxes are deleted. As a State entity, the Agency is exempt from Federal, State, and local taxes and will not pay taxes for any Vendor including individuals, nor will the Agency file any tax returns or reports on behalf of Vendor or any other party.
5. **PAYMENT** - Any references to prepayment are deleted. Payment will be in arrears.
6. **INTEREST** - Should the agreement include a provision for interest on late payments, the Agency agrees to pay the maximum legal rate under West Virginia law. All other references to interest or late charges are deleted.
7. **RECOUPMENT** - Any language in the agreement waiving the Agency's right to set-off, counterclaim, recoupment, or other defense is hereby deleted.
8. **FISCAL YEAR FUNDING** - Service performed under the agreement may be continued in succeeding fiscal years for the term of the agreement, contingent upon funds being appropriated by the Legislature or otherwise being available for this service. In the event funds are not appropriated or otherwise available for this service, the agreement shall terminate without penalty on June 30. After that date, the agreement becomes of no effect and is null and void. However, the Agency agrees to use its best efforts to have the amounts contemplated under the agreement included in its budget. Non-appropriation or non-funding shall not be considered an event of default.
9. **STATUTE OF LIMITATION** - Any clauses limiting the time in which the Agency may bring suit against the Vendor, lessor, individual, or any other party are deleted.
10. **SIMILAR SERVICES** - Any provisions limiting the Agency's right to obtain similar services or equipment in the event of default or non-funding during the term of the agreement are hereby deleted.
11. **ATTORNEY FEES** - The Agency recognizes an obligation to pay attorney's fees or costs only when assessed by a court of competent jurisdiction. Any other provision is invalid and considered null and void.
12. **ASSIGNMENT** - Notwithstanding any clause to the contrary, the Agency reserves the right to assign the agreement to another State of West Virginia agency, board or commission upon thirty (30) days written notice to the Vendor and Vendor shall obtain the written consent of Agency prior to assigning the agreement.
13. **LIMITATION OF LIABILITY** - The Agency, as a State entity, cannot agree to assume the potential liability of a Vendor. Accordingly, any provision limiting the Vendor's liability for direct damages or limiting the Vendor's liability under a warranty to a certain dollar amount or to the amount of the agreement is hereby deleted. In addition, any limitation is null and void to the extent that it precludes any action for injury to persons or for damages to personal property.
14. **RIGHT TO TERMINATE** - Agency shall have the right to terminate the agreement upon thirty (30) days written notice to Vendor.
15. **TERMINATION CHARGES** - Any provision requiring the Agency to pay a fixed amount or liquidated damages upon termination of the agreement is hereby deleted. The Agency may only agree to reimburse a Vendor for actual costs incurred or losses sustained during the current fiscal year due to wrongful termination by the Agency prior to the end of any current agreement term.
16. **RENEWAL** - Any reference to automatic renewal is hereby deleted. The agreement may be renewed only upon mutual written agreement of the parties.
17. **INSURANCE** - Any provision requiring the Agency to insure equipment or property of any kind and name the Vendor as beneficiary or as an additional insured is hereby deleted.
18. **RIGHT TO NOTICE** - Any provision for repossession of equipment without notice is hereby deleted. However, the Agency does recognize a right of repossession with notice.
19. **ACCELERATION** - Any reference to acceleration of payments in the event of default or non-funding is hereby deleted.
20. **AMENDMENTS** - All amendments, modifications, alterations or changes to the agreement shall be in writing and signed by both parties. No amendment, modification, alteration or change may be made to this addendum without the express written approval of the Purchasing Division and the Attorney General.

ACCEPTED BY:  
**STATE OF WEST VIRGINIA**

Spending Unit: \_\_\_\_\_


Signed: \_\_\_\_\_

Title: \_\_\_\_\_

Date: \_\_\_\_\_

**VENDOR**

Company Name: **Benson Manufacturing, Inc.**

Signed:  \_\_\_\_\_

Title: **Municipal Sales** \_\_\_\_\_

Date: **02/19/2007** \_\_\_\_\_

# AFFIDAVIT

**West Virginia Code §5A-3-10a states:**

No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owned is an amount greater than one thousand dollars in the aggregate

**DEFINITIONS:**

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

**EXCEPTION:**

The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

**LICENSING:**


Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.

**CONFIDENTIALITY:**

The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendors should visit [www.state.wv.us/admin/purchase/privacy](http://www.state.wv.us/admin/purchase/privacy) for the Notice of Agency Confidentiality Policies.

Under penalty of law for false swearing (West Virginia Code, §61-5-3), it is hereby certified that the vendor acknowledges the information in this said affidavit and are in compliance with the requirements as stated.

Vendor's Name: Benson Manufacturing, Inc.

Authorized Signature:  Date: 02/19/2007



# FSH

Sand and Salt Spreader

# Henderson

**History repeats itself...times three. Meet the FSH-I, II and III precision spreaders.**

The legendary Henderson FSH sand and salt spreader is now available in *three* versions. The FSH-I, II and III have subtle differences (see specification chart on back) to better meet varying specification requirements and specific customer needs.

The important features of the FSH are retained "across the board" on all three models. The rugged dependability, precision delivery of materials to the road surface and low

maintenance so ingrained in the FSH have all been retained. It's available in a variety of sizes to exactly conform to your specifications.

So now you don't have to settle for less than a Henderson FSH Spreader... regardless of your budget.

The Henderson FSH-I, II and III... they're what you'd expect from...

*The Dependable Ones*



- Inside seams are continuously welded for extreme duty. Sides and ends are 10 ga. and floor is 7 ga. steel.
- Top edge of hopper is a formed "J" channel for added rigidity and strength.
- Conveyor is 24" wide, all steel pintle-type chain. The FSH-I and II have 1/4" x 1-1/2" crossbars while the FSH-III has 3/8" x 1-1/2" crossbars. Crossbars are spaced on 4-1/2" centers. Sprockets are cast iron and are keyed to the drive and idler shafts to prevent slippage and maintain chain alignment.
- OPTIONAL single or dual augers for reduced maintenance and smoothness of material flow.
- Conveyor chain is protected by a formed 10 ga. shield in the FSH-I and II. A replaceable bolt-in shield is standard on the FSH-III and optional on the FSH-II.
- Two 5/8" stainless steel chain adjusters with 4" of adjustment provide optimum chain tension.
- Conveyor gearbox has thru-shaft for electronic control system speed sensor hook-up.
- The hydraulic motor is mounted directly to the gearcase to eliminate sprockets, chains and couplers for reduced maintenance.
- The telescopic chute assembly is 10 ga. steel and is totally enclosed with two internal adjustable baffles. Three external adjustable deflectors and one front fixed deflector with overlapping corners also contribute to precise control of material spread pattern. A quick latching bypass chute diverts material behind the spinner chute for fast unloading.
- The 20" spinner disk is 10 ga. steel with stainless steel fins. Polyurethane optional.
- All surfaces are high-pressure cleaned and degreased with a phosphate solution before being primed and finish painted with Highway Orange paint.

# FEATURES & SPECIFICATIONS

LENGTH	CUBIC YARD CAPACITY (Brady/Rounded)			WEIGHTS (Approx.)			RECOMMENDED CAB TO AXLE (Inches)
	Side Height			Side Height			
	48" or 50"	54" or 56"	60" or 62"	50"	56"	62"	
8'	4.5/5.6	5.5/5.6	6.5/7.6	1760	1845	1930	60
9'	5.1/6.3	6.2/7.3	7.4/8.5	1905	1995	2085	72
10'	5.6/6.9	6.9/8.2	8.3/9.6	2070	2166	2262	84
11'	6.2/7.6	7.6/9.0	9.0/10.4	2225	2327	2429	96
12'	6.8/8.3	8.4/9.9	9.9/11.4	2380	2488	2596	108
13'	7.3/9.0	9.0/10.7	10.7/12.4	2535	2649	2763	96 C.T.
14'	7.9/9.8	9.7/11.4	11.6/13.3	2690	2810	2930	108 C.T.
15'	8.4/10.3	10.3/12.2	12.2/14.1	2845	2971	3097	120 C.T.
16'	8.9/10.9	11.0/13.0	13.0/15.0	3001	3132	3264	132 C.T.

FEATURE	FSH-I	FSH-II	FSH-III
Lengths	8' - 16'	8' - 16'	8' - 16'
Outside Width	84"	84"	84"
Overall Height	48", 54", or 60"	50", 56" or 62"	50", 56" or 62"
Conveyor Style	<ul style="list-style-type: none"> <li>•6-tooth sprockets</li> <li>•1-1/2" dia. drive shaft with roller bearings</li> <li>•Pintle type conveyor chain with 1/4" x 1-1/2" crossbars on 4-1/2" centers</li> </ul>	<ul style="list-style-type: none"> <li>•8-tooth sprockets</li> <li>•1-1/2" dia. drive shaft with roller bearings</li> <li>•Pintle type conveyor chain with 1/4" x 1-1/2" crossbars on 4-1/2" centers</li> </ul>	<ul style="list-style-type: none"> <li>•8-tooth sprockets</li> <li>•2" drive shaft with roller bearings</li> <li>•Pintle type conveyor chain with 3/8" x 1-1/2" crossbars 4-1/2" centers</li> </ul>
Idler Type	<ul style="list-style-type: none"> <li>•1-1/4" dia. shaft with roller bearings</li> <li>•4" idler adjustment spring loaded optional</li> </ul>	<ul style="list-style-type: none"> <li>•1-1/2" dia. shaft with roller bearings</li> <li>•4" spring loaded idler adjustment</li> </ul>	<ul style="list-style-type: none"> <li>•2" dia. shaft with roller bearings</li> <li>•4" spring loaded idler adjustment</li> </ul>
Conveyor Gearbox Drive	50:1 worm gear standard 25:1 optional	50:1 worm gear standard 25:1 optional	6:1 spur gearbox 50:1 or 25:1 worm gearbox optional
Chain Shields	standard: formed	standard: formed bolt-in optional	standard: bolt-in replaceable

## SPECIFICATIONS

### BODY

Sides, ends and side supports are of 10 ga. steel and are continuous-seam welded from the inside. Side slope is 45° with front slope at 18° and rear slope 9°. Floor is replaceable 7 ga. steel. Longsills are 7 ga. steel continuous-seam welded to the sides on mild steel units. Top edge of hopper is formed "J" channel, 1-5/8" x 3/4". Feed-gate is 10 ga. 10" x 18", screwjack adjustable from curb side. Download pressure is reduced by an adjustable inverted vee (optional) to reduce material compaction.

### CONVEYOR

Rear discharge pintle chain conveyor is 24" wide. Chain tension adjusting rod is 5/8" stainless steel. Idler adjustment is 4".

### CONVEYOR GEARBOX

The FSH-I and FSH-II have a 50:1 or 25:1 worm gearbox with extended thru-shaft for electronic sensor mounting. In addition, the FSH-III has a 6:1 spur gearbox available.

### SPINNER CHUTE ASSEMBLY

Completely enclosed telescopic design is of 10 ga. steel. Top-mounted hydraulic spinner motor is enclosed in the chute to maximize material


flow to the spinner disk, improving spread pattern. It is mounted directly to the spinner for elimination of shaft and bearings. Two (2) internal baffles direct material flow onto the spinner disk for directional spread control. Three external adjustable deflectors and one front fixed deflector with overlapping corners contribute to precise control of material spread pattern. The adjustable spinner deflectors are easily replaceable without tools for easy servicing. A quick latching spreader bypass chute diverts material behind spinner chute for fast unloading. Spinner disk is 20" diameter, 10 ga. steel with replaceable hub. Six (6) 10 ga. stainless steel vanes are bolt-on and replaceable.

### PAINT

All metal surfaces are high pressure cleaned with a phosphate solution to remove slag, spatter, oxide and oil residue. The entire body is primed with a high quality catalyzed primer and then finished with Highway Orange grade enamel. The 304 Stainless Steel units are unpainted.


### CONTROL VALVE - OPTIONAL

Speed of conveyor and spinner motors is controlled by a dual pressure compensated control valve with a relief pre-set at 1500PSI. Valve has twelve (12) detent settings for each circuit and an independent on/off valve to allow start/stop without changing application rate.




### SINGLE AUGER CONVEYOR - OPTIONAL

Seven-inch (7") auger conveyor provides a more even flow than a standard chain conveyor with less maintenance. A patented safety interlock feature helps prevent personal injury from the auger.



### DUAL AUGER CONVEYOR - OPTIONAL

Two counter-rotating augers create a smooth spread, breaking up clumps and preventing bridging of materials. Auger shafts utilize a polyurethane bushing at both ends of each auger to eliminate seizing and ensure ease of maintenance.



### SAFETY INTERLOCK

Required with optional single or dual augers. For safety, auger motors must be disabled before operator can open top grate screens.

### TOP GRATE SCREENS - OPTIONAL

Hinged, 3/8" welded rod-heavy duty mesh screens keep unwanted larger materials out of the spreader.

### FRONT IDLER AND GREASE TUBE EXTENSIONS - OPTIONAL

Grease and adjust tension on the spot.

## OPTIONS

- 304 Stainless Steel
- Top Grate Screens
- Inverted Vee
- Extended Front Idler Adjusters
- Extended Front Idler Grease Tubes
- 6" and 12" Side Extensions
- Hold Down Kit
- 18 HP Engine Group
- Rubber Side Spill Shields
- Roller Chain
- Cab Shield
- Spacer Bars
- Ladders
- Bumpers
- Centerline Diverter Chute
- Catwalks and Frame Mount Kit
- Side Tubes and Rear Hoses
- Short Hose Kit with Quick Couplers
- Automatic Control Systems

# Henderson

P.O. Box 40 • Manchester, Iowa 52057  
800-359-4970 • www.henderson-mfg.com

## COMPLETE WARRANTY PROVISIONS

### A. PARTS REPLACEMENT AND REPAIR:

\*\*\*\*Please see addendum at end of page\*\*\*\*

Henderson Manufacturing warrants its manufactured products to be free from defects in material or workmanship for a period of two year, after delivery to the original user, or 18 months after factory invoice, whichever occurs first. This warranty of our products under normal use and service is limited to replacement and repair, at the company's factory, of any parts which are returned to the factory freight prepaid, and after our examination were found to be defective.

### B. EXCLUSIONS:

1. This warranty is expressly limited to parts replacement and repair, and is not transferable. Any expressed warranty not herein provided, and any remedy for breach of contract is excluded and disclaimed. The implied warranties of merchantability and of fitness for any particular purpose are limited to one year from delivery to the original user, or 18 months from factory invoice, whichever occurs first.
2. Any component or part manufactured by others will carry that manufacturers warranty, and in no case will Henderson Manufacturing be liable, either expressed or implied, for warranties in excess of those made by the original manufacturer.
3. Under no circumstances will Henderson Manufacturing be liable to the purchaser, or any other person, for any incidental or consequential damages. The user assumes liability for all personal injury or property damage resulting from the handling, possession, or use of the product.
4. Repairs or modifications done by others, or parts from other sources outside the company's factory are not covered by this warranty.
5. No agent, employee, or representative of Henderson Manufacturing has any authority to make any affirmation, representation, or warranty concerning Henderson Manufacturing products, except as specifically stated above.

### WARRANTY PROCEDURE

1. Prior authorization by Henderson Manufacturing, must be obtained for all warranty work.
2. Contact our distributor or Henderson Manufacturing giving complete details of your request, the unit involved, including serial number, date purchased, who purchased from, and the nature of or reason for the claim.
3. A Warranty Request Number will be assigned, and is required, whenever any warranty is to be paid either in the form of cash, credit, replacement of parts, or service work.
4. The assignment of a Warranty Request Number does not guarantee warranty will be allowed. The number is to identify the request and part to be returned.
5. When parts are shipped no charge on a Warranty Request, you may be required to return defective part(s) for inspection by Henderson Mfg. or the original manufacturer. In this case, you will be invoiced for shipment of new components until the old unit is returned.

ADDENDUM TO WARRANTY PROVISION: For purposes of West Virginia RFQ#707EC018 and #707EC019, Henderson Manufacturing will honor minimum two (2) year bumper to bumper basic parts and labor warranty. Janet Tobin 02/2007

Contract Administration Manager