

NODZIN

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

REQ NUMBER DNR80105

1

BUYER 32 304-558-0492

24935-9204

P ō

DIVISION OF NATURAL RESOURCES BLUESTONE WMA ATTN: PARK SUPERINTENDENT HC65, BOX 91 INDIAN MILLS, WV 304-466-3398

ADDRESS CORRESPONDENCE TO ATTENTION OF

RFQ COPY TYPE NAME/ADDRESS HERE Middletown Tractor Sales 2032 Fairmont Ave. Fairmont WV 26554 304-366-4690

FREIGHT TERMS SHIP VIA FOB. TERMS OF SALE DATE PRINTED Pre Paid OUR TRUCK Destination 12/22/2006 OPENING TIME :30PM 2007 BID OPENING DATE: AMOUNT UNIT PRICE ITEM NUMBER UOP LINE QUANTITY REQUEST FOR QUOTATION THE PURCHASING DIVISION IS SOLICITING BIDS FOR THE DIVISION OF NATURAL RESOURCES TO PROVIDE ONE (1) FOUR-WHEEL DRIVE TRACTOR WITH A FRONT-END LOADER ATTACHMENT SPECIFICATIONS ATTACHMENTS: 1. 2. AFFIDAVIT DELIVERY: DELIVERY SHALL BE MADE TO: (3 (1) BLUESTONE WILDLIFE MANAGEMENT AREA INDIAN MILLS, WV 24935 PRICING INFORMATION: BID PRICE SHALL INCLUDE DELIVERY AND THE FIRST 50 HOUR SERVICE (SEE SPECS). THE TRACTOR SHALL BE READY FOR OPERATION UPON DELEVERY. 760-50 LS 0001 \$49,987.00 \$49.987.00 4-WHEEL DRIVE TRACTOR/FRONT-END LOADER We are bidding a John Deere 6615 with aJohn Deere 563 loader per attached specs. Please also see attached advantages and deviations. VENDOR PREFERENCE CERTIFICATE CERTIFICATION AND APPLICATION* IS HEREBY MADE FOR PREFERENCE IN ACCORDANCE WITH WEST VIRGINIA CODE, 5A-3-37 (DOES NOT APPLY TO CONSTRUCTION CONTRACTS). SEE REVERSE SIDE FOR TERMS AND CONDITIONS DATE SIGNATUR 1-9-2007 304-366-4690 ADDRESS CHANGES TO BE NOTED ABOVE

GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

- 1. Awards will be made in the best interest of the State of West Virginia.
- 2. The State may accept or reject in part, or in whole, any bid.
- 3. All quotations are governed by the West Virginia Code and the Legislative Rules of the Purchasing Division.
- 4. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125.00 registration fee.
- 5. All services performed or goods delivered under State Purchase Orders/Contracts are to be continued for the term of the Purchase Order/Contract, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods, this Purchase Order/Contract becomes void and of no effect after June 30.
- 6. Payment may only be made after the delivery and acceptance of goods or services.
- 7. Interest may be paid for late payment in accordance with the West Virginia Code.
- 8. Vendor preference will be granted upon written request in accordance with the West Virginia Code.
- 9. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
- 10. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- 11. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern all rights and duties under the Contract, including without limitation the validity of this Purchase Order/Contract.
- 12. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
- 13. BANKRUPTCY: In the event the vendor/contractor files for bankruptcy protection, this contract is automatically null and void, and is terminated without further order.
- 14. HIPAA Business Associate Addendum The West Viginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, and available online at the Purchasing Division's web site (http://www.state.wv.us/admin/purchase/vrc/hipaa.htm) is hereby made part of the agreement. Provided that, the Agency meets the definition of a Covered Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.

INSTRUCTIONS TO BIDDERS

- 1. Use the quotation forms provided by the Purchasing Division.
- 2. SPECIFICATIONS: Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as EQUAL to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
- 3. Complete all sections of the quotation form.
- Unit prices shall prevail in cases of discrepancy.
- 5. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
- 6. BID SUBMISSION: All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications.

SIGNED BID TO:

Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130



NOUZEN

State of West Virginia Department of Administration Purchasing Division -2019-Washington-Street-East Post Office Box 50130 Charleston, WV 25305-0130

Request for AFQ NUMBER Quotation

SHIP

DNR80105

2

ADDRESS CORRESPONDENCE TO A TENHON OF BUYER 32 304-558-0492

RFQ COPY TYPE NAME/ADDRESS HERE

MIDDLETOWN TRACTOR SALES 2032 FAIRMONT AVENUE FAIRMONT, WV 26554

DIVISION OF NATURAL RESOURCES BLUESTONE WMA ATTN: PARK SUPERINTENDENT HC65, BOX 91 INDIAN MILLS, WV 304-466-3398 24935-9204

DATE PRINTE	0.00.00	JER	VS OF SAL	É	s	HIP:VIA		F.	D.B.		FREIGH	T TERMS
12/22/	2006	01/11,	/2007				${\mathtt{BID}}$	OPENING	TIME	-61	:30PM	
BID OPENING DATE:	QUANTI	<u> असर्वस्थाः</u>	ÜOP	CAT NO.	REI	A NUMBEF		UNI	PRICE		AM	OUNT
	A. API REASON			IS MA	DE FOR	2.5%	PREF	ERENCE F	OR THE			
	HAS RES	SIDED ARS I	CONT MEDI.	INUOU. ATELY	SLY IN	WEST	VIRG	r vendor inia for ate of i	FOUR	- Control of the Cont		
	TION RIQUARTED WEST VITTE DA' INTERES PARTNED WHO HA	ESIDE RS OR IRGIN TE OF ST OF RSHIP S MAI INESS IMMED	NT VE PRIN IA FO THIS BIDD ASS NTAIN CONT IATEL	NDOR A CIPAL R FOU CERT ER IS OCIAT ED IT INUOU Y PRE	AND HAS PLACE R (4) Y IFICATI HELD F ION OR S HEAD SLY IN	OF BY CORPO CORPO WEST	NTAINI USINES IMMES OR 80° OTHER ORATIC ERS ON	ATION OR ED ITS H ES CONTI DIATELY. OF THE INDIVIC ON RESIC R PRINCI INIA FOF OF THIS	EAD- NUOUSLY PRECEDI OWNERS OUAL, OENT VEN	ING ING SHIP NDOR		
	WHICH A MINI HAS MA BUSINE FOUR (CERTIF	HAS AMUM OINTAISS WIAN YEICATI	N AFF F ONE NED I THIN ARS I ON.	LLIAT HUND TS HE WEST MMEDI	E OR STANDER OF STANDARTI VIRGINIATELY	JBSID ATE R ERS O LA CO PRECE	IARY 'ESIDE' R PRI' NTINU DING	DENT VENULULE VENTS AND NCIPAL IS OUSLY FOUR DATE	MPLOYS WHICH PLACE OF THE OF THE	- [
j	B. AP REASON			IS MA	DE FOR	2.5%	PREF	ERENCE I	OR THE	***************************************		
	DURING	THE THE	LIFE EMPLO TS OF ONTIN	OF TH YEES WEST UOUSI	E CONT WORKING VIRGI V FOR	RACT, G ON NIA W THE T	ON A THE P HO HA WO YE	CERTIF: VERAGE A ROJECT I VE RESII ARS IMMI	AT LEAS BEING B DED IN EDIATEL	X ID		
SIGNATURE	7117			SEE RE	VERSE SIDE	751	COLLONIC	NDITIONS				
	/1/50	yeu	EIN	······································			04-36	6-4690	norman atte		- 9-20	
TITLE	-	/	₽4A					į	DRESS CHAI			



State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for REGINUMBER Quotation

DNR80105

LADDRESS CORRESPONDENCE

3

BUYER 32 304-558-0492

VENDOR

RFQ COPY TYPE NAME/ADDRESS HERE

MIDDLETOWN TRACTOR SALES 2032 FAIRMONT AVENUE FAIRMONT, WV 26554

DIVISION OF NATURAL RESOURCES BLUESTONE WMA ATTN: PARK SUPERINTENDENT HC65, BOX 91 INDIAN MILLS, WV 24935-9204 304-466-3398

SHIP VIA F.O.B FREIGHTTERMS DATE PRINTED TERMS OF SALE 12/22/2006 OPENING TIME BID DI:30PM 01/11/2007 BID OPENING DATE: ITEM NUMBER UNIT PRICE AMOUNT QUANTITY UOP LINE PRECEDING SUBMISSION OF THIS BID; OR BIDDER IS A NONRESIDENT VENDOR EMPLOYING A MINIMUM OF ONE HUNDRED STATE RESIDENTS OR IS A NONRESIDENT VENDOR WITH AN AFFILIATE OR SUBSIDIARY WHICH MAINTAINS ITS HEADQUARTERS OR PRINCIPAL PLACE OF BUSINESS WITHIN WEST VIRGINIA EMPLOYING A MINIMUM OF ONE HUNDRED STATE RESIDENTS WHO CERTIFIES THAT, DURING THE LIFE OF THE CONTRACT, ON AVERAGE AT LEAST 75% OF THE EMPLOYEES OR BIDDERS' AFFILIATE'S OR SUBSIDIARY'S EMPLOYEE'S ARE RESIDENTS OF WEST VIRGINIA WHO HAVE RESIDED IN THE STATE CONTINUOUSLY FOR THE TWO YEARS IMMEDITATELY PRECEDING SUBMISSION OF THIS BID. BIDDER UNDERSTANDS IF THE SECRETARY OF TAX & REVENUE DETERMINES THAT A BIDDER RECEIVING PREFERENCE HAS FAILED TO CONTINUE TO MEET THE REQUIREMENTS FOR SUCH PREFERENCE, THE SECRETARY MAY ORDER THE DIRECTOR OF (A) RESCIND THE CONTRACT OR PURCHASE PURCHASING TO: ORDER ISSUED; OR (B) ASSESS A PENALTY AGAINST SUCH BIDDER IN AN AMOUNT NOT TO EXCEED 5% OF THE BID AMOUNT AND THAT SUCH PENALTY WILL BE PAID TO THE CONTRACTING AGENCY OR DEDUCTED FROM ANY UNPAID BALANCE ON THE CONTRACT OR PURCHASE ORDER. BY SUBMISSION OF THIS CERTIFICATE, BIDDER AGREES TO DISCLOSE ANY REASONABLY REQUESTED INFORMATION TO THE PURCHASING DIVISION AND AUTHORIZES THE DEPARTMENT OF TAX AND REVENUE TO DISCLOSE TO THE DIRECTOR OF PURCHASING APPROPRIATE INFORMATION VERIFYING THAT BIDDER HAS PAID THE REQUIRED BUSINESS TAXES, PROVIDED THAT SUCH INFORMATION DOES NOT CONTAIN THE AMOUNTS OF TAXES PAID NOR ANY OTHER INFORMATION DEEMED BY THE TAX COMMISSIONER TO BE CONFIDENTIAL. UNDER PENALITY OF LAW FOR FALSE SWEARING (WEST VIRGINIA SEE REVERSE SIDE FOR TERMS AND CONDITIONS SIGNATURE TELEPHONE DATE TITLE ADDRESS CHANGES TO BE NOTED ABOVE



VENDOR

RFO COPY

TYPE NAME/ADDRESS HERE

FAIRMONT, WV 26554

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for REGINERAL REGI Quotation

DNR80105

PAGE

BUYER 32 304-558-0492

24935-9204

MIDDLETOWN TRACTOR SALES 2032 FAIRMONT AVENUE

DIVISION OF NATURAL RESOURCES BLUESTONE WMA ATTN: PARK SUPERINTENDENT HC65, BOX 91 INDIAN MILLS, WV

304-466-3398

ADDRESS CORRESPONDENCE TO ATTENTION OF

FREIGHTTERMS DATE PRINTED. TERMS OF SALE SHIP VIA F.O.B. 12/22/2006 01:30PM 01/11/2007 TIME OPENING BID OPENING DATE: UNIT PRICE AMOUNT TEM NUMBER **QUANTITY** UCP LINE CODE 61-5-3), BIDDER HEREBY CERTIFIES THAT THIS CERTIFICATE IS TRUE AND ACCURATE IN ALL RESPECTS; AND THAT IF A CONTRACT IS ISSUED TO BIDDER AND IF ANYTHING CONTAINED WITHIN THIS CERTIFICATE CHANGES DURING THE TERM OF THE CONTRACT, BIDDER WILL NOTFFY THE PURCHASING DIVISION IN WRITING IMMEDIATELY. BIDDER: Middletown-Tractor-Sales----1-9-2007 DATE SIGNED: TITLE: * CHECK ANY COMBINATION OF PREFERENCE CONSIDERATION(S) "B" WHICH YOU ARE IN EITHER "A" OR "B", OR BOTH "A" AND YOU MAY REQUEST UP TO THE MAXIMUM ENTITLED TO RECEIVE. 5% PREFERENCE FOR BOTH "A" AND "B". (REV. 12/00) NOTICE A SIGNED BID MUST BE SUBMITTED TO: DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION BUILDING 15 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25305-0130 SEE REVERSE SIDE FOR TERMS AND CONDITIONS 92007 TITLE ADDRESS CHANGES TO BE NOTED ABOVE



200Zm<

State of West Virginia Department of Administration Quotation Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for

DNR80105

ADDRESS CORRESPONDENCE TO ATTENTION OF: BUYER 32 304-558-0492

P

MIDDLETOWN TRACTOR SALES 2032 FAIRMONT AVENUE FAIRMONT, WV 26554

TYPE NAME/ADDRESS HERE

RFQ COPY

DIVISION OF NATURAL RESOURCES BLUESTONE WMA ATTN: PARK SUPERINTENDENT HC65, BOX 91 INDIAN MILLS, WV 24935-9204 304-466-3398

DATE PRINTED. TERMS OF SALE SHIP VIA F.O.B. FREIGHT TERMS 12/22/2006 OPENING TIME 01/11/2007 BID OPENING DATE: UNITPRICE AMOUNT LINE OUANTITY ITEM NUMBER UOP THE BID SHOULD CONTAIN THIS INFORMATION ON THE FACE OF THE ENVELOPE OR THE BID MAY NOT BE CONSIDERED: SEALED BID RON PRICE----BUYER: DNR80105-----RFQ. NO.: JANUARY 4, 2007-----BID OPENING DATE: BID OPENING TIME: 1:30 PM-----PLEASE PROVIDE A FAX NUMBER IN CASE IT IS NECESSARY TO CONTACT YOU REGARDING YOUR BID: 304-366-4698 CONTACT PERSON (PLEASE PRINT CLEARLY) __Mike Shaver \$49,987.00 THIS IS THE END OF RFQ DNR80105 ***** TOTAL: 9EE REVERSE SIDE FOR TERMS AND CONDITIONS 304-366-4690 7-9-2007 TITLE ADDRESS CHANGES TO BE NOTED ABOVE

DNR80105 - SPECIFICATIONS BIDS DUE JANUARY 11, 2007; 1:30 PM

New Holland TS 115A Four Wheel Drive or Equivalent Tractor

- Canopy with Fold Down Rops, Toolbox, and Grill Guard
- 115 Horsepower Motor and 95 Horsepower PTO Minimum
- 6 Cylinder Motor Turbo Charged and Inter-cooled Minimum
- 411" Displacement Minimum
- Bosch Injection Pump and Block Heater
- 12 x 12 Synro Command Transmission with Mechanical Shuttle Shift or Equivalent
- Class III Front Axle.
- Limited Slip Front Axle Differential
- Electro Hydraulic Rear Differential Lock
- 12 x 12 Open Center Hydraulic System
- 2 Rear Remotes
- Category II Hitch with Flex Link Ends, Extendable Drawbar and Telescoping Stabilizer
- Independent 540/1000 RPM Interchangeable PTO Shaft
- 14.9 x 28" Front Tires;
- 18.4 x 38" Rear Tires, Rear Tires to be Loaded with Alcohol or Antifreeze
- 67 Gallon (minimum) Fuel Tank
- Self Equalizing and Self Adjusting Hydraulic Wet Disc Brakes
- 2 Mid Mounted Joy Stick Control Valves for Front Loader (Leaving Rear Valves Open)
- One (1) Complete 50-Hour Recommended Service (Filters and Fluids) to be Included in the Bid Price

Quickie Brand Quick Attach Front End Loader or Equal Model

- Joy Stick Control from the Mid Valve with Quick Couplers
- Single Handle Joy Stick Control
- Hydraulic Hoses Running Internal in Loader Beams
- Lock and Go Loader Attachment System (Single Pin)
- Replaceable Bushings
- Single Lever Quick Attach Bucket and Implements
- Lift Capacity at 800 mm from Bucket Pivot is 3700 lbs. Minimum
- Breakout Force at 800 mm from Pivot is 4400 lbs. Minimum
- Lift Height 154" Minimum
- 83" Heavy Duty Bucket Minimum
- Heavy Duty Bolt on Tooth Bar with Replaceable Teeth (Installed)
- Minimum 47" Quick Attach Pallet Forks at 5500 lb. Capacity Minimum

RFQ No.	DNR80105
---------	----------

AFFIDAVIT

West Virginia Code §5A-3-10a states:

No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owned is an amount greater than one thousand dollars in the aggregate

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivisions" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality, any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

EXCEPTION:

The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

LICENSING:

Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.

CONFIDENTIALITY:

The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendors should visit www.state.wv.us/admin/purchase/privacy for the Notice of Agency Confidentiality Policies.

Under penalty of law for false swearing (West Virginia Code, §61-5-3), it is hereby certified that the vendor acknowledges the information in this said affidavit and are in compliance with the requirements as stated.

Vendor's Name: Middlet	own Tractor Sales		
Authorized Clandusm	alan Boyer	Date:	@ 1/9/07
Admonzed Signature		Date	
No Debt Affidavit (Revised 10/13/06)	/		•



MODEMA

DATE PRINTED

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

TERMS OF SALE

Request for Quotation

SHIP VIA

DNR80105

PAG	E (80)
	1

FREIGHT TERMS

BUYER 32

304-558-0492

RFQ COPY TYPE NAME/ADDRESS HERE Middletown Tractor Sales 2032 Fairmont Ave. Fairmont WV 26554 304-366-4690

DIVISION OF NATURAL RESOURCES **BLUESTONE WMA** ATTN: PARK SUPERINTENDENT HC65, BOX 91 INDIAN MILLS, WV 24935-9204 304-466-3398

F.O.B.

ADDRESS:CORHESPONDENCE TO ATTENTION OF

12/27/	/2006	Net 30			Our '	Truck		Destina	ation	Pre	Paid
BID OPENING DATE		01/11/	2007				BID	OPENING		01:30F	
LINE	QUAI	VTITY	UOP	CAT. NO	'n	EM NUME	ER	UN	TPRICE		AMOUNT
			Δηη	ENDUM	#01						
1			,,,D		207			ļ			
***************************************	THIS A	DDENDU	M IS	ISSUE	р то (CLARI	FY THE	BID OP	ENING		
	DATE.	PAGE 5	OF T	HE OR	IGINAL	L REQ	UEST F	OR QUOTA	ATION		
1	STATES	AN IN	CORRE	CT DA	TE OF	JANU	ARY 4,	2007 -	THE		
	CORREC	DATE	IS J	ANUAK	Y 11,	2007	; 1:30	PM			
	****	*****	*** E	ND OF	ADDEN	NDUM	#01 **	*****	*** *		
.											
ļ [:]											

			}								
			}	}				:			
]								
]								
}			[
		}						,		ļ	
		Ì]								
		1									
	 		-								
		[-								
\		1									
	į	ļ		1							
		}									
		į									
				i							
		,		SEEREV	erseside	FORTER	MS AND CO	(DITIONS			
SIGNATURE	//1/58	uge				TE	LEPHONE 304-	366-4690	DA	TE/- 9-	7007
TITLE	,	FEI		E / 74 71	-		***************************************	ì	RESS CHANG	···············/	NOTED ABOVE
1111111		/		547175)			1	······································		TO LED MOUVE

WV-36a STATE OF WEST VIRGINIA	Buyer: Page Reg. or P. O. No.:
PURCHASING CONTINUATION SHEET	R. Price Page Req. or P. O. No DNR80105
	Spending Unit:
Vendor: Middletown Tractor Sales	WVDNR
	Requisition No.: <u>DNR80105</u>
ADDENDUM ACKNO	WLEDGEMENT
I hereby acknowledge receipt of the following c the necessary revisions to my proposal, plans a	hecked addendum(s) and have made and/or specifications, etc.
Addendum No.'s:	
No. 1x	
No. 2	
No. 3	
No. 4	
No. 5	
understand that failure to confirm the recrejection of bids.	ceipt of the addendum(s) is cause for
	Signature Middletown Tractor Company 1907 Date
Exhibit 10 Rev. 11/96	



JD Quote MIDDLETOWN TRACTOR SALES 2032 FAIRMONT AVE FAIRMONT WV 26554 (304)366-4690 ADAM@MIDDLETOWNTRACTOR.COM



Prepared For

BLUESTONE PUBLIC HUNTING AREA

HC 65 BOX 91

FOREST HILL, WV 24935

Prepared By

STEPHEN M CRONIN

2032 FAIRMONT AVE FAIRMONT,WV 26554 Phone: 304-366-4690

STEVE@MIDDLETOWNTRACTOR.COM

Creation Date

Jan 08, 2007

Expiration Date

Feb 28, 2007

Quote Id

1289076

Equipment Name :	John Deere 6615 TRACTOR	Equip	ment Quantity:
	Description	Quantity	Price (\$)
6615 Open Operator Stat	ion Tractor	1	49,640.00
No Package		1	0.00
MFWD Front Axle with Li	mited Slip Differential	1	0.00
18.4-38 In. 8PR R1 Bias		1	0.00
13.6-28 In. 8PR R1 Bias		1	0.00
SyncroPlus 16F/16R with Transmission (19 mph/30	Mechanical Left Hand Power Reverser kmh)	1	1,699.00
Flanged Axle, 8 Position	Steel Wheels	1	0.00
Loader Preparation Pack Function Mechanical Inde	age - Single Lever Control (Joystick) and 2- ependent Control Valve	1	1,918.00
Cold Weather Package I		1	126.00
Stabilizer Bar, Mechanica	al (One) with Attaching Parts	2	440.00
Basic Select Control Valv	e 101 Series (No Detent), Function Kit	1	561.00
Position Kit, Position #2 N	Mechanical - Contains SCV Control and Mounting	1	53.00
FILL REAR TIRES /TUBE	ES	1	800.00

JD TOOL BOX	1	125.00
D6 CANOPY	1	495.00
Freight		850.00
Pre-delivery & set-up		250.00
Delivery		450.00
Subtotal		57,407.00
DISCOUNT		14,407.00
Total		43,000.00

Equipment Name : John Deere 563 FARM LOADER	Equipme	nt Quantity:
Description	Quantity	Price (\$)
563 Non-Self-Leveling Loader	1	7,868.00
Custom Configuration	. 1	0.00
For 7210 (above SN 11496), 7410 (above SN 12351) 6615, 6715, 7220, 7320, 7420 (All Tractors 2WD only) Tractors	1	0.00
2 Function (Tractors Already Equipped with Two Function Mechanical ICV or E-ICV)	1	-1,185.00
2 Function Mid-Mount Couplers	1	0.00
Less Ballast Box	1	0.00
Global Carrier	1	0.00
Less Bucket	1	-735.00
85 In. (2150 mm) Global Heavy Duty Bucket	1	1,122.00
Heavy Duty Hood Guard	1	350.00
Toolbox Bracket	1	30.00
85" BOLT ON TOOTH BAR	1	454.00
48" PALLET FORKS	1	825.00
Freight		275.76
Pre-delivery & set-up		200.00
Subtotal		9,204.76
DISCOUNT		2,217.76
Total		6,987.00

Total

Equipment	\$ 49,987.00
Subtotal	\$ 49,987.00
Total	\$ 49,987.00
Balance Due	\$ 49,987.00

Salespe	rson_	

Accepted by _____

Make your main factor Middletown Tractor.

Don't forget to visit our website! -> www.middletowntractor.com

Send us your email address and we can keep you updated with our special promotions and financing options!!

Additional Information

Check out our website!! www.middletowntractor.com

We also sell KUHN equipment www.kuhn-usa.com



Dealer Menu



Comi

Specs | Compare Specs | Compare All

Printer-Friendly V	ersion Export to Excel Change Disp	olay Options
MANUFACTURER MODEL Official Test	.	John Deere 6615
Official rest	Nebraska Test Number	Nebr. OECD 2128, Summary #444
Engine	Nebraska Test Namber	many outlined y
Linginio	Manufacturer	John Deere
	Aspiration	Turbocharger with Intercooler
	Cylinders/Displacement, cu. in. (liters)	6/414 (6.8)
	Cylinder Liners	Wet
	Fuel Tank Cap., US Gal. (L) (Open; Cab)	
	Standard	54.7 (207)
	Optional	
	Underhood muffler	
Performance		
	Advertised PTO HP (kW) @ Rated RPM	95.0 (70.8) @ 2300
	Official PTO HP (kW) @ Rated RPM	99.6 (74.3) @ 2298
	@ Standard PTO @ Eng RPM	103.5 (77.2) @ 2208
	Maximum @ Eng RPM	105.3 (78.5) @ 2097
	Advertised Engine HP (kW) @ Rated Speed	115 (85.7) @ 2300
	Max Unballast Drwbr HP (kW) @ Eng RPM	88.1 (65.7) @ 2101
	Maximum Torque (PTO) @ RPM, lb-ft (Nm)	311 (422) @ 1499
	Max Torque Rise (80% Rtd Spd) @ Eng RPM	26% @ 1800
	Maximum Torque Rise % (PTO) @ Eng RPM	36.5% @ 1499
Fuel Use, U.S. ga	ıl./hr. & HP hr./gal. at:	
_	PTO @ Rated Eng RPM	6.54 (24.75) & 15.23 (3.00) @ 2298
	Standard PTO Speed @ Eng Speed	6.59 (24.94) & 15.70 (3.09) @ 2208
	Maximum PTO Power @ Eng RPM	6.54 (24.75) & 16.09 (3.17) @ 2097
	Maximum Engine Power @ Eng RPM	6.65 (25.17) & 12.54 (2.47) @ 2302
	Max Unballasted Drawbar Power @ Eng RPM	6.62 (25.06) & 13.30 (2.62) @ 2101
	75% Load, Full Engine RPM (Unballasted)	5.79 (21.92) & 11.22 (2.21) @ 2374
	75% Load @ Reduced RPM (Unballasted)	4.91 (18.58) & 13.31 (2.62) @ 1848
Transmission		
	Std. Transmission; Forward/Reverse	Synchronized 12/4
	Opt. Transmission; Forward/Reverse	Sync. 16/16, LH Reverser
	Reverser	
	On-the-Go Shifting (Yes/No/Partial)	Yes
	Clutch; Wet/Dry	Wet
	Creeper	Syncro 12/4 w/9/3 Creeper
Power Take-Off	(PTO)	
	Standard	Independent 540/1000
	Optional	***
	PTO Speeds @ Engine RPM	wit das dats
	PTO Actuation	
Hydraulics		
	Туре	Constant Flow Load Sensing
	Pump Rated Output, GPM (L/min.)	eas ser ser

	~	47.5 (66.2)
	Standard Optional	17.5 (66.2)
	Rated Flow @ One SCV, GPM (L/min.)	17.5 (66.2)
	Max Output @ SCV Couplers, GPM (L/min.)	www.
	Maximum Operating Pressure, PSI (kPa)	2500 (17,236)
	Maximum Hydraulic Power, HP (kW)	
	Hitch Draft Control Load Sense Type	
	Remote Control Valves Available	1, 2, 3, or 4
	Hitch Category (SAE Designation)	2
	Hitch Lift Cap. lb. (kg) @24"Bhnd Lift Pt.	***
	Standard	5915 (2683)
	Optional	No
	Sensing Type	Electronic Lower Link
	Joystick SCV Control	
Final Drive	To the de	Inhord Planetary
	Type Differential Controls	Inboard Planetary Electrohydraulic
	Differential Controls	
	Availability Front	Yes
	Front & Rear	Yes
	Engage On-the-Go Rear Differential Lock	Yes
	Axle Type	
	Brakes, Type and Control	
Operator Station		
•	Rollover Protective Structure, OOS	
	Rigid - Foldable - Telescopic	w ss m
	Platform - Flat/Straddle	
	Gearshift Location - Console/Floor	
	Cab	-
	Doors	2
	Platform - Flat/Straddle	Flat
	dB(A) Rating	73.5 Mechanical
2WD Dimension	Seat Suspension System	riechanical
ZVVD Dimension	Wheelbase, in. (mm)	104.3 (2650)
	Front Tread Range, in. (mm)	58.5-80.5 (1487-2043)
	Rear Tread Range, in. (mm)	63.5-98 (1612-2490)
	Minimum Rear Tread Setting, in. (mm)	63.5 (1612)
	Front Axle Clearance, in. (mm)	
	Turning Radius w/Brakes, ft. (m)	******
	Turning Radius w/o Brakes, ft. (m)	15.3 (4.65)
	Unballasted Operating Weight, lb. (kg)	8776 (3980)
	Approx. Ship Wgt, lb. (kg) Open; Cab	8776 (3980); 9657 (4380)
MFWD Dimension		(2.2 (252)
	Wheelbase, in. (mm)	104.3 (2650)
	Front Tread Range, in. (mm)	59.7-79.4 (1516-2016)
	Front Axle Clearance, in. (mm)	20.7 (52.5)
	Turning Radius w/Brakes, ft. (m) Turning Radius w/o Brakes, ft. (m)	16.1 (4.9)
	Limited Slip Differential	Standard
	Unballasted Operating Weight, lb. (kg)	
	Approx. Ship Wgt, lb. (kg) Open; Cab	9361 (4250); 10,252 (4660)
4WD Dimension		
	Wheelbase, in. (mm)	
	Wheel Tread, Min. to Max. in. (mm)	
	• •	

	 -	s w/o Brakes, ft. (m) t Unballasted w/Duals, lb.(kg)	
	Unballasted Weight, lb. (kg)		
Standard Tires			
	2WD		
		Front	10.00-16
		Rear	18.4-38
	MFWD		us us us
		Front	12.4-28
		Rear	18.4-38
	4WD		
	Track Widths		W- W- W-
Miscellaneous			
	Country of Ma	nufacture	Mannheim, Germany
	Ballasting Restrictions, lb. (kg)		
	*Notes		Updated - 8/29/2006

Specifications are based on published information at the time of publication. Specifications are subject to change without notice. Contact <u>your local John Deere dealer</u> for more information.

Prices are subject to change without notice. In all cases, current published price lists and incentive program bulletins will take precedence.

Copyright © 1996-2005 Deere & Company. All Rights Reserved.

Dealer Menu



Comi

Specs | Compare Specs | Compare All

MANUFACTURE	R	John Deere
MODEL		563 MSL on 6615 Tractor
Tractor		
	Model	6615 Tractor
	Front Tire	10.00R16
	Rear Tire	18.4R34
	Wheelbase	104-in. (2650 mm)
	Pump capacity, gpm	18 gpm
	Rated pressure, psi	2901 psi
.oader		
	Bucket used	Heavy Duty - 73-in. (1850 mr
	Bucket weight, lb. (kg)	485 lb. (220 kg)
	Lift capacity at full height, lb. (kg)	W 55 55
	Measured at pivot (U)	3,197 lb. (1450 kg)
	Measured at 500 mm ahead of pivot (V)	18 W W
	Measured at 800 mm ahead of pivot (V)	3,307 lb. (1500 kg)
	Lift capacity at 59-in. (1.5 m), lb. (kg)	ANY MAY NO
	Measured at pivot (W)	4,409 lb. (2000 kg)
	Measured at 500 mm ahead of pivot (X)	
	Measured at 800 mm ahead of pivot (X)	4,453 lb. (2020 kg)
	Boom Breakout Force, lb. (kg)	₩ = ₩
	Measured at pivot (Y)	6,025 lb. force (26.8 kN)
	Measured at 500 mm ahead of pivot (Z)	
	Measured at 800 mm ahead of pivot (Z)	4,991 lb. force (22.2 kN)
	Bucket Rollback Force capacity, lb. (kg)	Ma ser we
	At maximum height (VV)	3,687 lb. force (16.4 kN)
	At 1.5 m (59-in.) lift height (XX)	4,923 lb. force (21.9 kN)
	At ground level line (ZZ)	4,451 lb. force (19.8 kN)
Dimensions		
	Maximum lift height, in. (mm) (A)	137-in. (3490 mm)
	Clearance	
	At full height - bucket level, in. (mm) (B)	130-in. (3295 mm)
	At full height - bucket dumped, in. (mm)	(C) 104-in. (2630 mm)
	Overall length (I+F), ft. (m)	16 ft. (4.765 m)
	Overall height in carry position (J), ft. (m)	6 ft. (1.89 m)
	Digging depth, in. (mm) (H)	
	Reach	
	At max. height, in. (mm) (D)	44-in. (1120 mm)
	At ground level - bucket level, in. (mm) (F) 83-in. (2120 mm)
	Bucket Angle	
	Dump angle, degrees (E)	-71 degrees
	Rollback angle, degrees (G)	38 degrees
	Dump angle, ground	-90 degrees
	Cycle times	
	Loader raise, seconds	5.0

Bucket dump, seconds
Bucket rollback, seconds

4.3 4.2

Specifications are based on published information at the time of publication. Specifications are subject to change without notice. Contact your local John Deere dealer for more information.

Prices are subject to change without notice. In all cases, current published price lists and incentive program bulletins will take precedence.

Copyright © 1996-2005 Deere & Company. All Rights Reserved.

Middletown Tractor Sales

RFQ# DNR8015 ADVANTAGES AND EXCEPTIONS FROM SPECS

- RFQ# DNR8015 Requests Breakout Force at 800 mm From Pivot is 4400 lbs. We Offer 4991.
- RFQ# DNR8015 Requests A 12 x 12 Syncro command Transmission. We offer a 16 x 16 Syncro Plus With Left Hand Power Reverser.
- We Found No Information For Specs Including A Class III axle
- RFQ# DNR8015 Requests "Bosch Injection Pump and Block Heater The John Deere 6615 has a Standyne DE10 Injection Pump rather than Bosch.
- RFQ# DNR8015 Requests 14.9 x 28" front tires
 The John Deere 6615 comes equipped with 13.6 x 28 front tires.
- RFQ# DNR8015 Requests a 67 gallon fuel tank. The John Deere 6615 has a 54 Gallon fuel tank.
- RFQ# DNR8015 Requests Hydraulic Hoses Running Internal In Loader Beams. The John Deere 563 Farm Loader Has External Steel Lines and hydraulic hoses.
- RFQ# DNR8015 Requests a lift height of 154 with It's Present Tire Configuration" The John Deere 563 Farm Loader has a maximum lift height of 137".
- RFQ# DNR8015 Requests replaceable bushings.
- The John Deere 563 Farm Loader does not have replaceable bushings.



Middletown Tractor Sales 2032 Fairmont Avenue Fairmont, WV 26554 (304) 366-4690 www.middletowntractor.com



2- to 105-hp Tractors