



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DPS0706

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF
BUYER 32
304-558-0492

RFQ COPY
 TYPE NAME/ADDRESS HERE

MPH Industries, Inc.
316 E. 9th Street
Owensboro, KY 42303

WEST VIRGINIA STATE POLICE

4124 KANAWHA TURNPIKE
SOUTH CHARLESTON, WV
25309 304-746-2141

| DATE PRINTED | TERMS OF SALE | SHIP VIA | F.O.B. | FREIGHT TERMS | | |
|--|---------------|--------------------------|----------|---------------|-------------|-------------|
| 10/16/2006 | | | | | | |
| BID OPENING DATE: 11/02/2006 | | BID OPENING TIME 01:30PM | | | | |
| LINE | QUANTITY | UOP | CAT. NO. | ITEM NUMBER | UNIT PRICE | AMOUNT |
| 0001 | | EA. | | 680-77 | \$ 2,543.00 | \$ 2,543.00 |
| <p align="center">REQUEST FOR QUOTATION</p> <p>THE PURCHASING DIVISION IS SOLICITING BIDS FOR THE WEST VIRGINIA STATE POLICE TO PROVIDE AN OPEN-END CONTRACT FOR LASER SPEED AND RANGE MEASUREMENT SYSTEMS FOR STATE, COUNTY AND CITY POLICE AGENCIES.</p> <p>ATTACHMENTS: 1. SPECIFICATIONS 2. AFFIDAVIT</p> <p>HAND-HELD LASER/RANGE MEASUREMENT SYSTEM</p> <p align="center">VENDOR PREFERENCE CERTIFICATE</p> <p>CERTIFICATION AND APPLICATION* IS HEREBY MADE FOR PREFERENCE IN ACCORDANCE WITH WEST VIRGINIA CODE, 5A-3-37 (DOES NOT APPLY TO CONSTRUCTION CONTRACTS).</p> <p>A. APPLICATION IS MADE FOR 2.5% PREFERENCE FOR THE REASON CHECKED:</p> <p>() BIDDER IS AN INDIVIDUAL RESIDENT VENDOR AND HAS RESIDED CONTINUOUSLY IN WEST VIRGINIA FOR FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS</p> | | | | | | |

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE *[Signature]* TELEPHONE 888-689-9222 DATE 10/31/06
 TITLE MGR Sales/Marketing FEIN 61-1205274 ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DPS0706

PAGE
2

ADDRESS CORRESPONDENCE TO ATTENTION OF:
BUYER 32
304-558-0492

VENDOR

RFQ COPY
TYPE NAME/ADDRESS HERE

MPH Industries, Inc.
 316 E. 9th Street
 Owensboro, KY 42303

SHIP TO

WEST VIRGINIA STATE POLICE

 4124 KANAWHA TURNPIKE
 SOUTH CHARLESTON, WV
 25309 304-746-2141

| | | | | |
|--------------|---------------|----------|--------|---------------|
| DATE PRINTED | TERMS OF SALE | SHIP VIA | F.O.B. | FREIGHT TERMS |
| 10/16/2006 | | | | |

BID OPENING DATE: **11/02/2006** BID OPENING TIME **01:30PM**

| LINE | QUANTITY | UOP | CAT NO. | ITEM NUMBER | UNIT PRICE | AMOUNT |
|---|----------|-----|---------|-------------|------------|--------|
| | | | | | | |
| <p>CERTIFICATION; OR</p> <p>() BIDDER IS A PARTNERSHIP, ASSOCIATION OR CORPORATION RESIDENT VENDOR AND HAS MAINTAINED ITS HEAD-QUARTERS OR PRINCIPAL PLACE OF BUSINESS CONTINUOUSLY IN WEST VIRGINIA FOR FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION; OR 80% OF THE OWNERSHIP INTEREST OF BIDDER IS HELD BY ANOTHER INDIVIDUAL, PARTNERSHIP, ASSOCIATION OR CORPORATION RESIDENT VENDOR WHO HAS MAINTAINED ITS HEADQUARTERS OR PRINCIPAL PLACE OF BUSINESS CONTINUOUSLY IN WEST VIRGINIA FOR FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION; OR</p> <p>() BIDDER IS A CORPORATION NONRESIDENT VENDOR WHICH HAS AN AFFILIATE OR SUBSIDIARY WHICH EMPLOYS A MINIMUM OF ONE HUNDRED STATE RESIDENTS AND WHICH HAS MAINTAINED ITS HEADQUARTERS OR PRINCIPAL PLACE OF BUSINESS WITHIN WEST VIRGINIA CONTINUOUSLY FOR THE FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION.</p> <p>B. APPLICATION IS MADE FOR 2.5% PREFERENCE FOR THE REASON CHECKED:</p> <p>() BIDDER IS A RESIDENT VENDOR WHO CERTIFIES THAT, DURING THE LIFE OF THE CONTRACT, ON AVERAGE AT LEAST 75% OF THE EMPLOYEES WORKING ON THE PROJECT BEING BID ARE RESIDENTS OF WEST VIRGINIA WHO HAVE RESIDED IN THE STATE CONTINUOUSLY FOR THE TWO YEARS IMMEDIATELY PRECEDING SUBMISSION OF THIS BID;</p> <p>OR</p> <p>() BIDDER IS A NONRESIDENT VENDOR EMPLOYING A MINIMUM OF ONE HUNDRED STATE RESIDENTS OR IS A NONRESIDENT VENDOR WITH AN AFFILIATE OR SUBSIDIARY WHICH MAINTAINS ITS HEADQUARTERS OR PRINCIPAL PLACE</p> | | | | | | |

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

| | | |
|------------------------------|------------------------|---------------|
| SIGNATURE <i>[Signature]</i> | TELEPHONE 888-689-9222 | DATE 10/31/06 |
|------------------------------|------------------------|---------------|

| | | |
|---------------------------|-----------------|-----------------------------------|
| TITLE MGR Sales/Marketing | FEIN 61-1205274 | ADDRESS CHANGES TO BE NOTED ABOVE |
|---------------------------|-----------------|-----------------------------------|

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

| |
|------------|
| RFQ NUMBER |
| DPS0706 |

| |
|------|
| PAGE |
| 3 |

| |
|---|
| ADDRESS CORRESPONDENCE TO ATTENTION OF: |
| BUYER 32 304-558-0492 |

RFQ COPY

TYPE NAME/ADDRESS HERE

VENDOR

MPH Industries, Inc.
 316 E. 9th Street
 Owensboro, KY 42303

SHIP TO

WEST VIRGINIA STATE POLICE

 4124 KANAWHA TURNPIKE
 SOUTH CHARLESTON, WV
 25309 304-746-2141

| | | | | |
|--------------|---------------|----------|--------|---------------|
| DATE PRINTED | TERMS OF SALE | SHIP VIA | F.O.B. | FREIGHT TERMS |
| 10/16/2006 | | | | |

BID OPENING DATE: 11/02/2006 BID OPENING TIME 01:30PM

| LINE | QUANTITY | UOP | CAT. NO. | ITEM NUMBER | UNIT PRICE | AMOUNT |
|--|----------|-----|----------|-------------|------------|--------|
| | | | | | | |
| <p>OF BUSINESS WITHIN WEST VIRGINIA EMPLOYING A MINIMUM OF ONE HUNDRED STATE RESIDENTS WHO CERTIFIES THAT, DURING THE LIFE OF THE CONTRACT, ON AVERAGE AT LEAST 75% OF THE EMPLOYEES OR BIDDERS' AFFILIATE'S OR SUBSIDIARY'S EMPLOYEES ARE RESIDENTS OF WEST VIRGINIA WHO HAVE RESIDED IN THE STATE CONTINUOUSLY FOR THE TWO YEARS IMMEDIATELY PRECEDING SUBMISSION OF THIS BID.</p> <p>BIDDER UNDERSTANDS IF THE SECRETARY OF TAX & REVENUE DETERMINES THAT A BIDDER RECEIVING PREFERENCE HAS FAILED TO CONTINUE TO MEET THE REQUIREMENTS FOR SUCH PREFERENCE, THE SECRETARY MAY ORDER THE DIRECTOR OF PURCHASING TO: (A) RESCIND THE CONTRACT OR PURCHASE ORDER ISSUED; OR (B) ASSESS A PENALTY AGAINST SUCH BIDDER IN AN AMOUNT NOT TO EXCEED 5% OF THE BID AMOUNT AND THAT SUCH PENALTY WILL BE PAID TO THE CONTRACTING AGENCY OR DEDUCTED FROM ANY UNPAID BALANCE ON THE CONTRACT OR PURCHASE ORDER.</p> <p>BY SUBMISSION OF THIS CERTIFICATE, BIDDER AGREES TO DISCLOSE ANY REASONABLY REQUESTED INFORMATION TO THE PURCHASING DIVISION AND AUTHORIZES THE DEPARTMENT OF TAX AND REVENUE TO DISCLOSE TO THE DIRECTOR OF PURCHASING APPROPRIATE INFORMATION VERIFYING THAT BIDDER HAS PAID THE REQUIRED BUSINESS TAXES, PROVIDED THAT SUCH INFORMATION DOES NOT CONTAIN THE AMOUNTS OF TAXES PAID NOR ANY OTHER INFORMATION DEEMED BY THE TAX COMMISSIONER TO BE CONFIDENTIAL.</p> <p>UNDER PENALTY OF LAW FOR FALSE SWEARING (WEST VIRGINIA CODE 61-5-3), BIDDER HEREBY CERTIFIES THAT THIS CERTIFICATE IS TRUE AND ACCURATE IN ALL RESPECTS; AND THAT IF A CONTRACT IS ISSUED TO BIDDER AND IF ANYTHING CONTAINED WITHIN THIS CERTIFICATE CHANGES DURING THE TERM OF THE CONTRACT, BIDDER WILL NOTIFY THE PURCHASING DIVISION IN WRITING IMMEDIATELY.</p> | | | | | | |

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

| | | |
|---------------------|--------------|-----------------------------------|
| SIGNATURE | TELEPHONE | DATE |
| | 888-689-9222 | 10/31/06 |
| TITLE | FEIN | ADDRESS CHANGES TO BE NOTED ABOVE |
| MGR-Sales/Marketing | 61-1205274 | |

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DPS0706

PAGE
4

ADDRESS CORRESPONDENCE TO ATTENTION OF
BUYER 32
304-558-0492

VENDOR


RFQ COPY
 TYPE NAME/ADDRESS HERE
 MPH Industries, Inc.
 316 E. 9th Street
 Owensboro, KY 42303

SHIP TO

WEST VIRGINIA STATE POLICE
 4124 KANAWHA TURNPIKE
 SOUTH CHARLESTON, WV
 25309 304-746-2141

| DATE PRINTED | TERMS OF SALE | SHIP VIA | F.O.B. | FREIGHT TERMS |
|--------------|---------------|----------|--------|---------------|
| 10/16/2006 | | | | |

BID OPENING DATE: **11/02/2006** BID OPENING TIME **01:30PM**

| LINE | QUANTITY | UOP | CAT. NO. | ITEM NUMBER | UNIT PRICE | AMOUNT |
|--|----------|-----|----------|-------------|------------|--------|
| BIDDER: <u>MPH Industries, Inc.</u> DATE: <u>10/31/06</u> SIGNED:  TITLE: <u>Manager - Sales and Marketing</u> | | | | | | |
| * CHECK ANY COMBINATION OF PREFERENCE CONSIDERATION(S) IN EITHER "A" OR "B", OR BOTH "A" AND "B" WHICH YOU ARE ENTITLED TO RECEIVE. YOU MAY REQUEST UP TO THE MAXIMUM 5% PREFERENCE FOR BOTH "A" AND "B". (REV. 12/00) | | | | | | |
| NOTICE | | | | | | |
| A SIGNED BID MUST BE SUBMITTED TO: DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION BUILDING 15 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25305-0130 | | | | | | |
| THE BID SHOULD CONTAIN THIS INFORMATION ON THE FACE OF THE ENVELOPE OR THE BID MAY NOT BE CONSIDERED: SEALED BID | | | | | | |

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

| | | |
|---|-------------------------------|-----------------------------------|
| SIGNATURE  | TELEPHONE 888-689-9222 | DATE 10/31/06 |
| TITLE MGR Sales/Marketing | FEIN 61-1205274 | ADDRESS CHANGES TO BE NOTED ABOVE |

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

| |
|------------|
| RFQ NUMBER |
| DPS0706 |

| |
|------|
| PAGE |
| 5 |

| |
|--|
| ADDRESS CORRESPONDENCE TO ATTENTION OF |
| BUYER 32 |
| 304-558-0492 |

VENDOR

RFQ COPY
 TYPE NAME/ADDRESS HERE
 MPH Industries, Inc.
 316 E. 9th Street
 Owensboro, KY 42303

SHIP TO

WEST VIRGINIA STATE POLICE
 4124 KANAWHA TURNPIKE
 SOUTH CHARLESTON, WV
 25309 304-746-2141

| DATE PRINTED | TERMS OF SALE | SHIP VIA | F.O.B. | FREIGHT TERMS |
|--------------|---------------|----------|--------|---------------|
| 10/16/2006 | | | | |

BID OPENING DATE: 11/02/2006 BID OPENING TIME 01:30PM

| LINE | QUANTITY | UOP | CAT. NO. | ITEM NUMBER | UNIT PRICE | AMOUNT |
|---|----------|-----|----------|-------------|------------|--------|
| BUYER: RON PRICE RFQ. NO.: DPS0706 BID OPENING DATE: NOVEMBER 2, 2006 BID OPENING TIME: 1: 30 PM PLEASE PROVIDE A FAX NUMBER IN CASE IT IS NECESSARY TO CONTACT YOU REGARDING YOUR BID: -----270-685-6288----- CONTACT PERSON (PLEASE PRINT CLEARLY): -----Greg Chambers----- ***** THIS IS THE END OF RFQ DPS0706 ***** TOTAL: <u>\$2,984.00 ea.</u> | | | | | | |

| | | | |
|---|--------------|-----------------------------------|--|
| SEE REVERSE SIDE FOR TERMS AND CONDITIONS | | | |
| SIGNATURE | TELEPHONE | DATE | |
| <i>Greg Chambers</i> | 888-689-9222 | 10/31/06 | |
| TITLE | FEIN | ADDRESS CHANGES TO BE NOTED ABOVE | |
| MGR-Sales/Marketing | 61-1205274 | | |

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

HANDHELD LASER SPEED AND RANGE MEASUREMENT SYSTEM SPECIFICATIONS

The West Virginia State Police desire to establish an open-end contract for the purchase of Police Traffic LIDAR (Light Detection and Ranging) handheld laser speed and range measurement systems, hereinafter system. The contract will be available for use by other entities of state government, as well as counties and municipalities.

1. LIDAR SPECIFICATIONS

| | | Comply? | |
|-----|--|----------------|-----------|
| | | <u>Yes</u> | <u>No</u> |
| 1.1 | The instrument shall use LIDAR techniques to determine the range and speed of target objects from a series of infrared laser light pulse. | <u>X</u> | _____ |
| 1.2 | The system shall conform to the National Highway Traffic Safety Administration (NHTSA) "Model Minimum Performance Specifications for (LIDAR) Laser Speed Measuring Devices. In addition the system should meet the FDA/CDRH CLASS 1 Device specifications for eye safety. | <u>X</u> | _____ |
| 1.3 | The system shall operate from the unfiltered power supply available in a standard automotive vehicle (10.8 – 16.5 volts DC; negative ground) and from removable battery located in the handle. | <u>X</u> | _____ |
| 1.4 | The system shall include both the DC power supply cord and the battery needed to operate the system. The DC power supply cord shall be at least 5 1/2 feet in length, with a completely flexible polypropylene jacket impervious to deterioration by oil and exposure to sunlight. It shall terminate on one end by a rugged heavy duty male plug compatible with a conventional cigarette lighter receptacle of a vehicle with the other end securely fastening to the system. The male connector plug shall be made of a rugged bread-resistant material and shall have heavy, corrosion-resistant spring-action electrical contacts. The end of the cigarette plug shall be removable and contain no more than a 3 amp SLO-BLO fuse. If the system utilizes a rechargeable battery pack then the system must also include a charger for the battery pack and one (1) additional battery pack. | <u>X</u> | _____ |
| 1.5 | The system shall be accurate through its range within plus or minus one (+/- 1) mile per hour and shall be capable of reading speed from at the minimum ± 1 mph to ± 200 mph. | <u>X</u> | _____ |
| 1.6 | The system shall have an adjustable range control which allows the operator to select the maximum distance at which a target will be detected, from a minimum of 20 feet to 4500 feet. | <u>X</u> | _____ |
| 1.7 | The system shall be gun shape in design for maximum ease of use and portability. | <u>X</u> | _____ |
| 1.8 | The system shall incorporate a heads-up display (HUD) that allows the operator to simultaneously observe the target and continuously updated speed displays, to insure proper tracking history. | <u>X</u> | _____ |

| | Comply? | |
|--|------------|-----------|
| | <u>Yes</u> | <u>No</u> |
| 1.9 The system shall be capable of displaying either speed or range to the target, in the HUD selectable by the operator. | <u>X</u> | _____ |
| 1.10 The systems HUD shall have an adjustable brightness control with a visual indication of the selected brightness. | <u>X</u> | _____ |
| 1.11 The systems HUD shall incorporate two separate four-character minimum high-brightness alphanumeric displays, one each for target speed and range. | <u>X*</u> | _____ |
| 1.12 The system shall be equipped with an LED indicator which presents a visual indication that DC power is present and the unit is turned on. | <u>X</u> | _____ |
| 1.13 The system shall be equipped with an LED indicator which presents a visual indication that laser pulses are being transmitted. | <u>X*</u> | _____ |
| 1.14 The system shall incorporate a dual function trigger. When the trigger is pulled, it activates the firing of laser pulses and the range and speed measurement functions of the system. When the trigger is released, the displayed range and speed readings are locked on the displays. | <u>X</u> | _____ |
| 1.15 The system shall be capable of distinguishing between different directions of vehicular traffic: approaching and receding. | <u>X</u> | _____ |
| 1.16 The system shall have an adjustable audio control with a visual indication of the selected audio level. | <u>X</u> | _____ |
| 1.17 The system shall output an adjustable volume, variable pitch, audio tone that is directly proportional to target speed. | _____ | <u>X*</u> |
| 1.18 The system shall include a built-in and an operator initiated electronic calibration self-test which performs a diagnostic test of the time-measurement circuitry, signal processor, random access memory (RAM), and associated processor logic. Any detected malfunction will result in a "FAIL" indication. | <u>X</u> | _____ |
| 1.19 The system shall have a light-test function for checking the readout display to verify that all displays are in working order. | <u>X</u> | _____ |


2. OPERATING INSTUCTIONS MANUAL

| | | |
|---|----------|-------|
| 2.1 A full and complete set of operating instructions shall be furnished by the contractor with each unit. | <u>X</u> | _____ |
| 2.2 The contractor shall make available complete LIDAR operator training. This may be in the form of VHS video training which is to be included with each system purchased. | <u>X</u> | _____ |

Comply?
Yes No

3. WARRANTY

3.1 The manufacturer shall fully guarantee their traffic LIDAR system and agree to repair or replace (at its discretion) each unit that fails due to defective materials or workmanship for a period of two (2) years from the date of delivery to the agency. x _____



Deviations From the Specifications


LIDAR Specifications:

1.11 - SpeedLaser® complies 'as equal' to this specification. The SpeedLaser® has one alphanumeric display which alternates the target speed and range in the HUD, while we display both on the LCD screen of the unit.

1.13 - SpeedLaser® complies 'as equal' to this specification. We display on the LCD screen.

1.17 - SpeedLaser® does not comply with this specification. The SpeedLaser® audio gives a 'lock' tone and a 'painting' tone for output that is directly proportional to the target speed.

SEE ATTACHED 'SPEEDLASAR® FEATURES AND BRIEF DESCRIPTIONS' DOCUMENT FOR OTHER UNSPECIFIED FEATURES OF THE SPEEDLASAR®.



MPH Industries, Inc.
316 E. 9th Street
Owensboro, KY 42303
(888) 689-9222
Fax (270) 685-6288

Speed Measurement Systems Features and Descriptions of *SpeedLaser*[®]


Distinctive Features

- **OBSTRUCTIVE MODE:** The ability for the user to switch on this mode when using the *SpeedLaser*[®] in rain, snow, fog, or through a windshield or chain link fence.
- **JAMMER DETECTOR:** The *SpeedLaser*[®] will do speed detection while being jammed. We have the ability for the LIDAR unit to show if a jammer is in use while it detects speed. We also indicate the jammer type.
- **STEALTH MODE:** A mode of operation that thwarts jammers and gives the speed reading regardless of the presence of a jammer. Most laser detectors can not detect that their vehicle is being hit by a laser when in Stealth Mode.
- **MULTI-LANGUAGE DISPLAY:** User-selectable languages of French, Spanish, English and Portuguese.
- **AUTO DAILY TEST:** The officer pushes a button and we do an automatic test that shows pass or fail. No need to refer to instructions since it is automatic. We have heard from other law enforcement agencies that this becomes very important when asked in court by a defense attorney how they did the test and did they follow the instructions exactly.
- **FULL REMOTE CONTROL:** Through the RS232 data port.
- **OPTIONAL MEMORY PORT:** For reading of data. Instantly changed by the user.
- **GPS LINKAGE:** Ability to tie into GPS systems for applications such as accident mapping.
- **TAGGING FUNCTION:** Laser can tag electronically-gathered data with a unique operator-selectable tag number from 0 to 255. This tag can also be set to auto-increment.
- **DOT, CROSSHAIRS, OR BOTH:** The ability to display crosshairs, DOT or both in the HUD. Only laser that can do this.
- **HUD DISPLAYS SPEED OR RANGE:** User can configure the HUD to display Speed or Range, toggle between Speed and Range, or display neither.
- **INTUITIVE INTERFACE:** More user-friendly vs. competitor's units.
- **SOFTWARE UPDATES:** Included for the LIFE OF THE PRODUCT
- **RECESSED GLASS:** Recessed to protect from scratching
- **"FIRST SHOT/LAST SHOT" FUNCTION:** Great for an accident mapping solution.
- **VASCAR MODE BUILT-IN "STOPWATCH MODE":** Speed of car detected with absolutely no visual indication of operation to the offending vehicle.
- **DATE & TIME FUNCTION:** Real-time clock for logging date and time required with many law enforcement applications. User can update date and time as necessary.

Distinctive Features—Continued

- **REMEMBERS USER SETTINGS:** The *SpeedLaser*[®] will remember the user's settings. Other products default to factory settings on turn-off or battery removal. User can select between auto-restore on daily test, or maintain user setting while performing daily test.
- **CONTINUOUS LOGGING:** Tracking history available on back panel or to a PC.
- **INTERNAL VIDEO CAMERA OPTION:** Only manufacturer with this option.
- **BLUETOOTH OPTION BUILT-IN:** Only manufacturer with this option. (Patent Pending)
- **REMOTE DATA COLLECTION:** In an accident mapping application, the data collector can be at remote target data point allowing for faster, more accurate data collection.
- **IACP-LISTED LIDAR SYSTEM**
- **CAPTURES SPEED IN 0.3 SECONDS**
- **OPTIONAL USER INSTALLABLE 8X MONOCULAR SCOPE AVAILABLE** (seat belt enforcement tool)
- **9V BATTERY HANDLE AVAILABLE OR NIMH RECHARGEABLE BATTERY HANDLES**
- **SPEED RANGE:** 0 MPH to 200 MPH (0 KPH to 320 KPH)
- **DISTANCE RANGE:** Up to 7,000 Ft. (2,133 M)
- **GE LEXAN ABS-ALLOY HOUSING**
- **AUDIO QUALITY CHIRP:** Provides an audio that ranges from a chirp to near solid tone indicating how well the officer is holding the laser beam on target.
- **BUILT-IN BATTERY METER:** User can check state of the laser battery.
- **OPTIONAL INTERNAL COMPASS:** Unit can be configured with built-in horizontal angle measurement for quick 2 dimensional electronic sketches of an accident scene.
- **OPTIONAL GRADE MEASUREMENT:** Allows user to measure the grade of a road surface. A requirement before speed enforcement in some jurisdictions.
- **BUILT-IN DAILY TEST, CHECK LIST:** Reminds the officer of each step required to perform an accurate daily test.
- **TRACKING HISTORY:** Can be configured to provide a tracking history of the target vehicle. Automatically detect when the laser has been transitioning from one vehicle to another and clears the tracking history. Tracking history provides stronger evidence of the speeding offense and is encouraged in many jurisdictions.

SpeedLaser®



Speed Measurement Systems
Innovative Technology for Public Safety Professionals

MPH[®]
INDUSTRIES

October 2006

SpeedLaser®



Model "S"

Standard SpeedLaser®


MPH Part Number 990418
Kit Includes Laser, Battery Handle, Charger,
Auto Coiled Power Cord, Carry Bag, Manual,
One (1) Year Warranty



Model "R"


"Ruggedized" SpeedLaser®

MPH Part Number 990420
Kit Includes Laser, Battery Handle, Charger,
Auto Coiled Power Cord, Carry Bag, Manual,
One (1) Year Warranty



Heads-Up Display (HUD)

The HUD displays target speed. Target sights are user-selectable for **crosshair**, **aiming dot** or **combined** display.



Rear LCD Screen Displays

- (1) the speed of the target vehicle in mph or kph (preset at factory);
- (2) distance from the SpeedLaser® to the target;
- (3) direction of travel of the target vehicle;
- (4) plain-language system menu in one of four user-selected languages (English, Spanish, French, or Portuguese).

Manufactured For MPH Industries By

LASER ATLANTA®

Features and Specifications

Features

Fast Target Acquisition (0.3 seconds)

Heads-Up Display has user-selectable targeting choices: Crosshair, Aiming Dot or Combined Display

PCMCIA slot for on-board data display.

8X Monocular Scope available
(valuable enhancement for seat-belt enforcement)

9 Volt Rechargeable Battery Handles

Bluetooth technology available

Stealth Mode defeats Jammers and Detectors. It also identifies the type of jammer.

Obstructed Mode allows SpeedLaser® to shoot through rain, snow, and window glass

Superior Range

Stopwatch Mode

Additional 1 Year Warranty Available

Both models have a GE Lexan ABS alloy housing. The "ruggedized" model "R" is constructed with spacing between the case and inner components for shock resistance. Rubber bumpers guard against normal damage when dropped.

Specifications

Certifications

IACP-Consumer Products List (CPL) Listed under LaserAtlanta LLC CE Listed

SpeedLaser® Model "S"

Dimensions: 3.8 in w x 7.3 in h x 6.4 in d
9.6 cm w x 18.5 cm h x 16.2 cm L
Weight: 3.4 lbs/1.5 kg with 9V Battery

SpeedLaser® Model "R"

Dimensions: 4.5 in w x 7.5 in h x 18.4 in d
11.5 cm w x 19.0 cm h x 21.5 cm L
Weight: 4.2 lbs/1.9 kg with 9V Battery

Common Specifications

Operating Temperature: -22° F to 140° F
-30° C to 60° C

Environmental: Water and Dust Resistant

Heads-Up Display (HUD): LED aiming sights and 1 line x 4 character LED

Rear Panel Display: 4 line x 20 character LCD

Keyboard: Membrane Keypad

Lightsource: Semiconductor Pulsed Laser (904 nm)

Laser: FDA Class 1 Eye-Safe (21 CFR 1040)

Divergence: 3 mrad (30 cm/100 m)

Measurement Time/Target Acquisition: 0.3 sec. min.

Distance Range: Up to 7,000 feet/2,133 m

Speed Range: 0 to 200 mph/0 kph to 320 kph
Custom settings are available.

Speed Accuracy: +/- 1 mph/kph

Distance Accuracy: +/- 0.50 ft/15.2 cm 3 Sigma
+/- 0.25 ft/7.6 cm 1 Sigma

Resolution/Increment: 0.1 mph or kph

Data Storage: Optional slot for memory card, USB drive or RS-232 serials port

Power Source: Rechargeable NiMH Batteries/Handles
(Up to 24 hrs battery life with normal use)

Recharge Time: Standard 8-10 hrs. Smart Charger 2 hrs.

SpeedLaser®

Automated Mapping System
An Innovative Solution to Mapping Crash Scene Evidence



Achieve Greater Performance Efficiency by Automating Crash Scene Investigations

Affordable System

Easy to Use Graphical Interface

New Bluetooth Technology Available

Minimizes Road Closure Time

Generates Crash Scene Maps Quickly With or Without Reflectors

8X Monocular Scope Available

Based on the Integration of Pocket PC and SpeedLaser® Technology

MPH®

Call for a Demonstration At Your Agency Today!

316 E. 9th Street, Owensboro, KY 42303

Toll Free (888) 689-9222

www.mphindustries.com

AFFIDAVIT

West Virginia Code §5A-3-10a states:

No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owned is an amount greater than one thousand dollars in the aggregate.

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions.

"Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities.

"Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceeds five percent of the total contract amount.

EXCEPTION:

The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

LICENSING:

The vendor must be licensed in accordance with any and all state requirements to do business with the state of West Virginia.

CONFIDENTIALITY:

The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendors should visit www.state.wv.us/admin/purchase/privacy for the Notice of Agency Confidentiality Policies.

Under penalty of law for false swearing (West Virginia Code, §61-5-3), it is hereby certified that the vendor acknowledges the information in this said affidavit and are in compliance with the requirements as stated.

Vendor's Name: MPH Industries, Inc.

Authorized Signature: _____

Date: 10/31/06