



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DPS0729

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF:
JOHN ABBOTT 304-558-2544

VENDOR

RFQ COPY
 TYPE NAME/ADDRESS HERE

Southern's BEST
 Southern Police Equipment
 7609 Midlothian Trpk.
 Richmond, Va. 23235
 800-542-5243

SHIP TO

WEST VIRGINIA STATE POLICE
 4124 KANAWHA TURNPIKE
 SOUTH CHARLESTON, WV
 25309 304-746-2141

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
02/21/2007				

BID OPENING DATE: 03/08/2007 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
				ADDENDUM #01		
				THIS ADDENDUM IS ISSUED TO DELETE, ADD TO AND/OR MODIFY THE ORIGINAL REQUIREMENTS OF THE REQUEST FOR QUOTATION SPECIFICATIONS.		
				ATTACHMENTS: 1. ADDENDUM MEMORANDUM 2. ADDENDUM ACKNOWLEDGEMENT		
				***** END OF ADDENDUM *****		

RECEIVED
 2007 MAR -7 A 10:21
 PURCHASING DIVISION
 STATE OF WV

SEE REVERSE SIDE FOR TERMS AND CONDITIONS			
SIGNATURE	TELEPHONE	DATE	
	800-542-5243	03-06-07	
TITLE	FAX	ADDRESS CHANGES TO BE NOTED ABOVE	
	52-0939316		

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

**GENERAL TERMS & CONDITIONS
REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)**

1. Awards will be made in the best interest of the State of West Virginia
2. The State may accept or reject in part, or in whole, any bid
3. All quotations are governed by the *West Virginia Code* and the *Legislative Rules* of the Purchasing Division.
4. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125.00 registration fee
5. All services performed or goods delivered under State Purchase Orders/Contracts are to be continued for the term of the Purchase Order/Contract, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods, this Purchase Order/Contract becomes void and of no effect after June 30.
6. Payment may only be made after the delivery and acceptance of goods or services.
7. Interest may be paid for late payment in accordance with the *West Virginia Code*.
8. Vendor preference will be granted upon written request in accordance with the *West Virginia Code*.
9. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
10. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
11. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern all rights and duties under the Contract, including without limitation the validity of this Purchase Order/Contract
12. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties
13. **BANKRUPTCY:** In the event the vendor/contractor files for bankruptcy protection, this contract is automatically null and void, and is terminated without further order.
14. **HIPAA Business Associate Addendum** - The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, and available online at the Purchasing Division's web site (<http://www.state.wv.us/admin/purchase/vrc/hipaa.htm>) is hereby made part of the agreement. Provided that, the Agency meets the definition of a Covered Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor

INSTRUCTIONS TO BIDDERS

1. Use the quotation forms provided by the Purchasing Division.
2. **SPECIFICATIONS:** Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as **EQUAL** to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
3. Complete all sections of the quotation form
4. Unit prices shall prevail in cases of discrepancy.
5. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
6. **BID SUBMISSION:** All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications.

SIGNED BID TO:

Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

PRICE LIST FOR ADDENDUM ITEMS

	ITEM	Price
A.	Rocky Fort Hood Boot	\$ <u>44.25</u>
B.	Belt Keeper	\$ <u>1.79</u>
C.	D cell flashlight holder	\$ <u>5.99</u>
D.	Badge Holder	\$ <u>4.09</u>
E.	Pancake Holster	\$ <u>31.15</u>
F.	BDU Pant	\$ <u>23.50</u>
	Tru-Spec # 1343	
G.	BDU shirt	\$ <u>NO Bld</u>
H.	BDU Dress shirt	\$ <u>NO Bld</u>
I.	DNR tie tac	\$ <u>NO Bld</u>
J.	Sam Brown Belt	\$ <u>37.40</u>

End of list

MEMORANDUM

TO: JOHN ABBOTT
WV STATE PURCHASING DIVISION

FROM: 1ST SGT. R.L. PURSLEY
PROCUREMENT DIRECTOR

DATE: FEBRUARY 20, 2007

REF: ADDENDUM TO UNIFORM CONTRACT

The following additions and corrections are being submitted in the form of an addendum to the uniform contract for the WV State Police & WV Department of Natural Resources.

- 1 Item # 23, WVSP T-Shirt . The shirts are to have the WVSP Patch screen print on the front and back of the shirt. The specifications submitted previously only list the front of the shirt

The remaining are additional items to be listed on the specifications that were accidentally omitted or have been determined by the aforementioned agencies need to be added to the contract.

- A. Rocky Fort Hood Boot: This item was on the previous contract and was inadvertently left off the submitted specifications. The sizing will be the same as item # 29 of the submitted specifications.
- B. Belt Keeper, MFG. Gould and Goodrich, Model B76, plain black leather, ¾" Double Snaps nickel or brass.
- C. D cell flashlight holder by Gould and Goodrich Model B493-D, plain black leather with black ring with switch cutout.
- D. Clip on badge holder with chain, manufacturer Strong Leather Model 71227 Plain black leather with snap and chain 2 ½" X 3 ½" shield

- E. Pancake holster, Don Hume Leather good brand Style H721, plain black leather, 2 belt slots for 1 ¾" belt, right or left hand
- F. BDU Pant, Manufacturer Propper Style F520138200, Color Brown, 65/35 Poly/Cotton Ripstop Material, Sick Pockets, Four with buttons, Four Button fly, Drawstring leg Closures
- G. BDU 2-Pkt Shirt, Propper Model F545238200, Color brown, 65/35 poly/cotton ripstop material, 2 bellows pockets, double reinforced elbows, button down shoulder epaulets, direct embroidery DNR Badge Logo on Left chest. Department Patches on each shoulder.
- H. BDU SS Tactical Dress Shirt Propper Model F530138200, color brown, 65/35 poly/cotton ripstop material, 2 box pleated front pockets with flaps, shoulder epaulets, direct embroidery DNR Badge logo on left chest. Department patches on each shoulder
- I. DNR Tie Tac, pin attachment will be a nail ½' with clutch back and jewel chain. Sample available upon request.
- J. Sam Brown Belt, patent leather to wear with State Police Dress blouse. Various lengths

WV-35a STATE OF WEST VIRGINIA PURCHASING CONTINUATION SHEET	Buyer:	Page	Req or P O No :
--	--------	------	-----------------

Vendor:	Spending Unit:
---------	----------------

Requisition No. : _____


ADDENDUM ACKNOWLEDGEMENT

I hereby acknowledge receipt of the following checked addendum(s) and have made the necessary revisions to my proposal, plans and/or specifications, etc.

Addendum No.'s:

- No 1 ✓
- No 2 ✓
- No 3 _____
- No 4 _____
- No 5 _____

I understand that failure to confirm the receipt of the addendum(s) is cause for rejection of bids.



 Signature

Southern Police Equip
 Company

Mon 06. 2007
 Date



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DPS0729

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF:
JOHN ABBOTT 304-558-2544

VENDOR

SOUTHERN POLICE EQUIPMENT
7609 MIDLOTHIAN TURNPIKE
RICHMOND, VA 23235

SHIP TO

WEST VIRGINIA STATE POLICE

4124 KANAWHA TURNPIKE
SOUTH CHARLESTON, WV
25309 304-746-2141

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
02/25/2007				

BID OPENING DATE: **03/08/2007** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
ADDENDUM #02						
THIS ADDENDUM ISSUED TO ADD THE PRICE INCREASE CLAUSE THAT ALLOWS A VENDOR TO REQUEST A PRICE INCREASE AT THE TIME OF RENEWAL; CHANGE THE REQUIREMENT FOR TIME ALLOWANCE FOR THE SUBMISSION OF SAMPLES; AND MODIFY THE REQUIREMENTS FOR ITEM# 66.						
1. PRICE INCREASE CLAUSE - SEE EXHIBIT #6						
2. SAMPLES ARE TO BE SUBMITTED WITHIN 10 DAYS UPON REQUEST.						
3. ITEM# 66 - CURRENTLY STATES "WHITE SKY AND GREEN GRASS." THIS IS TO BE CHANGED TO STATE "BLACK RIM" SPECIFICATIONS FOR DNR - SEE DIAGRAM# 19-A. ADD BLACKINGTON STYLE# B1705-B OR EQUAL.						
4. #54 SERVICE ISIGNIA ADD "32 YEARS"						
5. DELETE #66F - SAME AS 66E						
***** END OF ADDENDUM #02 *****						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
	800-542-5243	03-06-07
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE
	52-0939314	

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

NEXT FUNCTION: _____ ACTION: _____
REQUEST: g _____ SAVE SHOW PAGE NO: _____

02/26/2007 09:13:19

=====

BUY ENTITY: PUR REQUISITION NO: DPS0729

CATALOG NO: ITEM NO: BEGINNING SEQUENCE NUMBER:

A/B C/D	REQ. LINE	SEQ NO.	COMMENTS/SPECIFICATIONS/INSTRUCTIONS	PRINT LINE
1		5	EXHIBIT 6	Y
1		6		Y
1		7		Y
1		8	PRICE ADJUSTMENT PROVISION:	Y
1		10	THE STATE OF WEST VIRGINIA WILL CONSIDER BIDS THAT	Y
1		12	CONTAIN PROVISIONS FOR PRICE ADJUSTMENTS PRIOR TO THE	Y
1		14	ORIGINAL EXPIRATION OF THE CONTRACT, PROVIDED THAT SUCH	Y
1		16	PRICE ADJUSTMENT COVERS BOTH UPWARD AND DOWNWARD	Y
1		18	MOVEMENT OF THE COMMODITY PRICE, AND THAT ADJUSTMENT IS	Y
1		20	BASED ON THE "PASS THROUGH" INCREASE OR DECREASE OF RAW	Y
1		22	MATERIALS AND/OR LABOR, WHICH MAKE UP ALL OR A	Y
1		24	SUBSTANTIAL PART OF A PRODUCT. ADJUSTMENTS ARE TO BE	Y

09:12:32 Mon Feb 26, 2007

NEXT FUNCTION: _____ ACTION: _____
REQUEST: g _____ SAVE SHOW PAGE NO: _____

02/26/2007 09:13:19

=====

BUY ENTITY: PUR REQUISITION NO: DPS0729

CATALOG NO: ITEM NO: BEGINNING SEQUENCE NUMBER:

A/B C/D	REQ. LINE	SEQ NO.	COMMENTS/SPECIFICATIONS/INSTRUCTIONS	PRINT LINE
1		28	BASED UPON AN ACTUAL DOLLAR FIGURE, NOT A PERCENTAGE.	Y
1		30	ALL PRICE ADJUSTMENT REQUESTS MUST BE SUBSTANTIATED IN	Y
1		32	A MANNER ACCEPTABLE TO THE DIRECTOR PURCHASING, E.G.	Y
1		34	GOVERNMENTAL BENCH MARKS, GENERAL MARKET INCREASE,	Y
1		36	PUBLISHED PRICE LISTS. SUCH REQUESTS FOR AND INCREASE	Y
1		38	SHOULD BE RECEIVED IN WRITING BY THE DIRECTOR OF	Y
1		39	PURCHASING AT LEAST 30 DAYS IN ADVANCE OF THE EFFECTIVE	Y
1		40	DATE OF THE INCREASE. ANY TIME THE VENDOR REQUESTS A	Y
1		41	PRICE ADJUSTMENT, THE PURCHASING DIVISION MAY EITHER	Y
1		42	ACCEPT THE PRICE ADJUSTMENT AND AMEND THE CONTRACT	Y
1		43	ACCORDINGLY OR REJECT THE ADJUSTMENT IN ITS ENTIRETY AND	Y
1		44	CANCEL THE CONTRACT.	Y

NEXT FUNCTION: _____ ACTION: _____
REQUEST: g _____ SAVE SHOW PAGE NO: _____

02/26/2007 09:13:19

=====

BUY ENTITY: PUR REQUISITION NO: DPS0729

CATALOG NO: ITEM NO: BEGINNING SEQUENCE NUMBER:

A/B C/D	REQ. LINE	SEQ NO.	COMMENTS/SPECIFICATIONS/INSTRUCTIONS	PRINT LINE
1		50		Y
1		51		Y
1		52	TERMS:	Y
1		53	IT IS REQUIRED THAT THE PRICES ON THIS CONTRACT ARE	Y
1		54	FIRM FOR LIFE OF THE CONTRACT, AS INDICATED IN THE LIFE	Y
1		55	OF CONTRACT CLAUSE CONTAINED HEREIN, NOT TO EXCEED ONE	Y
1		56	(1) YEAR.	Y



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DPS0729

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF:
JOHN ABBOTT
304-558-2544

RFQ COPY
 TYPE NAME/ADDRESS HERE

VENDOR

Southern's BEST
Southern Police Equipment
7609 Midlothian Tnpk.
Richmond, Va. 23235
800-542-5243

SHIP TO

WEST VIRGINIA STATE POLICE

4124 KANAWHA TURNPIKE
SOUTH CHARLESTON, WV
25309 304-746-2141

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
02/08/2007				

BID OPENING DATE: **03/08/2007** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
REQUEST FOR QUOTATION						
THE PURCHASING DIVISION IS SOLICITING BIDS FOR THE WEST VIRGINIA STATE POLICE TO PROVIDE AN OPEN-END CONTRACT FOR UNIFORMS AND ACCESSORIES.						
THIS CONTRACT MAY BE USED BY ALL AUTHORIZED STATE, COUNTY, AND CITY AGENCIES SO LONG AS THE WV STATE POLICE RECEIVE ORDERS ON TIME AS STATED.						
ATTACHMENTS: 1. SPECIFICATIONS / BID FORM 2. AFFIDAVIT						
MANDATORY PRE-BID: A MANDATORY PRE-BID WILL BE HELD AT THE WV STATE POLICE HEADQUARTERS, 725 JEFFERSON RD. SOUTH CHARLESTON, WV 25309; ON FEBRUARY 22, 2007; 1:30 PM - FAILURE TO ATTEND THIS PRE-BID MEETING WILL AUTOMATICALLY DISQUALIFY A VENDOR FROM BEING AWARDED A CONTRACT						
0001	1	LS		984-36-01-003		
UNIFORMS AND ACCESSORIES						
EXHIBIT 3						
LIFE OF CONTRACT: THIS CONTRACT BECOMES EFFECTIVE ON AND EXTENDS FOR A PERIOD OF ONE (1) YEAR OR UNTIL SUCH "REASONABLE TIME" THEREAFTER AS IS NECESSARY TO OBTAIN A NEW CONTRACT OR RENEW THE						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE 	TELEPHONE 800-542-5243	DATE 03-06-07
TITLE 	FEIN 52-0939316	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DPS0729

PAGE
2

ADDRESS CORRESPONDENCE TO ATTENTION OF
JOHN ABBOTT
304-558-2544

RFQ COPY
 TYPE NAME/ADDRESS HERE

VENDOR

Southern's BEST
 Southern Police Equipment
 7609 Midlothian Trpk.
 Richmond, Va. 23235
 800-542-5243

SHIP TO


WEST VIRGINIA STATE POLICE
 4124 KANAWHA TURNPIKE
 SOUTH CHARLESTON, WV
 25309 304-746-2141

DATE PRINTED 02/08/2007	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
-----------------------------------	---------------	----------	--------	---------------

BID OPENING DATE: **03/08/2007** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>ORIGINAL CONTRACT. THE "REASONABLE TIME" PERIOD SHALL NOT EXCEED TWELVE (12) MONTHS. DURING THIS "REASONABLE TIME" THE VENDOR MAY TERMINATE THIS CONTRACT FOR ANY REASON UPON GIVING THE DIRECTOR OF PURCHASING 30 DAYS WRITTEN NOTICE.</p> <p>UNLESS SPECIFIC PROVISIONS ARE STIPULATED ELSEWHERE IN THIS CONTRACT DOCUMENT, THE TERMS, CONDITIONS AND PRICING SET HEREIN ARE FIRM FOR THE LIFE OF THE CONTRACT.</p> <p>RENEWAL: THIS CONTRACT MAY BE RENEWED UPON THE MUTUAL WRITTEN CONSENT OF THE SPENDING UNIT AND VENDOR, SUBMITTED TO THE DIRECTOR OF PURCHASING THIRTY (30) DAYS PRIOR TO THE EXPIRATION DATE. SUCH RENEWAL SHALL BE IN ACCORDANCE WITH THE TERMS AND CONDITIONS OF THE ORIGINAL CONTRACT AND SHALL BE LIMITED TO TWO (2) ONE (1) YEAR PERIODS.</p> <p>CANCELLATION: THE DIRECTOR OF PURCHASING RESERVES THE RIGHT TO CANCEL THIS CONTRACT IMMEDIATELY UPON WRITTEN NOTICE TO THE VENDOR IF THE COMMODITIES AND/OR SERVICES SUPPLIED ARE OF AN INFERIOR QUALITY OR DO NOT CONFORM TO THE SPECIFICATIONS OF THE BID AND CONTRACT HEREIN.</p> <p>OPEN MARKET CLAUSE: THE DIRECTOR OF PURCHASING MAY AUTHORIZE A SPENDING UNIT TO PURCHASE ON THE OPEN MARKET, WITHOUT THE FILING OF A REQUISITION OR COST ESTIMATE, ITEMS SPECIFIED ON THIS CONTRACT FOR IMMEDIATE DELIVERY IN EMERGENCIES DUE TO UNFORESEEN CAUSES (INCLUDING BUT NOT LIMITED TO DELAYS IN TRANSPORTATION OR AN UNANTICIPATED INCREASE IN THE VOLUME OF WORK.)</p> <p>QUANTITIES: QUANTITIES LISTED IN THE REQUISITION ARE APPROXIMATIONS ONLY, BASED ON ESTIMATES SUPPLIED BY</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE  TELEPHONE **800-542-5243** DATE **03-06-07**
 TITLE **52-0939316** ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DPS0729

PAGE
3

ADDRESS CORRESPONDENCE TO ATTENTION OF:
JOHN ABBOTT
304-558-2544

RFQ COPY
 TYPE NAME/ADDRESS HERE

VENDOR

Southern's BEST
 Southern Police Equipment
 7609 Midlothian Trpk.
 Richmond, Va. 23235
 800-542-5243

SHIP TO

WEST VIRGINIA STATE POLICE
 4124 KANAWHA TURNPIKE
 SOUTH CHARLESTON, WV
 25309 304-746-2141

DATE PRINTED 02/08/2007	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
BID OPENING DATE: 03/08/2007		BID OPENING TIME 01:30PM		

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>THE STATE SPENDING UNIT. IT IS UNDERSTOOD AND AGREED THAT THE CONTRACT SHALL COVER THE QUANTITIES ACTUALLY ORDERED FOR DELIVERY DURING THE TERM OF THE CONTRACT, WHETHER MORE OR LESS THAN THE QUANTITIES SHOWN.</p> <p>ORDERING PROCEDURE: SPENDING UNIT(S) SHALL ISSUE A WRITTEN STATE CONTRACT ORDER (FORM NUMBER WV-39) TO THE VENDOR FOR COMMODITIES COVERED BY THIS CONTRACT. THE ORIGINAL COPY OF THE WV-39 SHALL BE MAILED TO THE VENDOR AS AUTHORIZATION FOR SHIPMENT, A SECOND COPY MAILED TO THE PURCHASING DIVISION, AND A THIRD COPY RETAINED BY THE SPENDING UNIT.</p> <p>BANKRUPTCY: IN THE EVENT THE VENDOR/CONTRACTOR FILES FOR BANKRUPTCY PROTECTION, THIS CONTRACT IS AUTOMATICALLY NULL AND VOID, AND IS TERMINATED WITHOUT FURTHER ORDER.</p> <p>THE TERMS AND CONDITIONS CONTAINED IN THIS CONTRACT SHALL SUPERSEDE ANY AND ALL SUBSEQUENT TERMS AND CONDITIONS WHICH MAY APPEAR ON ANY ATTACHED PRINTED DOCUMENTS SUCH AS PRICE LISTS, ORDER FORMS, SALES AGREEMENTS OR MAINTENANCE AGREEMENTS, INCLUDING ANY ELECTRONIC MEDIUM SUCH AS CD-ROM.</p> <p>REV. 04/11/2001 VENDOR PREFERENCE CERTIFICATE</p> <p>CERTIFICATION AND APPLICATION* IS HEREBY MADE FOR PREFERENCE IN ACCORDANCE WITH WEST VIRGINIA CODE, 5A-3-37 (DOES NOT APPLY TO CONSTRUCTION CONTRACTS).</p> <p>A. APPLICATION IS MADE FOR 2.5% PREFERENCE FOR THE REASON CHECKED:</p> <p>() BIDDER IS AN INDIVIDUAL RESIDENT VENDOR AND</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE 	TELEPHONE 800-542-5243	DATE 03-06-07
TITLE Wagon	FEIN 52-0939314	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DPS0729

PAGE
4

ADDRESS CORRESPONDENCE TO ATTENTION OF:
JOHN ABBOTT
304-558-2544

RFQ COPY
 TYPE NAME/ADDRESS HERE

VENDOR

Southern's BEST
 Southern Police Equipment
 7609 Midlothian Tnpk.
 Richmond, Va. 23235
 800-542-5243

SHIP TO

WEST VIRGINIA STATE POLICE
 4124 KANAWHA TURNPIKE
 SOUTH CHARLESTON, WV
 25309 304-746-2141

DATE PRINTED 02/08/2007	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
-----------------------------------	---------------	----------	--------	---------------

BID OPENING DATE: **03/08/2007** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>HAS RESIDED CONTINUOUSLY IN WEST VIRGINIA FOR FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION; OR</p> <p>() BIDDER IS A PARTNERSHIP, ASSOCIATION OR CORPORATION RESIDENT VENDOR AND HAS MAINTAINED ITS HEAD-QUARTERS OR PRINCIPAL PLACE OF BUSINESS CONTINUOUSLY IN WEST VIRGINIA FOR FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION; OR 80% OF THE OWNERSHIP INTEREST OF BIDDER IS HELD BY ANOTHER INDIVIDUAL, PARTNERSHIP, ASSOCIATION OR CORPORATION RESIDENT VENDOR WHO HAS MAINTAINED ITS HEADQUARTERS OR PRINCIPAL PLACE OF BUSINESS CONTINUOUSLY IN WEST VIRGINIA FOR FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION; OR</p> <p>() BIDDER IS A CORPORATION NONRESIDENT VENDOR WHICH HAS AN AFFILIATE OR SUBSIDIARY WHICH EMPLOYS A MINIMUM OF ONE HUNDRED STATE RESIDENTS AND WHICH HAS MAINTAINED ITS HEADQUARTERS OR PRINCIPAL PLACE OF BUSINESS WITHIN WEST VIRGINIA CONTINUOUSLY FOR THE FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION.</p> <p>B. APPLICATION IS MADE FOR 2.5% PREFERENCE FOR THE REASON CHECKED:</p> <p>() BIDDER IS A RESIDENT VENDOR WHO CERTIFIES THAT, DURING THE LIFE OF THE CONTRACT, ON AVERAGE AT LEAST 75% OF THE EMPLOYEES WORKING ON THE PROJECT BEING BID ARE RESIDENTS OF WEST VIRGINIA WHO HAVE RESIDED IN THE STATE CONTINUOUSLY FOR THE TWO YEARS IMMEDIATELY PRECEDING SUBMISSION OF THIS BID;</p> <p>OR</p> <p>() BIDDER IS A NONRESIDENT VENDOR EMPLOYING A MINIMUM OF ONE HUNDRED STATE RESIDENTS OR IS A</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE 	TELEPHONE 800-542-5243	DATE 03-06-07
TITLE mgr	FAX 52-0434316	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DPS0729

PAGE
5

ADDRESS CORRESPONDENCE TO ATTENTION OF:
JOHN ABBOTT
304-558-2544

VENDOR

RFQ COPY
 TYPE NAME/ADDRESS HERE

Southern's BEST
 Southern Police Equipment
 7609 Midlothian Trpk.
 Richmond, Va. 23235
 800-542-5243

SHIP TO


WEST VIRGINIA STATE POLICE
 4124 KANAWHA TURNPIKE
 SOUTH CHARLESTON, WV
 25309 304-746-2141


DATE PRINTED 02/08/2007	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
-----------------------------------	---------------	----------	--------	---------------

BID OPENING DATE: **03/08/2007** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>NONRESIDENT VENDOR WITH AN AFFILIATE OR SUBSIDIARY WHICH MAINTAINS ITS HEADQUARTERS OR PRINCIPAL PLACE OF BUSINESS WITHIN WEST VIRGINIA EMPLOYING A MINIMUM OF ONE HUNDRED STATE RESIDENTS WHO CERTIFIES THAT, DURING THE LIFE OF THE CONTRACT, ON AVERAGE AT LEAST 75% OF THE EMPLOYEES OR BIDDERS' AFFILIATE'S OR SUBSIDIARY'S EMPLOYEES ARE RESIDENTS OF WEST VIRGINIA WHO HAVE RESIDED IN THE STATE CONTINUOUSLY FOR THE TWO YEARS IMMEDIATELY PRECEDING SUBMISSION OF THIS BID.</p> <p>BIDDER UNDERSTANDS IF THE SECRETARY OF TAX & REVENUE DETERMINES THAT A BIDDER RECEIVING PREFERENCE HAS FAILED TO CONTINUE TO MEET THE REQUIREMENTS FOR SUCH PREFERENCE, THE SECRETARY MAY ORDER THE DIRECTOR OF PURCHASING TO: (A) RESCIND THE CONTRACT OR PURCHASE ORDER ISSUED; OR (B) ASSESS A PENALTY AGAINST SUCH BIDDER IN AN AMOUNT NOT TO EXCEED 5% OF THE BID AMOUNT AND THAT SUCH PENALTY WILL BE PAID TO THE CONTRACTING AGENCY OR DEDUCTED FROM ANY UNPAID BALANCE ON THE CONTRACT OR PURCHASE ORDER.</p> <p>BY SUBMISSION OF THIS CERTIFICATE, BIDDER AGREES TO DISCLOSE ANY REASONABLY REQUESTED INFORMATION TO THE PURCHASING DIVISION AND AUTHORIZES THE DEPARTMENT OF TAX AND REVENUE TO DISCLOSE TO THE DIRECTOR OF PURCHASING APPROPRIATE INFORMATION VERIFYING THAT BIDDER HAS PAID THE REQUIRED BUSINESS TAXES, PROVIDED THAT SUCH INFORMATION DOES NOT CONTAIN THE AMOUNTS OF TAXES PAID NOR ANY OTHER INFORMATION DEEMED BY THE TAX COMMISSIONER TO BE CONFIDENTIAL.</p> <p>UNDER PENALTY OF LAW FOR FALSE SWEARING (WEST VIRGINIA CODE 61-5-3), BIDDER HEREBY CERTIFIES THAT THIS CERTIFICATE IS TRUE AND ACCURATE IN ALL RESPECTS; AND THAT IF A CONTRACT IS ISSUED TO BIDDER AND IF ANYTHING CONTAINED WITHIN THIS CERTIFICATE CHANGES DURING THE</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE  TELEPHONE **800-542-5243** DATE **03-06-07**

TITLE  FEIN **52-0939316** ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DPS0729

PAGE
6

ADDRESS CORRESPONDENCE TO ATTENTION OF:
JOHN ABBOTT
304-558-2544

VENDOR

RFQ COPY
 TYPE NAME/ADDRESS HERE


Southern's BEST
 Southern Police Equipment
 7609 Midlothian Tnkp.
 Richmond, Va. 23235
 800-542-5243

SHIP TO

WEST VIRGINIA STATE POLICE
 4124 KANAWHA TURNPIKE
 SOUTH CHARLESTON, WV
 25309 304-746-2141

DATE PRINTED 02/08/2007	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
-----------------------------------	---------------	----------	--------	---------------

BID OPENING DATE: **03/08/2007** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
TERM OF THE CONTRACT, BIDDER WILL NOTIFY THE PURCHASING DIVISION IN WRITING IMMEDIATELY. BIDDER: <u>Southern Police Equipment</u> DATE: <u>March 6th 2007</u> SIGNED:  TITLE: <u>Mgr</u> * CHECK ANY COMBINATION OF PREFERENCE CONSIDERATION(S) IN EITHER "A" OR "B", OR BOTH "A" AND "B" WHICH YOU ARE ENTITLED TO RECEIVE. YOU MAY REQUEST UP TO THE MAXIMUM 5% PREFERENCE FOR BOTH "A" AND "B". (REV. 12/00) NOTICE A SIGNED BID MUST BE SUBMITTED TO: DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION BUILDING 15 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25305-0130 THE BID SHOULD CONTAIN THIS INFORMATION ON THE FACE OF THE ENVELOPE OR THE BID MAY NOT BE CONSIDERED:						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE 	TELEPHONE 800-542-5243	DATE 03-06-07
TITLE <u>Mgr</u>	FEIN 52-0939316	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DPS0729

PAGE
7

ADDRESS CORRESPONDENCE TO ATTENTION OF:
JOHN ABBOTT
304-558-2544

VENDOR

RFQ COPY
 TYPE NAME/ADDRESS HERE

Southern's BEST
 Southern Police Equipment
 7609 Midlothian TnPk.
 Richmond, Va. 23235
 800-542-5243

SHIP TO

WEST VIRGINIA STATE POLICE
 4124 KANAWHA TURNPIKE
 SOUTH CHARLESTON, WV
 25309 304-746-2141

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
02/08/2007				


BID OPENING DATE: **03/08/2007** BID OPENING TIME **01:30PM**


LINE	QUANTITY	UOP	CAT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
	SEALED BID					
	BUYER:			JOHN ABBOTT-----		
	RFQ. NO.:			DPS0730-----		
	BID OPENING DATE:			3/8/2007-----		
	BID OPENING TIME:			1:30 PM-----		
	PLEASE PROVIDE A FAX NUMBER IN CASE IT IS NECESSARY TO CONTACT YOU REGARDING YOUR BID:					

	CONTACT PERSON (PLEASE PRINT CLEARLY):					

	***** THIS IS THE END OF RFQ DPS0729 ***** TOTAL:					<u>2956.15</u>

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE  TELEPHONE **800-542-5243** DATE **03-06-07**

TITLE  FEIN **52-0939316** ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

**GENERAL SPECIFICATIONS
WEST VIRGINIA STATE POLICE
UNIFORM CONTRACT -- DPS**

CLASSIFICATIONS

This series of specifications covers various items of uniform apparel for use by the members of the West Virginia State Police (hereinafter State Police), and Conservation Officers of the West Virginia Department of Natural Resources (hereinafter DNR Officers).

PROCEDURE

A mandatory pre-bid meeting will be held with all interested vendors at State Police Headquarters, 725 Jefferson South Charleston, WV on the following date and time:

February 22, 2007, @ 1:30 PM

Any vendor desiring to offer any substitutions, in lieu of the items specified, must submit representative samples to the appropriate agency on or before

March 15, 2007; 12:00 Noon. Samples related to State Police

Contract Items should be submitted to the attention of

1st Sgt Rick Pursley at 725 Jefferson Road, South Charleston, WV 25309-1698. Samples related to DNR items should be submitted to the attention of Brad DeBord at Building 3, Room 669, 1900 Kanawha Blvd. East Charleston, WV 25305-0660, telephone # 304-558-2754.

The agencies will evaluate any submitted substitutions prior to the mandatory pre-bid meeting and will provide written responses during that meeting as to the acceptance or rejection of each and every substitution submitted. This submission deadline is absolutely fixed and no exceptions will be granted. If samples of substitutions are not submitted by this deadline and approved by the agency personnel, they will not be accepted.

BID FORMAT AND EVALUATION

A seven (7) page document, "PRICE QUOTE" is attached. Vendors must submit their price quotes utilizing this form. Particular attention should be paid to the submission of data related to minimum order quantities. Along with pricing, if minimum order quantities apply, they must be specified at the time of bid. If no minimum order quantity is specified it is assumed that the price quoted is available on orders of a single item. If no minimum order quantities are specified, the successful vendor will be held to the submitted pricing, regardless of the quantity ordered.

The "PRICE QUOTE" form also contains data relevant to the evaluation of bids. The weight quantities listed are the factor by which all prices will be multiplied to arrive at the extended price per item. These extended prices will then be summed for each of the items bid to arrive at the agencies final bid price. All calculations for extended pricing and final bid will be done by agency personnel in a spreadsheet format, vendors should

only complete the minimum order quantity (when applicable) and the price quote column. Vendors should extend every opportunity to bid each and every items listed on the contract. NOTE: For the purposes of evaluation, any items which are "no bid" or left blank on a submission, will be replaced with the highest price bid on that item, from any valid bid submitted, and that price will be used for the extended price and summing calculations.

APPLICABLE FABRIC SPECIFICATIONS:

The following specifications, or the latest issue of same in effect on the date of the bid submission shall form a part of these specifications, as applicable:

Federal Specification CCCT 191A

American Standards Association

Textiles Test; Methods Standards 1.22

Standards for Rayon and Acetate Fabrics --
Commercial Standards CS59-44 Textiles Test
Methods

REQUIREMENTS:

GENERAL REQUIREMENTS:

MEASUREMENTS: Uniforms are to be inspected as to material, fit and workmanship by an authorized representative of the WEST VIRGINIA STATE POLICE.

BASIC FABRICS: Shall be as specified under the detailed requirements for individual garments and elsewhere within the invitation to bid. Piece goods shall be thoroughly preshrunk by the cold water immersion process, and by drying without tension thereafter.

WORKMANSHIP: Must be first class in every particular, garments shall be clean, well made and finished.

LABOR: The tailoring shall not be lower than the Grade known as Standard Commercial Grade #3.

COLOR FASTNESS OF LINING FABRICS: Rayon lining fabrics shall show Class III fastness to perspiration when subjected to Test #9 of the American Standard Minimum Requirements for Rayon and Acetate Fabrics, Standard No. 1.22.2.7. Rayon lining fabrics shall show Class IV fastness to dry cleaning and Class III fastness to perspiration when tested according to the procedures outlined in Commercial Standard CS59-44.

COLOR FASTNESS TO CROCKING OF OUTER FABRICS: Class 3-CS59-44, Wet and Dry.

FABRIC REQUIREMENTS:

Raeford No. 3933-168 (4) 11 - 11-1/2 oz. 3 ply TROPICAL.

Raeford No. 573-983 11 - 11-1/2 oz. 3 ply -- DNR Officers
Raeford No. 646-168 (4) 16 ½ oz. 2 ply ELASTIQUE.

Raeford No. 645-983 16 - 16 ½ oz. 2 ply - DNR Officers.

DELIVERY:

A. The Vendor shall make delivery of uniforms or parts thereof, hats, jackets, shoes, boots, leather gear and all other items set forth in this contract. Each garment is to have a linen label with space provided to put date and name of the officer for whom such garment will be issued. Minimum and maximum number of uniform items to be ordered cannot be accurately determined due to death, retirements, dismissals, re-enlistments, and new enlistments. State Police manpower presently stands at 648 members. DNR manpower presently stands at approximately 120 members. Uniforms will be ordered as needed in the quantities needed.

B. Shipping Containers -- Shipments, unless otherwise specified, shall be made in substantial commercial containers, so constructed as to assure carrier acceptance and safe delivery at destination. Shipping containers shall be in accordance with rules and regulations of carriers and transportation companies.

C. Delivery shall not exceed 120 days after receipt of order. Receipt of order by Vendor must be acknowledged within seven (7) days.

If any shipment exceeds the above mentioned 120 days shipping requirements, there will be imposed a penalty of \$0.50 per day, per garment or item, to be deducted from the invoice covering such garment or item.

In the event one or more of the Raeford brand materials specified herein should become unavailable, an alternative fabric will be selected and must be approved by the affected agency.

SAMPLES AND INSPECTION/TESTING:

This document sets forth the specifications of the garments and other items to be provided under this contract. In most cases these specifications include the brand name and/or model number of the item. Vendors who bid these exact

items need not submit samples, provided there is no deviation. Vendors who make substitutions must submit a representative sample of each item substituted no later than two weeks in advance of the mandatory pre-bid date as set forth in the "Procedure" section of this document. Complete specifications must accompany any samples submitted. Any substitutions are subject to Agency approval, and must be made on an "Equal to or Better Than" basis.

Where samples are required, no bid will be considered unless the required samples are received and approved. The approval or rejection of substitutions will be communicated to the submitting vendor, in writing, during the mandatory pre-bid meeting. The Agency(s) will make tests on submitted samples to determine compliance with the requirements of this specification.

Should any questions arise as to the exact nature/type of item currently in use, representative samples will be made available by contacting the aforementioned agency representatives.

SPLIT / MULTIPLE AWARD / NO AWARD

The agencies reserve the right to make split or multiple awards based on this single solicitation. Likewise, the agencies reserve the right to make no award on particular item(s) when it is in the best interest of the state.

SHOULDER PATCHES AND EMBOSSED BUTTONS:

Agency shoulder patches, and metal buttons embossed with the state seal will be provided at the Vendor's expense for all garments requiring same (i.e. shirts, trousers, blouse, winter jacket, etc.). The quality and finish of these items must be in compliance with these specifications and equal to or better than current issue.

- 1 ALL WEATHER TROUSERS, (MEN AND WOMEN)
Raeford No. 3933-168 (4), 11 - 11-1/2 oz., 3 ply, tropical, Color: Forestry Green. 55% Dacron / 45% Wool
- 2 WINTER TROUSERS, (MEN AND WOMEN)
Raeford No. 646-168 (4), 16 - 16-1/2 oz. 2 ply, elastique, Color: Forestry Green. 55% Dacron / 45% Wool
- 3 WINTER TROUSERS, (MEN AND WOMEN)
Raeford No. 645-983, 16 - 16 ½ oz., 2 ply, elastique, Color: Brown - DNR Officers.
- 4 ALL WEATHER TROUSERS, (MEN AND WOMEN)
Raeford No. 573-983, 11 - 11-1/2 oz. 3 ply, Color: Brown - DNR Officers.

SPECIFICATIONS FOR TROUSERS:

FECHHEIMER BRAND (as currently issued by Agencies) OR APPROVED EQUAL.

DESIGN: Trousers shall be manufactured from a uniform trouser pattern. The full cut trouser styling shall incorporate a plain front, two (2) side pockets and two (2) hip pockets.

WAISTBAND: Waistband shall be constructed using the "closed method" and to measure 2" wide when finished. The waistband closure shall be accomplished with a crush proof hook and eye. The hook and eye shall be reinforced with stays made of a non-woven fabric that are anchored by the top stitching for the fly facing and curtain. This top stitching must be to the top of the waistband. The waistband must be top stitched 1/16" below the waistband seam for added strength. The top portion of the inside of the waistband is to consist of the same fabric used for pocketing (70% polyester, 30% cotton-minimum 80 x 62 (-/+)2 count). The fabric is to be cut on the bias for maximum comfort. To be 1 7/8" and to finish 1 1/8" wide after construction. Upper waistband curtain to be inner lined with stretch Ban-Roll canvas. This canvas fabric consists of a wrap of 47 ends of texturized nylon and a fill of 34 ends of 750 denier monofilament. The woven fabric is coated with latex, which completely encapsulates all yarns. This finish canvas fabric weighs 12.0 oz/yd. The canvas will be cut 1 ½" wide with the monofilaments running vertically and have a 10% stretch. The bottom portion of the waistband curtain shall be a blend of 32% nylon, 38% polyester, 18% rubber(3 strands), 11% lycra and to finish 1 3/8" wide. To have a minimum of 40% stretch characteristics.

BELT LOOPS: Minimum of seven (7) Keystone style belt loops. Loops to be 2 -1/4" at top by 1 - 3/4" at bottom. The center back loop shall be a 3/4"

ITEM #	DESCRIPTION
--------	-------------

wide straight loop. The keystone loops shall be sewn into the bottom of the waistband and the top of the loops shall be caught into the waistband curtain seam with a Rocap machine. The bottom of the center back loop shall be tacked to the outside of the waistband. The belt loop on the right hand side and left hand side will not be placed immediately over the black stripe so that a small holster can be worn at this point on the waist belt. There should be a 3 - 1/2" space from top of loop to center of fly on left side.

POCKETS: The pocketing shall be 70% polyester/30% cotton, 2.9 oz per square yard (60" width) with a minimum 78 x 64 count. Pocketing must have a durable press finish and the color of the pocketing must be BLACK. The pocket design will have two side pockets, a minimum opening of 6 1/4" and a minimum depth of 5 - 3/4" measured from the bottom of the opening. Side pockets to have straight bar tack (use of triangle bar tacks will cause for rejection) at the top and bottom of pocket openings. Pockets shall be constructed using the stitch, turn, and top stitch method. Pocket facing shall be made of the basic fabric and shall measure a minimum of 1 3/4" width.

The two hip pockets shall have a minimum opening of 5 1/2" and a minimum depth of 7" measured from the bottom of the pocket opening. Hip pockets shall be constructed using the double welt method on a REECE PW Machine and the welts shall be finished in such a manner that there is no top stitching (top stitching hip pockets shall be cause for rejection). The corners of the hip pocket opening shall have firm straight bartack for reinforcing strength (triangle bar tacks are unacceptable). The left hip pocket shall have a centered tab made of basic cloth inserted into the top welt with bar tacks at the top and bottom of the tab to form an opening for a button. A button shall be located below the bottom welt corresponding in location with the tab.

BAR TACKS: Ends of pockets to have matching bar tacks on the bias. Tacks must not go over edge of pockets.

INSEAM: Double stitched 3/8".

OUTLETS: Three inch (3") outlet at waist tapering to one inch (1") at crotch seam. Two inch (2") outlet on leg inside seam, 1-1/2" outlet on leg outside seam. Three inch (3") turn up on bottom hem.

ITEM #	DESCRIPTION
--------	-------------

OUTSIDE SEAM: TROUSER STRIPE - Trousers to have a 1" black cloth stripe (same material as trousers) centered on top of the side seam and over the top of the front edge of the side pocket but not to be sewn into seam.

ZIPPER FLY: The trousers shall have a metal memory lock zipper. There shall be a French Fly tab closure on the inside of the right fly. The tab shall be double ply made of the basic cloth (tabs made of pocketing material or a "grown on" French Fly will cause for rejection). The right fly shall be lined with the same fabric as the waistband curtain and pocketing. The fly lining shall be sewn to the left fly below the zipper in a neat and durable manner. A button shall be located on the left fly corresponding with the French Fly tab to provide a clean comfortable closure. There shall be a firm straight bartack at the bottom of the fly going through the zipper tape.

SEAM: (STITCHING,PRESSING AND FINISHING): The entire trouser is to be seamed with polyester core or 100% polyester spun thread and all stitching to show must be 10 - 11 stitches per inch. The seat seam shall be stitched with a tandem needle seat seaming machine. Trousers must be neatly pressed to Hothead Presses and properly shaped. Out seams and inseams must be pressed open. Trousers must be cleaned and finished to eliminate loose threads.

LABELS: The trouser shall have a sewn in label giving care instructions and an outside waistband label which shall be marked with lot number, size, fiber content and WPL number.

SIZING: Mens trousers shall be available in waist sizes 26 through 50. Womens trousers shall be available in waist sizes 6 through 20. Trousers must be available in regular, short and long rises.

5 **ENLISTED BLOUSE:** Raeford No. 3933-168 (4), 11 - 11-1/2 oz., 3 ply, tropical, Color: Forestry Green.

6 **OFFICER BLOUSE:** Raeford No. 3933-168 (4), 11 - 11-1/2 oz., 3 ply, tropical, Color: Forestry Green.

SPECIFICATION: FECHHEIMER BRAND (as currently issued by Agency) OR APPROVED EQUAL.

ITEM #	DESCRIPTION
--------	-------------

APPEARANCE: Samples of existing officers and enlisted blouses are available for inspection to assure appearance is consistent with present stock.

MATERIAL: As noted above.

NOTE: Collar of Officers Blouse to be made of same material as blouse, except black in color.

POCKETS: Two (2) outside breast pockets 5-1/2" wide at bottom. Covered with a three (3) pointed flap 2-5/8" deep at center and 2" deep at narrow part. In the center of pocket there is a 2-1/8" pleat. Beneath the flap and near front edge of pocket there is a one (1") inch pencil pocket. Two (2) outside bellows hand pocket that are 8-1/2" deep. These hand pockets are covered with flaps which fasten with button and button hole. The flaps are four (4") inches deep and measure eight (8") inches wide at top and 9 3/4" at bottom. All pocket flaps on blouse to be fastened with velcro. Velcro to be located as close to corner edges of pocket flap as possible. Size of velcro to be sufficient to permit a tight seal and proper appearance. Velcro to be situated on corner edges in a vertical position.

HOOKS: Both the enlisted and officers blouse are to have two (2) brass hooks inserted at side seams to support Sam Brown belt. Belt hooks to be secured with twill tape, inside garment, and will be sewed into seam.

VENT: A center vent starting at waistline and extending to bottom of coat. This vent to have a lap of 3 1/2".

CUFFS: Finished with two (2) gilt plated buttons carrying the West Virginia State Seal. These buttons are counter sunk. Cuffs have a 1" band of black cloth. Lower edge of band in 4" from bottom edge of sleeve, stripe all around sleeve.

EDGES: Front edges, pockets, pocket flaps are double stitched 3/8".

BUTTONS: Four (4) gilt West Virginia State buttons (36 ligne) to be sewed through and re-enforced with buttons on either side on front of blouse.

SHOULDER STRAPS: Regulation shoulder straps made of 11 - 11-1/2 oz. stock dyed, Raeford 3933-168. Black (same material as blouse) set into

ITEM #	DESCRIPTION
--------	-------------

shoulder seam, cross stitched at shoulder seam, extending up under the collar. This shoulder strap has buttonhole and button placed ½" from edge of collar. Button to be Gilt plated with West Virginia State Seal in center.

INSIGNIA: On each shoulder there will be a regulation embroidered emblem (See specifications for "Shoulder Patch". Item #47). The patch is to be placed so as to fit at the top of the shoulder.

LINING: Fully lined with Forestry Green rayon large weave, cotton back, 120 count. Sleeve lining to be same as body lining.

CANVAS: Fine quality dark Hymo that is made of wool, hair and cotton. This Hymo is to contain forty (40) picks and it is to be thoroughly shrunk before cutting. Before putting front into coat, it is to be thoroughly dipped into cold water.

SEWING: Entire garment is to be sewed throughout with best grade pure dyed silk.

BUTTONHOLES: To be made of #10 standard pure dye matching silk and ends to be bar tacked.

OUTLETS: All seams to have two (2") inch outlet. Bottom of coat to have turn up to two (2") inches and edge of this turn up to be piped. Cuffs to have turn up of not less than 2".

The Enlisted blouses will have a 1" black stripe all around the sleeve. These black stripes to be made of same material as the shoulder straps and placed 4" from cuff.

NOTE: The Officers Blouse will have a 1-1/4" black stripe all around the sleeve of the blouse. A gold braid of 1/4" will be centered upon the black stripe. The gold braid stripe shall be the same gold color and same material as used in shoulder patch (See Item #47, patch specifications).

SIZES: Stock sizes 36 to 50, regular and long. Sizing shall be done on an individual basis for each member by this agency.

SPECIFICATIONS FOR SHIRTS: B. LIPPMAN BRAND (as currently issued by Agency) OR APPROVED EQUAL. Vendors are to take special care to

ITEM # DESCRIPTION

insure that the tails of all shirts are cut sufficiently long to stay properly tucked in when officers are involved in strenuous duties.

- 7 WINTER SHIRTS, (Men and Women): Raeford No. 3933-168 (4) 11 - 11-1/2 oz. 3 ply TROPICAL, seven (7) button front. Color: Forestry green.**

FABRIC: Raeford style 3933, Color 168, 55% Dacron Polyester/45% Worsted Wool, tropical weave conforming to the following specifications.

Weight:	11 - 11.5 oz. per linear yard
Construction:	50 ends per inch 45 picks per inch
Tensile:	110 lbs. warp 100 lbs. filling

COLOR: Forestry green with black shoulder straps matching standard sample.

STYLE: Form fitting plain front coat style with convertible collar and short sleeves. Two pleated breast pockets with scalloped flaps. Contrast shoulder straps. Matching inside yoke and banana band of high lustre poly twill.

COLLAR: Style and dimensions as sample on display. Collar points to measure 3" long at points with fused-in Mylar stays. Collar height at rear 1 1/2". 1/4" double needle top stitched. Collar stand to measure 1 5/16" at rear. Collar and band to be die cut. Band interlined with "Crease N Tack". Collar interlined with stabilized Mellopress #285.

FRONT: The left front shall have a top center 1 1/2" wide with four rows of stitches 7/8" apart. The shirt will have 7 buttons and buttonholes on the front, spacing between each will be 3 3/4" except the spacing between the neck button and the first button on the front which will be 3 1/4". The fronts shall be joined to the yoke so that both raw edges of the yoke are turned under, with the front sandwiched between, then all three are stitched down with a 1/16" raised stitch. Safety stitch joining unacceptable. Top center interlined with stabilized Mellopress #550.

SHOULDER STRAPS: Style and dimensions as sample. Asymmetrical shape 1/4" double needle top stitched to be set on yoke with leading top stitch conforming with front joining seam. To measure 2" at sleeve

ITEM # DESCRIPTION

tapering to 1 3/8" and set not more than 1/2" from folded collar. Cross stitched approximately 2" from sleeve seam. Creased and edge stitched shoulder strap construction unacceptable. Contrast color black. Material to be same as shirt goods.

BADGE: Left flap to have two horizontal buttonhole eyelets spaced 5/8" apart with bottom eyelet centered above buttonhole in flap.

POCKETS: Two breast pockets with 1 1/4" pleats and mitred corners. Pocket to measure 5 1/4" wide, 6 1/4" deep. Left breast pocket to have 1 3/8" pencil stitch. Each pocket to have Velcro fasteners 3/4" long by 1/2" wide, positioned on both edges of pocket to correspond with outer scalloped flap points as sample. Women's pocket to measure 5" wide by 5 1/2" deep.

FLAPS: Deep scalloped design to measure 5 5/8" across, 2 3/4" in depth at center point and 2 1/2" at sides. Secured to shirt front approximately 1/4" above pocket. Left flap to have invisible pencil opening 1 3/8" to correspond precisely with pencil slot of pocket. Both flaps to be interlined with stabilized Mellopress #550. Creased and edge stitched pocket flap construction unacceptable. Underside of flap to have Velcro fasteners 3/4" long by 1/2" wide positioned on outer points of both pocket flaps as sample.

SLEEVES & CUFFS: Long sleeves cut straight and whole with a one piece elbow reinforcement and vent facing. Elbow reinforcement shall extend into the sleeve closing seam and finishes approximately 12" long. Lower facing shall measure approximately 1/2" in width. Cuff to measure 3" with rounded corners. There shall be two buttons with corresponding buttonholes on each cuff and no button or buttonhole in the sleeve facing. Cuffs to be 1/4" double needle top stitched and interlined with stabilized Mellopress #550.

BACK LENGTH:

13	30 3/4"	17	32 3/4"
13.5	31"	17.5	34
14	31 1/4"	18	34 1/4"
14.5	31 1/2"	18.5	34 1/2"
15	31 3/4"	19	34 3/4"
15.5	32"	19.5	35
16	32 1/4"	20	35 1/4"

ITEM # DESCRIPTION

16.5 32 1/2"

EMBLEMS: West Virginia State Police triangular emblems to be sewn on both sleeves butted against sleeving seam so no body goods show at shoulder seam. (Item # 47)

BUTTONS: First grade 19 ligne plastic pearl to match.

STITCHING: Entire shirt to be double stitched 1/4" apart.

THREAD: All sewing threads to be fast color polyester core polyester wrap to match.

CONSTRUCTION: Collars and flaps are made by the conventional construction. Top ply, bottom ply and interlining are first stitched together, then turned rightside out, and finally top stitched.

COUNTRY OF MANUFACTURE: All raw materials and assembly thereof made in the U.S.A.

- 8 **SUMMER SHIRTS, (Men and Women):** Raeford No. 3933-168 (4) 11 - 11-1/2 oz. 3 ply TROPICAL, convertible collar, short sleeve, six (6) button. NO COLLAR BUTTON OR BUTTON HOLE. Color: Forestry green.

FABRIC: Raeford style 3933, Color 168, 55% Dacron Polyester/45% Worsted Wool, tropical weave conforming to the following specifications.

Weight:	11 - 11.5 oz. per linear yard
Construction:	50 ends per inch 45 picks per inch
Tensile:	110 lbs. warp 100 lbs. filling

COLOR: Forestry green with black shoulder straps matching standard sample.

STYLE: Form fitting plain front coat style with convertible collar and short sleeves. Two pleated breast pockets with scalloped flaps. Contrast shoulder straps. Matching inside yoke and banana band of high lustre poly twill.

ITEM #	DESCRIPTION
--------	-------------

COLLAR: Style and dimensions as sample on display. Convertible collar shall be one piece and measure three inches long at points with fused-in Mylar stays. 1/4" double needle top stitched. Collar interlined with stabilized Mellopress #285.

FRONT: Each front shall have a facing 3" in width. The left front shall have a top center 1 1/2" wide with four rows of stitches 7/8" apart. Stitching on top center is not to be visible on the turn-back facing. The shirt will have 6 buttons and buttonholes on the front, spacing between each will be 3 3/4". First button to be placed 3 1/2" down from top edge of front. There is no neck button and button hole. The fronts shall be joined to the yoke so that both raw edges of the hoke are turned under, with the front sandwiched between, then all three are stitched down with a 1/16" raised stitch. Safety stitch joining unacceptable. Top center interlined with stabilized Mellopress #550.

SHOULDER STRAPS: Style and dimensions as sample. Asymmetrical shape 1/4" double needle top stitched to be set on yoke with leading top stitch conforming with front joining seam. To measure 2" at sleeve tapering to 1 3/8" and set not more than 1/2" from folded collar. Cross stitched approximately 2" from sleeve seam. Creased and edge stitched shoulder strap construction unacceptable. Contrast color black. Same material as body of shirt.

BADGE: Left flap to have two horizontal buttonhole eyelets spaced 5/8" apart with bottom eyelet centered above buttonhole in flap.

POCKETS: Two breast pockets with 1 1/4" pleats and mitred corners. Pocket to measure 5 1/4" wide, 6 1/4" deep. Left breast pocket to have 1 3/8" pencil stitch. Each pocket to have Velcro fasteners 3/4" long by 1/2" wide, positioned on both edges of pocket to correspond with outer scalloped flap points as sample. Women's pocket to measure 5" wide by 5 1/2" deep.

FLAPS: Deep scalloped design to measure 5 5/8" across, 2 3/4" in depth at center point and 2 1/2" at sides. Secured to shirt front approximately 1/4" above pocket. Left flap to have invisible pencil opening 1 3/8" to correspond precisely with pencil slot of pocket. Both flaps to be interlined with stabilized Mellopress #550. Creased and edge stitched pocket flap

ITEM # DESCRIPTION

construction unacceptable. Underside of flap to have Velcro fasteners 3/4" long by 1/2" wide positioned on outer points of both pocket flaps as sample.

SHORT SLEEVES: Sleeves to be straight and whole and to have a 1 1/4" cufflet. Short sleeve length to grade according to the size of the shirt.

BACK LENGTH:

13	30 3/4"	17	32 3/4"
13.5	31"	17.5	34
14	31 1/4"	18	34 1/4"
14.5	31 1/2"	18.5	34 1/2"
15	31 3/4"	19	34 3/4"
15.5	32"	19.5	35
16	32 1/4"	20	35 1/4"
16.5	32 1/2"		

EMBLEMS: West Virginia State Police triangular emblems to be sewn on both sleeves butted against sleeving seam so no body goods show at shoulder seam. (Item # 47)

BUTTONS: First grade 19 ligne plastic pearl to match.

STITCHING: Entire shirt to be double stitched 1/4" apart.

THREAD: All sewing threads to be fast color polyester core polyester wrap to match.

CONSTRUCTION: Collars and flaps are made by the conventional construction. Top ply, bottom ply and interlining are first stitched together, then turned rightside out, and finally top stitched.

COUNTRY OF MANUFACTURE: All raw materials and assembly thereof made in the U.S.A.

ITEM # DESCRIPTION

9 WINTER SHIRTS, DNR - LAW ENFORCEMENT (Men and Women): Raeford No. 573-983 11 - 11-1/2 oz. 3 ply -- DNR Officers, seven (7) button front. Color: Brown.

10 SUMMER SHIRTS, DNR - LAW ENFORCEMENT (Men and Women): Raeford No. 573-983 11 - 11-1/2 oz. 3 ply -- DNR Officers, convertible collar, short sleeve, six (6) button front. Color: brown. NO COLLAR BUTTON OR BUTTON HOLE.

DNR LAW ENFORCEMENT -- Same content as the above shirts except will have a DNR - Law Enforcement patch and a black shoulder strap. Color will be Brown. (See Item #49 for DNR Patch Specifications). The patch is triangular shaped with rounded corners at top. It measures 3-5/8" wide and 4-1/8" high. It is slightly curved to parallel the sleeve seam. It shall not be sewn into the shoulder seam.

11 ALL WEATHER WATERPROOF JACKET

SPECIFICATIONS: FECHHEIMER BRAND, #78145-SP, OR APPROVED EQUAL.

NOTE: The jacket to be provided MUST match the one currently in use by the State Police (green cloth collar -- same color as jacket body -- is acceptable). Any vendor having questions as to the construction and/or appearance of this garment should contact the Agency for access to a representative sample. Jacket not to be equipped with badge tab. Shoulder straps must be black in color, same material as jacket body.

OUTER SHELL: Supplex Supreme, Warp: 70 Denier Nylon, Weight: 3.6 oz. per square yard, Weave: Plain, Tear Strength: Warp-9.0 lbs. Filling-8.0 lbs., Tensile Strength: Warp-200 lbs. Fill-150 lbs., Abrasion (4LB. Diaphram, 1LB Head Load), Color: West Virginia State Police Green. Waterproof.

LINING: Must be Gore-Tex LTD liner from W. L. Gore (no substitutes). The waterproof breathable lining shall conform to the following requirements:

<u>Characteristic</u>	<u>Requirement</u>	<u>Test Method</u>
Moisture Vapor		

ITEM # DESCRIPTION

Transmission Rate (g/m²/24hr)

Procedure B 600 minimum ASTM E 96-80

Procedure BW 5,000 minimum ASTM E 96-80

Hydrostatic Resistance (psi) 90 minimum FED-STD-191A 5512

Water Permeability

Initial No Leakage FED-STD-191A 5516

After Cold Flex

Warp No Leakage ASTM D 2097-69 (1980)

Fill No Leakage

After 100 Hours of Continuous No Leakage AATCC 135

Wet Flex (agitation) FED-STD-191A 5516

After Dry Cleaning No Leakage FED-STD-191A 5516

After Synthetic Perspiration No Leakage Gore QCTM 510

FED-STD-191A 5516

After Sustained Pressure No Leakage BS 3424: Part 26:1990

Method 29A

After Sustained Pressure, No Leakage Gore QCTM 552

After Exposure to Contamination BS 3424: Part 26:1990

Method 29A

BASIC STYLING: Waist length, single breasted, Gore-Tex LTD breathable waterproof lining, removable Thinsulate body/sleeve liner, and front zipper storm front closure. Other features include a bi-swing back, raglan sleeves, sleeve zippers, pocket flaps, inverted pleated patch pockets with hand warmer openings, collar, knit wind collar, shoulder straps, and zippered side vents with tab. (NO BADGE TAB.)

REMOVABLE LINER: There shall be a zip-out insulated liner that incorporates CDS-200 Thinsulate Thermal Insulation in the body portion of the liner and CDS-100 Thinsulate Thermal Insulation in the sleeves. The

ITEM #	DESCRIPTION
--------	-------------

insulation shall be quilted to black 86 pick nylon on the face side of the liner and nylon tricot on the backing. There shall be black knit inserts placed under the arm of the liner sleeves approximately 9" in length and 3 1/2" at widest center point for comfort and ease of movement.

SHELL FOR REMOVABLE LINER: 86 pick, 100% Nylon Taffeta, Weave: plain, Denier: Warp-70 Fill-70, Weight: 1.8 oz./square yard, Color: Black (any other shade is cause for rejection).

INSULATION: 3M Thinsulate with a scrim covering front and back to prevent migration of insulation fibers. Lining must be quilted horizontally with a minimum of a 6" railroad pattern for maximum thermo retention. Excess stitching and opening in liner cause extreme loss of body heat.

BODY: Body - 3M Thinsulate CDS 200 composed of 65% Polyolefin microfibers and 35% 6 Denier Polyester staple fibers (by weight). Shall weigh approximately 200 grams/square meter horizontally quilted.

SLEEVES: Sleeves - 3M Thinsulate CDS 100 composed of 65% Polyolefin microfibers and 35% 6 Denier Polyester staple fibers (by weight). Shall weigh approximately 100 grams/square meter horizontally quilted. The perimeter of the liner shall be bound with black nylon taffeta tape and the liner shall have a black vislon zipper track to allow the liner to zip out of the jacket.

The liner sleeves will have a female snap by the in sleeve seam no more than 1" from the end of the sleeve. Attached to the jacket sleeve in a corresponding location will be a tab made of shell material with male snap. The tab and snap are used to secure the liner sleeves -- use of a button and buttonhole or loop is unacceptable. The liner shall have a left breast patch pocket. Each sleeve hem must be finished with bias tape so there are no raw edges.

The liner shall be designed with vents corresponding with the zippered side vents on the jacket to allow easy access to weapon or equipment.

BACK: There shall be a one piece back with a bi-swing for ease of movement. The bi-swing shall be approximately 9" in length and 1 1/2" in depth. It shall be constructed with an elasticized anchor so the bi-swing will snap back into proper position after being extended. It shall be

ITEM #	DESCRIPTION
--------	-------------

constructed with an elasticized anchor made of a 2" wide strip of Lycra so the bi-swing will snap back into proper position after being extended.

INTERLINING: 100% Cotton Osnaburg, 3.45 yards/lb., with maximum shrinkage of 3-4% in warp and fill. Interlining to be used in collar, pocket flaps, shoulder straps, front waistband and storm front.

POCKETS: There shall be in inverted pleated patch pocket on each front of the jacket. The pockets shall be approximately 7 ½" wide and 8" in depth. Pockets shall be constructed with hand warmer openings on the side. The surface portion of the hand warmer pockets will be the jacket front and the top part of the pocket (the area coming in contact with the back of the users hand) will be black Kasha. The top and bottom of the side openings shall be securely bartacked.

The patch pockets will have an opening at the top underneath the flaps. The top of each patch pocket must be bound with black nylon binding. The top entry pockets shall be made of black Kasha.

The left front pocket will have a pencil compartment opening on the inside corner of the pocket flap. The opening will be reinforced by bartacks.

The pocket flaps shall have a metal snap closure system. The male portion of the snaps shall be located on the underside of each flap and the female portion of the snaps shall be in a corresponding location on the breast pockets to provide a neat and secure closure. Each flap shall have a dummy buttonhole with a sewn 24 ligne West Virginia State Seal gilt button on top of the flap. This button will be securely attached from beneath so as not to be removable by the wearer.

POCKETS: The jacket design will include an inside left breast pocket. The pocket shall have a minimum width of 6" and a minimum depth of 8 ¼" (measured from the bottom of the pocket opening). The inside pocket will incorporate a zipper closure system utilizing a 6" CFC-256B2 zipper that is made with bottom stops at both ends.

ELASTIC WAISTBAND: Separate waistband shall be elasticized in the back. There shall be two rows of stitching each ½" apart, centered on the waistband, and extending through the elastic. The elastic shall be securely tacked at each end. There will be a zipper sewn into each side for access.

ITEM #	DESCRIPTION
--------	-------------

Elasticized tabs shall be sewn into the waistband for closure of the side tab. There shall be two (2) belt keeper tabs, with sewn eyelets, made of shell fabric and located approximately 2" from back zipper side vents.

SLEEVES: Three piece, raglan style sleeves with cuffs. The top half of the cuff must be elasticized and the bottom half to close with a tab and double snap for cuff adjustment. The sleeves shall be constructed with 7" zippers (black vislon) on the underseams. This system permits emblem attachment without puncturing the Gore-Tex by allowing access to the shall.

Jacket shall be provided with West Virginia State Police shoulder patch attached to each shoulder (see Item # 47). The shoulder patch must be sewn into the shoulder seam and touch the black cloth of the shoulder strap.

COLLAR: The collar shall be produced using two plies of the shell fabric plus interlining. All plies to be cut on bias. The interlining shall be sewn to the undercollar. The collar points shall be well shaped and symmetrical. The front storm flap shall extend to the top of the collar. Collar and collar interlining must be cut on bias. Under collar is to be constructed to conceal a removable Gore-Tex Hood. (Color of collar to be green -- same as jacket body.)

EPAULETS: Jacket shall be designed with epaulets measuring approximately 2 1/8" at the widest point and tapering to 1 3/4" at the narrow end. It shall be fastened with a sewn 24 ligne West Virginia State Seal gilt uniform button and buttonhole. Shoulder strap to be cross stitched and sewn down. Epaulets to be same material as jacket, only black in color.

STORM FLAP: There shall be a double front storm flap; one on top and one under the top storm flap. The top storm flap will finish approximately 2 3/4" wide and will extend from the bottom of the waistband to the top of the collar point. There shall be six (6) 36 ligne West Virginia State Seal gilt snap buttons centered down the top storm flap. The under storm flap shall finish approximately 2" wide and will extend from the bottom of the waistband to the top of the collar point. The male portion of the snaps shall be positioned on the under storm flap to correspond to the placement of the snaps on the top storm flap (button snap) to provide a neat and secure closure. Center of snap to be plugged, concealing open portion of snap.

ITEM # DESCRIPTION

SIDE VENTS: The jacket shall be designed with side vents to allow for easy access to equipment. The vents shall incorporate 10" zippers. At the bottom of each vent there shall be an elasticized tab and snap closure system to prevent gaping between the front and rear portion of the jacket when the side zippers are in the full upward position.

WEEP EYELETS: To have black metal weep eyelets located at bottom of sleeve (both panels) and front and back body panels.

FRONT ZIPPER: The front zipper opening shall be accomplished with a two way pull, heavy duty #5 Vislon nylon molded zipper. Zipper will extend from bottom of waistband to collar seam.

KNIT WIND COLLAR: There shall be a knit wind collar of 1x1 ribbed spun nylon sewn into the collar seam -- measuring 14" long by 1 1/2" wide at the center.

FUR COLLAR: There shall be a removable black fur collar.

PATCHES: Approved West Virginia State Police shoulder patches (Item # 47), which will be provided by the successful Vendor, shall be sewn on each sleeve at shoulder.

SEAM WATERPROOFING: Seams shall be taped with 7/8" two layer Gore seam tape. There shall be no stitching through the LTD liner except those seams that are waterproofed. There will be metal eyelets on the sleeve bottoms and above the front and back waistband for water drainage in laundering.

SIZE TAG AND CARE INSTRUCTIONS: The jacket shall have a sewn in label giving care instructions and a permanent woven size tag. The jacket shall also have a label indicating lot number, size, fiber content, and RN number. Garment must be made in the U.S.A.

SIZE RANGE: Must be available in the following sizes:

Regular Cut:	Small through XXXLarge
Short Cut:	Small through Large
Long Cut:	Small through XXXLarge

ITEM #	DESCRIPTION
--------	-------------

COLOR: West Virginia State Police Forest Green.

LIMITED WARRANTY: The sample and contract garments shall carry a manufacturers printed warranty hang tag must accompany the bid package as well. The tag shall instruct the owner of their rights under the warranty.

The limited warranty shall contain at minimum the following:

Warranty Coverage -- Manufacturer agrees to warrant to the original purchaser that the product will be free from defects in materials and workmanship for a period of three (3) years from the date of purchase. This warranty also guarantees the jacket will remain waterproof for three years.

Warranty Service -- Should a covered product become defective during the warranty period, simply return it to the manufacturer with dated proof of purchase. The manufacturer agrees to repair or replace at its option any item determined to be defective and will return to purchaser at no charge.

Limitations: This warranty does not cover abnormal wear and tear, nor the color fastness of fluorescent fabrics, nor damage from chemicals, fire, misuse, accident or negligence. This warranty only applies to the original purchaser of the covered product and is not transferable.

12 ALL WEATHER WATERPROOF JACKET -- DNR – LAW ENFORCEMENT

SPECIFICATIONS: All specifications same as State Police jacket above (# 11), with the following exceptions:

- A) Body color to be DNR brown, with epaulets to be black.
- B) Shoulder patches to be DNR Law Enforcement patch (see exhibit # 49).
- C) Jacket to be equipped with exterior badge tab, same color and material as jacket body.

13 WIND BREAKER -- DNR – LAW ENFORCEMENT

SPECIFICATIONS: Horace Small Sentry brand, Style 2647, OR APPROVED EQUAL. Jacket shall be a windbreaker style uniform jacket with a plain back and 2-way zipper front closure to the neck.

ITEM #	DESCRIPTION
--------	-------------

FABRIC:

Outershell:	Consoltex Commander
Content:	85% Dacron Polyester, 15% Cotton, 5.0 oz/sq. yard with Teflon DWR finish from Dupont
Yarns:	Warp Single Ply Poly/Cotton 300 Denier
Thread Count:	98 x 64
Permanent Lining:	104 x 86 thread count. 100% Nylon Taffeta

BODY DETAIL: The front shall be constructed of two pieces on each side reaching from the bottom of the jacket to the shoulder seam. These two pieces shall be joined with welt stitched seams. A 1" shirring shall extend across the bottom ending 2" from the side seams to accommodate optional side zippers. The inside facing of the jacket shall extend from the bottom of the jacket continuously around the neck to the bottom of the other side in such a manner as to furnish sufficient curtain whereby a zip-in liner can be attached. The edges of the inside facing will be finished with a nylon binding. The jacket shall be un-lined.

SIDE PANEL POCKETS: There shall be two side panel pockets each with a vertical opening of 6", and they shall extend inside the jacket for a depth of 5" on the angle. The openings shall be bartacked at top and bottom for extra strength.

BREAST POCKETS: There shall be two mitered patch and pleated pockets lined with poly-cellulose, 2.5 oz. non-woven interlining for stability. The pockets shall finish to be approximately 5-1/4" wide and 6" long with the center pleat being 1-1/4" wide. The pockets shall be attached with single needle stitching leaving a 1/4" welt along the edges. The top of the pockets shall be bartacked for extra strength.

POCKET FLAPS: The pocket flaps shall be pointed with the center peak being 3" at the widest point. They shall be attached 1/4" above the patch pocket being attached with single needle stitching. There shall be a sewn in buttonhole in the center of the flap to accommodate a 24 ligne plain gold metal button.

CUFF: The cuffs are to be pointed with two buttons for cuff adjustment. The cuff is to be joined to the jacket using the serge-sew method with an outside seam welt.

ITEM #	DESCRIPTION
--------	-------------

COLLAR: The collar shall be top stitched.

ZIPPER: The jacket shall close with a YKK #5 nylon separating zipper.

THREAD: All sewing is to be done with Polyester core thread or 100% Spun Polyester thread.

SIZE TAG: Each jacket shall have a sewn in label giving care instructions and shall be marked with lot number, size, fiber content, and WPL number.

BADGE TAB: The badge tab shall be made of self goods to finish 1" wide and 2" long, and have two metal eyelets spaced 3/4" vertically apart.

EPAULETS: The epaulets shall be made of self goods lined with pella. They shall be approximately 2-1/4" wide at the sleeve seam, tapering to approximately 1-3/4" at the pointed end.

FINISHING AND PRESSING: All loose threads shall be removed. Each jacket shall be pressed and shaped properly.

WARRANTY: One year against workmanship or fabric defects.

15 **RAID JACKET (Photograph Attached):**

SPECIFICATIONS: Cardinal Brand Model #320 - single ply nylon, without lining, two slash inverted pockets, raglan sleeves, a draw string bottom and Forest Green snap buttons.

COLOR: Forest Green with State Police Gold lettering.

LETTERING: Shall be screen printed, State Police Gold in color. The front of the jacket shall have vertical 6" lettering. The word STATE shall be lettered vertically, and centered on the right hand side of the jacket front. The word POLICE shall be lettered vertically and centered on the left hand side of the jacket front. The back of the jacket shall have 4" horizontal lettering. The words WEST VIRGINIA STATE POLICE shall be screen printed horizontally on the back of the jacket. A State Police Patch shall appear on each sleeve of the jacket, below the shoulder seam. (See diagram #1 for more detailed specifications for the lettering.) **LETTERING ON JACKETS TO BE IN PROPORTION TO JACKET SIZE.**

ITEM # DESCRIPTION

SIZES:

Small	
Medium	38 - 40
Large	42 - 44
Extra Large	46 - 48
X-large	48+

16A RAIN COAT, GREEN LONG:

SPECIFICATIONS: NEESE BRAND, Style Raincoat , Reversible Rain Jacket S001 RC 3M FP 701 flame retardant OR APPROVED EQUAL

COLOR: Forest Green / Orange (to match existing agency stock)

COATED SHELL FABRIC: Cloth Type: RC 3M two-ply reversible forest green/orange 48" long raincoat.
to Neese specifications or better.....

POCKETING:

Type: pocketing, 2 x 1 twill, 100% polyester/rayon (warp)
 Color: matching or black

REFLECTIVE TRIM: None.

SEAM TAPE: Seam tape shall be two layer polyurethane thermal tape 7/8 inches in width compatible with the polyurethane coating. Color: clear.

SNAPS: Snaps shall be non rusting reversible and regular, 24 ligne, gun metal finish nickel on brass, heavy duty closure, black nylon cap.

BUTTONS: Collar and sleeve liner attachment buttons shall be 24 ligne 4 hole pure melamine plastic conforming to Type II, Class D, Style 20 and 21, of U.S. Military Specification #V-B-871D. Color shall match the basic shell fabric.

ZIPPER: The front zipper closure shall be a 26 inch brass, size #5, reversible, one way slider.

EYELETS: The eyelets shall be black aluminum, size 1/4 inch I.D.

ITEM #	DESCRIPTION
--------	-------------

THREAD: Thread for single needle lockstitch seams shall be size #50 polyester wrapped polyester core, vat dyed. Double needle sewing shall use 100% spun polyester thread, size #70 in the needles, size #100 in the loopers.

GENERAL DESIGN: The raincoat shall be a waterproofed, reversible, fully cut and full length, well balanced raglan sleeve design with two welt style cut through pockets, collar with stand, and separate storm fly. The coat shall close in front with both a reversible zipper and snaps. The storm fly, collar and collar stand, and fronts shall be fully interlined. There shall be oversized slash pockets that open from both sides, and 3 (each sleeve) ventilating underarm eyelets. The pocket opening shall be large enough to permit easy access to trouser pockets or pistol. The sweep of the coat shall have 3/4 inch hems on both sides.

SLEEVES: Sleeves shall be two piece, raglan style with clean finished turned and top stitched hem.

COLLAR: The permanent collar and collar stand shall be made of two plies of the shell fabric (both dark) plus the interlining. The collar shall reverse and the points shall be well shaped and symmetrical. The points shall measure 2 7/8 inches with the center measuring 2 1/2 inches. The collar stand shall measure 1 5/8 inches at the center width. The collar shall be set to the body and waterproof seam taped.

STORM FLY: There shall be top and under (reversible) waterproof storm fly sewn to the right front of the coat (but not through it) covering the front zipper. The storm fly shall be interlined with the specified interlining and attached to the orange side of the coat. The fly shall measure 4 inches wide and be 29 inches in length. It shall extend to the bottom of the collar. The zipper shall be set between the fly and the front and 4 snaps shall be set through the storm flap. The fly shall be turned and top stitched.

POCKETS: There shall be two slash pass through welted side openings (on each side of the coat) measuring 11 1/2 inches long for access to the coat pocket, equipment, weapons, or pant pockets. The welts shall measure 11 1/2 inches by 2 inches and shall be set vertically into the fronts, double stitched top and bottom for strength, and top stitched on the open edge. The pocket bag shall be 11 inches deep.

ITEM # DESCRIPTION

INTERLINING: The following parts shall be interlined: collar, collar stand, epaulets, storm fly and fronts (3 ½ inches wide, bias cut).

SEAM STITCHING: Sleeve seams, sleeve setting seams and body joining seams shall be 3/16 inch gauge, double needle chain stitch, lap seam felled construction. All other seams to be single needle construction. Seams shall be free from puckering, pleats, runoffs and raw edges.

BUTTON HOLES: Button holes shall be eyelet end, taper bar cut-after or cut-first type with #8 gimp inserted. If cut first type, thread ends shall be bartacked.

SEAM WATERPROOFING: All seams in the shell shall be waterproof taped with the specified seam tape. The tape shall be applied by hot air method. The tape shall not be affected by weather, temperature or storage. The taped seams shall be tested for waterproofing in accordance with Federal Test Std. # 191, Method # 5514. There shall be no appearance of water in the test area when the hydrostatic head is raised to 50 centimeters for a period of three minutes.

BADGE TABS: None.

CUSTOMIZATION: None.

EPAULETS: Garment shall not have epaulets.

SIZE RANGE:

<u>Size</u>	<u>Chest</u>	<u>Sweep</u>
34	44	58
36	46	60
38	48	62
40	50	64
42	52	66
44	54	68
46	56	70
48	58	72
50	60	74
52	62	76
54	64	

ITEM # DESCRIPTION

Back Length Size 40:
 Shorts 46
 Regular 48
 Longs 50
 X Longs 52

(measured from collar stand to bottom of hem +/- 3/4")

Hem Width Bottom: 3/4 inch

Sleeve Inseam Size 40:
 Shorts 17.5
 Regular 18.5
 Longs 19.5
 X Longs 20.5

LIMITED WARRANTY: The sample and contract garments shall carry a manufacturers printed warranty hang tag. A sample warranty hang tag must accompany the bid package as well. The tag shall instruct the owner of their rights under the warranty.

Limited Warranty will contain at minimum the following:

Coverage: Manufacturer agrees to warrant to the original purchaser that the product will be free from defects in materials and workmanship for a period of three (3) years from date of purchase. The product will remain waterproof in normal use for a period of three (3) years.

Service: Should a covered product become defective or lose waterproofness during the warranty period, simply return it to the manufacturer with dated proof of purchase. The manufacturer agrees to repair or replace at its own option any item determined to be defective and will return to purchaser at no charge.

Limitations: The warranty does not cover abnormal wear and tear, nor the color fastness of fluorescent fabrics, nor damage from chemicals fire, misuse, accident or negligence. This warranty only applies to the original purchaser of the covered product and is not transferable.

ITEM #	DESCRIPTION
--------	-------------

16B RAIN COAT, GREEN SHORT:
 SPECIFICATIONS: NEESE BRAND, Style Raincoat , Reversible Rain Jacket
 S001 RC 3M FP 701 flame retardant OR APPROVED EQUAL

COLOR: Forest Green / Orange (to match existing agency stock)

INTERLINING:

Cloth Type: 100% Cotton Osnaburg

Color: Charcoal

.....to Neese specifications or better.....

POCKETING:

Type: pocketing, 2 x 1 twill, 100% polyester/rayon (warp)

Color: black

REFLECTIVE TRIM: None.

SEAM TAPE: Seam tape shall be two layer polyurethane thermal tape 7/8 inches in width compatible with the polyurethane coating. Color: clear.

SNAPS: Snaps shall be non rusting reversible and regular, 24 ligne, gun metal finish nickel on brass, heavy duty closure, black nylon cap.

EYELETS: The eyelets shall be black aluminum, size 1/4 inch I.D.

THREAD: Thread for single needle lockstitch seams shall be size #50 polyester wrapped polyester core, vat dyed. Double needle sewing shall use 100% spun polyester thread, size #70 in the needles, size #100 in the loopers.

GENERAL DESIGN: The rain jacket shall be a waterproofed, reversible, fully cut and full length, well balanced set in two piece sleeve design with two welt style cut through pockets, collar with stand, and separate storm fly. The coat shall close in front with snaps. The storm fly, collar and collar stand, and fronts shall be fully interlined. There shall be oversized slash pockets that open from both sides, and 3 (each sleeve) ventilating underarm eyelets. The pocket opening shall be large enough to permit easy access to trouser pockets or pistol. The coat shall have clean finished hems on both sides.

ITEM # DESCRIPTION

SLEEVES: Sleeves shall be two piece, set-in coat style with epaulets and clean finished turned and top stitched hem.

COLLAR: The permanent collar and collar stand shall be made of two plies of the shell fabric (both dark) plus the interlining. The collar shall reverse and the points shall be well shaped and symmetrical. The points shall measure 2 7/8 inches with the center measuring 2 1/2 inches. The collar stand shall measure 1 5/8 inches at the center width. The collar shall be set to the body and waterproof seam taped.

STORM FLY: There shall be a reversible waterproof front storm fly interlined with the specified interlining and attached to the orange side of the coat on the right front. The fly shall measure 3 inches wide and be 26 inches in length. The fly shall be turned and top stitched and the reflective material shall be sewn vertically to the center of the outside of the storm fly.

POCKETS: There shall be two slash pass through welted side openings (on each side of the coat) measuring 11 1/2 inches long for access to the coat pocket, equipment, weapons, or pant pockets. The welts shall measure 11 1/2 inches by 2 inches and shall be set vertically into the fronts, double stitched top and bottom for strength, and top stitched on the open edge. The pocket bag shall be 11 inches deep.

INTERLINING: The following parts shall be interlined: collar, collar stand, epaulets, storm fly and fronts (3 1/2 inches wide, bias cut).

SEAM STITCHING: Sleeve seams, sleeve setting seams and body joining seams shall be 3/16 inch gauge, double needle chain stitch, lap seam felled construction. All other seams to be single needle construction. Seams shall be free from puckering, pleats, runoffs and raw edges.

BUTTON HOLES: Button holes shall be eyelet end, taper bar cut-after or cut-first type with #8 gimp inserted. If cut first type, thread ends shall be bartacked.

SEAM WATERPROOFING: All seams in the shell shall be waterproof taped with the specified seam tape. The tape shall be applied by hot air method. The tape shall not be affected by weather, temperature or storage. The taped seams shall be tested for waterproofing in accordance with Federal

ITEM # DESCRIPTION

Test Std. # 191, Method # 5514. There shall be no appearance of water in the test area when the hydrostatic head is raised to 50 centimeters for a period of three minutes.

BADGE TABS: None.

CUSTOMIZATION: None.

EPAULETS: Garment shall not have epaulets.

SIZE RANGE:

Regular: XSmall – 3XLarge
 Long: Medium -- 3XLarge

<u>Size</u>	<u>Chest</u>
XS	44
S	48
M	52
L	56
XL	60
2XL	64
3XL	68

Back Length Size Medium:

Regular 32
 Longs 33

(measured from collar stand to bottom of hem +/- 3/4")

Sleeve Inseam Size Medium:

Regular 18.5
 Longs 19.5

LIMITED WARRANTY: The sample and contract garments shall carry a manufacturers printed warranty hang tag. A sample warranty hang tag must accompany the bid package as well. The tag shall instruct the owner of their rights under the warranty.

Limited Warranty will contain at minimum the following:

ITEM # DESCRIPTION

Coverage: Manufacturer agrees to warrant to the original purchaser that the product will be free from defects in materials and workmanship for a period of three (3) years from date of purchase. The product will remain waterproof in normal use for a period of three (3) years.

Service: Should a covered product become defective or lose waterproofness during the warranty period, simply return it to the manufacturer with dated proof of purchase. The manufacturer agrees to repair or replace at its own option any item determined to be defective and will return to purchaser at no charge.

Limitations: The warranty does not cover abnormal wear and tear, nor the color fastness of fluorescent fabrics, nor damage from chemicals fire, misuse, accident or negligence. This warranty only applies to the original purchaser of the covered product and is not transferable.

17 blank

18 RAIN COAT -- DNR – LAW ENFORCEMENT -- SHORT -- BROWN

SPECIFICATIONS: NEESE BRAND, Style Raincoat ,
Reversible Rain Jacket S001 RC 3M FP 701 flame retardant OR APPROVED
EQUAL

INTERLINING:

Cloth type: 100% cotton osnaburg Count: Warp 32, Filling 26
Weight: 3.55 oz per square yard
Break strength (lbs): Warp 60 (min), Filling 35 (min)

SEAM TAPE: Seam tape shall be 3-layer Gore-seam tape 0.875 inches wide compatible with the Gore-tex membrane. Color: Fluorescent orange

SNAPS: Snaps shall be non rusting, 24 ligne, gunmetal finish on brass, heavy duty closure black nylon cap.

HOOK AND LOOP: The hook and loop fastener tape shall meet specification MIL-F-21840. Color shall be black.

ITEM #	DESCRIPTION
--------	-------------

THREAD: Thread for single needle lockstitch and double needle seams shall be sized #50 polyester wrapped polyester core, vat dyed. Thread color shall match the fabric color when thread is visible.

GENERAL DESIGN: The rain jacket shall be waterproof by design in a fully cut raglan shoulder design reversible to fluorescent orange with reflective trim. There shall be a shirt style collar, snap side vents, snap front with inner and outer storm flaps, badge tabs on both sides, and hook and loop cuff and neck closure.

SLEEVES: The sleeves shall be 1 - piece replan type design. The finished sleeve hem shall measure 0.75 inch wide. There shall be a tab constructed of two layers of shell fabric set into the underarm seam at the cuff measuring 2 inches wide at the underarm seam and 1.5 inches wide at the end and extending 2.75 inches out from seam. There shall be a strip of hook fastener measuring 2 inches long by 1 inch wide sewn to the underside of the tab. There shall be loop fastener measuring 1 inch wide by 6 inches long sewn to the end of the sleeve to mate with the hook fastener on the tab to provide adjustable cuff closure. There shall be a male snap set through the cuff hem set 2 inches from the underarm seam and a female snap set through the cuff hem set on the other side of the underarm seam for cuff closure on the high visibility side. The black caps of the snaps will be on the dark side of the coat.

COLLAR: The permanent collar shall be made of two plies of the shell fabric. The collar points shall be well shaped and symmetrical. The points shall measure 3.5 inches wide, the center width shall be 4 inches. There shall be a tab constructed of two plies of shell fabric measuring 3 inches long and 1 inch wide sewn into the front edge of the collar at the neck seam with hook fastener measuring 0.75 inch by 2 inches sewn so that 1 inch of hook is exposed on each side at the end of the tab. There shall be loop fastener measuring 0.75 inch by 1 inch sewn to the under collar (on the dark side of the coat) to secure the tab when not in use. There shall be loop fastener measuring .625 by 2 inches sewn to both the top collar and under collar to provide adjustable neck closure when coat is worn on either side.

SIDE VENTS: There shall be side vent openings set on the side seams measuring 11 inches up from the bottom hem with the front and back of the jacket overlapping by 1.25 inches. A snap closure shall be set on the vent at the bottom hem and a second snap shall be set midway up the side vent.

ITEM #	DESCRIPTION
--------	-------------

FRONT: The fronts shall have five snap fasteners for closure. The top snap shall be 1.25 inch from the top of the storm flap, the other snaps shall be placed 6.5 inches apart. The right front shall have double male gypsy studs and will be sandwiched between the inner and outer storm flies which shall have female snaps with caps. Storm flies will measure 2.5 inches wide. The fronts shall be edge stitched 0.25 inch gauge with a 1.25 inch strip of the specified interlining cut on the bias running down the full length of the fronts on both sides.

SEAM STITCHING: Shoulder, underarm and side seams shall be 0.1875 inch gauge, double needle chain stitch, lap seam felled construction. All other seams shall be single needle construction. All seams shall be a 8 stitches per inch minimum to 12 stitches per inch maximum. Seams shall be free from puckering, pleats, runoffs and raw edges.

SEAM WATERPROOFING: All seams in the shell shall be waterproof taped. The tape shall be applied by hot air methods. The tape shall not be affected by weather, temperature or storage. The taped seams shall tested for waterproofing in accordance with Federal Test Std. #191, Method #5514. There shall be no appearance of water in the test area at 3 PSI for a period of 3 minutes.

REFLECTIVE TRIM: 3M Scotchlite #8730 1.5 inch silver reflective tape shall be heat applied to the high visibility side of the coat. There shall be a stripe around each cuff and a strip around the front and back below the armhole.

BADGE TAB: There shall be a badge tab applied to the left breast of both the dark side and high visibility side of the jacket. The badge tab on the dark side shall be constructed of two plies of the shell fabric measuring 0.875 inches wide by 2.5 inches high with two eyelets spaced 1.375 inches center to center. The badge tab on the high visibility side shall be constructed on three plies of the specified seam tape stitched together and then heat applied to the shell fabric measuring 0.875 inches by 3 inches with two eyelets spaced 1.375 inches center to center penetrating the top two layers of tape only.

LABELING: The jacket shall permanently labeled with the manufacturer, country of origin, and size.

SIZE: The range shall be unisex:

ITEM # DESCRIPTION

Short: XS - L
 Regular: S - 3XL
 Long: M - 3XL

MEASUREMENTS:

<u>Size</u>	<u>Chest</u>	<u>Sweep</u>
XS	41	47
S	45	51
M	49	55
L	53	59
XL	57	63
2XL	61	67
3XL	65	

Back Length Size Med.: Reg = 31.5 Longs = 32.5
 Sleeve Inseam Size Med: Reg = 20 Longs = 21

LIMITED WARRANTY: The sample and contract garments shall carry a manufacturers printed warranty hang tag. A sample warranty hang tag must accompany the bid package as well. The tag shall instruct the owner of their rights under the warranty. The limited warranty will contain at minimum the following:

WARRANTY COVERAGE: Manufacturers agree to warrant the original purchaser that the product will be free from defects in materials and workmanship for a period of three (3) years from date of purchase. The product will remain waterproof in normal use for a period of three (3) years from date of purchase.

WARRANTY SERVICE: Should a covered product become defective or lose waterproofness during the warranty period, simply return it to the manufacturer with dated proof of purchase. The manufacturer agrees to repair or replace at its option any item determined to be defective and will return to purchaser at no charge.

ITEM # DESCRIPTION

LIMITATIONS: This warranty does not cover abnormal wear and tear, nor the color fastness of fluorescent fabrics, nor damage from chemicals, fire, misuse, accident or negligence. The warranty only applies to the original purchaser of the covered product and is not transferable.

**19 CLASS A TACT UNIFORM TROUSERS:
SPECIFICATIONS:**

FABRIC: 100% Cotton Rip-Stop, 6-1/2 ounces.

COLOR: Woodland OD Green.

STYLE: Battle Dress Utility - Current Government Specification.

TROUSER SPECIFICATIONS:

1. Reinforced at knees and seat.
2. Adjustable black web waist tabs.
3. Trousers cut cuffs.
4. Six (6) pockets:
 - A. Two (2) rear pockets, with 2-button covered closure. Pocket dimension 6" x 8-1/2".
 - B. Two (2) conventional front pockets.
 - C. Two bellows pockets on sides of legs, dimension: 9" deep by 9" wide.
5. 4-Button fly front. Bottom three (3) buttons covered.
6. Seven (7) standard 3-1/4" drop belt loops.

SIZES AVAILABLE: Small, Medium, Large, X-Large, in Regular and Long lengths.

**19A CLASS A TACT UNIFORM TROUSERS:
SPECIFICATIONS:**

FABRIC: Cotton Rip-Stop & Poly Blend

COLOR: Woodland OD Green.

ITEM #	DESCRIPTION
--------	-------------

STYLE: Battle Dress Utility - Current Government Specification.

TROUSER SPECIFICATIONS:

1. Reinforced at knees and seat.
2. Adjustable black web waist tabs.
3. Trousers cut cuffs.
4. Six (6) pockets:
 - A. Two (2) rear pockets, with 2-button covered closure. Pocket dimension 6" x 8-1/2".
 - B. Two (2) conventional front pockets.
 - C. Two bellows pockets on sides of legs, dimension: 9" deep by 9" wide.
5. 4-Button fly front. Bottom three (3) buttons covered.
6. Seven (7) standard 3-1/4" drop belt loops.

SIZES AVAILABLE: Small, Medium, Large, X-Large, in Regular and Long lengths.

20	CLASS A TACT UNIFORM SHIRT, LONG SLEEVE:
----	---

SPECIFICATIONS:

1. Long Sleeve, Reinforced elbows, Taper sleeves. Sleeve width is not to exceed 9" from shoulder to elbow and 7" from elbow to wrist.
2. Three (3) button adjustable Cuff.
3. Six (6) button front. Placket covers five (5) buttons. Buttons 3-1/2" apart.
4. Two (2) upper button pockets with flap closure. Two (2) covered buttons on each flap. Pocket dimensions 5" x 6-3/4".
5. Fitted sides.
6. Tuck in or wear out feature.
7. West Virginia State Police shoulder emblem attached to each sleeve. See Item # 47 for specifications.
8. Shoulder epaulets with buttons color to match fabric. Fabric 100% cotton Rip-stop.

ITEM # DESCRIPTION

9. Pocket flaps to be green material (same as shirt material), 100% cotton Rip-stop. Pockets to be OD Green.

**20A CLASS A TACT UNIFORM SHIRT,
LONG SLEEVE, POLY-COTTON BLEND:**

SPECIFICATIONS:

1. Long Sleeve, Reinforced elbows, Taper sleeves. Sleeve width is not to exceed 9" from shoulder to elbow and 7" from elbow to wrist.
2. Three (3) button adjustable Cuff.
3. Six (6) button front. Placket covers five (5) buttons. Buttons 3-1/2" apart.
4. Two (2) upper button pockets with flap closure. Two (2) covered buttons on each flap. Pocket dimensions 5" x 6-3/4".
5. Fitted sides.
6. Tuck in or wear out feature.
7. West Virginia State Police shoulder emblem attached to each sleeve. See Item # 47 for specifications.
8. Shoulder epaulets with buttons color to match fabric. Fabric 100% cotton Rip-stop.
9. Pocket flaps to be green material (same as shirt material), 100% cotton Rip-stop. Pockets to be OD Green.

21 MENS SOCKS:

SPECIFICATIONS:

Midcalf length, anti-static, no lint and no cling guaranteed to stay up; 2 x 1 rob pf 5% spandex, 95% nylon throughout leg. One size to fit 10 to 13. Color: black. To be packed ½ dozen (pairs) to the box.

22 T-SHIRT, V-NECK, WHITE:

SPECIFICATIONS:

HANES OR EQUAL APPROVED.

T-Shirt mens white, material 75-25 polyester cotton combed flat woven with good elasticity.

CONSTRUCTION:

ITEM # DESCRIPTION

Reinforced nylon collar, short sleeves tubular construction, no side seams.

WASHABILITY:

Shrinkage not to exceed 6-10%.

SIZES:

Small, Medium, Large, X-Large and XX-Large.

23 T-SHIRT, WVSP (SCREEN PRINTED)

SPECIFICATIONS: T-shirts, OD Green,, Jerzee brand, constructed of 5.5 ounce, 100% pre-shrunk cotton, double stitched, and taped shoulder to shoulder; with a 1 inch crew neck. Each shirt shall have a West Virginia State Police Shoulder Patch screen printed on the front. See Diagram #2 for detailed specification. Screen print to be black in color. PLEASE NOTE: This T-shirt must be of heavy weave fabric with maximum resistance to shrinkage and fading (quality/weight of present stock is not acceptable). If Vendor makes substitution, submission of a sample for approval is absolutely mandatory for this item.

SIZES:

Small	34-36
Medium	38-40
Large	42-44
X-Large	46-48
XX-Large	50-52

24 UNIFORM TIES, 15" AND 17"

25 UNIFORM TIES, 19"

SPECIFICATION: Uniform, snap-on with metal clip. All ties to be black in color, width to be 3" at the widest part and lengths as described above. Ends to be french cuffed. Fabric to be 100% dacron polyester, two ply warp, and single ply filling.

LINING: Tie to be filled full length with a wrinkle resistant material. Three button holes on the small end of the tie to fasten to one of the shirt buttons after passing through a loop label sewn to the back of the tie front.

ITEM # DESCRIPTION

26 SHOES, BUCKLE BOOTS, (MALE)

SPECIFICATIONS:

Chukka Boot with buckle, Style # 83.

Bates brand, Style No. OR APPROVED EQUAL .

TOP UPPER: Black smooth cowhide.

UPPER LINING: Cambrelle 2-ply fused nylon on foam.

INSOLE: 3 ½ Iron Texon brand fiberboard.

INSERT: Tentex covered polyurethane foam, orthotically designed with Dual Axidyne heel and forepart pads.

SHANK: Fiberglass

BOXTOE & COUNTER: Thermoplastic

WELT: Goodyear storm welt.

BUCKLE: Leather strap with 7/8" black metal buckle.

OUTSOLE & HEEL: Polyurethane sole with attached heel.

SIZES: MEN

SIZES: 9 TO 13

WIDTH: C TO 3E

27 SHOES, OXFORDS (FEMALE)

SPECIFICATIONS:

Womens --, Thorogood style # 534-6145 OR APPROVED EQUAL.

TOP UPPER: Women - Black full grain cowhide leather, 5 eyelet.

UPPER LINING: Comfort weave.

INSOLE: Removable dual density Ultimate Shock Absorption insert.

ITEM # DESCRIPTION

MIDSOLE: Rubber
SHANK: Fiberglass.

COUNTER &:
BOXTOE: Fossform Thermo-plastic.

WELT: Goodyear split reverse.

WELT STITCHING: Nylon braided cotton.

OUTSOLE: Polyurethane with attached
 heel.

SIZES: WOMEN

SIZES: 6 TO 12

WIDTH: NARROW TO X-WIDE

27A SHOES, OXFORDS

Thorogood Stock # 834-6345
Basic Design: Mens' Black Corrected Grain Leather

Size Range: M: 7-12, 13, 14, 15
 W: 7-12, 13
 EW: 7-12, 13

27B SHOES, OXFORDS

BATES Shoe-Stock# 932

Basic Design: Mens' Black Corrected Grain Leather

Size Range M: 7-12, 13, 14,15
 W: 7-12, 13
 EW: 7-12, 13

28 SHOES, CLARINO OXFORDS M & W

SPECIFICATIONS:

ITEM # DESCRIPTION

Mens -- 5 eyelet black, high gloss oxford.
 Bates brand, Style No. 942, OR APPROVED EQUAL.
 Womens -- 4 eyelet black, high gloss oxford.
 Bates brand, Style No. 742, OR APPROVED EQUAL.

TOP UPPER: Men- Hi-gloss Porvair, standard.
 Women-Black Clarino, man-made
 material.

UPPER LINING: Cambelle 2-ply fused nylon on foam.

INSOLE INSERT: Tentex covered polyurethane foam, orthotically designed,
 with dual Axidyne heel and forepart pads.

SHANK: Fiberglass.

COUNTER &: Thermo-plastic.
BOXTOE:

WELT: Goodyear split reverse.

INSOLE: Men- 5-Iron Texon.
 Women- Slashtex brand fiberboard.

WELT STITCHING: Nylon braided cotton.

MIDSOLE: 6 Iron Black neoprene.

OUTSOLE: Polyurethane with attached heel.

	MEN	WOMEN
SIZES:	7 TO 13	5 TO 12
WIDTH:	B TO 3E	NARROW TO X-WIDE

28A SHOES, CLARINO OXFORDS Men & Womens
 Thorogood Brand or approved equal
 Style 831-6027 mens Style 531-6303 womens

Size:	Men	M: 7 - 12, 13
		W: 7 - 12, 13
		EW: 7 - 12, 13

ITEM # DESCRIPTION

Women M: 5 - 10
 W: 5 - 10

28B SHOES, WOMENS BLACK FULL GRAIN LEATHER OXFORD
 Thorogood or approved equal
 Style # 534-6047

29 INSULATED, WATERPROOF BOOTS
ROCKY brand, Style # 7017 MEN, 4044 WOMEN

SPECIFICATIONS:

BASIC DESIGN: 9" Black, full leather, police/service boot, with full gore-tex patented boot liner, guaranteed waterproof.

UPPER MATERIAL: Full grain waterproof 5-5/12 ounces, cattle hide leather, semi-bright finish, drum dyed, chrome tanned.

LINING MATERIAL: Full cambrelle with 1-1/16 lino foam, B-400 thinsulate insulation, gore-tex fabric and E knit backing.

FOUNDATION INSOLE: Texon 6 iron #437 grade innersole, non-shrink bacteria resistant.

SOLE AND HEEL: Style 25 dual density polyurethane E heel and sole. Non-marking, slip resistant to U.S. Govt. Spec.

SHANK: Non-breaking, American fiberglass.

THREAD: #139 polyester/nylon belding Hemingway Lockstitch.

INSULATION: Thinsulate B-400 breathable from 3M.

COUNTER: Rocky molded, non-breakable, waterproof, firm fiberboard material.

BOXTOE: Rocky molded poly. #16.

LACE: Taslan 63" black nylon from DuPont.

ITEM # DESCRIPTION

TOPLINE PUFF COLLAR: Leather top band inside puff collar.

EYELETS AND HARDWARE: Rust resistant, black Japan brass speed laces and eyelets.

WELTING: Goodyear welt, flatbar, flex.
MIDSOLE: 6 iron

BOTTOM FILLER: Besto Cork, flexible cushion pad.

CONSTRUCTION: Goodyear welt construction with patented bootie liner.

SIZES: **MEN** **WOMEN**
 7 TO 14 6 TO 10
 including half sizes
WIDTH - MEDIUM TO WIDE

31 **ATHLETIC PATROL SHOE; LOW Mens size 4-12, 13,14,15, EW 7-12,13,14
 Bates Brand Style 2302 or approved equal.**

32 **Blank**

POLICE LEATHER GEAR

SPECIFICATIONS FOR LEATHER GEAR: Leather - Shall be available in High gloss Porvair/Clarino and Plain Black Finish, Safariland brand OR APPROVED EQUAL.

33 **CARTRIDGE BELT, Safariland, 87-XX-9**

34 **CARTRIDGE BELT, Safariland, 87-XX-6-PB**

SPECIFICATIONS: Made of the finest top grain belt leather available, and design and workmanship are unsurpassed. The belt is lined with the same weight leather as the front (In lieu of the light soft conventional lining). By laminating two pieces of 6/7 ounce cowhide, maximum, durability is obtained. The edges are to be dressed to a smooth finish, the lining to be specially treated to prevent the absorption of moisture, four rows of stitches are to be utilized.

ITEM # DESCRIPTION

SIZES: Waist sizes - 26 TO 48

34A CARTRIDGE BELT Gould and Goodrich model B59FL4R for DNR agency

35 WAIST BELT, Gould and Goodrich

36 WAIST BELT, Gould and Goodrich

SPECIFICATIONS: Waist belt to be constructed from vegetable tanned top grain cowhide 6/7 ounces, total weight of belt to be 3 ½ to 4 ounces. Hardware to include two sets of baby dot snaps, black coated, along with a solid brass D Buckle nickel plated with rounded edges. Belt width must not exceed 1.5".

SIZES: Waist sizes 26 - 48

38 HOLSTER, TO FIT S&W MODEL 4566 TSW WITH EQUIPMENT RAIL, SAFARILAND, -- NO SUBSTITUTIONS ACCEPTED

SPECIFICATIONS: Clarino leather.

GENERAL DESCRIPTION: Duty holster for pistol handgun with jacket slot belt loop designed for use on cartridge belt.

PRODUCT FUNCTION: Maintains handgun in a stable, tactically ready configuration. Utilizes hammer strap with low profile thumb break directional snap, top draw, medium height ride and straight drop carry. Tension devices on belt loop and holster body for stability. Covered trigger guard. Weatherproof.

SPECIAL NOTE: Holster must be available high ride, mid-ride and low ride configurations.

CONSTRUCTION MATERIALS: Thermomolded material is structural base. Lined with Orthopedic suede leather. Exterior is homogeneous, microporus polyurethane, #207 and #277 nylon cord stitching. TRW/DOT directional snap Aeron 120 reinforcement in strategic areas. Case hardened hardware, aircraft nylon screws.

ITEM # DESCRIPTION

MANUFACTURING PROCESS: The holster body is heat and pressure molded to specified gun fit with wraparound, weltless construction. Sight channel molded in, belt shank is heat and pressure molded for body curvature. Shank is bolted on with case hardened nylon screws.

**39A HOLSTER, TO FIT S&W MODEL 4566 TSW WITH EQUIPMENT RAIL;
SAFARILAND, MODEL -- NO SUBSTITUTIONS ACCEPTED**

SPECIFICATIONS: Clarino leather.

GENERAL DESCRIPTION: Off duty holster for pistol with hip contoured paddle, for use on clothing without cartridge belt.

PRODUCT FUNCTION: Must maintain handgun in a stable, tactically ready configuration. Utilizes thumb break with stiff regular snap strapping system and top draw design. Rides in a medium height position on the hip at waist line of user. The hip contoured paddle fits comfortably on the users trousers and locks into place when inserted between clothing and the users body by means of the garment hook retention device. This is a locking hook attached to the back of the holster body. It holds the holster steady by pushing through a circular cut out on the paddle and by creating a firm holding point on the users clothing. The paddle is designed to have a built in tension to it which pushes against this hook from the inside surface of the clothing, thus creating a situation where the garment fabric is held or clamped between the paddle and the hook. Synthetic suede on the outside surface of the paddle helps to stabilize this holding point.

CONSTRUCTION MATERIAL: Holster body - Thermo-molded material provides the structural base with interior lining of orthopedic grade suede leather. The exterior skin is Homogeneous Microporous Polyurethane.

STITCHING: Stitching is #207 nylon cord on the inside and #277 nylon cord on the outside edges. A regular stiff snap is installed on the hammer strap/thumb break release. Aeron 120 nylon reinforces the hammer strap/thumb break assembly. A phillips round head screw which bolts into a T-nut holds the ABS locking hook on the back side of the holster body.

PADDLE: Thermo-molded material is formed in a rounded contour design. The outside surface of the paddle is lined with synthetic suede. The paddle

ITEM # DESCRIPTION

is attached to the holster body by two case hardened ALLEN screws mating to two T-nuts in the holster body.

FINISH: Chevreau textured finish in plain black. See special note which follows. Holsters **MUST** be provided with custom "high gloss" finish.
SPECIAL NOTE: The vendor must be able to provide this item with a CORFAM/PATENT LEATHER or similar appearing high gloss material on the exterior (black in color) which matches the gun belts and handcuff cases currently in use by the West Virginia State Police. If Vendor requires a minimum order quantity, it must be clearly specified.

MANUFACTURING PROCESS: The holster is heat and pressured formed in a wrap around weltless construction. Sight channel is molded into the unit. The paddle is heat and pressure formed into a rounded unit contoured to the hip.

**39B HOLSTER, TO FIT S&W MODEL 4566 TSW WITH EQUIPMENT RAIL;
SAFARILAND, MODEL 200-140-91-- NO SUBSTITUTIONS ACCEPTED**

SPECIFICATIONS: Same holster as Item 39A above, except exterior finish to be plain black leather.

40 HANDCUFF CASE, Safariland, 90-9-HS

SPECIFICATIONS: Case to slide over cartridge belt. Smooth outer face with hidden velcro, **NO SNAPS**. Color to be black. Clarino finish.

41 HANDCUFF CASE, Safariland, 90-2-HS-PB

SPECIFICATIONS: Case to slide over cartridge belt. Smooth outer face with exposed snaps in chrome and brass finish. Color to be black. Plain leather.

41A HANDCUFF CASE: Gould & Goodrich Model B70 for DNR Agency

**42 MAGAZINE HOLDER, DOUBLE FOR S&W Model 4566 TSW
SPECIFICATIONS: Gould & Goodrich
NO SUBSTITUTIONS ACCEPTED.**

ITEM # DESCRIPTION

DESCRIPTION: At the flick of a snap the spring loaded "MAG-in-the-BOX" instantly puts your magazine in full grasp. Its built-in stop keeps the magazine in the holder for ready access. The versatile 276 is designed to carry two magazines of ammunition on a 2.25" duty belt. The 276 features both vertical and horizontal belt slots, allowing it to ride in either a vertical or a low-profile horizontal position. It also features an injection molded housing and rugged Safari-Laminate exterior inserts. Clarino finish to match current issue.

- 42B TACTICAL LIGHT HOLDER:- Clarino leather, Gould and Goodrich stock# H641-3. To accommodate M-5 Tactical lights.
- 43 MAGAZINE HOLDER -- DNR -- LAW ENFORCEMENT -- DOUBLE FOR S&W Model 4566 TSW
SPECIFICATIONS: Gould & Goodrich
NO SUBSTITUTIONS ACCEPTED.

DESCRIPTION: Same as # 42 above, except finish to be plain black leather, same as all other DNR leather gear.

- 44 LOOPS AND DEES, Gould & Goodrich, H-99-DCL

SPECIFICATIONS: Loops with dee rings to be worn with Sam Browne Shoulder Strap. Individual loops (not connected). Snap on style to be used as a belt stay. Color to be black. Buckle to be nickel plated. Finish to be Clarino or equal.

- 45 IDENTIFICATION WALLET, MEMBER (Photograph Attached)

SPECIFICATION: Case is to be made from 100% genuine calf leather 2-3 oz, lined with 200 denier black lining through out to cover all raw surfaces. All edges will be French turned and sewed. Color to be black. Thread size is to be #69 left twist black bonded nylon.

LEFT SIDE: To have a fold out flap, size approximately 2 7/8" x 4" to accommodate ID card. ID card must be visible through a window made of .010 ACR clear finish. Window is to have a cover flap made of blue genuine suede leather to protect window and badge when closed. Back side of fold out flap is to have two compartments to accommodate credit cards, approximately 2 3/8" across. There will be a centered recessed cutout to

ITEM # DESCRIPTION

accommodate ID Badge (Badge size is 1 5/8" wide x 2 1/2" high). In order to steady badge, there is to be a leather insert provided approximately 2 1/4" x 3 3/8" to glue badge on. Note: Recessed cutout must be an exact fit for badges presently issued by the Agency (i.e. if edges of cutout ride up on sides of badge making wallet thicker, the product is not acceptable).

RIGHT SIDE: Shall have one pocket approximately 2 7/8" opening across top and 3 1/2" deep. Also attached to front of pocket three vertical credit card slots with 3 1/2" opening. Top two slots to be straight with the bottom in a "V" shape.

BACK SIDE: A deep currency pocket shall be attached to the rear of case approximately 4 1/2" deep and 7" opening across the top.

OUTSIDE: 1 1/2" DPS logo shall be screened on front right side in gold.
DPS LOGO TO READ: WEST VIRGINIA STATE POLICE See photograph attached..

46 IDENTIFICATION CASE, RETIRED (Photograph Attached)

SPECIFICATIONS: Same as Item # 45 above except for exterior .

OUTSIDE: Front of wallet to read --
 WEST VIRGINIA STATE POLICE RETIRED MEMBER in Gold lettering.
 See photograph attached.

46A IDENTIFICATION CASE BOOK STYLE: Strong Leather model 74800, plain black leather to fit Badge B1705-B and ID Card 2 7/8 X 4". To include suede leather flap.

47 SHOULDER PATCH (Photograph Attached)
WEST VIRGINIA STATE POLICE

SPECIFICATIONS: This patch is to be embroidered on Raeford 3933-168 material, merrow border. A 4 - 1/8" long triangular patch by 3 - 7/8" wide. Top of triangle is slightly curved as to parallel with shoulder seam. The triangle is to be 1/8" thick and all embroidery is to be well padded. Within the triangle the words "WEST VIRGINIA" in 7/16" high letters and beneath it the word "STATE" in 5/8" letters and beneath it the word "POLICE" in 9/16" letters. Embroidery, 100% is to be in GOLD, (not yellow) colored fast dyed

ITEM # DESCRIPTION

rayon, fast to sun and bleaching, 2/3, 150/2 ply rayon surface and 1/3, 60/1 ply cotton bobbin. See photograph attached.

A sample of the patch will be sent upon request, and the product provided by the Vendor must strictly conform in all respects.

**47A SHOULDER PATCH WVSP - TACTICAL (SUBDUED)
(Photograph Attached)**

48 CADET PATCH (Photograph Attached)

SPECIFICATIONS: This patch is to be embroidered on Raeford 3933-168 material, merrow border. Patch to be 2 3/4" round. Center to read - CADET, Top to read - WEST VIRGINIA, Bottom to read - STATE POLICE. Embroidery 100% is to be LIME GREEN all lettering on black back ground (construction as specified under Item # 47 above). See photograph attached.

A sample of the patch will be sent upon request, and the product provided by the Vendor must strictly conform in all respects.

49 DNR - LAW ENFORCEMENT PATCH

SPECIFICATIONS: For West Virginia Conservation Officer Uniform. Gold lettering on Raeford Material, 3933-168. Emblems to be exact match of the emblems presently being worn by Conservation Officers. See photograph attached. Sample sent on request. The contact person for this item will be: Lawrence Case (DNR) at (304) 558-2754.

50 CHEVRONS - WINTER (Photograph Attached)

SPECIFICATIONS: Winter - Standard military style, made of black silk embroidered bars on background of same material as garments (Raeford 3933-168). Merrow border, with "Forest Green" to match as closely as possible the Raeford 3933-168.

RANKS:

Senior Trooper - 3" x 3" Single Bar, Same Style as Army Private

ITEM # DESCRIPTION

Trooper First Class - 3" x 3" Single Bar, One Rocker, Same Style as Army PFC

Corporal - 3" x 3" ½" Double Bar

Sergeant - 3" x 4" Three Bars

First Sergeant - 3" x 6" Three Over/Three Under with diamond

51 WINTER, CHEVRONS DNR

SPECIFICATIONS: Winter, standard military style, made of black silk embroidered bars on background of same material as garments (Raeford 571-983). Merrow border with Oklahoma Brown to match as closely as possible the Raeford 571-983.

RANKS:

Corporal - 3" X 3-1/2" Double Bar

Sergeant - 3" X 4" Three Bars

52 SUMMER CHEVRONS (Photograph Attached)

SPECIFICATIONS: Summer - Standard Military style, made of black silk embroidered bars on background of same material as garments (Raeford 3933-168). Merrow border, with "Forest Green" thread to match as closely as possible the Raeford 3833-168.

RANKS:

Senior Trooper - 2" x 2" Single Bar (same style as U.S. Army PFC stripe)

Trooper First Class - 2" x 2" Single Bar

Corporal - 2" x 2 1/4" Double Bar

Sergeant - 2" x 2-1/2" Three Bars

First Sergeant - 2" x 3 ½" Three Over/Three Under with diamond

53 SUMMER CHEVRONS, DNR

SPECIFICATIONS: Summer, standard military style, made of black silk embroidered bars on background of same material as garments (Raeford 571-983). Merrow border with Oklahoma Brown to match as closely as possible the Raeford 571-983.

RANKS:

Corporal - 2" X 2 1/4" Double Bar

ITEM # DESCRIPTION

Sergeant - 2" X 2 ½" Three Bars

54 SERVICE INSIGNIA (Photograph Attached)

SPECIFICATIONS: Black background, material Raeford 3933-168 with merrow border, with gold embroidered (same gold as shoulder patch) with bar(s), stars or any combination. One (1) bar equals 2 years, (one patch may have 1 to 4 bar(s) combination to indicate service, a star indicates ten (10) years and a patch may have 1 to 4 star combination.

DIMENSIONS: Stripes (bars) are 1/4" wide x 1-3/4 " long.
Star 1" (ten year). 5/8" = 20 YEARS OR MORE.

BADGES, WEST VIRGINIA STATE POLICE
Blackinton brand (as currently issued) OR APPROVED EQUAL.

SPECIFICATIONS FOR RHODIUM BADGES: Heavy chrome plate finish, black lettering as designated (see below). Badges are to come in numbered sets - (2) badges per set, per number, per rank designation. One (1) badge is to have a smooth back surface so it may be placed in an identification case, the other badge is to have a safety pin catch effect so it may be worn on a uniform shirt (NO STICK PIN WITH CLUTCH). Bidders making substitutions must submit a sample of their badge to evaluate the quality and appearance. Size 1 5/8" wide by 2 ½" long. Center of badge to include colored state seal see photograph.

55 TROOPER BADGE

TOP PANEL: TROOPER
TOP CIRCLE: WEST VIRGINIA
CENTER: STATE SEAL
BOTTOM CIRCLE: STATE POLICE
BOTTOM PANEL: NUMBER
COLOR: SILVER

56 CORPORAL BADGE

TOP PANEL: CORPORAL
TOP CIRCLE: WEST VIRGINIA
CENTER: STATE SEAL
BOTTOM CIRCLE: STATE POLICE
BOTTOM PANEL: NUMBER
COLOR: SILVER

ITEM # DESCRIPTION

- 57 SERGEANT BADGE
TOP PANEL: SERGEANT
TOP CIRCLE: WEST VIRGINIA
CENTER: STATE SEAL
BOTTOM CIRCLE: STATE POLICE
BOTTOM PANEL: NUMBER
COLOR: SILVER
- 58 FIRST SERGEANT BADGE
TOP PANEL: FIRST SERGEANT
TOP CIRCLE: WEST VIRGINIA
CENTER: STATE SEAL
BOTTOM CIRCLE: STATE POLICE
BOTTOM PANEL: LEAVE BLANK
COLOR: SILVER
SPECIFICATIONS FOR GOLD BADGES:
Heavy karat clad badges, black lettering as designated (see below).
Badges are to come in sets of two (2). One (1) badge with a smooth back surface so it may be placed in an identification case and one (1) with a safety pin catch effect so it may be worn on a uniform shirt (NO STICK PIN WITH CLUTCH). Bidders making substitutions must submit a sample of their gold filled badge to evaluate quality and appearance. Size 1 5/8" inch wide by 2 1/2" inch long. See photograph attached.
- 59 LIEUTENANT BADGE
TOP PANEL: LIEUTENANT
TOP CIRCLE: WEST VIRGINIA
CENTER: STATE SEAL
BOTTOM CIRCLE: STATE POLICE
BOTTOM PANEL: LEAVE BLANK
COLOR: GOLD
- 60 CAPTAIN BADGE
TOP PANEL: CAPTAIN
TOP CIRCLE: WEST VIRGINIA
CENTER: STATE SEAL
BOTTOM CIRCLE: STATE POLICE
BOTTOM PANEL: LEAVE BLANK
COLOR: GOLD

ITEM #	DESCRIPTION
--------	-------------

- | | |
|----|--|
| 61 | MAJOR BADGE
TOP PANEL: MAJOR
TOP CIRCLE: WEST VIRGINIA
CENTER: STATE SEAL
BOTTOM CIRCLE: STATE POLICE
BOTTOM PANEL: LEAVE BLANK
COLOR: GOLD |
| 62 | LIEUTENANT COLONEL BADGE
TOP PANEL: LIEUTENANT COLONEL
TOP CIRCLE: WEST VIRGINIA
CENTER: STATE SEAL
BOTTOM CIRCLE: STATE POLICE
BOTTOM PANEL: LEAVE BLANK
COLOR: GOLD |
| 63 | SUPERINTENDENT BADGE
TOP PANEL: SUPERINTENDENT
TOP CIRCLE: WEST VIRGINIA
CENTER: STATE SEAL
BOTTOM CIRCLE: STATE POLICE
BOTTOM PANEL: LEAVE BLANK
COLOR: GOLD |

BADGES, RETIRED, WEST VIRGINIA STATE POLICE
 Blackinton brand (as currently issued) OR APPROVED EQUAL.
 SEE PHOTOGRAPHS ATTACHED

SPECIFICATIONS FOR RHODIUM BADGE: Heavy rhodium plate finish, black lettering as designated. (see below). Badge is to have a smooth back surface so it may be placed in an identification case. Identification badge one (1) only. Bidders making substitutions must submit a sample of their badge to evaluate the quality and appearance. 1 5/8" wide by 2 1/2" long. .

- | | |
|----|--|
| 64 | RETIRED BADGE, CHROME ID ONLY
TOP PANEL: RETIRED
TOP CIRCLE: WEST VIRGINIA
CENTER: STATE SEAL
BOTTOM CIRCLE: STATE POLICE |
|----|--|

ITEM # DESCRIPTION

**BOTTOM PANEL: LEAVE BLANK
COLOR: SILVER**

SPECIFICATION FOR RETIRED BADGE GOLD: Heavy karat clad badges, black lettering as designated (see below). Badge is to have a smooth surface so it may be placed in an identification case. Identification badge one (1) only. Bidders making substitutions must submit a sample of their gold filled badge to evaluate quality and appearance. Size: 1 5/8" wide by 2 1/2" long.

**65 RETIRED BADGE, GOLD ID ONLY
TOP PANEL: RETIRED
TOP CIRCLE: WEST VIRGINIA
CENTER: STATE SEAL
BOTTOM CIRCLE: STATE POLICE
BOTTOM PANEL: LEAVE BLANK
COLOR: GOLD**

SPECIFICATIONS FOR DNR -- LAW ENFORCEMENT BADGES -- GENERAL:
Approximate size: 2 1/2 inches high, by 1 5/8 inches wide, full color seal with white sky and green grass.

SPECIFICATIONS FOR DNR -- LAW ENFORCEMENT BADGES -- RHODIUM FINISH: Heavy rhodium finish, black lettering as designated (see below). Badge numbers will be specified when ordered. Badges are to have a safety pin catch effect so it may be worn on a uniform shirt (no stick pin with clutch). Backs of badges to be filled. Bidders are requested to submit a sample of their badge to evaluate quality and appearance. Size as noted above. See Diagram # 19-A.

**66A STATE BADGE --
Top Panel: STATE
Top Circle: CONSERVATION OFFICER
Center: FULL COLOR STATE SEAL
Bottom Circle: WEST VIRGINIA
Bottom Panel: 1897**

**66B SERGEANT BADGE --
Top Panel: SERGEANT
Top Circle: CONSERVATION OFFICER**

ITEM # DESCRIPTION

Center: FULL COLOR STATE SEAL
 Bottom Circle: WEST VIRGINIA
 Bottom Panel: 1897

SPECIFICATIONS FOR DNR -- LAW ENFORCEMENT BADGES -- GOLD PLATED: Heavy karat clad badges, black lettering as designated (see below). Badge numbers will be specified when ordered. Badges are to have a safety pin catch effect so it may be worn on a uniform shirt (no stick pin with clutch). Backs of badges to be filled. Bidders are requested to submit a sample of their badge to evaluate quality and appearance. Size as noted above.

66C LIEUTENANT BADGE

Top Panel: LIEUTENANT
 Top Circle: CONSERVATION OFFICER
 Center: FULL COLOR STATE SEAL
 Bottom Circle: WEST VIRGINIA
 Bottom Panel: 1897

66D CAPTAIN BADGE

Top Panel: CAPTAIN
 Top Circle: CONSERVATION OFFICER
 Center: FULL COLOR STATE SEAL
 Bottom Circle: WEST VIRGINIA
 Bottom Panel: 1897

66E MAJOR BADGE

Top Panel: MAJOR
 Top Circle: CONSERVATION OFFICER
 Center: FULL COLOR STATE SEAL
 Bottom Circle: WEST VIRGINIA
 Bottom Panel: 1897

66F MAJOR BADGE

Top Panel: MAJOR
 Top Circle: CONSERVATION OFFICER
 Center: FULL COLOR STATE SEAL
 Bottom Circle: WEST VIRGINIA
 Bottom Panel: 1897

66G LT. COLONEL

Top Panel: LT. COLONEL
 Top Circle: CONSERVATION OFFICER

ITEM # DESCRIPTION

66H	Center: FULL COLOR STATE SEAL Bottom Circle: WEST VIRGINIA Bottom Panel: 1897 COLONEL Top Panel COLONEL Top Circle CONSERVATION OFFICER Center FULL COLOR STATE SEAL Bottom Circle WEST VIRGINIA Bottom Panel 1897
-----	--

67 SHOOTING MEDAL, SILVER PLATED (Photograph Attached)
 Blackinton brand (as currently issued) OR APPROVED EQUAL.

SPECIFICATIONS, SILVER MEDALS: Shooting medals to be of jewelers quality, chrome plated to prevent tarnishing. To fasten with safety pin style fasteners on top bar. Top of medal to read "PISTOL". PICTURE SHOWING ACTUAL SIZE AND LETTERING IS ATTACHED.

67.A MASTER MEDAL

67.B EXPERT MEDAL

67.C SHARPSHOOTER MEDAL

67.D MARKSMAN MEDAL

68 SHOOTING MEDALS, GOLD
 Blackinton brand (as currently issued) OR APPROVED EQUAL.

SPECIFICATIONS: Shooting Medals to be of jewelers quality, gold plated to prevent tarnishing. To fasten with safety pin style fasteners on top bar. Top of medal to read "PISTOL". PICTURE SHOWING ACTUAL SIZE AND LETTERING IS ATTACHED.

68.A MASTER MEDAL

68.B EXPERT MEDAL

68.C SHARPSHOOTER MEDAL

ITEM # DESCRIPTION

68.D MARKSMAN MEDAL

69 HANDCUFFS, STEEL

SPECIFICATIONS: Handcuffs #PEERLESS OR SMITH & WESSON brand OR APPROVED EQUAL. Nickel plated steel, 10 ounce. Patented lock, 1200 lb. breaking strength, positive hold in 19 positions, double lock.

70 TIE TACKS, SILVER ON BLACK (PHOTOGRAPH ATTACHED)

71 TIE TACKS, GOLD ON BLACK (PHOTOGRAPH ATTACHED)

SPECIFICATIONS: The emblem to be constructed of Jewelers Metal, 3/4" x .050 Ga. with black Cloisonne Enamel. The enamel is to be the best quality of hard fired Cloisonne Enamel. The pin attachment will be a nail 1/2" with clutch-back and burred to keep from turning. Vendor to furnish SAMPLE of both GOLD AND SILVER tie tack including clutch-back and chain. Must be equal to or better than current issue. See diagram #21.

72 COLLAR INSIGNIA, SILVER PLATED (PHOTOGRAPH ATTACHED)

SPECIFICATIONS: Rhodium plated Collar Letters reading WEST VIRGINIA and STATE POLICE, 1/2" high, X 1" inch long, shall have clutch back. Must be equal to or better than current issue. See diagram #22.

72.A WEST VIRGINIA

72.B STATE POLICE

73 COLLAR INSIGNIA, GOLD PLATED

SPECIFICATIONS: Gold plated Collar Letters reading WEST VIRGINIA AND STATE POLICE, 1/2" high X 1" long shall have a clutch back. Must be equal to or better than current issue. See diagram #22.

73.A WEST VIRGINIA

73.B STATE POLICE

74 HAT INSIGNIA, SILVER PLATED (PHOTOGRAPH ATTACHED)

ITEM # DESCRIPTION

SPECIFICATIONS: Rhodium plated hat insignia with screw back and one heavy duty clutch back. See photograph attached for detail. Must be equal to or better than current issue.

75 HAT INSIGNIA, GOLD PLATED

SPECIFICATIONS: Gold plated hat insignia with screw back and one heavy duty clutch back. See photograph attached for detail. Must be equal to or better than current issue.

76A HAT INSIGNIA -- DNR -- RHODIUM PLATED with screw back and one heavy duty clutch back. See photograph attached for size and details.

76B HAT INSIGNIA -- DNR -- GOLD PLATED with screw back and one heavy duty clutch back. See photograph attached for size and details.

77 LAPEL PIN, SILVER PLATED

SPECIFICATIONS: Double flag, WV/US, with ½" clutch back w/stationary catch. See photograph attached for size and detail. Equal to or better than current issue.

78 LAPEL PIN, GOLD PLATED

SPECIFICATIONS: Double flag, WV/US, with ½" clutch back w/stationary catch. See photograph attached for size and detail. Equal to or better than current issue.

79 RANK INSIGNIA, SILVER 1/LIEUTENANT

SPECIFICATIONS: Silver plated bar, two (2) per set. Each bar 1/4" wide x 3/4" long with stationary ½" clutch back, small set. Each bar 1/4" wide x 1" long with stationary ½" clutch back, large set. See diagram #25.

79.A RANK INSIGNIA, SILVER SMALL 1/LIEUTENANT

79.B RANK INSIGNIA, SILVER LARGE 1/LIEUTENANT

80 RANK INSIGNIA, GOLD 2/LIEUTENANT

ITEM #	DESCRIPTION
--------	-------------

SPECIFICATIONS: Gold plated bar, two (2) per set. Each bar 1/4" wide x 3/4" long with clutch back, small set. Each bar 1/4" wide x 1" long with clutch back, large set. Equal to or better than current issue. See diagram # 26.

80.A RANK INSIGNIA, GOLD SMALL 2/LIEUTENANT

80.B RANK INSIGNIA, GOLD LARGE 2/LIEUTENANT

80.C RANK INSIGNIA, SILVER LARGE 1/LIEUTENANT-SILVER WITH RED TIPS

80.D RANK INSIGNIA, SILVER SMALL 1/LIEUTENANT-SILVER WITH RED TIPS

80.E RANK INSIGNIA, GOLD LARGE 2/LIEUTENANT-GOLD WITH RED TIPS

80.F RANK INSIGNIA, GOLD SMALL 2/LIEUTENANT-GOLD WITH RED TIPS

81 RANK INSIGNIA, SILVER SUPERINTENDENT

SPECIFICATIONS: Silver plated eagle, two (2) per set. Each eagle 1" wide x 1/2" high with clutch back, small set. Each eagle 1-1/2" wide x 3/4" high with clutch back, large set. Equal to or better than current issue. See diagram #27

81.A RANK INSIGNIA, SILVER SMALL SUPERINTENDENT

81.B RANK INSIGNIA, SILVER LARGE SUPERINTENDENT

82 RANK INSIGNIA, LT. COLONEL

SPECIFICATIONS: Silver plated oak leaf, two (2) per set. Each oak leaf 5/8" wide x 3/4" high with clutch back, small set. Each oak leaf 1" wide x 1" high with clutch back, large set. Equal to or better than current issue. See diagram # 28.

82.A RANK INSIGNIA, SILVER SMALL LT. COLONEL

82.B RANK INSIGNIA, SILVER LARGE LT. COLONEL

83 RANK INSIGNIA, GOLD MAJOR

ITEM # DESCRIPTION

SPECIFICATIONS: Gold plated oak leaf, two (2) per set. Each leaf 5/8" wide x 3/4" high with clutch back, small set. Each leaf 1" wide x 1" high with clutch back, large set. Equal to or better than current issue. See diagram # 29.

83.A RANK INSIGNIA, GOLD SMALL MAJOR

83.B RANK INSIGNIA, GOLD LARGE MAJOR

84 RANK INSIGNIA, SILVER CAPTAIN

SPECIFICATIONS: Silver plated double bars attached at bottom and top with small bar, two (2) double bars per set. Each double bar 3/4" wide x 3/4" high with clutch back, small set. Each double bar 1" wide x 1" high with clutch back, large set. Equal to or better than current issue. See diagram # 30.

84.A RANK INSIGNIA, SILVER SMALL CAPTAIN

84.B RANK INSIGNIA, SILVER LARGE CAPTAIN

SPECIAL NOTE: ALL RANK INSIGNIA MUST HAVE 1/2" CLUTCH BACK WITH STATIONARY CATCH.....

85 GLOVES, LEATHER

SPECIFICATIONS: Damascus brand, Style DR4293 - Men, DR4293W - Women, OR APPROVED EQUAL.

Leather - cowhide, Lining - Thinsulate,

Construction - Standard lock Inseam, shirred wrist, silking on back.

Color - black.

Size - X-Small - 8, Small - 9, Medium - 10 - 11, Large - 12, X-Large - 13.

86 GLOVES, WHITE COTTON

SPECIFICATIONS: White cotton glove. Full fashion with heavy weight snap. Short style glove (wear with dress blouse or uniform). Sizes: Small, Medium, large, and x-large.

ITEM #	DESCRIPTION
--------	-------------

87	HATS, WINTER, GREEN
----	---------------------

88	HATS, WINTER, OKLAHOMA BROWN - DNR
----	------------------------------------

SPECIFICATIONS: Quality must be equal to or better than the 868 Special as manufactured by STRATTON HATS OF CHICAGO. Also listed as the F-40-C Campaign Style.

CROWN: Montana Peak Traditional 4 dent style. Crown to be 5 ½" high.

BRIM: To be 3" wide, flat, triple thickness, heavily spirit proofed (Shellac and Alcohol Only).

CROWN EYELETS: One eyelet on each side and one in the rear of hat. All three to be 2 ¾ " above brim. **NO EYELET ON THE FRONT OF THE HAT.**

BRIM EYELET: One eyelet on each side of the hat centered to accommodate the back strap.

SWEAT BAND: Genuine leather, first selection 1 5/8" wide, oil silk underneath 1 1/8".

HAT BAND: 9" gross grain, 3/4" wide with bow on left side.

PACKING: Hats are to be packed one to a box with the size on the outside of each box.

SHIPPING: The hats are to be delivered, **PREPAID**, in a single shipment. Shipping containers will be of sufficient strength to withstand transportation by common carrier and to assure safe arrival at the delivery point.

COLOR: Conservation or OD Green, and Oklahoma Brown.

SIZE: Hats shall be supplied in the sizes and shapes as indicated below:

6-1/2, 6-5/8, 6-3/4, 6-7/8, 7, 7-1/8, 7-1/4, 7-3/8, 7-1/2, 7-5/8, 7-3/4, 7-7/8 and Special Order Sizes.

Regular, Long Oval, Extra Long Oval, and Wide Oval

ITEM # DESCRIPTION

WHERE SPECIAL ORDERS ARE REQUIRED, THE MANUFACTURER MUST MAKE HATS ACCORDING TO THE CONFORMATURE PATTERN SUBMITTED WITH SPECIAL

ALL HATS MUST MATCH COLOR AND SHAPE NOW BEING USED BY THE AGENCIES.

89 HATS, SUMMER, GREEN

90 HATS, SUMMER, BROWN - DNR

SPECIFICATIONS: Quality must be equal to or better than the hats currently in use by the agencies, as manufactured by STRATTON HATS OF CHICAGO. #1 Quality Bedford Hemp Braid, tight weave 5 to 5 ½ MM wide.

COLOR: Conservation or OD Green, and Oklahoma Brown.

CROWN: Traditional 4 dent style (Montana Peak).

SWEAT BAND: Head culture foam sweat with oil seak liner.

RIBBON: #9 ligne, yarn dyed cross grain.

BRIM: 3" wide straight flat. Two separate brims joined for extra strength and shape retention. Brims are sewn together, heavily stiffened and shower proofed. Made from 5 - 5 ½ NM Bedford Hemp.

CROWN EYELETS: 3 to serve as vents, one on each side and one in the back 2 - 3/4" above brim. NO EYELET ON THE FRONT OF THE HAT.

BRIM EYELETS: 3/8" oval, one on each side to accommodate chin strap centered.

STIFFENING: Crown to be double dipped. Brim to be triple dipped with symbol #21 sizing by Kemp Paint.

SIZE: Hats shall be supplied in the sizes and shapes as indicated below.

6-1/2, 6-5/8, 6-3/4, 6-7/8, 7, 7-1/8, 7-1/4, 7-3/8, 7-1/2, 7-5/8, 7-3/4, 7-7/8, and Special Order Sizes

ITEM # DESCRIPTION

Regular, Long Oval, Extra Long Oval and Wide Oval

WHERE SPECIAL ORDERS ARE REQUIRED, THE MANUFACTURER WILL MAKE HATS ACCORDING TO THE CONFORMATURE PATTERN SUBMITTED WITH SPECIAL ORDER.

ALL HATS MUST MATCH COLOR AND SHAPE NOW BEING USED BY THE AGENCIES.

91 HAT, FATIGUE (BASEBALL STYLE), DNR

SPECIFICATIONS:

1. Visor to be 2-7/8" deep at center.
2. Visor to be covered top, bottom and side with basic material. Same color as hat.
3. Visor to have six (6) rows lockstitch stitching, 3/16 inches apart.
4. Inside of visor to be made of high grade cotton material.
5. Hats to have solid backs.
6. All hats to be supplied in black.
7. Each to have adjustable sizing band.
8. Each hat to have solid front panel with badge embroidered in gold. See diagram # 31 for badge specifications.
9. Approximate size of embroidered badge -- 3 inches high by 2 inches wide.

92 HAT, FATIGUE (GOLF STYLE) Photograph Attached

93 HAT, FATIGUE (GOLF STYLE) -- CADET Photograph Attached

94 HAT, FATIGUE (GOLF STYLE) OFFICERS Photograph Attached

SPECIFICATIONS: Must be equal to or better than current issue.

TYPE - All weather

FABRIC - Cotton poplin

WEIGHT - 11 ½ oz.

COLOR - Black Solid Back

BASIC DESIGN: Golf style uniform cap, seamless front panel, side and rear panels are all matching cotton poplin with sewn eyelets on side panels.

ITEM #	DESCRIPTION
--------	-------------

The front shall be stiffened with a heavy duty material and the three piece visor with 6 rows of stitching. All gore seams shall be covered by bias tape. Fabric covered crown button and an adjustable band with metal clasp on the back to allow finer size adjustments. The cap shall be constructed with a heavy decorative matching braid, (braid black in color).
VISOR BOARD: The material for the visor board shall be composed of high Alpha Cellulose wood pulp, wet web impregnated, washable and cover with black Poplin (same as cap).

FRONT CROWN STIFFENER: The material for the front crown stiffener shall be 100% cotton warp and 100% nylon mono-filament filling. The weave shall be a modified plain weave (basket weave) with two warp ends weaving as one and one filling end. The cloth may be finished with a stiffening agent provided that the compound used is not toxic.

SWEATBAND: The sweatband shall have a finished measurement of 1 3/8" to plus or minus 1/16" and be constructed of cotton terry cloth.

SIZE STRIP: The size strip shall be made from polyethylene therephtalate plastic sheet conforming to MIL-P-55010, except the thickness shall be .010 plus or minus .002", the color to be natural (opaque). The strip shall measure from 1/4" to 5/16" wide and of sufficient length to offer a neat appearance without puckering or excessive fullness.

SIZE RANGE: Caps to be made in two sizes with the small/ medium range to fit from size 6 1/2" to 7 1/8" and the medium/ large range to fit sizes from size 7" through 7 3/4".

CAP BUTTON: The cap button for the cap shall be a Handy Button Machine Corp. Style #1922 HB and tack or equal. The cover of the button shall be basic material.

SEAMING & STITCHING: Proper seam allowances shall be maintained to prevent raw edges, run-offs, twists, pleats, puckers or open seams. Stitches per inch shall be 8-10 for all seaming. Thread breaks and ends of stitches shall be back tacked not less than 1/2" and ends of a continuous line of stitching shall be overlapped not less than 1/2".

ITEM #	DESCRIPTION
--------	-------------

FINISHED MEASUREMENTS: The front crown height of the finished cap shall be 6 1/4" (plus or minus). The measurement shall be taken from center base of visor along front seam to center of button.

EMBROIDERY WORK: Each hat shall have direct embroidery the West Virginia State Police patch emblem attached securely to the front center. The patch shall be embroidered through the use of gold thread. See diagram #32.2. Patch height 2 3/4" and width 2 1/2" with 100% embroidery. (Vendor supplies patch. Patch must be equal to or better than current issue and compliant in all respects.)

CADET STYLE: Does not have patch affixed. Instead the work "CADET" is screen printed on the face of the hat in large, white block letters measuring 2" high x 6" from side to side. Sample available. See diagram # 33.

OFFICER STYLE: Must come with gold scrambled eggs emblem embroidered directly onto the hat. See diagram # 34.

95	HAT STRAP 2 PIECE LEATHER (Band Strap and Back Strap)
----	---

SPECIFICATIONS: Top quality, full grain leather vegetable tanned. Black in color, metal component nickel plated steel including rivet, posts and tongue. Straps 3/8" wide; ends 3/8" with rivet-type swivel & closure. Ruled on both edges, length of strap and stained. Size minimum of 18" long when unbuckled with seven adjustment holes for buckle.

96	HAT COVER, GRAY
----	-----------------

SPECIFICATIONS:

FABRIC: Goodyear vinyl plastic.

CONFIGURATION: Campaign Hat Style.

COLOR: Smoke Grey

SIZES: Small, Medium, Large, Extra Large

97	BRIEF CASE, 5 INCH
----	--------------------

SPECIFICATIONS: Samsonite brand, as currently issued OR APPROVED EQUAL. Three sectioned expandable portfolio with three elastic front pockets and one mid pocket helps keep things organized. Exclusive

ITEM # DESCRIPTION

patented right-side up feature won't let you open the case upside down. Strong padded handle is comfortable to carry. The lock can be set to your personal combination. Integrated piano type hinge gives frame extra strength. Recessed push button locking system prevents accidental opening. Insets accommodate enclosed initialgrams for personalization. Fully fabric lined interior protects your contents and gives a deluxe finish. Tongue and groove frame is strong yet lightweight. Attache (63xx45), 13-3/8" x 5-1/4" x 18-1/4", weight 6.3 pounds. Color to be Black-01, or Brown-29.

98 UTILITY TOTE BAG - Photograph attached

SPECIFICATIONS: Safariland brand, as currently issued, OR APPROVED EQUAL. Constructed of durable heavy duty nylon, cylindrical in shape, dimensions; 10" x 22 x 10". Main compartment is adaptable for carrying helmets, jackets, utility items, etc. Zipper closure. Two (2) carrying straps. Name card pocket. White vinyl letters on each side of zipper - One side to read -WEST VIRGINIA" the other side - STATE POLICE".

99 DUFFLE BAG, GREEN

SPECIFICATIONS: Duffle Bags - 36" x 22" x 11". Heavy duty canvas material, cotton webbing carrying handle, heavy duty zipper. Color: OD Green.

100 RIOT STICK & WRIST STRAP

SPECIFICATIONS: Hickory constructed, 36" long and 1-1/2" in diameter include leather wrist strap.

101 RIOT STICK HOLDER

SPECIFICATIONS: Shall be clarino leather to fit item # 94.

102 GROMMET

SPECIFICATIONS: Shall be made of rubber to fit item # 94.

103 CITATION HOLDER, ALUMINUM

ITEM #	DESCRIPTION
--------	-------------

SPECIFICATIONS: Size: 11 3/4 X 6 1/2". Galls CP007-SIL currently issued, OR APPROVED EQUAL. To have storage compartment in bottom. Writing plate shall serve as both a protective cover and backing plate when writing. Aluminum construction to include full length piano-type hinge, nickel plated steel rivets, springs and clips. Aluminum to be at least .40 thick coated with clear plastic baked to hard glossy finish.

104	WARNING HOLDER, ALUMINUM
-----	--------------------------

SPECIFICATIONS: Size: 4-1/4" x 9-1/2". Style A. Saunders Mfg., as currently issued, OR APPROVED EQUAL. To have storage compartment in bottom. Writing plate shall serve as both a protective cover and backing plate when writing. Aluminum construction to include full length type-piano hinge nickel plated steel rivets, springs and clips. Aluminum to be at least .40 thick and coated with clear plastic baked to a hard glossy finish.

105	ACCIDENT INVESTIGATION HOLDER, ALUMINUM
-----	---

SPECIFICATIONS: Size 8-1/2" x 12". Style A. Saunders Mfg., as currently issued, OR APPROVED EQUAL. To have storage compartment in back. Writing plate shall serve as both a protective cover and backing plate when writing. Aluminum construction to include full length type-piano hinge, nickel plated steel rivets, springs and clips. Aluminum to be at least .40 thick and coated with clear plastic baked to a hard glossy finish.

106	FLASHLIGHT
-----	------------

SPECIFICATIONS: Streamlight Brand, Model SL-20X. NO SUBSTITUTIONS ACCEPTED. The hand light shall be cased in a heavy-duty precision machined extruded aluminum alloy housing with a corrosion-resistant black anodized finish. The case will be "O" ring gasketed for weather sealing. The switching mechanism shall be of the push button type and allow three position operation. There shall be provision for: 1) an "OFF" position, 2) a constant "ON" position and 3) a momentary or "DEAD-MAN" "ON" position operable from the full "OFF" position. Twin LED charge indicators shall be mounted directly in flashlight to verify charging from any angle.

The light source shall consist of a tungsten filament halogen lamp rated at 100 hours lifetime prefocused to obtain optimal candlepower and

ITEM #	DESCRIPTION
--------	-------------

permanently mounted in a spun aluminum, electroplated reflector providing a maximum measured peak beam candlepower of 30,000 in a central hot spot 12" - 18" in diameter when measured at 8' from the flashlight. In addition at 8' from the flashlight there shall be a peripheral circle of illumination no less than 16' in diameter in which an average minimum of 500 candlepower exists. Each flashlight and replacement lamp shall be measured individually at the factory.

Flashlight shall not allow adjustment of focus by user to change or in any way lessen these candlepower specifications. Flashlights that require standard or gas-filled PR based lamp are not acceptable. The lens shall be made of clear unbreakable scratch resistant polycarbonate material.

Internal construction shall prevent physical damage to lamp from inertia load of batteries. Unitized battery stick shall allow battery replacement in the field without the unsoldering of "HARD WIRE" connections to unit. Flexible wire leads from the switch to the lamp socket and the lamp socket itself shall have a very low mass to provide maximum lamp protection if the light is dropped or thrown.

Charger/holders shall be available for operation from 110-120 volt AC circuits or from 12-14 volt DC vehicle circuitry. The charger/holders shall be constructed of high-impact thermoplastic. Charging circuitry shall allow for continuous charge without necessity for interruption or danger of overcharge. Charging shall take place automatically when light is placed in charger, regardless of external switch position. Chargers which require secondary operations, such as batteries to be removed, flashlight switch to be turned specifically on or off, or cords to be inserted into flashlight, are not acceptable.

Charger/holder sleeves shall have internal mounting holes for wall or desk mounting. Transformer for 120 volt AC charger shall be UL listed and clearly labeled to indicate both input and output voltage and wattage. Sleeves shall accept both 120 V AC and 12 V DC charging cords.

There shall be vehicle charger cords available with connections for permanent fuse attachment. The charger shall have circuitry to prevent "DRAINBACK" from flashlight to vehicle system.

Flashlight shall have a limited lifetime warranty which includes metal case, switch and all internal components, Battery and charger/holders shall

ITEM #	DESCRIPTION
--------	-------------

warranty for one (1) year. Lamp module shall have unconditional six (6) months warranty.

1. LIGHT: OPERATIONAL SPECIFICATIONS

- A. Input power to lamp: 6 TO 7.2 volts DC at 16 amps.
- B. Maximum peak beam candlepower: 30,000.
- C. Halogen lamp life: 100 hrs approx.
- D. Operating position: Any
- E. Lamp replacement: Lamp and spun aluminum reflector in one module.
- F. Run time: 90 minutes continuous.

2. RECHARGEABLE BATTERY STICK - OPERATIONAL SPECIFICATIONS

- A. Output power: 6 to 7.2 volt DC at 2.5 AH.
- B. Recharge from: 110 volt AC to 12 volt DC.
- C. Battery life: 1000 recharge cycles maximum.

3. LIGHT: PHYSICAL SPECIFICATIONS

- A. Size: 13" length, 1.5" body diameter, 2.5" head diameter.
- B. Weight: 0.9 lbs. Without batteries, 1.9 lbs with batteries.
- C. Case: Precision machined heavy duty extruded aluminum alloy with corrosion-resistant black anodized finish. Each flashlight shall be individually serialized.

4. RECHARGEABLE BATTERY STICK - PHYSICAL SPECIFICATIONS

- A. Size: 7.25" length, 1.25" diameter.
- B. Weight: 0.9 lbs.
- C. Configuration: Five cells permanently connected by inseams of weld joints and encased in a shrink tubing.
- D. Battery type: Nickel-cadmium 6 volt.

5. UNIVERSAL CHARGER/HOLDER SLEEVE:

PHYSICAL AND OPERATIONAL SPECIFICATIONS:

- A. Length 3.65", Housing width 2.60" Maximum above mounting surface 2.7".
- B. Weight: 4 oz.
- C. Input voltage: 12-14 VDC.

6. CHARGING CORDS: PHYSICAL OPERATIONAL SPECIFICATIONS:

ITEM #	DESCRIPTION
--------	-------------

- A. Size: AC - 6' LONG, DC - 4' LONG
- B. Weight: AC - 110 VOLT AC, 11 oz. DC - 12 VOLT DC, 1 oz.
- C. Input voltage: AC - 110 - 120 VOLT AC. DC - 12 - 14 VOLT DC
- D. Output voltage: 12 - 14 VDC
- E. Mounting hardware: Integral mounting holes for vehicle or wall.

106A Stinger Flash light AC/DC Fast chargers with 2 holders, Streamlight model 75024. Sturdy aluminum body 7 2/8' long, spare bulb in end cap, 15,000 candle power.

106B Stinger leather flashlight holder with cover. Gould & Goodrich model B672-4. Plain black leather holder with flap. Nickel or Brass snaps.

PLEASE NOTE: PROTOTYPES ARE NOT ACCEPTABLE AS SAMPLES OR AS DELIVERED PRODUCT.

DIVIDER PAGE

PRICE QUOTE

This form must be used when submitting price information

ITEM#	DESCRIPTION OF ITEM	BID WEIGHT	MINIMUM QUANTITY	UNIT COST
1.	ALL WEATHER TROUSERS (MW)	1200	_____	<u>No Bid</u>
2.	WINTER TROUSERS (MW)	200	_____	<u>No Bid</u>
3.	WINTER TROUSERS (MW) DNR-LAW ENFORCEMENT	100	_____	<u>No Bid</u>
4.	ALL WEATHER TROUSERS DNR-LAW ENFORCEMENT	100	_____	<u>No Bid</u>
5.	ENLISTED BLOUSE	10	_____	<u>No Bid</u>
6.	OFFICER BLOUSE	10	_____	<u>No Bid</u>
7.	WINTER SHIRTS (MW)	750	_____	<u>No Bid</u>
8.	SUMMER SHIRTS (MW)	950	_____	<u>No Bid</u>
9.	WINTER SHIRTS (MW) DNR LAW ENFORCEMENT	100	_____	<u>No Bid</u>
10.	SUMMER SHIRTS (MW) DNR LAW ENFORCEMENT	100	_____	<u>No Bid</u>
11.	ALL WEATHER JACKET (INCLUDES A-B-C BELOW)	150	_____	<u>No Bid</u>
	A. JACKET ONLY	10	_____	<u>No Bid</u>
	B FULLER	10	_____	<u>No Bid</u>
	C REMOVABLE FUR COLLAR	10	_____	<u>No Bid</u>
12.	ALL WEATHER JACKET-DNR (INCLUDES A-B-C BELOW)	125	_____	<u>No Bid</u>
	A JACKET ONLY	10	_____	<u>No Bid</u>

B	FULLER-LINER ONLY (THINSULATE 10			<u>No Bid</u>
C	REMOVABLE FUR COLLAR ONLY	10		<u>No Bid</u>
13.	WINDBREAKER-DNR LAW ENF.	40		<u>No Bid</u>
14.	NO ITEM			
15.	RAID JACKET	25		<u>No Bid</u>
16A	RAINCOAT GREEN LONG	100		<u>No Bid</u>
16B	RAINCOAT GREEN SHORT	100		<u>No Bid</u>
17	NO ITEM			
18	RAIN COAT DNR SHORT	20		<u>No Bid</u>
19.	CLASS A TACT UNIFORM TROUSER Tru-Spec # 1559	125	<u>1</u>	<u>18.50</u>
19A.	CLASS A TACT UNIFORM TROUSER COTTON AND NYLON BLEND Tru-Spec # 1318	125	<u>1</u>	<u>23.50</u>
20.	CLASS A TACT UNIFORM SHIRT LONG SLEEVE	125		<u>No Bid</u>
20A.	CLASS A TACT UNIFORM SHIRT SHORT SLEEVE Tru-Spec # 1379	125	<u>1</u>	<u>23.50</u>
21	MENS SOCKS Eider # 4823	650	<u>12</u>	<u>2.20</u>
22.	T-SHIRT V-NECK WHITE	500		<u>No Bid</u>
23.	T-SHIRT GREEN WVSP/SCREEN PRINTED	800		<u>No Bid</u>
24	UNIFORM TIES 15" & 17" #90051 & 90016	520	<u>12</u>	<u>2.50</u>
25	UNIFORM TIES 19" # 90049	100	<u>12</u>	<u>2.75</u>
26	BUCKLE BOOTS MALE	200	<u>3</u>	<u>79.99</u>
27	SHOES OXFORD FEMALE	50	<u>3</u>	<u>69.25</u>
27A	SHOES OXFORD MALE	150	<u>3</u>	<u>69.25</u>

27B	SHOES OXFORD MENS	100	<u>3</u>	<u>69.25</u>
28	SHOES CLARINO M&W	100	<u>3</u>	<u>61.00</u>
28A	SHOES CLARINO M&W	100	<u>3</u>	<u>52.95</u>
28B	SHOES WOMENS OXFORD	50	<u>3</u>	<u>58.75</u>
29	BOOTS, WATERPROOF/INSULATED ROCKY STYLE 7017	100	<u>3</u>	<u>145.75</u>
30	NO ITEM			
31	SHOE, ATHLETIC PATROL DNR (BATES STYLE 2302)	100	<u>6</u>	<u>56.00</u>
32				
33	CARTRIDGE BELT clarino	100	<u>5</u>	<u>35.80</u>
34	CARTRIDGE BELT	100	<u>5</u>	<u>35.80</u>
34A	CARTRIDGE BELT DNR LAW ENF. Gould & Goodrich B59FL4R	100	<u>5</u>	<u>42.89</u>
35	WAIST BELT CL Gould & Goodrich	200	<u>5</u>	<u>21.40</u>
36	WAIST BELT PB Gould & Goodrich	50	<u>5</u>	<u>16.10</u>
37	NO ITEM			
38	HOLSTER, SAFARILAND (OLD STYLE) (for S&W 4566 TSW) #6280-0BL	50	<u>5</u>	<u>81.25</u>
39A	HOLSTER, (for S&W 4566TSW) #518	50	<u>5</u>	<u>39.60</u>
39B	HOLSTER (for S&W 4566TSW) #200	20	<u>5</u>	<u>69.20</u>
40	HANDCUFF CASE CL	50	<u>5</u>	<u>19.80</u>
41	HANDCUFF CASE PB	15	<u>5</u>	<u>19.80</u>

41A	HANDCUFF CASE (Gould & Goodrich Model B70 for DNR)	50 <u>5</u>	<u>19.65</u>
42	MAGAZINE HOLDER (for S&W 4566TSW	50 <u>5</u>	<u>21.95</u>
42B	TACTICAL LIGHT HOLDER # 307-8-9	50 <u>5</u>	<u>19.30</u>
43	MAGAZINE HOLDER (DNR LAW ENFORCEMENT)	50 <u>5</u>	<u>22.25</u>
44	LOOPS & DEES	30 <u>2</u>	<u>7.95</u>
45	ID WALLET MEMBER # 0K440	200 <u>10</u>	<u>15.95</u>
46	ID. CASE RETIRED # 0K440	200 <u>10</u>	<u>15.95</u>
46A	ID. CASE BOOK STYLE # 0K2110	100 <u>10</u>	<u>9.50</u>
47	WV STATE POLICE PATCH	100 _____	<u>NO Bid</u>
47A	WV STATE POLICE PATCH SUBDUED	200 _____	<u>NO Bid</u>
48	CADET PATCH	300 _____	<u>NO Bid</u>
49	DNR LAW ENF. PATCH	500 _____	<u>NO Bid</u>
50	CHEVRONS-WINTER		
A.	SENIOR TROOPER	250 _____	<u>NO Bid</u>
B	TROOPER FIRST CLASS	250 _____	<u>NO Bid</u>
C.	CORPORAL	250 _____	<u>NO Bid</u>
D	SERGEANT	100 _____	<u>NO Bid</u>
E.	FIRST SERGEANT	75 _____	<u>NO Bid</u>
51.	WINTER CHEVRONS DNR		
A.	CORPORAL	50 _____	<u>NO Bid</u>
B	SERGEANT	50 _____	<u>NO Bid</u>

52. SUMMER CHEVRONS

A.	SENIOR TROOPER	250	_____	<u>No Bid</u>
B.	TROOPER FIRST CLASS	250	_____	<u>No Bid</u>
C.	CORPORAL	150	_____	<u>No Bid</u>
D.	SERGEANT	100	_____	<u>No Bid</u>
E.	FIRSI SERGEANT	75	_____	<u>No Bid</u>

53. SUMMER CHEVRONS DNR

A.	CORPORAL	50	_____	<u>No Bid</u>
B.	SERGEANT	50	_____	<u>No Bid</u>

54. SERVICE INSIGNIA

- A. 2 YEARS
- B. 4 YEARS
- C. 6 YEARS
- D. 8 YEARS
- E. 10 YEARS
- F. 12 YEARS
- G. 14 YEARS
- H. 16 YEARS
- I. 18 YEARS
- J. 20 YEARS
- K. 22 YEARS
- L. 24 YEARS
- M. 26 YEARS
- N. 28 YEARS
- O. 30 YEARS
- P. 34 YEARS
- Q. 36 YEARS
- R. 38 YEARS
- S. 40 YEARS

55.	TROOPER BADGE (UNIFORM & ID) Blackinton B1705 1A	50	<u>1</u>	<u>25.25</u>
56.	CORPORAL BADGE (UNIFORM & ID) B1705	50	<u>1</u>	<u>25.25</u>
57.	SERGEANT BADGE (UNIFORM & ID) B1705	25	<u>1</u>	<u>25.25</u>
58.	FIRST SERGEANT BADGE (UN & ID) B1705	25	<u>1</u>	<u>25.25</u>

59	LIEUTENANT BADGE (UNIF & ID) B1705	25 <u>1</u>	<u>25.25</u>
60	CAPTAIN BADGE (UNIF & ID) B1705	25 <u>1</u>	<u>49.00</u>
61	MAJOR BADGE (UNIF & ID) B1705	10 <u>1</u>	<u>49.00</u>
62	LT COLONEL BADGE (UNIF & ID) B1705	8 <u>1</u>	<u>49.00</u>
63	SUPERINTENDENT BADGE (UN & ID) B1705	8 <u>1</u>	<u>49.00</u>
64	RETIRED BADGE - SILVER ID B1705	20 <u>1</u>	<u>25.25</u>
65	RETIRED BADGE GOLD ID B1705	20 <u>1</u>	<u>25.25</u>
66A	STATE BADGE (DNR) B1705B	25 <u>1</u>	<u>25.25</u>
66B	SERGEANT BADGE DNR B1705B	10 <u>1</u>	<u>25.25</u>
66C	LIEUTENANT BADGE (DNR) B1705B	10 <u>1</u>	<u>49.00</u>
66D	CAPTAIN BADGE (DNR) B1705B	10 <u>1</u>	<u>49.00</u>
66E	MAJOR BADGE (DNR) B1705B	5 <u>1</u>	<u>49.00</u>
66F			
66G	LT. COLONEL (DNR) B1705B	5 <u>1</u>	<u>49.00</u>
66H	COLONEL (DNR) B1705B	5 <u>1</u>	<u>49.00</u>
67	SHOOTING MEDAL (SILVER) Blodington		
	A. MARKSMAN A7318	90 <u>5</u>	<u>20.95</u>
	B. SHARPSHOOTER A7318	90 <u>5</u>	<u>20.95</u>
	C. EXPERT A7318	90 <u>5</u>	<u>20.95</u>
	D. MASTER A7318	90 <u>5</u>	<u>20.95</u>

68	SHOOTING MEDAL GOLD		
	A MARKSMAN A7318	90 <u>5</u>	<u>21.50</u>
	B SHARPSHOOTER A7318	90 <u>5</u>	<u>21.50</u>
	C EXPERT A7318	90 <u>5</u>	<u>21.50</u>
	D MASTER A7318	90 <u>5</u>	<u>21.50</u>
69	HANDCUFFS STEEL S+W M-100	50 <u>10</u>	<u>18.50</u>
70	TIE TACKS (SILVER ON BLACK)	400 _____	<u>NO BID</u>
71	TIE TACKS (GOLD ON BLACK)	150 _____	<u>NO BID</u>
72	COLLAR INSIGNIA (SILVER) A. WEST VIRGINIA B. STATE POLICE Smith + Warren	100 <u>20</u> 20	<u>5.25</u> <u>5.25</u>
73	COLLAR INSIGNIA (GOLD) A WEST VIRGINIA B. STATE POLICE Smith + Warren	100 <u>20</u> 20	<u>5.25</u> <u>5.25</u>
74	HAT INSIGNIA (SILVER) Smith + Warren	100 <u>20</u>	<u>15.25</u>
75	HAT INSIGNIA (GOLD) Smith + Warren	100 <u>26</u>	<u>19.00</u>
76A	HAT INSIGNIA DNR SILVER Smith + Warren	50 <u>20</u>	<u>17.00</u>
76B	HAT INSIGNIA DNR GOLD Smith + Warren	25 <u>10</u>	<u>20.25</u>
77	LAPEL PIN (SILVER)	300 _____	<u>NO BID</u>
78	LAPEL PIN (GOLD)	150 _____	<u>NO BID</u>
79	RANK INSIGNIA 1/LIEUTENANT SILVER	25 <u>5</u>	_____ <u>1.95</u>
	79A SMALL 4409MN		<u>2.50</u>
	79B LARGE 4424RS		
80	RANK INSIGNIA 2/LIEUTENANT	10 <u>1</u>	_____

80A	SMALL	4409 MG		1.95
80B	LARGE	4424 RG		2.50
80C	RANK INSIGNIA LT SILVER W/RED LARGE		10 _____	No Bid
80D	SAME AS 80C (SMALL)		10 _____	No Bid
80E	RANK INSIGNIA LT GOLD W RED LARGE		10 _____	No Bid
80f	SAME AS 80e SMALL		10 _____	No Bid
81	RANK INSIGNIA SUPERINTENDENT			
	A SMALL	4413MN	10 <u>1</u>	<u>2.50</u>
	B LARGE	4428RN	10 <u>1</u>	<u>2.80</u>
82	RANK INSIGNIA LT COLONEL			
	A. SMALL	4412MN	10 <u>1</u>	<u>2.50</u>
	B. Large	4427RN	10 <u>1</u>	<u>2.80</u>
83.	RANK INSIGNIA MAJOR			
	A. SMALL	4412MG	10 <u>1</u>	<u>2.50</u>
	B. LARGE	4427RG	10 <u>1</u>	<u>2.80</u>
84	RANK INSIGNIA CAPTAIN			
	A. SMALL	4411MN	10 <u>1</u>	<u>2.25</u>
	B. LARGE	4426RN	10 <u>1</u>	<u>2.90</u>
85	GLOVES LEATHER		200 <u>10</u>	<u>14.00</u>
	Damascus DL040 12 replacing current model			
86	GLOVES WHITE WG-1000S		100 <u>10</u>	<u>3.00</u>
87	HATS, WINTER GREEN F-40		400 <u>3</u>	<u>75.95</u>
88	HATS, WINTER, BROWN DNR F-40		100 <u>3</u>	<u>75.95</u>
89	HATS, SUMMER GREEN S-400B		400 <u>3</u>	<u>51.50</u>
90	HATS, SUMMER BROWN DNR S-400B Double Brim		100 <u>3</u>	<u>51.50</u>

91	FATIGUE CAP DNR	50 <u>10</u>	<u>8.25</u>
92	FATIGUE CAP WVSP	200 <u>20</u>	<u>8.25</u>
93	FATIGUE CAP CADET	100 <u>20</u>	<u>8.25</u>
94	HAT FATIGUE OFFICERS	100 _____	<u>NO BID</u>
95	HAT STRAP 2 PIECE	150 <u>10</u>	<u>8.15</u>
96	HAT COVER GRAY Smoke	200 <u>12</u>	<u>4.00</u>
97	BRIEF CASE 5 INCH	100 _____	<u>NO BID</u>
98	UTILITY TOTE BAG	100 _____	<u>NO BID</u>
99	DUFFLE BAG GREEN	100 _____	<u>NO BID</u>
100	RIOT STICK monodnock # 2800	50 <u>5</u>	<u>15.00</u>
101	RIOT STICK HOLDER G+G H7306	50 <u>5</u>	<u>5.25</u>
102	GROMMET monodnock	50 <u>5</u>	<u>1.50</u>
103	CITATION HOLDER	75 <u>12</u>	<u>14.75</u>
104	WARNING HOLDER	75 <u>12</u>	<u>12.25</u>
105	ACCIDENT HOLDER	75 <u>12</u>	<u>16.75</u>
106	FLASHLIGHT	100 <u>6</u>	<u>96.00</u>
106A	STINGER FLASH LIGHT	50 <u>6</u>	<u>89.00</u>
106B	STINGER LIGHT HOLDER	50 <u>6</u>	<u>16.40</u>

RFQ No. _____

A F F I D A V I T

West Virginia Code §5A-3-10a states:

No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owned is an amount greater than one thousand dollars in the aggregate

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality, county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount

EXCEPTION:

The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

LICENSING:

Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.

CONFIDENTIALITY:

The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendors should visit www.state.wv.us/admin/purchase/privacy for the Notice of Agency Confidentiality Policies.

Under penalty of law for false swearing (West Virginia Code, §61-5-3), it is hereby certified that the vendor acknowledges the information in this said affidavit and are in compliance with the requirements as stated.

Vendor's Name: Southern Police Equipment

Authorized Signature:  Date: 02-06-07

FEATURES

LONG SLEEVE TACTICAL SHIRT:

- ▶ 2 POCKET DESIGN
- ▶ SNAG PROOF BUTTON FLAPS
- ▶ BELLOWS CHEST POCKETS WITH DRAIN HOLES
- ▶ LEFT POCKET HAS PENCIL POCKET OPENING
- ▶ EPAULETS ON EACH SHOULDER
- ▶ FUSED FLAPS AND COLLAR
- ▶ REINFORCED ELBOW PATCHES
- ▶ CUFFS HAVE BUTTON TAB WITH 3 BUTTONS
- ▶ CONCEALED SNAG PROOF 5-BUTTON PLACKET
- ▶ FELLED SIDE SEAMS AND SLEEVES

TACTICAL SHIRT

65/35 VAT DYED POLY-COTTON RIP-STOP

SIZES AVAILABLE:

XS - 5XL REGULAR, XS - 3XL LONG

ITEM NO.	COLOR
1360	BLACK
1367	NAVY
1381	KHAKI
1374	GREY
1376	CHARCOAL
1379	OLIVE DRAB
1384	BROWN
1428	TAC TIGER™

TACTICAL SHIRT

65/35 VAT DYED POLY-COTTON TWILL

SIZES AVAILABLE:

XS - 5XL REGULAR, XS - 3XL LONG

ITEM NO.	COLOR
1480	NEW! BLACK
1481	NEW! MIDNIGHT NAVY

TACTICAL SHIRT

60/40 COTTON-POLY TWILL

SIZES AVAILABLE:

XS - 5XL REGULAR, XS - 3XL LONG

ITEM NO.	COLOR
1417	BLACK
1423	NAVY

COAT:

MADE TO US MILITARY SPECIFICATION
L-C-44048G

POCKET DESIGN

CHEST POCKETS HAVE SNAG PROOF
BUTTON FLAPS WITH BELLOWS AND DRAIN
HOLES

LEFT POCKET HAS PENCIL POCKET OPENING
OTHER POCKETS ARE PARTIALLY BELLOWS
WITH SNAG PROOF BUTTON FLAPS AND
DRAIN HOLES

JUSTABLE 2" WIDE 3 BUTTON CUFFS

FUSED FLAPS AND COLLAR

REINFORCED ELBOW PATCHES

CONCEALED SNAG PROOF 5 BUTTON
PLACKET

FELLED SIDE SEAMS AND SLEEVES

OAT

65/35 VAT DYED POLY-COTTON RIP-STOP

AVAILABLE:

L REGULAR, XS - 3XL LONG

ITEM NO.	COLOR
1360	BLACK
1367	NAVY
1381	GREY
1374	BROWN
1376	KHAKI
1379	OLIVE DRAB
1384	CHARCOAL
1428	TAC TIGER™

OAT

60/40 COTTON RIP-STOP

AVAILABLE

L REGULAR, XS - 3XL LONG


ITEM NO.	COLOR
1360	BLACK

LONG SLEEVE TACTICAL SHIRTS


1360 ▽



For the Tru Professional



KEYHOLE BUTTON
HOLES ON ALL
TACTICAL SHIRTS



MIL-T-44047E

- ▶ 6 POCKET DESIGN
- ▶ 2 FRONT SLASH POCKETS AND 2 REAR INSERTED POCKETS WITH SNAG PROOF POCKET FLAPS
- ▶ 2 BELLOWS 3 PLEATED CARGO POCKETS WITH DRAIN HOLES AND SNAG PROOF BUTTON FLAPS
- ▶ FUSED FLAPS
- ▶ 2 ADJUSTABLE SIDE TABS, SECURED WITH 4 BARTACKS
- ▶ REINFORCED SEAT AND KNEE PATCHES
- ▶ 4-BUTTON FLY CLOSURE
- ▶ BELT LOOPS WITH 2-1/4" WIDE OPENING, SECURED WITH 2 BARTACKS
- ▶ NYLON DRAWSTRING LEG TIES
- ▶ FELLED INSEAM, OUTSEAM AND SEAT SEAM

- ▶ 6 POCKET DESIGN
- ▶ 2 FRONT SLASH POCKETS AND 2 REAR INSERTED POCKETS WITH SNAG PROOF POCKET FLAPS
- ▶ 2 BELLOWS 3 PLEATED CARGO POCKETS WITH DRAIN HOLES AND SNAG PROOF BUTTON FLAPS
- ▶ FUSED FLAPS
- ▶ 2 ADJUSTABLE SIDE TABS, SECURED WITH 4 BARTACKS
- ▶ REINFORCED SEAT AND KNEE PATCHES
- ▶ 4-BUTTON FLY CLOSURE
- ▶ BELT LOOPS WITH 2-1/4" WIDE OPENING, SECURED WITH 2 BARTACKS
- ▶ NYLON DRAWSTRING LEG TIES
- ▶ FELLED INSEAM, OUTSEAM AND SEAT SEAM

BDU TROUSER

65/35 VAY DYED POLY-COTTON RIP-STOP

SIZES AVAILABLE:

XS - 5XL REGULAR, XS - 3XL LONG, S - XL SHORT

ITEM NO.	COLOR
1324	BLACK
1335	NAVY
1314	KHAKI
1304	GREY
1308	CHARCOAL
1318	OLIVE DRAB
1343	BROWN
1912	TAC TIGER™

BDU TROUSER

100% COTTON RIP-STOP


SIZES AVAILABLE:

XS - 4XL REGULAR, S - XL SHORT, XS - 3XL LONG



ITEM NO.	COLOR
1523	BLACK
1577	NAVY
1541	KHAKI
1559	OLIVE DRAB
1505	WOODLAND
1898	DESERT 3 COLOR



For the Tru Professional



1324 ▼



MIL-T-44047E

- ▶ 6 POCKET DESIGN
- ▶ 2 FRONT SLASH POCKETS AND 2 REAR INSERTED POCKETS WITH SNAG PROOF POCKET FLAPS
- ▶ 2 BELLOWS 3 PLEATED CARGO POCKETS WITH DRAIN HOLES AND SNAG PROOF BUTTON FLAPS
- ▶ FUSED FLAPS
- ▶ 2 ADJUSTABLE SIDE TABS, SECURED WITH 4 BARTACKS
- ▶ REINFORCED SEAT AND KNEE PATCHES
- ▶ 4-BUTTON FLY CLOSURE
- ▶ BELT LOOPS WITH 2-1/4" WIDE OPENING, SECURED WITH 2 BARTACKS
- ▶ NYLON DRAWSTRING LEG TIES
- ▶ FELLED INSEAM, OUTSEAM AND SEAT SEAM

BDU TROUSER

80% COTTON/ 20% POLYESTER TWILL

SIZES AVAILABLE:

XS - 4XL REGULAR, S - XL SHORT, XS - 3XL L

ITEM NO.	COLOR
1758	I
1732	BI
1719	K
1745	OLIVE I
1828	VIETNAM TIGER ST
1826	WOODI
1612	DESERT 3-C
1610	DESERT 6-CO
1646	CITY UI
1806	SKY C

BDU TROUSER

50/50 POLY-COTTON

SIZES AVAILABLE:

XS - 3XL REGULAR, XS - 3XL LONG

ITEM NO.	COLOR
1264	ADVANTAGE® CL
1253	ADVANTAGE® TI





PROFESSIONAL SERIES

U 142
MEN'S UNIFORM
 Hot Weather, Cushioned
 Sole Boot Sock
 Worn in Desert Storm
 Contents:
 80% Cotton
 20% Stretch Nylon
 Colors: Olive Drab, Black
 Sizes: (S) 9-10
 (M) 10½-11½
 (L) 12-13
 (Postal Certified,
 PS, MI)




Item #21
U 825
ANTI-STAIN DRESS
 Health Sock
 Natural cotton foot and
 heel for health and comfort
 Contents:
 Leg - 80% Acrylic
 20% Stretch Nylon
 Foot - 80% Cotton
 20% Acrylic
 Colors: Black leg, natural foot
 Sizes: (L) 10-13
 (Postal Certified,
 PS, MI)




U 1763
MULTI-CUSHIONED
 Heavyweight Cotton Crew
 Cushioned sole
 Contents:
 80% Cotton
 10% Polypropylene
 10% Nylon
 Colors: Black body, gray
 sole, heel, toe
 Sizes:
 AC 1762 (M) 8½-11
 AC 1763 (L) 10-13
 (Postal Certified, PS)
 (Available in White, Pg 6)



U 601 • STEEL TOE
 Extra Toe Protection
 Reinforced, cushioned foot and
 toe for comfort and durability
 Contents:
 80% Cotton
 15% Stretch Nylon
 5% Polypropylene
 Color: Black
 Sizes: (L) 10-13
 (PS)
 (Available in White:
 Pg 4)



U 838
DRY FOOT SOCK
 Superior Wicking
 For a dry, comfortable foot
 Contents:
 Leg - 100% High Loft Acrylic
 Foot - 80% High Loft Acrylic,
 20% Stretch Nylon
 Colors: Black leg, white foot
 Sizes: (L) 10-13
 (Postal Certified,
 PS, MI)




U 6080
MULTIPURPOSE
 Suitable for Dress or
 Casual Wear
 Contents:
 80% Cotton
 20% Nylon
 Color: Black
 Sizes: (L) 10-13
 (MI)



U 621
CHUKKA COOLMAX®
 Anti-Microbial Boot Sock
 Reinforced heel, cushioned
 sole and toe, odor control
 Contents:
 70% Cotton
 20% CoolMax®
 10% Nylon
 Colors: Black, Navy, Olive
 Drab, marled heel & footpad
 Sizes: (M) 9-11
 (L) 10-13
 (XL) 13-15
 (Postal Certified,
 PS, MI)




U 852
ORIHOPEDIC
SUPPORT SOCK
 Aids Circulation
 Provides orthopedic support
 for the arch
 Contents:
 80% Cotton
 20% Stretch Nylon
 Colors: Black, White
 Sizes: (L) 10-13
 (Postal Certified,
 PS, MI, M)




U 9600 • 9601 • 9602
SPECIAL OPS COOLMAX®
BOOT SOCK
 High spliced heel and moisture
 management system
 Contents:
 75% High Loft Acrylic
 15% CoolMax®
 10% Stretch Nylon
 Colors: Black, Brown
 Sizes:
 U 9600 (M) 9-11
 U 9601 (L) 10-13
 U 9602 (XL) 13-15
 (PS)



U 811
HEALTH SOCK
 Boot Sock
 Special antimicrobial
 treatment to fight foot
 infections and odor
 Contents:
 80% Acrylic
 20% Stretch Nylon
 Colors: Black leg, gray foot
 Sizes: (L) 10-13
 (Postal Certified,
 PS, MI)



U 1761
COTTON QUARTER
 Knit-in Toe and Heel
 Contents:
 80% Cotton
 20% Stretch Nylon
 Color: Black
 Sizes:
 AQ 1760 (M) 8½-11
 AQ 1761 (L) 10-13
 AQ 1767 (XL) 13-15
 (Postal Certified,
 PS)
 (Available in White, Pg 6)




(PS) Professional Series
 (PC) Postal Certified
 (MI) Military Issue
 (M) Medical

#1 SELLING WALLS NATIONWIDE

DK 440
~~DK 440~~




BASKET WEAVE



Concealed position

Hidden Badge & ID wallet An outstanding wallet that provides many features. The first and most valuable feature is the available card space. This wallet has ample space for credit cards. The flap that covers the badge has two horizontal slots for credit cards. The opposite side has three vertical slots and a single horizontal pocket. Behind the three vertical slots is a deep lined compartment for all types of currency. Badge area is recessed for a precision fit.

The 440 looks like a tri-fold, yet feels like a bi-fold, yet keeps your Badge & ID Hidden until you need them.



Visible Badge & ID

- DK439 CLOSED - 4-3/16" x 3-3/4" MAX ID - 2-5/8" X 3-3/4" MAX BADGE 2-3/4" DIA.
- DK440 CLOSED - 3-5/8" X 4-5/8" MAX ID - 2-3/4" X 4-1/8" MAX BADGE 3" DIA.
- DK440BW Same as the 440

DUTY LEATHER CASES & WALLETS

DK211D Duty Badge & ID Case. Recessed badge area for your style badge. Opposite as shown ID indow with powder blue suede leather protection flap

DK211D Closed size: 3.25" X 4.75"


ID Maximum: 2-5/8" X 4-3/8"

Badge Maximum: 2.5" X 3.75"


DK212D Closed size: 3.5" X 5.5"

ID Maximum: 3" X 5"

Badge Maximum: 2.75" X 4.5"



DUTY STYLE FLIP-OUT BADGE & ID CASE



DK221D Flip out Badge & ID Case. Another economical badge case that is built to last. There is a pocket underneath the flip out badge flap for extra storage. Like all of our Duty style cases & wallets, powder blue suede protection flaps.

DK221D Closed size: 3.25" X 4.75"

ID Maximum size: 2-5/8" X 4-3/8"

Maximum badge size: 2.25" X 3.75"


For additional flip-out styles, see our complete line of Dress style flip-outs for more options.

DUTY STYLE BADGE & ID WALLET

DK311D Badge & ID wallet. Same exact great features as the DK211D but with a added wallet compartment.

Recessed badge area for your custom Badge.

Like all of our Duty styles, the suede protection flap comes standard unless you specify to not place suede in wallet or cases.




For all current styles and updates, please visit our web-site at WWW.D-K.NET.


We offer more style wallets and cases than others!

BADGE ACCESSORIES


BELT BADGE HOLDER




OVAL



SADDLE TAN



SHEILD





CIRCLE

DK512CH Available in three shapes: Oval / Sheild / Circle, with neck chain. Can be worn around neck or fastens to pants or pocket with a strong clock spring steel clip. Available in three colors: Black, Saddle Tan, or Cordovan

DK512 Same as the DK512CH without the chain attachment Basic Belt clip badge holder available in the same colors and shapes

NEW Neck chain badge holders that protect your body from the back of the badge that have pin or clip attachments. Velcro closure allows the user to lift the two pieces apart to attach the badge to the holder. A smooth leather backing is all the body feels when concealed under the shirt

DK512Vch available in black only
Shapes: circle / sheild / oval



RECESSED BELT BADGE HOLDER

DK612 recessed belt badge holder We use hundreds of different shapes to fit your badge cut more to it's shape giving your badge the attention instead of the holder. The two pieces are attached by a leather strap at the top that allows one to fasten the badge into the cut-out. Then both pieces are placed back together and held securely by velcro. Fastens to the pants or belt with a heavy duty clock spring steel clip.