

Request for REGINUMBER Quotation

SH-P TO

PR13793

ADDRESS:CORRESPONDENCE TO ATTIENTION OF

JOHN ABBOTT 304-558-2544

RFQ COPY TYPE NAME/ADDRESS HERE

> CUSP Office Products, Inc. 1823 Sherwood Forest Houston, TX 77043

WV PRISON INDUSTRIES

617 LEON SULLIVAN WAY CHARLESTON, WV

25301 304-558-2945

DATE PRIN	TED	TEF	MS OF SAI	F		SHIPV	A	-	O.B	FF	REIGHTTERMS
04/22/											
BID OPENING DATE:	1.22.22.22.2	05/09/	2007			00000000000000	BID	OPENING	TIME	01:30P	4
LINE	QUA	NTITY	UOP	CAT. NO.		ITEM NUM	BER	UNI	TPRICE		AMOUNT
	WEST V OPEN-E PUPOSE ASSEME FURNIT	TRGINI ND CON THE	NG DI A COR TRACT PURPO SEAT OGRAM	QUEST VISIO RECTI FOR SE IS ING F	N IS ONAL SEAT! FOR OR TH	SOLIC INDUS ING CO CORRI IE CO	CITING STRIES OMPONEN	BIDS FOR TO PROVI TS. L RESIDE NAL INDU	DE AN		
;	EXHIBI	COMPON T 3 F CONT	RACT:	TH AN	IS CO	ENDS	CT BECO FOR A	MES EFFE PERIOD O	F ONE (1)	
	NECESS ORIGIN NOT EX TIME" REASON	ARY TO AL CON CEED T THE VE	OBTA TRACT WELVE NDOR GIVIN	IN A . TH (12) May T G The	NEW C E "RE MONT ERMIN DIRE	CONTRA EASONA IHS. IATE ICTOR	ACT OR ABLE TI DURING THIS CO OF PUR	HEREAFTE RENEW TH ME" PERI THIS "R NTRACT F CHASING	IE OD SHAL EASONAB OR ANY	L	
SIGNATURE (20	1 1 C	\	SEERE	EHSE SI		RMS AND CON ELEPHONE		DA:	TE	
	hal		Lako				ELEPHONE 888-464	-9345		May 7,	2007
mue President	A	FE		.903				ADD	RESS CHANG	SES TO BE N	OTED ABOVE

GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

- Awards will be made in the best interest of the State of West Virginia.
- 2. The State may accept or reject in part, or in whole, any bid.
- 3. All quotations are governed by the West Virginia Code and the Legislative Rules of the Purchasing Division.
- 4. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125.00 registration fee.
- 5. All services performed or goods delivered under State Purchase Orders/Contracts are to be continued for the term of the Purchase Order/Contract, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods, this Purchase Order/Contract becomes void and of no effect after June 30.
- 6. Payment may only be made after the delivery and acceptance of goods or services.
- Interest may be paid for late payment in accordance with the West Virginia Code.
- 8. Vendor preference will be granted upon written request in accordance with the West Virginia Code.
- The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
- 10. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- 11. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern all rights and duties under the Contract, including without limitation the validity of this Purchase Order/Contract.
- 12. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
- 13. BANKRUPTCY: In the event the vendor/contractor files for bankruptcy protection, this contract is automatically null and void, and is terminated without further order.
- 14. HIPAA Business Associate Addendum The West Viginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, and available online at the Purchasing Division's web site (http://www.state.wv.us/admin/purchase/vrc/hipaa.htm) is hereby made part of the agreement. Provided that, the Agency meets the definition of a Covered Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.

INSTRUCTIONS TO BIDDERS

- 1. Use the quotation forms provided by the Purchasing Division.
- 2. SPECIFICATIONS: Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as EQUAL to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
- 3. Complete all sections of the quotation form.
- Unit prices shall prevail in cases of discrepancy.
- 5. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
- 6. BID SUBMISSION: All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications.

SIGNED BID TO:

Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130



Request for Quotation PRI3793

SH-P TO

PR13793

А	DDRESS.CORI	RESPONDENC	ETO ATTEN	HON OF
IOHN	ARROTT			

304-558-2544

WV PRISON INDUSTRIES

617 LEON SULLIVAN WAY CHARLESTON, WV 25301

304-558-2945

RFQ COPY TYPE NAME/ADDRESS HERE

CUSP Office Products, Inc. 1823 Sherwood Forest Houston, TX 77043

DATE PRINTED	TERMS OF	SALE	SHIP VIA		F.O.B.		FREIGHT TERMS
04/22/2007							
BID OPENING DATE:	05/09/200			BID C	PENING TIM	E 01	:30PM
LINE Q	OU YTITABL	CAT.	ITEM:NUMB	ER	UNIT PRICE		AMOUNT
IINI E	e epenteto	PROVISI	ONS ARE S	TTPIII	ED ELSEWHE	RF	
					CONDITIONS		
	NG SET HER						
	RACT			· · · · · · · · · · · · · · · · · · ·			'
				I			
					IPON THE MU	TUAL	
,	TEN CONSENT						
					THIRTY (3		
DAYS	PRIOR TO T	HE EXPIR	ATION DAT	E. SUC	H RENEWAL	SHALL	
					DITIONS OF		
i t	1	1 1	HALL BE L	IMITED	TO TWO (2)	ONE	
(1)	EAR PERIOD	S.					
CANC	LIATTONE T	UE DIBEC	TOD OF DI	DCUACTA	IG RESERVES	TUE.	•
					LY UPON WR		
					AND/OR SE		
					DO NOT CON		
					NTRACT HER		
"	,, 0, 201		222	2			
OPEN	MARKET CLA	USE: THE	DIRECTOR	OF PUR	CHASING MA	γ	
AUTHO	RIZE A SPE	NDING UN	IT TO PUR	CHASE C	N THE OPEN		
MARKE	ET, WITHOUT	THE FIL	ING OF A	REQUIS	TION OR CO		ь.
	MATE, ITEMS						
					O UNFORESE		
					LAYS IN TR		
) I ''''		UNANTIC	IPATED IN	CREASE	IN THE VOL	UME	
OF W	ORK.)						
		NATATE	LICTED TH	TUE DE	COUTETTON	VDE .	
					QUISITION SUPPLIED		
					ODD AND AG		
					TITIES ACTU		
					THE CONTR		
WHET	ER MORE OR	LESS TH	AN THE OU	ANTITIE	S SHOWN.	•	
				1			
ORDE	RING PROCED	URE: SPE	NDING UNI	T(S) S	IALL ISSUE	A	
		SEE DEVE	RSE SIDE FOR TER	MS AND CON	DITIONS		
SIGNATURE	116	1.		LEPHONE	,	DATE	2 7 2007
TITLE Fre	I Just	10		888-464			7 7, 2007
President		60581903			ADDRESS		TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



Request for Quotation PRI3793

PR 13793

ADDRESS CORRESPONDENCES TO A WENT ON US JOHN ABBOTT 304-558-2544

WV PRISON INDUSTRIES

øπ-¤ +0

617 LEON SULLIVAN WAY CHARLESTON, WV 25301

304-558-2945

TYPE	N	AME/	'ADI	RE	ESS	HER	₹E	
CUS	SΡ	Off	ice	Pr	odu	cts,	Inc.	,
182	23	She	rwoc	bd	Fore	est		
Hou	st	on,	TX	7	7043	3		

RFQ COPY

DATE PRIN	TED TER	IMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
04/22/					
BID OPENING DATE:	05/09/	THE CHARGE STREET AND THE STREET, THE STRE	BID OF	PENING TIME 01	:30PM
LINE	QUANTITY	UOP CAT, I	TEM NUMBER	UNIT PRICE	AMOUNT
	UDITTEN STAT	E CONTRACT ORDE	R CEORM NUMBE	FR WV-39) TO	
		OR COMMODITIES			
		COPY OF THE WV			
		THORIZATION FOR			
,		E PURCHASING DI		A THIRD COPY	
[[RETAINED BY	THE SPENDING UN	IT.		
	DANUDUDTOV.	IN THE EVENT T	TE VENDUBICUS	MITPACTOR FILES	
)		CY PROTECTION,			
		ND VOID, AND IS			
	ORDER.				
		D CONDITIONS CO			
• •		EDE ANY AND ALL HICH MAY APPEAR			
		CH AS PRICE LIS			
		R MAINTENANCE A			
		EDIUM SUCH AS C			
}					
		VENDOR PREFERE	NCE CERTIFICA	ATE	
	CERTIFICATIO	N AND APPLICATI	ONE TO BEDER	V MANE END	
<u> </u>		N ACCORDANCE WI			
]		S NOT APPLY TO			,
	A. APPLICAT	ION IS MADE FOR	2.5% PREFERE	ENCE FOR THE	
	REASON CHECK	ED:			
		TO AN ENDINED	AL DECEMENT A	NENDUD VND	
		IS AN INDIVIDU CONTINUOUSLY IN			
		MEDIATELY PRECE			
	CERTIFICATION	1 1		•	
	() BIDDER	IS A PARTNERSH	IP, ASSOCIATI	ION OR CORPORA-	
	TION RESIDEN	T VENDOR AND HA PRINCIPAL PLACE	OE BIISTNESS	CONTINUISIV I	
	WUAKIEKS UK				
		SEE REVERSE SID	E FOR TERMS AND CONDI		
SIGNATURE	Derald	9 Dicket	TELEPHONE 888-464-	–9345 DATE	ay 7, 2007
mue Presi	den	^{■N} 760581903		ADDRESS CHANGES	TO BE NOTED ABOVE



CERTIFICATION; OR

Request for Quotation

PRI3793

REQ NUMBER

Address cohrespondence to a termion co

JOHN ABBOTT 304-558-2544

RFQ COPY TYPE NAME/ADDRESS HERE CUSP Office Products, Inc. 1823 Sherwood Forest Houston, TX 77043						WV PRISON INDUSTRIES 617 LEON SULLIVAN WAY CHARLESTON, WV 25301 304-558-2945								
DATE PRINT 04/22/ D OPENING DATE:	2007	05/09/	200000000000000000000000000000000000000			SHIP VU	BID		FO NING	TIME		FREIGI	HTTERMS	
	WEST V THE DA INTERE PARTNE WHO HA OF BUS	IRGINI TE OF ST OF RSHIP, S MAIN	THIS BIDDE ASSO TAINE	CERTI R IS CIATI D ITS	(4) FICAT HELD ON OR HEAD	ION; BY AN CORP QUART	IMME OR 80 OTHER ORATI	% OF INDI ON RE R PRI	ELY P THE (VIDU (SIDE)	OWNERS AL, NT VEN AL PLA	SHIP NDOR ACE		MOUNT	2000

BIDDER IS A CORPORATION NONRESIDENT VENDOR WHICH HAS AN AFFILIATE OR SUBSIDIARY WHICH EMPLOYS A MINIMUM OF ONE HUNDRED STATE RESIDENTS AND WHICH HAS MAINTAINED ITS HEAQUARTERS OR PRINCIPAL PLACE OF BUSINESS WITHIN WEST VIRGINIA CONTINUOUSLY FOR THE FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION.

YEARS IMMEDIATELY PRECEDING THE DATE OF THIS

B. APPLICATION IS MADE FOR 2.5% PREFERENCE FOR THE REASON CHECKED:

BIDDER IS A RESIDENT VENDOR WHO CERTIFIES THAT, DURING THE LIFE OF THE CONTRACT, ON AVERAGE AT LEAST 75% OF THE EMPLOYEES WORKING ON THE PROJECT BEING BID ARE RESIDENTS OF WEST VIRGINIA WHO HAVE RESIDED IN THE STATE CONTINUOUSLY FOR THE TWO YEARS IMMEDIATELY

PRECEDING SUBMISSION OF THIS BID; OR

BIDDER IS A NONRESIDENT VENDOR EMPLOYING A MINIMUM OF ONE HUNDRED STATE RESIDENTS OR IS A NONRESIDENT VENDOR WITH AN AFFILIATE OR SUBSIDIARY WHICH MAINTAINS ITS HEADQUARTERS OR PRINCIPAL PLACE OF BUSINESS WITHIN WEST VIRGINIA EMPLOYING A MINIMUM OF ONE HUNDRED STATE RESIDENTS WHO CERTIFIES THAT, DURING THE LIFE OF THE CONTRACT, ON AVERAGE AT LEAST 75% OF THE EMPLOYEES OR BIDDERS' AFFILIATE'S OR SUBSIDIARY'S EMPLOYEES ARE RESIDENTS OF WEST VIRGINIA

SEE/REVERSE SIDE FOR TERMS AND CONDITIONS

May 7, 2007

TELEPHONE SIGNATUR 888-464-9345 ADDRESS CHANGES TO BE NOTED ABOVE 760581903 Président



HODZEM

RFQ COPY

TYPE NAME/ADDRESS HERE

1823 Sherwood Forest

Houston, TX 77043

CUSP Office Products: , @nc/

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation PRI379

PRI3793

Δ	IDDRESS CORRES	SPONDENCE	TO ATTENTIO	N OF
IOHN	ABBOTT			
5 B G - F	558-2566			

WV PRISON INDUSTRIES

WITE TO 617 LEON SULLIVAN WAY CHARLESTON, WV 25301 304-558-2945

04/22/	*************		MS OF SAL		SHIPV	5	7.0	. B	FREIGHT LERMS		
BID OPENING DATE:		05/09/	/09/2007				OPENING	TIME 0	01:30PM		
LINE	QUAN	ITITY	UOP.	CAT:	ITEM NUM	BER	UNIT	PRICE	AMOUNT		
	OUAN VEARS BIDDER BIDDER PREFERI PURCHA BIDDER AND THA CONTRAC	VE RES IMMEDI UNDER INES T TO CO ENCE, SING T ISSUED AT SUC OR DE CT OR MISSIO SE ANY SING D	IDED : ATELY STANDS HAT A NTINUE THE SE O: () H PEN DUCTEI PURCHA N OF REAS(IVISI	PREC S IF BIDD E TO ECRETA) RE (B) A NT NO ALTY O FRO ALTY O FRO O FHIS DNABL DN AN	E STATE CONTROL CONTRO	DATINUO MISSION MISSION MARY OF ING PRE REQUIRE ROER TH CONTRA ENALTY ED 5% O AID TO AID BAL ME, BID ED INFO ZES THE	USLY FOR OF THIS TAX & RI FERENCE MENTS FOI E DIRECT CT OR PUI AGAINST F THE BII THE CONTI	THE TWO BID. EVENUE HAS R SUCH OR OF RCHASE SUCH D AMOUNT RACTING THE			
-	PURCHAS BIDDER THAT ST TAXES	SING A HAS P UCH IN PAID N	PPROPI AID TH FORMA OR AN	RIATE HE RE FION Y OTH	INFORMAT QUIRED BU DOES NOT ER INFORM FIDENTIAL	ION VER SINESS CONTAIN ATION D	IFYING TO TAXES, PO THE AMOU	ROVIDED UNTS OF			
((CODE 6 CERTIF THAT II CONTAII TERM O	1-5-3) ICATE F A CO NED WI F THE	, BIDI IS TRU NTRAC THIN CONTRA	DER H JE AN T IS THIS ACT,	OR FALSE SEREBY CER'D ACCURATION TO CERTIFICA BIDDER WILL MEDIATELY	TIFIES IN AL BIDDER TE CHAN L NOTI	THAT THIS L RESPEC AND IF A GES DURI	S TS; AND ANYTHING NG THE			
SIGNATURE	LĴ.	n NK		SIDDE SEE RE	/ERSE SIDE FOR TE		coducts,]	DATE:	-		
	lesal	12	sel	1			64-9345		May 7, 2007		
TITLE Preside	nt	FE	760	58190	3		ADD	RESS CHANGE	S TO BE NOTED ABOVE		



Request for Quotation

SI-P FO

RFQ NUMBER

PAGE

ADDRESS:CORRESPONDENCE TO ATTENTION OF
JOHN ABBOTT
304-558-2544

RFQ COPY Type name/address here

CUSP Office Products, Inc. 1823 Sherwood Forest Houston, TX 77043 WV PRISON INDUSTRIES

617 LEON SULLIVAN WAY CHARLESTON, WV 25301 304-558-2945

DATE PRINTED TER	RMS OF SALE	SHIP VIA	FGB	FREIGHTTERMS
04/22/2007				
BID OPENING DATE: 05/09/		BID	OPENING TIME O	1:30PM
LINE QUANTITY	UOP CAT P	TEM NUMBER	UNITPRICE	AMOUNT
		May 7, 2007		-
	SIGNED: -/	Kefall (Libs	-
	TITLE:	President		-
			CONSIDERATION(S)	
			"B" WHICH YOU AR	
ENTITLED TO	RECEIVE. YOU MA E FOR BOTH "A"		UP TO THE MAXIMU	M
(REV. 12/00)	1 1	HND "B".		
	NOTICE			
1				
A SIGNED BID	MUST BE SUBMIT	TED TO:		
DEPARTM	ENT OF ADMINIST	РАТТОИ		
	ING DIVISION	KAT I ON		
BUILDIN	G 15	•		
	SHINGTON STREET			
CHARLES	TON, WV 25305-	0130		
			N ON THE FACE OF	
THE ENVELOPE	OR THE BID MAY	NOT BE CON	SIDERED:	
SEALED BID		·		
BUYER:	лоні	N ABBOTT		-
RFQ. NO.:	PRI	3793		_
	SEE REVERSE SIDE	EFOR TERMS AND COM	IDITIONS	
SIGNATURE	(). /.	TELEPHONE	DATE	7 2007
mile President FE	760581903	000-4		ay 7, 2007 S TO BE NOTED ABOVE



MZCOR

RFQ COPY

TYPE NAME/ADDRESS HERE

Houston, TX 77043

CUSP Office Products, Inc. 1823 Sherwood Forest

State of West Virginia Department of Administration
Purchasing Division
2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for ______

***ADDRESS:CORRESPONDENCE TO ATTENTION OF

JOHN ABBOTT 304-558-2544

WV PRISON INDUSTRIES

617 LEON SULLIVAN WAY CHARLESTON, WV

25301 304-558-2945

DATE PRINTED TERMS OF SALE SHIP.VIA FOB FREIGHTTERMS 04/22/2007 BID OPENING DATE: 05/09/2007 BID OPENING TIME 01:30PM LINE QUANTITY UOP TEM NUMBER UNIT PRICE AMOUNT BID OPENING DATE: 05/09/2007----BID OPENING TIME: 1:30 PM-----PLEASE PROVIDE A FAX NUMBER IN CASE IT IS NECESSARY TO CONTACT YOU REGARDING YOUR BID: 713-461-6250 CONTACT PERSON (PLEASE PRINT CLEARLY): Mark Godbold ____ THIS IS THE END OF REQ PRI3793 ***** TOTAL: SEE REVERSE SIDE FOR TERMS AND CONDITIONS 888-464-9345 May 7, 2007 ADDRESS CHANGES TO BE NOTED ABOVE 60581903ל President

WV Correctional Industries PRI3793

WV Correctional Industries (WVCI) hereby solicits bids for seating components and kits, to be manufactured by WVCI.

1. All items bid must be in "kit form".

2. WVCI reserves the right to award in whole, in part or as a multiple vendor contracts.

3. Vendor shall indicate by chair all interchangeable parts among the various series of seating being bid.

 Vendor shall provide digital brochures to WVCI for marketing purposes. If digital images are not available, vendor shall provide 1,000 brochures of each series at no

additional charge to WVCI.

- 5. All components are specified as brand name or equal. These specifications are meant to establish a minimum quality acceptable within our anticipated price range. If a vendor is bidding an equal or alternate, they must submit specifications and a color brochure depicting the style of seating. WVCI further reserves the right to request a sample of each chair to be used for evaluation purposes. Sample chairs will be returned to the submitting vendor.
- 6. Vendor shall indicate and price any optional features, parts, etc. for any of the seating products being bid.

7. Vendor shall state any minimum order requirements.

- 8. All chair kits and components must meet or exceed ANSI/BIFMA and California 117 flammability test.
- 9. All chair kits and components shall be shipped FOB Destination to:

WV Correctional Industries
Pruntytown Correctional Center
WV Highway 250 South
Grafton, WV 26354

All deliveries must be made in a 28' or smaller trailer.

10. Alternate Delivery Site:

WV Correctional Industries Lakin Correctional Center 11264 Ohio River Road West Columbia, WV 25287

- 11. Price Adjustments: The vendor may request a price increase 30 days prior to the expiration of the contract, in writing, to the Director of Purchasing. The contract price may be adjusted in accordance with the change in the Producer Price Index (PPI) for Product Code WPU122203, Furniture and Household Durables, Furniture). Price adjustments will be made in accordance with the percentage change in the PPI. It is the vendor's responsibility to request this adjustment to price. Requests shall include a copy of the relevant index and must be within the allowed time period for adjustment. Any adjustments authorized as a result of the adjustment request will not be retroactive.
- 12. WVCI reserves the right to award multiple vendor contracts. Multiple awards will be made by seating series, not individual seating kits.

Original Line Series or Equal

EXECUTIVE CHAIRS:

Heavy duty swivel tilt control, formed and pinned construction with tension adjustment.

- Base Anti-tip 5 leg chrome (25" leg span)
- Caster 50mm nylon hooder, black, FB mounting-soft caster optional
- Wood Seat 5 ply poplar, ½" with 36" radius bend, 20" wide, Executive Low Back 16 ½" deep, Executive High Back 23" deep
- Seat Foam High resiliency shall meet California fire standards technical bulletin #117, specs 3" thick, 18 ½" x 22 ¾"
- Back Foam High resiliency shall meet California fire standards technical bulletin #117, specs 3" thick, 22 ¾" x 18 ¾"
- Arms 14 gauge 10/20 high strength steel, 1" diameter plating quality (chrome plated or electrostatically powder coated). Arm wood solid oak or walnut finished and routed with inserts or solid maple with foam cushion for upholstery.

SIDE CHAIRS - ARM/ARMLESS:

- Frame 14 gauge 10/20 high strength steel, 1" diameter plating quality (chrome plated or electrostatically powder coated)
- Wood Seats 5 ply poplar ½" with 36" radius bend 21 ½" wide 17 ¼" deep
- Wood Backs 5 ply poplar ½" with 36" radius bend 20" wide 16 ¼" deep
- Seat Foam High resiliency shall meet California fire standards 22 ¾" technical bulletin #117, 2" thick 18 ½" x 22 ¾"
- Back Foam High resiliency shall meet California fire standards technical bulletin #117, specs 2" thick 18 ¼" x 22 ¼".

Comfort Line Series or Equal

HIGH BACK CHAIRS:

- 50mm dual wheel caster with brass grip ring for ease of insertion and for maximum holding power
- 5 leg 25" die cast aluminum polished of black ESTHEILD will also accept optional oak wood caps
- Gas cylinder with lever has a height adjustment of 3" and range of 17-20 inches
- 3 pc telecover for black option
- · Swivel tilt control with infinite position tilt lock and forward lockout
- One piece inner frame made of 14 gauge cr steel tubing
- Seat and back long life comfort band treated to exceed flammability requirements the comfort band is made up of rubber thread spiral wrapped with cotton yarn – the cords are weaved together with polypropylene then coated and dried
- Seat foam dimension 24 ½ w x 22 d x 2tk density 2.6-2.8
- Inside Back Foam dimension 23 ½ w x 24 ½ h x 2tk density 1.8-1.9
- Outside Back Foam dimension 20 ½ w x 24 h x 1/2tk density 1.8-1.9
- Tilt tension adjustable for 125 lbs to 350 lbs. occupant
- Arms Pair of 14 gauge 1" plating quality tubular arm in chrome or black arm attaches to seat mounting bracket. Arm caps of solid oak, walnut or upholstered. Optional soft urethane looped arm, optional horizontal and vertical adjustable T-arm, and optional horizontal and vertical adjustable T-arm with swivel tilt arm pad.

LOW BACK CHAIRS:

- 50mm dual wheel caster with brass grip ring for ease of insertion and for maximum holding power
- 5 leg 25" aluminum base available polished or black will also accept optional oak wood caps
- Gas cylinder with lever has a height adjustment of 3" and range or 17-20 inches
- 3 pc telecover for black option
- Swivel tilt control with infinite position tilt lock and forward tilt lockout
- One piece inner frame made of 14 gauge cr steel tubing
- Seat and back long life comfort band treated to exceed flammability requirements the comfort band is made up of rubber thread spiral wrapped with cotton yarn – the cords are weaved together with polypropylene then coated and dried
- Seat foam dimension 24 ½ w x 22 d x 2tk density 2.6-2.8
- Inside Back Foam dimension 23 ½ w x 20 ½ h x 2tk density 1.8-1.9
- Outside Back Foam dimension 20 ½ w x 18 1/2 h x 1/2tk density 1.8-1.9
- Tilt tension adjustable for 125 lbs to 350 lbs. occupant
- Arms pair of 14 gauge 1" plating quality tubular arm in chrome or black arm attaches to seat mounting bracket. Arm caps of solid oak, walnut or upholstered. Optional soft urethane looped arm, optional adjustable looped arm, optional adjustable T-arm with swivel tilt arm pad.

GUEST CHAIRS:

- Arm frame of 14 gauge 1" plating quality tubing standard in chrome of powder coated black
- Arm wood of solid oak, walnut or upholstered
- One piece inner frame of 14 gauge or steel tubing
- Seat and back long life comfort band treated to exceed flammability requirement the comfort band is made up of rubber thread spiral wrapped with cotton yarn – the cords are weaved together with polypropylene then coated and dried
- Seat foam dimension 24 ½ w x 22 d x 2tk density 2.6-2.8
- Inside back foam dimension 23 ½ w x 20 ½ h x 2tk density 1.8-1.9
- Outside back foam dimension 20 ½ w x 18 ½ h x ½tk density 1.8-1.9
- Without arms armless frame of 14 gauge 1" plating quality tubing standard in chrome or powder coated black – no wood arm

OPERATOR TASK CHAIRS:

- 50mm dual wheel caster with brass grip ring for ease of insertion and for maximum holding power
- 5 leg steel base with 22" overlay standard is black
- Gas cylinder with lever has a height adjustment of 4" and range of 16-21 inches
- Back and seat angles adjustable independently with infinite position locks
- Seat wood size 17 ¼ w x 16 d x 1/2tk curved 7-ply poplar with waterfall front
- Seat foam dimension 19 w x 17 ¾ d x 2tk density 3.0-3.25
- Black adjustable height back upright with back hinge set
- Back wood size 15 ¼ w x 14 5/8 h x 1/2tk curved 5-ply poplar wood for easy stapling
- Back foam dimension 17 w x 15 5/8 h x 1 1/2tk density 1.8-1.9
- Optional back treatment of black plastic
- Hardware
- Arms pair of black flat ¼" x 2 ¼" bar steel arms which attach directly to the seat the arms to be adjustable horizontally. Optional vertically and horizontally adjustable arms

TUF Line Series or Equal

TUF LINE CHAIRS:

- 50mm dual wheel caster with brass grip ring for ease of insertion and for maximum holding power
- Base #1 and #2 5 leg 22" steel with plastic overlay; #3 25" steel with plastic overlay
- Gas cylinder 17-4 taper 45mm has a range of 5", seat height adjustment 16 to 21 ½
- Control Northfield T3001, front cushion stop, with infinite position tilt lock may be locked in any position. Front tilt to 6 ¾% rear tilt to 9 ½%, with infinite position back angle adjustment lock tilt tension adjustable for 125 lbs to 350 lbs occupant
- Seat wood non formaldehyde glue ½" thick 7-layer poplar plywood with waterfall front: #1 17 ¼" x 16"; #2 19 1/8" x 17"; #3 21" x 18"
- Back wood non-formaldehyde glue $\frac{1}{2}$ " 5 layer poplar plywood. #1 15 $\frac{3}{4}$ " x 14 5/8" x $\frac{1}{2}$ "; #2 and #3 17 $\frac{1}{4}$ " x 17 5/8" x $\frac{1}{2}$ "
- Foam passes CA 117
- * Seat foam minimum density of 3.0. #1 18 % x 18 % x 2"; #2 20 % x 19 % x 2"; #3 22 % x 20 % x 2"
- Back foam minimum density of 1.7 and lumbar pad
- Back upright ¼" x 2 ¼" steel with hinge set
- Standard arms black ¼" x 2 ¼" steel attach directly to seat wood. Adjustable both vertically and horizontally soft urethane arm pads, standard black.
- Optional:
 - o Armless
 - Soft casters-dual wheel caster with brass grip for ease of insertion and for maximum holding power
 - o Mechanical adjustable lumbar
 - o Swivel tilt arm pads
 - o Heavy duty control
 - Seat Slider
 - o Highback 22.5"

TUF GRANDE CHAIRS:

- 50mm dual wheel caster with brass grip ring for ease of insertion and for maximum holding power
- Meets or exceeds all ANSI/BIFMA requirements
- 99528 Intensive Use Aluminum Base. Meets or exceeds all "Intensive Use" test requirements, in addition to all ANSI/BIFMA test requirements
- Base overall diameter of 28.88"
- 50mm gas cylinder or 45mm gas cylinder in textured powder coat
- Gas lift 17-4 taper, black with exposed length of 2.6" and travel of 2.95"
- Seat wood is 23" w by 20" d, ¾" overall thickness with 9 layer hardwood plywood

- Seat foam is 23 ¼" x 23 5/8" x 4 ¼" dual density foam, passes applicable CAL 117 flammability test
- Back wood is 23 ½" h x 18 5/8" w, material is 5/8" thick with 7 layer hardwood plywood
- Back foam is 29 ½" x 24 5/8 x 4 ½ triple density foam, passes applicable CAL 117 for flammability test.
- Mechanism meets or exceeds all ANSI/BIFMA test requirements and must provide a full 21 degree range of motion with infinite position tilt lock and provide a forward tilt stop feature, which when activated, limits the forward travel of the mechanism to 0 degrees and when not activated, permits the mechanism to tilt forward to an additional 6 degrees. Provides spring tension adjustment. Provides 2.25" of back depth adjustment and utilize a 17-4 gas taper. Tilt tension adjustable for 125 lbs to 350 lbs occupant.
- Back Upright J shaped utilizes 1035 carbon content steel with 3" width
- Ergomatic arm height adjusts 2 ¾" vertically and utilizes a heavy duty urethane loop arm cap with 2 ½ arm width adjustment.

Sofline Series or Equal

SOFLINE ADVANCED TASK CHAIRS:

- Pneumatic height adjustment from 16 ½ to 20 ½
- Control to contain the following features:
 - o Gas lift adjustment to activate pneumatic lift
 - o Control swivels and tilts
 - o Tilt tension adjustment handwheel
 - O Seat to back angle is adjustable and can be locked at any point in the range
 - Seat tilt angle is adjustable and can be located at any point in the range
 - o 6 degrees forward seat tilt when activated by lockout lever
 - o Seat tilt lock
 - o Black matte finish including telescoping black cover over pneumatic lift
 - O Seat depth adjustment 2 ½" travel in ½" increments with activation lever under the front of the seat
- Seat size 18" d x 20" w or 19" d x 21 ½" w (upholstered). Ergonomically contoured ½" thick, 7 ply hardwood laminate inner seat with waterfall front and threaded steel fasteners for arms and mechanism. 3 ½" thick, multi-density, multiple IFD, fabricated polyurethane foam.
- Back size 16" h x 17" w, 20" h x 18" w, 24" h x 19" w or 28" h x 20" w (upholstered). ½" thick, 7 ply hardwood laminate inner seat, ergonomically contoured horizontally and vertically with threaded steel fasteners. 2 ½" thick, multi-density, multi-IFD, fabricated polyurethane foam.
- Ratchet-type back height adjustment mechanism with 2 ½" travel in 7 increments and 3" x .25" steel back upright. Back height above seat: 16 to 18 ½ inches
- 55mm dual wheel hooded carpet casters with 45mm barrel and 7/16"x7/8" stem with locking ring
- 5-leg integrally colored high performance polymer base. 25" caster center diameter.
 Black matte finish
- Optional headrest for 24" and 28" backs, with height and angle adjustment and molded polyurethane foam cushion.

SOFLINE OFFICE DELUXE CHAIRS:

- Pneumatic height adjustment Seat height from 16 ¾ to 21 inches
- Control to contain the following features:
 - o Gas lift adjustment to activate pneumatic lift
 - o Control swivels and tilts with a knee-tilt action
 - o Tilt tension adjustment handwheel
 - o Seat-to-back angle is adjustable and can be locked at any point in the range
 - o Tilt lock moves to any desired position and then lock in place
 - o Black matte finish including telescoping black cover over pneumatic lift
 - Seat depth adjustment 2 ½" travel in 1/2" increments with activation lever under the front of the seat

- Seat size 18" d x 20" w or 19" d x 21 ½" w (upholstered). Ergonomically contoured ½" thick, 7 ply hardwood laminate inner seat with waterfall front and threaded steel-fasteners for arms and mechanism. 3 ½" thick, multi-density, multiple IFD, fabricated polyurethane foam.
- Back size 20" h x 18" w, 24" h x 19" w, or 28" h x 20" w (upholstered). ½" thick, 7 ply hardwood laminate inner seat, ergonomically contoured horizontally and vertically with threaded steel fasteners. 2 ½" thick, multi-density, multi-IFD, fabricated polyurethane foam.
- Ratchet type back height adjustment mechanism with 2 ½" travels in 7 increments and 3" x .25" steel back upright. Back height above seat: 16 to 18 ½ inches.
- 55mm dual wheel hooded carpet casters with 45mm barrel and 7/16" x 7/8" stem with locking ring.
- 5-leg integrally colored high performance polymer base 25" caster center diameter.
 Black matte finish.
- Optional headrest for 24" and 28" backs, with height and angle adjustment and molded polyurethane foam cushion.

SOFLINE ECONO TASK CHAIR:

á,

- Pneumatic height adjustment Seat height from 14 ¼" to 18 ¾"
- Control to contain the following features:
 - o Gas lift adjustment to activate pneumatic lift
 - o Control swivels
 - o Forward and rearward seat tilt adjustment
 - o Forward and rearward back angle adjustment
 - Seat and back angle lock moves to any desired position and then lock in place with a single lever. Remains locked except when being adjusted
 - o Black matte finish including telescoping black cover over pneumatic lift
- Seat size 18.5" d x 19.5" w (upholstered). Ergonomically contoured high strength polymer inner seat with waterfall front and threaded metal fasteners for arms and mechanism. 2.5" thick, 48 lb. IFD polyurethane foam.
- Back size 16" h x 17.5" w (upholstered). Impact resistant polymer inner back, ergonomically contoured horizontally and vertically with threaded metal fasteners. 1.75" thick, 35 lb. IFD, polyurethane foam.
- Ratchet type back height adjustment mechanism with 2 ½" travels in 7 increments and 3"
 x .25" steel back upright. Back height above seat: 16 to 18 ½ inches
- 55mm dual wheel hooded carpet casters with 45mm barrel and 7/16"x7/8" stem with locking ring.
- 5-leg integrally colored high performance polymer base. 25" caster center diameter. Black matte finish.
- Seat depth adjustment option: 2 ½" travels in ½" increments with activation lever under the front of the seat.
- Stool version must be available with drafting height option and adjustable foot ring.

SOFLINE VISITOR CHAIR:

Seat size 18" d x 22" w (upholstered). Ergonomically contoured ½" thick, 7 ply hardwood laminate inner seat with waterfall front and threaded steel fasteners for attaching arms and base. 2" thick, 48 lb. IFD, polyurethane foam.

- Back size 17" h x 21" w (upholstered). ½" thick, 7 ply hardwood laminate innerback,
 ergonomically contoured horizontally and vertically with threaded steel fasteners. 2" thick, 35 lb IFD, fabricated polyurethane foam.
- Sled base made of 1" diameter x 16 gauge steel tube with chrome or black epoxy finish.

Breathe Series or Equal

Breathe Chairs - Task and Guest:

- Backrest Outer Frame PP fiber
- Backrest Inner Frame PP
- Backrest First Layer Mesh 100% Polyester
- Backrest Second Layer Mesh 100% Nylon
- Seat Shell PP
- Plywood Thickness: 9/16"
- Seat Foam PU Thickness: 3"
- Lumbar Support Foam PU Thickness: 1 1/2"
- Knee Synchron tilt mechanism, Metal, Thickness: 5m/m, Finish-Coating, Function –
 Seat: 16°/Back: 26°, with 5-position locking function
- Gas Lift, Metal, Thickness: 2.5m/m, Function travel 3"
- Gas Lift Outer Tube, Metal, Diameter 2" x 1.6m/m x L 6 7/8", Powder Coating
- Base, Aluminum, Depth 27 ½", Powder Coating
- Caster, Nylon #6, Dimension 45/60
- Armrest, Metal + Nylon, Height Adjustable 2 ¾"
- Armrest PU Pad, PVC 30%; PU 30%; ABS 40%
- Sled Base, if applicable, Steel, Diameter 1 ¼" x 2.3m/m (3/32"), Powder Coating
- Breathable Mesh Back
- Back Flex
- Variable Position Back Lock
- Lumbar Adjustment
- Adjustable Arm Option
- Heavy Duty Die Cast Base

Instyle Series or Equal

INSTYLE CHAIRS:

- Stackable
- Chrome or Black frames
- Plastic backs
- Dimensions with arms:
 - o Overall width 24"
 - o Overall height 32 1/4"
 - o Seat Depth 17 1/2"
 - o Seat Width 17 1/2"
 - o Weight 15 lbs
 - o Textured polypropylene black arms
- Dimensions without arms:
 - o Overall width 19 1/2"
 - o Overall height 32 1/4"
 - o Seat Depth 17 1/2"
 - o Seat Width 17 1/2"
 - o Weight 12 lbs

WV Correctional Industries PRI3793

Item #	Description	Estimated Annual Quantities	Unit	* Extended Price	Volume/Skid Unit Pricing ***	** Extended Price	Alternate Item #
			Line or equal				
ICF-103	Jr. Executive Chair	40	\$ 127.98	\$5,119.20		\$4,376.40	6490
ICF-104	Executive Chair	30	\$ 127.98	\$3.839/40		\$ 3,282,30	6490
ICF-105	High Back Executive Chair	75	\$ 136.46	\$10.234.50		\$8,757.75	6590
ICF-106	Side Chair	120	\$ NO BID	\$NO BID	\$NO BID	\$ NO BID	
		Comfort	Line or equal				Ţ.
ICF-107	Operator Task Chair		\$ 141.39	\$ 2,120.55	\$ 126 34	\$ 1,895.10	3180
ICF-107DR	Task Draft Stool		\$ NO BID		\$NO BID	\$NO BID	15,00
	High Back Draft Stool	50	\$ NO BID		\$NO BID	\$NO BID	1
CFT-108	Comfort Managerial		\$ 147.24	\$3,681.00	\$130.02	\$3,250.50	9450
CFT-109	Comfort High Back	·	\$ 164.07	\$7,383.15	\$143.70	\$6,466.50	9500
CFT-110	Comfort Guest		\$ 135.99	\$13,599.00		\$11,964.00	
				and the second second			3
THE COAS	IHA TUE Chaire		ne or equal	10		le .	
TUF-0015	#1 TUF Chairs		\$NO BID	\$NO BID	\$NO BID	\$NO BID	1
TUF-002M	#2 TUF Chairs		\$ 11		\$ 11	\$ "	4
TUF-003L	#3 TUF Chairs		\$ ### **********************************		\$ "	\$ 11	4
TUF-004MHB	TUF HB Medium		\$ 11		\$ 11	\$ "	
TUF-005LHB	TUF HB Large		\$ 11	\$ en	\$ 11	\$ 11	4
TUF-006DLX	TUF Deluxe HB		\$ 11	\$ 11	\$ 11	\$ "	4
TUF-007 HD	TUF Deluxe HD		\$	\$ 11	\$ 11	\$ 11	
TUF-008G	TUF Cop Chair		\$ 11			\$ 11	-
TUF-009-911	TUF 911 Chair	5	\$ 11	\$ 11	\$,,	\$ 11	j
		Softines	eries or equal	Esta in tonio santa			1
SOF-001	SofLine Advanced Task		\$ NO BID		\$ NO BID	\$ NO BIDD	
SOF-002	SofLine Office Deluxe		\$ "			\$ "	
SOF-003	SofLine Econo Task		\$ 11			\$ "	
SOF-004	SofLine Visitor Chair		\$ "			\$ 11	
							.
			ine or equal.				
INS-woa	Instyle, no arms	140	NO RID		\$ NO BID	\$ _{NO BID}	
INS-wa	Instyle, with arms	60	\$ 11	\$ 11	\$ 11	\$ 11	· ·
		Rreathe	ine or equal				Ī
OEI-BR-task	Breathe Task Chair		\$ 243.21	\$24,321.00	\$ 226 77	\$22,677.00	E_CIID
OEI-BR-side	Breathe Guest Chair		\$ 178.97	\$ 8,948.50		\$ 8,283.50	E CID
MESH	Mesh Fabric, yards				\$ NO FABRI	\$ NEEDED	E-SOR
	G	rand Totals	LENGTH AND IN L.	\$ 79,246.30		\$ 70,953.05	
NOTES:	1) If bidding volume orders	, state minir	num order red	uirement	The state of the s	AND THE RESIDENCE OF THE PARTY	
	2) Include spare/optional p3) List any warranties that	arts and pric					
* Multiply the I	Estimated Annual Quantities	by the Unit	Price				
	Volume/Skid Unit Pricing by	•		antitioe		i	
	purchase an entire skid whe				a I Init Drian -	all be bid fo-	
AAACI MIII					e vilit Price Si	iaii de did 10f	
	sing	pe chall kit,	not total skid	hitce			

AFFIDAVIT

West Virginia Code §5A-3-10a states:

No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owned is an amount greater than one thousand dollars in the aggregate

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality, any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

EXCEPTION:

The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

LICENSING:

Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.

CONFIDENTIALITY:

The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendors should visit www.state.wv.us/admin/purchase/privacy for the Notice of Agency Confidentiality Policies.


Under penalty of law for false swearing (West Virginia Code, §61-5-3), it is hereby certified that the vendor acknowledges the information in this said affidavit and are in compliance with the requirements as stated.


Vendor's Name:	CUSP_Offi	Lerodule	Fnc.			
Authorized Signatu	ire:	had	I des	Date:	May 7, 2007	
No Debt Affidavit (Revise		V			en e e e en en de destructura en	





COP 6590 SPECIFICATION SHEET

UPHOLSTERY	Front & Back Fire-retardant fabric. Meets all CA and NY Fire Code Requirements
FOAM	Chair seat / back are 2" thick PU High density Foam cushion. Ergnomic design.
CHAIR BACK	1/2" thick dual curve heat formed wood, laminate substrate construction
ARM REST	Steel interior urethane coated waterfall shaped.
MECHANISM	Butterfly -shaped steel plate w/back tilt tension adjustment knob, height adjustment lever and rotates 360 degrees
PNEUMATIC GAS LIFT	Gas Lift with 3" up/down travel. Hexagon steel bar spring
CHAIR BASE 5—STAR	Chair Leg Radius 27". 70% nylon and 30% fiberglass composite construction.
CASTERS	2" Heavy-duty caster, extreme duration tested over 50,000 times.
Certified by	National Standards Bureau, CINS and ISO 9002
	Meets or exceeds BIFMA requirements.
CARTON DIMENSIONS	31.5" x.13.75" x.25.75"
NET WEIGHT	3925 Lbs
GROSS WEIGHT	44.35 Lbs
40' HQ Loading Qty	376
40'GP Loading Qty	324















COP 6490 SPECIFICATION SHEET












396 348


40'GP Loading Qty







COP 3180 SPECIFICATION SHEET











402 -43.52





COP 9500 SPECIFICATION SHEET

Chair Front is Top Grain Leather, back is PVE	Chair seat / back are 4" thick PU High density	1/2" thick dual curve heat formed wood, laminate substrate construction	Waterfall-shaped polyurethane armrest.	Butterfly –shaped steel plate w/back tilt tension adjustment knob, height adjustment lever and rotates 360 degrees	Cas Lift with 3" up/down travel. Hexagon steel bar spring	Chair Leg Radlus 27". 70% ryion and 30% ft- berglass composite construction.	2" Heavy-duty caster, extreme duration tested over 50,000 times.	Certified by the National Standards Bureau, CNS and ISO 9002	Meets or exceeds BIFMA requirements.	3425" x 14.5" x 25.75"	41.45 Lbs	46.96 Lbs	320	283
UPHOLSTERY	FOAM	CHAIR BACK	ARM REST	MECHANISM	PNEUMATIC GAS LIFT	CHAIR BASE S—STAR	CASTERS			CARTON DIMENSIONS	NET WEIGHT	GROSS WEIGHT	40' HQ Loading Qty	40'GP Loading Qty







COP 9450 SPECIFICATION SHEET


OLST POLST IR BA I	UPHOLSTERY Chair Front is Top Grain Leather, back is PVE	FOAM Chair seat / back are 4" thick PU High density	CHAIR BACK 1/2" thick dual curve heat formed wood, laminate substrate construction	ARM REST Waterfall shaped polyurethane armrest.	MECHANISM Butterfly-shaped steel plate w/back tilt tension adjustment knob, height adjustment lever and rotates 360 degrees	PNEUMATIC GAS Gas Lift with 3" up/down travel. LIFT Hexagon steel bar spring	CHAR BASE Chair Leg Radius 27", 70% nylon and 30% ff- 5—STAR berglass composite construction.	CASTERS 2" Heavy-duty caster, extreme duration tested over 50,000 times.	Certified by the National Standards Bureau, CNS and ISO 9002	Meets or exceeds BIFMA requirements.	CARTON DIMENSIONS 27.5" x 14.5" x 25,75"	NET WEIGHT 39.24 Lbs	GROSS WEIGHT 44.9 Lbs	AD US I soding Other
--	--	---	--	---	---	---	--	--	--	--------------------------------------	--	----------------------	-----------------------	----------------------










COP 9400 SPECIFICATION SHEET



Heavy Duty Tubular Steel Sled Base	None	Certified by the National Standards Bureau, CNS and ISO 9002	Meets or exceeds BIFMA requirements.
R BASE	O I EKS		







GROSS WEIGHT 38.8 Lbs 40' HQ Loading Qty 384	NET WEIGHT	33.51 Lbs
	GROSS WEIGHT	38.8 Lbs
	Q Loading Qty	384

NET WEIGHT	33.51 Lbs
GROSS WEIGHT	38.8 Lbs
40' HQ Loading Qty	384
40'GP Loading Qty	337



E CHAIR

EChairSUB		
	-Active Lumbar Support	
	-Mesh Back/Fabric Seat	
	-Waterfall Seat	
	-Polypropylene Arm	
_	-PU Molded Foam Seat/Black Fabric	
	-ψ1-1/4"x2.0mm Cantilever Base	
JU	-cu ft. 4.7'	
Seat:		
18"ht x 20.5"w x 20'd		
Overall:		
40"ht x 26.25"w x 23.5"D		
NW 33lb/GW 38.5lb		
EChairCUB		
	-Active Butterfly Lumbar Support	
	-Mesh Back/Fabric Seat	
	-Waterfall seatt, Tension Control	
	-Height and Width Adjustable Arm	
	-PU Molded Foam Seat/Black Fabric	
	-Synchronized Tilt with three	
	position lock out	
6	-Optional Seat Slider	
Seat:	-Aluminum Base (L 350mm)	
18"-22.75"ht x 20.5"w	-3" Casters	
x 20"D	-cu ft. 5.83'	
Overall:		
39.5"-44"ht. x 26"-27.5"w		
x 26.5"D		
NW 47lb/GW 55lb		



