



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER:
RTIRE07

PAGE:
1

ADDRESS CORRESPONDENCE TO ATTENTION OF:
**BETTY FRANCISCO
 304-558-0468**

VENDOR

*709035551 304-744-9473
APPALACHIAN TIRE PRODUCTS INC
2907 FOURTH AVENUE

CHARLESTON WV 25312

BUYER

**ALL STATE AGENCIES
 AND POLITICAL SUBDIVISIONS
 VARIOUS LOCALES AS INDICATED
 BY ORDER**

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
01/23/2007	<i>Net 30</i>			
BID OPENING DATE: 02/22/2007		BID OPENING TIME 01:30PM		

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
REQUEST FOR QUOTATION FOR A BLANKET OPEN-END STATEWIDE CONTRACT TO FURNISH RETREAD TIRES TO ALL WEST VIRGINIA STATE AGENCIES AND POLITICAL SUBDIVISIONS. *****NOTICE***** MANDATORY PRE-BID MEETING IS SCHEDULED FOR WEDNESDAY, FEBRUARY 7, 2007 AT 10:30 A.M. IN BUILDING 17 AT CAPITOL COMPLEX, 2019 WASHINGTON STREET, EAST, CHARLESTON, WV 25305. ALL INTERESTED BIDDERS ARE REQUIRED TO BE PRESENT AT THIS MEETING. FAILURE TO ATTEND THE MANDATORY PRE-BID CONFERENCE SHALL RESULT IN AUTOMATIC DISQUALIFICATION. NO ONE PERSON CAN REPRESENT MORE THAN ONE VENDOR. ***** ATTACHMENTS: 1. SPECIFICATIONS DATED 1/17/2007, 3 PAGES 2. PRICING PAGES, 5 PAGES. NOTE: BIDDERS MUST USE THESE PRICING PAGES WHEN BIDDING ON THIS RFQ. 3. VENDOR CERTIFICATION - SHOULD BE RETURNED WITH BID; MUST BE RECEIVED PRIOR TO ANY CONTRACT AWARD. 4. AFFIDAVIT - SHOULD BE RETURNED WITH BID; MUST BE RECEIVED PRIOR TO ANY CONTRACT AWARD						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>[Signature]</i>	TELEPHONE 304-744-9473	DATE 3/12/07
TITLE <i>President</i>	FEIN 55-033-9216	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

**GENERAL TERMS & CONDITIONS
REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)**

1. Awards will be made in the best interest of the State of West Virginia.
2. The State may accept or reject in part, or in whole, any bid.
3. All quotations are governed by the *West Virginia Code* and the *Legislative Rules* of the Purchasing Division.
4. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125.00 registration fee.
5. All services performed or goods delivered under State Purchase Orders/Contracts are to be continued for the term of the Purchase Order/Contract, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods, this Purchase Order/Contract becomes void and of no effect after June 30.
6. Payment may only be made after the delivery and acceptance of goods or services.
7. Interest may be paid for late payment in accordance with the *West Virginia Code*.
8. Vendor preference will be granted upon written request in accordance with the *West Virginia Code*.
9. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
10. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
11. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern all rights and duties under the Contract, including without limitation the validity of this Purchase Order/Contract.
12. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
13. **BANKRUPTCY:** In the event the vendor/contractor files for bankruptcy protection, this contract is automatically null and void, and is terminated without further order.
14. **HIPAA Business Associate Addendum -** The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, and available online at the Purchasing Division's web site (<http://www.state.wv.us/admin/purchase/vrc/hipaa.htm>) is hereby made part of the agreement. Provided that, the Agency meets the definition of a Covered Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.

INSTRUCTIONS TO BIDDERS

1. Use the quotation forms provided by the Purchasing Division.
2. **SPECIFICATIONS:** Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as **EQUAL** to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
3. Complete all sections of the quotation form.
4. Unit prices shall prevail in cases of discrepancy.
5. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
6. **BID-SUBMISSION:** All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications.

SIGNED BID TO:

Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
RTIRE07

PAGE
2

ADDRESS CORRESPONDENCE TO ATTENTION OF
**BETTY FRANCISCO
 304-558-0468**

VENDOR

*709035551 304-744-9473
APPALACHIAN TIRE PRODUCTS INC
2907 FOURTH AVENUE

CHARLESTON WV 25312

SHIP TO

**ALL STATE AGENCIES
 AND POLITICAL SUBDIVISIONS
 VARIOUS LOCALES AS INDICATED
 BY ORDER**

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
01/23/2007	Net 30			

BID OPENING DATE: **02/22/2007** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UCP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	1	LS		998-13		
<p>VARIOUS AMOUNTS AND SIZES OF RECAPPED TIRES</p> <p>THE QUANTITIES ON THE PRICING PAGES ARE ESTIMATES ONLY AND ARE NO GUARANTEE OF FUTURE USE ON THE CONTRACT; QUANTITIES MAY BE MORE OR LESS.</p> <p>LIFE OF CONTRACT: THIS CONTRACT BECOMES EFFECTIVE ON AND EXTENDS FOR A PERIOD OF ONE (1) YEAR OR UNTIL SUCH "REASONABLE TIME" THEREAFTER AS IS NECESSARY TO OBTAIN A NEW CONTRACT OR RENEW THE ORIGINAL CONTRACT. THE "REASONABLE TIME" PERIOD SHALL NOT EXCEED TWELVE (12) MONTHS. DURING THIS "REASONABLE TIME" THE VENDOR MAY TERMINATE THIS CONTRACT FOR ANY REASON UPON GIVING THE DIRECTOR OF PURCHASING 30 DAYS WRITTEN NOTICE.</p> <p>UNLESS SPECIFIC PROVISIONS ARE STIPULATED ELSEWHERE IN THIS CONTRACT DOCUMENT, THE TERMS, CONDITIONS AND PRICING SET HEREIN ARE FIRM FOR THE LIFE OF THE CONTRACT.</p> <p>RENEWAL: THIS CONTRACT MAY BE RENEWED UPON THE MUTUAL WRITTEN CONSENT OF THE SPENDING UNIT AND VENDOR, SUBMITTED TO THE DIRECTOR OF PURCHASING THIRTY (30) DAYS PRIOR TO THE EXPIRATION DATE. SUCH RENEWAL SHALL BE IN ACCORDANCE WITH THE TERMS AND CONDITIONS OF THE ORIGINAL CONTRACT AND SHALL BE LIMITED TO TWO (2) ONE (1) YEAR PERIODS.</p> <p>CANCELLATION: THE DIRECTOR OF PURCHASING RESERVES THE RIGHT TO CANCEL THIS CONTRACT IMMEDIATELY UPON WRITTEN</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE *J. A. Daniel* TELEPHONE **304-744-9473** DATE **3/12/07**
 TITLE **President** FEIN **55-033-9216** ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
RTIRE07

PAGE
3

ADDRESS CORRESPONDENCE TO ATTENTION OF
BETTY FRANCISCO
304-558-0468

VENDOR

*709035551 304-744-9473
APPALACHIAN TIRE PRODUCTS INC
2907 FOURTH AVENUE
CHARLESTON WV 25312

SHIP TO

ALL STATE AGENCIES
AND POLITICAL SUBDIVISIONS
VARIOUS LOCALES AS INDICATED
BY ORDER

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
01/23/2007	Net 30			

BID OPENING DATE: **02/22/2007** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>NOTICE TO THE VENDOR IF THE COMMODITIES AND/OR SERVICES SUPPLIED ARE OF AN INFERIOR QUALITY OR DO NOT CONFORM TO THE SPECIFICATIONS OF THE BID AND CONTRACT HEREIN.</p> <p>OPEN MARKET CLAUSE: THE DIRECTOR OF PURCHASING MAY AUTHORIZE A SPENDING UNIT TO PURCHASE ON THE OPEN MARKET, WITHOUT THE FILING OF A REQUISITION OR COST ESTIMATE, ITEMS SPECIFIED ON THIS CONTRACT FOR IMMEDIATE DELIVERY IN EMERGENCIES DUE TO UNFORESEEN CAUSES (INCLUDING BUT NOT LIMITED TO DELAYS IN TRANSPORTATION OR AN UNANTICIPATED INCREASE IN THE VOLUME OF WORK.)</p> <p>QUANTITIES: QUANTITIES LISTED IN THE REQUISITION ARE APPROXIMATIONS ONLY, BASED ON ESTIMATES SUPPLIED BY THE STATE SPENDING UNIT. IT IS UNDERSTOOD AND AGREED THAT THE CONTRACT SHALL COVER THE QUANTITIES ACTUALLY ORDERED FOR DELIVERY DURING THE TERM OF THE CONTRACT, WHETHER MORE OR LESS THAN THE QUANTITIES SHOWN.</p> <p>ORDERING PROCEDURE: SPENDING UNIT(S) SHALL ISSUE A WRITTEN STATE CONTRACT ORDER (FORM NUMBER WV-39) TO THE VENDOR FOR COMMODITIES COVERED BY THIS CONTRACT. IF THE AGENCY IS USING THE PROCUREMENT CARD, ISSUANCE OF THE WV-39 IS NOT REQUIRED BY THE PURCHASING DIVISION.</p> <p>BANKRUPTCY: IN THE EVENT THE VENDOR/CONTRACTOR FILES FOR BANKRUPTCY PROTECTION, THIS CONTRACT IS AUTOMATICALLY NULL AND VOID, AND IS TERMINATED WITHOUT FURTHER ORDER.</p> <p>PURCHASING CARD ACCEPTANCE: THE STATE OF WEST VIRGINIA CURRENTLY UTILIZES A VISA PURCHASING CARD PROGRAM WHICH IS ISSUED THROUGH A BANK. THE SUCCESSFUL VENDOR MUST ACCEPT THE STATE OF WEST VIRGINIA VISA PURCHASING CARD FOR PAYMENT OF ALL ORDERS PLACED BY ANY STATE</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>[Signature]</i>	TELEPHONE 304-744-9473	DATE 3/14/07
TITLE President	FEIN 55-033-9116	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
RTIRE07

PAGE
4

ADDRESS CORRESPONDENCE TO ATTENTION OF
BETTY FRANCISCO
304-558-0468

VENDOR

*709035551 304-744-9473
APPALACHIAN TIRE PRODUCTS INC
2907 FOURTH AVENUE

CHARLESTON WV 25312

SHIP TO

ALL STATE AGENCIES
AND POLITICAL SUBDIVISIONS
VARIOUS LOCALES AS INDICATED
BY ORDER

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
01/23/2007	Net 30			

BID OPENING DATE: **02/22/2007** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>AGENCY FOR ORDERS THAT ARE LESS THAN \$2,500 AS A CONDITION OF AWARD.</p> <p style="text-align: center;">VENDOR PREFERENCE CERTIFICATE</p> <p>CERTIFICATION AND APPLICATION* IS HEREBY MADE FOR PREFERENCE IN ACCORDANCE WITH WEST VIRGINIA CODE, 5A-3-37 (DOES NOT APPLY TO CONSTRUCTION CONTRACTS).</p> <p>A. APPLICATION IS MADE FOR 2.5% PREFERENCE FOR THE REASON CHECKED:</p> <p>() BIDDER IS AN INDIVIDUAL RESIDENT VENDOR AND HAS RESIDED CONTINUOUSLY IN WEST VIRGINIA FOR FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION; OR</p> <p>(X) BIDDER IS A PARTNERSHIP, ASSOCIATION OR CORPORATION RESIDENT VENDOR AND HAS MAINTAINED ITS HEAD-QUARTERS OR PRINCIPAL PLACE OF BUSINESS CONTINUOUSLY IN WEST VIRGINIA FOR FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION; OR 80% OF THE OWNERSHIP INTEREST OF BIDDER IS HELD BY ANOTHER INDIVIDUAL, PARTNERSHIP, ASSOCIATION OR CORPORATION RESIDENT VENDOR WHO HAS MAINTAINED ITS HEADQUARTERS OR PRINCIPAL PLACE OF BUSINESS CONTINUOUSLY IN WEST VIRGINIA FOR FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION; OR</p> <p>() BIDDER IS A CORPORATION NONRESIDENT VENDOR WHICH HAS AN AFFILIATE OR SUBSIDIARY WHICH EMPLOYS A MINIMUM OF ONE HUNDRED STATE RESIDENTS AND WHICH HAS MAINTAINED ITS HEADQUARTERS OR PRINCIPAL PLACE OF BUSINESS WITHIN WEST VIRGINIA CONTINUOUSLY FOR THE FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>J. A. Dui</i>	TELEPHONE 304-744-9473	DATE 3/14/07
TITLE President	FEBN 55-033-9V16	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
RTIRE07

PAGE
5

ADDRESS CORRESPONDENCE TO ATTENTION OF
BETTY FRANCISCO
304-558-0468

VENDOR

*709035551 304-744-9473
APPALACHIAN TIRE PRODUCTS INC
2907 FOURTH AVENUE

CHARLESTON WV 25312

SHIP TO

ALL STATE AGENCIES
AND POLITICAL SUBDIVISIONS
VARIOUS LOCALES AS INDICATED
BY ORDER

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
01/23/2007	Net 30			
BID OPENING DATE: 02/22/2007		BID OPENING TIME 01:30PM		

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>CERTIFICATION.</p> <p>B. APPLICATION IS MADE FOR 2.5% PREFERENCE FOR THE REASON CHECKED:</p> <p><input checked="" type="checkbox"/> BIDDER IS A RESIDENT VENDOR WHO CERTIFIES THAT, DURING THE LIFE OF THE CONTRACT, ON AVERAGE AT LEAST 75% OF THE EMPLOYEES WORKING ON THE PROJECT BEING BID ARE RESIDENTS OF WEST VIRGINIA WHO HAVE RESIDED IN THE STATE CONTINUOUSLY FOR THE TWO YEARS IMMEDIATELY PRECEDING SUBMISSION OF THIS BID;</p> <p>OR</p> <p><input type="checkbox"/> BIDDER IS A NONRESIDENT VENDOR EMPLOYING A MINIMUM OF ONE HUNDRED STATE RESIDENTS OR IS A NONRESIDENT VENDOR WITH AN AFFILIATE OR SUBSIDIARY WHICH MAINTAINS ITS HEADQUARTERS OR PRINCIPAL PLACE OF BUSINESS WITHIN WEST VIRGINIA EMPLOYING A MINIMUM OF ONE HUNDRED STATE RESIDENTS WHO CERTIFIES THAT, DURING THE LIFE OF THE CONTRACT, ON AVERAGE AT LEAST 75% OF THE EMPLOYEES OR BIDDERS' AFFILIATE'S OR SUBSIDIARY'S EMPLOYEES ARE RESIDENTS OF WEST VIRGINIA WHO HAVE RESIDED IN THE STATE CONTINUOUSLY FOR THE TWO YEARS IMMEDIATELY PRECEDING SUBMISSION OF THIS BID.</p> <p>BIDDER UNDERSTANDS IF THE SECRETARY OF TAX & REVENUE DETERMINES THAT A BIDDER RECEIVING PREFERENCE HAS FAILED TO CONTINUE TO MEET THE REQUIREMENTS FOR SUCH PREFERENCE, THE SECRETARY MAY ORDER THE DIRECTOR OF PURCHASING TO: (A) RESCIND THE CONTRACT OR PURCHASE ORDER ISSUED; OR (B) ASSESS A PENALTY AGAINST SUCH BIDDER IN AN AMOUNT NOT TO EXCEED 5% OF THE BID AMOUNT AND THAT SUCH PENALTY WILL BE PAID TO THE CONTRACTING AGENCY OR DEDUCTED FROM ANY UNPAID BALANCE ON THE CONTRACT OR PURCHASE ORDER.</p> <p>BY SUBMISSION OF THIS CERTIFICATE, BIDDER AGREES TO</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>J. A. Dail</i>	TELEPHONE 304-744-9473	DATE 3/14/07
TITLE President	FEIN 55-033-9216	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
RTIRE07

PAGE
6

ADDRESS CORRESPONDENCE TO ATTENTION OF
**BETTY FRANCISCO
 304-558-0468**

VENDOR

*709035551 304-744-9473
APPALACHIAN TIRE PRODUCTS INC
2907 FOURTH AVENUE

CHARLESTON WV 25312

SHIP TO

**ALL STATE AGENCIES
 AND POLITICAL SUBDIVISIONS
 VARIOUS LOCALES AS INDICATED
 BY ORDER**

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
01/23/2007	Net 30			

BID OPENING DATE: **02/22/2007** BID OPENING TIME: **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>DISCLOSE ANY REASONABLY REQUESTED INFORMATION TO THE PURCHASING DIVISION AND AUTHORIZES THE DEPARTMENT OF TAX AND REVENUE TO DISCLOSE TO THE DIRECTOR OF PURCHASING APPROPRIATE INFORMATION VERIFYING THAT BIDDER HAS PAID THE REQUIRED BUSINESS TAXES, PROVIDED THAT SUCH INFORMATION DOES NOT CONTAIN THE AMOUNTS OF TAXES PAID NOR ANY OTHER INFORMATION DEEMED BY THE TAX COMMISSIONER TO BE CONFIDENTIAL.</p> <p>UNDER PENALTY OF LAW FOR FALSE SWEARING (WEST VIRGINIA CODE 61-5-3), BIDDER HEREBY CERTIFIES THAT THIS CERTIFICATE IS TRUE AND ACCURATE IN ALL RESPECTS; AND THAT IF A CONTRACT IS ISSUED TO BIDDER AND IF ANYTHING CONTAINED WITHIN THIS CERTIFICATE CHANGES DURING THE TERM OF THE CONTRACT, BIDDER WILL NOTIFY THE PURCHASING DIVISION IN WRITING IMMEDIATELY.</p> <p>BIDDER: <i>Appalachian Tire Products</i></p> <p>DATE: <i>3/14/07</i></p> <p>SIGNED: <i>[Signature]</i></p> <p>TITLE: <i>President</i></p> <p>* CHECK ANY COMBINATION OF PREFERENCE CONSIDERATION(S) IN EITHER "A" OR "B", OR BOTH "A" AND "B" WHICH YOU ARE ENTITLED TO RECEIVE. YOU MAY REQUEST UP TO THE MAXIMUM 5% PREFERENCE FOR BOTH "A" AND "B".</p> <p>NOTICE</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>J. A. Dail</i>	TELEPHONE <i>304-744-9473</i>	DATE <i>3/14/07</i>
TITLE <i>President</i>	FEIN <i>55-033-9216</i>	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
RTIRE07

PAGE
7

ADDRESS CORRESPONDENCE TO ATTENTION OF
BETTY FRANCISCO
304-558-0468

VENDOR

*709035551 304-744-9473
APPALACHIAN TIRE PRODUCTS INC
2907 FOURTH AVENUE

CHARLESTON WV 25312

SHIP TO

ALL STATE AGENCIES
AND POLITICAL SUBDIVISIONS
VARIOUS LOCALES AS INDICATED
BY ORDER

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B	FREIGHT TERMS
01/23/2007	<i>Net 30</i>			

BID OPENING DATE: **02/22/2007** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>AN ORIGINAL, SIGNED BID MUST BE SUBMITTED TO:</p> <p>DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION BUILDING 15 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25305-0130</p> <p>THE BID MUST CONTAIN THIS INFORMATION ON THE FACE OF THE ENVELOPES OR THE BIDS MAY NOT BE CONSIDERED:</p> <p>SEALED BID</p> <p>BUYER:-----BETTY L. FRANCISCO - FILE 42-----</p> <p>RFQ. NO.:-----RTIRE07-----</p> <p>BID OPENING DATE:--THURSDAY, FEBRUARY 22, 2007-----</p> <p>BID OPENING TIME:--1:30 P.M.-----</p> <p>PLEASE PROVIDE A FAX NUMBER IN CASE IT IS NECESSARY TO CONTACT YOU REGARDING YOUR BID: <i>304-744-9498 or 304-744-8762</i></p> <p>CONTACT PERSON (PLEASE PRINT CLEARLY): <i>Don Cantrell</i></p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>Don Cantrell</i>	TELEPHONE <i>304-744-9473</i>	DATE <i>3/14/07</i>
TITLE <i>President</i>	FEIN <i>55-033-9116</i>	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
RTIRE07

PAGE
8

ADDRESS CORRESPONDENCE TO ATTENTION OF:
BETTY FRANCISCO
304-558-0468

VENDOR

*709035551 304-744-9473
APPALACHIAN TIRE PRODUCTS INC
2907 FOURTH AVENUE

CHARLESTON WV 25312

SHIP TO

ALL STATE AGENCIES
AND POLITICAL SUBDIVISIONS
VARIOUS LOCALES AS INDICATED
BY ORDER

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
01/23/2007	<i>Net 30</i>			

BID OPENING DATE: **02/22/2007** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
***** THIS IS THE END OF RFQ RTIRE07 ***** TOTAL: _____						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>[Signature]</i>	TELEPHONE 304-744-9473	DATE 3/14/07
TITLE <i>President</i>	FEIN 55-033-9V16	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
RTIRE07

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF
BETTY FRANCISCO
304-558-0468

RFQ COPY

VENDOR

Don Cantrell
Appalachian Tire Products
2907 4th Avenue
Charleston, WV 25312

SHIP TO

ALL STATE AGENCIES
 AND POLITICAL SUBDIVISIONS
 VARIOUS LOCALES AS INDICATED
 BY ORDER

DATE PRINTED 02/26/2007	TERMS OF SALE <i>N26 30</i>	SHIP VIA	F.O.B.	FREIGHT TERMS
BID OPENING DATE: 03/15/2007		BID OPENING TIME 01:30PM		

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
*****ADDENDUM NO.2*****						
1. BID OPENING DATE HAS BEEN MOVED TO 03/15/2007.						
2. REVISED SPECIFICATIONS DATED 02/26/07 (4 PAGES)						
3. REVISED PRICING PAGES (4 PAGES)						
4. CERTIFICATION DATED 02/26/07 (1 PAGE)						
*****END OF ADDENDUM NO.2*****						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>Jeff A. Smith</i>	TELEPHONE 304-244-9477	DATE 3/16/07
TITLE <i>President</i>	FEIN 55-033 9416	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

**RTIRE07
Specifications**

02/26/2007

Vendor must be an established retreader of tires or an established distributor of retread tires and must have conducted business for at least five years. Vendor must have facilities to remove and/or remount tires on wheels, balance the tires and wheels, and make repairs.

The Division of Highways requires the successful vendor to schedule pick-up and delivery of retreadable and/or repairable tires from all ten district equipment shops and the Equipment Division in Buckhannon. See the attached list. Other agencies MAY request pickups for their tires.

NOTICE***NOTICE*****NOTICE**

Mandatory pre-bid meeting is scheduled on Wednesday, February 7, 2007 at 10:30 a.m. in Building 15 at the Capitol Complex, 2019 Washington Street, East, Charleston, WV 25305. **All interested bidders are required to be present at this meeting. Failure to attend the mandatory pre-bid conference shall result in automatic disqualification. No one person can represent more than one vendor.**

GENERAL PROVISIONS

1. All rubber used in any subsequent contract must meet the following specifications:

	BIAS	RADIAL
Tensile Strength (psi)	2600	2600
Elongation (%)	425% MIN	450% MIN
Modulus @ 300%	1400 - 1800	1500 - 1900
Hardness ****	62 - 67	62 - 67
Specific Gravity	1.11	1.11

**** Measured using a Shore Durometer

2. All retread tires must have the following minimum tread depth:

Radial truck and Bus Tires 26-32
Radial Light Truck 14-32
Bias truck and bus tires 19-32
Big loader and off road tires 32-32

3. All retread must be Goodyear G328 Mud and Snow Lug or equal.
4. We reserve the right to award by size/service if significant savings can be achieved.

RTIRE07
Specifications

02/26/2007

5. All tires for recapping must be inspected by the contractor using electronic, ultrasonic, x-ray, shearography or holographic devices to determine if the tire carcass is recappable, and if any repairs are necessary.
6. All state agencies and institutions, with the exception of the Division of Highways, must deliver the tires and tubes to the contractor's facility for retread and/or repaired. Successful vendor shall pick up tires for repair from the Division of Highways at the locations requested.
7. The contractor must be equipped with state of the art retreading equipment and have tread designs suitable for the usage and service required.
8. Rubber must be government certified for retreading. ONLY THE RUBBER SPECIFICATIONS INDICATED ABOVE IS ACCEPTABLE..
9. Contractor must conform to tire industry standards for fitment of proper tread size per casing width.
10. Hot process retread is molded to the tire casing. Cold process retread is procured prior to application to the tire casing.
11. Should the contractor be unable to retread or repair any tire in their place of business and it is necessary to send the tire to another retreader or manufacturer, the contractor shall provide the State Agency with a list of the tires (by size and brand name) and the name and address of the retreader/manufacturer performing the retread or repair work.
12. Tread rubber samples of tread design, tread depth and compound to be submitted with bid proposal.
13. Vendor shall provide written warranty against defects in workmanship and materials for the life of the usable tread. The usable tread is defined as the tread depth down to 4/32nds of an inch of tread remaining. This should be provided with bid; contract shall not be issued prior to receipt of warranty information.
14. In hot cure, the rebuilt tire is cured in a tire moulding press. This press subjects the tire to heat and pressure, forming a new tread into the uncured rubber, creating a chemical bond with the casing by vulcanizing. In the "Cold cure" process, a pre-vulcanised tread, including tread pattern is made by external specialists. This tread is supplied to the retreading plant where it is applied to the casing and chemically bonded to the surface in a cold curing autoclave process.

RTIRE07
Specifications

02/26/2007

15. In the event any tires are lost or destroyed while in the possession of the contractor, the contractor shall replace the tire or pay for the tire based on the present statewide contract for new tires.
16. All retread repairs shall be performed within 10 days. Tires forwarded to another retreading facility, shall be available within 30 days to the agency or returned to the agency.
17. Retread tires must be capable of normal load ranges for which the original tire was designed to perform. Retread tires failing to meet this requirement shall be returned to vendor for adjustment.
18. The contractor shall list tires taken from any agency location by size, DOH brand number and other information as required. Upon return delivery, a list of tires by size and DOH brand number shall be furnished by the contractor to the DOH.
19. The contractor shall pickup tires as required at the Division of Highways locations as required. Tire pickups must be within seven (7) days of date of receipt of request.
20. All services shall be in accordance with manufacturer's specifications/regulations relating to the retreading and repair of tires during the period of the contract.
21. The contractor's facility shall be available for inspection by a representative of the state.
22. All tire carcasses determined to be non-recappable will be returned to the agency with a written reason for rejection. The agency may direct the contractor to dispose of any rejected tire carcass at the agency expense.
23. Agency will be responsible for inspecting retread tires and determining if tires meet required specs. Tires failing to meet required specifications will be rejected. The contractor will replace the tire or pay the state agency an amount equal to 50% of the purchase price the agency would have to pay if a new tire was purchased from the current state tire contract.
24. Contractor to provide certificate of insurance in the amount of \$1,000,000.00 liability coverage and should be included with bid package. Insurance certificate must be provided prior to issuance of contract.
25. Vendor should sign the attached WV-96. Failure to sign the WV-96 may be cause to disqualify the bid.

RTIRE07
Specifications

02/26/2007

26. Pricing: Bidders must use the attached pricing pages for their bids. Vendors should enter all required information. An electronic copy of this shall be issued after the pre-bid meeting. Bidders are requested to submit the required paper pricing pages and an electronic copy. If there is any difference between the paper bid and the electronic version, the paper bid shall prevail. While the goal is to award one contract, purchasing reserves the right to make multiple awards for this commodity. Separate line item awards may be made if significant savings can be achieved.



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
RTIRE07

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF:
BETTY FRANCISCO
304-558-0468

VENDOR

*709035551 304-744-9473
 APPALACHIAN TIRE PRODUCTS INC
 2907 FOURTH AVENUE

 CHARLESTON WV 25312

SHIP TO

ALL STATE AGENCIES
 AND POLITICAL SUBDIVISIONS
 VARIOUS LOCALES AS INDICATED
 BY ORDER

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
02/18/2007				

BID OPENING DATE: **03/01/2007** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>*****ADDENDUM NO. 1*****</p> <p>1. BID OPENING DATE HAS BEEN MOVED TO 03/01/2007. 2. ADDENDUM ACKNOWLEDGEMENT IS ATTACHED. THIS DOCUMENT SHOULD BE SIGNED AND RETURNED WITH YOUR BID. FAILURE TO SIGN AND RETURN MAY RESULT IN DISQUALIFICATION OF YOUR BID.</p> <p>*****END OF ADDENDUM NO. 1*****</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>[Signature]</i>	TELEPHONE 304/744-9473	DATE 3/14/07
TITLE <i>[Signature]</i>	FEIN 55-033-9V16	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

Appalachian Time

3/12/07

RTIRES07 - PRICING PAGE					
EST. USAGE	ITEM	SIZES	TREAD DESIGN	MOLD CURE	PRECURE
BIAS LIGHT TRUCK TIRES - MINIMUM TREAD DEPTH 19/32"					
10	014	700X15	Mud & Snow	\$ -	\$ -
15	015	750X16	Mud & Snow	\$ -	\$ 77.04
20	016	800X16.5	Mud & Snow	\$ -	\$ 72.06
10	017	875X16.5	Mud & Snow	\$ -	\$ 73.56
10	018	950X16.5	Mud & Snow	\$ -	\$ 77.42
10	019	8X19.5	Mud & Snow	\$ -	\$ 80.17
EST. USAGE	ITEM	SIZES	TREAD DESIGN	MOLD CURE	PRECURE
RADIAL LIGHT TRUCK - MINIMUM TREAD DEPTH 14/32"					
5	020	800R16.5	Mud & Snow	\$ -	\$ 59.45
5	021	750R16	Mud & Snow	\$ -	\$ 62.21
50	022	LT225/75R16	Mud & Snow	\$ -	\$ 60.30
50	023	LT245/75R16	Mud & Snow	\$ -	\$ 67.16
5	024	LT215/85R16	Mud & Snow	\$ -	\$ 61.89
40	025	LT235/85R16	Mud & Snow	\$ -	\$ 67.84
20	026	875R16.5	Mud & Snow	\$ -	\$ 61.96
5	027	950R16.5	Mud & Snow	\$ -	\$ 66.45
5	028	8R15.5	Mud & Snow	\$ -	\$ -
EST. USAGE	ITEM	SIZES	TREAD DESIGN	MOLD CURE	PRECURE
BIAS TRUCK & BUS TIRES - MINIMUM TREAD DEPTH 19/32"					
5	029	750X20	Mud & Snow	\$ -	\$ 84.03
5	030	825X20	Mud & Snow	\$ -	\$ 86.04
5	031	900X20	Mud & Snow	\$ -	\$ 88.36
5	032	1000X20	Mud & Snow	\$ -	\$ 96.67
5	033	1100X20	Mud & Snow	\$ -	\$ 100.07
5	034	1000X22	Mud & Snow	\$ -	\$ 100.07
5	035	1100X22	Mud & Snow	\$ -	\$ 99.58
5	036	11X22.5	Mud & Snow	\$ -	\$ 96.67
5	037	11X24.5	Mud & Snow	\$ -	\$ 100.07
EST. USAGE	ITEM	SIZES	TREAD DESIGN	MOLD CURE	PRECURE
RADIAL TRUCK & BUS TIRES - MINIMUM TREAD DEPTH 26/32"					
10	038	750R15	Mud & Snow	\$ -	\$ -
20	039	825R15	Mud & Snow	\$ -	\$ -
15	040	825R20	Mud & Snow	\$ -	\$ 100.89
10	041	900R20	Mud & Snow	\$ -	\$ 95.73
250	042	1000R20	Mud & Snow	\$ -	\$ 103.34
10	043	1100R20	Mud & Snow	\$ -	\$ 107.65
5	044	1000R22	Mud & Snow	\$ -	\$ 107.65

Appalachian Tire

3/14/07

RTIRES07 - PRICING PAGE

RADIAL TRUCK & BUS TIRES - MINIMUM TREAD DEPTH 26/32"					
5	045	100R22	Mud & Snow	\$	- \$ 108.74
5	046	8R/14.5	Mud & Snow	\$	- \$ -
5	047	10R22.5	Mud & Snow	\$	- \$ 95.73
75	048	11R22.5	Mud & Snow	\$	- \$ 103.34
5	049	11R24.5	Mud & Snow	\$	- \$ 107.65
5	050	12R22.5	Mud & Snow	\$	- \$ 105.49
5	051	215/75R17.5	Mud & Snow	\$	- \$ 82.84
5	052	255/70R22.5	Mud & Snow	\$	- \$ 85.03
5	053	285/75R24.5	Mud & Snow	\$	- \$ 107.65
5	054	385/65R22.5	Mud & Snow	\$	- \$ 148.90
5	055	425/65R22.5	Mud & Snow	\$	- \$ 159.41

EST. USAGE	ITEM	SIZES	TREAD DESIGN	MOLD CURE	PRECURE
------------	------	-------	--------------	-----------	---------

RADIAL LIGHT TRUCK - MINIMUM TREAD DEPTH 14/32"					
5	056	1300X24	Lug ✓	\$ 198.00	\$ -
10	057	1400X24	Lug ✓	\$ 232.95	\$ -
5	058	15.5X25	Lug ✓	\$ 236.45	\$ -
5	059	17.5X25	Lug ✓	\$ 388.82	\$ -
5	060	20.5X25	Lug X	\$ 700.00	\$ -
5	061	23.5X25	Lug X	\$ 1,040.00	\$ -
5	062	18.4X30	Lug ✓	\$ -	\$ -

EST. USAGE	ITEM	SIZES	TREAD DESIGN	MOLD CURE	PRECURE
------------	------	-------	--------------	-----------	---------

RADIAL LOADER/GRADER & OFF ROAD TIRES - MINIMUM TREAD DEPTH 32/32"					
30	063	1300R24	Lug ✓	\$ 290.00	\$ 390.00
100	064	1400R24	Lug ✓	\$ 340.00	\$ 425.88
5	065	14.9R24	Lug X	\$ 504.00	\$ -
15	066	15.5R25	Lug ✓	\$ 476.00	\$ 379.00
10	067	16.9R30	Lug X	\$ 660.00	\$ -
10	068	17.5R25	Lug ✓	\$ 598.00	\$ 495.00
20	069	18.4R30	Lug ✓	\$ 739.00	\$ -
20	070	18.4R38	Lug X	\$ 826.00	\$ -
10	071	18.5LR26	Lug X	\$ -	\$ -
10	072	19.5SLR24	Lug ✓	\$ 660.00	\$ -
5	073	20.5SR25	Lug ✓	\$ 1,060.00	\$ 1,115.00
5	074	23.5SR25	Lug ✓	\$ 1,398.00	\$ 1,355.00

X H H INDUSTRIES - Wing Foot

SUPPORT SERVICES		EST. USAGE	COST
SERVICE			\$
BALANCE		250	\$ 15.00
MOUNTING		175	\$ 10.00

VENDOR: *Appalachian Tire*

3/14/07
Insert Date

RTIRES07 - PRICING PAGE

EST. USAGE	ITEM	PLY RATING	SECTION	REINFORCEMENT ENT	SPOT	NAIL HOLE	BEAD
------------	------	------------	---------	-------------------	------	-----------	------

REPAIR SERVICES FOR BIAS PLY TRUCK & BUS TIRES

5	075	8	\$ 40.00	\$ 13.00	\$ 12.00	\$ 6.1V	\$ 13.50
5	076	10	\$ 40.00	\$ 13.00	\$ 12.00	\$ 6.1V	\$ 13.50
5	077	11	\$ 40.00	\$ 13.00	\$ 12.00	\$ 6.1V	\$ 13.50
5	078	12	\$ 40.00	\$ 13.00	\$ 12.00	\$ 6.1V	\$ 13.50

EST. USAGE	ITEM	PLY RATING	SECTION	REINFORCEMENT ENT	SPOT	NAIL HOLE	BEAD
------------	------	------------	---------	-------------------	------	-----------	------

REPAIR SERVICES FOR RADIAL TRUCK & BUS TIRES

5	079	10	\$ 40.00	\$ 13.00	\$ 12.00	\$ 6.1V	\$ 13.50
5	080	12	\$ 40.00	\$ 13.00	\$ 12.00	\$ 6.1V	\$ 13.50
50	081	14	\$ 40.00	\$ 13.00	\$ 12.00	\$ 6.1V	\$ 13.50
5	082	16	\$ 40.00	\$ 13.00	\$ 12.00	\$ 6.1V	\$ 13.50
5	083	18	\$ 40.00	\$ 13.00	\$ 12.00	\$ 6.1V	\$ 13.50

EST. USAGE	ITEM	SIZE	PLY RATING	SECTION	REINFORCEMENT ENT	SPOT	NAIL HOLE	BEAD
------------	------	------	------------	---------	-------------------	------	-----------	------

REPAIR SERVICES FOR BIAS PLY LOADER / GRADER & OFF ROAD TIRES

5	084	1300x24 *	ALL	\$ 67.00	\$ NA	\$ 25.00	\$ 30.00	\$ 25.00
5	085	1400x24 *	ALL	\$ 74.00	\$ NA	\$ 27.00	\$ 30.00	\$ 25.00
5	086	15.5x25 *	ALL	\$ 66.30	\$ NA	\$ 27.00	\$ 30.00	\$ 25.00
5	087	17.5x25 *	ALL	\$ 115.00	\$ NA	\$ 40.00	\$ 30.00	\$ 25.00
5	088	20.5x25 *	ALL	\$ 205.00	\$ NA	\$ 73.00	\$ 30.00	\$ 25.00
5	089	23.5x25 *	ALL	\$ 231.00	\$ NA	\$ 83.00	\$ 30.00	\$ 25.00
5	090	18.4x30 *	ALL	\$ 98.00	\$ NA	\$ 58.00	\$ 30.00	\$ 25.00
5	091	1300R24 *	ALL	\$ 67.00	\$ NA	\$ 25.00	\$ 30.00	\$ 25.00
5	092	1400R24 *	ALL	\$ 84.00	\$ NA	\$ 27.00	\$ 30.00	\$ 25.00
5	093	14.9R24 *	ALL	\$ 55.00	\$ NA	\$ 29.00	\$ 30.00	\$ 25.00
5	094	15.5R25 *	ALL	\$ 66.30	\$ NA	\$ 30.00	\$ 30.00	\$ 25.00
5	095	16.9R30 *	ALL	\$ 58.00	\$ NA	\$ 31.00	\$ 30.00	\$ 25.00

* H & H Industrial Wingfoot

VENDOR: Appalachian Tire

3/11/07
Insert Date

RTIRES07 - PRICING PAGE

EST. USAGE	ITEM	PLY RATING	SECTION	REINFORCEMENT	SPOT	NAIL HOLE	BEAD
5	096	ALL	NA	NA	NA	NA	NA
5	097	ALL	98.00	NA	58.00	30.00	25.00
5	98	ALL	98.00	NA	58.00	30.00	15.00
5	99	ALL	NA	NA	NA	NA	15.00
5	100	ALL	92.00	NA	40.45	30.00	15.00
5	101	ALL	105.00	NA	73.00	30.00	15.00
5	102	ALL	NA	NA	NA	NA	NA

H & H - Wingfoot

ITEM	DESCRIPTION	PRICE
50	Passenger	\$ 2.00
75	Light Truck	\$ 3.00
75	Truck & Bus	\$ 7.50
50	Off Road	\$ 25.00

DISPOSAL SERVICES FOR REJECTED TIRES

H. & H. Industries, Wingfoot Between - Div of Goodyear
 P.O. Box 131
 Oak Hill, Ohio 45652
 1000 415757
 Ft. Smith, Ark. 72901

Contact Person: Don Cantrell Signature: Don Cantrell
 (Print Name)
 Phone: 304-744-9473 Date: 3/11/07
 Fax: 304-744-9498 or 304-744-8762
 Email: DCANTRELL@AppTire.com

WV-36a STATE OF WEST VIRGINIA PURCHASING CONTINUATION SHEET	Buyer:	Page	Req. or P. O. No.:
Vendor:	Spending Unit:		

Requisition No.: R Tire 07

ADDENDUM ACKNOWLEDGEMENT

I hereby acknowledge receipt of the following checked addendum(s) and have made the necessary revisions to my proposal, plans and/or specifications, etc.

- Addendum No.'s:**
- No. 1 ✓
 - No. 2 ✓
 - No. 3
 - No. 4
 - No. 5

I understand that failure to confirm the receipt of the addendum(s) is cause for rejection of bids.

X J. P. a. Quil
Signature

Appalachian Tire
Company

3/14/07
Date

A F F I D A V I T**West Virginia Code §5A-3-10a states:**

No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owned is an amount greater than one thousand dollars in the aggregate

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceeds five percent of the total contract amount.

EXCEPTION:

The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

LICENSING:

Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.

CONFIDENTIALITY:

The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendors should visit www.state.wv.us/admin/purchase/privacy for the Notice of Agency Confidentiality Policies.

Under penalty of law for false swearing (West Virginia Code, §61-5-3), it is hereby certified that the vendor acknowledges the information in this said affidavit and are in compliance with the requirements as stated.

Vendor's Name: Appalachian Tire

Authorized Signature: [Signature] Date: 3/12/07

Certification

RTIRE07


By submitting a signed bid for RTIRE07 – supplying retread and repair services – vendor hereby certifies under penalty of fraud that all mandatory specifications contained in the Request for Quotation are met. Vendor additionally certifies that all strength, elongation, modulus, hardness and specific gravity specifications are met by the bid and no other retread will be supplied; all tread depth supplied on any retread tire shall be as mandated in the specifications..

APPALACHIAN TIRE PRODUCTS INC
Vendor (Type Name of Company)

2907 4th AVE CHARLESTON, WV 25312
Address

JENNIFER DIAL
Name (Type Name)

PRESIDENT
Title

x 
Signature

x 3/12/12
Date

Note: No contract shall be awarded prior to receipt of this certification.

ACORD CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YY)
2/09/07


PRODUCER Acordia of WV-Charleston One Hillcrest Drive, East PO Box 1551 Charleston WV 25326-1551 (304) 346-0611	THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW.
	COMPANIES AFFORDING COVERAGE
	COMPANY A Westfield Insurance Company
	COMPANY B
INSURED Appalachian Tire Products, Inc P O Box 10057 Station C Charleston, WV 25312	COMPANY C
	COMPANY D

COVERAGES

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED, NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

CO LTR	TYPE OF INSURANCE	POLICY NUMBER	POLICY EFFECTIVE DATE (MM/DD/YY)	POLICY EXPIRATION DATE (MM/DD/YY)	LIMITS	
A	GENERAL LIABILITY	CMM3785016	1/01/07	1/01/08	GENERAL AGGREGATE	\$ 2,000,000
	<input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY				PRODUCTS-COMP/OP AGG	\$ 2,000,000
					<input type="checkbox"/> CLAIMS MADE <input checked="" type="checkbox"/> OCCUR	PERSONAL & ADV INJURY
	<input type="checkbox"/> OWNER'S & CONTRACTOR'S PROT				EACH OCCURRENCE	\$ 1,000,000
					FIRE DAMAGE (Any one fire)	\$
					MED EXP (Any one person)	\$ 10,000
	AUTOMOBILE LIABILITY				COMBINED SINGLE LIMIT	\$
	<input type="checkbox"/> ANY AUTO				BODILY INJURY (Per person)	\$
	<input type="checkbox"/> ALL OWNED AUTOS				BODILY INJURY (Per accident)	\$
	<input type="checkbox"/> SCHEDULED AUTOS				PROPERTY DAMAGE	\$
	GARAGE LIABILITY				AUTO ONLY - EA ACCIDENT	\$
	<input type="checkbox"/> ANY AUTO				OTHER THAN AUTO ONLY:	
					EACH ACCIDENT	\$
					AGGREGATE	\$
	EXCESS LIABILITY				EACH OCCURRENCE	\$
	<input type="checkbox"/> UMBRELLA FORM				AGGREGATE	\$
	<input type="checkbox"/> OTHER THAN UMBRELLA FORM					\$
	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY				WC STATUTORY LIMITS	OTHER
	THE PROPRIETOR/PARTNERS/EXECUTIVE OFFICERS ARE:	<input type="checkbox"/> INCL			EL EACH ACCIDENT	\$
		<input type="checkbox"/> EXCL			EL DISEASE-POLICY LIMIT	\$
					EL DISEASE-EA EMPLOYEE	\$
	OTHER					

DESCRIPTION OF OPERATIONS/LOCATIONS/VEHICLES/SPECIAL ITEMS

CERTIFICATE HOLDER State of WV All State Agencies Dept of Admin/Purchasing Div. 2019 Washington Street, East P O Box 50130 Charleston, WV 25305-0130	CANCELLATION SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, THE ISSUING COMPANY WILL ENDEAVOR TO MAIL 30 DAYS WRITTEN NOTICE TO THE CERTIFICATE HOLDER NAMED TO THE LEFT, BUT FAILURE TO MAIL SUCH NOTICE SHALL IMPOSE NO OBLIGATION OR LIABILITY OF ANY KIND UPON THE COMPANY, ITS AGENTS OR REPRESENTATIVES. AUTHORIZED REPRESENTATIVE  #57960
---	---

IMPORTANT

If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must be endorsed. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

DISCLAIMER

The Certificate of Insurance on the reverse side of this form does not constitute a contract between the issuing insurer(s), authorized representative or producer, and the certificate holder, nor does it affirmatively or negatively amend, extend or alter the coverage afforded by the policies listed thereon.

TO OUR CUSTOMERS:

NEXT-TRED™ RETREADING - with tread patterns like our new tires or, with industry standard tread design - offers you the RIGHT tread rubber compound in the RIGHT tread design for the RIGHT application.

Authentic Retread Compounds Available:

*** 2015T**

Exclusive to Goodyear authorized retreads, this premium over-the-road compound matches new tire performance criteria for treadwear and improved traction.

F.E.D.

Exclusive Goodyear retreading compound developed to provide significant fuel savings by lowering tread rolling resistance and tread area heat build-up "Fuel Efficient Drive" (F.E.D.) Compound offers premium over-the-road treadwear and traction too!

ESD

Advanced tread compound designed to provide maximum fuel economy by reducing rolling resistance in line haul applications.

MPG +

Derived from the latest generation of Goodyear's new tire compounds, the MPG PLUS Compound provides significant fuel savings in free rolling trailer positions by lowering tread rolling resistance and tread area heat build-up. MPG PLUS optimizes cost-per-mile savings and provides good treadwear in over-the-road trailer applications.

SSC

Special Service Compound (SSC) is designed specifically for off-on road applications. SSC withstands the operating problems in high off-on road usage with high resistance to cutting, tearing, and chip-chunking.

CITY CRUISER

CITY CRUISER Compound is specifically designed for use on urban and intra-urban bus and transportation vehicles. This premium compound emphasizes long treadwear with good traction.

FUEL GUARD

Goodyear's new ultra-premium drive compound. Fuel Guard is specifically designed for fuel-conscious consumers. Designed to deliver maximum fuel economy and low rolling resistance, Fuel Guard offers an exceptional cost-per-mile.

FUEL MAX

Lower your cost-per-mile with Goodyear's new ultra-premium trailer compound. Fuel Max produces retreads with a low rolling resistance. Plus, it's extremely fuel-efficient so you can improve your bottom line.

COOPERATIVE PLANT QUALITY CERTIFICATION (CPQC)

IS PRESENTED TO
APPALACHIAN TIRE PRODUCTS, CHARLESTON

ATP Charleston, WV HAS BEEN INSPECTED BY **J. Burky, Goodyear** (inspector's name and company
or industry association) ACCORDING TO THE QUALITY REQUIREMENTS OF THE ADMINISTRATORS APPROVAL AND
REQUIREMENTS MANUAL FOR TIRES, PNEUMATIC, RETREADED AND REPAIRED (CTQP-441). THIS FACILITY HAS BEEN
RATED **APPROVED** (approved or approved with minor deviations) TO RETREAD AND/OR REPAIR U.S.
GOVERNMENT TIRES.

PRINTED/TYPED NAME AND SIGNATURE OF INSPECTOR **J. BURKY**

GIVEN THIS **18th** DAY OF **May** **2006**
VALID THROUGH **05/18/2007** (1 year)



Mark A. Swift, Sr.
CTQP Administrator,
ACTS Incorporated

LIMITED WARRANTY

GOODYEAR
AUTHORIZED
RADIAL RETREAD
LIMITED
WARRANTY
COMMERCIAL TIRE

Goodyear Unisteel[®] Radial Truck Tires
Kelly Radial Truck Tires
Dunlop Radial Truck Tires

United States

ON THE WINGS OF

GOODYEAR



REMEMBER YOUR NEW TIRE WARRANTY

This limited warranty policy provides you with certain benefits as the owner of a radial casing that has been retreaded or repaired by a Goodyear Authorized Retreader. If you purchased a new Goodyear, Kelly or Dunlop commercial radial truck tire, you are also entitled to the benefits and are subject to the same Adjustment Policy Limitations of the new tire warranty that was in effect at the time of purchase. Please consult your new tire warranty for details.

ADJUSTMENT POLICY LIMITATIONS

This Limited Warranty Policy is applicable only in the United States. No representative or dealer has authority to make any representation, promise, or agreement on behalf of Goodyear, except as stated herein.


If you are within 100 miles (160 kilometers) of where the retread was purchased, you must return the tire to that outlet to receive warranty consideration.

All casings presented for adjustment that are beyond four years (48 months) from date of manufacture or new tire purchase date, if proof of purchase is available, are excluded from coverage by this warranty.

SAFETY WARNINGS:


Serious injury or property damage may result from:

- **TIRE FAILURE DUE TO UNDERINFLATION/OVERLOADING.**
Follow the vehicle owner's manual or tire placard in vehicle.
- **EXPLOSION OF TIRE/RIM ASSEMBLY DUE TO IMPROPER MOUNTING.** Only specially-trained persons should mount tires.
- **FAILURE TO MOUNT RADIAL TIRES ON APPROVED RIMS.**
- **FAILURE TO DEFLATE SINGLE OR DUAL ASSEMBLIES COMPLETELY BEFORE DEMOUNTING.**
- **TIRE SPINNING.** On slippery surfaces such as snow, mud, ice, etc., do not spin tires in excess of 35 mph (55 kph), as indicated on the speedometer. Personal injury and severe damage may result from excessive wheel spinning, including tire disintegration or axle failure.



**FOR SERVICE ASSISTANCE OR
INFORMATION:**

1. First contact the nearest Authorized
Goodyear Commercial Truck Tire Retailer.
2. If additional assistance is required:
 - E-mail The Goodyear Consumer
Relations Department at
consumer_relations@goodyear.com or
 - Write to -
Goodyear Customer Assistance Center
Department 728
1144 East Market St.
Akron, OH 44316



WHO IS ELIGIBLE AND WHAT IS COVERED?

You are eligible for the benefits of this warranty policy if you are the owner of a radial truck tire casing which has been retreaded or repaired by a Goodyear Authorized Retreader using Goodyear or Ultima® brand retreads or Goodyear authorized repair materials. This warranty policy does not apply to tires designated for off-highway service.


WHAT IS THE CASING COVERAGE?

The following Commercial Radial Truck Tire Casings have casing coverage under the terms of this warranty policy: Goodyear 100 Series Metro, 200 Series Mixed Service, 600 Series Unisteel® Light Truck, Kelly and Dunlop. These casings are warranted for an unlimited number of retreads, within the warranty period, when retreaded by a Goodyear Authorized Retreader using Goodyear or Ultima brand retreads.

Goodyear, Kelly and Dunlop radial truck tire casings covered by this warranty policy that become unserviceable due to a covered warranty condition within the warranty period are eligible for a credit equal to the predetermined casing allowances listed in the tables at right. Standard casing values will apply through the first 25% usable treadwear of the first retread and reduced casing values apply for the remainder of the warranty period.


In addition, medium truck tire radial casings other than Goodyear, Kelly or Dunlop, retreaded by a Goodyear Authorized Retreader using Goodyear or Ultima brand retreads, that become unserviceable due to a covered warranty condition within the first 25% wear of the first retread, are eligible for a credit equal to a Predetermined Casing Allowance for non-Goodyear, Kelly or Dunlop radial casings.

The warranty period for casings is four years. All casings beyond four years from date of new tire manufacture or new tire purchase, if proof of purchase is available, are excluded from coverage by this warranty.



GOODYEAR CASING VALUES	ORIGINAL TREAD & THROUGH FIRST 25% OF FIRST RETREAD LIFE CASING VALUES	AFTER 25% OF FIRST RETREAD LIFE CASING VALUES
	GY	GY
UNISTEEL LIGHT TRUCK		
7.50R16	\$15.00	\$10.00
225/75R16	15.00	10.00
215, 235/85R16	15.00	10.00
8.75, 9.50R16.5	15.00	10.00
8, 8.5R17.5	15.00	10.00
8R19.5	15.00	10.00
TUBELESS		
9, 10, 11R17.5	\$20.00	\$15.00
9, 10R22.5	40.00	35.00
11R22.5, 24.5	70.00	60.00
12R22.5, 24.5	70.00	60.00
TUBELESS LOW PROFILE		
215, 235/75R17.5	\$15.00	\$10.00
225, 245, 265, 285/70R19.5	30.00	20.00
245, 265/75R22.5	15.00	10.00
255, 275/70R22.5	30.00	20.00
275/80R22.5	60.00	50.00
295/75R22.5	65.00	55.00
295/80R22.5	65.00	55.00
285/75R24.5	50.00	40.00
315/80R22.5	70.00	60.00
385, 425, 445/65R22.5	70.00	60.00
435/50R22.5	40.00	30.00
TUBE TYPE		
8.25, 10.00R15	\$15.00	\$10.00
8.25, 9.00R20	15.00	10.00
10.00R20	70.00	60.00
11.00R20, 22, 24	65.00	55.00
12.00R20	20.00	15.00
12.00R24	80.00	60.00
365/80R20	20.00	15.00
14.00R20	20.00	15.00

KELLY/DUNLOP CASING VALUES	ORIGINAL TREAD & THROUGH FIRST 25% OF FIRST RETREAD LIFE CASING VALUES KELLY/DUNLOP	AFTER 25% OF FIRST RETREAD LIFE CASING VALUES KELLY/DUNLOP
	TUBELESS	
10, 11R17.5	\$15.00	\$10.00
9, 10R22.5	35.00	30.00
11R22.5, 24.5	60.00	55.00
12R22.5	60.00	55.00
TUBELESS LOW PROFILE		
215/75R17.5	\$10.00	\$ 5.00
225, 245/70R19.5	20.00	15.00
255/70R22.5	20.00	15.00
295/75R22.5	55.00	50.00
285/75R24.5	40.00	35.00
315/80R22.5	60.00	55.00
385, 425, 445/65R22.5	60.00	55.00
TUBE TYPE		
8.25, 10.00R15	\$10.00	\$ 5.00
9.00R20	10.00	5.00
10.00R20	60.00	55.00
11.00R20, 22, 24	55.00	50.00



NON-GOODYEAR, NON-KELLY NON-DUNLOP CASING VALUES	THROUGH FIRST 25% OF FIRST RETREAD LIFE CASING VALUE
STEEL-STEEL LIGHT TRUCK	
7.50R16	\$10.00
225/75R16	10.00
215, 235/85R16	10.00
8.75, 9.50R16.5	10.00
8, 8.5R17.5	10.00
8R19.5	10.00
TUBELESS	
9, 10, 11R17.5	\$10.00
9, 10R22.5	25.00
11R22.5, 24.5	55.00
12R22.5, 24.5	45.00
TUBELESS LOW PROFILE	
215, 235/75R17.5	\$10.00
225, 245, 265, 285/70R19.5	15.00
245, 265/75R22.5	10.00
255, 275/70R22.5	15.00
275/80R22.5	35.00
295/75R22.5	40.00
295/80R22.5	40.00
285/75R24.5	30.00
315/80R22.5	35.00
385, 425, 445/65R22.5	35.00
TUBE TYPE	
8.25, 10.00R15	\$10.00
8.25, 9.00R20	10.00
10.00R20, 22	45.00
11.00R20, 22, 24	45.00
12.00R20, 24	10.00
13, 14, 365/80R20	10.00
14.00R20	10.00

HOW WILL THE RETREAD CREDIT BE DETERMINED WHEN THE CASING BECOMES UNSERVICEABLE DUE TO A COVERED WARRANTY CONDITION?

Full credit for the retreading or repair costs will be issued, based on the current "predetermined price for adjustment" or the "retail selling price" of the retread during the first 2/32" (or the first 25% for UNICIRCLE retreads) of usable treadwear if the casing becomes unserviceable within the coverage period due to a covered warranty condition.

Retreading costs that are not eligible for full credit will be prorated. The replacement price will be calculated by multiplying the current Goodyear "predetermined price for adjustment" or the "retail selling price" of the retread, whichever is lower, by the percentage of usable tread remaining at the time of adjustment.

You must pay for mounting, balancing, applicable taxes and any additional services you order at the time of adjustment.



WHAT IS THE COVERAGE ON GOODYEAR AUTHORIZED RETREADER REPAIRS AND RETREADS?

Every retread/repair performed by a Goodyear Authorized Retreader on any radial casing using Goodyear authorized retread/repair materials and bearing a valid Department of Transportation (DOT) shop number of the Authorized Retreader, is warranted to be free from a covered warranty condition and to give satisfactory service under normal operating conditions for the usable tread life of any retread.

Full replacement of the retread or repair costs will be issued, based on the current "predetermined price for adjustment" or "retail selling price" of the retread or repair during the first 2/32" (or the first 25% for UNICIRCLE retreads) of usable treadwear if the retread or repair becomes unserviceable due to a covered warranty condition.

If a retread or repair becomes unserviceable due to a covered warranty condition beyond the no charge period, a credit for the retread/repair cost will be issued on a prorated basis. The credit will be determined by multiplying the current Goodyear "predetermined price for adjustment" or the "retail selling price" of the retread, whichever is lower, by the percentage of usable tread remaining at the time of adjustment.

You must pay for mounting, balancing, applicable taxes and any additional services you order at the time of adjustment.

IN ADDITION:

Radial casing allowances will be given on all qualifying radial retreaded casings if the retread became unserviceable due to a covered warranty condition.

In cases where the retread became unserviceable due to a covered warranty condition and the casing is outside the terms of this warranty, a credit for the retread only will be calculated.

All credits must be used toward the purchase of new or retreaded Goodyear, Kelly or Dunlop commercial products.

ON THE WINGS OF

GOODYEAR

The Goodyear Tire & Rubber Company
1144 East Market St.
Akron, OH 44316

©1999, 2002, 2003. The Goodyear Tire & Rubber Company. All rights reserved.

700-862-932-570

Printed in U.S.A.

295930 - 1/03
(007418)

LIMITED WARRANTY

Statement of Warranty.

This Warranty is given by H&H Industries, Inc., 5400 State Route 93, Oak Hill, Ohio 45656 ("Warrantor") ONLY to the immediate purchaser for resale (the "Customer") of an Off-the-Highway Retread Tire ("Retread Tire") that contains a casing provided by Warrantor (the "Casing").

Warrantor warrants to the Customer that the Casing of the Retread Tire will be free from defects in materials and workmanship for a period of ninety (90) days from the date of purchase (the "Term") subject to the exclusions, limitations and restrictions set forth herein.

Obtaining Warranty Performance.

If Customer discovers a defect in the Casing during the Term, Customer must contact Warrantor by calling 740-682-7721 and schedule a time for Warrantor to pick up the Retread Tire and to conduct a warranty claim inspection. Customer must send the following items to Warrantor, along with the Retread Tire: Customer name and address, date of purchase, purchase or shipping receipt evidencing the purchase and Customer's statement explaining the defect. Warrantor may request additional information. Warrantor will inspect the Casing and make a determination regarding the validity of such claim after Warrantor has reviewed all information. If Warrantor determines that the defect in the Casing was caused by any reason other than workmanship or materials, Warrantor will return the Retread Tire to the Customer. If Customer's claim is valid, Warrantor will replace the Casing. Damage caused to the Retread Tire as a result of the damaged Casing will be repaired free of charge. In the event the Retread Tire must be replaced as a result of the damaged Casing, Customer will be billed for the portion of the Retread Tire worn at the time of receipt of the Retread Tire by Warrantor. The amount of wear to the tire will be based on the tread depth of the Retread Tire.

Exclusions from Warranty Coverage.

This Warranty does not cover casings provided by the Customer.

This Warranty further excludes from coverage damage or defect caused by misuse, improper application, failure to comply fully with Warrantor's maintenance and safety

instructions and any applicable government safety guidelines, negligence, or any tampering or alterations by Customer or third parties. This Warranty is void where prohibited and outside of the United States of America.

Limitations.

To the extent permitted by law, THIS WARRANTY IS EXCLUSIVE, IN LIEU OF AND EXCLUDES ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. To the extent permitted by law, WARRANTOR'S LIABILITY AND CUSTOMER'S SOLE REMEDY IS LIMITED SOLELY AND EXCLUSIVELY TO REPAIR OR REPLACEMENT AS SET FORTH HEREIN. WARRANTOR SHALL NOT BE LIABLE FOR, AND CUSTOMER'S REMEDY SHALL NOT INCLUDE, ANY INCIDENTAL, CONSEQUENTIAL OR OTHER DAMAGES OF ANY KIND WHATSOEVER, WHETHER A CLAIM IS BASED UPON A THEORY OF CONTRACT, NEGLIGENCE OR TORT.

This Warranty is made only to Customer and is not transferable. No employee, agent or other person is authorized by Warrantor to assume for Warrantor any liability in addition to that set forth herein or to make any further warranties on Warrantor's behalf. This Warranty is void and of no effect if any of the above exclusions apply.

Some States do not allow limitations on how long an implied warranty lasts, so the above limitation may not apply to you. Some States do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This Warranty gives you specific legal rights, and you may also have other rights which vary from State to State.

Miscellaneous.

In the event that any provision of this Warranty should be or become invalid and/or unenforceable during the Warranty Period, the remaining terms and provisions hereof shall continue in full force and effect. This Warranty is given in, and is intended to be construed under the laws of, the State of Ohio.

SERVICE WARRANTY

All repairs performed by H&H Industries, Inc. ("Warrantor") on tires not manufactured by Warrantor are warranted against defects in materials and workmanship for a period of ninety (90) days from the date of the original repair.

In the event that, following the original repair, a defect in the repair materials or workmanship still exists and Warrantor determines that the tire cannot be further repaired, Warrantor shall credit to customer the full price of the original repair.

TO THE EXTENT PERMITTED BY LAW, WARRANTOR'S LIABILITY AND CUSTOMER'S SOLE REMEDY IS LIMITED SOLELY AND EXCLUSIVELY TO REPAIR OR REFUND AS SET FORTH HEREIN. WARRANTOR SHALL NOT BE LIABLE FOR, AND CUSTOMER'S REMEDY SHALL NOT INCLUDE, ANY INCIDENTAL, CONSEQUENTIAL OR OTHER DAMAGES OF ANY KIND WHATSOEVER, WHETHER A CLAIM IS BASED UPON A THEORY OF CONTRACT, NEGLIGENCE OR TORT.

LIMITED WARRANTY

Statement of Warranty.

This Warranty is given ONLY to the immediate purchaser for resale (the "Customer") of an Off-the-Highway Retread Tire (the "Retread Tire").

H&H Industries, Inc., 5400 State Route 93, Oak Hill, Ohio 45656 ("Warrantor") warrants to the Customer that the Retread Tire will be free from defects in materials and workmanship for a period of one (1) year from the date of purchase (the "Term") subject to the exclusions, limitations and restrictions set forth herein.

Obtaining Warranty Performance.

If Customer discovers a defect in the Retread Tire during the Term, Customer must, within thirty (30) days thereafter, contact Warrantor by calling 740-682-7721 and schedule a time for Warrantor to pick up the Retread Tire and to conduct a warranty claim inspection. Customer must send the following items to Warrantor, along with the Retread Tire: Customer name and address, date of purchase, purchase or shipping receipt evidencing the purchase and Customer's statement explaining the defect. Warrantor may request additional information. Warrantor will inspect the Retread Tire and make a determination regarding the validity of such claim after Warrantor has reviewed all information. If Warrantor determines that the defect in the Retread Tire was caused by any reason other than workmanship or materials, Warrantor will return the Retread Tire to the Customer. If Customer's claim is valid, Warrantor will repair or replace the Retread Tire. Warrantor will provide repairs to the Retread Tire free of charge. In the event that the Retread Tire must be replaced, Customer will be billed for the casing and for the portion of the Retread Tire worn at the time of receipt of the Retread Tire by Warrantor. The amount of wear to the tire will be based on the tread depth of the Retread Tire.

Exclusions from Warranty Coverage.

This Warranty does not cover the cord-body of the tire, carcass separation, bead failure, liner failure, repairable punctures, tires that are flat as a result of damage or misuse, damage caused to the Retread Tire as a result of a damaged casing, ordinary wear and tear, or damage or defect caused by misuse, improper application, failure to comply fully with Warrantor's maintenance and safety instructions and any applicable government safety guidelines, negligence, or any

tampering or alterations by Customer or third parties. This Warranty is void where prohibited and outside of the United States of America.

Foam filled and solid tires are also excluded from coverage of this Warranty.

Limitations.

To the extent permitted by law, THIS WARRANTY IS EXCLUSIVE, IN LIEU OF AND EXCLUDES ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. To the extent permitted by law, WARRANTOR'S LIABILITY AND CUSTOMER'S SOLE REMEDY IS LIMITED SOLELY AND EXCLUSIVELY TO REPAIR OR REPLACEMENT AS SET FORTH HEREIN. WARRANTOR SHALL NOT BE LIABLE FOR, AND CUSTOMER'S REMEDY SHALL NOT INCLUDE, ANY INCIDENTAL, CONSEQUENTIAL OR OTHER DAMAGES OF ANY KIND WHATSOEVER, WHETHER A CLAIM IS BASED UPON A THEORY OF CONTRACT, NEGLIGENCE OR TORT.


This Warranty is made only to Customer and is not transferable. No employee, agent or other person is authorized by Warrantor to assume for Warrantor any liability in addition to that set forth herein or to make any further warranties on Warrantor's behalf. This Warranty is void and of no effect if any of the above exclusions apply.

Some States do not allow limitations on how long an implied warranty lasts, so the above limitation may not apply to you. Some States do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This Warranty gives you specific legal rights, and you may also have other rights which vary from State to State.

Miscellaneous.

In the event that any provision of this Warranty should be or become invalid and/or unenforceable during the Warranty Period, the remaining terms and provisions hereof shall continue in full force and effect. This Warranty is given in, and is intended to be construed under the laws of, the State of Ohio.

**U.S. ARMY
TANK-AUTOMOTIVE
AND
ARMAMENTS COMMAND**



COOPERATIVE TIRE QUALIFICATION PROGRAM (CTQP)
**COOPERATIVE APPROVED TIRE LIST
(CATL)**

CATL-1922, June 2005

FOR US GOVERNMENT PURCHASE OF:

**Non-Military: New & Retread Passenger Car Tires, Pursuit and
Emergency High Speed Tires, Light Truck Tires, Truck/Bus Tires, & Off
Road Severe Application Tires (ORSA)**

**Military: Retread Light, Medium and Heavy Tactical Truck and Trailer
Tires**

This CATL-1922, dated June 2005, replaces previous version CATL-1922, dated June 2004 and all other previous versions.

As prepared by the CTQP administrator: Associated Consultants of Technical Services (ACTS) Inc.



COOPERATIVE APPROVED TIRE LIST (CATL)
OF
PRODUCTS QUALIFIED UNDER ASTM STANDARD F1922
AND SAE J2014 (FOR MILITARY RETREADS)
AND ADMINISTRATIVE MANUAL CTQP-AM-1922
FOR
TIRES, PNEUMATIC, VEHICULAR (HIGHWAY AND SPECIAL APPLICATIONS)
(NEW AND RETREADED)

This approved tire list has been prepared by the Associated Consultants of Technical Services (ACTS) Inc. for the U.S. Army Tank Automotive and Armaments Command (TACOM). It is prepared for Group 1, passenger car tires, Group 2, light truck tires, Group 3, medium and heavy truck/bus tires, and Special Application tires (see Chapter II.B for explanations of each group). Tires listed in this CATL have been tested and/or approved for procurement by U.S. Federal, State and Local Government agencies. This list is based on the results of Qualification Testing as prescribed in ASTM standard F1922 and accompanying Administrative Manual CTQP-AM-1922, issue in effect at qualification test run. This list is subject to change without notice and revisions or amendments will be issued as necessary. The inclusion of tires on this list does not release the supplier from compliance with the specification requirements for tires supplied to the government.

The activities responsible for this Approved Tire List are the Associated Consultants of Technical Services Inc., CTQP/CATL Administrator, 54527 Joseph Ronald Drive, Macomb Township, MI 48042, phone (586) 677-5745 and the sponsoring organization the U.S. Army, Tank-Automotive and Armaments Command, Team Tire, AMSTA-LC-CJT, Warren, MI 48397-5000.

The Cooperative Tire Qualification Program (CTQP) is a voluntary program designed to help ensure tire quality and performance for Government agencies. There is no legal requirement or national government policy mandate for government agencies to use the CTQP or this CATL list when purchasing tires.

NOTES:

1. Since all tires produced by a particular manufacturer were not offered for testing, the omission of any tire from this CATL does not necessarily mean that the unlisted tire is either unsafe or inferior in quality.

2. Since qualification testing is done on a continuing basis, tires qualified for listing after printing of this CATL may exist. The manufacturers of those tires have been provided a Qualification Certification Form (QCF) issued by the CATL administrator. The QCF shall serve as proof of qualification until new printing of the CATL is released listing the particular tire(s). Government agencies may verify the manufacturers QCF by contacting the Administrator, Cooperative Tire Qualification Program (CTQP) or a CTQP representative at the address/phone number shown above.

3. All sizes and ply ratings for the tires models/brands shown in this CATL are acceptable with the exceptions of the Group 1, Pursuit and Emergency High Speed and Military Tactical retreads, which are qualified by size, brand designation, and/or vehicle application/mission.

4. For more information on how to use the CATL when purchasing tires refer to Chapter III, "Using the CATL when Purchasing Tires." Manufacturers may obtain more information on how to become approved by contacting the CTQP Administrator.

5. With the exception of Pursuit and Emergency High Speed tires, tires tested in the CTQP program and listed as qualified in this CATL were tested for treadlife durability only and qualified at speeds of not more than 65 miles per hour for Passenger Car and Light Truck tires and not more than 55 miles per hour for Truck & Bus tires. CATL treadlife testing and qualification as listed does not certify or verify a specific tires ability to perform at higher rates of speed. For speed capabilities of tires refer to the manufacturers own recommendations and speed ratings as required by Federal Motor Vehicle Safety Standards.

CHAPTER I – INTRODUCTION AND STANDARDS

I.A. INTRODUCTION

1. On the surface the CTQP program and CATL 1922 appear to be difficult to use. But using the CTQP program and CATL when making tire purchases can be easier if you understand what the CTQP and CATL are, how the CATL is formatted, and what the various codes in the CATL signify.

2. These instructions are designed to explain how to use the CTQP program and this CATL list when purchasing tires.

3. Because specific agency procurement guidelines dictate the methods in which government agencies procure tires the recommendations provided in this CATL are only suggestions on how you may use the CATL. When purchasing tires your specific procurement guidelines or rules always takes precedence.

I.B. WHAT IS THE CTQP PROGRAM AND CATL LIST?

1. Before using the CATL and CTQP to make tire purchases, the government buyer should understand what the CATL and CTQP are. The following paragraphs help explain them.

2. What exactly is the CTQP program? Technically the letters “CTQP” is an acronym, which stands for “Cooperative Tire Qualification Program.” But in simple terms it’s a program, which was developed to replace the past Federal Tire Program.

3. For decades the Government would test and qualify tires for government purchase and tires that passed the tests were added to a list called the Qualified Products List (QPL). This list was used by many government agencies to help them make smart tire purchases. Because of streamlining and Acquisition Reform efforts, the Federal Tire Qualification Program was discontinued in January 1997 and many Federal or Military tire standards were deemed obsolete. However, because tires are usually one of the highest maintenance cost for vehicle fleets (typically only second to fuel), the U.S. Army seen a need and benefit to continue a modified program. As a result the CTQP program was developed. This new program is similar to the past program except that it is administered via contract using commercial standards. Even though the program is administered through a contractor the U.S. Army maintains the needed oversight by monitoring the contractors performance and requiring the contractor to remain independent from tire industry.

CHAPTER I – INTRODUCTION AND STANDARDS (continued)

I.B. WHAT IS THE CTQP PROGRAM AND CATL LIST? (continued)

4. *What is this CATL list? The letters “CATL” is an acronym that stands for “Cooperative Approved Tire List.” Basically the CATL is nothing more than an approved list of tires and manufacturers that have passed testing and/or technical reviews to certain standards.*

5. *This CATL document is published for Highway type tires, some special application type tires and military tactical retread tires.*

6. *Including this CATL document, there are many other elements, which make up the CTQP Program such as test standards, administrative guidelines and a Cooperative Plant Quality Certification (CPQC) program for retreaders. The CTQP also has separate standards, guidelines and a different CATL available for Low Speed, Off Highway type tires.*

I.C. STANDARDS USED

1. *To become qualified in the CTQP and listed in this CATL-1922 for highway type tires, manufacturers products must be tested to meet or exceed the following standards:*

- (a) *Passenger Car, Light Truck, Truck/Bus and Severe Application Tires: ASTM Standard F1922, Test Method for Tires Pneumatic, Vehicular, Highway.*
- (b) *Pursuit, Emergency & High Speed Tires: ASTM Standard F1922, Test Method for Tires Pneumatic, Vehicular, Highway which requires tests and certification to ECE Regulation 324 & SAE J1561, Laboratory Speed Test Procedures for Passenger Car Tires.*
- (c) *Retreads: The retread process must pass on-vehicle tests using ASTM Standard F1922 (mentioned above). In addition to testing, individual retread plants/facilities must also be inspected and certified annually, to meet the quality requirements of CTQP-441, Administrator’s Approval and Requirements Manual.*

2. *In 1998, the standards used for the CTQP program were officially approved by the American Society of Testing and Materials (ASTM). A chart showing the names and standards used for the CTQP program is shown on the next page. When referencing the CTQP program in contract solicitations use the names and standards indicated.*

CHART OF NAMES & STANDARDS

<u>NAMES & STANDARDS</u>
<u>NAMES USED:</u> <ul style="list-style-type: none">➤ CTQP – Cooperative Tire Qualification Program➤ CATL – Cooperative Approved Tire List➤ CPQC – Cooperative Plant Qualification Certification
<u>STANDARDS FOR HIGHWAY TIRES</u> <ul style="list-style-type: none">➤ ASTM Standard F1922, Test Method – for Tires, Pneumatic, Vehicular, Highway➤ CTQP-AM-1922, Administrator's Approval and Requirements Manual for Tires, Pneumatic, Vehicular, Highway➤ CATL-1922, Cooperative Approved Tire List (CATL) for Tires, Pneumatic, Vehicular Highway
<u>TEST STANDARDS USED FOR MILITARY RETREADS:</u> <ul style="list-style-type: none">➤ Latest Version of Society of Automotive Engineers (SAE), Surface Vehicle Recommended Practice, SAE J2014
<u>QUALITY STANDARDS USED FOR ALL RETREADS (MILITARY & NONMILITARY):</u> <ul style="list-style-type: none">➤ CTQP-441 for Tires, Pneumatic, Retread and Repaired. This standard is used to inspect and certify retread facilities.➤ Retread products must also pass the applicable road test using one of the test standards mentioned above.

****Notes:**

(1) ASTM Standards may be ordered from:

*American Society of Testing and Materials (ASTM)
100 Bar Harbor Drive, West Conshohocken, PA 19428-2959
PHONE: 610-832-9500*

(2) CTQP-AM and CATL Publications may be ordered from:

*Associated Consultants of Technical Services Inc. (ACTS Inc.)
54527 Joseph Ronald Drive, Macomb Township, MI 48042
PHONE: 586-677-5745 or via e-mail at swiftacts@aol.com*

CHAPTER II - CATL FORMAT, CODES & DEFINITIONS

II.A. FORMAT

1. *The CATL is formatted and sorted by tire group first, manufacturer or brand name owner second (alphabetically), then in sequence by assigned government item numbers and specific tire brand names. Other information listed are the qualified production points, test qualification reference numbers (identifies the specific test), qualification expiration dates, tread class and tire codes. Also in Appendix A you will find a complete list of manufacturers, retreaders or brand name owners addresses, telephone numbers and assigned CATL numbers.*

2. *This section helps explain the various groups, codes and reference numbers. As you are going through the definitions that follow, please refer to page 14 which shows a sample illustration page from a section of the CATL.*

II.B. TIRE GROUP DEFINITIONS

1. *Because there are a wide variety of tire sizes, and tire size designations, from one manufacturer to another, and tire size designations are constantly changing, most tires in this CATL list do not include the specific tire sizes. Instead, tires in this CATL are listed by group. These tire groups are based on generic vehicle applications. To properly use this CATL list to purchase replacement tires you must first determine what vehicle group your tires will be applied to.*

2. *There are three basic groups of common type tires applications and two groups of special application type tires. These groups are listed below with more detailed explanations that follow:*

(a) Group 1, Passenger Car Tires and Pursuit/Emergency High Speed Tires

(1) These tires include common passenger car tires. You can usually (but not always) identify tires of this group by looking for the letter "P" at the beginning of the tire size that is imprinted on the sidewall of the tire. An example of a tire size designation for this type of tire would be P205/75R15. Some common applications for these tires would be sedans and mini-vans.

(2) This group also includes a section for Pursuit/Emergency, High Speed Tires that are listed by specific tire size, speed rating code and brand name. Pursuit/Emergency, High Speed Tires would be applied to vehicles such as police cars, ambulances and other high speed emergency vehicles. Examples of these type of tire sizes would be P225/60R15(V) {V is the speed rating} or 225/60ZR16 {Z is the speed rating}.

CHAPTER II - CATL FORMAT, CODES & DEFINITIONS (continued)

II.B. TIRE GROUP DEFINITIONS (continued)

(a) Group 2, Light Truck Tires

This group is your common Light Truck tires. You can usually (but not always) identify tires of this group by looking for the letter "LT" at the beginning of the tire size that is imprinted on the sidewall of the tire. However many older tire designs of bias construction do not include an "LT" designation in the tire size. An example of a radial tire size designation for this type of tire would be LT235/85R16. An example of a bias tire size would be 7.50-16. Common applications for these tires would be Pick-Up Trucks, Sports Utility Vehicles and some Trailers.

(b) Group 3, Truck & Bus Tires

These tires include medium and heavy truck, bus and trailer tires. Unlike Passenger Car and Light Truck tires, these tires do not have a letter designation at the beginning of the tire size. Examples of a tire size designations for these type tires would be 11R22.5 {for radial} and 10.00-20 {for bias}. Some common applications for these type tires would be Buses, Semi-Trucks/Trailers, Delivery Vans, Cargo Trucks, and non-tactical Military Supply Trucks and Troop Carriers.

(c) Special Application: Off-Road, Severe Application (ORSA) Tires

These tires are Special Application, Light Truck tires, which are used in severe off-road conditions. Some vehicle applications for these tires would be Pick-Up Trucks and Sport Utility Vehicles used by the U. S. Border Patrol and U.S. Forestry Service.

II.C. GOVERNMENT ITEM NUMBER DEFINITIONS

All tires listed in this CATL have been assigned Government Item numbers. These numbers can be used to help identify a specific tire easier. More importantly, these numbers have codes that provide detailed information and an identity for each tire brand listed. An example, with explanations of each code of an assigned Government Item Number follows on the next page.

CHAPTER II - CATL FORMAT, CODES & DEFINITIONS (continued)

II.D. CODE DEFINITIONS

The CATL shows a column of additional codes assigned to each tire listed. These codes provide more details about the tire construction, usage information and vehicle/axle applications. Explanation of these codes follow:

CODES

- AP = All Position (NOTE: Some o/o tires are designated by the manufacturer as All Position. Before placing o/o tire designated "DA" on the steer position, consult the tire manufacturer).*
- DA = Drive Axle only (NOTE: When this code is used in the Light Truck tire area, keep in mind that if you are placing these tires on a 4X4, "DA" does not mean that they can be placed on all axle positions).*
- LP = Low Profile*
- EHS= Emergency High Speed*
- PS = Polyester/Steel construction (Body Cord/Belt Cord)*
- PSA = Polyester/Steel/Arimid construction*
- PSN= Polyester/Steel/Nylon construction (Body Cord/Belt Cord/Breakers)*
- N = Nylon construction (Body Cord)*
- ND = Non Directional Tread (usually military design)*
- NRFSR = Not Recommended for Secondary Roads*
- SR = Speed Rating (see next page for speed code definitions)*
- SS = Steel/Steel construction (Body Cord/Belt Cord)*
- STC = Snow Traction Capability*
- TO = Trailers Only position*

GROUP 3, TRUCK & BUS: RETREADS (continued)

THE GOODYEAR TIRE & RUBBER COMPANY: RETREAD DIVISION

- ◆ QUALIFIED PRODUCTION POINTS: ALL GOODYEAR RETREADERS THAT ARE CPQC CERTIFIED.
- ◆ PRECURE RETREAD METHOD, TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-048
- ◆ QUALIFICATION EXPIRATION DATE: 25 OCTOBER, 2008

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
GOODYEAR PRECURE RETREAD METHOD:			
Y3.14.3RA/RB	"G159TG HS 2015T"	t/o	TO
Y3.14.4RA/RB	"G159 2015T"	r/t	AP
Y3.14.6RA/RB	"G167 2015T"	d/a	DA
Y3.14.8RA/RB	"G124 2015T"	d/a	DA, STC
Y3.14.12RA/RB	"G328 2015T"	d/a	DA, STC
Y3.14.13RA/RB	"G302 2015T"	d/a	DA
Y3.14.14RA/RB	"G314 2015T"	t/o	TO
Y3.14.15RA/RB	"G177 M 2015T"	o/o	DA, STC
Y3.14.16RA/RB	"G178 SS"	o/o	DA, STC
Y3.14.17RA/RB	"G362"	d/a	DA
X3.14.45RA/RB	"G119 2015T"	r/t	AP
X3.14.46RA/RB	"G124 2015T"	r/t	AP
X3.14.47RA/RB	"G143 2015T"	r/t	AP
X3.14.48RA/RB	"G143DT 2015T"	r/t	AP
X3.14.49RA/RB	"G178 2015T"	r/t	AP
X3.14.50RA/RB	"G186 2015T"	r/t	AP
X3.14.51RA/RB	"G244 2015T"	r/t	AP
X3.14.52RA/RB	"G286 2015T"	r/t	AP
X3.14.53RA/RB	"G302A 2015T"	r/t	AP
X3.14.54RA/RB	"G338 2015T"	r/t	AP
X3.14.55RA/RB	"G362 2015T"	r/t	AP
X3.14.56RA/RB	"G372 2015T"	r/t	AP
X3.14.57RA/RB	"G603 2015T"	r/t	AP
X3.14.58RA/RB	"G159HS 2015T"	r/t	TO
X3.14.59RA/RB	"G647"	r/t	AP
X3.14.60RA/RB	"G622"	a/s, m/s	AP

GOODYEAR ULTIMA PRECURE RETREAD METHOD:

- ◆ QUALIFIED PRODUCTION POINTS: ALL GOODYEAR RETREADERS THAT ARE CPQC CERTIFIED.
- ◆ PRECURE RETREAD METHOD, TEST QUALIFICATION REFERENCE: ACTS-CATL-1/98-044 AND 048
- ◆ QUALIFICATION EXPIRATION DATE: 25 OCTOBER, 2008

X3.14.19RA/RB	"ULTIMA RADIAL"	r/t	TO
X3.14.20RA/RB	"ULTIMA SUPER XZ"	r/t	TO
X3.14.21RA/RB	"ULTIMA HIGHWAY"	r/t	TO
X3.14.22RA/RB	"ULTIMA LCT"	r/t	TO
X3.14.23RA/RB	"ULTIMA HM CS-2"	r/t	TO
X3.14.24RA/RB	"ULTIMA RADIAL SPECIAL 12"	r/t	TO
X3.14.25RA/RB	"ULTIMA TRANSMODAL"	r/t	TO
X3.14.26RA/RB	"ULTIMA WIDE BASE RADIAL"	r/t	TO
X3.14.27RA/RB	"ULTIMA SUPER 5 RIB"	r/t	AP
X3.14.28RA/RB	"ULTIMA RIB 20"	r/t	AP
X3.14.29RA/RB	"ULTIMA RADIAL SPECIAL 18"	r/t	AP
X3.14.30RA/RB	"ULTIMA SPREAD AXLE"	r/t	AP
X3.14.31RA/RB	"ULTIMA RADIAL DWT 22"	r/t	AP
X3.14.32RA/RB	"ULTIMA RADIAL DWT 19"	r/t	AP
X3.14.33RA/RB	"ULTIMA UNIGRIP 22"	r/t	AP
X3.14.34RA/RB	"ULTIMA DRIVE TRAC"	r/t	AP
X3.14.35RA/RB	"ULTIMA DEEP TRAC"	r/t	AP
X3.14.36RA/RB	"ULTIMA CROSSBAR 19"	r/t	AP
X3.14.37RA/RB	"ULTIMA RDA 22"	r/t	AP
X3.14.38RA/RB	"ULTIMA WINTER TRAC"	r/t	AP
X3.14.39RA/RB	"ULTIMA FLOATATION"	r/t	AP
X3.14.40RA/RB	"ULTIMA WIDE BASE LUG"	r/t	AP
X3.14.41RA/RB	"ULTIMA LUG LOGGER 24"	r/t	AP
X3.14.42RA/RB	"ULTIMA ROCK LUG"	r/t	AP
X3.14.43RA/RB	"ULTIMA MODIFIED ROCK LUG"	r/t	AP
X3.14.44RA/RB	"ULTIMA 3 RIB LOGGER"	r/t	AP
X3.14.61RA/RB	"ULTIMA RLP"	r/t	AP

West Virginia Supply Points

State Of WV Supply Points Update 08-23-99

3/1/07

Supply Point Name	Address	City	ST	Zip	Contact	Phone #
Appalachian Tire	419 S Virginia Ave	Bridgeport	WV	26330	Bryon Chocky	304-842-6291
Appalachian Tire	3865 Teays Valley Road	Hurricane	WV	25526	Debbie Schrader	304-757-5242
Appalachian Tire Products, Inc	Beckley Plaza Shopping Center	Beckley	WV	25801	Jeff Bragg	304-252-6407
Appalachian Tire Products, Inc	214 Princeton Ave	Bluefield	WV	24701	Tommy Reed	304-327-8112
Appalachian Tire Products, Inc	27 Clendenin St	Charleston	WV	25301	W Barnhouse	304-343-9541
Appalachian Tire Products, Inc	2907 4th Ave	Charleston	WV	25301	Rocky Metheny	304-744-9474
Appalachian Tire Products, Inc	1 Westmoreland Rd	Charleston	WV	25330	Scott Wilcher	304-345-0647
Appalachian Tire Products, Inc	RR 2 - Box 887	Clarksburg	WV	26301	Dave Roby	304-624-6231
Appalachian Tire Products, Inc	Hwy 16 S	Crab Orchard	WV	25627	Leonard Canfield	304-252-6441
Appalachian Tire Products, Inc	Hwy 119 - P O Box 259	Danville	WV	25053	Mark Zirkle	304-369-4594
Appalachian Tire Products, Inc	P O Box 824 - US Rte 219N	Lewisburg	WV	24901	Scottie Miller	304-645-1600
Appalachian Tire Products, Inc	426 Vinland St	Pt Pleasant	WV	25550	Richard Allen	604-675-3930
Appalachian Tire Products, Inc	201 MacCorkle Ave, SW	St Albans	WV	25771	John Morris	304-722-3321
Appalachian Tire Products, Inc	731 Beverly Pike	Elkins	WV	26241	Scott Helmick	304-630-2226
Appalachian Tire Products, Inc	1429 W 3rd Ave	Williamson	WV	25661	James Richards	304-235-3301
Supply Points That Border The State Of WV						
Appalachian Tire Products, Inc	550 W Union St	Athens	Oh	45701	Ron Love	740-594-8281
Appalachian Tire Products, Inc	210 South Mayo Trail	Pikeville	KY	41501	Harold Sanders	606-432-0131
Appalachian Tire Products, Inc	Rt 2 Box 489 E	Grundy	VA	24614	Brian McCoy	540-935-5511
Appalachian Tire Products, Inc	1119 East Park Ave	Norton	VA	24273	Robert Mullins	540-679-3601
Appalachian Tire Products, Inc	248 Seanor Road	Windber	PA	15963	Roger Howells	814-467-6320
Appalachian Tire Products, Inc	2721 Greenup Ave	Ashland	KY	41101	Todd Hunter	606-324-5923

THESE APPROVALS SET PRICING FOR THE STATE OF WEST VIRGINIA AND POLITICAL SUBDIVISIONS (LOCAL).

ALL PRICING IS OFF HE 5/1/05 PRICE BOOK WITH THE EXCEPTION OF THE FOLLOWING ITEMS:

The following Service Pricing and codes are to be used for all STATE AGENCIES:

040-165-000-0	MOUNT PASSENGER TIRE/POLICE	\$2.50
044-166-000-0	BALANCE PASSENGER TIRE/POLICE	\$7.50
041-167-000-0	INSTALL VALVES - PASSENGER/POLICE	\$2.00
046-278-000-0	DISPOSAL OF AUTO TIRE/POLICE	\$2.00
040-168-000-0	MOUNT LIGHT TRUCK TIRE	\$4.50
044-166-000-0	BALANCE LIGHT TRUCK TIRE	\$8.50
041-167-000-0	INSTALL VALVES - LIGHT TRUCK	\$3.00 RUBBER \$6.00 METAL
046-278-000-0	DISPOSAL OF LIGHT TRUCK TIRE	\$3.00
040-165-000-0	MOUNT MEDIUM TRUCK TIRE	\$10.00
044-166-000-0	BALANCE MEDIUM TRUCK TIRE	\$15.00
041-167-000-0	INSTALL VALVES - MEDIUM TRUCK TIRE	\$7.00
046-278-000-0	DISPOSAL FEE - MEDIUM TRUCK TIRES	\$7.50
040-165-000-0	MOUNT OFF ROAD TIRE	\$40.00
046-278-000-0	DISPOSAL OF OFF ROAD TIRE	\$25.00

VIEW STATE OF WEST VIRGINIA GOV'T SALES MANUAL FOR BILLING INSTRUCTIONS

This sales program can be changed, modified, or canceled at any time at Goodyear's discretion, with or without advance notice.

Originator: Government Sales
Originating 709
Department:

*(ABOVE APPROVED FOR STATE OF WV
 ON CONTRACT - ON CONTRACT
 THRU 07)*