



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER  
 RTIRE07

PAGE  
 1

ADDRESS CORRESPONDENCE TO ATTENTION OF  
 BETTY FRANCISCO  
 304-558-0468

\*814133257 304-522-9801

S&S TIRE  
 3096 WOODVILLE DRIVE  
 HUNTINGTON WV 25703

ALL STATE AGENCIES  
 AND POLITICAL SUBDIVISIONS  
 VARIOUS LOCALES AS INDICATED  
 BY ORDER

|                                 |                           |          |        |               |
|---------------------------------|---------------------------|----------|--------|---------------|
| DATE PRINTED:<br>02/26/2007     | TERMS OF SALE             | SHIP VIA | F.O.B. | FREIGHT TERMS |
| BID OPENING DATE:<br>03/15/2007 | BID OPENING TIME: 01:30PM |          |        |               |

| LINE   | QUANTITY | UOP | CAT. NO | ITEM NUMBER | UNIT PRICE | AMOUNT |
|--|----------|-----|---------|-------------|------------|--------|
| *****ADDENDUM NO. 2*****                           |          |     |         |             |            |        |
| 1. BID OPENING DATE HAS BEEN MOVED TO 03/15/2007.  |          |     |         |             |            |        |
| 2. REVISED SPECIFICATIONS DATED 02/26/07 (4 PAGES) |          |     |         |             |            |        |
| 3. REVISED PRICING PAGES (4 PAGES)                 |          |     |         |             |            |        |
| 4. CERTIFICATION DATED 02/26/07 (1 PAGE)           |          |     |         |             |            |        |
| *****END OF ADDENDUM NO. 2*****                    |          |     |         |             |            |        |

RECEIVED  
 2007 MAR 15 A 9:17  
 PURCHASING DIVISION  
 STATE OF WV

SIGNATURE \_\_\_\_\_ SEE REVERSE SIDE FOR TERMS AND CONDITIONS \_\_\_\_\_ TELEPHONE \_\_\_\_\_ DATE \_\_\_\_\_

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN REVERSE SIDE ABOVE ADDRESS CHANGES TO BE NOTED ABOVE

**GENERAL TERMS & CONDITIONS  
REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)**

1. Awards will be made in the best interest of the State of West Virginia.
2. The State may accept or reject in part, or in whole, any bid.
3. All quotations are governed by the *West Virginia Code* and the *Legislative Rules* of the Purchasing Division.
4. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125.00 registration fee.
5. All services performed or goods delivered under State Purchase Orders/Contracts are to be continued for the term of the Purchase Order/Contract, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods, this Purchase Order/Contract becomes void and of no effect after June 30.
6. Payment may only be made after the delivery and acceptance of goods or services.
7. Interest may be paid for late payment in accordance with the *West Virginia Code*.
8. Vendor preference will be granted upon written request in accordance with the *West Virginia Code*.
9. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
10. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
11. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern all rights and duties under the Contract, including without limitation the validity of this Purchase Order/Contract.
12. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
13. **BANKRUPTCY:** In the event the vendor/contractor files for bankruptcy protection, this contract is automatically null and void, and is terminated without further order.
14. **HIPAA Business Associate Addendum -** The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, and available online at the Purchasing Division's web site (<http://www.state.wv.us/admin/purchase/vrc/hipaa.htm>) is hereby made part of the agreement. Provided that, the Agency meets the definition of a Covered Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.

---

**INSTRUCTIONS TO BIDDERS**

1. Use the quotation forms provided by the Purchasing Division.
2. **SPECIFICATIONS:** Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as **EQUAL** to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
3. Complete all sections of the quotation form.
4. Unit prices shall prevail in cases of discrepancy.
5. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
6. **BID SUBMISSION:** All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications.

**SIGNED BID TO:**

Department of Administration  
Purchasing Division  
2019 Washington Street East  
Post Office Box 50130  
Charleston, WV 25305-0130

**RTIRE07  
Specifications**

02/26/2007

Vendor must be an established retreader of tires or an established distributor of retread tires and must have conducted business for at least five years. Vendor must have facilities to remove and/or remount tires on wheels, balance the tires and wheels, and make repairs.

The Division of Highways requires the successful vendor to schedule pick-up and delivery of retreadable and/or repairable tires from all ten district equipment shops and the Equipment Division in Buckhannon. See the attached list. Other agencies MAY request pickups for their tires.

**NOTICE\*\*\*\*\*NOTICE\*\*\*\*\*NOTICE**

Mandatory pre-bid meeting is scheduled on Wednesday, February 7, 2007 at 10:30 a.m. in Building 15 at the Capitol Complex, 2019 Washington Street, East, Charleston, WV 25305. **All interested bidders are required to be present at this meeting. Failure to attend the mandatory pre-bid conference shall result in automatic disqualification. No one person can represent more than one vendor.**

\*\*\*\*\*

**GENERAL PROVISIONS**

1. All rubber used in any subsequent contract must meet the following specifications:

|                        | BIAS        | RADIAL      |
|------------------------|-------------|-------------|
| Tensile Strength (psi) | 2600        | 2600        |
| Elongation (%)         | 425% MIN    | 450% MIN    |
| Modulus @ 300%         | 1400 - 1800 | 1500 - 1900 |
| Hardness ****          | 62 - 67     | 62 - 67     |
| Specific Gravity       | 1.11        | 1.11        |

\*\*\*\* Measured using a Shore Durometer

2. All retread tires must have the following minimum tread depth:
  - Radial truck and Bus Tires 26-32
  - Radial Light Truck 14-32
  - Bias truck and bus tires 19-32
  - Big loader and off road tires 32-32
3. All retread must be Goodyear G328 Mud and Snow Lug or equal.
4. We reserve the right to award by size/service if significant savings can be achieved.

**RTIRE07  
Specifications**

02/26/2007

5. All tires for recapping must be inspected by the contractor using electronic, ultrasonic, x-ray, shearography or holographic devices to determine if the tire carcass is recappable, and if any repairs are necessary.
6. All state agencies and institutions, with the exception of the Division of Highways, must deliver the tires and tubes to the contractor's facility for retread and/or repaired. Successful vendor shall pick up tires for repair from the Division of Highways at the locations requested.
7. The contractor must be equipped with state of the art retreading equipment and have tread designs suitable for the usage and service required.
8. Rubber must be government certified for retreading. **ONLY THE RUBBER SPECIFICATIONS INDICATED ABOVE IS ACCEPTABLE..**
9. Contractor must conform to tire industry standards for fitment of proper tread size per casing width.
10. Hot process retread is molded to the tire casing. Cold process retread is procured prior to application to the tire casing.
11. Should the contractor be unable to retread or repair any tire in their place of business and it is necessary to send the tire to another retreader or manufacturer, the contractor shall provide the State Agency with a list of the tires (by size and brand name) and the name and address of the retreader/manufacturer performing the retread or repair work.
12. Tread rubber samples of tread design, tread depth and compound to be submitted with bid proposal.
13. Vendor shall provide written warranty against defects in workmanship and materials for the life of the usable tread. The usable tread is defined as the tread depth down to 4/32nds of an inch of tread remaining. This should be provided with bid; contract shall not be issued prior to receipt of warranty information.
14. In hot cure, the rebuilt tire is cured in a tire moulding press. This press subjects the tire to heat and pressure, forming a new tread into the uncured rubber, creating a chemical bond with the casing by vulcanizing. In the "Cold cure" process, a pre-vulcanised tread, including tread pattern is made by external specialists. This tread is supplied to the retreading plant where it is applied to the casing and chemically bonded to the surface in a cold curing autoclave process.

**RTIRE07  
Specifications**

02/26/2007

15. In the event any tires are lost or destroyed while in the possession of the contractor, the contractor shall replace the tire or pay for the tire based on the present statewide contract for new tires.
16. All retread repairs shall be performed within 10 days. Tires forwarded to another retreading facility, shall be available within 30 days to the agency or returned to the agency.
17. Retread tires must be capable of normal load ranges for which the original tire was designed to perform. Retread tires failing to meet this requirement shall be returned to vendor for adjustment.
18. The contractor shall list tires taken from any agency location by size, DOH brand number and other information as required. Upon return delivery, a list of tires by size and DOH brand number shall be furnished by the contractor to the DOH.
19. The contractor shall pickup tires as required at the Division of Highways locations as required. Tire pickups must be within seven (7) days of date of receipt of request.
20. All services shall be in accordance with manufacturer's specifications/regulations relating to the retreading and repair of tires during the period of the contract.
21. The contractor's facility shall be available for inspection by a representative of the state.
22. All tire carcasses determined to be non-recappable will be returned to the agency with a written reason for rejection. The agency may direct the contractor to dispose of any rejected tire carcass at the agency expense.
23. Agency will be responsible for inspecting retread tires and determining if tires meet required specs. Tires failing to meet required specifications will be rejected. The contractor will replace the tire or pay the state agency an amount equal to 50% of the purchase price the agency would have to pay if a new tire was purchased from the current state tire contract.
24. Contractor to provide certificate of insurance in the amount of \$1,000,000.00 liability coverage and should be included with bid package. Insurance certificate must be provided prior to issuance of contract.
25. Vendor should sign the attached WV-96. Failure to sign the WV-96 may be cause to disqualify the bid.

**RTIRE07  
Specifications**

02/26/2007

26. Pricing: Bidders must use the attached pricing pages for their bids. Vendors should enter all required information. An electronic copy of this shall be issued after the pre-bid meeting. Bidders are requested to submit the required paper pricing pages and an electronic copy. If there is any difference between the paper bid and the electronic version, the paper bid shall prevail. While the goal is to award one contract, purchasing reserves the right to make multiple awards for this commodity. Separate line item awards may be made if significant savings can be achieved.

**RTIRES07 - PRICING PAGE**

| EST. USAGE   | ITEM | SIZES    | TREAD DESIGN | MOLD CURE | PRECURE |
|--|------|----------|--------------|-----------|---------|
| <b>BIAS LIGHT TRUCK TIRES - MINIMUM TREAD DEPTH 19/32"</b> |      |          |              |           |         |
| 10   | 014  | 700X15   | Mud & Snow   | \$        | \$      |
| 15   | 015  | 750X16   | Mud & Snow   | \$        | \$      |
| 20   | 016  | 800X16.5 | Mud & Snow   | \$        | \$      |
| 10   | 017  | 875X16.5 | Mud & Snow   | \$        | \$      |
| 10   | 018  | 950X16.5 | Mud & Snow   | \$        | \$      |
| 10   | 019  | 8X19.5   | Mud & Snow   | \$        | \$      |

| EST. USAGE   | ITEM | SIZES       | TREAD DESIGN | MOLD CURE | PRECURE |
|--|------|-------------|--------------|-----------|---------|
| <b>RADIAL LIGHT TRUCK - MINIMUM TREAD DEPTH 14/32"</b> |      |             |              |           |         |
| 5  | 020  | 800R16.5    | Mud & Snow   | \$        | \$      |
| 5  | 021  | 750R16      | Mud & Snow   | \$        | \$      |
| 50   | 022  | LT225/75R16 | Mud & Snow   | \$        | \$      |
| 50   | 023  | LT245/75R16 | Mud & Snow   | \$        | \$      |
| 5  | 024  | LT215/85R16 | Mud & Snow   | \$        | \$      |
| 40   | 025  | LT235/85R16 | Mud & Snow   | \$        | \$      |
| 20   | 026  | 875R16.5    | Mud & Snow   | \$        | \$      |
| 5  | 027  | 950R16.5    | Mud & Snow   | \$        | \$      |
| 5  | 028  | 8R15.5      | Mud & Snow   | \$        | \$      |

| EST. USAGE   | ITEM | SIZES   | TREAD DESIGN | MOLD CURE | PRECURE |
|--|------|---------|--------------|-----------|---------|
| <b>BIAS TRUCK &amp; BUS TIRES - MINIMUM TREAD DEPTH 19/32"</b> |      |         |              |           |         |
| 5  | 029  | 750X20  | Mud & Snow   | \$        | \$      |
| 5  | 030  | 825X20  | Mud & Snow   | \$        | \$      |
| 5  | 031  | 900X20  | Mud & Snow   | \$        | \$      |
| 5  | 032  | 1000X20 | Mud & Snow   | \$        | \$      |
| 5  | 033  | 1100X20 | Mud & Snow   | \$        | \$      |
| 5  | 034  | 1000X22 | Mud & Snow   | \$        | \$      |
| 5  | 035  | 1100X22 | Mud & Snow   | \$        | \$      |
| 5  | 036  | 11X22.5 | Mud & Snow   | \$        | \$      |
| 5  | 037  | 11X24.5 | Mud & Snow   | \$        | \$      |

| EST. USAGE   | ITEM | SIZES   | TREAD DESIGN | MOLD CURE | PRECURE |
|--|------|---------|--------------|-----------|---------|
| <b>RADIAL TRUCK &amp; BUS TIRES - MINIMUM TREAD DEPTH 26/32"</b> |      |         |              |           |         |
| 10   | 038  | 750R15  | Mud & Snow   | \$        | \$      |
| 20   | 039  | 825R15  | Mud & Snow   | \$        | \$      |
| 15   | 040  | 825R20  | Mud & Snow   | \$        | \$      |
| 10   | 041  | 900R20  | Mud & Snow   | \$        | \$      |
| 250  | 042  | 1000R20 | Mud & Snow   | \$        | \$      |
| 10   | 043  | 1100R20 | Mud & Snow   | \$        | \$      |
| 5  | 044  | 1000R22 | Mud & Snow   | \$        | \$      |

## RTIRES07 - PRICING PAGE

### RADIAL TRUCK & BUS TIRES - MINIMUM TREAD DEPTH 26/32"

|    |     |             |            |    |           |
|----|-----|-------------|------------|----|-----------|
| 5  | 045 | 1100R22     | Mud & Snow | \$ | \$        |
| 5  | 046 | 8R/14.5     | Mud & Snow | \$ | \$        |
| 5  | 047 | 10R22.5     | Mud & Snow | \$ | \$        |
| 75 | 048 | 11R22.5     | Mud & Snow | \$ | \$ 125.00 |
| 5  | 049 | 11R24.5     | Mud & Snow | \$ | \$ 125.00 |
| 5  | 050 | 12R22.5     | Mud & Snow | \$ | \$        |
| 5  | 051 | 215/75R17.5 | Mud & Snow | \$ | \$        |
| 5  | 052 | 255/70R22.5 | Mud & Snow | \$ | \$        |
| 5  | 053 | 285/75R24.5 | Mud & Snow | \$ | \$        |
| 5  | 054 | 385/65R22.5 | Mud & Snow | \$ | \$        |
| 5  | 055 | 425/65R22.5 | Mud & Snow | \$ | \$        |

*Curve Drive*

| EST. USAGE | ITEM | SIZES | TREAD DESIGN | MOLD CURE | PRECURE |
|------------|------|-------|--------------|-----------|---------|
|------------|------|-------|--------------|-----------|---------|

### BID LOADER/GRADER & OFF ROAD TIRES - MINIMUM TREAD DEPTH 32/32"

|    |     |         |     |    |    |
|----|-----|---------|-----|----|----|
| 5  | 056 | 1300X24 | Lug | \$ | \$ |
| 10 | 057 | 1400X24 | Lug | \$ | \$ |
| 5  | 058 | 15.5X25 | Lug | \$ | \$ |
| 5  | 059 | 17.5X25 | Lug | \$ | \$ |
| 5  | 060 | 20.5X25 | Lug | \$ | \$ |
| 5  | 061 | 23.5X25 | Lug | \$ | \$ |
| 5  | 062 | 18.4X30 | Lug | \$ | \$ |

| EST. USAGE | ITEM | SIZES | TREAD DESIGN | MOLD CURE | PRECURE |
|------------|------|-------|--------------|-----------|---------|
|------------|------|-------|--------------|-----------|---------|

### RADIAL LOADER/GRADER & OFF ROAD TIRES - MINIMUM TREAD DEPTH 32/32"

|     |     |           |     |    |    |
|-----|-----|-----------|-----|----|----|
| 30  | 063 | 1300R24   | Lug | \$ | \$ |
| 100 | 064 | 1400R24   | Lug | \$ | \$ |
| 5   | 065 | 14.9R24   | Lug | \$ | \$ |
| 15  | 066 | 15.5R25   | Lug | \$ | \$ |
| 10  | 067 | 16.9R30   | Lug | \$ | \$ |
| 10  | 068 | 17.5R25   | Lug | \$ | \$ |
| 20  | 069 | 18.4R30   | Lug | \$ | \$ |
| 20  | 070 | 18.4R38   | Lug | \$ | \$ |
| 10  | 071 | 18.5LR26  | Lug | \$ | \$ |
| 10  | 072 | 19.5SLR24 | Lug | \$ | \$ |
| 5   | 073 | 20.5SR25  | Lug | \$ | \$ |
| 5   | 074 | 23.5SR25  | Lug | \$ | \$ |

| SUPPORT SERVICES |  |  | EST. USAGE | COST |
|------------------|--|--|------------|------|
| SERVICE          |  |  | \$         |      |
| BALANCE          |  |  | 250        | \$   |
| MOUNTING         |  |  | 175        | \$   |

VENDOR: \_\_\_\_\_

Insert Date

RTIRES07 - PRICING PAGE

| EST. USAGE | ITEM | PLY RATING | SECTION | REINFORCEMENT | SPOT | NAIL HOLE | BEAD |
|------------|------|------------|---------|---------------|------|-----------|------|
| 5          | 075  | 8          |         | \$            | \$   | \$        | \$   |
| 5          | 076  | 10         |         | \$            | \$   | \$        | \$   |
| 5          | 077  | 11         |         | \$            | \$   | \$        | \$   |
| 5          | 078  | 12         |         | \$            | \$   | \$        | \$   |

REPAIR SERVICES FOR BIAS PLY TRUCK & BUS TIRES

| EST. USAGE | ITEM | PLY RATING | SECTION          | REINFORCEMENT       | SPOT   | NAIL HOLE | BEAD   |
|------------|------|------------|------------------|---------------------|--------|-----------|--------|
| 5          | 079  | 10         | 32 <sup>05</sup> | \$ 25 <sup>02</sup> | \$ N/C | \$ N/C    | \$ N/C |
| 5          | 080  | 12         |                  | \$                  | \$     | \$        | \$     |
| 50         | 081  | 14         |                  | \$                  | \$     | \$        | \$     |
| 5          | 082  | 16         |                  | \$                  | \$     | \$        | \$     |
| 5          | 083  | 18         |                  | \$                  | \$     | \$        | \$     |

REPAIR SERVICES FOR RADIAL TRUCK & BUS TIRES

| EST. USAGE | ITEM | SIZE    | PLY RATING | SECTION | REINFORCEMENT | SPOT | NAIL HOLE | BEAD |
|------------|------|---------|------------|---------|---------------|------|-----------|------|
| 5          | 084  | 1300x24 | ALL        |         | \$            | \$   | \$        | \$   |
| 5          | 085  | 1400x24 | ALL        |         | \$            | \$   | \$        | \$   |
| 5          | 086  | 15.5x25 | ALL        |         | \$            | \$   | \$        | \$   |
| 5          | 087  | 17.5x25 | ALL        |         | \$            | \$   | \$        | \$   |
| 5          | 088  | 20.5x25 | ALL        |         | \$            | \$   | \$        | \$   |
| 5          | 089  | 23.5x25 | ALL        |         | \$            | \$   | \$        | \$   |
| 5          | 090  | 18.4x30 | ALL        |         | \$            | \$   | \$        | \$   |
| 5          | 091  | 1300R24 | ALL        |         | \$            | \$   | \$        | \$   |
| 5          | 092  | 1400R24 | ALL        |         | \$            | \$   | \$        | \$   |
| 5          | 093  | 14.9R24 | ALL        |         | \$            | \$   | \$        | \$   |
| 5          | 094  | 15.5R25 | ALL        |         | \$            | \$   | \$        | \$   |
| 5          | 095  | 16.9R30 | ALL        |         | \$            | \$   | \$        | \$   |

REPAIR SERVICES FOR BIAS PLY LOADER / GRADER & OFF ROAD TIRES

VENDOR:

Insert Date

RTIRES07 - PRICING PAGE

| EST. USAGE | ITEM | PLY RATING | SECTION | REINFORCEMENT | SPOT | NAIL HOLE | BEAD |
|------------|------|------------|---------|---------------|------|-----------|------|
| 5          | 096  | ALL        |         | \$            | \$   | \$        | \$   |
| 5          | 097  | ALL        |         | \$            | \$   | \$        | \$   |
| 5          | 98   | ALL        |         | \$            | \$   | \$        | \$   |
| 5          | 99   | ALL        |         | \$            | \$   | \$        | \$   |
| 5          | 100  | ALL        |         | \$            | \$   | \$        | \$   |
| 5          | 101  | ALL        |         | \$            | \$   | \$        | \$   |
| 5          | 102  | ALL        |         | \$            | \$   | \$        | \$   |

DISPOSAL SERVICES FOR REJECTED TIRES

| ITEM | DESCRIPTION     | PRICE   |
|------|-----------------|---------|
| 50   | 103 Passenger   | \$      |
| 75   | 104 Light Truck | \$      |
| 75   | 105 Truck & Bus | \$ 8.00 |
| 50   | 106 Off Road    | \$      |

Contact Person: JOHN R. GOWER (Print Name)

Signature: John R. Gower

Phone: 866-522-9801

Date: 3/14/07

Fax: 304-522-7808

Email: JGower@SSTire.com

# Certification

RTIRE07

By submitting a signed bid for RTIRE07 – supplying retread and repair services – vendor hereby certifies under penalty of fraud that all mandatory specifications contained in the Request for Quotation are met. Vendor additionally certifies that all strength, elongation, modulus, hardness and specific gravity specifications are met by the bid and no other retread will be supplied; all tread depth supplied on any retread tire shall be as mandated in the specifications..

S+S Tire

Vendor (Type Name of Company)

3096 Woodville Drive Huntington WV 25701

Address

John R. Gower

Name (Type Name)

Commercial Sales

Title

John R. Gower

Signature

3-14-07

Date

Note: No contract shall be awarded prior to receipt of this certification.

Revised 2/26/07

# ACORD CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YY) 12/20/06

**PRODUCER**  
 Acordia of Kentucky-Lex  
 Lexington Green Two, Suite 410  
 220 Lexington Green Circle  
 Lexington KY 40503-3311  
 (859) 273-8600

**INSURED**  
 S & S Firestone, Inc.; et al.  
 DBA S&S Tire  
 PO Box 55046  
 Lexington, KY 40555

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AMEND, EXTEND, OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BEING REFERENCED HEREIN.

**COMPANIES AFFORDING COVERAGE**

|         |                                 |
|---------|---------------------------------|
| COMPANY | A Travelers Prop/Cas Co of Amer |
| COMPANY | B Liberty Mutual                |
| COMPANY | C                               |
| COMPANY | D                               |

**COVERAGE**  
 THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED, NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

| CO LTR | TYPE OF INSURANCE   | POLICY NUMBER      | POLICY EFFECTIVE DATE (MM/DD/YY) | POLICY EXPIRATION DATE (MM/DD/YY) | LIMITS  |
|--------|---|--------------------|----------------------------------|-----------------------------------|---|
| A      | <b>GENERAL LIABILITY</b><br><input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY<br><input type="checkbox"/> CLAIMS MADE <input checked="" type="checkbox"/> OCCUR<br><input type="checkbox"/> OWNER'S & CONTRACTOR'S PROT  | Y83D50003058T1L06  | 12/31/06                         | 12/31/07                          | GENERAL AGGREGATE \$<br>PRODUCTS-COMP/OP AGG \$<br>PERSONAL & ADV INJURY \$<br>EACH OCCURRENCE \$<br>FIRE DAMAGE (Any one fire) \$<br>MED EXP (Any one person) \$ |
| A      | <b>AUTOMOBILE LIABILITY</b><br><input checked="" type="checkbox"/> ANY AUTO<br><input type="checkbox"/> ALL OWNED AUTOS<br><input type="checkbox"/> SCHEDULED AUTOS<br><input checked="" type="checkbox"/> HIRED AUTOS<br><input checked="" type="checkbox"/> NON-OWNED AUTOS | Y81050003058T1L06  | 12/31/06                         | 12/31/07                          | COMBINED SINGLE LIMIT \$<br>BODILY INJURY (Per person) \$<br>BODILY INJURY (Per accident) \$<br>PROPERTY DAMAGE \$  |
|        | <b>GARAGE LIABILITY</b><br><input type="checkbox"/> ANY AUTO  |                    |                                  |                                   | AUTO ONLY - EA ACCIDENT \$<br>OTHER THAN AUTO ONLY:<br>EACH ACCIDENT \$<br>AGGREGATE \$   |
| A      | <b>EXCESS LIABILITY</b><br><input checked="" type="checkbox"/> UMBRELLA FORM<br><input type="checkbox"/> OTHER THAN UMBRELLA FORM   | Y6MCP50003056T1L06 | 12/31/06                         | 12/31/07                          | EACH OCCURRENCE \$ 10,000<br>AGGREGATE \$ 10,000  |
| B      | <b>WORKERS COMPENSATION AND EMPLOYERS' LIABILITY</b><br>THE PROPRIETOR/PARTNERS/EXECUTIVE OFFICERS ARE: <input type="checkbox"/> INCL <input type="checkbox"/> EXCL   | WC2151280217016    | 12/31/06                         | 12/31/07                          | WE STAFF TOBY LIMITS OTH ER<br>EL EACH ACCIDENT \$<br>EL DISEASE-POLICY LIMIT \$<br>EL DISEASE-EA EMPLOYEE \$   |
|        | <b>OTHER</b><br>Blanket Building & Personal Property  | Y63050003056T1L06  | 12/31/06                         | 12/31/07                          | \$68,672,900 Limit<br>\$25,000 Deductible   |

DESCRIPTION OF OPERATIONS/LOCATIONS/VEHICLES/SPECIAL ITEMS

**CERTIFICATE HOLDER**  
 S & S Firestone, Inc.  
 P.O. Box 55046  
 Lexington, KY 40555

**CANCELLATION**  
 SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED OR EXPIRATION DATE THEREOF, THE ISSUING COMPANY WILL ENDEAVOR TO 90 DAYS WRITTEN NOTICE TO THE CERTIFICATE HOLDER NAMED BY BUT FAILURE TO MAIL SUCH NOTICE SHALL CONSTITUTE NO CANCELLATION OF OR ANY KIND UPON THE COMPANY'S AGENTS OR REPRESENTATIVES.

AUTHORIZED REPRESENTATIVE  
 Fred Arthurs  
 S&S TIRE LEXINGTON  
 CERTIFICATE: 10110017 067

TOTL



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

|            |
|------------|
| RFQ NUMBER |
| RTIRE07    |

|      |
|------|
| PAGE |
| 1    |

|   |
|---|
| ADDRESS CORRESPONDENCE TO ATTENTION OF: |
| BETTY FRANCISCO                         |
| 304-558-0468                            |

\*814133257                      304-522-9801

V  
E  
N  
D  
O  
R


S&S TIRE  
 3096 WOODVILLE DRIVE  
  
 HUNTINGTON WV 25703

S  
H  
I  
P  
T  
O

ALL STATE AGENCIES  
 AND POLITICAL SUBDIVISIONS  
 VARIOUS LOCALES AS INDICATED  
 BY ORDER

|                              |               |                          |        |               |
|------------------------------|---------------|--------------------------|--------|---------------|
| DATE PRINTED<br>02/26/2007   | TERMS OF SALE | SHIP VIA                 | F.O.B. | FREIGHT TERMS |
| BID OPENING DATE: 03/15/2007 |               | BID OPENING TIME 01:30PM |        |               |

| LINE   | QUANTITY | UOP | CAT NO | ITEM NUMBER | UNIT PRICE | AMOUNT |
|--|----------|-----|--------|-------------|------------|--------|
| *****ADDENDUM NO. 2*****                           |          |     |        |             |            |        |
| 1. BID OPENING DATE HAS BEEN MOVED TO 03/15/2007.  |          |     |        |             |            |        |
| 2. REVISED SPECIFICATIONS DATED 02/26/07 (4 PAGES) |          |     |        |             |            |        |
| 3. REVISED PRICING PAGES (4 PAGES)                 |          |     |        |             |            |        |
| 4. CERTIFICATION DATED 02/26/07 (1 PAGE)           |          |     |        |             |            |        |
| *****END OF ADDENDUM NO. 2*****                    |          |     |        |             |            |        |



SEE REVERSE SIDE FOR TERMS AND CONDITIONS

|           |           |      |
|-----------|-----------|------|
| SIGNATURE | TELEPHONE | DATE |
|-----------|-----------|------|

|       |      |                                   |
|-------|------|-----------------------------------|
| TITLE | FEIN | ADDRESS CHANGES TO BE NOTED ABOVE |
|-------|------|-----------------------------------|

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

**RTIRE07  
Specifications**

02/26/2007

Vendor must be an established retreader of tires or an established distributor of retread tires and must have conducted business for at least five years. Vendor must have facilities to remove and/or remount tires on wheels, balance the tires and wheels, and make repairs.

The Division of Highways requires the successful vendor to schedule pick-up and delivery of retreadable and/or repairable tires from all ten district equipment shops and the Equipment Division in Buckhannon. See the attached list. Other agencies MAY request pickups for their tires.

**NOTICE\*\*\*\*\*NOTICE\*\*\*\*\*NOTICE**

Mandatory pre-bid meeting is scheduled on Wednesday, February 7, 2007 at 10:30 a.m. in Building 15 at the Capitol Complex, 2019 Washington Street, East, Charleston, WV 25305. **All interested bidders are required to be present at this meeting. Failure to attend the mandatory pre-bid conference shall result in automatic disqualification. No one person can represent more than one vendor.**

\*\*\*\*\*

**GENERAL PROVISIONS**

1. All rubber used in any subsequent contract must meet the following specifications:

|                        | BIAS        | RADIAL      |
|------------------------|-------------|-------------|
| Tensile Strength (psi) | 2600        | 2600        |
| Elongation (%)         | 425% MIN    | 450% MIN    |
| Modulus @ 300%         | 1400 - 1800 | 1500 - 1900 |
| Hardness ****          | 62 - 67     | 62 - 67     |
| Specific Gravity       | 1.11        | 1.11        |

\*\*\*\* Measured using a Shore Durometer

2. All retread tires must have the following minimum tread depth:  
  
    Radial truck and Bus Tires 26-32  
    Radial Light Truck           14-32  
    Bias truck and bus tires       19-32  
    Big loader and off road tires   32-32
3. All retread must be Goodyear G328 Mud and Snow Lug or equal.
4. We reserve the right to award by size/service if significant savings can be achieved.

**RTIRE07**  
**Specifications**

02/26/2007

5. All tires for recapping must be inspected by the contractor using electronic, ultrasonic, x-ray, shearography or holographic devices to determine if the tire carcass is recappable, and if any repairs are necessary.
6. All state agencies and institutions, with the exception of the Division of Highways, must deliver the tires and tubes to the contractor's facility for retread and/or repaired. Successful vendor shall pick up tires for repair from the Division of Highways at the locations requested.
7. The contractor must be equipped with state of the art retreading equipment and have tread designs suitable for the usage and service required.
8. Rubber must be government certified for retreading. ONLY THE RUBBER SPECIFICATIONS INDICATED ABOVE IS ACCEPTABLE..
9. Contractor must conform to tire industry standards for fitment of proper tread size per casing width.
10. Hot process retread is molded to the tire casing. Cold process retread is procured prior to application to the tire casing.
11. Should the contractor be unable to retread or repair any tire in their place of business and it is necessary to send the tire to another retreader or manufacturer, the contractor shall provide the State Agency with a list of the tires (by size and brand name) and the name and address of the retreader/manufacturer performing the retread or repair work.
12. Tread rubber samples of tread design, tread depth and compound to be submitted with bid proposal.
13. Vendor shall provide written warranty against defects in workmanship and materials for the life of the usable tread. The usable tread is defined as the tread depth down to 4/32nds of an inch of tread remaining. This should be provided with bid; contract shall not be issued prior to receipt of warranty information.
14. In hot cure, the rebuilt tire is cured in a tire moulding press. This press subjects the tire to heat and pressure, forming a new tread into the uncured rubber, creating a chemical bond with the casing by vulcanizing. In the "Cold cure" process, a pre-vulcanised tread, including tread pattern is made by external specialists. This tread is supplied to the retreading plant where it is applied to the casing and chemically bonded to the surface in a cold curing autoclave process.

**RTIRE07**  
**Specifications**

02/26/2007

15. In the event any tires are lost or destroyed while in the possession of the contractor, the contractor shall replace the tire or pay for the tire based on the present statewide contract for new tires.
16. All retread repairs shall be performed within 10 days. Tires forwarded to another retreading facility, shall be available within 30 days to the agency or returned to the agency.
17. Retread tires must be capable of normal load ranges for which the original tire was designed to perform. Retread tires failing to meet this requirement shall be returned to vendor for adjustment.
18. The contractor shall list tires taken from any agency location by size, DOH brand number and other information as required. Upon return delivery, a list of tires by size and DOH brand number shall be furnished by the contractor to the DOH.
19. The contractor shall pickup tires as required at the Division of Highways locations as required. Tire pickups must be within seven (7) days of date of receipt of request.
20. All services shall be in accordance with manufacturer's specifications/regulations relating to the retreading and repair of tires during the period of the contract.
21. The contractor's facility shall be available for inspection by a representative of the state.
22. All tire carcasses determined to be non-recappable will be returned to the agency with a written reason for rejection. The agency may direct the contractor to dispose of any rejected tire carcass at the agency expense.
23. Agency will be responsible for inspecting retread tires and determining if tires meet required specs. Tires failing to meet required specifications will be rejected. The contractor will replace the tire or pay the state agency an amount equal to 50% of the purchase price the agency would have to pay if a new tire was purchased from the current state tire contract.
24. Contractor to provide certificate of insurance in the amount of \$1,000,000.00 liability coverage and should be included with bid package. Insurance certificate must be provided prior to issuance of contract.
25. Vendor should sign the attached WV-96. Failure to sign the WV-96 may be cause to disqualify the bid.

**RTIRE07**  
**Specifications**

02/26/2007

26. Pricing: Bidders must use the attached pricing pages for their bids. Vendors should enter all required information. An electronic copy of this shall be issued after the pre-bid meeting. Bidders are requested to submit the required paper pricing pages and an electronic copy. If there is any difference between the paper bid and the electronic version, the paper bid shall prevail. While the goal is to award one contract, purchasing reserves the right to make multiple awards for this commodity. Separate line item awards may be made if significant savings can be achieved.

**RTIRES07 - PRICING PAGE**

| <b>EST. USAGE</b>  | <b>ITEM</b> | <b>SIZES</b> | <b>TREAD DESIGN</b> | <b>MOLD CURE</b> | <b>PRECURE</b> |
|--|-------------|--------------|---------------------|------------------|----------------|
| <b>BIAS LIGHT TRUCK TIRES - MINIMUM TREAD DEPTH 19/32"</b> |             |              |                     |                  |                |
| 10   | 014         | 700X15       | Mud & Snow          | \$               | \$             |
| 15   | 015         | 750X16       | Mud & Snow          | \$               | \$             |
| 20   | 016         | 800X16.5     | Mud & Snow          | \$               | \$             |
| 10   | 017         | 875X16.5     | Mud & Snow          | \$               | \$             |
| 10   | 018         | 950X16.5     | Mud & Snow          | \$               | \$             |
| 10   | 019         | 8X19.5       | Mud & Snow          | \$               | \$             |

| <b>EST. USAGE</b>                                      | <b>ITEM</b> | <b>SIZES</b> | <b>TREAD DESIGN</b> | <b>MOLD CURE</b> | <b>PRECURE</b> |
|--|-------------|--------------|---------------------|------------------|----------------|
| <b>RADIAL LIGHT TRUCK - MINIMUM TREAD DEPTH 14/32"</b> |             |              |                     |                  |                |
| 5  | 020         | 800R16.5     | Mud & Snow          | \$               | \$             |
| 5  | 021         | 750R16       | Mud & Snow          | \$               | \$             |
| 50   | 022         | LT225/75R16  | Mud & Snow          | \$               | \$             |
| 50   | 023         | LT245/75R16  | Mud & Snow          | \$               | \$             |
| 5  | 024         | LT215/85R16  | Mud & Snow          | \$               | \$             |
| 40   | 025         | LT235/85R16  | Mud & Snow          | \$               | \$             |
| 20   | 026         | 875R16.5     | Mud & Snow          | \$               | \$             |
| 5  | 027         | 950R16.5     | Mud & Snow          | \$               | \$             |
| 5  | 028         | 8R15.5       | Mud & Snow          | \$               | \$             |

| <b>EST. USAGE</b>  | <b>ITEM</b> | <b>SIZES</b> | <b>TREAD DESIGN</b> | <b>MOLD CURE</b> | <b>PRECURE</b> |
|--|-------------|--------------|---------------------|------------------|----------------|
| <b>BIAS TRUCK &amp; BUS TIRES - MINIMUM TREAD DEPTH 19/32"</b> |             |              |                     |                  |                |
| 5  | 029         | 750X20       | Mud & Snow          | \$               | \$             |
| 5  | 030         | 825X20       | Mud & Snow          | \$               | \$             |
| 5  | 031         | 900X20       | Mud & Snow          | \$               | \$             |
| 5  | 032         | 1000X20      | Mud & Snow          | \$               | \$             |
| 5  | 033         | 1100X20      | Mud & Snow          | \$               | \$             |
| 5  | 034         | 1000X22      | Mud & Snow          | \$               | \$             |
| 5  | 035         | 1100X22      | Mud & Snow          | \$               | \$             |
| 5  | 036         | 11X22.5      | Mud & Snow          | \$               | \$             |
| 5  | 037         | 11X24.5      | Mud & Snow          | \$               | \$             |

| <b>EST. USAGE</b>  | <b>ITEM</b> | <b>SIZES</b> | <b>TREAD DESIGN</b> | <b>MOLD CURE</b> | <b>PRECURE</b> |
|--|-------------|--------------|---------------------|------------------|----------------|
| <b>RADIAL TRUCK &amp; BUS TIRES - MINIMUM TREAD DEPTH 26/32"</b> |             |              |                     |                  |                |
| 10   | 038         | 750R15       | Mud & Snow          | \$               | \$             |
| 20   | 039         | 825R15       | Mud & Snow          | \$               | \$             |
| 15   | 040         | 825R20       | Mud & Snow          | \$               | \$             |
| 10   | 041         | 900R20       | Mud & Snow          | \$               | \$             |
| 250  | 042         | 1000R20      | Mud & Snow          | \$               | \$             |
| 10   | 043         | 1100R20      | Mud & Snow          | \$               | \$             |
| 5  | 044         | 1000R22      | Mud & Snow          | \$               | \$             |

## RTIRES07 - PRICING PAGE

### RADIAL TRUCK & BUS TIRES - MINIMUM TREAD DEPTH 26/32"

|    |     |             |            |    |                      |
|----|-----|-------------|------------|----|----------------------|
| 5  | 045 | 1100R22     | Mud & Snow | \$ | \$                   |
| 5  | 046 | 8R/14.5     | Mud & Snow | \$ | \$                   |
| 5  | 047 | 10R22.5     | Mud & Snow | \$ | \$                   |
| 75 | 048 | 11R22.5     | Mud & Snow | \$ | \$ 126 <sup>00</sup> |
| 5  | 049 | 11R24.5     | Mud & Snow | \$ | \$ 130 <sup>00</sup> |
| 5  | 050 | 12R22.5     | Mud & Snow | \$ | \$                   |
| 5  | 051 | 215/75R17.5 | Mud & Snow | \$ | \$                   |
| 5  | 052 | 255/70R22.5 | Mud & Snow | \$ | \$                   |
| 5  | 053 | 285/75R24.5 | Mud & Snow | \$ | \$                   |
| 5  | 054 | 385/65R22.5 | Mud & Snow | \$ | \$                   |
| 5  | 055 | 425/65R22.5 | Mud & Snow | \$ | \$                   |

*Ultra Drive*

| EST. USAGE | ITEM | SIZES | TREAD DESIGN | MOLD CURE | PRECURE |
|------------|------|-------|--------------|-----------|---------|
|------------|------|-------|--------------|-----------|---------|

### BID LOADER/GRADER & OFF ROAD TIRES - MINIMUM TREAD DEPTH 32/32"

|    |     |         |     |    |    |
|----|-----|---------|-----|----|----|
| 5  | 056 | 1300X24 | Lug | \$ | \$ |
| 10 | 057 | 1400X24 | Lug | \$ | \$ |
| 5  | 058 | 15.5X25 | Lug | \$ | \$ |
| 5  | 059 | 17.5X25 | Lug | \$ | \$ |
| 5  | 060 | 20.5X25 | Lug | \$ | \$ |
| 5  | 061 | 23.5X25 | Lug | \$ | \$ |
| 5  | 062 | 18.4X30 | Lug | \$ | \$ |

| EST. USAGE | ITEM | SIZES | TREAD DESIGN | MOLD CURE | PRECURE |
|------------|------|-------|--------------|-----------|---------|
|------------|------|-------|--------------|-----------|---------|

### RADIAL LOADER/GRADER & OFF ROAD TIRES - MINIMUM TREAD DEPTH 32/32"

|     |     |           |     |    |    |
|-----|-----|-----------|-----|----|----|
| 30  | 063 | 1300R24   | Lug | \$ | \$ |
| 100 | 064 | 1400R24   | Lug | \$ | \$ |
| 5   | 065 | 14.9R24   | Lug | \$ | \$ |
| 15  | 066 | 15.5R25   | Lug | \$ | \$ |
| 10  | 067 | 16.9R30   | Lug | \$ | \$ |
| 10  | 068 | 17.5R25   | Lug | \$ | \$ |
| 20  | 069 | 18.4R30   | Lug | \$ | \$ |
| 20  | 070 | 18.4R38   | Lug | \$ | \$ |
| 10  | 071 | 18.5LR26  | Lug | \$ | \$ |
| 10  | 072 | 19.5SLR24 | Lug | \$ | \$ |
| 5   | 073 | 20.5SR25  | Lug | \$ | \$ |
| 5   | 074 | 23.5SR25  | Lug | \$ | \$ |

| SUPPORT SERVICES |            |    | COST |
|------------------|------------|----|------|
| SERVICE          | EST. USAGE | \$ |      |
| BALANCE          | 250        | \$ |      |
| MOUNTING         | 175        | \$ |      |

RTIRES07 - PRICING PAGE

| EST. USAGE                                     | ITEM | PLY RATING | SECTION | REINFORCEMENT | SPOT | NAIL HOLE | BEAD |
|--|------|------------|---------|---------------|------|-----------|------|
| REPAIR SERVICES FOR BIAS PLY TRUCK & BUS TIRES |      |            |         |               |      |           |      |
| 5  | 075  | 8          | \$      | \$            | \$   | \$        | \$   |
| 5  | 076  | 10         | \$      | \$            | \$   | \$        | \$   |
| 5  | 077  | 11         | \$      | \$            | \$   | \$        | \$   |
| 5  | 078  | 12         | \$      | \$            | \$   | \$        | \$   |

| EST. USAGE                                  | ITEM | PLY RATING | SECTION             | REINFORCEMENT       | SPOT   | NAIL HOLE | BEAD   |
|---|------|------------|---------------------|---------------------|--------|-----------|--------|
| RPAIR SERVICES FOR RADIAL TRUCK & BUS TIRES |      |            |                     |                     |        |           |        |
| 5   | 079  | 10         | \$ 32 <sup>00</sup> | \$ 25 <sup>00</sup> | \$ N/C | \$ N/C    | \$ N/C |
| 5   | 080  | 12         | \$                  | \$                  | \$     | \$        | \$     |
| 50  | 081  | 14         | \$                  | \$                  | \$     | \$        | \$     |
| 5   | 082  | 16         | \$                  | \$                  | \$     | \$        | \$     |
| 5   | 083  | 18         | \$                  | \$                  | \$     | \$        | \$     |

| EST. USAGE  | ITEM | SIZE    | PLY RATING | SECTION | REINFORCEMENT | SPOT | NAIL HOLE | BEAD |
|---|------|---------|------------|---------|---------------|------|-----------|------|
| REPAIR SERVICES FOR BIAS PLY LOADER / GRADER & OFF ROAD TIRES |      |         |            |         |               |      |           |      |
| 5   | 084  | 1300x24 | ALL        | \$      | \$            | \$   | \$        | \$   |
| 5   | 085  | 1400x24 | ALL        | \$      | \$            | \$   | \$        | \$   |
| 5   | 086  | 15.5x25 | ALL        | \$      | \$            | \$   | \$        | \$   |
| 5   | 087  | 17.5x25 | ALL        | \$      | \$            | \$   | \$        | \$   |
| 5   | 088  | 20.5x25 | ALL        | \$      | \$            | \$   | \$        | \$   |
| 5   | 089  | 23.5x25 | ALL        | \$      | \$            | \$   | \$        | \$   |
| 5   | 090  | 18.4x30 | ALL        | \$      | \$            | \$   | \$        | \$   |
| 5   | 091  | 1300R24 | ALL        | \$      | \$            | \$   | \$        | \$   |
| 5   | 092  | 1400R24 | ALL        | \$      | \$            | \$   | \$        | \$   |
| 5   | 093  | 14.9R24 | ALL        | \$      | \$            | \$   | \$        | \$   |
| 5   | 094  | 15.5R25 | ALL        | \$      | \$            | \$   | \$        | \$   |
| 5   | 095  | 16.9R30 | ALL        | \$      | \$            | \$   | \$        | \$   |

VENDOR: \_\_\_\_\_

Insert Date

RTIRES07 - PRICING PAGE

| EST. USAGE | ITEM | PLY RATING | SECTION | REINFORCEMENT | SPOT | NAIL HOLE | BEAD |
|------------|------|------------|---------|---------------|------|-----------|------|
| 5          | 096  | ALL        |         | \$            | \$   | \$        | \$   |
| 5          | 097  | ALL        |         | \$            | \$   | \$        | \$   |
| 5          | 98   | ALL        |         | \$            | \$   | \$        | \$   |
| 5          | 99   | ALL        |         | \$            | \$   | \$        | \$   |
| 5          | 100  | ALL        |         | \$            | \$   | \$        | \$   |
| 5          | 101  | ALL        |         | \$            | \$   | \$        | \$   |
| 5          | 102  | ALL        |         | \$            | \$   | \$        | \$   |

| ITEM | DESCRIPTION | PRICE |
|------|-------------|-------|
|------|-------------|-------|

DISPOSAL SERVICES FOR REJECTED TIRES

|    |     |             |               |
|----|-----|-------------|---------------|
| 50 | 103 | Passenger   | \$            |
| 75 | 104 | Light Truck | \$            |
| 75 | 105 | Truck & Bus | \$ <u>800</u> |
| 50 | 106 | Off Road    | \$            |

Contact Person: John R. Gower  
 (Print Name)

Signature: *John R. Gower*

Phone: 866-522-9801 Date: 3/14/07

Fax: 304-522-9800

Email: JGower@SSTire.com

# Certification

RTIRE07

By submitting a signed bid for RTIRE07 – supplying retread and repair services – vendor hereby certifies under penalty of fraud that all mandatory specifications contained in the Request for Quotation are met. Vendor additionally certifies that all strength, elongation, modulus, hardness and specific gravity specifications are met by the bid and no other retread will be supplied; all tread depth supplied on any retread tire shall be as mandated in the specifications..

S+S Tire

Vendor (Type Name of Company)

3096 Woodville Drive Huntington WV 25701

Address

John R. Gower

Name (Type Name)

Commercial Sales

Title

John R. Gower

Signature

3-14-07

Date

Note: No contract shall be awarded prior to receipt of this certification.

# ACORD CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD) 12/20/06

**PRODUCER**

Acordia of Kentucky-Lex  
 Lexington Green Two, Suite 410  
 220 Lexington Green Circle  
 Lexington KY 40503-9311  
 (859) 273-8600

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AMEND, EXTEND, OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELONGING TO THE INSURED.

**COMPANIES AFFORDING COVERAGE**

- COMPANY **A** Travelers Prop/Cas Co of Amer
- COMPANY **B** Liberty Mutual
- COMPANY **C**
- COMPANY **D**

**INSURED**

S & S Firestone, Inc.; etal.  
 DBA S&S Tire  
 PO Box 55046  
 Lexington, KY 40555

**COVERAGES**

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED, NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

| CO LTR | TYPE OF INSURANCE   | POLICY NUMBER       | POLICY EFFECTIVE DATE (MM/DD/YY) | POLICY EXPIRATION DATE (MM/DD/YY) | LIMITS  |
|--------|---|---------------------|----------------------------------|-----------------------------------|---|
| A      | <b>GENERAL LIABILITY</b><br><input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY<br><input type="checkbox"/> CLAIMS MADE <input checked="" type="checkbox"/> OCCUR<br><input type="checkbox"/> OWNER'S & CONTRACTOR'S PROT  | Y83050003058T1L06   | 12/31/06                         | 12/31/07                          | GENERAL AGGREGATE \$ 2,000<br>PRODUCTS-COMP/OP AGG \$ 2,000<br>PERSONAL & ADV INJURY \$ 1,000<br>EACH OCCURRENCE \$ 1,000<br>FIRE DAMAGE (Any one fire) \$ 500<br>MED EXP (Any one person) \$ 5 |
| A      | <b>AUTOMOBILE LIABILITY</b><br><input checked="" type="checkbox"/> ANY AUTO<br><input type="checkbox"/> ALL OWNED AUTOS<br><input type="checkbox"/> SCHEDULED AUTOS<br><input checked="" type="checkbox"/> HIRED AUTOS<br><input checked="" type="checkbox"/> NON-OWNED AUTOS | Y81050003058T1L06   | 12/31/06                         | 12/31/07                          | COMBINED SINGLE LIMIT \$ 1,000<br>BODILY INJURY (Per person) \$<br>BODILY INJURY (Per accident) \$<br>PROPERTY DAMAGE \$  |
|        | <b>DAMAGE LIABILITY</b><br><input type="checkbox"/> ANY AUTO  |                     |                                  |                                   | AUTO ONLY - EA ACCIDENT \$<br>OTHER THAN AUTO ONLY:<br>EACH ACCIDENT \$<br>AGGREGATE \$   |
| A      | <b>EXCESS LIABILITY</b><br><input checked="" type="checkbox"/> UMBRELLA FORM<br><input type="checkbox"/> OTHER THAN UMBRELLA FORM   | Y5MCUP50003058T1L06 | 12/31/06                         | 12/31/07                          | EACH OCCURRENCE \$ 10,000<br>AGGREGATE \$ 10,000  |
| B      | <b>WORKERS COMPENSATION AND EMPLOYERS' LIABILITY</b><br>THE PROPRIETOR/PARTNERS/EXECUTIVE OFFICERS ARE: <input type="checkbox"/> INCL <input type="checkbox"/> EXCL   | WC2151280217016     | 12/31/06                         | 12/31/07                          | WC STATUTORY LIMITS <input type="checkbox"/> OTHER <input type="checkbox"/><br>EL EACH ACCIDENT \$ 500<br>EL DISEASE-POLICY LIMIT \$ 500<br>EL DISEASE-EA EMPLOYEE \$ 500                       |
| A      | <b>OTHER</b><br>Blanket Building & Personal Property  | Y63050003058T1L06   | 12/31/06                         | 12/31/07                          | \$58,672,900 Limit<br>\$25,000 Deductible   |

DESCRIPTION OF OPERATIONS/LOCATIONS/VEHICLES/SPECIAL ITEMS

**CERTIFICATE HOLDER**

S & S Firestone, Inc.  
 P.O. Box 55046  
 Lexington, KY 40555

**CANCELLATION**

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, THE ISSUING COMPANY WILL ENDEAVOR TO MAIL 30 DAYS WRITTEN NOTICE TO THE CERTIFICATE HOLDER NAMED TO THE POLICY BUT FAILURE TO MAIL SUCH NOTICE SHALL IMPOSE NO OBLIGATION OR LIABILITY OF ANY KIND UPON THE COMPANY, ITS AGENTS OR REPRESENTATIVES.

AUTHORIZED REPRESENTATIVE

*[Signature]*  
 Fred Orthmeyer  
 ACORD CORP  
 CERTIFICATE: 107/001/0012

TOTAL