

Request for Quotation

S H

þ

T

RFQ NUMBER
668C0018

PAGE

ADDRESS CORRESPONDENCE TO ATTENTION OF

MICHAEL AUSTIN 304-558-2402

*709063816 304-565-3007 BILCO CONSTRUCTION CO INC 805 WISTERIA DRIVE

SOUTH CHARLESTON WV 25309

DIVISION OF HIGHWAYS VARIOUS LOCALES AS INDICATED BY ORDER

DATE PRIN	TED	TEF	MS OF SA	Œ	SHIP	VIA	F	O.B.		FREIGHT TERMS
12/20/										
BID OPENING DATE		01/09/	2008			BID	OPENING	TIME	01	:30PM
LINE	QUA	NTITY	UOP	CAT.	ITEM NU	MBER	UN	TPRICE		AMOUNT
		200000000000000000000000000000000000000	(00000000000000000000000000000000000000							
0001		1	EA		765-08					
	POWER	-	AND R	OCK A	UGERS/DRI	LLS WIT	H OPERA	TOR	_	
				OPEN	END CONTR	ACT			11 17 MAN	
	TO FUR	NISH T	HE FO	LLOWI	NG:					
		NG HOL	ES FR	OM 12	UGERS/DRI INCHES T					
	POWER INCLUD	EARTH Ing fu	AND R EL, M	OCK A AINTE	NSIST OF UGERS/DRI NANCE AND	LLS, FU ALL OT	LLY OPER HER NECE	RATED ESSARY		
	SIZES Variou	FOR SL S LOCA	IDE C TIONS	ORREC . THE	AND INSTA TION AND WEST VIR PILING.	STRUCTU	RE FOUND	DATION A	Ţ	IVED
•			1	SEE	THE ATTA	CHED		2 000 JAN	C	A 10: 53
9	EXHIBI	Т 3								G DIVISION OF WY
	LIFE O	F CONT	I		IS CONTRA D EXTENDS	i i		CTIVE O	N	
	YEAR O	R UNTI			ASONABLE					
	NECESS	ARY TO	OBTA	IN A	NEW CONTR	ACT OR I	RENEW TH	IE		***************************************
	ORIGIN				E "REASON	ABLE TI	ME" PERI	OD SHAL	L	
	NOT EX	CEED T	WELVE	(12)	MONTHS.	DURING	THIS "R	EASONAB	LE	
					ERMINATE					
l l		1		THE	DIRECTOR	OF PUR	CHASING	30 DAYS		
	WRITTE	N NUII	LE.			į				7
	- 1	ارر	11	. [[
		11/11		SEE REV	ERSE SIDE FOR TE					
IGNATURE 2		1////	Mar			TELEPHONE 30	4-565-3	DAT	E	19/2008
TRESIDE	UT	FEI	Ñ 62-	-1345	5425		ADD	RESS CHANG	ES 1	O BE NOTED ABOVE



25309

Request for Quotation

RFQ NUMBER
668C0018

PA	GE
	2

ADDRESS CORRESPONDENCE TO ATTENTION OF

MICHAEL AUSTIN 304-558-2402

*709063816 304-565-3007 BILCO CONSTRUCTION CO INC 805 WISTERIA DRIVE

SOUTH CHARLESTON WV

þ

DIVISION OF HIGHWAYS
VARIOUS LOCALES AS INDICATED
BY ORDER

DATE PRIN	TE PRINTED TERMS OF SALE					SHIP VIA		F.O.B	FREIGHT TERMS			
12/20/	2007											
BID OPENING DATE:		01/09/	2008				BID	OPENING TIME	01:30PM			
LINE	QUAI	NTITY	UOP	ÇAT. NO.	ITE	MNUMBER		UNIT PRICE	TAUOMA			
	IN THI	S CONT G SET	RACT	DOCUM	ENT, T	HE TER	MS,	TED ELSEWHERE CONDITIONS AND FE OF THE				
	WRITTE SUBMIT DAYS P BE IN	N CONS TED TO RIOR T ACCORD AL CON	ENT O THE O THE ANCE TRACT	F THE DIREC EXPI WITH	SPEND TOR OF RATION THE TEI	ING UN PURCH DATE. RMS AN	IT A ASIN SU D CO	UPON THE MUTUAL ND VENDOR, G THIRTY (30) CH RENEWAL SHALL NDITIONS OF THE TO TWO (2) ONE				
	RIGHT NOTICE SUPPLI	TO CAN TO TH ED ARE	CEL T E VEN OF A	HIS C DOR I N INF	ONTRAC [*] F THE (ERIOR (T IMME COMMOD QUALIT	DIAT ITIE Y OR	NG RESERVES THE ELY UPON WRITTEN S AND/OR SERVICE DO NOT CONFORM ONTRACT HEREIN.				
	AUTHOR: MARKET ESTIMA IMMEDIA CAUSES	IZE A , WITH TE, IT ATE DE (INCLI	SPEND OUT TO EMS SI LIVER UDING	ING U HE FI PECIF Y IN BUT	NIT TO LING OF IED ON EMERGEN NOT LIN	PURCH F A RE THIS ICIES	ASE (QUIS) CONTI DUE TO DE	RCHASING MAY ON THE OPEN ITION OR COST RACT FOR TO UNFORESEEN ELAYS IN TRANS- IN THE VOLUME				
	QUANTI APPROXI THE STA THAT TH ORDEREI	TIES: (IMATION ATE SPO HE CON	NS ONE ENDING TRACT DELIVE	Y, B G UNI SHALI ERY DI	ASED ON T. IT L COVER JRING THE	N ESTII IS UNI R THE (THE TEI E QUAN'	MATES DERS QUANT RM OF	EQUISITION ARE S SUPPLIED BY TOOD AND AGREED TITIES ACTUALLY THE CONTRACT, ES SHOWN.				
IGNATURE				SEE REV	ERSE SIDE F	OR TERMS A		DITIONS DATE				
	<u></u> .					Lecern	CIVE	DATE				
ITLE		FEI	N					ADDRESS CHANGE	S TO BE NOTED ABOVE			



Request for Quotation

SH-P

ō

668C0018

PAGE

ADDRESS CORRESPONDENCE TO ATTENTION OF

MICHAEL AUSTIN 304-558-2402

*709063816 304-565-3007 BILCO CONSTRUCTION CO INC 805 WISTERIA DRIVE

SOUTH CHARLESTON WV 25309

DIVISION OF HIGHWAYS
VARIOUS LOCALES AS INDICATED
BY ORDER

			RMS OF SAL	É	SHIP VI	Α	F.O.B.	FREIGHT TERMS
12/20/								
BID OPENING DATE:	4	01/09/	2008			BID	OPENING TIME	01:30PM
LINE	QUAN	NTITY	UOP	CAT. NO	ITEM NUM	BER	UNIT PRICE	AMOUNT
	WRITTE THE VE THE OR VENDOR MAILED RETAIN BANKRU	N STAT NDOR F IGINAL AS AU TO TH ED BY PTCY:	E CON OR CO COPY THORI E PUR THE S	TRACT MMODI OF T ZATIO CHASI PENDI HE EV	ORDER (FO TIES COVER HE WV-39 S N FOR SHIF NG DIVISIONG UNIT.	DRM NUM RED BY SHALL B PMENT, ON, AND	HALL ISSUE A BER WV-39) TO THIS CONTRACT. E MAILED TO THE A SECOND COPY A THIRD COPY	
							CT IS AUTOMATI- WITHOUT FURTHE	R
	SHALL : CONDIT: DOCUME! AGREEM!	SUPERS IONS W NTS SU ENTS O	EDE AL HICH I CH AS R MAIN	NY AN May a Pric Ntena	D ALL SUBS PPEAR ON A E LISTS, O	SEQUENT NY ATT ORDER FO IENTS,	THIS CONTRACT TERMS AND ACHED PRINTED DRMS, SALES INCLUDING ANY	
	REV. 04		001					
				ĺ	REQUIS	ITION N	10.:	
,	ADDEND	IM ACK	NOWLE	DGEME	ΝT	TO STATE OF THE ST	-	
•	ADDENDU	JM(S)	AND H	VE M		CESSARY	LOWING CHECKED PROPERTY REVISIONS TO NETTER	IY
	ADDENDL	JM NO.	's:			To the state of th		
							···	
SIGNATURE				OFF HEV	ERSE SIDE FOR TER ITE	IMS AND CONI	OITIONS DATE	
							PATE	
TTLE		FEII	N				ADDRESS CHANGE	S TO BE NOTED ABOVE



TITLE

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

25309

Request for **m** Quotation

S H

þ

RFQ NUMBER				
668000	1	8		

Ö	÷	P	A	C	Ė					
						ı	·			

ADDRESS CORRESPONDENCE TO ATTENTION OF:

ADDRESS CHANGES TO BE NOTED ABOVE

MICHAEL AUSTIN 304-558-2402

BY ORDER

DIVISION OF HIGHWAYS VARIOUS LOCALES AS INDICATED

***709063816** 304-565-3007 BILCO CONSTRUCTION CO INC 805 WISTERIA DRIVE SOUTH CHARLESTON WV

DATE PRINTED TERMS OF SALE SHIP VIA F.O.B. FREIGHT TERMS 12/20/2007 BID OPENING DATE: 01/09/2008 BID OPENING TIME 01:30PM CAT. LINE QUANTITY UOP ITEM NUMBER UNIT PRICE AMOUNT NO. NO. I UNDERSTAND THAT FAILURE TO CONFIRM THE RECEIPT OF THE ADDENDUM(S) MAY BE CAUSE FOR REJECTION OF BIDS. VENDOR MUST CLEARLY UNDERSTAND THAT ANY VERBAL REPRESENTATION MADE OR ASSUMED TO BE MADE DURING ANY ORAL DISCUSSION HELD BETWEEN VENDOR'S REPRESENTATIVES AND ANY STATE PERSONNEL IS NOT BINDING ONLY THE INFORMATION ISSUED IN WRITING AND ADDED TO THE SPECIFICATIONS BY AN OFFICIAL ADDENDUM DATE WORKERS' COMPENSATION: VENDOR IS REQUIRED TO PROVIDE A CERTIFICATE FROM WORKERS' COMPENSATION IF SUCCESSFUL. ALL OF THE ITEMS CHECKED BELOW WILL BE A REQUIREMENT SEE REVERSE SIDE FOR TERMS AND CONDITIONS SIGNATURE ELEPHONE DATE



VENDOR

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

304-565-3007

Request for Quotation

\$ H | P

Ţ

RFO NUMBER 668C0018

304-558-2402

ADDRESS CORRESPONDENCE TO ATTENTION OF MICHAEL AUSTIN

***709063816** BILCO CONSTRUCTION CO INC

805 WISTERIA DRIVE

SOUTH CHARLESTON WV 25309 DIVISION OF HIGHWAYS VARIOUS LOCALES AS INDICATED BY ORDER

DATE PRIN	TEF	MS OF SA	.E	SHIP	VIA	F.	O.B.	FREIGHT TERMS	
12/20/	2007								
BID OPENING DATE:		01/09/	2008			BID	OPENING	TIME	01:30PM
LINE	.QUAN	NTITY	UOP	CAT. NO.	ITEM NU			TPRICE	AMOUNT
			00000000000000						
	OF THI	S CONT	RACT.						
									i .
					SFUL VEND				F
					LIABILITY				
					UNLESS C				
					MINIMUM	AMOUNT	OF INSUR	ANCE	
	CUVERA	GE KEU	OIKED	15 \$	250,000.				
			VEND	OR PR	EFERENCE	CERTIFT	CATE		
					ICATION*				
					CE WITH W				} •
	5A-5-5	/ (DOF	וטא צ	APPL	Y TO CONS	IRUCTIO	N CONTRA	CTS).	
	A. API	PLICAT	ION T	S MAD	E FOR 2.5	% PREFE	RENCE EN	R THE	•
	REASON								
				j					
1					IVIDUAL R				
					LY IN WES				
	CERTIF:	• 1			PRECEDING	THE DA	IE UF IH	18	
Î	CERTIF.	ICATIO	N, UK						
	(X) i	BIDDER	IS A	PART	NERSHIP,	ASSOCIA	TION OR	CORPORA	\-
	TIÓN RE	ESIDEN	T VEN	DOR A	ND HAS MA	INTAINE	D ITS HE	AD-	
					PLACE OF				
					(4) YEAR				
	IHE DAT	IE OF	IHIS	CERTI	FICATION;	OR 80%	OF THE	OWNERSH	IIP
					HELD BY A				\n
					HEADQUAR				
1	OF BUS	INESS (CONTI	บบบรเ	Y IN WES	T VIRGI	NIA FOR	FOUR (4	
ļ	YEARS 1	[MMEDI	ATELY	PREC	DING THE	DATE OF	FTHIS	• •	
ļ	CERTIF	CATIO	N; OR						
			T						
ļ	() E	TUDER	TS A	CURP	DRATION N	UNRESIDE	ENT VEND	OR	
				SEE REV	ERSE SIDE FOR TI		DITIONS		
IGNATURE						TELEPHONE		DA	TE
TLE		FEI	N				ADDI	RESS CHANG	GES TO BE NOTED ABOVE



Request for Quotation

SH-P

AFQNUMBER
668C0018

Ŷ	÷	े	P	Α	C	ì	۲	ì	Š	į	į	
							_					
								Z	-			

ADDRESS CORRESPONDENCE TO ATTENTION OF

MICHAEL AUSTIN 304-558-2402

DIVISION OF HIGHWAYS
VARIOUS LOCALES AS INDICATED
BY ORDER

*709063816 304-565-3007 BILCO CONSTRUCTION CO INC 805 WISTERIA DRIVE

			MS OF SAL	.	SHIP	VIA	F	O.B.	FREIGHT TERMS
12/20/	2007			·					
BID OPENING DATE:	'	01/09/	2008			BID	OPENING	TIME (01:30PM
LINE	QUAN	∉TITY	UOP	CAT. NO.	ITEM NU			TPRICE	AMOUNT
	1	ŀ			OR SUBSI		1		
	f	**			ED STATE		3		
					QUARTERS				
					IRGINIA C				
	CERTIF			WEDIA	TELY PREC	EDING I	HE DAIE	OF THIS	
	B. API REASON			S MAD	E FOR 2.5	% PREFE	RENCE FO	OR THE	
	$X \rightarrow 0$	RIDDER	TS A	PFCT	DENT VEND	UB MHU	CEDITETE	EC TUAT	
					CONTRACT				
					ORKING ON				
					VIRGINIA				
					FOR THE				
					F THIS BI	- 1	111112	ZATELI	
		BIDDER	TS A	NONR	ESIDENT V	ENDOR E	MPLOYTNO	2 Δ	
					STATE RE				
					H AN AFFI				
					ADQUARTER				-
					T VIRGINI				
					ESIDENTS				
					CONTRACT				
					R BIDDERS				
					ARE RESI				,
					E STATE C				
					EDING SUB				
	BIDDER	UNDERS	STAND	s IF	THE SECRE	TARY OF	TAX & R	REVENUE	
		I	,		ER RECEIV	- 1			
		I .	I		MEET THE	,			
					ARY MAY O				
					SCIND THE				
1			1	I	SSESS A P				
1				- 1	TO EXCE	,			-
		1		SEE REV	ERSE SIDE FOR T	RMS AND CON	DITIONS		
GNATURE	<u>esessessissississäääi</u>	<u> </u>		<u>~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~</u>		TELEPHONE		DATE	·
TLE		FEII	N				ADD	DESC CHANCE	ER TO BE NOTED ABOVE
							AUU	mego umangt	ES TO BE NOTED ABOVE



Request for Quotation

668C0018

PAGE

ADDRESS CORRESPONDENCE TO ATTENTION OF

MICHAEL AUSTIN 304-558-2402

DIVISION OF HIGHWAYS
VARIOUS LOCALES AS INDICATED
BY ORDER

*709063816 304-565-3007 BILCO CONSTRUCTION CO INC 805 WISTERIA DRIVE

DATE PRINT	(ED	TER	MS OF SA	LE	SHIP	VIA		F.O.B	FREIGHT TERMS
12/20/	2007								
BID OPENING DATE:		01/09/	2008			BID	OPI	ENING TIME	01:30PM
LINE	QUAN	VTITY	UOP	CAT. NO.	ITEM NU	MBER		UNIT PRICE	AMOUNT
		OR DE	DUCTE	D FRO	M ANY UNF			E CONTRACTING CE ON THE	
	DISCLO PURCHA TAX AN PURCHA BIDDER THAT S TAXES	SE ANY SING D D REVE SING A HAS P UCH IN PAID N	REAS IVISI NUE T PPROP AID T FORMA OR AN	ONABL ON AN O DIS RIATE HE RE TION Y OTH	Y REQUEST D AUTHORI CLOSE TO INFORMAT QUIRED BU DOES NOT	ED INFO ZES THE THE DIR ION VER SINESS CONTAIN ATION D	RMA DE RECT IFY TAX	R AGREES TO ATION TO THE EPARTMENT OF TOR OF YING THAT KES, PROVIDED HE AMOUNTS OF	
	CODE 6 CERTIF THAT II CONTAII TERM OI	1-5-3) ICATE F A CO NED WI F THE	, BID IS TR NTRAC THIN CONTR	DER H UE AN T IS THIS ACT,	EREBY CER D ACCURAT ISSUED TO	TIFIES E IN AL BIDDER TE CHAN LL NOTI	THA L F AN GES	RESPECTS; AND ND IF ANYTHING S DURING THE THE	
		TO THE PARTY OF TH		BIDDE DATE: Signé	1/9/	120,08	7/	TION CO, IA	· -
			COMBI	NATIO	N OF PREF	A" AND	"B"	USIDERATION(S) WHICH YOU	
GNATURE		v.,		~~~		TELEPHONE	- werd to	DATE	
TLE		FEI	N					ADDRESS CHANGI	ES TO BE NOTED ABOVE



Request for Quotation

AFQ NUMBER
668C0018

PAGE 8

ADDRESS CORRESPONDENCE TO ATTENTION OF

MICHAEL AUSTIN 304-558-2402

DIVISION OF HIGHWAYS
VARIOUS LOCALES AS INDICATED
BY ORDER

ADDRESS CHANGES TO BE NOTED ABOVE

*709063816 304-565-3007 BILCO CONSTRUCTION CO INC 805 WISTERIA DRIVE

DATE PRIN	TED TE	RMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS				
12/20/									
BID OPENING DATE:	01/09	/2008	BID	OPENING TIME	01:30PM				
LINE	QUANTITY	UOP CAT NO.	ITEM NUMBER	UNITPRICE	AMOUNT				
		PREFERENCE	E. YOU MAY REQU FOR BOTH "A" AND						
:			ICE						
			UBMITTED TO:						
:		SING DIVISI	INISTRATION ON						
To company the company that the company			TREET, EAST 5305-0130						
			THIS INFORMATIO D MAY NOT BE CON		OF				
	SEALED BID								
	BUYER:		33						
	RFQ. NO.:		668C0018						
24.7	BID OPENING	DATE:	01/09/20	08					
	BID OPENING	TIME:	1:30 PM						
		OU REGARDI	UMBER IN CASE IT NG YOUR BID: -565-3113	IS NECESSARY					
	CONTACT PERS	ON (PLEASE	PRINT CLEARLY):	OUTIONIC					
SIGNATURE		oee he	TELEPHONE	Distriction	DATE				
TITLE	(F	EIN	<u> </u>		<u> </u>				



MODERA

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

SH-P

Ţ

AFO NUMBER
668C0018

:	į	ì	į	ं	F	1	٩	C	ì	Ŀ					
											_	3			

ADDRESS CORRESPONDENCE TO ATTENTION OF

MICHAEL AUSTIN 304-558-2402

DIVISION OF HIGHWAYS
VARIOUS LOCALES AS INDICATED
BY ORDER

*709063816 304-565-3007 BILCO CONSTRUCTION CO INC 805 WISTERIA DRIVE

DATE PRINTED		TER	MS OF SAL	E		SHIP VIA			F.O.B.		FREIGHT	TERMS
12/20/2007												
BID OPENING DATE:	†c.soc.eeeeccoco.	01/09/	/09/2008		BID		OPENING TIME 0:		01	:30PM		
LINE	QUA	NTITY	UOP	CAT. NO.		ITEM NUMB	ER		UNIT PRICE		AMO	UNT
			000000000000000000000000000000000000000	sancarantana.								
					2.	. In						
	_				121	.L / H	JLK65					
							ĺ				•	
		1									•	
	*****	THIS	IS T	HE EN	D OF	RFO	668C0	018	**** T	OTAL:		
		İ				-						
			ļ	,								
												§
		-					İ			ľ		:
				ŀ								
ļ												
										:		
				-								
		1										
Level Level												
į												
·												
												•
	•		ļ							ŀ		
	. 1	بارد	1/				İ					
	1 11		11	∠SEE REV	ERSE SID	E FOR TERM	AS AND CONE	DITIONS		80000000000		
GNATURE /	7/1/	11/1/	1/1/1/			TEL	EPHONE 201	_ <	Z-3007	DATE	10 hoos	3
PRESIDEN		PEI	1/2	1-7,1-				1-21		IANCES 3	/9/2008	
Tresiden	JT ~	1	<i>Od-</i>	-1345	425ء	>			ADDRESS CH	MANGES I	O BE NOTED A	POAF

Equipment, workmanship and mobilization furnished under this contract shall meet the following requirements:

1. **EQUIPMENT REQUIREMENT**

- A. Drill shall be mounted on a turntable base with a 240-degree rotation and a 30-inch slide stroke at any point in the arc of rotation.
- B. Drill shall possess a power plant and a mechanical drill assembly, which delivers 35,000 foot-pounds of torque to the Kelly bar, which rotate the Auger or Core Barrel.
- C. Drill shall be equipped with a power plant and mechanical or hydraulic mechanism capable of exerting a down pressure or crowding force of at least 12,000 pounds.
- D. Drill shall be equipped with power and mechanical mechanism to operate a service hoist for installing piles; the hoist system shall have a lifting capacity of 8,000 pounds and be capable of installing (40') piling.
- E. Drill shall be equipped with two (2) hydraulic outriggers and jacks in the front area and two (2) hydraulic outriggers and jacks in the rear of the drill carrier for fast and efficient leveling purposes. The outriggers are not required on track mounted drills.
- F. Vendor shall furnish Augers, Core Barrels, Rock Cutting Teeth, Muck Bucket and Casing which are in good condition. Rock Cutting Teeth shall be of the type and quality comparable to the "Kenametal" brand. Vendor shall, also, furnish all water needed for drilling purposes. All drills are to have at least one operator and one helper present during drilling.

2. MOBILIZATION

One time one way mobilization shall be paid by the Division of Highways for moving of said equipment from the contractor's base of operations to the work site specified in the State Contract Order (SCO) and/or from one Division of Highways work site to another, whichever mileage would be of lesser cost to the Division of Highways. The most direct suitable route from the contractor's base of operations to the work site or between work sites will be agreed upon by the Division of Highways and the contractor as mileage for calculation of Mobilization. The exact location of the contractor's base of operations must be stated on each quotation sheet (mailing address is not adequate).

3. SITE PREPARATION, PLANS, STAKE-OUT, HOLE SIZE AND PILE INSTALLATION

The West Virginia Division of Highways will, in advance of drilling operations, prepare the sites for safe and efficient work. This shall be done in collaboration with the Vendor, or his authorized representative. The Vendor and the West Virginia Division of Highways will jointly determine that safe working conditions do exist and either party will have the right to refuse to perform work if, in their opinion, unsafe working conditions exist.

The West Virginia Division of Highways will provide plans and stakeout of all work to be performed. The location of holes and piles to be installed shall be shown on the plans or directed by the District Engineer/Manager or his designee.

The depth of each hole, angle of inclination from the vertical and the length of each pile shall be shown on the plans, or directed by the District Engineer/Manager or his designee.

The West Virginia Division of Highways will perform required splicing of piles and pile cutoff. Piles shall be furnished, delivered and positioned on the site by the West Virginia Division of Highways so that they are conveniently available for immediate installation at each hole.

The size of holes will be governed by the size of piles. In general, the hole should be at least two (2) inches greater in diameter than the maximum dimension of pile to be installed. In conditions where boulders, etc., are encountered, the hole diameter may have to be considerably larger than the maximum dimensions of the pile. Piles shall be installed immediately after each hole is drilled, unless otherwise directed by the District Engineer/Manager or his designee.

4. <u>DOWN EQUIPMENT</u>

Equipment shall be considered down if it is out of production due to mechanical failure or other conditions and no pay will be authorized until production is resumed. The Division of Highways will not pay time for fueling, lubrication and warm-up of the unit (s).

5. WORKMANSHIP

The West Virginia Division of Highways reserves the right to terminate the usage of any drill, which does not perform work in conformance with reasonable production standards.

Production standards will be based on historical performance data under similar circumstances.

Only firms who show evidence of employment of qualified and experienced operators who have satisfactory performance reputation in this specialized field will be considered.

6. BASIS OF PAYMENT

The Vendor may invoice the West Virginia Division of Highways for hours worked on a semi-monthly basis (half and end of month).

Hours worked must be verified and substantiated on a daily basis by an authorized representative of the West Virginia Division of Highways. Payment for hours worked shall include the time required to position equipment, drill and place piles. Down, warm-up and equipment maintenance time will not be considered as work hours. The Vendor shall supply the Division of Highways with daily work tickets as verification of hours worked.

7. BIDDING INSTRUCTIONS

Bidder shall submit a separate bid sheet for each proposed equipment unit.

The Vendor shall quote a single hourly rate for each drill unit proposed, which shall be full compensation for all equipment rental and required operators up to a standard 40 hour workweek. For hours beyond 40 hours in a workweek, the Vendor shall quote a rate per hour to cover overtime costs of labor only and that amount will be added to the operating rate for all additional operating hours beyond 40 hours in a workweek.

The cost of auger and core barrel resurfacing shall be included in unit price bid for operating rate.

The Vendor shall quote for the additional pay items of casing pipe and crane mats which may be needed occasionally when directed by the Engineer.

8. AWARD OF CONTRACT

The award of this contract shall be made to all bidders submitting a bid, which meets the specifications.

9. AWARD OF STATE CONTRACT ORDER (SCO)

The District Engineer/Manager shall issue the SCO to the low bidder based on type and size of equipment required and the lowest projected cost. The SCO shall specify the type and size of equipment required for the project. The projected cost is the estimated hours to complete the project multiplied by the Vendor's hourly rate plus the mobilization costs. Refer to the section titled "Mobilization" for a full explanation of Mobilization Cost.

In the event the low bidder for a particular project cannot perform, the District Engineer/Manager shall have the option to contact the next low bidder. The District Engineer/Manager shall document in writing the Vendor's inability to perform and award to the next low bidder. Vendors must notify the District Engineer/Manager of their ability to perform, within five (5) days of their receipt of a State Contract Order (SCO), or the SCO may be cancelled.

In the event of an emergency situation, the District Engineer/Manager may require notification of a Vendor's ability to perform within twenty-four (24) hours of their receipt of a State Contract Order (SCO).

Each SCO for hiring Power Earth and Rock Augers/Drills with Operators must list the <u>tentative date the project is to begin</u>. Work on the project shall be continuous unless approved by the District Engineer/Manager.

Vendors performance on any project may be considered when awarding subsequent State Contract Orders (SCO's).

Prior approval for Holiday work shall be obtained from the District Engineer/Manager. The official Holidays are New Year's, Martin Luther King, Jr. Day, Lincoln's Birthday, Washington's Birthday, Memorial Day, West Virginia Day, Fourth of July, Labor Day, Columbus Day, Veteran's Day, Thanksgiving Day, Christmas Day, Election (Primary and General) Day, and other days proclaimed by the President or Governor.

10. WAGE RATES

The Contractor or Subcontractor shall pay the higher of the U.S. Department of Labor minimum wage rates or the West Virginia Department of Labor minimum wage rates as established for *various* counties, pursuant to West Virginia Code §21-5A, ET SEQ.

11. WORKER'S COMPENSATION

Vendor is required to provide a certificate from Worker's Compensation if successful.

12. INSURANCE

Successful Vendor shall furnish proof of coverage of commercial General Liability Insurance prior to issuance of a contract. Unless otherwise specified in the bid documents, the minimum amount of insurance coverage required is \$250,000.

13. PURCHASING CARD ACCEPTANCE

The State of West Virginia currently utilizes a VISA Purchasing Card Program which is issued through a bank. The successful vendors must accept the State of West Virginia VISA Purchasing Card for payment of all orders placed by State DOT agency for orders as a condition of award.

DISTRICT ONE COUNTIES: BOONE, CLAY, KANAWHA, MASON, PUTNAM

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS

Big Sandy Creek Road

(Exact Location)

Amma, WV 25005

MANUFACTURER

Hughes

MODEL NUMBER

LDH - 80

EQUIPMENT MODIFICATIONS

AND ADDITIONS

1218

SERIAL NUMBER

	MINIMUM	MAXIMUM
HOLE DIAMETER	12"	36"
DEGREE OF ROTATION	240	
SLIDE STROKE	36"	
FOOT POUNDS OF TORQUE	60,000	
DOWN PRESSURE/CROWDING FORCE	37,000	
HOLE DEPTH	65'	

OPERATING RATE:

\$ 160.95 per hr.

ADDITIONAL CHARGE FOR OVERTIME BEYOND

40 HOUR WORKWEEK: (Note 1)

MOBILIZATION:

\$ 37.00 per hr. \$ 0.00 per mile

CASING PIPE:

(Note 2) \$ 12.00 per lineal feet

CRANE MATS:

(Note 3) \$ 650.00 per project site

Note 1: Operating rate applies to first 40 hours. An additional charge may be added to cover overtime costs beyond 40 hours.

Note 2: To be used when requested by the Engineer.

DISTRICT ONE COUNTIES: BOONE, CLAY, KANAWHA, MASON, PUTNAM

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS

Big Sandy Creek Road

(Exact Location)

Amma, WV 25005

MANUFACTURER

Williams

MODEL NUMBER

LDH - 100

EQUIPMENT MODIFICATIONS

N/A

AND ADDITIONS

6209350

SERIAL NUMBER

	MINIMUM	MAXIMUM
HOLE DIAMETER	12"	36"
DEGREE OF ROTATION	240	
SLIDE STROKE	36"	
FOOT POUNDS OF TORQUE	50,000	
DOWN PRESSURE/CROWDING FORCE	37,000	
HOLE DEPTH	45'	

OPERATING RATE:

\$ 170.95 per hr.

ADDITIONAL CHARGE FOR OVERTIME BEYOND

40 HOUR WORKWEEK: (Note 1)

\$ 37.00 per hr. \$ 0.00 per mile

MOBILIZATION:

(Note 2)

CASING PIPE:

\$ 12.00 per lineal feet

CRANE MATS:

(Note 3)

\$ 650.00 per project site

Note 1: Operating rate applies to first 40 hours. An additional charge may be added to cover overtime costs beyond 40 hours.

Note 2: To be used when requested by the Engineer.

DISTRICT ONE COUNTIES: BOONE, CLAY, KANAWHA, MASON, PUTNAM

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS

Big Sandy Creek Road

(Exact Location)

Amma, WV 25005

MANUFACTURER

Hughes

MODEL NUMBER

LDH - 80

EQUIPMENT MODIFICATIONS

AND ADDITIONS

SERIAL NUMBER

0564

	MINIMUM	MAXIMUM
HOLE DIAMETER	12"	36"
DEGREE OF ROTATION	240	
SLIDE STROKE	36"	
FOOT POUNDS OF TORQUE	60,000	
DOWN PRESSURE/CROWDING FORCE	37,000	
HOLE DEPTH	75'	

OPERATING RATE:

ADDITIONAL CHARGE FOR OVERTIME BEYOND

40 HOUR WORKWEEK: (Note 1)

MOBILIZATION: CASING PIPE:

(Note 2)

CRANE MATS:

(Note 3)

\$ 180.95 per hr.

\$ 37.00 per hr. \$ 0.00 per mile

\$ 12.00 per lineal feet

\$650.00 per project site

Note 1: Operating rate applies to first 40 hours. An additional charge may be added to cover overtime costs beyond 40 hours.

Note 2: To be used when requested by the Engineer.

DISTRICT TWO COUNTIES: CABELL, LOGAN, LINCOLN, MINGO, WAYNE

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS

(Exact Location)

Big Sandy Creek Road

Amma, WV 25005

MANUFACTURER

Hughes

MODEL NUMBER

LDH - 80

EQUIPMENT MODIFICATIONS

AND ADDITIONS

N/A

SERIAL NUMBER

1218

HOLE DIAMETER DEGREE OF ROTATION	<u>M</u> 	12" 240	<u>MAXIMUM</u> 36"
SLIDE STROKE		36"	
FOOT POUNDS OF TORQUE		60,000	
DOWN PRESSURE/CROWDING	G FORCE	37,000	
HOLE DEPTH		65'	
OPERATING RATE: ADDITIONAL CHARGE FOR 40 HOUR WORKWEEK: MOBILIZATION: CASING PIPE: CRANE MATS:			\$ 37.00 per hr. \$ 0.00 per mile \$ 12.00 per lineal feet \$ 650.00 per project site
Note 1: Operating rate An additional	applies to fir charge may be a		

Note 1: Operating rate applies to first 40 hours.

An additional charge may be added to cover overtime costs beyond 40 hours.

DISTRICT TWO COUNTIES: CABELL, LOGAN, LINCOLN, MINGO, WAYNE

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS

(Exact Location)

Big Sandy Creek Road

Amma, WV 25005

MANUFACTURER

Williams

MODEL NUMBER

LDH - 100

EQUIPMENT MODIFICATIONS

N/A

AND ADDITIONS

SERIAL NUMBER

6209350

		MINIMUM	MAXIMUM
HOLE DIAMETER		12"	36"
DEGREE OF ROTATION		240	
SLIDE STROKE		36"	
FOOT POUNDS OF TORQUE		50,000	
DOWN PRESSURE/CROWDIN	G FORCE	37,000	
HOLE DEPTH		45'	
OPERATING RATE: ADDITIONAL CHARGE FOR 40 HOUR WORKWEEK: MOBILIZATION: CASING PIPE: CRANE MATS:	OVERTIME I (Note 1) (Note 2) (Note 3)	BEYOND	<pre>\$ 175.95 per hr. \$ 37.00 per hr. \$ 0.00 per mile \$ 12.00 per lineal feet \$ 650.00 per project site</pre>
Note 1: Operating rate	e applies t	to first 40 hours.	

Note 1: Operating rate applies to first 40 hours.

An additional charge may be added to cover overtime costs beyond 40 hours

overtime costs beyond 40 hours.

Note 2: To be used when requested by the Engineer.

Note 3: To be used when requested by the Engineer.

DISTRICT TWO COUNTIES: CABELL, LOGAN, LINCOLN, MINGO, WAYNE

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS

(Exact Location)

Big Sandy Creek Road

Amma, WV 25005

MANUFACTURER

Hughes

MODEL NUMBER

LDH - 80

EQUIPMENT MODIFICATIONS

AND ADDITIONS

N/A

SERIAL NUMBER

0564

		MIM	IIMUM	MAXIMUM
HOLE DIAMETER			12"	36"
DEGREE OF ROTATION			240	
SLIDE STROKE			36"	
FOOT POUNDS OF TORQUE			60,000	
DOWN PRESSURE/CROWDIN	G FORCE		37,000	
HOLE DEPTH			75'	
OPERATING RATE: ADDITIONAL CHARGE FOR 40 HOUR WORKWEEK: MOBILIZATION: CASING PIPE: CRANE MATS:	OVERTIME F (Note 1) (Note 2) (Note 3)	BEYOND		\$ 185.95 per hr. \$ 37.00 per hr. \$ 0.00 per mile \$ 12.00 per lineal feet \$ 650.00 per project site
Note 1: Operating rate	e applies t	n first	40 hours	

Note 1: Operating rate applies to first 40 hours.
An additional charge may be added to cover

overtime costs beyond 40 hours.

DISTRICT THREE COUNTIES: CALHOUN, WOOD, PLEASANTS, WIRT, RITCHIE, ROANE, JACKSON

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS

Big Sandy Creek Road

(Exact Location)

Amma, WV 25005

MANUFACTURER

Hughes

MODEL NUMBER

LDH - 80

EQUIPMENT MODIFICATIONS

N/A

AND ADDITIONS

1218

SERIAL NUMBER

	MINIMUM	MAXIMUM
HOLE DIAMETER	12"	36"
DEGREE OF ROTATION	240	
SLIDE STROKE	36"	
FOOT POUNDS OF TORQUE	60,000	
DOWN PRESSURE/CROWDING FORCE	37,000	
HOLE DEPTH	65'	

OPERATING RATE: ADDITIONAL CHARGE FOR	OVERTIME REVOND	\$ 177.95 per hr.
MUNICIPAL CHANGE LOW	OVERTIME DETOND	
40 HOUR WORKWEEK:	(Note 1)	\$ 37.00 per hr.
MOBILIZATION:		\$0.00 per mile
CASING PIPE:	(Note 2)	\$ 12.00 per lineal feet
CRANE MATS:	(Note 3)	\$ 650.00 per project site

Note 1: Operating rate applies to first 40 hours. An additional charge may be added to cover overtime costs beyond 40 hours.

DISTRICT THREE COUNTIES: CALHOUN, WOOD, PLEASANTS, WIRT, RITCHIE, ROANE, JACKSON

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS

Big Sandy Creek Road

(Exact Location)

Amma, WV 25005

Williams

MANUFACTURER

LDH - 100

MODEL NUMBER

N/A

EQUIPMENT MODIFICATIONS

AND ADDITIONS

6209350

SERIAL NUMBER

	MINIMUM	MAXIMUM
HOLE DIAMETER	12"	36"
DEGREE OF ROTATION	240	
SLIDE STROKE	36"	
FOOT POUNDS OF TORQUE	50,000	
DOWN PRESSURE/CROWDING FORCE	37,000	
HOLE DEPTH	45'	

OPERATING RATE:		\$ 187.95 per hr.
ADDITIONAL CHARGE FOR	OVERTIME BEYOND	
40 HOUR WORKWEEK:	(Note 1)	\$ 37.00 per hr.
MOBILIZATION:		\$ 0.00 per mile
CASING PIPE:	(Note 2)	\$ 12.00 per lineal feet
CRANE MATS:	(Note 3)	\$ 650,00 per project site

Note 1: Operating rate applies to first 40 hours. An additional charge may be added to cover overtime costs beyond 40 hours.

DISTRICT THREE COUNTIES: CALHOUN, WOOD, PLEASANTS, WIRT, RITCHIE, ROANE, JACKSON

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS

Big Sandy Creek Road

(Exact Location)

Amma, WV 25005

MANUFACTURER

Hughes

MODEL NUMBER

LDH - 80

EQUIPMENT MODIFICATIONS

N/A

AND ADDITIONS

0564

SERIAL NUMBER

	MINIMUM	<u>MAXIMUM</u>
HOLE DIAMETER	12"	36"
DEGREE OF ROTATION	240	
SLIDE STROKE	36"	
FOOT POUNDS OF TORQUE	60,000	
DOWN PRESSURE/CROWDING FORCE	37,000	
HOLE DEPTH	75'	

OPERATING RATE:		
ADDITIONAL CHARGE FOR	OVERTIME	BEYOND
40 HOUR WORKWEEK:	(Note 1)	
MOBILIZATION:		

\$ 197.95 per hr.

\$ 37.00 per hr. \$ 0.00 per mile

CASING PIPE: CRANE MATS:

(Note 2) (Note 3) \$ 12.00 per lineal feet \$ 650.00 per project site

Note 1: Operating rate applies to first 40 hours. An additional charge may be added to cover overtime costs beyond 40 hours.

DISTRICT FOUR COUNTIES: TAYLOR, MARION, PRESTON, HARRISON, DODDRIDGE, MONONGALIA

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS

(Exact Location)

Big Sandy Creek Road

Amma, WV 25005

MANUFACTURER

Hughes

MODEL NUMBER

LDH - 80

EQUIPMENT MODIFICATIONS

AND ADDITIONS

N/A

SERIAL NUMBER

1218

		MINIMUM	MAXIMUM
HOLE DIAMETER		12"	<u>36"</u>
DEGREE OF ROTATION		240	
SLIDE STROKE		36"	
FOOT POUNDS OF TORQUE		60,000	
DOWN PRESSURE/CROWDING	G FORCE	37,000	
HOLE DEPTH		65'	
OPERATING RATE: ADDITIONAL CHARGE FOR 40 HOUR WORKWEEK:		YOND	<pre>\$ 165.95 per hr.</pre> \$ 37.00 per hr.
MOBILIZATION: CASING PIPE: CRANE MATS:	(Note 2) (Note 3)		\$ 0.00 per mile \$ 12.00 per lineal feet \$ 650.00 per project site
Note 1: Operating rate	e applies to		•

Note 1: Operating rate applies to first 40 hours.

An additional charge may be added to cover overtime costs beyond 40 hours.

DISTRICT FOUR COUNTIES: TAYLOR, MARION, PRESTON, HARRISON, DODDRIDGE,

MONONGALIA

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS

Big Sandy Creek Road

(Exact Location)

Amma, WV 25005

MANUFACTURER

Williams

MODEL NUMBER

LDH - 100

EQUIPMENT MODIFICATIONS

N/A

AND ADDITIONS

SERIAL NUMBER

6209350

	MINIMUM	MAXIMUM
HOLE DIAMETER	12" —————	36"
DEGREE OF ROTATION	240	
SLIDE STROKE	36"	
FOOT POUNDS OF TORQUE	50,000	
DOWN PRESSURE/CROWDING FORCE	37,000	
HOLE DEPTH	45'	
OPERATING RATE:	OMB	<u>\$ 175.95 per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEY 40 HOUR WORKWEEK: (Note 1)	OND	§ 37.00 per hr.
MOBILIZATION: CASING PIPE: (Note 2) CRANE MATS: (Note 3)		<pre>\$ 0.00 per mile \$ 12.00 per lineal feet \$ 650.00 per project site</pre>
Note 1: Operating rate applies to An additional charge may b overtime costs beyond 40 h	e added to cove:	r
Note 2: To be used when requested 1 Note 3: To be used when requested 1	by the Engineer.	

DISTRICT FOUR COUNTIES: TAYLOR, MARION, PRESTON, HARRISON, DODDRIDGE, MONONGALIA

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS

(Exact Location)

Big Sandy Creek Road

Amma, WV 25005

MANUFACTURER

Hughes

MODEL NUMBER

LDH - 80

EQUIPMENT MODIFICATIONS

AND ADDITIONS

N/A

SERIAL NUMBER

0564

		MINIMUM	MAXIMUM
HOLE DIAMETER		12"	36"
DEGREE OF ROTATION		240	
SLIDE STROKE		36"	
FOOT POUNDS OF TORQUE		60,000	
DOWN PRESSURE/CROWDING	FORCE	37,000	
HOLE DEPTH		75'	
OPERATING RATE: ADDITIONAL CHARGE FOR 40 HOUR WORKWEEK:		OND	<pre>\$ 185.95 per hr.</pre> \$ 37.00 per hr.
	(Note 2) (Note 3)		<pre>s 0.00 per mile \$ 12.00 per lineal feet \$ 650.00 per project site</pre>
Note 1: Operating rate	applies to	first 40 hours.	•

Note 1: Operating rate applies to first 40 hours. An additional charge may be added to cover

overtime costs beyond 40 hours.

DISTRICT FIVE COUNTIES: BERKELEY, MINERAL, HAMPSHIRE, MORGAN, JEFFERSON, GRANT, HARDY

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS

(Exact Location)

Big Sandy Creek Road

Amma, WV 25005

MANUFACTURER

Hughes

MODEL NUMBER

LDH - 80

EQUIPMENT MODIFICATIONS

AND ADDITIONS

N/A

SERIAL NUMBER

1218

	MINIMUM	<u>MAXIMUM</u>
HOLE DIAMETER	12"	36"
DEGREE OF ROTATION	240	
	36"	
SLIDE STROKE	22.222	
FOOT POUNDS OF TORQUE	60,000	
DOWN PRESSURE/CROWDING FORCE	37,000	
HOLE DEPTH	65'	

OPERATING RATE: \$ 199.95 per hr. ADDITIONAL CHARGE FOR OVERTIME BEYOND

40 HOUR WORKWEEK: (Note 1)

MOBILIZATION:

(Note 2)

CASING PIPE:

CRANE MATS:

(Note 3)

\$ 37.00 per hr. \$__4.00_ per mile

\$ 12.00 per lineal feet \$650.00 per project site

Note 1: Operating rate applies to first 40 hours. An additional charge may be added to cover

overtime costs beyond 40 hours.

DISTRICT FIVE COUNTIES: BERKELEY, MINERAL, HAMPSHIRE, MORGAN, JEFFERSON, GRANT, HARDY

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS

(Exact Location)

Big Sandy Creek Road

Amma, WV 25005

MANUFACTURER

Williams

MODEL NUMBER

LDH - 100

EQUIPMENT MODIFICATIONS

N/A

AND ADDITIONS

SERIAL NUMBER

6209350

	MUNIMUM	MAXIMUM
HOLE DIAMETER	12"	36"
DEGREE OF ROTATION	240	
SLIDE STROKE	36"	
SLIDE SIKOKE	50,000	
FOOT POUNDS OF TORQUE	,	
DOWN PRESSURE/CROWDING FORCE	37,000	
HOLE DEPTH	45'	

OPERATING RATE:

\$209.95 per hr.

ADDITIONAL CHARGE FOR OVERTIME BEYOND

40 HOUR WORKWEEK: (Note 1)

MOBILIZATION:

\$ 37.00 per hr. \$ 4.00 per mile

CASING PIPE:

(Note 2)

\$ 12.00 per lineal feet \$650.00 per project site

CRANE MATS:

(Note 3)

Note 1: Operating rate applies to first 40 hours. An additional charge may be added to cover

overtime costs beyond 40 hours.

DISTRICT FIVE COUNTIES: BERKELEY, MINERAL, HAMPSHIRE, MORGAN, JEFFERSON, GRANT, HARDY

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS

(Exact Location)

Big Sandy Creek Road

Amma. WV 25005

MANUFACTURER

Hughes

MODEL NUMBER

LDH - 80

EQUIPMENT MODIFICATIONS

AND ADDITIONS

N/A

SERIAL NUMBER

0564

	MINIMUM	MUMIXAM
HOLE DIAMETER	12"	36"
DEGREE OF ROTATION	240	
SLIDE STROKE	36"	
FOOT POUNDS OF TORQUE	60,000	
DOWN PRESSURE/CROWDING FORCE	37,000	
HOLE DEPTH	75'	

OPERATING RATE:

\$ 219.95 per hr.

ADDITIONAL CHARGE FOR OVERTIME BEYOND

40 HOUR WORKWEEK: (Note 1)

\$ 37.00 per hr.

MOBILIZATION:

4.00 per mile

CASING PIPE:

(Note 2)

\$ 12.00 per lineal feet

CRANE MATS:

(Note 3)

\$ 650.00 per project site

Note 1: Operating rate applies to first 40 hours. An additional charge may be added to cover

overtime costs beyond 40 hours.

DISTRICT SIX COUNTIES: BROOKE, HANCOCK, MARSHALL, OHIO, TYLER, WETZEL

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS

Big Sandy Creek Road

(Exact Location)

Amma, WV 25005

MANUFACTURER

Hughes

MODEL NUMBER

LDH - 80

EQUIPMENT MODIFICATIONS

AND ADDITIONS

N/A

SERIAL NUMBER

1218

	MINIMUM	MUMIXAM
HOLE DIAMETER	12"	36"
DEGREE OF ROTATION	240	·
SLIDE STROKE	36"	
FOOT POUNDS OF TORQUE	60,000	
DOWN PRESSURE/CROWDING FORCE	37,000	
HOLE DEPTH	65'	

OPERATING RATE:

\$ 169.95 per hr.

\$ 37.00 per hr.

\$ 0.00 per mile

\$ 12.00 per lineal feet

\$ 650.00 per project site

ADDITIONAL CHARGE FOR OVERTIME BEYOND

40 HOUR WORKWEEK: (Note 1)

MOBILIZATION:

CASING PIPE:

(Note 2)

CRANE MATS:

(Note 3)

Note 1: Operating rate applies to first 40 hours.

An additional charge may be added to cover

overtime costs beyond 40 hours.

Note 2: To be used when requested by the Engineer.

DISTRICT SIX COUNTIES: BROOKE, HANCOCK, MARSHALL, OHIO, TYLER, WETZEL

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS

(Exact Location)

Big Sandy Creek Road

Amma, WV 25005

MANUFACTURER

Williams

MODEL NUMBER

LDH - 100

EQUIPMENT MODIFICATIONS

AND ADDITIONS

N/A

SERIAL NUMBER

6209350

	MINIMUM	MUMIXAM
HOLE DIAMETER	12"	36"
DEGREE OF ROTATION	240	
SLIDE STROKE	36"	
FOOT POUNDS OF TORQUE	50,000	
DOWN PRESSURE/CROWDING FORCE	37,000	
HOLE DEPTH	45'	

OPERATING RATE:

\$179.95 per hr.

\$ 37.00 per hr.

ADDITIONAL CHARGE FOR OVERTIME BEYOND

40 HOUR WORKWEEK: (Note 1)

MOBILIZATION:

CASING PIPE:

(Note 2)

CRANE MATS:

(Note 3)

\$ 0.00 per mile \$ 12.00 per lineal feet \$650.00 per project site

Note 1: Operating rate applies to first 40 hours.

An additional charge may be added to cover

overtime costs beyond 40 hours.

Note 2: To be used when requested by the Engineer.

DISTRICT SIX COUNTIES: BROOKE, HANCOCK, MARSHALL, OHIO, TYLER, WETZEL

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS

(Exact Location)

Big Sandy Creek Road

Amma, WV 25005

MANUFACTURER

Hughes

MODEL NUMBER

LDH - 80

EQUIPMENT MODIFICATIONS

AND ADDITIONS

N/A

SERIAL NUMBER

0564

	MINIMUM	MUMIXAM
HOLE DIAMETER	12"	36"
DEGREE OF ROTATION	240	
SLIDE STROKE	36"	
FOOT POUNDS OF TORQUE	60,000	
DOWN PRESSURE/CROWDING FORCE	37,000	
HOLE DEPTH	75'	

OPERATING RATE:

\$ 189.95 per hr.

ADDITIONAL CHARGE FOR OVERTIME BEYOND

40 HOUR WORKWEEK: (Note 1)

MOBILIZATION:

CASING PIPE: CRANE MATS:

(Note 2)

(Note 3)

\$ 0.00 per mile \$ 12.00 per lineal feet \$ 650.00 per project site

\$ 37.00 per hr.

Note 1: Operating rate applies to first 40 hours.

An additional charge may be added to cover

overtime costs beyond 40 hours.

Note 2: To be used when requested by the Engineer.

DISTRICT SEVEN COUNTIES: BARBOUR, LEWIS, BRAXTON, GILMER, UPSHUR, WEBSTER

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS

(Exact Location)

Big Sandy Creek Road

Amma, WV 25005

MANUFACTURER

Hughes

MODEL NUMBER

LDH - 80

EQUIPMENT MODIFICATIONS

AND ADDITIONS

N/A

SERIAL NUMBER

1218

	MINIMUM	MAXIMUM
HOLE DIAMETER	12"	36"
DEGREE OF ROTATION	240	
SLIDE STROKE	36"	
FOOT POUNDS OF TORQUE	60,000	
DOWN PRESSURE/CROWDING FORCE	37,000	
HOLE DEPTH	65'	

OPERATING RATE:		\$ 159.95 per hr.
ADDITIONAL CHARGE FOR	OVERTIME BEYOND	
40 HOUR WORKWEEK:	(Note 1)	\$ 37.00 per hr.
MOBILIZATION:		\$ 0.00 per mile
CASING PIPE:	(Note 2)	\$ 12.00 per lineal feet
CRANE MATS:	(Note 3)	\$ 650.00 per project site

Note 1: Operating rate applies to first 40 hours.

An additional charge may be added to cover overtime costs beyond 40 hours.

DISTRICT SEVEN COUNTIES: BARBOUR, LEWIS, BRAXTON, GILMER, UPSHUR, WEBSTER

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS

(Exact Location)

Big Sandy Creek Road

Amma, WV 25005

MANUFACTURER

Williams

MODEL NUMBER

LDH - 100

EQUIPMENT MODIFICATIONS

N/A

AND ADDITIONS

SERIAL NUMBER

6209350

	MINIMUM	MAXIMUM
HOLE DIAMETER	12"	36"
DEGREE OF ROTATION	240	
SLIDE STROKE	36"	
FOOT POUNDS OF TORQUE	50,000	
DOWN PRESSURE/CROWDING FORCE	37,000	
HOLE DEPTH	45'	

OPERATING RATE:	
ADDITIONAL CHARGE FOR	OVERTIME BEYOND
40 HOUR WORKWEEK:	(Note 1)
MOBILIZATION:	
CASING PIPE:	(Note 2)

\$ 169.95 per hr.

37.00 per hr. 0.00 per mile \$ 12.00per lineal feet (Note 2)

CRANE MATS: (Note 3) \$ 650.00 per project site Note 1: Operating rate applies to first 40 hours. An additional charge may be added to cover

overtime costs beyond 40 hours.

DISTRICT SEVEN COUNTIES: BARBOUR, LEWIS, BRAXTON, GILMER, UPSHUR, WEBSTER

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS

(Exact Location)

Big Sandy Creek Road

Amma, WV 25005

MANUFACTURER

Hughes

MODEL NUMBER

LDH - 80

EQUIPMENT MODIFICATIONS

AND ADDITIONS

N/A

SERIAL NUMBER

0564

	MINIMUM	MAXIMUM
HOLE DIAMETER	12"	36"
DEGREE OF ROTATION	240	
SLIDE STROKE	36"	
FOOT POUNDS OF TORQUE	60,000	
DOWN PRESSURE/CROWDING FORCE	37,000	
HOLE DEPTH	75'	

OLDVALTMG VVIC:	OPER	ATING	RATE:
-----------------	------	-------	-------

ADDITIONAL CHARGE FOR OVERTIME BEYOND

40 HOUR WORKWEEK: (Note 1)

MOBILIZATION:

CASING PIPE:

(Note 2)

CRANE MATS:

(Note 3)

\$ 37.00 per hr. \$ 0.00 per mile

\$ 179.95 per hr.

\$ 12.00 per lineal feet \$650.00 per project site

Note 1: Operating rate applies to first 40 hours. An additional charge may be added to cover

overtime costs beyond 40 hours.

DISTRICT EIGHT COUNTIES: PENDLETON, POCAHONTAS, RANDOLPH, TUCKER

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS

(Exact Location)

Big Sandy Creek Road

Amma, WV 25005

MANUFACTURER

Hughes

MODEL NUMBER

LDH - 80

EQUIPMENT MODIFICATIONS

AND ADDITIONS

N/A

SERIAL NUMBER

1218

•			
		MINIMUM	MUMIXAM
HOLE DIAMETER		12"	36"
DEGREE OF ROTATION	_	240	
SLIDE STROKE		36"	
FOOT POUNDS OF TORQUE		60,000	
DOWN PRESSURE/CROWDING	G FORCE	37,000	
HOLE DEPTH		65'	
MOBILIZATION: CASING PIPE:	OVERTIME BEYON (Note 1) (Note 2) (Note 3)	ND	<pre>\$ 184.95 per hr. \$ 37.00 per hr. \$ 0.00 per mile \$ 12.00 per lineal feet \$ 650.00 per project site</pre>
Note 1: Operating rate An additional	es applies to fi charge may be	first 40 hours. added to cover	

overtime costs beyond 40 hours.

Note 2: To be used when requested by the Engineer.

DISTRICT EIGHT COUNTIES: PENDLETON, POCAHONTAS, RANDOLPH, TUCKER

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS

(Exact Location)

Big Sandy Creek Road

Amma, WV 25005

MANUFACTURER

Williams

MODEL NUMBER

LDH - 100

EQUIPMENT MODIFICATIONS

N/A

AND ADDITIONS

SERIAL NUMBER

6209350

HOLE DIAMETER	<u> </u>	MINIMUM 12"	MAXIMUM 36"
DEGREE OF ROTATION		240	
SLIDE STROKE		36"	
FOOT POUNDS OF TORQUE	:	50,000	
DOWN PRESSURE/CROWDIN	G FORCE	37,000	
HOLE DEPTH		45'	
OPERATING RATE: ADDITIONAL CHARGE FOR 40 HOUR WORKWEEK: MOBILIZATION: CASING PIPE: CRANE MATS:	OVERTIME BEYON (Note 1) (Note 2) (Note 3)	D	\$ 194.95 per hr. \$ 37.00 per hr. \$ 0.00 per mile \$ 12.00 per lineal feet \$650.00 per project site

Note 1: Operating rates applies to first 40 hours. An additional charge may be added to cover overtime costs beyond 40 hours.

Note 2: To be used when requested by the Engineer.

DISTRICT EIGHT COUNTIES: PENDLETON, POCAHONTAS, RANDOLPH, TUCKER

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS

(Exact Location)

Big Sandy Creek Road

Amma, WV 25005

MANUFACTURER

Hughes

MODEL NUMBER

LDH - 80

EQUIPMENT MODIFICATIONS

AND ADDITIONS

N/A

SERIAL NUMBER

0564

·			
		MINIMUM	<u>MAX</u> IMUM
HOLE DIAMETER	_	12"	36"
DEGREE OF ROTATION		240	
SLIDE STROKE		36"	
FOOT POUNDS OF TORQUE		60,000	
DOWN PRESSURE/CROWDIN	G FORCE	37,000	
HOLE DEPTH		75'	
OPERATING RATE: ADDITIONAL CHARGE FOR 40 HOUR WORKWEEK: MOBILIZATION: CASING PIPE: CRANE MATS:	OVERTIME BEYON (Note 1) (Note 2) (Note 3)	ND	<pre>\$ 204.95 per hr. \$ 37.00 per hr. \$ 0.00 per mile \$ 12.00 per lineal feet \$ 650.00 per project site</pre>
Note 1. Operating rate	or appliants	Eduard 40 1	

Note 1: Operating rates applies to first 40 hours. An additional charge may be added to cover overtime costs beyond 40 hours.

DISTRICT NINE COUNTIES: SUMMERS, FAYETTE, NICHOLAS, MONROE, GREENBRIER

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS

Big Sandy Creek Road

(Exact Location)

Amma, WV 25005

MANUFACTURER

Hughes

MODEL NUMBER

LDH - 80

EQUIPMENT MODIFICATIONS

AND ADDITIONS

N/A

SERIAL NUMBER

1218

	MINIMUM	MAXIMUM
HOLE DIAMETER	12"	36"
DEGREE OF ROTATION	240	
	36"	
SLIDE STROKE	00.000	
FOOT POUNDS OF TORQUE	60,000	
DOWN PRESSURE/CROWDING FORCE	37,000	
HOLE DEPTH	65'	

OPERATING RATE:

\$ 187.95 per hr.

ADDITIONAL CHARGE FOR OVERTIME BEYOND

40 HOUR WORKWEEK: (Note 1)

\$ 37.00 per hr.

MOBILIZATION:

CASING PIPE:

0.00 per mile

CRANE MATS:

12.00 per lineal feet (Note 2) (Note 3) \$ 650,00 per project site

Note 1: Operating rate applies to first 40 hours. An additional charge may be added to cover

overtime costs beyond 40 hours.

Note 2: To be used when requested by the Engineer.

DISTRICT NINE COUNTIES: SUMMERS, FAYETTE, NICHOLAS, MONROE, GREENBRIER

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS

(Exact Location)

Big Sandy Creek Road

Amma, WV 25005

MANUFACTURER

Williams

MODEL NUMBER

LDH - 100

EQUIPMENT MODIFICATIONS

N/A

AND ADDITIONS

SERIAL NUMBER

6209350

	MUMINIM	MAXIMUM
HOLE DIAMETER	12"	36"
DEGREE OF ROTATION	240	
SLIDE STROKE	36"	
	50,000	
FOOT POUNDS OF TORQUE	37,000	
DOWN PRESSURE/CROWDING FORCE	,	
HOLE DEPTH	45'	

OPERATING RATE: ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)

\$ 197.95 per hr.

MOBILIZATION:

\$ 37.00 per hr. \$ 0.00 per mile

12.00 per lineal feet

CASING PIPE: CRANE MATS:

(Note 2)

(Note 3)

\$ 650,00 per project site

Note 1: Operating rate applies to first 40 hours. An additional charge may be added to cover

overtime costs beyond 40 hours.

Note 2: To be used when requested by the Engineer.

DISTRICT NINE COUNTIES: SUMMERS, FAYETTE, NICHOLAS, MONROE, GREENBRIER

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS

(Exact Location)

Big Sandy Creek Road

Amma, WV 25005

MANUFACTURER

Hughes

MODEL NUMBER

LDH - 80

EQUIPMENT MODIFICATIONS

AND ADDITIONS

N/A

SERIAL NUMBER

0564

	MINIMUM	MAXIMUM
HOLE DIAMETER	12"	36"
DEGREE OF ROTATION	240	
SLIDE STROKE	36"	
FOOT POUNDS OF TORQUE	60,000	
DOWN PRESSURE/CROWDING FORCE	37,000	
	75'	
HOLE DEPTH		

OPERATING RATE:

\$ 207.95 per hr.

ADDITIONAL CHARGE FOR OVERTIME BEYOND

40 HOUR WORKWEEK: (Note 1)

37.00 per hr. 0.00 per mile

MOBILIZATION:

CASING PIPE:

(Note 2)

CRANE MATS:

(Note 3)

12.00 per lineal feet \$ 650 00 per project site

Note 1: Operating rate applies to first 40 hours. An additional charge may be added to cover overtime costs beyond 40 hours.

Note 2: To be used when requested by the Engineer.

DISTRICT TEN COUNTIES: MCDOWELL, MERCER, RALEIGH, WYOMING

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS

Big Sandy Creek Road

(Exact Location)

Amma, WV 25005

MANUFACTURER

Hughes

MODEL NUMBER

LDH - 80

EQUIPMENT MODIFICATIONS

AND ADDITIONS

N/A

SERIAL NUMBER

1218

	MINIMUM	MAXIMUM
HOLE DIAMETER	12"	36"
PROPER OF DOMASION	240	
DEGREE OF ROTATION	36"	
SLIDE STROKE		
FOOT POUNDS OF TORQUE	60,000	
DOWN PRESSURE/CROWDING FORCE	37,000	
HOLE DEPTH	65'	

OPERATING RATE:

\$ 184.95 per nr.

ADDITIONAL CHARGE FOR OVERTIME BEYOND

40 HOUR WORKWEEK: (Note 1)

\$ 37.00 per hr.

MOBILIZATION:

0.00 per mile

CASING PIPE:

(Note 2)

\$ 12.00 per lineal feet

CRANE MATS:

(Note 3)

\$ 650,00per project site

Note 1: Operating rate applies to first 40 hours. An additional charge may be added to cover overtime costs beyond 40 hours.

Note 2: To be used when requested by the Engineer.

DISTRICT TEN COUNTIES: MCDOWELL, MERCER, RALEIGH, WYOMING

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS

(Exact Location)

Big Sandy Creek Road

Amma, WV 25005

MANUFACTURER

Williams

MODEL NUMBER

LDH - 100

EQUIPMENT MODIFICATIONS

N/A

AND ADDITIONS

SERIAL NUMBER

6209350

	MINIMUM	MUMIXAM
HOLE DIAMETER	12"	36"
DEGREE OF ROTATION	240	
	36"	
SLIDE STROKE	50,000	
FOOT POUNDS OF TORQUE	,	
DOWN PRESSURE/CROWDING FORCE	37,000	•
HOLE DEPTH	45'	

OPERATING RATE:

\$ 189.95 per hr.

ADDITIONAL CHARGE FOR OVERTIME BEYOND

40 HOUR WORKWEEK: (Note 1)

\$ 37.00 per hr.

MOBILIZATION:

(Note 2)

0.00 per mile

CASING PIPE:

12.00 per lineal feet

CRANE MATS:

(Note 3)

\$ 650,00per project site

Note 1: Operating rate applies to first 40 hours. An additional charge may be added to cover overtime costs beyond 40 hours.

Note 2: To be used when requested by the Engineer.

DISTRICT TEN COUNTIES: MCDOWELL, MERCER, RALEIGH, WYOMING

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS

(Exact Location)

Big Sandy Creek Road

Amma, WV 25005

MANUFACTURER

Hughes

MODEL NUMBER

LDH - 80

EQUIPMENT MODIFICATIONS

AND ADDITIONS

N/A

SERIAL NUMBER

0564

	MINIMUM	MAXIMUM
HOLE DIAMETER	12"	36"
DEGREE OF ROTATION	240	
SLIDE STROKE	36"	
FOOT POUNDS OF TORQUE	60,000	
DOWN PRESSURE/CROWDING FORCE	37,000	
HOLE DEPTH	75'	

OPERATING RATE:

\$ 199.95 per hr.

ADDITIONAL CHARGE FOR OVERTIME BEYOND

40 HOUR WORKWEEK: (Note 1)

37.00 per hr.

MOBILIZATION:

CASING PIPE:

(Note 2)

0.00 per mile 12.00 per lineal feet

CRANE MATS:

(Note 3)

\$ 650.00 per project site

Note 1: Operating rate applies to first 40 hours. An additional charge may be added to cover

overtime costs beyond 40 hours.

Note 2: To be used when requested by the Engineer.

DISTRICT DELIVERY ADDRESSES

District One Office
1334 Smith Street
Charleston West Vinginia

Charleston, West Virginia 25301-1492

District Six Office 1 DOT Drive

Moundsville, West Virginia 26041-1605

District Two Office 801 Madison Avenue Huntington, West Virginia 25712-0880 District Seven Office 255 Depot Street


Weston, West Virginia 26452-1228

District Three Office 624 Depot Street Parkersburg, West Virginia 26102-0308

District Eight Office
US 219 North
Elkins, West Virginia 26241-1516

District Four Office 179 & Meadowbrook Road Clarksburg, West Virginia 26302-2570 District Nine Office 103 1/2 Church Street Lewisburg, West Virginia 24901

District Five Office Route 50 Burlington, West Virginia 26710-0099 District Ten Office 270 Hardwood Lane Princeton, West Virginia 24740-2737



REO No.	668C0018	3
REO No.	COCCOUNT	

STATE OF WEST VIRGINIA Purchasing Division

PURCHASING AFFIDAVIT

West Virginia Code §5A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owned is an amount greater than one thousand dollars in the aggregate

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

EXCEPTION: The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

LICENSING: Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.

CONFIDENTIALITY: The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendors should visit **www.state.wv.us/admin/purchase/privacy** for the Notice of Agency Confidentiality Policies.

Under penalty of law for false swearing (West Virginia Code, §61-5-3), it is hereby certified that the vendor acknowledges the information in this said affidavit and are in compliance with the requirements as stated.

Vendor's Name: BILCO GONSTRUCTION/CO., INC.	
Authorized Signature: Date: 1/9/2008	
Purchasing Affidavit (Flevised 04/15/07)	