

708C0023

00 o R	AGE
	1

PADURESS CORRESPONDENCE TO TABLENTION OF MICHAEL AUSTIN 304-558-2402

RFQ COPY TYPE NAME/ADDRESS HERE Electronic Communications of WV 408 Old boff Mtn ROAD CROSS LANGE WV 25313

DATE PRI	YTED	TE	RMS OF SA	IE.	SHIP VIA	FOB	FREIGHT TERMS
05/01		No	130	DAY	Best WAY	Dest -	Shipper
BID OPENING DATE	<u>:</u>	05/14/		U			1:30PM
LINE	QUAJ	YTTY	UOP	CAT. NO	TTEM NUMBER	UNITARICE	AMOUNT
0001			EA		130 50		
0001		1	EA		120-50	171.00	171.00
	LED BE	_	OR FO	ΙΔΙ		111:00	11.00
				UAL			
				OPEN	END CONTRACT		
	PROVID	E LED	BEACO	NS OR	EQUAL WHICH MAY	BE REQUIRED BY	
				F HIG	HWAYS PER THE AT	TACHED	
	SPECIF	ICATIO	NS.				
	THE MAI	DEI JES	AND	DEAT-	TOATTONO NAMED "		
	THE MUI	CEDTAR	AND/S	LECTL	ICATIONS NAMED H	EREIN ESTABLISH	
	THE MO	CEPIAB	72 FC	CT A	F QUALITY ONLY A PREFERENCE OR FA	ND ARE NOT	
	PARTIC	II AD D	DAND	CI A			
	ALTERNA	ATEC C	HUILI	ית עבו	TATE AND INCLUDE	HO ARE BIDDING	
	TIERA	TIRE A	ND CP	FCIET		E TO PROVIDE	
					TERNATES MAY BE	CDUINDS FOR	
	REJECT	CON DF	THE	ern.	THE STATE RESER	VEC THE DICHT	
	TO WAIN	E MIN	OR IR	REGUL	ARITIES IN BIDS	OR SPECIFICATIONS	
	IN ACC	RDANCE	WIT	SEC	TION 148-1-4(F)	OF THE WEST	
	VIRGINI	A LEC	ISLAT	IVE R	ILES AND REGULAT		l Marvili associa
	Ì					uo.	MAY 14 AM 9: 14
			į	ĺ		rs in	DOLLASINIO ENVIOLONI
	EXHIBIT	3		-	<u> </u>	PU	RCHASING DIVISION
			1	-	1		STATE OF W
	LIFE OF	CONT	RACT:			TES EFFECTIVE ON	
í		• • • • •		- ANE	EXTENDS FOR A	PERIOD OF ONE (1)	·
	YEAR OR	UNTIL	. Such	rRE	SONABLE TIME" T	EREAFTER AS IS	
	NEUESSA	KY TO	OBTAIL	NAN	EW CONTRACT OR	RENEW THE	
	NOT TYP	L CUNI	KACT,	THE	"REASONABLE TI	TE" PERIOD SHALL	
	NUI EAL Time# T	ne ner	IDOD	1127	MUNIHS. DURING	THIS "REASONABLE	
	i THE 1	HE VEN	אטעון אַ	IAT IE	RMINATE THIS CO	HRACT FOR ANY	
			/	SEE REVE	FISE SIDE FOR TERMS AND CON	DITIONS	
GNATURE	1	SE	200			DATE	MAL IN DEAG
LE D	ance of	FEIN	no				1Ay 14 2008
PRESIDE		1	<u>55</u> (152	0004	ADDRESS CHANGES	
WHE	:N RESPO	NDING TO	ORFQ,	INSERT	NAME AND ADDRESS IN	SPACE ABOVE LABELE	D'VENDOR'

GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

- 1. Awards will be made in the best interest of the State of West Virginia
- 2. The State may accept or reject in part, or in whole, any bid.
- 3. All quotations are governed by the West Virginia Code and the Legislative Rules of the Purchasing Division.
- 4. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125.00 registration fee.

- 5. All services performed or goods delivered under State Purchase Orders/Contracts are to be continued for the term of the Purchase Order/Contract, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods, this Purchase Order/Contract becomes void and of no effect after June 30.
- 6. Payment may only be made after the delivery and acceptance of goods or services
- 7. Interest may be paid for late payment in accordance with the West Virginia Code.
- 8. Vendor preference will be granted upon written request in accordance with the West Virginia Code.
- 9. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
- 10. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- 11. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern all rights and duties under the Contract, including without limitation the validity of this Purchase Order/Contract.
- 12. Any reference to automatic renewal is hereby deleted The Contract may be renewed only upon mutual written agreement of the parties.
- 13. BANKRUPTCY: In the event the vendor/contractor files for bankruptcy protection, this Contract may be deemed null and void, and terminated without further order.
- 14. HIPAA Business Associate Addendum The West Viginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, and available online at the Purchasing Division's web site (http://www.state.wv.us/admin/purchase/vrc/hipaa.htm) is hereby made part of the agreement. Provided that, the Agency meets the definition of a Covered Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.

INSTRUCTIONS TO BIDDERS

- Use the quotation forms provided by the Purchasing Division.
- 2. SPECIFICATIONS: Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as EQUAL to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
- 3. Complete all sections of the quotation form.
- Unit prices shall prevail in cases of discrepancy.
- 5. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
- 6. BID SUBMISSION: All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications.

SIGNED BID TO:

Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130



Request for Quotation

SHIP TO

708C0023

PAGE

MICHAEL AUSTIN
304-558-2402

RFQ COPY
TYPE NAME/ADDRESS HERE
Electronic Communications of WU
408 Old Goff Mt ROAD
CROSS LANGS WU 25313

DATE PRINTEI	2	TERMS OF SALE	SHIP VIA	F.O.B	FREIGHT TEAMS
05/01/2	008				
BID OPENING DATE:	05/	14/2008	BID O	PENING TIME 0	1:30PM
LINE	QUANTITY	UOP CAT	TTEM NUMBER	UNITPRICE	AMOUNT
j	EACON HD	ON CIVING THE	DIDECTOR OF THE		
5.45	RITTEN N	ULICE	DIRECTOR OF PURC	HASING 30 DAYS	
		0.102.			
l u	LESS SP	ECIFIC PROVIS	IONS ARE STIPULAT	ED ELSEWHERE	
	4 THIS C	ONTRACT DOCUM	ENT, THE TERMS, C	ONDITIONS AND	
PF	RICING S	ET HEREIN ARE	FIRM FOR THE LIF	E OF THE	1
c	INTRACT.			•	
D E	NEWAL . "	THIS CONTRACT	MAY BE BENEUED	DOM THE	
WR	RITTEN C	UNCENT DE THE	MAY BE RENEWED U SPENDING UNIT AN	PUN THE MUTUAL	
SU	BMITTED	TO THE DIREC	TOR OF PURCHASING	THIDTY (ZNY	
DA	YS PRIOF	R TO THE EXPI	RATION DATE. SUC	H RENEWAL SHALL	
BE	IN ACC	ORDANCE WITH	THE TERMS AND CON	DITIONS OF THE	
OR	IGINAL (CONTRACT AND	SHALL BE LIMITED	TO TWO (2) ONE	}
(1) YEAR F	PERIODS.			
CA	NCELLATI	IDN: THE DIRE	CTOR OF PURCHASING	G RESERVES THE	
N D	GHI IU L TICE IO	THE VENDOR TO	ONTRACT IMMEDIATE	LY UPON WRITTEN	
SII	PDITED A	THE VENDUR II	THE COMMODITIES ERIOR QUALITY OR I	AND/OR SERVICES	
Tn	THE SPE	CIFICATIONS	OF THE BID AND COM	UU NUI CUNFUKM Stract uppetu	
-	51 1	1011110113	INC DID AND CU	VIRACI NEKEIM.	
OP:	EN MARKE	T CLAUSE: THE	DIRECTOR OF PURC	CHASING MAY	
AU	THORIZE	A SPENDING UN	(IT TO PURCHASE ON	THE OPEN	<u> </u>
MAI	RKET, WI	THOUT THE FIL	ING OF A REQUISIT	TION OR COST	
ES	TIMATE,	ITEMS SPECIF	ED ON THIS CONTRA	CT FOR	
IM	MEDIATE	DELIVERY IN E	MERGENCIES DUE TO	UNFORESEEN	į
LA	USES (IN	CLUDING BUT N	OT LIMITED TO DEL	AYS IN TRANS-	
P U	WORK.)	UK AN UNANTIC	IPATED INCREASE I	N THE VOLUME	į
01	HURK.)				
עס	ANTITIES	: QUANTITIES	LISTED IN THE REQ	MITSITION ADE	İ
APE	PROXIMAT	IONS ONLY, BA	SED ON ESTIMATES	SUPPLIED BY	
ĮI HE	STATE	SPENDING UNIT	. IT IS UNDERSTO	DD AND AGREED	
TH.	AT THE C	ONTRACT SHALL	COVER THE QUANTI	TIES ACTUALLY	
ORI	DERED FO	R DELIVERY DU	RING THE TERM OF	THE CONTRACT,	
		SEE REVE	ASE SIDE FOR TERMS AND CONDIT	iows	
GNATURE			TELEPHONE	DATE	
TLE		FEIN			
1427 1000 1				ADDRESS CHANGES T	O BE NOTED ABOVE



HOOKHA

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

B	O N	HIM	BER	gere:	0000
	70	8 C	0 0	123	5

PΑ	GE
	7

ADDRESS CORRESPONDENCE TO ATTENTION OF

MICHAEL AUSTIN

304-558-2402

RFQ COPY

TYPE NAME/ADDRESS HERE

DATE PRINTED	TERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
05/01/2008				
BID OPENING DATE: 05/	14/2008	BID O	<u>PENING TIME 01</u>	:30PM
LINE QUANTITY	UOP CAT.	TTEM: NUMBER	UNIT PRICE	AMOUNT
LUCTUED M	NDE ND 1 ESS T	HAN THE QUANTITIES	e enum	
MAETAER	UKE UK LESS I	HAN THE QUANTITIE.	3 SHUNN.	
ORDERING	PROCEDURE: SP	ENDING UNIT(S) SHA	ALL ISSUE A	
		ORDER (FORM NUMBE		
, ,		TIES COVERED BY TH		
THE ORIGI	NAL COPY OF T	HE WV-39 SHALL BE	MAILED TO THE	
I I I I I I I I I I I I I I I I I I I		N FOR SHIPMENT, A		
		NG DIVISION, AND A	A THIRD COPY	
RETAINED	BY THE SPENDI	NG UNIT.		
DAMEDIO	V. THE EV	ENT THE VENDOR/COM		
		ION, THIS CONTRACT		
		ND IS TERMINATED V		
ORDER.				
		NS CONTAINED IN TH		
		D ALL SUBSEQUENT T		
		PPEAR ON ANY ATTAC		
		E LISTS, ORDER FOR		
1	S OR MAINTENA C MEDIUM SUCH	NCE AGREEMENTS, IN	ACTODING WAA	
ELECIKONI	. MEDIUM SUCH	AS CD-ROM:		
REV. 04/1	1/2001			
EXHIBIT 1)			
1		REQUISITION NO	<i>]</i>	
ARRENDUM	CKNOWLEDGEME	ųτ l		
ADDENDON	CONTROPLEMENTE	7 1		
I HEREBY	CKNOWLEDGE R	ECEIPT OF THE FOLL	OWING CHECKED	
ADDENDUM () AND HAVE M	ADE THE NECESSARY	REVISIONS TO MY	
PROPOSAL,	PLANS AND/OR	SPECIFICATION, ET	c.	
l				
ADDENDUM 1	10.'S:			
	SEE REV	ERSE SIDE FOR TERMS AND CONDIT	rions	
SIGNATURE		TELEPHONE	DATE	
me —	FEIN		ADDDESS CHANCES	TO BE NOTED ABOVE
			ADDRESS CHANGES	IO DE NOIED ABOYE



Request for Quotation

RFQ NUMBER 708C0023

PAC	E
	4

MICHAEL AUSTIN 304-558-2402

ADDRESS CORRESPONDENCE TO A STENTION OF

RFQ COPY TYPE NAME/ADDRESS HERE

SH-P T O

DATEPHINIEU	IERMS:CF SALE	SHIP VIA	FOB.	FREIGHTTERMS
05/01/2008 BID OPENING DATE:	05/14/2008		DENTILO TIME	
				L:30PM
NO. 1 NO. 2 NO. 3 NO. 4 NO. 5 I UNDER ADDEND VENDOR REPRESI ORAL DI AND AN' INFORMA	RSTAND THAT FAILU UM(S) MAY BE CAUS MUST CLEARLY UND ENTATION MADE OR ISCUSSION HELD BE Y STATE PERSONNEL ATION ISSUED IN WI ICATIONS BY AN OF	E FOR REJECTION (ERSTAND THAT ANY ASSUMED TO BE MAI TWEEN VENDOR'S RE IS NOT BINDING. RITING AND ADDED FICIAL ADDENDUM I	VERBAL DE DURING ANY EPRESENTATIVES ONLY THE TO THE IS BINDING. HATURE	ions of wv Inc
	VENDOR PREF	ERENCE CERTIFICA	TE	
1	SEE REVER	ISE SIDE FOR TERMS AND CONDIT	TONS	
GNATURE		TELEPHONE	DATE	
TLE	(CCIN)			
·	FEIN		ADDRESS CHANGES 1	O BE NOTED ABOVE



Request for Quotation

חי	-		10	(V) D3	- 73			
	7	0	8	CO	0	2	3	

PA	ĞĒ
	5

ADDRESS CORRESPONDENCE TO ATTENTION OF THE AUGUST AND A LOCAL AUGUST AUGUST AND A LOCAL AUGUST AND A LOCAL A

MICHAEL AUSTIN 304-558-2402

≯WZDO#

RFQ COPY
TYPE NAME/ADDRESS HERE

SH-P ⊤0

DATEPRINTED	TERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
05/01/2008				
BID OPENING DATE: 0	5/14/2008	BID O	PENING TIME 01	:30PM
DID OPENING DATE: 0: TIME QUANTI CERTIFIC PREFERENT 5A-3-37 A. APPN REASON (() B: HAS RESI (4) YEAR CERTIFIC	CATION AND APPLICATION AND APPLICATION AND APPLICATION IS MADE FOR CHECKED: IDDER IS AN INDIVIDED CONTINUOUSLY PRECATION; OR	TEMNUMBER ATION* IS HEREBY WITH WEST VIRGI TO CONSTRUCTION FOR 2.5% PREFERE IDUAL RESIDENT N IN WEST VIRGINI ECEDING THE DATE	UNITPRICE Y MADE FOR INIA CODE, CONTRACTS). ENCE FOR THE VENDOR AND IA FOR FOUR E OF THIS	AMOUNT
TIDN RES QUARTERS WEST VIA THE DATE INTEREST PARTNERS WHO HAS OF BUSIN YEARS IM	IDDER IS A PARTNER SIDENT VENDOR AND SOR PRINCIPAL PLARGINIA FOR FOUR (4 OF BIDDER IS HELE BILL OF ASSOCIATION MAINTAINED ITS HELESS CONTINUOUSLY MEDIATELY PRECEDICATION; OR	HAS MAINTAINED ACE OF BUSINESS () YEARS IMMEDIA CATION; OR 80% () BY ANOTHER IN OR CORPORATION (ADQUARTERS OR P IN WEST VIRGINI	ITS HEAD- CONTINUOUSLY IN ATELY PRECEDING OF THE OWNERSHI ADIVIDUAL, RESIDENT VENDOR PRINCIPAL PLACE (A FOR FOUR (4)	
WHICH HA A MINIMU HAS MAIN BUSINESS	DDER IS A CORPORA S AN AFFILIATE OR M OF ONE HUNDRED TAINED ITS HEAQUA WITHIN WEST VIRG YEARS IMMEDIATEL ATION.	SUBSIDIARY WHI STATE RESIDENTS RTERS OR PRINCI INIA CONTINUOUS	CH EMPLOYS AND WHICH PAL PLACE OF LY FOR THE	
B. APPL REASON C		OR 2.5% PREFERE		
SIGNATURE		TELEPHONE	DATE	
nice.	PEIN		ADDRESS CHANGES	TO BE NOTED ABOVE
WILLIDEOLON	DIAIO TO DEC. DIGEOTRIA			



MODA

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation 708C0023

Ö

708C0023

PΑ	GE	
	6	

MICHAEL AUSTIN

Address correspondence to attention of 304-558-2402

RFQ COPY TYPE NAME/ADDRESS HERE

DATE PRIN	TED	TER	IMS OF SAI	£	SHIP VIA	T	FOR		FREIGHT TERMS
05/01/									
BID OPENING DATE:		05/14/	2008		BII) (PENING TIME	· 0	1:30PM
LINE	QUA	ппу	UOP	CAT, NO	ITEM NUMBER		UNIT-PRICE		AMOUNT
,	()	BIDDER	IS A	RESI	DENT VENDOR WHO	C	ERTIFIES TH	ΑT,	ļ
	DOKING	THE L	IFE D	F THE	CONTRACT, ON A	VE	RAGE AT LEA	ST	
	/ 3% UF	IHE E	MPLUY	LES W	ORKING ON THE P	RO	JECT BEING	BID	
	THE OT	TE CO	5 UF	WESI	VIRGINIA WHO HA	VE	RESIDED IN		
	PDECEN	THE CU	DMICC	TON O	FOR THE TWO YE F THIS BID;	AR	S IMMEDIATE	LY	
	OR	146 201	DI.122	TOM O	L IHTZ RID!	Ì			
		RINNED	TCA	NOND	ESIDENT VENDOR		DI GUTUC A		
	MINIMI	N DE D	4E HIM	חשפחע	STATE RESIDENT	C III	PLUTING A		
	NONRES	DENT A	/FNDD	OKED O	AN AFFILIATE	00	OK 15 A		
	WHICH N	AINTA	INS T	IS HE	ADQUARTERS OR P	DIT	ANDSTREEDS.	=	
1	OF BUS	NESS A	#ITHIN	NES	T VIRGINIA EMPL		NCIFAL FLAG TNC A MINIM	E IM	1
le	OF ONE	HUNDRE	D ST	TE RE	SIDENTS WHO CE	RT	IFIES THAT.	Jii	
ļ	DURING	THE L	FE OF	THE	CONTRACT, ON A	VE	RAGE AT LEAS	S T	
	75% OF	THE EM	1PLOYE	ES OF	BIDDERS' AFFI	LII.	ATE'S OR		
ķ	SUBSIDI	ARY'S	EMPL	YEES	ARE RESIDENTS	OF	WEST VIRGI	AIN	
Ą	VAH OHW	/E RES I	DED [1	IN THE	STATE CONTINU	OU S	SLY FOR THE	TWD	
<u> </u>	YEARS I	MMEDIA	TELY	PRECE	DING SUBMISSIO	N I	OF THIS BID.	,	
				İ					
E	BIDDER	UNDERS	TANDS	IF Π	HE SECRETARY D	F	TAX & REVENU	JE	
<u> </u>	DETERMI	NES TH	AT A	BIDDE	R RECEIVING PR	EFF	ERENCE HAS		
<u> </u>	ATTED	TO CON	TINUE	אַ סד	EET THE REQUIR	EME	ENTS FOR SUC	H	
	KELEKE	NUE, I	HE SE	CRETA	RY MAY ORDER TI	HE	DIRECTOR OF	•	
i.	UKUHAS Toned t	COULD'	TO CA	J KES	CIND THE CONTRA	AIC I	OR PURCHAS	E	
<u> </u>	TUDED	TAL AM	AMOUN	B) AS	SESS A PENALTY	AG	FAINST SUCH		
Ā	ND THA	T CUCH	PENA	ווטא ני	TO EXCEED 5% (JF.	THE BID AMO	TAUL	
_	CENCY	UB DED	HCTED	EDUM	ANY UNPAID BAL		IE CUNIKACII	NG	
G	ONTRAC	TORP	IIRCHA	SE OB	DEB Deb	_AN	ICE ON THE		
		[DER.				1
В	Y SUBM	ISSION	OF T	HIS C	ERTIFICATE, BII	MF	R AGREES TO		
þ	ISCLOS	E ANY	REASO	NABLY	REQUESTED INFO	RM	ATTON TO TH	E	[
P	URCHAS	ING DI	VISIO.	N AND	AUTHORIZES THE		EPARTMENT D	F	
П	AX AND	REVEN	UE TO	DISC	LOSE TO THE DIR	ŒC	TOR OF	•]
P	URCHAS	ING AP	PROPR	IATE	INFORMATION VER	ΊF	YING THAT		
В	IDDER	HAS PA	ID TH	E REQ	UIRED BUSINESS	TA	XES, PROVID	ED	
						1			
GNATURE				occ uc vc	RSE SIDE FOR TERMS AND CO	NLIFE	KINS	DATE	
	····							- I	
ne		FEIN					ADDRESS CH	ANGES	TO BE NOTED ABOVE
WHEN	V RESPON	VIDING TO	REO II	MOEDT	NAME AND ADDDESS	ER E			,



Request for Quotation

708C0023

PAGE.....7

MICHAEL AUSTIN
304-558-2402

##±# ±0

DIVISION OF HIGHWAYS
VARIOUS LOCALES AS INDICATED
BY ORDER

RFQ	COPY	
TYPE	NAME/ADDRESS	HERE

DATE PRIN	TED	TER	ins of sa	l E	SHIP	VIA	F.C).B.	FREIGHTTERMS
05/01/									
BID OPENING DATE:	*****	05/14/	2008			BID	OPENING	TIME 0	1:30PM
BID OPENING DATE:	QUANTALES TAXES COMMIS CODE 6 CERTIF THAT II CONTAIN	UCH IN PAID N SIONER PENALT 1-5-3) ICATE F A CONED WIF THE	FORMA OR AN TO B Y OF , BID IS TR NTRAC THIN CONTR	Y OTH E CON LAW F DER H UE AN T IS THIS ACT,	DOES NOT ER INFORFIDENTIAL OR FALSE EREBY CELL TO ACCURATISSUED TO CERTIFICATE BIDDER WITTING	CONTAIN MATION IL. SWEARIN RTIFIES TE IN ALL D BIDDER ATE CHAN ILL NOTI IMMEDIA	THE AMO EEMED BY G (WEST THAT THI L RESPEC AND IF GES DURI FY THE	UNTS OF THE TAX VIRGINIA S TS; AND ANYTHING NG THE	AMOUNT
	IN EITH ARE ENT	IER "A" ITLED I 5% PR	OMBI OR TO R	"B", C ECEIVE	PAUS N OF PREF DR BOTH "	'A" AND IAY REQU	CONSIDERA "B" WHICK EST UP TO "B".	YOU F	
	SIGNE DE	D BID	וס דא:	ADMI	BMITTED	ИО	OFFISHIC .		
GNATURE						TELEPHONE	on range	DATE	
RE		FEIN	I				ADDR	ESS CHANGES	TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



Request for Quotation

SHIP TO

BFC) l	ĮŲ.	WER	H	<u>:::</u>		
7	0	8	C	0	2	3	

PÀ	GE.	
	8	.

Address corsespondence to attention of

MICHAEL AUSTIN

304-558-2402

RFQ COPY TYPE NAME/ADDRESS HERE

DATE PRIA	ΠED	ΤĒI	RMS OF SA	LE	SHIP VI	4	f.().B.	FREIGHTTERMS
05/01/		<u> </u>							
BID OPENING DATE	; :	05/14/	2008	. 500000000000000	1.000.000.000.000.000.000.000.000.000	BID	OPENING	TIME 0	1:30PM
LINE	CUA	NTITY	UOP	CAT NO	ITEM NUM	ER	UNIT	PRICE	AMOUNT
						·····			
}	1	BUILDIN	G 15						
			1	TON S	TREET, EAS	т			
					5305-0130				
i			L						
	THE BI	D SHOU	LD CD	NTAIN	THIS INFO D MAY NOT	RMATIO	N ON THE	FACE OF	
	ILUE EN	(VELUPE	UK !	ME PI	וטא אאן ע	BE CUN	SIDEKED:		
	SEALED	BID							
						}			
						İ			
	BUYER:		,		33				
	RFQ. N	n •			700	C0023			
	100				700	C0023			
	BID OP	ENING	DATE:		05/	14/2008	8		
	BID OP	ENING	TIME:		1:3	O PM			
									<u>:</u>
	PLEASE	PROVI	DE A	FAX N	JMBER IN C.	ASE IT	IS NECES	SSARY	
	TO CON	TACT Y	OU RE	GARDI	G YOUR BI	D:			
Í				ł			214-77	6-709	フ
							<u> </u>	<u>w</u> /01	7
	CONTAC:	T DEDC	0.1. (D	FACE	PRINT CLE	45, 11			
Í	CONTAC	FERS	UN (P	LEASE					
					Tim 1	-0120			
İ		Į	ł						
ľ		1	1	1		}			
		ļ	1	1					
				-					
-				- Annual Property					
				Seppensi	me sine can tra	ACCEPTANCE.	SHIME IN	600000000000000000000000000000000000000	
IGNATURE				OEE MEVI	PASE SIDE FOR TERM TEL	us and cont Ephone	ALICANO	DATE	
me		FEI	<u> </u>	·					
							ADDR	ESS CHANGES	TO BE NOTED ABOVE
3 4 7 1 1	LIBEODO	VINIALO T	0 DE0	MICEDE	ALBERT AND AD	20500 11	. CD . CE . LD.		



Request for Quotation 708C002

ō

708C0023

PA	si
	9

MICHAEL AUSTIN 304-558-2402

RFQ COPY TYPE NAME/ADDRESS HERE

DATE PRINTI	ED	TER	MS OF SA	ĽΕ		SHIP VIA			FOB		FREIGHT TERMS
05/01/2											
BID OPENING DATE:	e Constant	05/14/	2008	400000000000			BID	OPE	NING TI	ME D	L:30PM
LINE	QUAN	mix	UOP	CAT NO		ITEM NUMB	ER		UNITERK	Æ	ТИЛОНА
	*****	THIS	IS T	HE EN	D OF	RFQ	708C0	023	*****	TOTAL	171.00
							ļ				
										7	
				į							
			The second second second second second second second second second second second second second second second se								
				SEE REVI	ERSES O		S AND CONC	ITIONS			
IGNATURE						TEU	EPHONE			DATE	
TLE		FEIN						<u> </u>	ADDRESS	CHANGES	TO BE NOTED ABOVE

LED BEACON CLASS 1

Voltage 12V/24V

AMPS 1.5 MAX @ 12.8V

Led light source high intensity white with 360° visibility Must have selectable flash patterns Must have high/low intensity circuit Overall height not to exceed 6"

Mounting Base shall be polycarbonate with flange not to exceed 7" with 3 bolt mounting spaced at 120 as well as a female 1" NPT pipe fitting

Circuit Board and Electronics shall be coated with a silicone material or equal to Provide moisture and corrosion resistance.

Optic Dome shall be Amber, made of polycarbonate meeting Standard 1079 or better.

Must meet SAE J845 May 1997, Class 1 in Amber and shall be

Whelen L21 12V or Equal \$ | 7\ 00 Ameca Certified Perm Mount

Ameca Certified Pipe Mount Whelen L21 12V or Equal \$ \7\.00

Warranty may be a factor in bid evaluation Sample of bid unit may be required before award of Contract.

ORDERING INFORMATION: Parts orders against this contract may be placed by the WVDOH Equipment Division and the Ten (10) WVDOH District locations as listed (attached). These parts orders may be placed by telephone and/or facsimile.

METHOD OF PAYMENT: The Purchasing card (Visa) is the preferred method of payment Vendor must supply a credit receipt, sales receipt, or cash register receipt. Vendor shall not charge until parts are shipped.

PURCHASING CARD ACCEPTANCE: The State of West Virginia currently utilizes a VISA Purchasing card program which is issued through a local bank. The successful vendor must accept the State of West Virginia VISA purchasing card for payment of all orders placed by any state agency.

REV 07/16/2007

Equipment Division

WV Division of Highways PO Box 610 Buckhannon, WV 26201

ATTENTION: Kevin Riley (FOUR COPYS)

WVDOT/Division of Highways D-1 1340 Smith St. Charleston, WV 25301 Attn: Melissa Mullens

WVDOT/Divison of Highways D-2 Po. Box 880 Huntington, WV 25712 Attn: Keith Chapman

WVDO I/Division of Highways D-3 626 Depot St. Parkersburg, WV 26101 Attn: Mark Kimes

WVDOT/Division of Highways D-4 P.O. BOX 2570 Clarksburg, WV 26301 Attn: John Bartlett

WVDOT/Division of Highways D-5 PO BOX 99 BURLINGTON, WV 26710 Attn: Pat Broadhurst

WVDOT/Division of Highways D-6 1 DOT Drive. Moundsville, WV 26041-2353 Attn: Carol Ryan WVDOT/Division Highways D-7 Drawer 1228 Weston, WV 26452 Attn: Melissa Jordan

WVDOT/Division of Highways D-8 PO Box 1516 Elkins, WV 26241 Attn: Debbie Barnett

WVDOT/Division of Highways D-9 103 ½ Church Street Lewisburg, WV 24901 Attn: Keith Brown

WVDO I/Division of Highways D-10 270 Hardwood Lane Princeton, WV 24740 Attn: Tommy Camden

STATE OF WEST VIRGINIA Purchasing Division

PURCHASING AFFIDAVIT

West Virginia Code §5A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

EXCEPTION: The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

LICENSING: Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.


CONFIDENTIALITY: The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendors should visit **www.state.wv.us/admin/ purchase/privacy** for the Notice of Agency Confidentiality Policies.

Under penalty of law for false swearing (West Virginia Code, §61-5-3), it is hereby certified that the vendor acknowledges the information in this said affidavit and are in compliance with the requirements as stated.

Vendor's Name:	Electronic	COMMUNICATIONS	of WV Inc	
	ture:	Stol _	Date: May 14	2008
Purchasing Affidavit (7		

L21 and L22 Series


360° SUPER BRIGHT UNIFORM INTENSITY SUPER-LED® BEACONS



The L21 and L22 Series Beacons are certified SAE Class I (L21) and Class II (L22). Both models have a rated life that exceeds comparable flash tubes by more than 50:1.

The L21 utilizes new Broadband Energy Radiator™ Technology (patent pending). This solid-state beacon resembles traditional strobe beacons but has greater light output and lower amp draw.

The L22 features generation 3.5 LED technology that rivals strobe in power with lower amp draw.



L22 beacon permanent mount installed on vehicle roof

Both L21 and L22

- Combination mounting: pipe, permanent and J-hook.
- Select 12 or 24 VDC.
- 100,000 hour rated life
- SmartLED™ beacon design.
- Permanent/pipe mount supplied with 6" pigtail Magnetic mount supplied with 10' straight cord with LED "ON" indicator switch and cigar plug
- Five-year warranty.


L21 Only


- Certified SAE J845 Class, Class I 360° (amber).
- Low current draw: 1.5 amp (peak), 0.6 amp (average) @12.8 VDC.
- [₹] 75 SignalAlert[™] flashes per minute standard. Permanent mount features 24 total Scan-Lock™ alternating and simultaneous flash patterns (synchronize with up to 8 total beacons).
- Choice of high or low polycarbonate dome.
- Polycarbonate or cast aluminum
- Virtually no EMI radiation.
- Hi/Low mode available in permanent mount only.
- Permanent mount available with cruise light with four intensity levels.

L22 Only

- Certified SAE J845 Class, Class II 360° (amber).
- Low current draw: 0.65 amp (peak), 0.26 amp (average) @12.8 VDC.
- 75 SignalAlert™ flashes per minute standard; 15 total Scan-Lock™ flash patterns built-in
- Heavy-duty magnet enhanced suction mount
- Polycarbonate base and dome (available high dome only).

Note: Magnetic or magnetic-suction mount models do not offer Scan-Lock* cruise light low power or SYNC functions.







L21 available in Amber and White only



L22 in Red, Amber,


White and Blue Form# L21221107





L21 and L22 Series

360° SUPER BRIGHT UNIFORM INTENSITY SUPER-LED® BEACONS



The L21 and L22 Series Beacons are certified SAE Class I (L21) and Class II (L22). Both models have a rated life that exceeds comparable flash tubes by more than 50:1.

The L21 utilizes new

amp draw.

Broadband Energy Radiator™ Technology (patent pending). This solid-state beacon resembles traditional strobe beacons but has greater light output and lower amp draw. The L22 features generation 3.5 LED technology that rivals strobe in power with lower



L22 beacon permanent mount installed on vehicle roof

Both L21 and L22

- Combination mounting: pipe, permanent and J-hook.
- Select 12 or 24 VDC.
- 100,000 hour rated life.
- SmartLED* beacon design.
- Permanent/pipe mount supplied with 6" pigtail. Magnetic mount supplied with 10' straight cord with LED "ON" indicator switch and cigar plug
- Five-year warranty.

L21 Only


- Certified SAE J845 Class, Class I 360° (amber).
- Low current draw: 1.5 amp (peak), 0.6 amp (average) @12.8 VDC.
- 75 SignalAlert™ flashes per minute standard. Permanent mount features 24 total Scan-Lock™ alternating and simultaneous flash patterns (synchronize with up to 8 total beacons).
- Choice of high or low polycarbonate dome.
- Polycarbonate or cast aluminum
- Virtually no EMI radiation.
- Hi/Low mode available in permanent mount only.
- Permanent mount available with cruise light with four intensity levels

L22 Only

- Certified SAE J845 Class, Class II 360° (amber).
- Low current draw: 0.65 amp (peak), 0.26 amp (average) @12.8 VDC
- ₹ 75 SignalAlert™ flashes per minute standard; 15 total Scan-Lock™ flash patterns built-in.
- Heavy-duty magnet enhanced suction mount
- Polycarbonate base and dome (available high dome only).

Note: Magnetic or magnetic-suction mount models do not offer Scan-Lock* cruise light low power or SYNC functions







L21 available in Amber and White only



Officially Licensed Warning Lights Of NASCAR®



L21 Beacon Models

L21H*P: ..12 VDC, combination mount, polycarbonate

base, high dome

12 VDC, magnetic mount with 10' cigar cord with LED L21H*M: "ON" indicator switch, polycarbonate base, high dome

L21H*V: 12 VDC, magnetic-suction mount with 10' cigar cord with LED "ON" indicator switch, polycarbonate base,

high dome

L21H*P4: 24 VDC, combination mount, polycarbonate base, high dome

L21H*M4: 24 VDC, magnetic mount with 10' cigar cord and LED "ON" indicator switch, polycarbonate base, high dome

12 VDC, combination mount, polycarbonate L21L*P: base, low dome

.12 VDC, magnetic mount with 10' cigar cord and LED L21L*M: "ON" indicator switch, polycarbonate base, low dome

12 VDC, magnetic-suction mount with 10' cigar cord L21L*V: with LED "ON" indicator switch, polycarbonate base, low dome

L21L*P4: 24 VDC, combination mount, polycarbonate base, low dome

L21L*M4: 24 VDC, magnetic mount, 10' cigar cord with LED "ON" indicator switch, polycarbonate base, low dome

L21H*C: 12 VDC, combination mount, cast aluminum base. high dome

L21H*C4: 24 VDC, combination mount, cast aluminum base, high dome

12 VDC, combination mount, cast aluminum base, L21L*C: low dome

L21L*C4: 24 VDC, combination mount, cast aluminum base, low dome

REPLACEMENT PARTS

DH2000*: High Dome DL2000*: Low Dome

Replace (*) in above model numbers with letter indicating color choice: A = Amber C = Clear

L22 Lightheads Models (high dome only)

L22H*P: 12 VDC, combination mount, polycarbonate base

L22H*M: 12 VDC, magnetic mount, polycarbonate base with 10' cigar cord and built-in LEĎ "ON" indicator switch

L22H*V: 12 VDC, magnetic-suction mount, polycarbonate base

with 10' cigar cord and built-in LED "ON" indicator

switch

L22H*P4: 24 VDC, combination mount, polycarbonate base

L22H*M4: 24 VDC, magnetic mount, polycarbonate base with 10' cigar cord and built-in LED "ON" indicator switch

Replace (*) in above model numbers with letter indicating color choice:

A = Amber LED and amber dome B = Blue LED and blue dome C = White LED and clear dome R = Red LED and red dome 1 = Amber LED and clear dome 2 = Blue LED and clear dome 5 = Red LED and clear dome

REPLACEMENT PART

DH2000*: Dome

Replace (*) in above model number with letter indicating color choice: A = Amber B = Blue C = Clear R = Red

NOTE: The use of any magnetic or magnetic-suction mounted warning beacon on the vehicle while in motion is at the discretion and risk of the user

L21 & 22 Options

Magnetic Kit with 8" cord and plug

8" cord and plug SS: Sun shade, mylar


BGL: Branch guard, low dome, 6-1/2 tall with beacon BGH: Branch guard, high dome, 7-1/2" tall with beacon

LSK: Lighted switch kit mounted Ion bracket,


wired and fused

MIRROR20: Mirror mount brakets

L21 and 22 Specifications and Dimensions



Mounting



Magnetic mount models do not include Scan-Lock™, cruise light, low power or sync feature

Available Scan-Lock™ Flash Patterns

Scan-Lock™ allows you to choose between available flash patterns

L21 (24 patterns)

- SignalAlert" 75 (Phase 1) SignalAlert" 75 (Phase 2) CometFlash® 75 (Phase 1)
- CometFlash® 75 (Phase 2) DoubleFlash 75 (Phase 1) DoubleFlash 75 (Phase 2)
- SingleFlash 75 (Phase 1) SingleFlash 75 (Phase 2) ComAlert 75 (Phase 1)
- ComAlert* 75 (Phase 2) LongBurst* 75 (Phase 1) LongBurst* 75 (Phase 2) Ping-Pong 75 (Phase 1)
- Ping-Pong 75 (Phase 2)
- SingleFlash 60 SingleFlash 90
- SingleFlash 120 SingleFlash 300
- DoubleFlash 150 ComAlert* 150 ActionFlash* 1 ActionFlash" 2
 - ModuFlash* ActionScan*
- L22 (15 patterns)
- SignalAlert" 75 SignalAlert" 150
- SingleFlash 375 SingleFlash 150
- SingleFlash 75 DoubleFlash 150
- DoubleFlash 75 CometFlash® 75
- ActionFlash" ModuFlash~ 70
- ComAlert* ActionScan'
- SignalAlert" Steady Steady-Brake Steady



Route 145, Winthrop Road Chester, Connecticut 06412-0684 (860) 526-9504 • Fax: (860) 526-4078 www.whelen.com




Whelen Engineering reserves the right to upgrade and improve products without notice

L21 Series


SUPER-LED® 360° BEACONS

Utilizing new Broadband Energy Radiator™ Technology (patent pending)





L21 Series Beacons
are certified SAE Class 1.
Utilizing new Broadband
Energy Radiator™ Technology
(patent pending), these solidstate beacons resemble
traditional strobe beacons
but with greater light output
and lower amp draw. Best of
all, the Super-LED light source
has a rated life that exceeds
that of comparable flash tubes
by more than 50:1.



Shown: Permanent Mount Beacon

FEATURES

- Certified SAE Class J845 Class 1 360° (amber).
- 50,000 hour rated life
- Low current draw: 1.5 Amp (peak), 0 6 Amp (average) @12.8 VDC.
- Combination mounting (pipe/ permanent/J-hook) allows universal application.
- SmartLED® beacon design offers 75 SignalAlert "flashes per minute standard. Permanent mount, features 21 total Scan-Lock" alternating and simultaneous flash patterns built-in (synchronize with up to 8 total beacons).
- Supplied with 6" pigtail (combination mount) or 10' straight cord with LED indicator switch and cigar plug (magnetic mount only).
- Choice of high or low polycarbonate dome
- Polycarbonate or cast aluminum base.
- Virtually no EMI radiation
- Cruise light with 4 intensity levels (permanent mount only).
- Hi/Low mode (permanent mount only).
- Select 12 or 24 VDC.
- Five-year warranty.

Note: Magnetic mount models do not offer Scan-Lock cruise light, low power or SYNC functions.

Note: The use of any magnetic mounted warning beacon on the vehicle while in motion is at the discretion and risk of the user

MODELS

L21H*P: 12 VDC, perm/pipe/"J" hook mount, high dome

L21H*M: 12 VDC, magnetic mount with 10' cord with LED indicator switch, high dome

L21H*V: 12 VDC, magnetic-suction mount with 10' cord with LED indicator switch, high dome

L21H*P4: 24 VDC, perm/pipe/"J" hook mount, high dome

L21H*M4: 24 VDC, magnetic mount with 10' cord with LED indicator switch, high dome

L21L*P: 12 VDC, perm/pipe/"J" hook mount, low dome

L21L*M: 12 VDC, magnetic mount with 10' cord with LED indicator switch, low dome

L21L*V: 12 VDC, magnetic-suction mount with 10' cord with LED indicator switch, low dome

L21L*P4: 24 VDC, perm/pipe/"J" hook mount, low dome

L21L*M4: 24 VDC, magnetic mount with 10' cord with LED indicator switch, low dome

L21H*C: 12 VDC, perm/pipe/"J" hook mount, cast aluminum base, high dome L21H*C4: 24 VDC, perm/pipe/"J" hook mount, cast aluminum base, high dome L21L*C: 12 VDC, perm/pipe/"J" hook mount, cast aluminum base, low dome L21L*C4: 24 VDC, perm/pipe/"J" hook mount, cast aluminum base, low dome

REPLACEMENT PARTS

DH2000*: High Dome DL2000*: Low Dome

Replace asterisk (*) in above model numbers with letter indicating color choice: A = Amber C = Clear

Domes available in amber or clear safety colors only.

Form# L210807

© 2007 Whelen Engineering Co., Inc. Printed in U.S.A.
Whelen Engineering reserves the right to upgrade and improve products without notice.

** Some back-up alarms are custom made for Whelen in Canada.

NASCAR 1 is a registered trademark of the National Association for Stock Car Auto Racing, Inc. Code No. 10269A-0807





ENGINEERING COMPANY, INC.
Route 145, Winthrop Road

Chester, Connecticut 06412-0684 (860) 526-9504 • Fax: (860) 526-4078 www.whelen.com

Engineers for the Emergency Warning Industry