

0

0

0

0 0 0

D

# State of West Virginia Department of Administration Purchasing Division

### NOTICE

Due to the size of this bid, it was impractical to scan every page for online viewing. We have made an attempt to scan and publish all pertinent bid information. However, it is important to note that some pages were necessarily omitted.

If you would like to review the bid in its entirety, please contact the buyer. Thank you.

\*\*\*



State of West Virginia
Department of Administration
Quotation Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

708EC001

A	idiouses consideration of the contraction of the co	(B)E(N)(O)
mesas	INUMETAN	

NOTZNHOL NHOL 304-558-2402

RFQ COPY TYPE NAME ADDDESS HEDE

> **Middletown Tractor Sales** 2032 Fairmont Avenue Fairmont, WV 26554

DIVISION OF HIGHWAYS EQUIPMENT DIVISION ROUTE 33 BRUSHY FORK ROAD

BUCKHANNON, WY 304-472-1750 26201

THE PRINTED  THERE OF SALE  OPEN TO SOLE  OPEN TO SOLE  OPEN TO SOLE  OPEN THE OPEN THE OLISOPH  EA DOOR FRUCK BID OPENING THE OLISOPH  OLISOPH  OLISOPH  OLISOPH  OLISOPH  OLISOPH  OLISOPH  AMOUNT  OPEN TO PROVIDE 2  WHEEL DRIVE UTILITY TRACTOR, WITH MOMERS  Afternate Bid - We are bidding a John Cease tructur and Motrim mowey,  OPEN END CONTRACT  TO PROVIDE 2 WHEEL DRIVE UTILITY TRACTOR WITH UNIVERSAL  MID HOUNTED ARTICULATED BOOM HOWER, GRASS ROTARY MOWER,  SIDE FLAIL HOWER AS DESCRIBED IN ATTACHED PROCUREMENT  SPECIFICATIONS 131-1-F.  THERE WILL BE A MANDATORY PRE-BID CONFERENCE AT THE  STATE CAPITOL COMPLEX, BUILDING 15, CONFERENCE ROOM,  AT 10:00 AM ON 8/23/07. FAILURE TO ATTEND THE PRE-BID  CONFERENCE WILL RESULT IN BID DISQUALIFICATION.  QUESTIONS: WRITTEN QUESTIONS WILL BE ACCEPTED THROUGH  CLOSE OF BUSINESS (5:00PH EST.) ON 8/13/07.  SEND YOUR QUESTIONS TO: PURCHASING DIVISION  JOHN JOHNSTON  2019 MASHINGTON ST. E.  CHARLESTON, MV. 25305  QUESTIONS MAY BE SENT VIA FAX, E-MAIL, OR REGULAR MAIL.  E-MAIL: JOHNSTONWADMIN.GOV  FAX: 306-558-4115  IT IS THE VENDORS RESPONSIBILITY TO VERIFY THAT THEIR  QUESTIONS HAVE BEEN RECEIVED BY CALLING 304-558-2402.  EXHIBIT 2  LIFE OF CONTRACT: THIS CONTRACT BECOMES EFFECTIVE ON  AND EXTENDS FOR A PERIOD OF ONE (1)  SEERIVERSE SOLE FOR THEMS AND CONDITIONS  PART 9.20.2007  ADDRESS CHANGES TO BE NOTED ABOVE  ADDRESS CHANGES TO BE NOTED ABOVE						FOR	FREIGHT TERMS
RID OPENING TIME 01:3007  RID OPENING TIME 01:3007  READ 020-66  2 WHEEL DRIVE UTILITY TRACTOR, WITH MOMERS  AMOUNT  Afternate Bid OPEN END CONTRACT  TO PROVIDE 2 WHEEL DRIVE UTILITY TRACTOR WITH UNIVERSAL MID MOUNTED ARTICULATED BOOM MOWER/ GRASS ROTARY MOWER/ SIDE FLAIL MOMER AS DESCRIBED IN ATTACHED PROCUREMENT SPECIFICATIONS 131-1-F.  THERE WILL BE A MANDATORY PRE-BID CONFERENCE AT THE STATE CAPITOL COMPLEX, BUILDING 15, CONFERENCE ROOM, AT 10:00 AM ON 8/23/07, FAILURE TO ATTEND THE PRE-BID CONFERENCE WILL RESULT IN BID DISQUALIFICATION.  QUESTIONS: WRITTEN QUESTIONS WILL BE ACCEPTED THROUGH CLOSE OF BUSINESS (5:00PM EST.) ON 8/13/07.  SEND YOUR QUESTIONS TO: PURCHASING DIVISION JOHN JOHNSTON WILL BE ACCEPTED THROUGH FAX: 304-558-4115  IT IS THE VENDORS RESPONSIBILITY TO VERIFY THAT THEIR QUESTIONS HAVE BEEN RECEIVED BY CALLING 304-558-2402.  EXHIBIT 2  LIFE OF CONTRACT: THIS CONTRACT BECOMES EFFECTIVE ON AND EXTENDS FOR A PERIOD OF ONE (1).  **REPOSE AND THE WANDANG AND CONDINKS**  **PART OF CONTRACT: THIS CONTRACT BECOMES EFFECTIVE ON AND EXTENDS FOR A PERIOD OF ONE (1).	IATE PRINTED				i Rush		Prepard.
THE QUESTIONS WRITTEN QUESTIONS WILL RESULT IN BID DISQUALIFICATION.  SEND YOUR QUESTIONS TO:  PURCHASING UNITED ARTICULATED DOWN STATE CAPITOL CONFERENCE WILL RESULT IN BID DISQUALIFICATION.  QUESTIONS: WRITTEN QUESTIONS WILL BE ACCEPTED THROUGH CLOSE OF BUSINESS (5:00PM EST.) ON 8/15/07.  SEND YOUR QUESTIONS TO:  PURCHASING DIVISION  QUESTIONS MAY BE SENT YIA FAX, E-MAIL, OR REGULAR MAIL.  E-MAIL: JJOHNSTONAWVADMIN.GOV  FAX: 306-558-4115  IT IS THE VENDORS RESPONSIBILITY TO VERIFY THAT THEIR QUESTIONS HAVE BEEN RECEIVED BY CALLING 304-558-2402.  EXHIBIT 2  LIFE OF CONTRACT: THIS CONTRACT BECOMES EFFECTIVE ON AND EXTENDS FOR A PERIOD OF NOTE OF MOTOR AND EXTENDS FOR A PERIOD OF NOTE OF MOTOR AND EXTENDS FOR A PERIOD OF NOTE OF MOTOR AND EXTENDS FOR A PERIOD OF NOTE OF MOTOR AND EXTENDS FOR A PERIOD OF ONE (1)	7/23/2007			B)			30PM
WHEEL DRIVE UTILITY  TRACTOR, WITH MOMERS  Afternate Bid - We are briding a John Overe tracts and Motrim mowers  OPEN END CONTRACT  TO PROVIDE 2 WHEEL DRIVE UTILITY TRACTOR WITH UNIVERSAL MID MOUNTED ARTICULATED BOOM MOWER/ GRASS ROTARY MOWER/ SIDE FLAIL MOWER AS DESCRIBED IN ATTACHED PROCUREMENT  SPECIFICATIONS 131-1-F.  THERE WILL BE A MANDATORY PRE-BID CONFERENCE AT THE STATE CAPITOL COMPLEX, BUILDING 15, CONFERENCE ROOM, AT 10:00 AM ON 8/23/07, FAILURE TO ATTEND THE PRE-BID CONFERENCE WILL RESULT IN BID DISQUALIFICATION.  QUESTIONS: WRITTEN QUESTIONS MILL BE ACCEPTED THROUGH CLOSE OF BUSINESS (5:00PM EST.) ON 8/13/07.  SEND YOUR QUESTIONS TO: PURCHASING DIVISION JOHN JOHN JOHN JOHN JOHN JOHN JOHN JO			JU / CAT.		**************************************		AMOUNT
WHEEL DRIVE UTILITY TRACTOR, WITH MOMERS  Alternate Bid DPN END CONTRACT  TO PROVIDE 2 WHEEL DRIVE UTILITY TRACTOR WITH UNIVERSAL MID MOUNTED ARTICULATED BOOM MOWER/ GRASS ROTARY MOWER/ SIDE FLAIL NOWER AS DESCRIBED IN ATTACHED PROCURENENT SPECIFICATIONS 131-1-F.  THERE WILL BE A MANDATORY PRE-BID CONFERENCE AT THE STATE CAPITOL COWPLEX, AT 10:00 AM ON 8/23/07. FAILURE TO ATTEND THE PRE-BID CONFERENCE WILL RESULT IN BID DISQUALIFICATION.  QUESTIONS: WRITTEN QUESTIONS WILL BE ACCEPTED THROUGH CLOSE OF BUSINESS (5:00PN EST.) ON 8/13/07.  SEND YOUR QUESTIONS TO: PURCHASING DIVISION JOHN JOHNSTON 2019 WASHINGTON ST. E. CHARLESTON, MV. 25305.  QUESTIONS MAY BE SENT VIA FAX, E-MAIL, OR REGULAR MAIL.  E-MAIL: JJOHNSTONAWVADMIN.GOV  FAX: 304-558-4115  IT IS THE VENDORS RESPONSIBILITY TO VERIFY THAT THEIR QUESTIONS HAVE BEEN RECEIVED BY CALLING 304-558-2402.  EXHIBIT 2  LIFE OF CONTRACT: THIS CONTRACT BECOMES EFFECTIVE ON AND EXTENDS FOR A PERIOD OF ONE (1)  JAM JAMAS  SEESENBERGE SIDE FORTERMS AND CONDITIONS  DATE 9-20-20-30-40-40-40-40-40-40-40-40-40-40-40-40-40	NE QUI	W1119,	NO NO				
Wheel Drive Utility Tractor, with Momers  Afternate Bid - We are bidding John Ores tracts and Motrim mowers  Open end contract  To provide 2 wheel drive utility tractor with universal MID MOUNTED ARTICULATED BOOM MOWER? GRASS ROTARY MOWER?  SIDE FLAIL MOWER AS DESCRIBED IN ATTACHED PROCURENENT  SPECIFICATIONS 131-1-F.  THERE WILL BE A MANDATORY PRE-BID CONFERENCE AT THE STATE CAPITOL COMPLEX, BUILDING 15, CONFERENCE ROOM, AT 10:00 AM ON 8/23/07. FAILURE TO ATTEND THE PRE-BID CONFERENCE WILL RESULT IN BID DISQUALIFICATION.  QUESTIONS: WRITTEN QUESTIONS WILL BE ACCEPTED THROUGH CLOSE OF BUSINESS (5:00PM EST.) ON 8/13/07.  SEND YOUR QUESTIONS TO: PURCHASING DIVISION JOHN JOHNSTON 2019 WASHINGTON ST. E. CHARLESTON, WW. 25305  QUESTIONS MAY BE SENT VIA FAX, E-MAIL, OR REGULAR MAIL.  E-MAIL: JJOHNSTONAWADMIN.GOV FAX: 304-558-4115  IT IS THE VENDORS RESPONSIBILITY TO VERIFY THAT THEIR QUESTIONS HAVE BEEN RECEIVED BY CALLING 304-558-2402.  EXHIBIT 2  LIFE OF CONTRACT: THIS CONTRACT BECOMES EFFECTIVE ON AND EXTENDS FOR A PERIOD OF ONE (1)  JAMA A STANKED BEINGER OF THE PROPERTY			ŀ		L	ittached	See attached
MID MOUNTED ARTICULATED BUNCH HOLD SIDE FLAIL MOWER AS DESCRIBED IN ATTACHED PROCUREMENT SPECIFICATIONS 131-1-F.  THERE WILL BE A MANDATORY PRE-BID CONFERENCE AT THE STATE CAPITOL COMPLEX, BUILDING 15, CONFERENCE ROOM, AT 10:00 AM ON 8/23/07. FAILURE TO ATTEND THE PRE-BID CONFERENCE WILL RESULT IN BID DISQUALIFICATION.  QUESTIONS: WRITTEN QUESTIONS WILL BE ACCEPTED THROUGH CLOSE OF BUSINESS (5:00PM EST.) ON 8/13/07.  SEND YOUR QUESTIONS TO: PURCHASING DIVISION JOHN JOHNSTON 2019 WASHINGTON ST. E. CHARLESTON, WV. 25305  QUESTIONS MAY BE SENT VIA FAX, E-MAIL, OR REGULAR MAIL.  E-MAIL: JJOHNSTONGWVADMIN.GOV FAX: 304-558-4115  IT IS THE VENDORS RESPONSIBILITY TO VERIFY THAT THEIR QUESTIONS HAVE BEEN RECEIVED BY CALLING 304-558-2402.  EXHIBIT 2  LIFE OF CONTRACT: THIS CONTRACT BECOMES EFFECTIVE ON AND EXTENDS FOR A PERIOD OF ONE (1)	Alter	el drive nate Bi	d - We	END CONTRACT	John Deers		
STATE CAPITOL COMPLEX, BUILDING TO ATTEND THE PRE-BID AT 10:00 AM DN 8/23/07. FAILURE TO ATTEND THE PRE-BID CONFERENCE WILL RESULT IN BID DISQUALIFICATION.  QUESTIONS: WRITTEN QUESTIONS WILL BE ACCEPTED THROUGH CLOSE OF BUSINESS (5:00PM EST.) ON 8/13/07.  SEND YOUR QUESTIONS TO: PURCHASING DIVISION JOHN JOHNSTON 2019 WASHINGTON ST. E. CHARLESTON, MV. 25305  QUESTIONS MAY BE SENT VIA FAX, E-MAIL, OR REGULAR MAIL.  E-MAIL: JJOHNSTONGWVADMIN.GOV FAX: 304-558-4115  IT IS THE VENDORS RESPONSIBILITY TO VERIFY THAT THEIR QUESTIONS HAVE BEEN RECEIVED BY CALLING 304-558-2402.  EXHIBIT 2  LIFE OF CONTRACT: THIS CONTRACT BECOMES EFFECTIVE ON AND EXTENDS FOR A PERIOD OF ONE (1)	MID M	OUNTED A	RTICULAT WER AS D	EN BOOM HOWER, ESCRIBED IN AT	ACTOR WIT GRASS RO TACHED PI	TH UNIVERSAL TARY MOWER/ ROCUREMENT	
SEND YOUR QUESTIONS TO: PURCHASING DIVISION  JOHN JOHNSTON 2019 WASHINGTON ST. E. CHARLESTON, WV. 25305  QUESTIONS MAY BE SENT VIA FAX, E-MAIL, OR REGULAR MAIL.  E-MAIL: JJOHNSTONDWVADMIN.GOV FAX: 304-558-4115  IT IS THE VENDORS RESPONSIBILITY TO VERIFY THAT THEIR QUESTIONS HAVE BEEN RECEIVED BY CALLING 304-558-2402.  EXHIBIT 2  LIFE OF CONTRACT: THIS CONTRACT BECOMES EFFECTIVE ON AND EXTENDS FOR A PERIOD OF ONE (1)  AND EXTENDS FOR A PERIOD OF ONE (1)  SEEREVERSE SIDE FOR TERMS AND CONDITIONS  DATE 9-20-20-7  THEEPHONE DATE 10 - 20-20-7  THE 10 - 20-20-7  TH	THERE STATE AT 10 CONFI	WILL BE CAPITOL :00 AM O	A MANDA COMPLEX N 8/23/0	TORY PRE-BID C BUILDING 15, FAILURE TO T IN BID DISQU	ATTEND T	HE PRE-BID	
QUESTIONS MAY BE SENT VIA FAX, E-MAIL, OR REGULAR MAIL.  E-MAIL: JJOHNSTONƏWVADMIN.GOV  FAX: 304-558-4115  IT IS THE VENDORS RESPONSIBILITY TO VERIFY THAT THEIR  QUESTIONS HAVE BEEN RECEIVED BY CALLING 304-558-2402.  EXHIBIT 2  LIFE OF CONTRACT: THIS CONTRACT BECOMES EFFECTIVE ON AND EXTENDS FOR A PERIOD OF ONE (1)  MAN DESCRIPTION OF THE PROPERTY	CLOS	E OF BUSP	INESS (3)	WOFF LOUIS	Ì		
E-MAIL: JJOHNSTONGWORD THE FAX: 304-558-4115  IT IS THE VENDORS RESPONSIBILITY TO VERIFY THAT THEIR QUESTIONS HAVE BEEN RECEIVED BY CALLING 304-558-2402.  EXHIBIT 2  LIFE OF CONTRACT: THIS CONTRACT BECOMES EFFECTIVE ON AND EXTENDS FOR A PERIOD OF ONE (1)  AND EXTENDS FOR A PERIOD OF ONE (1)  SEE REVERSE SIDE FOR TERMS AND CONDITIONS  SEE REVERSE SIDE FOR TERMS AND CONDITIONS  TELEPHONE 304-346-490 DATE 9-20-20-7				2019 WASH	INGTON ST	. E. 305	
EXHIBIT 2  LIFE OF CONTRACT: THIS CONTRACT BECOMES EFFECTIVE ON AND EXTENDS FOR A PERIOD OF ONE (1)  AND EXTENDS FOR A PERIOD OF ONE (1)  SEE REVERSE SIDE FOR TERMS AND CONDITIONS  TELEPHONE 304-346-4620 DATE 9-20-27	E-	MAIL: JJ X: 30	0HNS 10N0 4-558-41	15			
LIFE OF CONTRACT: THIS CONTRACT BECOMES EFFECTIVE ON AND EXTENDS FOR A PERIOD OF ONE (1)  AND EXTENDS FOR A PERIOD OF ONE (1)  SEE REVERSE SIDE FOR TERMS AND CONDITIONS  TELEPHONE  304-346-4490  DATE 9-20-20-7	IT ] QUES	S THE VE	NDORS RE VE BEEN	SPONSIBILITY TRECEIVED BY CA	LLING 30	4-558-2402.	
SEE REVERSE SIDE FOR TERMS AND CONDITIONS    DATE   9-20-7	į		TRACT:	THIS CONTRACT	BECOMES E A PERIOI	FFECTIVE ON OF ONE (1)	
304-366 7670 CHANGES TO BE NOTED ABOVE			A	ND EXIENDS LOW			
304-366 7670 CHANGES TO BE NOTED ABOVE	100	. 1	Amor			NS	
304-366 7670 CHANGES TO BE NOTED ABOVE		mer U.	14/21	EE REVERISE SIDE FOR TERM	EPHONE	1 -111.00	ATE 9-20-2007
ADDRESS IN SPACE ABOVE LABELED 'VENDOR'			7		304-366	- 7670 CUA	NGES TO BE NOTED ABOVE
E / K MANUEL STORES IN SPACE ABOVE CALLED INSERT NAME AND ADDRESS IN SPACE ABOVE CALLED	VATURE	1.13	MUSS	1110176	1	ADDUCT I V	RELED 'VENDOR'
	IE / France	Jost 1	1 55-0	INSERT NAME AND A	DDRESS IN S	PACE ABOVE LA	ten ten em em -



State of West Virginia Department of Administration
Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

125

708EC001

Waddrieser were ien zoanderkierrokarienkiokken

NOTZNHOL NHOL

304-558-2402

**Middletown Tractor Sales** 2032 Fairmont Avenue Fairmont, WV 26554

RFQ COPY

DIVISION OF HIGHWAYS EQUIPMENT DIVISION ROUTE 33 BRUSHY FORK ROAD BUCKHANNON, WV 304-472-1750 26201

DATEPRINT	TEAMS OF SALE	SHIP VIA		F.O.B	FREIGHTTERMS
07/23/	2007	DIR	OPENIN	C TIME	1:30PM
ENING DATE:				INIT PRICE	AMOUNT
LINE	QUANTITY LIGP CAT.	ITEM NUMBER		4111	
	NOT EXCEED TWELVE (12 TIME" THE VENDOR MAY ANY REASON UPON GIVIN THIRTY (30) DAYS WRIT UNLESS SPECIFIC PROVI	NEW CONTRACT OR HE "REASONABLE TO ) MONTHS. DURING TERMINATE THIS CO G THE DIRECTOR OF TEN NOTICE.  SIONS ARE STIPUL TERMS. CONDITI	ME" PE THIS NTRACT PURCH	RIOD SHAL "REASONAB FOR ASING THIS ID PRICING	LE
	SET HEREIN ARE FIRM F RENEWAL: THIS CONTRA WRITTEN CONSENT OF TH SUBMITTED TO THE DIRE DAYS PRIOR TO THE EXP BE IN ACCORDANCE WITH ORIGINAL CONTRACT AND (1) YEAR PERIODS.	ACT MAY BE RENEWE SPENDING UNIT ECTOR OF PURCHASI PIRATION DATE. SHALL BE LIMITE	D UPON AND VEN NG THIF UCH REN ONDITIO	THE MUTUANDOR, RTY (30) REWAL SHAL ONS OF THE	L E E
	CANCELLATION: THE DERIGHT TO CANCEL THIS NOTICE TO THE VENDOR SUPPLIED ARE OF AN INVITE THE SPECIFICATION	CONTRACT IMMEDIA IF THE COMMODITION	ES AND	OR SERVI	CES
	OPEN MARKET CLAUSE: AUTHORIZE A SPENDING MARKET, WITHOUT THE ESTIMATE, ITEMS SPEC DIATE DELIVERY IN EM (INCLUDING BUT NOT L OR AN UNANTICIPATED	FILING OF A REQUESTION OF THE SECOND CONTROL	ISITION OTRACT UNFORE IN TRA VOLUME	OR COST FOR IMME- SEEN CAUS INSPORTATI OF WORK).	ON
	APPROXIMATIONS ONLY	EREVERSE SIDE FOR TERMS AND	CONDITIONS	PLIES BY	10
INATURE /	THEMANO	TELEPHON			DATE
	J. J			ADDRESS CH	INGES TO BE NOTED ABOVE



E

Department of Administration Utulization **Purchasing Division** 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

708ECUU1

THE RESERVE OF THE PARTY OF THE	(2) 20 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	TO ATTENTION OF
	MEDEAUNDERFE	TOWER CHANGE

ИОТЗИНОС ИНОС <u>304-558-2402</u>

DIVISION OF HIGHWAYS **EQUIPMENT DIVISION** ROUTE 33 **BRUSHY FORK ROAD** BUCKHANNON, WV 26201

304-472-1750

ADDRESS CHANGES TO BE NOTED ABOVE

TYPE NAME/ADDRESS HERE MZCOK Middletown Tractor Sales 2032 Fairmont Avenue

Fairmont, WV 26554

RFO COPY

FOB. FREIGHTTERMS TERMS OF SALE SHIP VIA DATE PRINTED 07/23/2007 PENING DATE: BID OPENING TIME 01:30PM 09/05/2007 CAT NO **TEM NUMBER** UNITPRICE AMOUNT HOP QUANTITY LINE IT IS UNDERSTOOD AND AGREED THAT STATE SPENDING UNIT. THE CONTRACT SHALL COVER THE QUANTITIES ACTUALLY DRDERED FOR DELIVERY DURING THE TERM OF CONTRACT, WHETHER MORE OR LESS THAN THE QUANTITIES SHOWN. SPENDING UNIT(S) SHALL ISSUE A DRDERING PROCEDURE: WRITTEN EQUIPMENT CONTRACT ORDER (FORM NUMBER WV-35) FOR COMMODITIES COVERED BY THIS CONTRACT. THE ORIGINAL WV-35 MUST BE SENT TO THE PURCHASING DIVISION OF THE DEPARTMENT OF ADMINISTRATION. IAFTER APPROVAL AND ENCUMBRANCE, ONE COPY OF THE PURCHASE ORDER WILL BE RETURNED TO THE SPENDING UNIT AND ONE COPY FOR-WARDED TO THE VENDOR AS AUTHORIZATION FOR SHIPMENT. NO ORDER IS VALID UNLESS APPROVED AND ENCUMBERED BY THE PURCHASING DIVISION. IN THE EVENT THE VENDOR/CONTRACTOR FILES BANKRUPTCY: FOR BANKRUPTCY PROTECTION, THIS CONTRACT IS AUTOMATI-CALLY NULL AND VOID, AND IS TERMINATED WITHOUT FURTHER ORDER. REV. 9/98 EXHIBIT 6 PRICE ADJUSTMENT PROVISION: THE STATE OF WEST VIRGINIA WILL CONSIDER BIDS THAT CONTAIN PROVISIONS FOR PRICE ADJUSTMENTS PRIOR TO THE DRIGINAL EXPIRATION OF THE CONTRACT, PROVIDED THAT SUCH PRICE ADJUSTMENT COVERS BOTH UPWARD AND DOWNWARD THE COMMODITY PRICE, AND THAT ADJUSTMENT MOVEMENT OF IS BASED ON THE "PASS THROUGH" INCREASE OR DECREASE OF RAW MATERIALS AND/OR LABOR, WHICH MAKE UP ALL OR A SUBSTANTIAL PART OF A PRODUCT. ADJUSTMENTS ARE TO BE BASED UPON AN ACTUAL DOLLAR FIGURE, NOT A PERCENTAGE. SEE REVERSE SIDE FOR TERMS AND CONDITIONS DATE TELEPHONE VATURE Wes

FFIN



State of West Virginia Department of Administration Quotation **Purchasing Division** 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

708EC001

NOTZNHOL NHOL 304-558-2402

RFQ COPY TYPE NAME/ADDRESS HERE

**Middletown Tractor Sales** 2032 Fairmont Avenue Fairmont, WV 26554

MES

DIVISION OF HIGHWAYS EQUIPMENT DIVISION ROUTE 33 **BRUSHY FORK ROAD** BUCKHANNON, WV 26201

DATE PRIN	TEO	TER	MS OF SALE		SHIP	VIA	F	0.8.		FREIGHT TERMS
07/23/						`				
ENING DATE:		09/05/	2007			BID	OPENING	TIME	01:	:30PM
LINE		NTTY	UOP	CAT NO	ITEM NU	MBER	UN	TPRICE		AMOUNT
	A MANN GOVERN PUBLIS SHOULI PURCHA ACCEPT ACCEPT ACCORT AND CAR PURCHA CURRE IS IS MUST CARD	IER ACCIMENTAL SHED PR SHE RE ASING A DF THE ADJUST THE F DINGLY ANCEL THE F SUED TI ACCEPT FOR PA	EPTAB BENC ICE L CEIVE T LEA INCRE MENT, RICE OR RE CARD A TILIZE THE S YMENT	LE TO H MAR ISTS. D IN ST 30 ASE. THE ADJUS JECT NTRAC CCEPT S A N TATE OF AI	WRITING DAYS IN ANY TIME PURCHASING THE ADUSTICANCE: TANCE: TOTAL	ECTOR PURAL MARKEQUESTS BY THE INADVANCE E THE VENG DIVIS D AMEND THENT INTERNATIONS HE STATE HASING OF SUCCESS VIRGINIA E PLACED	RCHASINGET INCRESOF THE NOOR RESION MAY THE CON ITS EN	EASE, INCREA OF EFFECT QUESTS EITHEI TRACT ITIRETY ST VIRG GRAM W IDOR PURCHAS	ASE TIV A ? INIA	
	IN THAND CONTROL OF CLEAR MANNI	GOVER E BID CONDITI THER L LITICA INIA. ES, TER TICAL S RLY INI L NOT F	HIS RECORD OF THE SUBJECT OF THE SUB	FUSA THE GOVER DIVIS E VEN ND CO ISION SUCH	ES: UNI L TO EXTE BID TO O NMENT BOI IONS OF IDOR DOES INDITIONS IS OF THE REFUSAL THE AWARD	END THE COUNTY, DIES, TH THE STAT NOT WIS OF THE STATE, IN HIS OF THIS	PRICES, SCHOOL, E BID S E OF WE H TO EX BID TO THE VEN BID. S CONTRA	MUNICI HALL EX ST TEND TH ALL DOR MUS	PAL (TEN) IE ST ST SUSA ANY	<b>L</b>
MATHE	<i>y</i> ~~	1 -/ )				TELEPHONE			DATE	***
VATURE	111	Dong	n.					ADDDERE C	HANG	S TO BE NOTED ABOVE



Department or Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

**GUOIAUON** 

708EC001

5

ADDRESS:CORRESPONDENCE TOTAL ELENTION OF WAR

JOHN JOHNSTON 304-558-2402

DOCEMA

RFQ COPY
TYPE NAME/ADDRESS HERE

Middletown Tractor Sales 2032 Fairmont Avenue Fairmont, WV 26554 DIVISION OF HIGHWAYS
EQUIPMENT DIVISION
ROUTE 33
BRUSHY FORK ROAD
BUCKHANNON, WV
26201
304-

DATE PRIN	ED T	ERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
07/23/		•			
PENING DATE:	09/05	/2007	BID	DPENING TIME 01	:30PM
LINE	QUANTITY	UOP CAT	TEM NUMBER	UNITPRICE	AMOUNT
	CERTIFICATI PREFERENCE 5A-3-37 (DO A. APPLICA A. APPLICA REASON CHEC ( ) BIDDED (4) YEARS II ( X ) BIDDED ( Y	VENDOR PR ON AND APPL IN ACCORDAN IN AFOR ACCORDAN IN AFOR FOUR IN ACCORDAN IN	EFERENCE CERTIFIC ICATION* IS HEREI CE WITH WEST VIR Y TO CONSTRUCTION E FOR 2.5% PREFE IVIDUAL RESIDENT LY IN WEST VIRGIN PRECEDING THE DA  NERSHIP, ASSOCIAT ND HAS MAINTAINED PLACE OF BUSINESS (4) YEARS IMMED FICATION; OR 80% HELD BY ANOTHER IN ON OR CORPORATION HEADQUARTERS OR LY IN WEST VIRGIN EDING THE DATE OF ORATION NONRESIDE O	CATE BY MADE FOR GINIA CODE, W CONTRACTS). RENCE FOR THE  VENDOR AND WIA FOR FOUR FE OF THIS  FION OR CORPORA- DITS HEAD- S CONTINUOUSLY IN MATELY PRECEDING OF THE OWNERSHIP MINIOUSLY IN	
	B. APPLICA REASON CHEC		E FOR 2.5% PREFE	TENCE FUR THE	
a mine	7.7	SEERE	VERSE SIDE FOR TERMS AND CON TELEPHONE		
ATURE	Bares	·	TELEPHUNE	DATE	
	7	FEIN		ADDRESS CHANGES	TO BE NOTED ABOVE



State of west virginia Department of Administration
Purchasing Division
2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

708EC001

\*\*\* Indiagracial proposition of the contraction of JOHN JOHNSTON

304-558-2402

#002mc

RFQ COPY TYPE NAME/ADDRESS HERE

Middletown Tractor Sales 2032 Fairmont Avenue Fairmont, WV 26554

DIVISION OF HIGHWAYS EQUIPMENT DIVISION ROUTE 33 **BRUSHY FORK ROAD** BUCKHANNON, WV 26201

DATE PRINTED TERMS OF SALE SHIP VIA	FOB.	FREIGHTTERM	5
07/23/2007	man openion Tr	ME 01.ZADM	
ENING DATE: 09/05/2007			
DATECULAR DEPOSITION OF THE SECRETARY MAY OR DURING THE LIFE OF THE CONTRACT,  75% OF THE EMPLOYEES WORKING ON TARE RESIDENTS OF WEST VIRGINIA WHO THE STATE CONTINUOUSLY FOR THE TWO PRECEDING SUBMISSION OF THIS BID;  OR  ( ) BIDDER IS A NONRESIDENT VENDOR WITH AN AFFILITY WHICH MAINTAINS ITS HEADQUARTERS OF BUSINESS WITHIN WEST VIRGINIA OF ONE HUNDRED STATE RESIDENTS WHO HAVE RESIDED IN THE STATE CONTRACT,  75% OF THE EMPLOYEES OR BIDDERS' SUBSIDIARY'S EMPLOYEES ARE RESIDENTS WHO HAVE RESIDED IN THE STATE CONTRACT,  BIDDER UNDERSTANDS IF THE SECRETARY MAY OR THE SECRETA	BID OPENING TI  WHO CERTIFIES ON AVERAGE AT L HE PROJECT BEIN O HAVE RESIDED O YEARS IMMEDIA  DOR EMPLOYING A ATE OR SUBSIDIA OR PRINCIPAL PROPERTIES THATE ON AVERAGE AT L ON AVERAGE AT L INTS OF WEST VI ITINUOUSLY FOR L SSION OF THIS ARY OF TAX & RE US PREFERENCE H EQUIREMENTS FOR L ONTRACT OR PUR	ME 01:30PM  CE AMQUNT  THAT, EAST IG BID IN ATELY  A  ARY LACE NIMUM AT, LEAST RGINIA THE TWO BID.  VENUE AS SUCH IR OF ECHASE	5
ORDER ISSUED; OR (B) ASSESS A PERIOD OR OF THE PROPERTY WILL BE PARTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PARTY OF T	ID TO THE CONTR	ACTING	
BY SUBMISSION OF THIS CERTIFICAT DISCLOSE ANY REASONABLY REQUESTE PURCHASING DIVISION AND AUTHORIZ TAX AND REVENUE TO DISCLOSE TO TOPURCHASING APPROPRIATE INFORMATION	ES THE DEPARTMENT OF ON VERIFYING THE	ENT OF	
SEE REVERSE SIDE FOR TE		DATE	
SATURE ( LOCAL AND A LAND	ELEPHONE		
FEIN	ADDI	RESS CHANGES TO BE NOTED A	BOVE



TOOSE

RFQ COPY

TYPE NAME/ADDRESS HERE

**Middletown Tractor Sales** 

2032 Fairmont Avenue

Department of Administration **Purchasing Division** 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

BE	Had	88	U	8	ı

708EC001

STATE OF THE PROPERTY OF THE PARTY OF THE PA	1 . Tak

NOTZNHOL NHOL 304-558-2402

DIVISION OF HIGHWAYS EQUIPHENT DIVISION ROUTE 33 **BRUSHY FORK ROAD BUCKHANNON, WV** 26201

304-472-1750

ADDRESS CHANGES TO BE NOTED ABOVE

Fairmont, WV 26554 FREIGHT TERMS TERMS OF SALE SHIP VIA DATE PRINTED 07/23/2007 BID OPENING TIME 01:30PM PENING DATE: 09/05/2007 UNIT PRICE AMOUNT QUANTITY UOP ITEM NUMBER LINE BIDDER HAS PAID THE REQUIRED BUSINESS TAXES, PROVIDED THAT SUCH INFORMATION DOES NOT CONTAIN THE AMOUNTS OF TAXES PAID NOR ANY OTHER INFORMATION DEEMED BY THE TAX COMMISSIONER TO BE CONFIDENTIAL. UNDER PENALTLY OF LAW FOR FALSE SWEARING (WEST VIRGINIA CODE 61-5-3), BIDDER HEREBY CERTIFIES THAT THIS CERTIFICATE IS TRUE AND ACCURATE IN ALL RESPECTS; AND THAT IF A CONTRACT IS ISSUED TO BIDDER AND IF ANYTHING CONTAINED WITHIN THIS CERTIFICATE CHANGES DURING THE TERM OF THE CONTRACT, BIDDER WILL NOTIFY THE PURCHASING DIVISION IN WRITING IMMEDIATELY. MIDDLETPUN TRACTIR SALES DATE: SIGNED TITLÉ \* CHECK ANY COMBINATION OF PREFERENCE CONSIDERATION(S) IN EITHER "A" OR "B", OR BOTH "A" AND "B" WHICH YOU ARE ENTITLED TO RECEIVE. YOU MAY REQUEST UP TO THE MAXIMUM 5% PREFERENCE FOR BOTH "A" AND "B". (REV. 12/00) NOTICE A SIGNED BID NUST BE SUBMITTED TO: DEPARTMENT OF ADMINISTRATION SEE REVERSE SIDE FOR TERMS AND CONDITIONS TELEPHONE



State of West Virginia Department of Administration Quotation **Purchasing Division** 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

708EC001

additesergeisesedndengertorarientionida

иотгинос инос 304-558-2402

	T
¥	

RFQ COPY YPE NAME/ADDRESS HERE

**Middletown Tractor Sales** 2032 Fairmont Avenue Fairmont, WV 26554

DIVISION OF HIGHWAYS EQUIPMENT DIVISION ROUTE 33 BRUSHY FORK ROAD BUCKHANNON, WV 26201

DATEPRINT	ED TERMS	OFSALE	SHIP VIA	FOB.	FREIGHT TERMS
07/23/	2007		RID	PENING TIME	01:30PM
ENING DATE:	**************************************	UU/ CAT	ITEM NUMBER	UNITPRICE	AMGUNT
LINE	QUANTITY	UOP CAT. NO			
	PURCHASI BUILDING	NG DIVISION			
	2019 WAS	HINGTON STREET	T, EAST		
	CHARLEST	ON, WV 25305-	-0130		
					1
			- TUPODMATIO	N ON THE FACE	OF
	THE BID SHOUL	D CONTAIN THIS	Y NOT BE CON	SIDERED:	
	THE ENVELOPE	OK THE DEPTH			
	SEALED BID			•	
				·	
	BUYER:	33			
	BOILK.			-	·
	RFQ. NO.:	708EC001			
	DID OPENING	DATE AND TIME			
	BID OLFWING				
					·
	PLEASE PROVI	DE A FAX NUMBE	ER IN CASE IT	IS NECESSAR'	Y
	TO CONTACT Y	OU REGARDING Y	Andk BID:		
		304-366-46	<u> 18</u>		
	CONTACT PERS	ON (PLEASE PR	INT CLEARLY)	8	
		2015 A. 1	Buyers		
					·
			·		
	·		SIDE FOR TERMS AND C	ONDITIONS	
		SEE HEVERS	TELEPHONE		DATE
NATURE	MANA	FEIN :		ADDRESS	CHANGES TO BE NOTED ABOVE



Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

MUNICION 708ECUUL

**y** 

Waddieselegineerdnoewekiozakienionkoe

JOHN JOHNSTON 304-558-2402

RFQ COPY Type Name/Address Hede

Middletown Tractor Sales 2032 Fairmont Avenue Fairmont, WV 26554 DIVISION OF HIGHWAYS
EQUIPMENT DIVISION
ROUTE 33
BRUSHY FORK ROAD
BUCKHANNON, WV
26201 304-4

DATEPRIN	*****	TER	MS OF SAL	E		SHIP VI	<b>A</b>		FOB.	FREIGHT TERMS
07/23/ ENING DATE:		09/05/	2007				BID	OPE	NING TIME O	1:30PM
LINE		vitty	UOP	CAT NO		ITEMNUM			UNIT PRICE	AMOUNT
	****	THIS	IS T	HE EN	D OF	RFQ	708EC	001	***** TOTAL	See attached
				·	·					
		-								
		·								
					·					
		•		,					·	
TURE	——————————————————————————————————————	- 2		SEERE	VERSE'S		EHMS AND CO TELEPHONE	NOTTE	DNS DATE	
) VNE	M	1101	EIN	A						ES TO BE NOTED ABOVE
•	//								Applicas al Missi	

#### WEST VIRGINIA DEPARTMENT OF TRANSPORTATION **DIVISION OF HIGHWAYS EQUIPMENT DIVISION**

#### BIDDER'S EVALUATION REPORT

#### PROCUREMENT SPECIFICATIONS FOR OPEN END CONTRACT NO. 131-1-F

#### OPEN END CONTRACT 2 WHEEL DRIVE UTILITY TRACTOR WITH UNIVERSAL MID MOUNTED ARTICULATED BOOM MOWER/ GRASS ROTARY MOWER/SIDE FLAIL MOWER

NOTE TO BIDDER: Procurement Specification No. 131-1-F, Paragraph 2.0 recommends the completion and submittal of this Report with your bid. Purpose of this Report is to enable the West Virginia Division of Highways Evaluation Committee to make full and fair evaluation of the bid. Addendums in order, along with exception sheets, should be with Bidder's Evaluation Report. FAILURE TO SUBMIT THIS REPORT, COMPLETE IN ITS ENTIRETY, MAY SUBJECT THE BIDDER

Reference Requisition No.: 708EC001 Bidder's Name: MIDDLETOWN TRACTOR SALES\_\_\_\_\_ Address: 2032 FAIRMONT AVE., FAIRMONT, WV 26554 Telephone Number: 304-366-4690 Years Bidder has been registered to do business with the State of West Virginia: \_\_\_\_\_35\_\_\_YRS. Years Company has been an authorized dealer for proposed unit: Have you complied with all mandatory specifications noted in **bold** print? X YES NO X4.2 DELIVERY: X4.2.1 Delivery date of completed representative unit:\_WITHIN 120\_\_\_\_\_ Calendar Days After Date of **Purchase Agreement** X4.2.2 Delivery date of balance of completed units: WITHIN 180 Calendar Days After Date of

Purchase Agreement

X3.2

TO DISQUALIFICATION.

#### X5.0 AWARD CRITERIA;

### X5.1 Prices for <u>COMPLETE 2 WHEEL DRIVE UNIT</u> in quantities:

Prices for <u>COMPLETE 2 WHEEL DRIVE UNIT</u> in q	1-5		ENDUM per un
	11-20		per uni
	21 and over		per uni
OPTIONS: 2 WHEEL DRIVE			
Utility Tractor Only:	1-5		per unit
•	6-10	e/	per unit
	11-20	l'	per unit
	21 and over		per unit
Universal Mid Mounted Articulated Boom Mower Only:	1-5		per unit
	6-10	· · · · · · · · · · · · · · · · · · ·	per unit
	11-20		per unit
	21 and over		per unit
Grass Rotary Mower Only:	1-5	e.	per unit
3.300 2.000 J 2.10 1.02 C	6-10	11	per unit
	11-20	4	per unit
	21 and over	47	per unit
	1 5	<i>(</i> /	•
Side Flail Mower Only:	1-5		per unit
	6-10 11-20		per unit
			per unit
	21 and over	"	per unit

	SPECIFICATIONS - GENERAL  Manufacturer, model, series, and date of manufacture of proposed complete unit:	
	JOHN DEERE MODEL 6230 DATE OF MANUFACTURE 2008	
	Motrim Boom Choper Date of Manufacture 2008	
	Motrim Short Arm 60" Side Rotary Mower Date of Manufacture 2008	
	Motrim LMS-6F Side Flail Mower Date of Manufacture 2008	
	Is descriptive literature, fully describing proposed unit attached to your bid?X YES	NO
	If not, why?	
<b>X6.2</b>	Will the required number of service manuals, and complete parts list be delivered to the Equipment Division at Buckhannon upon completion of delivery of total units?	
	XYESP	4 <b>O</b>
	Will the required Equipment Preventive Maintenance Form (Section X6.2 of Bidders Evalu Report) be provided upon inspection of the pilot unit? XYESN	

#### EQUIPMENT PREVENTATIVE MAINTENANCE QUESTIONNAIRE

THIS FORM MUST BE COMPLETED IN ITS ENTIRETY BY SUCCESSFUL BIDDER OR MANUFACTURER'S TECHNICAL REPRESENTATIVE PRIOR TO DELIVERY OF PILOT MODEL TO THE WVDOH.

DESCRIPTION:				MA	KE:	
M	ODEL:		YEAR:	PUI	RCHASE AMOUNT	•
ENGINE:	MAKE:		MODEL:		FUEL TYPE: _	
	HORSEPOWER:		CYLINDER:	EN	GINE SERIAL:	
	COOLING SYST	EM CAPACITY: _				
BELTS:	DESCRIPTION:			PART NUM		
GVW:				***************************************		REAR:
	FRONT MAKE &					
TIKES.						
		SIZE:				
DIMENSIO	ONS OF UNIT:	LENGTH:		WIDTH:	**************************************	LENGTH:
VENDOR (	CONTACT PERSO	N:			PHONE:	
PARTS:						
BATTERY	MAKE:		MODEL:		CCA:	
TOP OR SI	DE POST:		DIMENSION	S: LENGTH	WIDTH	HEIGHT
SPARK PL	UGS OR FUEL INJ	ECTORS MAKE: _		PART #		
ATTERNIA	TOR MAKE:	PUMP MAKE:		DADT #	7-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	
STARTER	MAKE:			PART #-	······································	
TURBO CH	HARGER MAKE:			PART #:		
TRANS. M	AKE;	MODI	EL:	<del></del>	AUTO/MANUAI	L:
HYDRAUL	LIC PUMP MAKE:			MODEL:		L:
FILTERS	MAKE	PART NO.	LUBI	RICANT	MANUFACTU	RER TYPE
OIL			ENG	INE		
AIR INNEF	?			NSMISSION		
AIR OUTE.	K		POW	ER STEERING		
FUEL PRIN	MARYONDARY		HYD:	RAULIC		
FUEL SEC	ONDARY		DIFF	ERENTIALS		
COOLANT	1		BRAI			
HYDRAUL	JC			LANT		
OTHER			OTH	E.K		

A0.5	I KAINING.			
	Will training seminar be conducted on Preventive Maintenance, Operator	and Me	echanic Tra	ining
	X_	_YES	NO	
	Will you conduct training with each purchase order against this open			
		_X_	YES	NO
	Will training be conducted within 2 working days from the delivery of the purchase order?		nit on the i YES	
	If NO, explain time frame	W'r	<u></u>	***************************************
	Will an Operator's Manual be furnished directly to Letha Lamb, Tradelivery of the pilot?		Academy p YES	
X6.4	If you are the successful vendor, will you furnish all training aids, i.e. in conducting the training?  X YES NO	., videos	s, projecto	rs, required
X6.4.1	Will all manuals, booklets, etc. explaining preventive maintenanc service schedule be delivered with each unit?  If NO, explain	X		
X6.5	WARRANTY AND SERVICE POLICY			
	Will the warranty and service you provide comply with all areas as statedX YES		ion 6.5 of s	specifications
	Is warranty literature attached?X_	YES	NO	
	Is a minimum two (2) year bumper to bumper basic parts and laborX_		ty included	
	Describe:Manufacturers two (2) year warranty is provided. See attached co	py for o	details	
	Is there a three (3) year bumper to bumper basic parts and labor warranty	availab	leYE	ES_XXNO
	Describe: (Include cost and conditions)		·····	
	We are providing a 3 yr. WARRANTY ON T. Thru "FAIL-SAFE" Gold Protection - S	RACTO	R ONLY	·
	Thru "FAIL-SAFE" Gold Protection - S	ee A	TT ACho	ed

### **X6.5 WARRANTY AND SERVICE POLICY QUESTIONNAIRE**

THIS FORM MUST BE COMPLETED IN ITS ENTIRETY BY THE SUCCESSFUL BIDDER OR MANUFACTURERS TECHNICAL REPRESENTATIVE PRIOR TO DELIVERY OF PILOT MODEL TO THE WVDOH (If additional lines are needed, make copies of form.)

1. D	efine the terms of the sta	ndard warranty. If not offered, so state. (Attach copy)	
			www
		be performed at DOH facilities and warranty service to be performed at e facility. List name and location of manufacturer's representative.	
3. Li knov	_	entories that are within the State of West Virginia. Also, list availability lev	els, if
Colonia de			
	uring the term of warran er will sell the parts to o	ty, list the guarantee discount to manufacturer's published list price for parts wner.	that
A. B. C.	Terms: Net 30 Terms: Net 60 Terms: Net 90	Manufacturer's published list price less:% discount Manufacturer's published list price less:% discount Manufacturer's published list price less:% discount	
	uring the term of warran ways?	ty, will all manufacturers or engineering improvements be submitted to Divi YES NO	ision of
6. D	uring the term of warran	ty, list the guaranteed rates charged for repair to the unit.	
A.	Shop Rate	\$ per mechanic hour	
В.	Travel Time Charge (Specify if one-way)	\$ per mechanic hour; port to port	
C.	Mileage Charge (Specify if one-way	\$ per vehicle mile ; port to port	
D.	Field Mechanic Rate	\$ per mechanic hour	
E.	Specify period of tim	e that prices are in effect:	
F	Surcharge for miscell	aneous items:	

	Is all component specifications, product literature, component models proceed to the committee bid determination?	vided for _YES_	r Evaluation	n
X6.7	Will all parts, equipment, accessories, material, design and performant specified herein, but which are necessary to provide a complete unit, and conform in strength, quality of material, and quality of workman advertised and provided to the market in general by the unit industry	be furni ship to	shed with t those whic	the unit h are
X6.7.1	Are all parts and accessories adequate and regularly supplied as stand those which may be duplications of specifications herein, and except to to be furnished?	hese by	be include specificati _YES	on are not
X6.7.2	Are all standard safety features that are required by Federal and Sta		es of law in _YES	
X7.0	SPECIFICATIONS OF THE QUOTED UNIT – UTILITY TRACTOR			
	The bidder should complete the following schedule in order for the Divisi unit to the specifications. Should the bidder except a requirement, then su the basis that such feature is not offered by the manufacturer. The Division discretion as to whether the bidder's substitution meets the requirements of	ch exce on will h	ption may bave the sole	e only on
	Manufacturer: _ JOHN DEERE Model	l:	_6230	
X7.1	Tractor dry weight (without ballast):8582 lbs.			
X7.2	Wheelbase:94.5 inches			
X7.3	Is unit 2 wheel drive _X	_YES	NO	
X7.4	Is the hood tilt up with manufacturers approved prop systemX_	_YES	NO	
X7.5	Is unit equipped with manufacturers lockable side panels _X	_YES	NO	
X7.6	Can all daily services be done from ground levelX_	YES	NO	
X7.7	Engine:			
X7.7.1	Is engine manufacturers water cooled, diesel poweredX	YES	NO	
	Manufacturer:JOHN DEERE Model:4.5L POW	ER TEC	CH E	
X7.7.2	PTO Horsepower: 75			

X6.6 EVALUATION COMMITTEE REQUIREMENTS

X7.7.3	Manufacturers standard governor with engine key shut off, wire		-		
X7.8 E	ngine Lubrication System:	_X	_YES	NO	
X7.8.1	Full pressure lubrication with oil filter and oil by pass system _	_X	_YES	NO	
X7.8.2	Engine oil cooler	_X	_YES	NO	
X7.8.3	Is engine wet sleeved	_X	_YES	NO	)
X7.9 E	ngine Cooling System:				
X7.9.1	Pressurized cooling system with thermostat and by pass, supplied protected to a freeze point of -34 degrees F			ool Extend	
X7.9.2	Is cooling system equipped with a coolant recovery tank and sigh	nt glass	sX_	YES	NO
X7.10 A	ir Induction System:				
X7.10.1	Dry type dual element (2 stage) air cleaner with self dumping val	lve	X	_ YES	NO
X7.10.2	Dash mounted air filter restriction indicator with light that is open required			when servi	
X7.11 Ex	khaust System:				
X7.11.1	Is muffler under hood with manufacturers approved vertical exhaprotection	aust w	ith rain	and weatl	ner
X7.12 El	ectrical System:		X	_ YES	NO
X7.12.1	Is unit electrical system manufacturers noise suppression wiring,	12 vo	lts nega	itive groun	ıd
X		,	X_	YES	NO
X7.12.2	Is neutral start switch (for safety purposes) provided		X_	_YES	NO
X7.13 Cł	narging System:				
X7.13.1	Is charging system manufacturers heavy duty for model bid Manufacturer: _BOSCH Model:90 AMP_24519	•	_X	YES	_NO
X7.14 Er	gine Fuel System:				
X7.14.1	Is dual stage filtering provided		_x	_YES	NO
X7.14.2	Is unit provided with a fuel water separator	-	X_	_YES	NO
X7.14.3	If fuel tank is exposed, is manufacturers skid plate provided		_X	YES	NO
	Is it manufactured in a manner that shall give the fuel tank m	aximu	ım pro X		NO

X/.15 L	ignting System:					
X7.15.1	Two (2) high-low beam head light (halogen) with manufacturers heav	y duty co X				itch
X7.15.2	Four (4) roof mounted work lights: two (2) front and two (2) rear	X	YES	<del></del>	NO	
X X7.15.3	Fenders mounted rear tail lights and turn signals shock mounted	X	YES		NO	
X7.15.4	Four (4) roof mounted flashing warning lights; two (2) front and two	(2) rear _	_X	YES		NO
X7.15.5	Unit provided with console and dome lighting	X	YES		NO	
X7.15.6	Unit has seven (7) terminal out socket to provide lighting for towed ed	quipment	X_	YES		NO
X7.15.7	Low profile high intensity dual flash strobe light mounted in front brush	center o				
	Does it meet Target Tech Model Multi-Flash 5X, 12/48 VDC, 11 J than .10 UV of interference on a radio receiver with 12 db of quie			_		
	Manufacturer: _ TARGET TECH Model:Multi-Fla	sh 5X,12	/ <b>48 V</b> .	DC, 1	1 Joul	les
X7.15.8	OSHA approved back up alarm provided on unit	X	YES	•	NO	
X7.16 U	nit Instrumentation:					
X7.16.1	Tachometer	_X	YES		NO	
X7.16.2	Speedometer	_x	YES		NO	
X7.16.3	Hourmeter operable from engine operation not key switch	X	YES	<del></del>	NO	
X7.16.4	Coolant temperature indicator with audible buzzer or warning light	X	YES		NO	
X7.16.5	Oil pressure indicator with audible buzzer or warning light	_X	YES		NO	
X7.16.6	Hydraulic oil temperature indicator with audible buzzer or warning lig manufacturers recommended hydraulic oil temperature is exceeded	tht, to war	rn ope YES	erator	when NO	
X7.17 C	utch:					
X7.17.1	Wet type, manufacturers heaviest duty available	_X	YES		NO	
	Manufacturer and Model:John Deere PermaClutch 2_ (See Act	ldendum)	l			
X7.18 Tr	ansmission of the following design and arrangement:		. —			
X7.18.1	Power shift design mechanically controlled with left hand reverser See Addendum	Y	ES_	1	1O	

X7.18.2	16 forward speeds	_X	_YES _	NO				
X7.18.3	16 reverse speeds	_X	_YES _	NO				
X7.18.4	Speed ranges 1.5 – 20 MPI	H	X_	YES	NO			
X7.18.5	Transmission manual shift	lever i	s conso	le mounted	XYE	S1	NO	
X7.19 Di	fferential has the following	feature	es:					
X7.19.1	Differential manufacturers	heavy	duty	X	_ YES	NO		
X7.19.2	Manufacturers differential	lock e	ngageme	ent and diseng	agement capa	ability>	ζYES	NO
X7.19.3	On-the-go differential lock	engag	ement a	nd disengage	nent capabilit	y _X_	_ YES	NO
X7.20 Ax	de:							
X7.20.1	Front Axle:							
X7.20.1.1	Front axle manufacture	rs heav	vy duty	for use with b	oom mounted	mower_	_XYE	SNO
X7.20.1.2	Front axle20_ degre	e oscil	lation					
X7.20.2	Rear Axle:							
X7.20.2.1	Rear axle3.37_ inc	hes in	diamete	r				
X7.21 Pla	anetary Final Drives:							
X7.21.1	In board type	_X	_YES _	NO				
	actor Hydraulic System: Hydraulic system provides efficiency	suffici	ent pres	sure and flow	to operate all		unctions at YES	
	Pressure and flow:17.5	GPM	/2500 ps	si		everante anna anna		
X7.22.2	Tractor has control valves v	with th	ree (3) o	letent position	and flow		YES	
X7.22.3	Hydraulic hoses can be cou	pled a	nd unco	upled under p	ressure		DDENDUI _ YES	
X7.23 Bra X7.23.1	akes: Recommended manufacti	irers e	emergen	cy braking s	ystem provid	edX	_YES	NO
	Manufacturer and Model	: _JOI	HN DEI	ERE 6230	orani kanarati a santa da da kanarati a para pada banda da d			
X7.23.2	Hydraulic actuated service	brakes				X	_ YES	NO
X7.23.3	Wet type disc brakes					X	YES	NO

X7.23.4	Self adjusting and equalizing	X	_YES	NO
X7.24 W X7.24.1	heels and Tires:  Front Tires:10 x 16 10PLY F2		ŧ	
X7.24.2	Rear Tires:18.4 x 34 R1			
X7.25 Th	aree Point Hitch:			
X7.25.1	Hitch electro-hydraulically operated	X	_YES	_NO
X7.25.2	Hitch has external switch to control raising and lowering from rear purposes		ctor for saf _YES	
X7.25.3	Three point hitch is a category 2 type	X	_ YES	_NO
X7.25.4	Hitch lift capacity5028 lbs. at _24 inches behind lift point			
X7.26 Ca	ab and Related Accessories:			
X7.26.1	Cab has OSHA approved ROPS	X	YES	_ NO
X7.26.2	Cab is insulated and pressurized	X	YES	_NO
X7.26.3	Cab mounted by the manufacturer	X	YES	_NO
X7.26.4	Cab unit equipped with heater, defroster, and air conditioning installed	•	ufacturer YES	_NO
X7.26.5	Cab has safety glass, tinted at all locations	X	YES	_ NO
X7.26.6 NO	Cab has two (2) lockable entry doors keyed alike: one (1) left and one (	1) right	XYE	ES
X7.26.7	Seat is cloth covered type protected with scotchguard (or equal) and equal		with a seat YES	
X7.26.8	Seat has a height and weight adjustment and swivel left and right _15		es for easier YES	
X7.26.9	Seat equipped with adjustable arm rests	_X	YES	_NO
X7.26.10	Cab and tractor provided with a type of non-skid step (or steps) and har		s for safety	
X7.26.11	Unit equipped with a tilt/telescoping steering wheel	_X	YES	_NO
X7.26.12	Unit equipped with a first aid kit mounted inside of cab	_X	YES	_NO
X7.26.13	Tool box provided, weather resistant, lockable, and mounted for operate	or conv	enience	

26.14		X	_ YES	
	Cab unit has front and rear windshield wipers and washers	X	_ YES	NO
26.15	Left and right side rear view mirrors and in cab rear view mirror pro	vided	XYES	NC
	All features that are considered manufacturers standard equipm addressed are provided		are not sp YES	
	Unit will be delivered to WVDOH with all manufacturers recom and safety features intact		safety rela YES	
.27 PT	O:			
.27.1	PTO RPM:540			
.27.2	PTO can be engaged and disengaged on-the-go	X_	_ YES	NO
.28 Pai	int:			
.28.1	Tractor is painted manufacturers standard color	X	_ YES	NO
MC Wil	FOOT UNIVERSAL MID MOUNTED ARTICULATED HYDRAU  OWER:  Il the 20 Foot Universal Mid Mounted Articulated Hydraulic Powere  ume and Hitch Assembly allow the use of a 60 Inch Side Mounted Sh	d Boom N	Mower with	n Universa
MC Wil Fra a 74	OWER:  Il the 20 Foot Universal Mid Mounted Articulated Hydraulic Powere ame and Hitch Assembly allow the use of a 60 Inch Side Mounted Shallow the Use of a 60 Inch Side Mounted Shallow the Use of a 60 Inch Side Mounted Flail	d Boom Mort Arm F	Mower with Rotary Gras	n Universa ss Mower
MC Wil Fra a 74 Ma Is a boo	OWER: Il the 20 Foot Universal Mid Mounted Articulated Hydraulic Powere ume and Hitch Assembly allow the use of a 60 Inch Side Mounted Sh	d Boom Mort Arm FX nopper warrant	Mower with Rotary Gras YES  y included	n Universass MowerNO  I with theNO
MC Will Fra a 74 Ma Is a boo Des	OWER:  Il the 20 Foot Universal Mid Mounted Articulated Hydraulic Powere ame and Hitch Assembly allow the use of a 60 Inch Side Mounted Shauran and Hitch Assembly allow the use of a 60 Inch Side Mounted Shauran and Inch Side Mounted Flail  Inufacturer: _Motrim Model:Boom Chauman and Model:B	d Boom Mort Arm FX nopper warrant	Mower with Rotary Gras YES	n Universa ss Mower NO I with the _NO

12

attaching rails adequately secured to the front bolster and rear axle (specifically excluding

X8.1.1

,	frame work bolting to the bell housing of the tractor)	X_	YES _	NO
X8.1.2	Is frame modular construction from alloy steel	X_	YES _	NO
X8.1.3	Does frame mount provide for unrestricted movement of the bood obstructions to forward vision			ted NO
X8.1.4	Fore and aft boom swing spindle pin bottom of pin to ground dist	tance	28	inches
X8.1.5	Is unit counterweighted to maintain the most possible ground pressure mower during all reach out, up and down operations of boom with sp	ecified l	s on oppo nead _ YES	
X8.2 H	ydraulic Reservoir:			
X8.2.1	Manufacturer's properly sized hydraulic oil reservoir that is capable t including forward, aft, up, down, and rotary head.		e all mov YES	
X8.2.2	Tank has a built-in oil level sight glass and thermometer	X_	_YES	NO
X8.2.3	Hydraulic filter capable of providing suitable filtration for system	X_	YES _	NO
X8.2.4	Tank is equipped with a shut off valve for closing when changing draining of tank		r hoses a _ YES	
X8.2.5	Unit is equipped with front piston type pump(s) to operate <u>all</u> mo grass and flail) at maximum operation within manufacturer's tenuse of the tractor hydraulics	nperatu	ctions (b re range YES	excluding the
**************************************	·	SEE A	ADDENI	<del>UM</del>
X8.2.6	Hydraulic GPM:22 Is it manufacturers specified to opmaximum efficiency		M mowe	
X8.2.7	Front pump(s) are idle during transport	X	_YES _	NO
X8.2.8	All circuit hoses1_ inch4_ wire braid			
X8.2.9	All hoses routed through conduit and securely fastened for best b	_	otection _YES	NO
X8.2.10	Deck hoses four (4) wire braid fitted with cordura sleeving for brush	_	on _YES	NO
X8.2.11	Mower controls five (5) section valve controlled through a single elec-		YES	NO NO
X8.2.12	Valve allows4 functions simultaneously	SEE A	ADDENI	UM
X8.2.13	Swing, lift, and dipper section have individual relief valves to give br	eakaway		on NO

X8.2.14	Mower cutter has a 6 second emergency shut down	X	YES	NO
X8.2.15	Mower head motor takes 6 seconds to wind up to full RPM for a no-she		d-startup YES	NO
X8.2.16	Cylinders mounted in such a way that breakaway forces are transmitted and not the rod side		barrel side o	
X8.3 Bo	om Rest:			
X8.3.1	A boom rest is mounted to mower frame to cradle boom during tra		t YES	NO
X8.3.2	Boom rest takes pressure off all cylinders when in transport	_X_	YES	NO
X8.3.3	When in stow, tractor and mower inches with inch rotary	and_	foot hig	gh 1
X8.4 Sa: X8.4.1	Safety cage is installed on right side and top of operator's position	and a		rd or rail
X8.4.2	Cage is constructed of expanded metal and permanently mounted to tra	ictor_	XYES_	NO
X8.4.3	A 1/2 inch lexon safety glass window is part of the safety cage	_X_	YES	_NO
	This window covers the door window and hinged mounted so that it an cleaned		ractor windo	
	Are there any bungee straps  Meets OSHA safety standards  YES X NO  YES NO	SEE A	ADDENDUM	Л
X8.5 Bo	om:			
X8.5.1	Is boom two (2) piece design with all pivot points having replaceab		_	
X8.5.2	Pivot pins1 1/2 inch diameter	_X_	_YES	_NO
X8.5.3	Inner boom made of inch x inch inch steel tubir	ıg		
	Minimum lb/sq. inch yield strength <u>SEE ADDEND</u>	<u>UM</u>		
X8.5.4	Dipper boom made of inch x inch x inch steel to	ibing		
	Minimum lb/sq. inch yield strength SEE ADDENDU	J <b>M</b> _		
X8.5.5	All hinge points are T-1 steel reinforcement X	YES	NO	

X8.5.7	Boom reach up:18'6"
X8.5.8	Boom reach out:21' from tractor centerline to outside edge or cutting blade arc
X8.5.9	Boom reach down:13'6" below tractor ground level
× X8.5.10	Boom mower head capable of mowing within inches of rear tractor tire allowing tractor to stay further out of traffic lane SEE ADDENDUM YES NO
X8.6 B	rush Head:
X8.6.1	Cutting width:50 inches
X8.6.2	Top deck made ofA606STEEL
X8.6.3	Side skirts3/8 inch steel
X8.6.4	Top deck reinforced with channel frame with a reinforced spindle mount plateX_ YES NO
X8.6.5	Deck has replaceable full length skid shoesXYESNO
X8.6.6	Spindle bearing are tapered roller type in a sealed housingXYESNO
<b>X8.6.7</b>	Blade are4_ inches wide x _5/8 inches thick double edge tempered steel and full swing 360 degreeX YES NO
X8.6.8 and	Blade bolts _1 1/8 inch x _3 heat treated, grade8 shoulder bolt with a castel nut roll pinX YES NO
X8.6.9	Mower is direct drive, splined and totally enclosed excluding chain or flex couplersX YES NO
X8.6.10	Motor is cast steel and sized to match the hydraulic pump proposed by mower manufacturerXYESNO
X8.6.11	Front safety shield, hydraulic actuated, center feed metal door is operational from joystick control
X8.6.12	XYESNO Cutter deck rotation160 degrees
X8.6.13	Rear shield rubber/fabric materialXYESNO
X8.7 C	omplete unit will be delivered with all manufacturers' safety features intact _X YES NO
X8.8 M	ower is manufacturer's standard colorXYESNO
	nit is interchangeable with short boom rotary grass mower and 74 inch side mounted flail ower

Boom swing from stow position \_\_140 \_\_ degrees forward

X8.5.6

X9.0	SIDE MOUNTE MOWER):	ED HYDRAULICALLY SEE ADDEND		OTARY MOWE	R (GRASS	ROTARY
	Manufacturer: _	MOTRIM	Mode	l: _5-B		
	grass rotary n Describe:	nower?	bumper basic parts and	_X	_YES	
	· · · ·	•	c parts and labor warrant	-		-
X9.1	Mower Lift Ass	embly:				
X9.1.1	Mower capa	ble of mowing from	degrees up tod	egrees down SE	E ADDEN	DUM,
X9.1.2	2 Mower capa	ble of raising _17_ inche	s vertically6 inche	es below grade		
X9.2	Deck:					
X9.2.1	Cutting widt	h: _60"				
	Deck materi	al: 1/4 inch				
X9.2.2	2.2 Reinforc	ing frame:4_ inch x	9 inch channel			
X9.2.2	2.3 Side skir	t:3/8 inch thick				
X9.2.2	2.4 Skid sho	es: Full length, replaceab	leX_ YES	NO		
X9.2.2	2.5 Trash de	flector: Chain, full length	standard front and rear	_X YES _	NO	
X9.3	Spindle:					
X9.3.1	Alloy steel, t	apered roller bearings, b	ottom in oil bathX_	YES N	Ю	
X9.3.2	Spindle hous	sing cast steel unibody	XYES	NO		

X9.4 Motor to Spindle Drive:
X9.4.1 Splined coupler, direct drive enclosed (specifically excluding chain or dodge couplers)
X9.5 Blade Bar and Blades:
X9.5.1 Single leaf _1 1/4 inch x6 inch x27 inch
X9.5.2 Blades: Full swing 360 degreesX YES NO
Size1/2 inch x _4_ inch x 20 1/8 inch heat treated up draft, alloy steel _X_YES NO
X9.5.3 Blade bolts: Forged with nut and lock washer, heat treated shouldered YES NO SEE ADDENDUM
X9.6 Optional Equipment:
X9.6.1 Tail wheel assembly YES NO SEE ADDENDUM
X9.6.2 Tires are laminatedYESNO SEE ADDENDUM_
X9.6.3 Unit is interchangeable with 20 foot boom brush mower and 74 inch side mounted flail mower and XXYESNO
X9.6.4 Do you have a wet blade system for extended and short booms YES X NO
If so, cost:
X9.7 Paint:
X9.7.1 Manufacturer's recommended paint preparation and standard colorX YES NO
X9.8 Does unit meet or exceed OSHA requirementsX_YESNO
X9.9 Advertising: Does unit comply with advertising requirementsX YES NO
X9.10 Preventive Maintenance and Operating Orientation/Training:
X9.10.1 Describe orientation seminar and will you furnish all training aids
COMPLETE OPERATION & MAINTENANCE TRAINING TO BE PERFORMED_
AS DESCRIBED IN SECTION 6.3

### X10.0 74 INCH SIDE FLAIL MOWER:

	Manufacturer:MOTRIM Model:LM	S-74 FL	AlL	<del></del>
	Is a minimum two (2) year bumper to bumper basic parts and labor waside flail mower?  Describe:  SEE ADDENDUM	_X	YES	NO
	SEE ADDENION			made a
	Is a three (3) year bumper to bumper basic parts and labor warranty availab  Describe (include costs and conditions):			
X10.1	Does mower have electronic positive wing transport lock, activated from		e cab YES	NO
X10.2	Does shoulder mower have electric on/off control with starter interrupt operator		easy reach YES	
X10.3	Does mower cutter bar have a 6 second emergency shut down	_X	YES	NO
X10.4	Does mower head take 6 seconds to wind up to full RPM, no shock	_X	YES	NO
X10.5	Width of swath _74 inches			
X10.6	Is cutting height adjustable from 1/2 inch to 6 inches	_X	YES	NO
X10.7	Cutter shaft _5 inch O.D. x4 inch I.D. certified D.O.M. steel tube	X	YES	NO
X10.8	Are cutter shaft bearings high speed double roller bearing, self aligning type self purging seal		eable with l	
X10.9	Severe duty 4 oz. flail knives X_YESNO			
X10.10	Is drive direct drive YES NO SEE ADDEN	DUM		
X10.11	Is cutter housing constructed entirely of T-1 steel YESX N	0		
X10.12	Rear roller6 inches diameter,1/4 inch wall with greaseable _1 1/4_		bronze bush YES	
X10.13	Is hydraulic motor commercial series with double tapered roller bearings for shaft	-	or support t	

X10.14 Is electronic joystick adjustable, analog proportional 2 axis control	X	_ YES	NO
NOTE: THE JOYSTICK CONTROLS INDICATED IN 8.2.11 AND 8.2.12 WI	LL BE U	JSED.	
X10.15 Are all hinge pins heat treated X YES NO Steel: Y	<u>ES</u>		
X10.16 Tilt cylinder mounted to a parallel linkage to allow continuous head angl	_		_
lift and 200 degrees at head tilt SEE ADDENDUM		YES	NO
W10 180 B 3	I	· • · · · · · · · · · · · · · · · · · ·	1 3
X10.17Cylinders are heavy duty type with welded barrel and be externally tretainer rings		_YES	
retainer rings		_ IES	140
X10.18 Cylinders are internally cushioned on both ends of travel and have T	eflon pi	ston seals	
		_YES _	
X10.19 Tilt cylinder3 inches I.D. x _3/16 inch wall with1 in	ch rod		
X10.20 Lift cylinder3 inches I.D. x3/16 inch wall with1 in	ch rod		
X10.21 Unit is interchangeable with short boom rotary grass mower and boo	am henc	h mariar	
A10.21 Out is interchangeable with short boom rotary grass mower and boo		YES	
			110
X10.22 Paint:			
X10.22.1 Manufacturer's recommended paint preparation and standard color	X	_ YES	NO
THE ACT IN THE STATE OF THE STA	***		
X10.23 Does unit meet or exceed OSHA requirementsX YES	NO		
X10.24 Does unit comply with advertising requirements X YES	NO		
A10.24 Does unit comply with advertising requirements _A 125	140		
X10.25 Preventive Maintenance and Operators Orientation/Training:			
•			
X10.25.1 Describe orientation seminar and will you furnish all training aid	S		
			_
COMPLETE OPERATION & MAINTENANCE TRAININ	IG TO E	E PERF	URMED_
AS DESCRIBED IN SECTION 6.3			
TAS DESCRIBED IN SECTION 0.5			



State of West Virginia Department of Administration Quotation **Purchasing Division** 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

708EC001

1

JOHN JOHNSTON 304-558-2402

vaddresskolikeskondengerkaarenkkonkol

304-366-4690 \*709043751 MIDDLETOWN TRACTOR SALES 2032 FAIRMONT AVE

FAIRMONT WV 26554 DIVISION OF HIGHWAYS EQUIPMENT DIVISION ROUTE 33 BRUSHY FORK ROAD BUCKHANNON, WV 304-472-1750 26201

FREIGHTTERMS FOB SHIP VIA TERMS OF SALE DATE PRINTED 08/24/2007 01:30PM OPENING TIME 09/26/2007 OPENING DATE: AMOUNT UNIT PRICE ITEM NUMBER UOP YTITIANUO LINE ADDENDUM NO. 1 BID OPENING DATE AND TIME CHANGED 09/d5/07 AT 1:30 P.M. FROM: 09/26/07 AT 1:30 P.M. TO: HURCHASING CARD ACCEPTANCE. DELETE: PAGE 4 WILL BE ISSUED AT A LATER DATE WITH ADDENDUM #2 CHANGES TO THE SPECIFICATIONS. NO OTHER CHANGES. 020-66 EA 0001 2 WHEEL DRIVE UTILITY TRACTOR, WITH MOWERS 708EC001 \*\*\*\*\* TOTAL THIS IS THE END OF RFQ of Addendum No. 35 SEE REVERSE SIDE FOR TERMS AND CONDITIONS SIGNATURE ADDRESS CHANGES TO BE NOTED ABOVE

DUDCHASING	CONTINUATION	SHEET
PURCHASING	COMMINGONIO	<b>211666</b>

JJ-33

5

708EC001

Requisition No.: 708ECO01

### ADDENDUM ACKNOWLEDGEMENT

I hereby acknowledge receipt of the following checked addendum(s) and have made the necessary revisions to my proposal, plans and/or specifications, etc.

Addendum No.'s:

No. 1

No. 2

No. 3

No. 4

No. 5

I understand that failure to confirm the receipt of the addendum(s) may be cause for rejection of bids.

Signature

Signapure

Company

Date



SIGNE OF AABSE ANGIUIS Department of Administration **Purchasing Division** 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

HENNINBEH Quotation

708EC001-

1

ADDRESSICORIESRONDENGEROVARIENNIONION JOHN JOHNSTON

\*709043751 304-366-4690 MIDDLETOWN TRACTOR SALES 2032 FAIRMONT AVE

FAIRMONT WV 26554

DIVISION OF HIGHWAYS EQUIPMENT DIVISION ROUTE 33 BRUSHY FORK ROAD BUCKHANNON, WV 26201

304-558-2402

DATE PRINT 08/31		TER	MS OF SAI	ŭE.	SHIP VIA		FOB.	FREIGHTTERMS
3ID OPENING DATE:		09/26,	<del>/2007</del>		<u> </u>	$_{\mathtt{BTD}}$	OPENING TIME	01:30PM
LINE	QUANTI	ту	UOP	CAT. NO	ITEM NUMBER	I	UNIT PRICE	
				NU			UNIT FRICE	AMOUNT
				ADDEN	DUM NO. 2			
·	CHANGE	S TO	THE S	PECIF	ICATIONS PER	THE	ATTACHED.	
	BID OP	ENING	DATE	AND	TIME REMAINS	09/2	26/07 @1:30 P.M.	
	NO OTH	ER CHZ	ANGES	•				
0001		. ]	EA		020-66			
	2 WHEEI	DRIV	E UI	ILITY	TRACTOR, WITH	H MC	WERS	
				·				
	*****	THIS	IS	THE E	ND OF RFQ 70	08EC	:001 ***** TOTAI	
					3	see	Pages 10.1.	2
INATURE (		<u> </u>	9	SEEREV	ERSE SIDE FOR TERMS AND			
>40	vo []		ne	G	TELEPHONE 30 /	36	6-4690 DATES	7-14-2007
LE Presi	edit		35	-059	17175		ADDRESS CHANGES	TO BE NOTED ABOVE
WHE	N RESPON	DING TO	RFQ,	INSERT	NAME AND ADDRE	SS IN	SPACE ABOVE LABELE	D 'VENDOR'

#### ADDENDUM NO. 2 708EC001

#### OPEN END CONTRACT

## 2 WHEEL DRIVE UTILITY TRACTOR WITH UNIVERSAL MID MOUNTED ARTICULATED BOOM MOWER/GRASS ROTARY MOWER/SIDE FLAIL MOWER

CHANGES TO BIDDER'S EVALUATION REPORT:
X4.2 DELIVERY
FROM: X4.2.1 Delivery date of completed representative unit: Calendar days after date of purchase agreement
TO:  X4.2.1 Delivery of completed representative unit:     Within     Calendar days after receipt of Order
FROM: X4.2.2 Delivery date of balance of completed units: calendar days after date of purchase agreement
TO: X4.2.2 Delivery date of balance of completed units: Ville calendar days after receipt of order

5.0 AWARD CRITERIA: FROM:

See Addendum #5.

X5.1	Prices for COMPLETE 2 WHEEL DR	<u>IVE UNIT</u> in quantities: 1-5	per unit
		6-10	per unit
		11-20	per unit
		21 and over	per unit
	OPTIONS:		
	2 WHEEL DRIVE		
	Utility Tractor Only:	1-5	per unit
		6-10	per unit
		11-20	per unit
		21 and over	per unit
	Universal Mid Mounted Articulated Boor	n Mower Only:	<del></del>
		1-5	per unit
	•	6-10	per unit
		11-20	per unit
		21 and over	per unit
	Grass Rotary Mower Only:		
	,	1-5	per unit
		6-10	per unit
		11-20	per unit
	•	21 and over	per unit
	Side Flail Mower Only:	-	
	,	1-5	per unit
		6-10	per unit
	•	11-20	per unit
		21 and over	per unit

warranty in quantities:	mower) including mandatory n	ulated boom m ninimum 2 ye:	
wantanty in quantities:	1-5	per unit	
•	6-10	per unit	
	11-20	per unit	
	21 and over	per unit	
OPTIONS:			
2 WHEEL DRIVE			
Utility Tractor Only:	1-5	per unit	
		per unit	
	11-20	per unit	
	21 and over	per unit	
Plus 3 year bumper to bumper basic			
items and misuse:	\$	per unit	
The state of the s	D 3.6 0 1	to have seen one case case case case clar clar clare clare (age clare clare clare clare clare clare clare clare	
Universal Mid Mounted Articulated	_ <u>_</u> _ <u>_</u>	••	
		per unit	
	6-10 11-20	per unit	
	21 and over	per unit	

1-5	per unit
6-10	_ per unit
11-20	per unit
21 and over	_ per unit
	_
\$	_ per unit
na ang ana lant ant inga tipa ang mai mai man ang atao ang man tipa ing ang mai sing inga tipa ban ban ang ang	mat the totl now more and one total the time was one can can one gap mo
1-5	per unit
6-10	per unit
11-20	per unit
21 and over	per unit
	_
warranty excluding	monman) vvvonu
\$	
\$	_ per unit
\$asic parts and labo	_ per unit r warranty
\$	_ per unit r warranty
\$asic parts and labo	_ per unit r warranty
\$asic parts and labo	per unit  r warranty NO  r warranty
	6-10 11-20 21 and over  warranty excluding  1-5 6-10 11-20 21 and over

X6.5

FRO	aragraph M:
Is a t Desc	three (3) year bumper to bumper parts and labor warranty availableYESNO cribe: (Include cost and conditions):
TO: Is a t	three (3) year bumper to bumper basic parts and labor warranty excluding normal terms and misuse available?
Desc 	oribe: ONLY ON THE TRACTOR Thru "FAIL-SAFE" with
FROM:	
X7.17.1	Wet type, manufacturers heaviest duty availableYESNO Manufacturer and Model:
TO: X7.17.1	Is clutch system equal to a John Deere Permaclutch 2 X YESNC
227.27.2	Manufacturer and Model: John Deere Perma eluteh 2
FROM:	Power shift design mechanically controlled with left hand reverser YES NO
X7.18.1	Power shift design mechanically conducted with lost make to the same and the same a
TO: X7.18.1	Power shift design equal to John Deere Powerquad Plus 16/16NC
	Manufacturer and Model: John Deerz Courqued Plus 16/16
FROM: X7.22.2	Tractor has control valves with three (3) detent position and flowYESNC
TO: X7.22.2	Tractor has control valve(s) with three (3) detent position and flow  X YES NO

..

FROM:									
Is a minimu	ım two (2)	) year bumper t	to bumper ba	sic parts and la	bor warra	anty			
		om mower?			YES				
TO:									
Is a minim	Is a minimum two (2) year bumper to bumper basic parts and labor warranty excluding normal wear items and misuse included with the boom mower?								
excluding n	ormal we	ar items and m	isuse included	With the book	ES	NO			
Th. 47	Eng	ATTACHEM	I madil	CANTURERS	WATTA	コルフ			
Describe: _	See	MINDENER	////jo- a/	15010111	V- 11177	/			
	o w woo o	AL MID MOUN	TED ADTICI	II ATED HVDI	PATITICE	OW			
20 FOOT U		AT WID MOON	IED ARTICU	LAIEDIIIDI	CAULICI	O W			
3 <sup>nd</sup> Paragraj									
FROM:									
Is a three (3	) year bum	nper to bumper l	basic parts and	labor warranty	available?	nte			
D 11 /1	-11	s and conditions	<b>.</b>		YES				
Describe(in	ciude cost	s and conditions	))						
TO:				111	ovaludina	nor			
TO.									
TO:	3) year bun and misus	nper to bumper le available on the	basic parts and ne boom mowo	r?	YES _X	NC			

. \_

TO:	
X8.2.5 Is u	nit equipped with front piston type pump(s) to run mower heads
Doe	es it have stacked gear pump to operate fore, aft, up and down
Do ma	these pumps operate <u>all</u> mower functions (boom, rotary grass, and flail) at kimum operation within manufacturer's temperature range excluding the use of
	tractor hydraulics
FROM: X8.2.11	Mower controls five (5) section valve controlled through a single electronic joystickYES NO
TO: X8.2.11	Are mower controls five (5) section valve controlled through a single electronic joystickNO
FROM: X833Wh	en in stow, tractor and mowerinches with inch rotary and foot high

(8.4.3 A 1/2 inch lexan safety glass window is part of the safety cage YES_NO This window covers the door window and hinge mounted so that it and the tractor window can be cleaned Are there any bungee straps Meets OSHA safety standards  (7.5)  (8.4.3 A 3/8 inch lexan safety glass window is part of the safety cage YES_NO This window covers the door window and hinge mounted so that it and the tractor window can be cleaned  Are there any bungee straps Meets OSHA safety standards  (7.6)  (8.4.3 A 3/8 inch lexan safety glass window is part of the safety cage YES_NO This window covers the door window and hinge mounted so that it and the tractor window can be cleaned  Are there any bungee straps  Meets OSHA safety standards  (7.6)  (8.4.3 A 3/8 inch lexan safety glass window is part of the safety cage YES_NO  This window covers the door window and hinge mounted so that it and the tractor window can be cleaned  (8.4.4 A 3/8 inch lexan safety glass window is part of the safety cage YES_NO  NO  This window covers the door window and hinge mounted so that it and the tractor window can be cleaned  (8.4.4 A 3/8 inch steel to the safety cage YES_NO  NO  TO:  X8.5.5 Inner boom made ofinch xinchinch steel tubing minimum 50,000 lb./sq.inch yield strength  YES_NO  See Aber C.  X8.5.4 Dipper boom made ofinch xinch xinch steel tubing minimum 50,000 lb. sq. in yield strength  X8.5.5 Dipper boom is made of 5 inch x 5 inch x 3/8 inch steel tubing minimum 50,000 lb. sq. in yield strength  OR  X8.5.5 Dipper boom is made of 5 inch x 5 inch x 3/8 inch steel tubing minimum 50,000 lb. sq. in yield strength  X8.5.6 Dipper boom is made of 5 inch x 5 inch x 3/8 inch steel tubing minimum 50,000 lb. sq. in yield strength	This window covers the door window and hinge mounted so the window can be cleaned  Are there any bungee straps  Meets OSHA safety standards  3 A 3/8 inch lexan safety glass window is part of the safety can  This window covers the door window and hinge mounted so the window can be cleaned  Are there any bungee straps	at it and the tractor  YES_NO YES_NO YES_NO YES_NO  YES_NO  THE NO  At it and the tractor YES_NO  AT IT AND  YES_NO  YES_NO
window can be cleaned Are there any bunges straps Meets OSHA safety standards  TO:  (88.4.3 A 3/8 inch lexan safety glass window is part of the safety cage	window can be cleaned Are there any bungee straps Meets OSHA safety standards  3 A 3/8 inch lexan safety glass window is part of the safety can This window covers the door window and hinge mounted so the window can be cleaned  Are there any bungee straps  ———————————————————————————————————	YES_NO YES_NO YES_NO YES_NO  THE STATE OF TH
Are there any bungee straps Meets OSHA safety standards  TO:  X8.4.3 A 3/8 inch lexan safety glass window is part of the safety cage X YES NO  This window covers the door window and hinge mounted so that it and the tractor window can be cleaned	Are there any bungee straps Meets OSHA safety standards  3 A 3/8 inch lexan safety glass window is part of the safety can This window covers the door window and hinge mounted so the window can be cleaned  Are there any bungee straps  ———————————————————————————————————	YES_NO YES_NO YES_NO  ge_X_YES_NO at it and the tractor X_YES_NO YES_X_NO
Meets OSHA safety standards  TO:  \[ X8.4.3 A 3/8 inch lexan safety glass window is part of the safety cage \textstyres	Meets OSHA safety standards  3 A 3/8 inch lexan safety glass window is part of the safety cap  This window covers the door window and hinge mounted so the window can be cleaned  Are there any bungee straps	YES_NO  ge_X_YESNO  at it and the tractor X_YESNO YES_X_NO
TO:  (K8.4.3 A 3/8 inch lexan safety glass window is part of the safety cage	.3 A 3/8 inch lexan safety glass window is part of the safety cap  This window covers the door window and hinge mounted so the window can be cleaned  Are there any bungee straps	ge_X_YESNO at it and the tractor X_YESNOYES_X_NO
This window covers the door window and hinge mounted so that it and the tractor window can be cleaned  Are there any bungee straps  Meets OSHA safety standards  YESNO  Meets OSHA safety standards  YESNO  Minimum lb./sq. inch yield strength  TO:  X8.5.3 Inner boom is 6 inch x 6 inch x 3/8 inch steel tubing minimum 50,000 lb./sq.inch yield strength  OR 6 inch x 6 inch x 1/4 inch minimum 70,000 lb. sq. Inch yield strength  X8.5.4 Dipper boom made of inch x inch x inch steel tubing minimum lb. sq. inch yield strength  TO:  X8.5.4 Dipper boom made of inch x inch x inch steel tubing minimum 50,000 lb. sq. Inch yield strength  X8.5.4 Dipper boom is made of 5 inch x 5 inch x 3/8 inch steel tubing minimum 50,000 lb. sq. in yield strength  TO:	This window covers the door window and hinge mounted so the window can be cleaned  Are there any bungee straps	at it and the tractor X_YESNOYES_X_NO
This window covers the door window and hinge mounted so that it and the tractor window can be cleaned  Are there any bungee straps  Meets OSHA safety standards  YESNO  Meets OSHA safety standards  YESNO  Minimum lb./sq. inch yield strength  TO:  X8.5.3 Inner boom is 6 inch x 6 inch x 3/8 inch steel tubing minimum 50,000 lb./sq.inch yield strength  OR 6 inch x 6 inch x 1/4 inch minimum 70,000 lb. sq. Inch yield strength  X8.5.4 Dipper boom made of inch x inch x inch steel tubing minimum lb. sq. inch yield strength  TO:  X8.5.4 Dipper boom made of inch x inch x inch steel tubing minimum 50,000 lb. sq. Inch yield strength  X8.5.4 Dipper boom is made of 5 inch x 5 inch x 3/8 inch steel tubing minimum 50,000 lb. sq. in yield strength  TO:	This window covers the door window and hinge mounted so the window can be cleaned  Are there any bungee straps	at it and the tractor X_YESNOYES_X_NO
window can be cleaned  Are there any bungee straps  Meets OSHA safety standards  YESNO  Meets OSHA safety standards  X YESNO  Meets OSHA safety standards  X YESNO  Meets OSHA safety standards  X YESNO  X8.5.3 Inner boom made of inch x inch steel tubing minimum 50,000 lb./sq.inch yield strength  TO:  X8.5.3 Inner boom is 6 inch x 6 inch x 3/8 inch steel tubing minimum 50,000 lb./sq.inch yield strength  OR 6 inch x 6 inch x 1/4 inch minimum 70,000 lb. sq. Inch yield strength  YESNO  See Abrec.  FROM:  X8.5.4 Dipper boom made of inch x inch x inch steel tubing Minimum lb. sq. inch yield strength  TO:  X8.5.4 Dipper boom is made of 5 inch x 5 inch x 3/8 inch steel tubing minimum 50,000 lb. sq. in yield strength  OR	Are there any bungee straps	X_YESNO YES _X_NO
window can be cleaned  Are there any bungee straps  Meets OSHA safety standards  YESNO  Meets OSHA safety standards  X YESNO  Meets OSHA safety standards  X YESNO  Meets OSHA safety standards  X YESNO  X8.5.3 Inner boom made of inch x inch steel tubing minimum 50,000 lb./sq.inch yield strength  TO:  X8.5.3 Inner boom is 6 inch x 6 inch x 3/8 inch steel tubing minimum 50,000 lb./sq.inch yield strength  OR 6 inch x 6 inch x 1/4 inch minimum 70,000 lb. sq. Inch yield strength  YESNO  See Abrec.  FROM:  X8.5.4 Dipper boom made of inch x inch x inch steel tubing Minimum lb. sq. inch yield strength  TO:  X8.5.4 Dipper boom is made of 5 inch x 5 inch x 3/8 inch steel tubing minimum 50,000 lb. sq. in yield strength  OR	Are there any bungee straps	X_YESNO YES _X_NO
Meets OSHA safety standards  X8.5.3 Inner boom made ofinch x inch inch steel tubing Minimum lb./sq. inch yield strength  TO:  X8.5.3 Inner boom is 6 inch x 6 inch x 3/8 inch steel tubing minimum 50,000 lb./sq.inch yield strength  OR 6 inch x 6 inch x 1/4 inch minimum 70,000 lb. sq. Inch yield strength  YES NO  See Abrvc.  FROM:  X8.5.4 Dipper boom made of inch x inch x inch steel tubing Minimum lb. sq. inch yield strength  TO:  X8.5.4 Dipper boom is made of 5 inch x 5 inch x 3/8 inch steel tubing minimum 50,000 lb. sq. in yield strength  OR	All o salet o salet sale	
FROM:  X8.5.3 Inner boom made ofinch x inch inch steel tubing  Minimum lb./sq. inch yield strength  TO:  X8.5.3 Inner boom is 6 inch x 6 inch x 3/8 inch steel tubing minimum 50,000 lb./sq.inch  yield strength  OR  6 inch x 6 inch x 1/4 inch minimum 70,000 lb. sq. Inch yield strength  YESX NO  See Abric.  FROM:  X8.5.4 Dipper boom made of inch x inch x inch steel tubing  Minimum lb. sq. inch yield strength  TO:  X8.5.4 Dipper boom is made of 5 inch x 5 inch x 3/8 inch steel tubing minimum 50,000 lb.  sq. in yield strength  OR	Meets OSHA safety standards	X YESNO
X8.5.3 Inner boom made ofinch x inch inch steel tubing  Minimum lb./sq. inch yield strength  TO:  X8.5.3 Inner boom is 6 inch x 6 inch x 3/8 inch steel tubing minimum 50,000 lb./sq.inch  yield strength		
OR 6 inch x 6 inch x 1/4 inch minimum 70,000 lb. sq. Inch yield strength YES X NO See Abroc.  FROM: X8.5.4 Dipper boom made of inch x inch x inch steel tubing Minimum lb. sq. inch yield strength  TO: X8.5.4 Dipper boom is made of 5 inch x 5 inch x 3/8 inch steel tubing minimum 50,000 lb. sq. in yield strength OR		um 50,000 lb./sq.inch X VES NO
FROM:  X8.5.4 Dipper boom made of inch yield strength  Minimum lb. sq. inch yield strength  TO:  X8.5.4 Dipper boom is made of 5 inch x 5 inch x 3/8 inch steel tubing minimum 50,000 lb. sq. in yield strength  OR	Area acrement	
X8.5.4 Dipper boom made of inch x inch x inch steel tubing  Minimum lb. sq. inch yield strength  TO:  X8.5.4 Dipper boom is made of 5 inch x 5 inch x 3/8 inch steel tubing minimum 50,000 lb.  sq. in yield strength  OR	6 inch v 6 inch v 1/4 inch minimum 70,000 lb. sq. Inch yield	l strength YES <u>X</u> NO See Abrvc,
Minimum lb. sq. inch yield strength  TO:  X8.5.4 Dipper boom is made of 5 inch x 5 inch x 3/8 inch steel tubing minimum 50,000 lb.  sq. in yield strength  OR	DM:	
X8.5.4 Dipper boom is made of 5 inch x 5 inch x 3/8 inch steel tubing minimum 50,000 lb.  sq. in yield strength  OR	5.4 Dipper boom made of inch x inch x inch steel a Minimum lb. sq. inch yield strength	tubing
sq. in yield strength  OR		• • • • • • • • • • • • • • • • • • •
sq. in yield strength  OR	5.4 Dipper boom is made of 5 inch $x$ 5 inch $x$ 3/8 inch steel tub	ing minimum 50,000 lb.
OR		X YESNO
TO BOOK THE CONTRACT OF THE PARTY OF THE PAR	OR	
5 inch x 5 inch x 1/4 inch minimum /u,uvu ib/sq. in. yieiu strengtii	5 inch x 5 inch x $1/4$ inch minimum 70,000 lb/sq. in. yield s	trengthYESX_NO

FRON	A:
X8.5.	10 Boom mower head capable of mowing within inches of rear tractor tire allowing tractor to stay further out of traffic laneYESNO
TO: X8.5.	10 Boom mower head is capable of mowing within 6-10 inches of rear tractor tire allowing tractor to stay further out of traffic lane X YESNO
9.0	SIDE MOUNTED HYDRAULICALLY POWERED 60 INCH ROTARY MOWER (GRASS ROTARY MOWER): 2 <sup>nd</sup> Paragraph
	FROM: Is a minimum two (2) year bumper to bumper basic parts and labor warranty included with the grass rotary mower?  Describe:
	TO:  Is a minimum two (2) year bumper to bumper basic parts and labor warranty excluding normal wear items and misuse included with the grass rotary mower?
	Describe: See ATTAChed MANUFACTURES WASTANTY  STATE MENT.
	3rd Paragraph FROM: Is a three (3) year bumper to bumper basic parts and labor warranty available?YESNO Describe(include costs and conditions):
	TO: Is a three (3) year bumper to bumper basic parts and labor warranty excluding normal wear items and misuse available on the grass rotary mower?YESXNO
	Describe:

## X9.1.1 - NO CHANGE

	Mower capable of mowing from $90$ degrees up to $4$	g degrees down
FROM X9.5.3	: Blade bolts: Forged with nut and lock washer, heat treate	d shouldered YES NO
TO: X9.5.3	Blade bolts are forged with nut and lock washer, heat trea will allow cotter pin to lock bolt and nut together	ated shouldered or has nut thatX_YESNO
X9.6	NO CHANGE REQUIRED	
FROM X9.6.1		
TO: X9.6.1	Unit has tail wheel assembly	_X_YESNO
FROM X9.6.2		
TO: X9.6.2	Unit has laminated tires	X_YESNO

10.0	74 INCH SIDE FLAIL MOWER: 1 <sup>st</sup> Paragraph
	FROM: Is a minimum two (2) year bumper to bumper basic parts and labor warranty included with the side flail mower?  Describe:
	TO: Is a minimum two (2) year bumper to bumper basic parts and labor warranty excluding normal wear items and misuse included with the side flail mower?
	Describe: <u>See ATTAChed MANUFACTURES WAIRANTY</u> STATEMENT.
3rd P	aragraph
	FROM: Is a three (3) year bumper to bumper basic parts and labor warranty available? YESNO
	Describe(include costs and conditions):
	TO: Is a three (3) year bumper to bumper basic parts and labor warranty excluding normal wear items and misuse available on the side flail mower? YES NO
	Describe:

DELETE: X10.10	Is drive direct driveYESNO
FROM: X10.16	Tilt cylinder mounted to a parallel linkage to allow continuous head angle throughout the full range of lift and 200 degrees at head tiltYESNO
TO: X10.16	Tilt cylinder mounted to a parallel linkage to allow continuous head angle throughout the full range of lift YES NO

, -

į.



State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

# Request for

708EC001

1

TOHN TOHNSTON 304-558-2402

DIVISION OF HIGHWAYS Middletown Tractor Sales EQUIPMENT DIVISION 2032 Fairmont Avenue ROUTE 33 Fairmont, WV 26554 BRUSHY RORK ROAD BUCKHANNON, WV 304-472-1750 26201

DATE PRINTED TEL 09/07/2007			HMS OF BALE SHIP VIA			VIA	FOR	FREIGHTTERNS
		<del>-09/26</del>	<del>/2007</del>	•		-BID	OPENING TIME	M408:10
LINE	QUAN	шт	UOP	CAT NO	THMNU	MBER	UNITPRICE	AMGUNT
				ADDEN	DUM NO. 3	}		
	ADDIT	ION TO	THE	SPECI	FICATIONS	3.		
	REPLA PAGE		E 11	OF AL	DENDUM NO	). 2 WI	TH THE ATTACHED	
	BID O	PENING	DATE	AND	TIME REMA	AINS THE	SAME.	
	NO OT	HER CE	anges	•				
0001		1	EA	·	020-66			
	2 WHE	EL DRI	VE UI	ILITY	TRACTOR,	WITH M	owers	
	· *****	* THI	s Is	THE E	ND OF RFQ	9 708É	C001 ***** TOTA	:
				·				Jendum #5
	٠						USE MA	
		1				· .		•
HGNATURE		/ <sub>/</sub> /		SEE REV	ERSE SIDE PORT	ERMS AND COA TELEPHONE	DATE	10/11/07
TILE A	nes L		TOYEL	<u> </u>			ANDRESS CHANCES	TO BE NOTED ABOVE
WHE	N RESPO	NDING T	O RFO.	INSER'	NAME AND	ADDRESS I	N SPACE ABOVE LABELI	



State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

**Middletown Tractor Sales** 

2032 Fairmont Avenue

Fairmont, WV 26554

# Request for Quotation

708EC001

J	0	Н	N		J	0	Н	N	s	T	0	N
z	n	6	_	5	E	a	_	9	a	n	2	

DIVISION OF HIGHWAYS EQUIPMENT DIVISION ROUTE 33

BRUSHY FORK ROAD BUCKHANNON, WV

26201

304-472-1750

and delegerous second en comparisement de comparisement d

DATE PRIN	TÉD	TEJ	MSOFSAI		SHIP	VIA		FOB		FREIGHTTERMS	
09/20/ BID OPENING DATE		00/2//	2007	<del></del>	<u> </u>	0.77		ENTRE TIME		. 2004	
LINE	ā 1909.0000000000000000000000000000000000	09/26/ any	UOP	ÇAT NO	ITEM NU		UP	ENING TIME UNIT PRICE	30.000000000000000000000000000000000000	: 30PM AMOUNT	
			AD	DENDU	M NO. 4						
	BID OP	ENING	DATE	AND T	IME CHANG	SED					
	FROM:	09/26	/2007	AT 1	:30 P.M.						
	TO:	POSTP	ONE U	NTIL	FURTHER N	OTICE					
					ISSUED A	AT A LAT	ER	DATE WITH	1		
	ио отн	ER CHA	NGES.		•						
0001	2 WHEE	1	EA E uti		020-66 Tractor,	WITH MO	WE	RS			
	*****	тніѕ	IS T	HE EN	D OF RFQ	708EC	00	1 *****	OTAL:		
							-				-
SIGNATURE	3101 -		200	SEEREV	ERSE SIDE FOR T	ERMS:AND:CON	OIT	ONS	DATE		
TITLE	mes c		NYO							1/18/07	
_/_/_										TO BE NOTED ABOVE	
WH	EN RESPO	onding t	O RFQ,	INSERT	NAME AND	ADDRESS I	NS	PACE ABOVE	LABELEI	D'VENDOR'	



**#200**E

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130 Charleston, WV 25305-0130

# Request for REGNUMBER

þ

708EC001

ADDRESS CORRESCONDENGERO (CARRENT CONTOC

JOHN JOHNSTON 304-558-2402

26201

\*709043751 304-366-4690 MIDDLETOWN TRACTOR SALES 2032 FAIRMONT AVE FAIRMONT WV 26554

DIVISION OF HIGHWAYS EQUIPMENT DIVISION ROUTE 33 BRUSHY FORK ROAD BUCKHANNON, WV

304-472-1750

DATE PRIN		ŢĻ	IMS OF SAL	E	SH	P.VIA	FOB		FREIGHT TERMS	<b></b>
10/05/		<b>///(</b> 10/24/	7 30 2007		OUR	TNUC	Destination OPENING TIME	- d-	Are Paid	
ID OPENING DATE	: 18000000000000000000000000000000000000			************	1	مذیاد فیا	OLDMTMG ITH	OT:	30PM	
LINE	QUAN	TITY	UOP	CAT. NO.	ITEM	IUMBER	UNIT PRICE		AMOUNT	
		*	<b>Z</b> A	DDENI	UM NO.	5				
	CHANGE	S TO T	HE BI	DDER'	S EVALUZ	ATION REF	ORT ATTACHEI	o.		
÷										
	BID OP	ENING	DATE	I DNA	IME CHAI	NGED				
	FROM:	POSTE	ONE U	NTIL	FURTHER	NOTICE				
	TO:	10/24	/07 A	T 1:3	0 P.M.					
	NO OTHI	ER CHA	NGES							
001	·		EA		020-66					
	2 WHEEI	1 DRIV	ריויו א			WITH MO	WEDG			
	Said F V As de dead should should sh				iluic i Oic,	WIII MO	WEIKE			
	*****	THIS	IS T	HE EN	D OF RFQ		001 ***** T			-
							See Followi	ng 86	ges	
	San	ver d	1.	yer	>					
INATURE \	1-1-7 <sub>1</sub>		- J	-SEE REV	ERSE SIDE FOR	TERMS AND CON		100		
W. The state of th		130	100			304-	366-4691	DATE	-18-07	
- / <i>f</i> /	2002	<b>₩</b>	"55 <i>1</i> /	147	175		ADDRESS C	HANGES TO	BE NOTED ABOVE	7

## GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

- 1. Awards will be made in the best interest of the State of West Virginia.
- 2. The State may accept or reject in part, or in whole, any bid.
- 3. All quotations are governed by the West Virginia Code and the Legislative Rules of the Purchasing Division.
- Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125.00 registration fee.
- 5. All services performed or goods delivered under State Purchase Orders/Contracts are to be continued for the term of the Purchase Order/Contract, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods, this Purchase Order/Contract becomes void and of no effect after June 30.
- 6. Payment may only be made after the delivery and acceptance of goods or services.
- 7. Interest may be paid for late payment in accordance with the West Virginia Code.
- 8. Vendor preference will be granted upon written request in accordance with the West Virginia Code.
- 9. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
- 10. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- 11. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern all rights and duties under the Contract, including without limitation the validity of this Purchase Order/Contract.
- 12. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
- 13. BANKRUPTCY: In the event the vendor/contractor files for bankruptcy protection, this Contract may be deemed null and void, and terminated without further order.
- 14. HIPAA Business Associate Addendum The West Viginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, and available online at the Purchasing Division's web site (http://www.state.wv.us/admin/purchase/vrc/hipaa.htm) is hereby made part of the agreement. Provided that, the Agency meets the definition of a Covered Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.

### **INSTRUCTIONS TO BIDDERS**

- 1. Use the quotation forms provided by the Purchasing Division.
- 2. SPECIFICATIONS: Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as EQUAL to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
- 3. Complete all sections of the quotation form.
- 4. Unit prices shall prevail in cases of discrepancy.
- 5. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
- 6. BID SUBMISSION: All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications.

### SIGNED BID TO:

Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

### ADDENDUM #5

## 708EC001

## OPEN END CONTRACT

Al	RTICULATED BOOM MOWER/GRASS ROTARY		
CHAI	NGES TO BIDDER'S EVALUATION REPORT:		
FRON	<i>A</i> .		
	AWARD CRITERIA:		
	Prices for COMPLETE 2 WHEEL DRIVE UN	IT (trackton outlow)	4-4 h
A.J.I	grass rotary mower and side flail mower) include	<u>ii</u> (iracior, articula	ieu boom mower,
	warranty in quantities.	amg manuatory min	umum 2 year .
	warrancy in quantities.	/1-5	
	\	/ 6 10	per unit per unit
	\ /		
	\ /	21 and over	per unit
	Plus 3 year bumper to bumper basic parts and labo	r warranty evoluding	her ann
	items and misuse:	\$	
		. NO 100 NO 100 NO 100 NOTE THE COLUMN TWO DESCRIPTIONS OF THE COLUMN TWO THE COL	that man set the thousand has many said that that (docume the said said said said said said said said
	OPTIONS:		
	2 WHEEL DRIVE		
	Utility Tractor Only:	1-5	
		6-10	
		11-20	per unit
		21 and over	per unit
	Plus 3 year bumper to bumper basic parts and labor		
	items and misuse:	\$	_ per unit
÷	Universal Mid Mounted Articulated Boom Mower	Only:	***************************************
	/	\ . <u>*</u>	per unit
			_ per unit
	/		_ per unit
	/	21 and over	
	Plus 3 year bumper to bumper basic parts and labor	warranty excluding	normal wear
	items and misuse: /	\$	
	MM		_ F
	Grass Rotary Mower Only:	1-5	per unit
	/	6-10	per unit
		11-20	per unit
	/	21 and over	per unit
	/	when the second	
	Plus 3 year bumper to bumper basic parts and labor	warranty excluding	normal wear
	items and misuse:	\$	per unit
	<i>1</i>		

	Side Flail Mower Only:		
		1-5	per unit
		6-10	per unit
		11-20	per unit
		21 and over	
	Plus 3 year bumper to bumper basic parts as items and misuse:	nd labor warranty exclud	ing normal wear per unit
TO: 5.0 <b>X5.1</b>	AWARD CRITERIA: Prices for <u>COMPLETE 2 WHEEL DRIV</u> grass rotary mower and side flail mower) warranty in quantities:	1-5 $\frac{88,500}{6.10}$	ulated boom mower, minimum 2 year per unit per unit per unit per unit per unit
	Plus 3 year bumper to bumper basic parts a items and misuse:	21 and over 70, 95 and labor warranty exclud	6.per unit ing normal wear per unit
	OPTIONS:		
	2 WHEEL DRIVE	#	00
	Utility Tractor Only:	1-5 31, 795, 6-10 33, 549. 11-20 33 549. 21 and over 33, 54	per unit per unit
	Plus 3 year bumper to bumper basic parts at items and misuse:	nd labor warranty exclud \$ \frac{\psi}{5} 995	ing normal wear per unit

Universal Mid Mounted Articulated Boom Mower Only: 1-5 # 34,410. per unit WITH hydraulics and controls 20,546. per unit LESS hydraulics and controls 6-10 5,910. per unit WITH hydraulics and controls

21,560. per unit LESS hydraulics and controls 11-20 # 35,910. per unit WITH hydraulics and controls 21,560. per unit LESS hydraulics and controls 21 and over 35,910. per unit WITH hydraulics and controls 21,560, per unit LESS hydraulics and controls per unit Plus 3 year bumper to bumper basic parts and labor warranty excluding normal wear items and misuse: Grass Rotary Mower Only: # 33, 3/0. per unit WITH hydraulics and controls
17, 550. Per unit LESS hydraulics and controls 6-10 # 34, 410. per unit WITH hydraulics and controls

17,550. per unit LESS hydraulics and controls 11-20 34 410 per unit WITH hydraulics and controls 17,550. per unit LESS hydraulics and controls 21 and over 34,410. per unit WITH hydraulics and controls 17,550. per unit LESS hydraulics and controls Plus 3 year bumper to bumper basic parts and labor warranty excluding normal wear items and misuse:

Side Flail Mower Only:

1-5 30,810. Per unit WITH hydraulics and controls
17,460. Per unit LESS hydraulics and controls
6-10 31,910. Per unit WITH hydraulics and controls
17,520. Per unit LESS hydraulics and controls
11-20 31,910. Per unit WITH hydraulics and controls
11-20 17,520. Per unit WITH hydraulics and controls
21 and over 31,910. Per unit WITH hydraulics and controls
17,520. Per unit LESS hydraulics and controls

708EC001

### STATE OF WEST VIRGINIA **Purchasing Division**

## **PURCHASING AFFIDAVIT**

West Virginia Code §5A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owned is an amount greater than one thousand dollars in the aggregate

### **DEFINITIONS:**

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

**EXCEPTION:** The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

LICENSING: Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission. or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.

**CONFIDENTIALITY:** The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendors should visit www.state.wv.us/ admin/purchase/privacy for the Notice of Agency Confidentiality Policies.

Under penalty of law for false swearing (West Virginia Code, §61-5-3), it is hereby certified that the vendor acknowledges the information in this said affidavit and are in compliance with the requirements as stated.

Vendor's Name: Middletour TRACTOR	SAJES	
Authorized Signature: Janes W. Brytas	Date: /0/19/07	
Purchasing Affidavit (Revised 04/x5/07)		

## WARRANTY FOR NEW JOHN DEERE AGRICULTURAL PRODUCTS AND LIMITED WARRANTY FOR NEW JOHN DEERE COMMERCIAL & CONSUMER EQUIPMENT (U.S. ONLY)

- A. GENERAL PROVISIONS The warranties described below are provided by Deere & Company ("John Deere") to the original purchasers of new Agricultural and Commercial & Consumer Equipment from John Deere or authorized John Deere dealers. These warranties apply only to equipment intended for sale in the U.S. Under these warranties, John Deere will repair or replace, at its option, any covered part which is found to be defective in material or workmanship during the applicable warranty term. Warranty service must be performed by a dealer or service center located in the U.S. or Canada, and authorized by John Deere to sell and/or service the type of product involved, which will use only new or remanufactured parts or components furnished by John Deere. Warranty service will be performed without charge to the purchaser for parts or labor. The purchaser will be responsible, however, for any service call and/or transportation of product to and from the dealer's or service center's place of business, for any premium charged for overtime labor requested by the purchaser, and for any service and/or maintenance not directly related to any defect covered under the warranties below. Non-John Deere engines in self-propelled Forage Harvesters are warranted separately by their respective manufacturer. John Deere's Obligation shall not apply to Yanmar fuel injection pumps and nozzles during the original manufacturer's warranty period. When the pump manufacturer's warranty is less that the engine warranty, John Deere will provide warranty during the remainder of the original engline warranty period.
- B. WHAT IS WARRANTED All parts of any new John Deere product, except non-John Deere engines in self-propelled Forage Harvesters, tires, radios, and batteries (which are warranted under separate documents provided with each product), are warranted for the number of months or operating hours specified below.

(i) AGRICULTURAL PRODUCTS	WARRANTY TERM
TRACTORS	24 Months - or 2,000 Hours, Whichever Comes First*
SCRAPERS	6 Months
OTHER PRODUCTS. Including Ag Management Solutions (AMS) Products	12 Months
Engines in Self-Propelled Equipment other than Tractors	24 Months - or 2,000 Hours, Whichever Comes First

\* Warranty Term for all tractors used in Earthmoving applications (other than those specific models and configurations approved by John Deere as having a two year warranty in scraper service) is 90 days. Engine Items Covered months 13 through 24 - Engine block, cylinder head, rocker arm cover, timing gear cover, crankcase pan and all parts enclosed within these units. Also included are the fuel injection pump, turbocharger, water pump, torsion damper, manifolds, and engine oil cooler. All other engine related items are not covered in months 13 through 24.

Sweeps, Shovels, Plow Shares and Disk Blades – A replacement part will be furnished without charge if the following John Deere items break during the applicable warranty term, subject to these conditions: SWEEPS & SHOVELS - When breakage occurs on items which do not show appreciable wear. PLOW SHARES - When breakage occurs before the plow share reaches the following wear limits (labor not included - wear to be measured perpendicularly across the middle of the front bolt hole): INCH DIMENSION SHARES: ½ inch of wear (3 ½ inches remaining): METRIC DIMENSION SHARES: 15mm of wear (100 mm remaining). DISK BLADES - When warrantable breaks occur as shown in the operator's manual on blades that have worn less that 10 percent of the original diameter (center breakage excluded).

	(II) LAWN & GARDEN EQUIPMENT	WARRANTY TERM	
	1) All Lawn & Garden Equipment and Attachments and Compact Series	24 Months in Private Residential - Personal Use	
	Gators (except for equipment listed in 2 below)	12 Months in Any Other Application	
	2) 100, L100, LA100 and G100 Series Tractors, Residential EZtrak Mowers	24 Months in Private Residential - Personal Use	
	and Attachments and Walk-Behind Mowers under 36"	90 Days in Any Other Application	
	COMMERCIAL EQUIPMENT	WARRANTY TERM	
	3) Wide Area Mowers, Front Mower Traction Units (with diesel or 20 HP and		
	above engines), Commercial Z-TRAK Mowers, Commercial Walk Behind	24 Months	
	Mowers (36" or larger), and 7-IRON Mower Decks		
	4) Utility Tractors, Compact Utility Tractors	24 Months or 2000 Hours, Whichever Comes First	
	a) Powertrain on Compact Utility Tractors (components as per D below)	36 Months or 2000 Hours, Whichever Comes First	
•	5) Gator Utility Vehicles (except Compact Series), Tractor Loader Backhoes	12 Months or 1000 Hours, Whichever Comes First	
	(TLB), Other mower decks, implements, and attachments for Equipment listed in 3,4,5	12 Workins of 1000 Hours, whichever Comes First	
	UTILITY ALL TERRAIN VEHICLES	WARRANTY TERM	
	6) Utility All Terrain Vehicles (UATV) and attachments	6 Months	

- (III) Each warranty term begins on the date of product delivery to the purchaser (except for certain agricultural tillage, planting, cultivating, and harvesting product which may have a delayed warranty start date, but only if established by John Deere and noted by the dealer, on the purchase order).
- WHEN APPLICABLE, A SEPARATE EMISSIONS WARRANTY STATEMENT WILL BE PROVIDED BY YOUR JOHN DEERE DEALER.
- C. WHAT IS NOT WARRANTED JOHN DEERE IS NOT RESPONSIBLE FOR THE FOLLOWING: (1) Used Products; (2) Frontier Equipment™ products. Warranty is the responsibility of the original manufacturer. The customer should contact a Frontier Equipment™ dealer for details; (3) Any product that has been altered or modified in ways not approved by John Deere: including, but not limited to, setting injection pump fuel delivery above John Deere specifications and modifying combine grain tanks; (4) Depreciation or damage caused by normal wear, lack of reasonable and proper maintenance, failure to follow the product's Operator Manual recommendations; (5) Normal maintenance parts and service including, but not limited to, oil, filters, coolants, and conditioners, cutting parts, belts, brake and clutch linings; (6) UATV if used for racing or any other competitive activity.
- D. INCLUDED IN COMPACT UTILITY TRACTOR POWERTRAIN WARRANTY Engine: cylinder block, cylinder head, valve covers, oil pan, timing gear covers, flywheel housing, and all parts contained therein (does not include fuel, electrical, cooling, intake or exhaust components). Powertrain: hydrostatic transmission, transmission case, differential and axle housings, clutch housings, MFWD front axle assembly, and all parts contained therein (does not include external drivelines, dry clutch parts, or steering cylinders).
- E. SÉCURING WARRANTY SÉRVICE To secure warranty service, purchaser must (1) report the product defect to an authorized dealer and request repair within the applicable warranty term, (2) present evidence of the warranty start date, and (3) make the product available to the dealer or service center within a reasonable period of time.
- F. NO IMPLIED WARRANTY OR OTHER REMEDY-AGRICULTRUAL PRODUCTS Where permitted by law, neither John Deere or any company affiliated with it makes any warranties, representations, or promises, express or implied as to the quality or performance, or freedom from defect of its agricultural products other than those set forth above, and NO IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS IS MADE. IN NO EVENT WILL THE DEALER, JOHN DEERE OR ANY COMPANY AFFILIATED WITH JOHN DEERE BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES. The only remedies the purchaser has in connection with the breach of performance of any warranty on John Deere agricultural products are those set forth above.

  G. LIMITATION OF IMPLIED WARRANTIES OR OTHER REMEDIES-COMMERCIAL & CONSUMER EQUIPMENT To the extent permitted by law, neither John
- G. LIMITATION OF IMPLIED WARRANTIES OR OTHER REMEDIES-COMMERCIAL & CONSUMER EQUIPMENT To the extent permitted by law, neither John Deere nor any company affiliated with it makes any warranties, representations, or promises express or implied as to the quality, performance or freedom from defect of the Commercial & Consumer Equipment covered by this warranty. IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PUPOSE, TO THE EXTENT APPLICABLE, SHALL BE LIMITED IN DURATION TO THE APPLICABLE PERIOD OF WARRANTY SET FORTH ON THIS PAGE. THE PURCHASER'S ONLY REMEDIES IN CONNECTION WITH THE BREACH OR PERFORMANCE OF ANY WARRANTY ON JOHN DEERE COMMERCIAL & CONSUMER EQUIPMENT ARE THOSE SET FORTH ON THIS PAGE. IN NO EVENT WILL THE DEALER, JOHN DEERE OR ANY COMPANY AFFILIATED WITH JOHN DEERE BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES. (Note: Some states do not allow limitations on how long an implied warranty lasts or the exclusion or limitation of incidental or consequential damages so the above limitations and exclusions may not apply to you.) In the event the above warranty fails to correct purchaser's performance problems caused by defects in workmanship and/or materials, purchaser's exclusive remedy shall be limited to payment by John Deere of actual damages in an amount not to exceed the amount paid for the product. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.
- H.NO DEALER WARRANTY THE SELLING DEALER MAKES NO WARRANTY OF ITS OWN AND THE DEALER HAS NO AUTHORITY TO MAKE ANY REPRESENTATION OR PROMISE ON BEHALF OF JOHN DEERE, OR TO MODIFY THE TERMS OR LIMITATIONS OF THIS WARRANTY IN ANY WAY.
- I. If further information is desired, contact your selling dealer or DEERE & COMPANY MOLINE, IL at 1-866-993-3373.

### LIMITED WARRANTY

MoTrim Incorporated hereby warrants each new MoTrim Mower sold by it to be free from defects in material and workmanship under normal use and service, its obligation under this warranty being limited to making good at its designated factory any part or parts thereof, including all equipment, except cutting knives, hose, ledger plates, rock guards, and rubber bushings supplied by it as standard or optional equipment, which shall, within twenty-four (24) months (Six months for commercial mowing contractors) after making delivery of such mower to the original purchaser, be returned to MoTrim Incorporated's designated factory with transportation charges prepaid, and which its examination shall disclose to its satisfaction to have been thus defective.

This warranty is expressly in lieu of all other warranties express or implied, and of all other obligations or liabilities on the part of MoTrim Incorporated which neither assumes or authorizes anyone else to assume for it any other obligation or liability, or to give any other warranty or make any other representation on its behalf in connection with the sale or use of MoTrim Mowers.

This warranty shall not apply to any MoTrim Mower which has been repaired or altered in any way so as, in the judgment of MoTrim Incorporated, to affect its stability or reliability, nor which has been subject to misuse, negligence or accident.

This warranty is void if any part is replaced with anything other than standard MoTrim replacement parts.

MoTrim Incorporated
240 Steubenville Ave
P.O. Box 850
Cambridge, Ohio 43725
740-439-2725

This warranty is void unless this section is completed at time of delivery and returned to the factory.

Mower Serial Number			
Owner's Name			
Address		No. plate. No contraction of the	
Date of Delivery	Selling Dealer		
Address			
Signature of Dealer Representative			
Signature of Owner			



# 2007-2008 PROTECTION CONTRACT NON-RESIDENTIAL PROTECTION

Effective 8/1/07	

**DEFINITIONS:** "We", "Us" and "Our" shall mean Dealer and/or its Administrator, **FAIL-SAFE**. In Florida "We", "Us" and "Our" shall mean Technology Insurance Company. "You" or "Your" shall mean the purchaser of the product(s) covered by this Service Contract. This document is not an insurance policy. It is a Service Contract between You and Us. **FAIL-SAFE** does not assume, and specifically disclaims, any liability to You for any benefits provided herein. The liability of **FAIL-SAFE** is only to the Dealer in accordance with their separate agreement. By acceptance of this Service Contract, You understand there are distinct coverages, terms and conditions, and that coverage is subject to underwriting and acceptance by **FAIL-SAFE**. For a repair to be covered, Repairing Facility must report the breakdown to **FAIL-SAFE** and receive an Authorization **PRIOR TO REPAIRS BEING PERFORMED**.

### **BRONZE PROTECTION**

**ENGINE / MOTOR:** All mechanical parts contained within the engine block, cylinder head, crankcase or motor housing; engine block, cylinder head, crankcase or motor housing if damaged by the mechanical breakdown of an internal part.

**POWER TRANSMISSION COMPONENT:** All mechanical and hydraulic parts contained within the power transmission case; power transmission case if damaged by the mechanical breakdown of an internal part

**FINAL DRIVE ASSEMBLIES:** All mechanical and hydraulic parts contained within the final drive axle housings; final drive housing if damaged by the mechanical breakdown of an internal part.

## SILVER PROTECTION All of the above including:

**ENGINE / MOTOR:** Fuel Pump, Fuel Injection Pump, Turbocharger, Seals and Gaskets.

POWER TRANSMISSION COMPONENT: Flywheel, Torque Converter, Hydraulic Drive Pumps, Seals and Gaskets.

FINAL DRIVE ASSEMBLIES: Drive shaft(s) and Joint(s), Hydraulic Wheel/Track Motor(s), Seals and Gaskets.

**COOLING:** Water Pump, Fan Blade, Fan Clutch, Cooling Fan and Motor(s).

**ELECTRICAL:** Starter, Alternator, Voltage Regulator, Distributor, Wiring Harness, Solenoids and Relays, Switches, Gauges.

AIR CONDITIONING: Compressor and Clutch, Condenser, Evaporator, Accumulator, Receiver/Dryer, Seals and Gaskets.

**TRANSPORTATION BENEFIT:** If Customer incurs any expense for the transportation of the covered machine, or; travel time to or from the covered machine, due to the mechanical breakdown of a covered component, even during the manufacturer's warranty period, Customer is entitled to recover up to 1% of the original equipment purchase price, as indicated above, per occurrence, for said charges. However, reimbursement shall be no less than \$50; and, no more than \$500 per occurrence.

### **GOLD PROTECTION**

All of the above including:

ALL MECHANICAL, HYDRAULIC OR ELECTRICAL PARTS, COMPONENTS AND ASSEMBLIES OF THE MACHINE INDICATED ABOVE, subject only to the Terms, Conditions and Exclusions stated on the back of this Contract.

**REPLACEMENT MACHINE BENEFIT:** If Customer incurs any expense for the use of a replacement machine, due to a mechanical breakdown of a covered component which places the covered machine out of service, even during the manufacturer's warranty period, Customer is entitled to the benefit as stated on the following schedule:

Labor Hours: Benefit: 0 to 8Hrs

\$75

8.1 to 16 Hrs \$150 16.1 to 24 Hrs \$225 24.1 Hrs or more \$300

FAIL-SAFE PRODUCT PROTECTION P.O. BOX 15163 - LENEXA, KANSAS 66285

(800) 663-4505

### TERMS, CONDITIONS & EXCLUSIONS FOR NON-RESIDENTIAL EQUIPMENT

### **MECHANICAL BREAKDOWN COVERAGE:**

We agree to repair, replace or reimburse YOU for reasonable cost to repair or replace any covered part, component, or assembly of the covered machine if required due to a mechanical breakdown. 'MECHANICAL BREAKDOWN" is defined as the "sudden failure of a component, part or assembly, as supplied by the manufacturer". "Reasonable Cost" is defined as "the charges for the repair or replacement of covered parts at prevailing retail labor rates, using parts of like kind and quality, which may include remanufactured parts as customarily used in the industry." Protection shall begin (for new equipment) on the "MFG WARRANTY START DATE" and zero hours; or, (for used equipment) on the date of sale of the used equipment and at the hours on the used equipment at date of sale, as stated on the front of this contract Protection shall expire upon the earliest occurrence of: (1) term months have expired; or, (2) term hours have expired; or, (3) total loss limit is paid.

### **EXCLUSIONS:**

### No Coverage shall be extended:

- 1. FOR THE REPAIR OR REPLACEMENT OF ANY PART IF A MECHANICAL BREAKDOWN HAS NOT OCCURRED; OR, FOR DAMAGE TO A COVERED PART DUE TO THE BREAKDOWN OF A NON-COVERED PART; OR, FOR ANY BREAKDOWN DUE TO THE CONTINUED OPERATION OF THE COVERED EQUIPMENT AFTER A MECHANICAL BREAKDOWN HAS OCCURRED.
- FOR ANY BREAKDOWN CAUSED BY COLLISION, FIRE, THEFT, VANDALISM, RIOT, TERRORISM, WAR, INSURRE EXPLOSION, FALLING MISSLES, LIGHTENING, EARTHC WINDSTORM, HAIL, WATER, FLOOD, OR OTHER ACT OF GOD. INSURRECTION, EARTHOUAKE.
- FOR LIABILITY OR DAMAGE TO PROPERTY, OR INJURY TO, OR DEATH OF ANY PERSON ARISING OUT OF THE OPERATION, MAINTENANCE OR USE OF THE COVERED EQUIPMENT.
- FOR LOSS OF USE, TIME, INCONVENIENCE, OR ANY OTHER CONSEQUENTIAL OR RESULTANT LOSS OF ANY KIND.
- FOR ANY BREAKDOWN DUE TO OVERLOADING, MISUSE, ABUSE, NEGLIGENCE, VIBRATION OR ALTERATION OF THE COVERED EQUIPMENT.
- WHEN RESPONSIBILITY FOR THE REPAIR IS COVERED BY ANY WARRANTY OF THE MFG OR REPAIRER'S GUARANTEE, OR IF THE MFG HAS ANNOUNCED RESPONSIBILITY THROUGH RECALLS AND/OR REPAIR BULLETINS.
- FOR ANY BREAKDOWN DUE TO LACK OF LUBRICATION.
- FOR ANY BREAKDOWN DUE TO FREEZING OR OVERHEATING.
- FOR ANY BREAKDOWN DUE TO CONTAMINATION
- 10. FOR ANY BREAKDOWN DUE TO RUST OR CORROSION.
- 11. FOR NORMAL AND ROUTINE MAINTENANCE AS RECOMMENDED BY THE MFG OF THE COVERED EQUIPMENT; OR, FOR ANY BREAKDOWN DUE TO LACK OF SAID MAINTENANCE; OR, FOR MAINTENANCE ITEMS, INCLUDING, BUT NOT LIMITED TO, FILTERS, SPARK PLUGS, SPARK PLUG WIRES, GLOW PLUGS, BRAKE LININGS, EXHAUST SYSTEM PARTS, BATTERIES, BATTERY CABLES, THERMOSTATS OR FREEZE PLUGS, OR, ADJUSTMENTS, ENGINE TURNE-UPS, OR THE REPAIR OR REPLACEMENT OF PARTS FOR THE SOLE PURPOSE OF INCREASING OPERATING PERFORMANCE.
- 12. FOR COSMETIC ITEMS, INCLUDING, BUT NOT LIMITED TO, BRIGHT METAL, ORNAMENTATION, MOLDING, PAINT, DECALS, GLASS, LAMPS, LENSES OR SEATS.
- 13. FOR PLASTIC OR RUBBER PARTS
- 14. FOR ANY PART OR COMPONENT WHICH COMES IN CONTACT WITH THE GROUND, CROP OR ANY OTHER OPERATING MEDIA, INCLUDING, BUT NOT LIMITED TO, BLADES, ROLLERS, CHAINS, SPRINGS, AUGERS, IMPELLERS, BUCKETS, TRACKS, WHEELS OR
- 15. FOR SHOP SUPPLIES; INCLUDING, BUT NOT LIMITED TO, LUBRICANTS, SOLVENTS, ENVIRONMENTAL AND FREIGHT OR STORAGE CHARGES.
- 16. FOR THE COST OF ANY FEDERAL, STATE OR LOCAL TAX.
- 17. FOR ANY REPAIRS PERFORMED OUTSIDE THE U.S. OR CANADA.
- 18. FOR STRUCTURAL PARTS, INCLUDING, BUT NOT LIMITED TO, FRAMES, BOOMS, BUCKETS, BLADES OR SUPPORTS
- 19. FOR ANY BREAKDOWN OCCURRING WHILE THE HOUR METER IS INOPERATIVE, OR IF THE HOUR METER HAS BEEN TAMPERED
- 20. FOR ANY CLAIM SUBMITTED FOR WHICH AUTHORIZATION HAS NOT BEEN OBTAINED FROM US PRIOR TO COMPLETION OF THE REPAIR.

### YOUR RESPONSIBILITIES:

In order to keep this Contract in force during its term, the covered equipment must be serviced as recommended by the manufacturer. YOU must retain receipts for services performed, if service is done by a servicer; or, for materials purchased to perform recommended service if done by YOU. YOU agree to furnish a copy of said receipts should WE request them.

### IN THE EVENT OF A MECHANICAL BREAKDOWN, YOU MUST:

- 1. Use all reasonable means to protect the equipment from further damage;
- 2. Return the equipment to the Selling Dealer. If Selling Dealer is not available, contact the Administrator (800) 663-4505 for assistance:
- Provide receipts for services performed or materials purchased for routine maintenance as required by the equipment manufacturer to US;
- Allow US to inspect the covered equipment if deemed necessary;
- 5. Pay Repair Facility for any non-covered repair charges and/or any applicable deductible.

LIMITS OF LIABILITY: Coverage provided by this Service Contract is subject to the following limits: New Equipment: The total cost for any single repair shall be limited to a maximum of 20% of the Machine Purchase Price; the total of all repairs over the term of this contract is limited to 50% of the Machine Purchase Price indicated on this contract. Used Equipment: The total cost for any single repair shall be limited to a maximum of 10% of the Machine Purchase Price; the total of all repairs over the term of this contract is limited to 30% of the Machine Purchase Price indicated on this contract.

CANCELLATION PROVISION: This Contract may be cancelled by YOU upon giving written notice to US indicating when the cancellation is to be effective. In the event of cancellation, WE will refund the unearned Contract price calculated on a Pro-Rated method reflecting the days in force, less any prior claim payments, unless otherwise prohibited by law. If no claim has been paid under the terms of the Service Contract, the full price will be refunded, provided written notice is received by US no later than 30 days from the purchase of the equipment. A \$30 cancellation-processing fee will be deducted from all refunds unless otherwise prohibited by law. If the equipment described and this Service Contract have been financed through a lender and YOU default in the repayment obligation to that lender, WE reserve the right to either cancel this Service Contract or transfer the rights under this Service Contract to that lender. In the event of cancellation, the lender shall be entitled to all resulting refunds. If a lien is outstanding against the described equipment, any refunds will be made payable to the Lien holder.

TRANSFER PROVISION: This Service Contract applies only to YOU and the equipment described. This Service Contract may be transferred to the new equipment owner in the event of sale of the equipment while this Service Contract is still in force. The Transfer of this Service Contract will be allowed only upon receipt within 30 days of change of ownership of the equipment, a completed Application for Transfer, the original Service Contract, proof of required maintenance as indicated above, a copy of the bill of sale and a \$30.00 transfer fee.

### **GUARANTEE:**

This Service Contract is not an insurance policy. WE have obtained an insurance policy to ensure Our performance under this Service Contract. Should W E fail to pay any claim within sixty (60) days after a final invoice has been submitted, or in the event You cancel this Service Contract and We fail to refund the unearned portion of the Contract, YOU are entitled to make a direct claim against the insurance company, **Wesco Insurance Company**, 59 Maiden Lane, 6<sup>th</sup> Floor, New York, NY 10038. **NOTE: THE ABOVE GUARANTEE DOES NOT APPLY TO SERVICE AGREEMENTS SOLD N** THE STATE OF FLORIDA.

If YOU need assistance or information concerning your Contract, please contact US at:

### **FAIL-SAFE Product Protection**

P.O. Box 15163 Lenexa, Kansas 66285 Toll Free: (800) 663-4505 Claims Fax: (816) 931-2548

Email: claims@fspp.com

## "Exceptions to Specifications"

### Middletown Tractor Sales

The following are deviations from non-mandatory specifications for RFQ 708EC001

X7.18.4 (Non-Mandatory) Our speed range is 1.5 to 19 MPH vs. 1.5 to 20 MPH

X7.24.2 (Non-Mandatory) Rear Tires: Our tire size is 18.4 x 34 R1 due to the requirements of the mower manufacturer. (See attached letter)

X7.26.11 (Non-Mandatory) JD steering wheel tilts but does not telescope. The deluxe seat moves the operator closer or further from the steering wheel.

X10.11 (non-Mandatory) The cutter housing is not T-1 steel.

For clarification purposes on pricing:

Installation is included in the complete package. Limb risors, wheel weight and cab cage/Lexan is included in the boom mower specs thus it is included in the pricing if the complete package or the boom mower WITH hydraulics and controls is purchased.