

Request for Quotation

SHIP

SHIP VIA

77800084

PAGE

FREIGHTTERMS

ADDRESS CORRESPONDENCE TO ATTENTION OF

MICHAEL AUSTIN 304-558-2402

ZOOZZW<

TYPE NAME/ADDRESS HERE

RFO COPY

GOLDEN EQUIPMENT CO. INC. P.O. Box 873 Mars, PA 16046

TERMS OF SALE

05/01/				·					
BID OPENING DATE		05/21/	2008			BID	OPENING TIME	01	:30PM
LINE	QUAR	enty .	UOP	CAT. NO.	ITEM	NUMBER	UNITARICE		AMOUNT
0001	CIII VED	1	EA		625-84 ERA SYS	T	\$ 53,995.°	d '	#53,995. °°
	· ·					CAMERA S	YSTEM		·
	PER TH	E ATTA	CHED	SPECI	FICATION	1S			
	CLOSE (NO FUR STATED	OF BUS Ther Q •	INESS JESTI	(5:0 Ons w	0 PM EST	(.) ON WE CCEPTED	ECEIVED BY DNESDAY 05/1 AFTER THE DA		
					ATTENT 2019 W CHARLE	ASHINGTO STON, WV	AEL AUSTIN N ST. E. 25305	THE REAL PROPERTY OF THE PARTY	
		AIL: M		L.D.A	USTINƏWV		OR REGULAR I	MAIL	
	IT IS T QUESTIC	THE VE	NDORS /E BE	RESP En Re	ONIBITIT CEIVED B	Y TO VER	IFY THAT THE: G 304-558-240	IR 12.	
	·		VEND	OR PR	EFERENCE	CERTIFI	CATE		· .
	PREFERE	INCE IN	I ACC	DRDAN	CE WITH	WEST VIR	BY MADE FOR SINIA CODE, N CONTRACTS).		MAY 19 P 12: 52
	A. APP Reason	LICATI CHECKE	ON IS	MAD	E FOR 2.	5% PREFE	RENCE FOR THE	<u> </u>	CHASING DIVISION
	() B	IDDER	IS A				VENDOR AND		STATE OF WV
IGNATURE /	<i>/</i>			SEE REV	EHSE SIDE FOR	TERMS AND CON	DITIONS		
						TELEPHONE	42-1494	DATE S	5-21-08
TE V. PRC		FEIN	23.	1537			ADDRESS CH		O BE NOTED ABOVE
12/1/10		BIDING T	~ ~~~	11000	- A - E A - E A - E - E - E - E - E - E	1000000	LODACE ADOMEL		



RFQ COPY

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Mars, PA 16046

Request for Quotation

DATE PRINTED. TERMS OF SALE SHIP VIA FOR FREIGHT TERMS

77800084

PAGE

____2

MICHAEL AUSTIN 304-558-2402

GOLDEN EQUIPMENT CO. INC.
P.O. Box 873

DIVISION OF HIGHWAYS
CONTRACT ADMINISTRATION DIV
MATERIALS TESTING SECTION
312 MICHIGAN AVENUE
CHARLESTON, WV
25311

ADDRESS CORRESPONDENCE TO ATTENTION OF:::

05/01/2	2008					,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
BID OPENING DATE:		05/21/	2008			BID	OPENING TIME 01		:30PM
LINE	eničiće oddoby.	ппу	UOP	CAT NO	пеми	JMBER	UNITPRICE		AMOUNT
	(4) YE		MEDIA	TELY			NIA FOR FOUR TE OF THIS		
 	TION R QUARTE VEST V THE DA CNTERE: PARTNE	ESIDEN RS OR IRGINI TE OF ST OF RSHIP,	T VEN PRINC A FOR THIS BIDDE ASSO	DOR A IPAL FOUR CERTI R IS CIATI	ND HAS M. PLACE OF (4) YEAR FICATION HELD BY A	AINTAINE BUSINES RS IMMED ; OR 80% ANOTHER RPORATIO	TION OR CORPO D ITS HEAD- S CONTINUOUSL IATELY PRECED OF THE OWNER INDIVIDUAL, N RESIDENT VE PRINCIPAL PL	Y IN ING SHIP	
Y C W A H B F	YEARS CERTIF HICH I MININ	IMMEDI ICATIO BIDDER HAS AN HUM OF INTAINI SS WIT	ATELY IS A AFFIL ONE I ED ITS HIN WE	PREC CORP IATE LUNDR HEAC ST V	DRATION I OR SUBSE ED STATE QUARTERS IRGINIA (DATE ONRESIDIDIARY WESIDEN OR PRINCONTINUO	NIA FOR FOUR F THIS ENT VENDOR HICH EMPLOYS TS AND WHICH CIPAL PLACE O USLY FOR THE HE DATE OF TH	F	
1		CHECK		S MAD	E FOR 2.5	5% PREFE	RENCE FOR THE		
Ю 7 А Т	URING 5% OF RE RES HE STA RECEDI R	THE LITHE ENGINEERS	FE OF IPLOYE OF W ITINUC MISSI	THE ES WO IEST V OUSLY ON OF	CONTRACT ORKING ON VIRGINIA FOR THE THIS BI	T, ON AVE THE PROWNED THE TWO YEAR TO YEAR	CERTIFIES THA ERAGE AT LEAS DJECT BEING B E RESIDED IN RS IMMEDIATEL	T ID	
) (M				DRED	STATE RE	SIDENTS		A A A A A A A A A A A A A A A A A A A	
SIGNATURE				SEE REVI	ERSE SIDE FOR T	ERMS AND CON TELEPHONE	DITIONS	DATE	
MLE		FEIN	1 -			[ADDRESS CHI	NGEST	O BE NOTED ABOVE
WHE	N RESPO	NDING T	O REO	INSERT	NAME AND	ADDRESS !!	N SPACE ABOVE LA		



Request for Quotation

77800084

MICHAEL AUSTIN 304-558-2402

ADDRESS CORRESPONDENCE TO ATTENTION OF

VENDOR

RFQ COPY TYPE NAME/ADDRESS HERE

> GOLDEN EQUIPMENT CO. INC. P.O. Box 873 Mars, PA 16046

DATE PRIN	TED	TER	MS OF SAI	E	SHIP	VIA	F.C).B		FREIGHTTERMS
05/01/	2008									
BID OPENING DATE:	-	05/21/	2008			BID	OPENING	TIME	0 1	:30PM
LINE	QUA	NTITY	UOP	CAT.	ITEMNU	IMBER:	UNIT	PRICE		AMOUNT
								<u></u>	<u> </u>	
	l									
					H AN AFF					
	MHICH	MAINIA	INS I	IS HE	ADQUARTE	RS OR PR	INCIPAL	PLACE		
					T VIRGIN				1	
					ESIDENTS CONTRAC				_	
1	1		1		R BIDDERS					
}	F	,	,		ARE RES				га	
1	E .	,		l E	E STATE	7				
					EDING SU				WU	
	= = = = = = = = = = = = = = = = = = =		,,,,,		EDING CO	3.11001011	0, 11113	D 1 D .		
	BIDDER	UNDER	STAND	SIF	THE SECRE	ETARY OF	TAX & R	EVENUE		
					ER RECEIV					La
					MEET THE					
	PREFER	ENCE,	THE S	ECRET	ARY MAY (DRDER TH	E DIRECT	OR OF		·
	PURCHA	SING T	0: C	A) RE	SCIND THE	CONTRA	CT OR PU	RCHASE		
					SSESS A F					
					T TO EXCE					
					WILL BE F				G	
					ANY UNF	AID BAL	ANCE ON T	THE		
	CONTRA	CT OR I	PURCH	ASE OF	RDER.	Ì				į
	B									
					CERTIFICA					Ì
					/ REQUEST D AUTHORI					-
					LOSE TO			INI UF	-	-
					INFORMAT			5 A T		Liphone
					UIRED BU				n	}
					DES NOT					
					R INFORM					
					IDENTIAL		.c.i	111 1	7	
		1				1				in a china.
l	UNDER F	PENALTY	OF L	AW FO	R FALSE	SWEARING	(WEST V	IRGIN	IA	
					REBY CER					
ļ	CERTIF	CATE 1	STRU	IE AND	ACCURAT	E IN ALL	. RESPECT	S; ANI	D	
Í	THAT IF	A CON	ITRACT	IS I	SSUED TO	BIDDER	AND IF A	NYTHI	NG	
					ERTIFICA					
j										
SIGNATURE				oec hevi	RSE SIDE FOR T	ERMS AND CONI TELEPHONE	AH(UNS	in.	ATE	
TITLE		FEIN	į				ADDR	ESS CHAN	IGES T	O BE NOTED ABOVE
19711			- me-				LODAGE			



Request for Quotation

77800084

ADDRESS CORRESPONDENCE TO A HENTION OF

MICHAEL AUSTIN 304-558-2402

RFQ COPY TYPE NAME/ADDRESS HERE HOOK

DATE PRINTED TERMS OF SALE

GOLDEN EQUIPMENT CO. INC. P.O. Box 873 Mars, PA 16046

DATEPRI	NTED	TERMS OF SALE	SHI	VIA	F.O.B.	FREIGHT TERMS
05/01						
BID OPENING DATI	: 05/	21/2008		BID C	PENING TIME 0	L:30PM
LINE	QUANTITY	UOP	CAT. ITEM N	JMBER	UNITPRICE	AMOUNT
	TERM DE T	UE CONTRA	CT DIDDED !		***	
	PUPCHACIN	C DIVICIO	CT, BIDDER W N IN WRITING	THMEDIAT	Y IHE	
	OKCHASIN	9 DIVISIO	H TH METITIO	THEDIA	ELY.	
				0	- ()	
		В	IDDER: 설양	<u> </u>	ipment Co, Du	
					•	
			5-2	1-08		
		D,	ATE:			
				1 -	1 /	
			ICHED.		/	
) s	IGNED:		Robert G. Golden	JR.
			V,P		(4000	
		Τ.	(TLE:	262		
				}		
	* CHECK AN	Y COMBINA	TION OF PREF	ERENCE C	ONSIDERATION(S)	
	IN EITHER	"A" OR "E	", OR BOTH '	'A" AND	B" WHICH YOU	
	ARE ENTITL	ED TO REC	CEIVE. YOU N	IAY REQUE:	ST UP TO THE	
			ICE FOR BOTH	"A" AND	"B".	
	CREV. 12/0	9.7	1			
			NOTICE	1		
			MOTILE			
	A SIGNED B	ID MUST B	E SUBMITTED	TO.		
			- 005111112			
			ADMINISTRATI	ON		
		ASING DIV	ISION			
		ING 15				
	2019	WASHINGTO	N STREET, EA	ST		į
	CHARL	ESTON, WV	25305-0130			
	THE DID OF	OIL D COLT	ATM THE THE		D1(TUD	
	THE ENVEYO	DULD CUNI	ATM THIS INF	UKMAITUN	ON THE FACE OF	
	THE ENVELO	TE OR THE	BID MAY NOT	BE FUNZI	DEKED:	
	SEALED BID			***************************************		
				Livery		
Picalati ital		SI	E REVERSE SIDE FOR T			
SIGNATURE				TELEPHONE	DATE	
MLE		FEIN			ADDRESS CHANGES T	O RE NOTED APOVE
		1			VENUEDO OLIMIARES I	O DE MOSEN ABOVE



Request for

77800084

ADDRESS CORRESPONDENCE TO ATTENTION OF

MICHAEL AUSTIN 304-558-2402

VENDOR

RFQ COPY TYPE NAME/ADDRESS HERE

> GOLDEN EQUIPMENT CO. INC. P.O. Box 873 Mars, PA 16046

DATE PRINTED TERMS OF SALE SHIP VIA F.O.E. FREIGHT TERMS

05/01/						
BID OPENING DATE		/2008	PAT			L:30PM
LINE	QUANTITY	UOP	CAT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
	DILVED.			***		
	BUYER:			33		
	RFQ. NO.:			77800084		
	BID OPENING	DATE.		NE /21 /2000		
	BID BERING	DATE		05/21/2008		
And the state of t	BID OPENING	TIME:		1:30 PM		
	PLEASE PROV	IDE A F	AX N	UMBER IN CASE IT	IS NECESSARY	
	TO CONTACT	YOU REG	1	NG YOUR BID:		
				724-625-3744		
	<u></u>					
				PRINT CLEARLY):		
		ert (<u>>. </u>	folden JR.		
						1,
						\$ 53 99T 90
	***** THI:	S IS TH	E ENI	OF RFQ 77800	384 ***** TOTAL:	, 22 1121
			1			
	·					
			588.684A	ERSE SIDE FOR TERMS AND CON	DITIONS	
SIGNATURE	14-1-			TELEPHONE		7-21-08
TITLE 2.0		EIN 2 C	-153	27261		
NE NE		۷, ۲	133	3726(ADDRESS CHANGES	O BE NOTED ABOVE

Culvert Camera System

System shall be capable of inspecting culverts and pipes from 9-60 inches and include the following:

- 1. color camera with tilt, pan, zoom and focus remotely controlled by the operator and camera output viewed in real time on a video screen by the operator.
- 2. Recording system to allow review of work at later date and making a copy of inspection available to others. The recorded video shall have at least the same image capability as the real time output.
- Crawler capable of carrying the camera, travelling over debris usually found in culverts, making turns to navigate around corners in culvert and stopping at operators request to inspect culvert.
- 4. Control unit to manage the camera and the crawler.
- 5. A method of indicating the distance the camera and crawler have travelled into a culvert or pipe needs to be included so that location of obstructions or culvert failures can be determined.

STATE OF WEST VIRGINIA Purchasing Division

PURCHASING AFFIDAVIT

West Virginia Code §5A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

EXCEPTION: The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

LICENSING: Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.

confidentiality: The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendors should visit www.state.wv.us/admin/purchase/privacy for the Notice of Agency Confidentiality Policies.

Under penalty of law for false swearing (West Virginia Code, §61-5-3), it is hereby certified that the vendor acknowledges the information in this said affidavit and are in compliance with the requirements as stated.

Vendor's Name:	Golden	tuzma, vo3	Co, Inc		
Authorized Signature	1		Date:	5-21-08	
Purchasing Affidavit (Revis					

GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

- 1. Awards will be made in the best interest of the State of West Virginia.
- 2. The State may accept or reject in part, or in whole, any bid.
- All quotations are governed by the West Virginia Code and the Legislative Rules of the Purchasing Division.
- 4. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125.00 registration fee.
- 5. All services performed or goods delivered under State Purchase Orders/Contracts are to be continued for the term of the Purchase Order/Contract, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods, this Purchase Order/Contract becomes void and of no effect after June 30.
- 6. Payment may only be made after the delivery and acceptance of goods or services.
- Interest may be paid for late payment in accordance with the West Virginia Code.
- 8. Vendor preference will be granted upon written request in accordance with the West Virginia Code.
- 9. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
- 10. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- 11. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern all rights and duties under the Contract, including without limitation the validity of this Purchase Order/Contract.
- 12. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
- 13. BANKRUPTCY: In the event the vendor/contractor files for bankruptcy protection, this Contract may be deemed pull and void, and terminated without further order.
- 14. HIPAA Business Associate Addendum The West Viginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, and available online at the Purchasing Division's web site (http://www.state.wv.us/admin/purchase/vrc/hipaa.htm) is hereby made part of the agreement. Provided that, the Agency meets the definition of a Covered Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.

INSTRUCTIONS TO BIDDERS

- 1. Use the quotation forms provided by the Purchasing Division.
- 2. SPECIFICATIONS: Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as EQUAL to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
- 3. Complete all sections of the quotation form.
- 4. Unit prices shall prevail in cases of discrepancy.
- 5. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
- 6. BID SUBMISSION: All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications.

SIGNED BID TO:

Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Portable Pipeline Television Inspection System

This sewer television system is delivered complete, ready for operation. The system includes a pan & tilt camera and transporter with light head capacity from 6" to 30" lines. Components can be used with the base unit including a small diameter color camera for pull, push or tractor applications. Other options include tractor systems and mainline lateral launch camera system.

COMPONENT LIST

- 1 System Control Unit ("SCU") assembly mounted in a Hardigg-style, ATA airline-rated shipping case. Major built-in components are:
 - 1 Non-glare 9" color TV monitor, with 3" internal speaker and controls
 - 1 Monitor sun shield
 - 1 Video recorder bypass switch
 - 1 Set of video recorder audio and video jacks
 - 1 Microphone jack
 - 1 Audio recording microphone
 - 1 Camera power selector switch, micro/mainline
 - 1 Light power selector switch, micro/mainline
 - 1 5-position lighthead selector switch
 - 1 Lighthead protection system with an auto reset circuit breaker and trip indicator light
 - 1 Lighthead intensity control knob
 - 1 AC power switch with indicator light
 - 1 Set of individual circuit breakers for AC power input/lighthead power output/camera power output
 - 1 120V AC power input GFI protected plug with cord
 - 1 120V AC duplex GFI protected outlet
 - 1 Military connector for SCU to reel interconnect cable (prewired for push reel, pull reel, tractor and on-screen footage features)
 - Multi-function system diagnostic test meter with concurrent volt and amp LED readout
 - 1 Storage compartment mounted in shipping case protective cover
 - 1 Expansion slot and keyboard tray position for VD-1000 data display module and keyboard

1 Aries VD-1000 Video Data Display and Report Writer System with:

- 1 Data display control module, panel mounted
- 1 Alphanumeric full "QWERTY" keyboard for video titling and report data input (must be built in control unit for storage safety)
- 1 Ink jet printer, parallel port

1 DVD video recording system including:

- 1 Soft-sided protective carrying case
- 1 Remote control functions include: record, fast forward, pause, frame advance, slow motion, search, stop and rewind
- 1 Set power and video cabling
- 5 DVD-recordable media discs
- 1 Aries PE2610 "Illumi-Zoom" multi-conductor, pan and tilt radial view, LEDilluminated, zoom, color sewer TV camera, consisting of:
 - 1 Maintenance-free directional camera LED light system for 6" to 72" pipes and ducts

- 1 Built-in diagnostics system to monitor camera operating conditions
- 1 Camera storage and transport case
- 1 Spare parts kit
- 1 Test cable, components to 12-pin PCU connector

Camera features include:

360° continuous axial rotation

300° pan & tilt rotation

40X zoom (10X optical & 4X digital)

Automatic or remote adjustable focus

Automatic or remote adjustable iris

Automatic home feature with forks at side of camera head

Automatic white balance circuitry

NTSC color imaging module

SMARTEK internal diagnostic system

0.1 Lux low-light STARLITE mode

1 SCU camera controller including: joystick for axial rotation and pan and tilt angle; remote focus; remote iris; zoom in/out; diagnostics pushbutton; and home switch

1 LH245 Light head with interconnect Cable

1 Aries TR3200 "Badger" steerable self-propelled transporter for 6" to 30" lines, including:

- 1 Tractor assembly with continuous duty drive motors
- 1 Set each of 3", 4" and 5" rubber tires for 6"-30" sewer lines
- 1 Set transmission couplings and weighted adjustment bars for operation in 8" to 30" sewer lines
- 1 Hand-held joystick controller with speed and direction controls
- 1 Tractor power supply and control interface box to SCU
- 1 Plywood storage and shipping box with removable cover
- 1 Set maintenance parts
- 1 Large diameter pipe kit with geared side rails and standard 10" diameter rubber tires for operation up to 48" lines


1 Portable TV cable reel assembly including:


- 1 Slip ring signal collector assembly, prewired for camera and tractor transporter
- 1 Cable reel drum with brake, mounted on wheeled frame with handle
- 1 Motor drive, 120VAC with variable speed drive and electric clutch
- 1 Footage head with mechanical counter, automatic level wind and footage encoder mechanism

1 Combination TV transmission and tow cable assembly, .410" diameter, Kevlar™ armored, 2,000 lb. rating, 1,000' multi-conductor, to include:

- 1 Cable terminal connector, 12-pin molded
- 1 Dummy plug, 12-pin
- 1 Tow/tag line bridle set, multi-conductor cable
- 1 Standard strain relief
- 1 Cable terminal repair kit

- 1 Cable manhole guide system including:
 - 1 Manhole top roller assembly
 - 1 Insertion and extractor pole assembly and tractor adapter
 - 1 Tiger tail bottom cable guide
- 2 Manuals operation and maintenance
- 2 Spare parts catalogs
- 1 Training DVD TV Systems Operating Procedures
- 1 Training DVD-Troubleshooting and Cable Repair Procedures
- 1 Maintenance tool kit
- 1 Delivery of system
- 1 Days of training
- 1 One year warranty, TV system






Pipeline Television Inspection, Test and Seal Systems

UNIVERSAL SATURN III

Unsurpassed versatility for pipeline inspection For Municipalities, Industry, Contractors




Sewers - Pipes - Ducts - Boiler Systems - Shallow Wells


- Operates Mini, Mainline and Pan-and-Tilt Cameras
- Push or Pull System Flexibility
- Inspects Lines from 3" to 200" in Diameter

- Cable Lengths up to 1000'
- Modular System Control Unit
- Portable or Truck-Mounted


Saturn III The Ultimate in Pipe Inspection Versatility




Aries Illuminator and Zoom Pan & Tilt's are ultra light sensitive cameras for illuminating pipelines from 6"-40" in diameter. Our cameras offer SMARTEK diagnostics to continually monitor the operating parameters of the camera. Aries has maintained our Pan & Tilt's technical advantage to rotate 360° continuously in a single direction. For added productivity the Aries Illuminator utilizes maintenance free LED Lighting systems.




The **Push Reel** includes 200' of cable that is terminated with a flexible spring attachment for camera maneuverability and waterproof electronic connector. An optional mechanical footage counter and encoder provides onscreen footage display. The reel basket has 400' capacity and adjustable drag brake. The slim, wheeled reel assembly easily maneuvers through doors and stairways providing easy access to most locations.




Aries LETS inspects lateral lines up to 80' from main line sewer lines. A new Pan & Tilt Camera is provided to assist with mainline inspection and lateral launches. The lateral camera offers "self-uprighting" technology for operator viewing convenience along with an optional Sonde for lateral locating. Aries offers an optional automatic rewind reel to assist the operator in retrieving the system.



Two **Pull Reels**, 500' and 1000' capacities, are available. Each has manual or motorized rewind and autolevel wind. A mechanical footage counter is standard along with onscreen footage and data display system. Each reel is complete with wheels and two hand lift points for loading and unloading.



Mini Self Leveling Camera with LED Lighting features rugged, stainless steel construction and a slim, 1.8" diameter, deign for lines as small as 3". It provides high-resolution video in both laterals and mainline applications. Its spring neck allows easy access around pipe elbows. Optional auxiliary lighting permits inspection in lines up to 48"



ARIES Transporters A full selection of track or wheel driven transporters speed inspection operations in pipes 6" in diameter and larger. The Saturn III System control Unit (SCU) provides ample power for all Aries tractors. Field or factory installed Tractor Controller provides variable speed drive, circuit protection and meters to monitor performance.


Saturn III A Single System Meets All Your Needs

The heart of the Saturn III is the universal System Control Unit (SCU) which can be configured with factory or field installed options to meet each and every pipe inspection challenge. Push, pull, tractor, or skid, the Universal Saturn III SCU provides the power, controls, system diagnostics, and report writing functions you need to successfully complete the job.

Start with a basic unit and then add options as you need to meet ever increasing inspection challenges. Camera operation, lighthead control, tractor speed, data input, video recording, and line reporting are all possible with the Universal Saturn III SCU.

Auxiliary Power Panel

The Saturn III comes with a full complement of auxiliary power panel connections: camera cable, auxiliary lighting cable, printer report, computer port, Ground Fault Interrupter outlet, and two 110V-AC power outlets for a printer, VCR, etc.



Standard SCU Features

- 1. 9" Color monitor
- 2. Auxiliary pan and tilt camera control port
- 3. Mini/mainline camera power selector
- 4. Lighthead circuit breaker selector
- 5. Mini/mainline lighthead power selector
- 6. Lighthead power level


- Main power switch
- 8. Video/audio jacks
- 9. System diagnostics meter
- 10. SCU-to-reel cable connection
- 11. Auxiliary light power connection
- 12. 120V AC power outlet
- 13. GFI protection
- 14. 120V AC power in
- 15. RS 232 printer port/laptop computer port

SCU Options

- A. VD-600 on-screen footage module
- B. VD-1000 video data display, keyboard and report printer
- C VL-2000 Data logging system with laptop computer
- D. Pan and tilt camera controller
- E. Tractor controller
- F. Tilt storage tray for titler or keyboard
- G. Auxiliary light control box for large line pan and tilt operation (see next page)
- H. Report printer (not shown)

Saturn III **System Control Unit Options**

Pan and Tilt Camera and Tractor Controllers



The Aries Pan and Tilt Camera and Tractor control modules are field-installable options.


The VD-1000 Data Display Module provides fault identification and line segment reporting, plus an internal clock/calendar and user-definable defect condition codes. A full size keyboard is included for data entry.

The VL-2000 Data Display Report Writing and Data Logging System can download data to a 3.5" disk for permanent information storage, office editing and uploading into a municipal geographic information system (GIS).



VD-1000 Data Display

The VD-1000 with keyboard allows an operator to enter line defect condition codes and generate line segment reports which can be recorded on videotape, edited, stored or printed. The keyboard stores on a tilt down tray for vertical or horizontal operation.



provides power to a second lighthead for the pan and tilt camera. The auxiliary lighthead

illuminates large lines up to 120" in diameter while the integral pan and tilt lighting illuminates walls for joint and lateral inspection.



VC-4000 and WinCan Mobile System

Aries Industries offers two different software suites that function with a laptop computer, WinCan mobile and Aries VC-4000. WinCan is a leader in Pipeline Inspection Software and joins with our proven VC4000 software to meet all possible inspection software needs. WinCan offers a userfriendly platform that interfaces smoothly with most municipal GIS systems. MPEG video compression is available with WinCan and a desktop computer.



Video Tape Recorder (VCR) provides a recorded image and audio message on 1/2" VHS video tape. VCR comes complete with interconnect cable, carrying case with shoulder strap, cable storage area.

A complete Family of Products for All Your Pipeline Needs

Portable Inspection Systems

Vehicles

Transporters



☐ Titan Side



☐ TR-2000



□ TR-3000

Cameras



■ Mini Cam



☐ Eagle Eye




☐ Pan & Tilt


☐ Gas Cam



One-ton Vans



☐ Step Vans



Service Vans

Aries offers a fully equipped facility for outfitting, converting, and retrofitting service vans for pipeline inspection, grout and cutter operations.

Authorized Distributor

GOLDEN EQUIPMENT CO., INC. 1-800-242-1494 www.goldenequipmentcompany.com

Unmatched Service and Support

Aries' full line of products include everything you need for successful, efficient pipeline operations. And it's all backed with prompt, reliable service and technical support that truly sets us apart. Aries even services equipment you may have purchased from other manufacturers. With our large parts inventory, and two scheduled pick-ups and deliveries per day, you can count on fast turnaround to keep you up and running and profitable. Call, write or fax us today for further information.

E-mail: sales@ariesindustries.com

Pipeline Television Inspection, Test and Seal Systems

Corporate Offices

550 Elizabeth Street Waukesha, WI 53186 Toll Free: 800-234-7205 Phone: 262-896-7205

Phone: 262-896-7205 Fax: 262-896-7099

Southeastern Regional Office

1441 SW 10th Ave. # 202 Pompano Beach, FL 33069 Toll Free: 800-327-4346 Phone: 954-785-5540

Fax: 954-785-5014

Western Regional Office

5748 E. Shields Ave. Fresno, CA 93727 Toll Free: 888-285-0366

Phone: 559-292-5382 Fax: 559-291-0463




Visit our Web Site www.ariesindustries.com

System Configuration Matrix For Saturn III

System Type Specification	Push 4.70.30	Pull 4.70.32	Push & Pull 4.70.33	Pull, Pan & Tilt Tractor 4.70.34
SYSTEM CONTROL UNIT	Std.	Std.	Std.	Std.
VCR, Microphone & case Onscreen Footage & Titling VD-1000 & Keyboard	Opt. Opt. Opt.	Std. Std. Std.	Std. Std. Std.	Std. Std. Std.
VL-2000 & Laptop Computer VC 4000/ Video Compression System with Laptop Computer	Opt. Opt.	Opt. Opt.	Opt. Opt.	Opt. Opt.
Video Compression Software (WinCan) & Laptop Computer Pan and Tilt Camera Controller	Opt.	Opt.	Opt.	Opt.
Tractor Controller Auxiliary Lighthead Controller	Opt. Opt. Opt.	Opt. Opt. Opt.	Opt. Opt. Opt.	Std. Std. Opt.
CAMERAS				
Saturn III Color Mini Pan and Tilt Color Eagle Eye Mainline Camera	Std. Opt. Opt.	Std. Opt. Opt.	Std. Opt. Opt.	Opt. Std. Opt.
LIGHTHEADS				
Low Profile 8" - 15" lines High Performance 15" - 72" lines Triplex 24" - 200"	Std. N/A N/A	Std. Opt. Opt.	Std. Opt. Opt.	Opt. Opt. Opt.
CAMERA SKIDS				
3" - 6" push 6" - 15" pull 15" - 30" pull	Std. Opt. Opt.	Opt. Std. Opt.	Std. Std. Opt.	Opt. Std. Opt.
TV CABLE REELS				
Push 200' Mechanical Footage and Encoder Pull 500' Pull 1000' Mechanical Footage and Encoder Motorized Rewind	Std. Opt. Opt. Opt. Opt. Opt.	Opt. Opt. Std. Opt. Std. Std.	Std. Std. Std. Opt. Std. Std.	Opt. Opt. Std. Opt. Std. Std.
Auto Level Wind	Opt.	Std.	Std.	Std.
WINCHES Hand Operated	Opt.	Opt.	Opt	Ont
Motorized with Remote Control	Opt.	Opt.	Opt. Opt.	Opt. Opt.
TRANSPORTERS				
TR2000 Badger/Mini Badger Titan Series	N/A N/A N/A	Opt. Opt. Opt.	Opt. Opt. Opt.	Std. Opt. Opt.
L. E. T. S.	N SYSTEM (L. E. T N/A	7. S.) Opt.	Opt.	Opt.

Std. - Standard Opt. - Option N/A - Not Applicable * Note: Custom system configurations available upon request



ILLUMINATOR L. E. D. Pan & Tilt Rotating Head CCTV Camera TECHNICAL DATA

MECHANICAL DATA

Rotation: 360 Degrees Axial continuous Pan & Tilt: 270 Centerline to centerline

Viewing Angle: 330 Pan & Tilt

Spherical Viewing Capabilities: In excess

of 90%

Enclosure: Waterproof, sewer submergence

Lenath: 13.75"

Body Diameter: 2.375"

Internally pressurized with Dry Nitrogen

Vibration: 7G (11 Hz to 200 Hz)

Shock: 70G


OPTICAL DATA

Focus:1/2" to infinity, remote controlled


Iris: Automatic with manual over ride or manual

only function **Distortion:** None

Sapphire window



VIEWING ANGLE 330°



ELECTRONIC DATA

Sensitivity: 0.1 Lux with Starlite Feature Picture Elements: 768 (H) x 494 (V),

379,392 Total Pixels

Resolution: 480 (H) TV Lines

Image Scanning: 525 lines at 60 Hz (NTSC).

2:1 interlaced

LIGHTHEAD

Position: Directional LED ring surrounding the lens for even illumination, moves with viewing head

Power: White LED lights capable of lighting a 30" pipe. **Sealing:** LED lighthead is hermetically sealed from camera electronics. If light window is damaged, water cannot reach the camera electronics

Optional: External hi-performance lightheads for large

line pan & tilt operations above 30" diameter.

OPERATING CONDITIONS

Line Sizes: Less than 6" to 120" diameter

Temperature: -10 Degrees to +50 Degrees Celsius

Moisture: Up to 100% R.H.

SMARTEK Diagnostic System: Monitors internal camera conditions including camera current, lighthead voltage, internal pressure and humidity levels. SMARTEK includes operating hour meter and electronic serialization records to assist in maintenance.

Golden Equipment Co. (800) 242-1494



Pipeline Television Inspection, Test and Seal Systems

Corporate Offices

Aries Industries, Inc. N63 W22641 Main St. Sussex, WI 53089 Toll Free: 800-234-7205

Phone: 262-246-3900 Fax: 262-246-7099 Southeastern Regional Office 1441 SW 10th Ave. # 202

1441 SW 10th Ave. # 202 Pompano Beach, FL 33069 Toll Free: 800-327-4346

Phone: 954-785-5540 Fax: 954-785-5014 Western Regional Office 5748 E. Shields Ave.

5748 E. Snields Ave. Fresno, CA 93727 Toll Free: 888-285-0366

Phone: 559-292-5382 Fax: 559-291-0463



Visit our Web Site www.ariesind.com