

VENDOR

State of West Virginia
Department of Administration **Purchasing Division** 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

AGR0813

1

ADDRESS CORRESPONDENCE TO A MENTION OF

KRISTA FERRELL 304-558-2596

\*709044440 304-659-2917 HAYHURST EQUIPMENT INC PO BOX 457 PENNSBORO WV 26415

DEPARTMENT OF AGRICULTURE LAND SECTION PRUNTYTOWN STATE FARM ROUTE 50 EAST GRAFTON, WV 26354

304-558-2222

DATE PRIN		RMS OF SALE	SHIP VIA	FOB.	FREIGHT TERMS
BID OPENING DATE:	3/2007 Net 08/2	30 Days 3/2007	Our Truck	Destination OPENING TIME	Pre-Paid 01:30PM
LINE	QUANTITY	UOP CAT	ITEM NUMBER	UNIT PRICE	AMOUNT
0001		EA	020-89	\$57,100.00	#57 400 00
	JOHN DEERE	# 6415 TRA	CTOR (OR EQUAL)	\$37,100.00	\$57,100.00
	(Ford) New	Holland TS	110A w/56LB Load	ier	
	THE WEST VI	RGINIA PUR RGINIA DEP	ARTMENT OF AGRIC	FOR THE AGENCY, ULTURE, IS	
	JOHN DEERE COMFORT VAN 2007 MODEL EQUIPPED WI NON-SELF LE	MODEL #641 TAGE CAB F OR NEWER, TH A JOHN VELING LOA TTACHED TO	MIN PTO 85HP. T DEERE MODEL #673 DER, WITH MID-MC THE TRACTOR. A	TRACTOR W/ MUST BE RACTOR MUST BE (OR EOUAL)	
	TRACTOR W/	LOADER MUS	T BE DELIVERED, HE PURNTYTOWN FA	ASSEMBLED, RM BY NOVEMBER	
	SUBMITTED I WEST VIRGIN THE ADDRESS AT 304-558- TECHNICAL Q SCOPE OF WO DEADLINE FO AT 9:00 AM.	N WRITING IA STATE F SHOWN IN 4115, OR V UESTIONS II RK, MODEL, R TECHNICA ALL TECH	ONCERNING THIS R TO KRISTA FERREI URCHASING DIVIST THE BODY OF THIS IA EMAIL AT KFER NCLUDE, BUT ARE ATTACHMENTS, FE L QUESTIONS IS A NICAL QUESTIONS BY ADDENDUM AFT	L IN THE ON VIA MAIL AT RFQ, VIA FAX RELL@WVADMIN.GOV. NOT LIMITED TO, ATURES, ETC. UGUST 16, 2007 RECEIVED, IF	
SIGNATURE	)	SEE REVI	ERSE SIDE FOR TERMS AND CON	DITIONS	I.
· ///	anch.	allall	304-6	659-2917 DATE 21	August 2007
Ag. Sales	Mgr.	55-056-58			TO BE NOTED ABOVE
WHF	N RESPONDING T	O REO INSERT	NAME AND ADDRESS I	N SDACE ABOVE LABELE	D.WENIDOD!

# GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

- 1. Awards will be made in the best interest of the State of West Virginia.
- 2. The State may accept or reject in part, or in whole, any bid.
- 3. All quotations are governed by the West Virginia Code and the Legislative Rules of the Purchasing Division.
- Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125.00 registration fee.
- 5. All services performed or goods delivered under State Purchase Orders/Contracts are to be continued for the term of the Purchase Order/Contract, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods, this Purchase Order/Contract becomes void and of no effect after June 30.
- 6. Payment may only be made after the delivery and acceptance of goods or services.
- 7. Interest may be paid for late payment in accordance with the West Virginia Code.
- 8. Vendor preference will be granted upon written request in accordance with the West Virginia Code.
- 9. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
- 10. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- 11. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern all rights and duties under the Contract, including without limitation the validity of this Purchase Order/Contract.
- 12. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
- 13. BANKRUPTCY: In the event the vendor/contractor files for bankruptcy protection, this contract is automatically null and void, and is terminated without further order.
- 14. HIPAA Business Associate Addendum The West Viginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, and available online at the Purchasing Division's web site (http://www.state.wv.us/admin/purchase/vrc/hipaa.htm) is hereby made part of the agreement. Provided that, the Agency meets the definition of a Covered Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.

#### INSTRUCTIONS TO BIDDERS

- 1. Use the quotation forms provided by the Purchasing Division.
- 2. SPECIFICATIONS: Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as EQUAL to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
- Complete all sections of the quotation form.
- Unit prices shall prevail in cases of discrepancy.
- 5, All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
- 6. BID SUBMISSION: All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications.

#### SIGNED BID TO:

Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130



State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

# Request for Quotation

þ

ō

AGR0813

PAGE 2

MADDRESS CORRESPONDENCE TO A STENTION OF

KRISTA FERRELL 304-558-2596

>EXCOR

\*709044440 304-659-2917 HAYHURST EQUIPMENT INC PO BOX 457

PENNSBORO WV 26415

DEPARTMENT OF AGRICULTURE LAND SECTION PRUNTYTOWN STATE FARM ROUTE 50 EAST GRAFTON, WV 26354 304-558-2

DATE PRINTED TERMS OF SALE SHIP VIA F.O.B. FREIGHT TERMS

08/08	/2007					
BID OPENING DATE:	08/28	3/2007		BII	OPENING TIME	'01:30PM
LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNITPRICE	AMOUNT
	STATE OF WI PRIOR TO THE TECHNICAL ( NOT LIMITED NUMBER OF A BANKRUPTCY FOR BANKRU	ST VI E BIL UESTI TO, ODDEND IN TCY F	NING RGINI OPEN ONS. WHERE UMS I THE E	HOW TO SUBMIT A A MAY BE SUBMITI ING DATE AND ARE THESE QUESTION /HOW/WHEN TO SUE SSUED, ETC. VENT THE VENDOR/ TION, THIS CONTE AND IS TERMINATE	ED AT ANY TIME NOT CONSIDERED INCLUDE, BUT AR MIT A BID, FORM CONTRACTOR FILE ACT IS AUTOMATI	E IS,
	THE ACCEPTA INTENDED TO PARTICULAR ALTERNATES LITERATURE INFORMATION REJECTION OF TO WAIVE MILLIANT ACCORDANTION ACCORDANT	BLE I REFI BRANI SHOUI AND S FOR F THE NOR I	EVEL ECT A OR V D SO PECIF ANY A BID. RREGU TH SE	FICATIONS NAMED OF QUALITY ONLY PREFERENCE OR F ENDOR. VENDORS STATE AND INCLUDICATIONS. FAILU ICATIONS. FAILU LTERNATES MAY BE THE STATE RESE LARITIES IN BIDS CTION 148-1-4(F) RULES AND REGULA	AND ARE NOT AVOR ANY WHO ARE BIDDING E PERTINENT RE TO PROVIDE GROUNDS FOR RVES THE RIGHT OR SPECIFICATI OF THE WEST	
	CURRENTLY US IS ISSUED TO MUST ACCEPT	TILIZ HROUG THE YMENT	ES A H A B STATE ' OF A	TANCE: THE STAT VISA PURCHASING ANK. THE SUCCES OF WEST VIRGINI LL ORDERS PLACED OF AWARD.	CARD PROGRAM WH SFUL VENDOR A VISA PURCHASI	Idн
		ON AN	D APP	REFERENCE CERTIF LICATION* IS HER NCE WITH WEST VI	EBY MADE FOR	
		<u> </u>	SEE REV	ERSE SIDE FOR TERMS AND COM	IDITIONS	
SIGNATURE	<u> </u>	and the second s		TELEPHONE	DAT	E
TITLE	FE	EIN			ADDRESS CHANG	ES TO BE NOTED ABOVE



VENDOR

\*709044440

PO BOX 457

PENNSBORO WV

State of West Virginia Department of Administration Quotation Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

26415

HAYHURST EQUIPMENT INC

304-659-2917

Request for

REQ NUMBER AGR0813 3

ADDRESS CORRESPONDENCE TO ATTENTION OF: KRISTA FERRELL

p

DEPARTMENT OF AGRICULTURE LAND SECTION PRUNTYTOWN STATE FARM

304-558-2596

ROUTE 50 EAST

Ö GRAFTON, WV 26354 304-558-2222 DATE PRINTED TERMS OF SALE SHIP VIA F.O.B. FREIGHT TERMS 08/08/2007 <del>08/28/2007</del> OPENING TIME <del>01:30PM</del> BID OPENING DATE: CAT. LIME QUANTITY LICIP ITEM NUMBER UNITABICE **AMOUNT** 5A-3-37 (DGES NOT APPLY TO CONSTRUCTION CONTRACTS). APPLICATION IS MADE FOR 2.5% PREFERENCE FOR THE REASON CHECKED: BIDDER IS AN INDIVIDUAL RESIDENT VENDOR AND HAS RESIDED CONTINUOUSLY IN WEST VIRGINIA FOR FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION; OR BIDDER IS A PARTNERSHIP, ASSOCIATION OR CORPORA-(X) TION RESIDENT VENDOR AND HAS MAINTAINED ITS HEAD-QUARTERS OR PRINCIPAL PLACE OF BUSINESS CONTINUOUSLY IN WEST VIRGINIA FOR FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION; OR 80% OF THE OWNERSHIP INTEREST OF BIDDER IS HELD BY ANOTHER INDIVIDUAL, PARTNERSHIE, ASSOCIATION OR CORPORATION RESIDENT VENDOR WHO HAS MAINTAINED ITS HEADQUARTERS OR PRINCIPAL PLACE OF BUSINESS CONTINUOUSLY IN WEST VIRGINIA FOR FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION; OR BIDDER IS A COMPORATION NONRESTOEMT VENDOR WHICH HAS AN AFFILIATE OR SUBSIDIARY WHICH EMPLOYS A MINIMUM OF ONE HUNDRED STATE RESIDENTS AND WHICH HAS MAINTAINED ITS HEAQUARTERS OR PRINCIPAL PLACE OF BUSINESS WITHIN WEST VIRGINIA CONTINUOUSLY FOR THE FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION.

SEE REVERSE SIDE FOR TERMS AND CONDITIONS SIGNATURE ELEPHONE

FEIN

REASON CHECKED:

DURING THE 75% OF THE

LIFE OF THE CONTRACT, ON AVERAGE AT LEAST

EMPLOYEES WORKING ON THE PROJECT BEING BID

TITLE

ADDRESS CHANGES TO BE NOTED ABOVE

APPLICATION IS MADE FOR 2.5% PREFERENCE FOR THE

BIDDER IS A RESIDENT VENDOR WHO CERTIFIES THAT,



State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

P

Ţ O

AGR0813

PAGE 4

ADDRESS CORRESPONDENCE TO ATTENTION OF

KRISTA FERRELL 304-558-2596

VENDOR

\*709044440 304-659-2917 HAYHURST EQUIPMENT INC PO BOX 457

PENNSBORO WV 26415 DEPARTMENT OF AGRICULTURE LAND SECTION PRUNTYTOWN STATE FARM ROUTE 50 EAST GRAFTON, WV 26354 304-558-2222

DATE PRINT 08/08	<b>ED</b> ТЕ /2007	RMS OF SALE	SHIP	VIA		F.O.B.	FREIGHT TEAMS
BID OPENING DATE:	1 .	8/2007	<u> </u>	BIL	OPENII	NG TIME	01:30PM
LINE	QUANTITY	UOP CAT.	ITEM NE	MBER	Ų	NIT PRICE	AMOUNT
·	ARE RESIDE: THE STATE PRECEDING OR	CONTINUOUSI SUBMISSION	Y FOR TH OF THIS	E TWO YE BID;	ARS IM	MEDIATELY	
	MINIMUM OF NONRESIDEN' WHICH MAIN' OF BUSINESSOF ONE HUNDOWN THE 75% OF THE SUBSIDIARY WHO HAVE RI	I VENIOR WITAINS ITS IN WITHIN WE CARE STATE LIFE OF THE EMPLOYEES SIDED IN T	D STATE TH AN AF EADQUART ST VIRGI RESIDENT E CONTRA OR BIDDE S ARE RE HE STATE	RESIDENT FILIATE ERS OR P NIA EMPI S WHO CE CT, ON A RS' AFFI SIDENTS CONTINU	S OR IS OR SUBS RINCIPA OYING A RTIFIES VERAGE LIATE'S OF WEST OUSLY I	E A  SIDIARY  AL PLACE  A MINIMUM  S THAT,  AT LEAST  S OR  T VIRGINIA  FOR THE TW	
	PEARS IMMED BIDDER UNDER DETERMINES FAILED TO COPREFERENCE, PURCHASING ORDER ISSUE BIDDER IN A AND THAT SE AGENCY OR I CONTRACT OF	RSTANDS IF THAT A BID ONTINUE TO THE SECRE TO: (A) R D; OR (B) N AMOUNT N CH PENALTY	THE SECTOPE THE SECTOPE THE THE THE TARY MAY ESCIND THE ASSESS A OT TO EXCURTED TO THE	JBMISSIC RETARY C IVING PR E REQUIR ORDER T HE CONTR PENALTY CEED 5% PAID TO	N OF THE TAX & EFERENCEMENTS HE DIRE ACT OR AGAINS OF THE THE CC	IIS BID.  REVENUE HAS FOR SUCH CTOR OF PURCHASE T SUCH BID AMOUN	
	BY SUBMISSIDISCLOSE AND PURCHASING TAX AND REVENTED PURCHASING BIDDER HAS THAT SUCH TAXES PAID COMMISSIONE	Y REASONAE DIVISION A ENUE TO DI APPROPRIAT PAID THE R NFORMATION NOR ANY OT	LY REQUES ND AUTHOR SCLOSE TO E INFORMA EQUIRED F DOES NOT HER INFOR	STED INF RIZES TH D THE DI ATION VE BUSINESS CONTAIN RMATION N	ORMATIC E DEPAR RECTOR RIFYING TAXES, N THE A	ON TO THE TMENT OF OF THAT PROVIDED MOUNTS OF	
MATINDE		SEE REY	PERSE SIDE FOR T		DITIONS		
NATURE				TELEPHONE		DATE	
E	FE	IN			AD	DRESS CHANGES	S TO BE NOTED ABOVE



State of West Virginia Department of Administration Quotation Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

# Request for

þ

AGR0813

5

ADDRESS CORRESPONDENCE TO ATTENTION OF

KRISTA FERRELL 304-558-2596

\*709044440 304-659-2917 HAYHURST EQUIPMENT INC PO BOX 457

PENNSBORO WV 26415

DEPARTMENT OF AGRICULTURE LAND SECTION PRUNTYTOWN STATE FARM ROUTE 50 EAST GRAFTON, WV 26354 304-558-2222

DATE PRINTED TERMS OF SALE SHIP VIA F.O.B. FREIGHT TERMS 08/08/2007 BID OPENING DATE: 08/28/2007 BID OPENING TIME 01:30PM LINE QUANTITY UOP ITEM NUMBER UNIT PRICE AMOUNT UNDER PENALTY OF LAW FOR FALSE SWEARING (WEST VIRGINIA CODE 61-5-3), BIDDER HEREBY CERTIFIES THAT THIS CERTIFICATE IS TRUE AND ACCURATE IN ALL RESPECTS; AND THAT IF A CONTRACT IS ISSUED TO BIDDER AND IF ANYTHING CONTAINED WITHIN THIS CERTIFICATE CHANGES DURING THE TERM OF THE CONTRACT, BIDDER WILL NOTIFY THE PURCHASING DIVISION IN WRITING IMMEDIATELY. BIDDER: \_\_\_Hayhurst Equipment, Inc. 21 August 2007 DATE: SIGNED Aq. Sales Mgr. TITLE: \* CHECK ANY COMMINATION OF PREFERENCE CONSIDERATION(S) IN EITHER "A" ON "B", OR BOTH "A" AND "B" WHICH YOU ARE ENTITLED TO RECEIVE. YOU MAY REQUEST UP TO THE MAXIMUM 5% PREFERENCE FOR BOTH "A" AND "B". (REV. 12/0d) THIS IS THE END OF REQ AGR0813 \*\*\*\*\* TOTAL: \$57,100.00 SEE REVERSE SIDE FOR TERMS AND CONDITIONS SIGNATURE TELEPHONE TITLE ADDRESS CHANGES TO BE NOTED ABOVE

## RFQ: AGR0813

## **Specifications**

Additional Specification for John Deere Model #6415 (or equal), 4WD Tractor with Comfort Vantage Cab Package. 2007 Model or newer. Min. PTO 85HP.

- \* Engine: 4045 T Diesel, 4 Cylinders, Bore 4.19 inches, Turbo Charged, Stroke 5 inches, 276" displacement. Must be equipped with air intake pre-cleaner. Wet sleve design. 100HP.
- Cold Weather Starting Package with pre-heater: (includes Heater for transmission)
- 16F/16R power Quad Transmission with Left Hd. Reverser.
- 4WD with Limited Slip Differential
- Tires: 18.4R/34 Rear Radial, 12.4R/24 Front Radial, Loaded for Extra weight (both front and rear tires
- Wet Clutch, Min. 8.8" triple disc.
- 540/1000 PTO dual, subshaft design
- Hydraulic self equalizing wet disc brakes
- Hydraulic System: Constant Flow w/ Loading Sensing (17.5 gpm) Joystick (2 positions)
- 3 independent (3 detent) SCV ports, Each must be independently controlled from tractor seat.
- 3pt. hitch with 2 adjustable sway bars Cat II (Lift 5028 lbs.)
- Min. weight with Cab 8987 labs., overall length: 168.9"
- Min. width: 91", Crop Clearance: 20.5"
- Height to top of drawbar: 17.4 inches, Turning Radius 12.6 feet
- Grill/Hoodguard, front weight support, Fuel Tank Guard.
- Flanged Axle, 8 positions Steel Wheels
- 4 added rear weights (110 lb. each)

#### Toolbox

Specifications for John Deere Model #673 (or equal) Non-Self Leveling Loader

- Lift Capacity at pivot: 3594 lbs.
- Life Capacity at 59": 5754 lbs.
- Boom Breakout Force: 7756 lbs.
- Rollback angle: 43 degrees
- Lift Height: 145 inches
- 85" Heavy duty Bucket (Global Attach)
- Hay Bale Spear (Global Attach)

Successful vendor must provide a manufacturer's warranty: (2 year minimum) Warranty must include transportation costs to and from the farm to the vendor's shop.

Tractor w/ loader is to be delivered, assembled, and demonstrated to the Pruntytown Farm by November 1, 2007 (or sooner).

# STATE OF WEST VIRGINIA Purchasing Division

The same of the sa

## **PURCHASING AFFIDAVIT**

West Virginia Code §5A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owned is an amount greater than one thousand dollars in the aggregate

#### **DEFINITIONS:**

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

**EXCEPTION:** The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

**LICENSING:** Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.

**CONFIDENTIALITY:** The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendors should visit <a href="https://www.state.wv.us/admin/purchase/privacy">www.state.wv.us/admin/purchase/privacy</a> for the Notice of Agency Confidentiality Policies.

Under penalty of law for false swearing (West Virginia Code, §61-5-3), it is hereby certified that the vendor acknowledges the information in this said affidavit and are in compliance with the requirements as stated.

Vendor's Name: _	Hayhurst E	quipment,	inc.					
Authorized Signat	ure:	and le	/	Date:	21	August	2007	
Demokration Affidavit (C	3-4-3 04454071	1						

#### \* WV-96 \*

Rev. 5/94

#### AGREEMENT ADDENDUM

M g

In the event of conflict between this addendum and the agreement, this addendum shall control:

- 1. ARBITRATION Any references to arbitration contained in the agreement are hereby deleted. Disputes arising out of the agreement shall be presented to the West Virginia Court of Claims.
- 2. HOLD HARMLESS Any clause requiring the Agency to indemnify or hold harmless any party is hereby deleted in its entirety.
- GOVERNING LAW The agreement shall be governed by the laws of the State of West Virginia. This provision replaces any references to any other State's governing law.
- 4. TAXES Provisions in the agreement requiring the Agency to pay taxes are deleted. As a State entity, the Agency is exempt from Federal, State, and local taxes and will not pay taxes for any Vendor including individuals, nor will the Agency file any tax returns or reports on behalf of Vendor or any other party.
- 5. PAYMENT Any references to prepayment are deleted. Payment will be in arrears.
- 6. <u>INTEREST</u> Should the agreement include a provision for interest on late payments, the Agency agrees to pay the maximum legal rate under West Virginia law. All other references to interest or late charges are deleted.
- 7. RECOUPMENT Any language in the agreement waiving the Agency's right to set-off, counterclaim, recoupment, or other defense is hereby deleted.
- 8. FISCAL YEAR FUNDING Service performed under the agreement may be continued in succeeding fiscal years for the term of the agreement, contingent upon funds being appropriated by the Legislature or otherwise being available for this service. In the event funds are not appropriated or otherwise available for this service, the agreement shall terminate without penalty on June 30. After that date, the agreement becomes of no effect and is null and void. However, the Agency agrees to use its best efforts to have the amounts contemplated under the agreement included in its budget. Non-appropriation or non-funding shall not be considered an event of default.
- STATUTE OF LIMITATION Any clauses limiting the time in which the Agency may bring suit against the Vendor, lessor, individual, or any other party are deleted.
- 10. <u>SIMILAR SERVICES</u> Any provisions limiting the Agency's right to obtain similar services or equipment in the event of default or non-funding during the term of the agreement are hereby deleted.
- 11. ATTORNEY FEES The Agency recognizes an obligation to pay attorney's fees or costs only when assessed by a court of competent jurisdiction. Any other provision is invalid and considered null and void.
- 12. <u>ASSIGNMENT</u> Notwithstanding any clause to the contrary, the Agency reserves the right to assign the agreement to another State of West Virginia agency, board or commission upon thirty (30) days written notice to the Vendor and Vendor shall obtain the written consent of Agency prior to assigning the agreement.
- 13. LIMITATION OF LIABILITY The Agency, as a State entity, cannot agree to assume the potential liability of a Vendor. Accordingly, any provision limiting the Vendor's liability for direct damages or limiting the Vendor's liability under a warranty to a certain dollar amount or to the amount of the agreement is hereby deleted. In addition, any limitation is null and void to the extent that it precludes any action for injury to persons or for damages to personal property.
- 14. RIGHT TO TERMINATE Agency shall have the right to terminate the agreement upon thirty (30) days written notice to Vendor.
- 15. TERMINATION CHARGES Any provision requiring the Agency to pay a fixed amount or liquidated damages upon termination of the agreement is hereby deleted. The Agency may only agree to reimburse a Vendor for actual costs incurred or losses sustained during the current fiscal year due to wrongful termination by the Agency prior to the end of any current agreement term.
- 16. RENEWAL Any reference to automatic renewal is hereby deleted. The agreement may be renewed only upon mutual written agreement of the parties.
- 17. INSURANCE Any provision requiring the Agency to insure equipment or property of any kind and name the Vendor as beneficiary or as an additional insured is hereby deleted.
- 18. <u>RIGHT TO NOTICE</u> Any provision for repossession of equipment without notice is hereby deleted. However, the Agency does recognize a right of repossession with notice.
- 19. ACCELERATION Any reference to acceleration of payments in the event of default or non-funding is hereby deleted.
- 20. <u>AMENDMENTS</u> All amendments, modifications, alterations or changes to the agreement shall be in writing and signed by both parties. No amendment, modification, alteration or change may be made to this addendum without the express written approval of the Purchasing Division and the Attorney General.

ACCEPTED BY: STATE OF WEST VIRGINIA	VENDOR	
Spending Unit:	Company Name	Hayhurst Equipment, Inc.
Signed:	Signed:	Kay Cost
Title:	Title:	Ag. Sales Mgr.
Date	Date	21 August 2007

# Hayhurst Equipment, Inc. HEI

435 West Myles Ave. Pennsboro, WV 26415

'SERVING THE AREA SINCE 1921"
Toll Free: 1-866-659-2917
heinc@citynet.net
THE DESK OF PHILLIP A. COTTRILLE
Paslc 1@hotmail.com

21 August 2007

Department of Agriculture Land Section Pruntytown State Farm Route 50 East Grafton, WV 26354 Ref: AGR0813

Per: Alternate Specifications

Ms. Ferrell,

In reviewing the requested specifications I am submitting this letter with my bid to explain minor deviations and/or exceptions to said requested specifications.

As these specifications make no reference to "must be" or "shall be" the referenced letter is for your information only. I represent both John Deere and (FORD) New Holland product lines and have vast knowledge of both product offerings; my reason for bidding the (FORD) New Holland product is simply due to the difference in pricing and performance.

#### **EXCEPTIONS:**

Engine displacement: Request 276 c.i., our product offers 274 c.i.

Engine Design: Request Wet Sleeve, our product of

1-----

Request Wet Sleeve, our product offers Parent Bore (superior Design and

less maintenance)

Hydraulic System:

Request 17.5 GPM, our product offers 27.1 (superior performance)

3-Point Lift Cap.:

Request 5,028#, our product offers 8,813# (superior performance)

O.A. Length:

Request 168.9" our product offers 168" w/o Loader and 252" w/Loader

Min. Weight:

Request 8,987#, our product offers 10,383# (Better Loader performance and

more stability.)

Rear Axle: Request 8-position Flanges Axle, our product offers a HD Bar Axle design

providing infinite adjustability of rear tires/wheels w/o the usual manual labor required on the requested axle design.

#### **FACTORY OPTIONS:**

These are items that were not requested in the RFQ but are part of the package that we ordered.

2-Full vision externally mounted, adjustable mirrors. Rear window wiper with front and rear washer. Additional left side storage compartment in cab. HD 1300 CCA Battery. Deluxe Air suspension Seat w/retractable seat belts. Sunshade. Front weight bracket.

AVAILIBILITY: The unit is on our lot in Pennsboro with loader installed. The unit has already been pre-serviced. We would require 7-10 days to install the 3<sup>rd</sup> rear remote valve and acquire the requested Bale Spear. HEI could deliver requested unit by the second week in September.

MODEL YEAR:

Per the requested RFQ said unit is NOT a current model but is new as per

New Holland invoice.

SHIP DATE:

22 August 2006

acoles.

WARRANTY: Full 2-year factory warranty. Price of Tractor/Loader includes service calls to farm (Pruntytown) during the length of Factory Warranty. All warranty issues considered New Holland responsibility would be covered 100%. Items not considered New Holland responsibility shall be billed to the Department of Agriculture @ \$50.00/hour, point to point. Any trucking and/or travel time required during said 2-year warranty at a location other than Pruntytown will be charged \$50.00/hour prorated from Pruntytown.

Hayhurst Equipment sincerely appreciates the opportunity to provide this information to you for your consideration. If you have further concerns or questions or if you would prefer to evaluate the equipment quoted by visiting our dealership, please contact me at your earliest convenience.

Respectfully yours;

Phillip A. Cottrille

Agricultural Sales Manager

Pasic1@hotmail.com

866-659-2917



# WARRANTY AND LIMITATION OF LIABILITY AGREEMENT - AGRICULTURAL PRODUCTS

#### **COVERAGE PROVIDED**

CNH America LLC or CNH Canada, Ltd., hereinafter called "Company" or "New Holland" warrants to the retail purchaser of each new Product (as listed below) that the Selling Dealer or authorized New Holland dealer will repair or replace any part thereof found to be defective in materials or workmanship within the following periods. This warranty is for the benefit of the original or subsequent purchaser.

Product	Warranty Period (whichever comes first
-Harvesting, Materials Handling Equipment and Implements	
<ul> <li>Extended New Holland Engine Warranty for Harvesting Products</li> <li>-2300 Series Sickle Hay Headers for Windrowers, BiDirectional Art</li> </ul>	dapter Frames and
1475 Mower-Conditioners retailed on or after 1/1/1999	24 Months ——
-Self Propelled Forage Harvester Models FX28, FX38, FX58, FX38	0, FX40, FX50, and FX60
-Compact Tractor Models TC & TZ (only)	or 2000 Cutterhead Hours  24 Months or 2000 Hours
Extended Fower Train Warranty"	An Additional 12 Months (No Additional Hours)
-Agricultural and Compact Tractors (except as noted) Including Bil	Directional
-NH IntelliSteer™	24 Months
-Replacement Parts	12 Months 180 days or to end of Basic Warranty (whichever is longer)
(factory installed), timing gear cover, timing gears, and	ad, oil pan, oil pump, seals & gaskets, head gasket, fuel injection pump and lines, turbocharger uni valve cover.
TRANSMISSION - Transmission case and all internal lubricated p	parts, torque converter, auxiliary drive axle transfer case, seals and gaskets.
MAIN DRIVE AXLE(S) - Center & drive axle housing and all inte lubricated parts, auxiliary drive axle trans	ernal lubricated parts, axle shafts, bearings (wheel and axle hub), final drive housing and all interna afer case, PTO-clutch, internal shafts and bearings, seals and gaskets.
AUXILIARY DRIVE AXLE - Axle housing and all internal lubrical parts, seals and gaskets, drive shaft	ied parts, axle shafts, bearings (wheel and axle hub), final drive housing and all internal lubricated and universal joints.
LIMITATIONS, INCLUDING DISCLAIMER OF IMPLIED WARRA	
BY LAW, ANY IMPLIED WARRANTY OF MERCHANTABILITY TO THE STATED DURATION OF THIS WRITTEN WARRANT USE OF THE PRODUCT, LOSS OF TIME, INCONVENIENCE, The remedy of repair or replacement of a defective part during the not cover delivery charges or travel time.  PROTECTIVE EQUIPMENT	e warranty period herein specified shall be the purchaser's exclusive remedy. <b>This warranty does</b>
Customers who elect to remove or not use this protection do so at	
<ul> <li>I acknowledge the existence of OSHA regulations pertaining to I</li> </ul>	
The correct Operator's Manual has been furnished to me.	
	he selling dealer and will be furnished to me upon delivery of the product.
Safety precautions were explained to me by the selling dealer.	
<ul> <li>Safety features of the product were explained to me by the sellin</li> <li>The dealer has reviewed any applicable Federal Emissions War</li> </ul>	
The dealer has reviewed any applicable redetal Emissions avail	anty and i understand its provisions.
ACKNOWLEDGMENT (check one)	APPLICATION (check one)
Owner Trasfer New Equipment Sale	
The blank spaces under "Protective Equipment" have been filled in Liability Agreement.	n and are correct, and I acknowledge that I have read and I accept this Warranty and Limitation of
Purchaser	DealerCode
Address	Address
City State Zip	City State Zip
Model Serial No	Retail Date / /
Attachment Model SN	<del></del>
Attachment Model SN	<del></del>
Purchaser Date	Dealer Date Date

220191 Rev. 9/05

Additional details on back

PRINTED IN USA

### LIMITATIONS AND EXCLUSIONS

The warranty period will begin on date of original retail sale or date of original use, whichever is earlier.

- The obligation of Company to the purchaser under this warranty is limited to the repair or replacement of defective parts by an authorized New Holland dealer and will be done free of charge for both parts and labor using genuine New Holland replacement parts. Repair or replacement in accordance with this warranty shall constitute fulfillment of all liabilities of Company and the Selling Dealer in respect to such Products.
- Repairs or replacements will be performed by the Selling Dealer, following delivery of the Product by the purchaser to the Dealer's place of business. At the customers request, any New Holland dealer authorized to sell and service the described Products shall perform the repair at its dealership.
- The Selling Dealer shall review these warranty provisions with the purchaser prior to retail sale, secure his acknowledgment of delivery of this warranty and record the date of original retail sale or date of original use.
- To obtain warranty service, the purchaser must (1) report the product defect to an authorized New Holland dealer and request repair within the applicable warranty term and (2) present evidence of the warranty start date.

#### **DEFINITION OF COMMERCIAL AND/OR SCRAPER APPLICATION**

- A commercial and/or scraper application is defined as any agricultural tractor that is used in a scraper, earthmoving, other commercial (see #2), or non-agricultural application, for which the owner receives compensation. The only exception is a customer using a scraper on his or her own farm to level land for agricultural crop production and is limited to 50% or less of annual accumulated hours of operation.
- Other uses of agricultural tractors that are considered Commercial include, but are not limited to: site preparation, excavation, pond building and forestry
  applications.
- Misrepresenting the intended application on the Warranty and Limitation of Liability form will void Base Warranty and Extended Service Plan coverage. No
  refunds will be issued.
- Any tractor used in a commercial scraper application is ineligible for agricultural Extended Service Plan.

#### ITEMS NOT COVERED BY WARRANTY

- 1. Labor, which is part of predelivery or scheduled inspection service.
- Repairs arising from storage deterioration, failure to maintain the equipment, negligence, alteration, improper use of the equipment, collision or other accident, vandalism, or other casualty, or operation beyond rated capacity or specification.
- Repairs arising from abuse or neglect including, but not limited to: operation without adequate coolant or lubricants, adjustments to the fuel system outside
  equipment specifications, improper storage, starting, warm-up, or shutdown practices, incorrect fuel or contaminated fuel, oil or other fluids.
- 4. Normal maintenance services, such as engine fuel system cleaning.
- 5. Replacement of wear items including, but not limited to: filters, light bulbs, flasher switches, spark plugs, ignition points, brake or clutch linings, fuses, belts, chains, knives, bucket cutting edges and teeth, crawler track pads and track components, crop processing and cutting components, drive sprockets and chains, soil engaging tools and accessories, or items replaced due to customer demand.
- 6. Labor charges performed by anyone except an authorized New Holland dealer, unless they qualify under special provisions, i.e. outside labor.
- 7. Incidental claims for items such as towing, service calls, or transporting a unit to and from the place where the warranty service is performed.
- 8. Claims involving a unit that was damaged in transit or handling and was subsequently sold as a "salvage" unit.
- 9. Units which were purchased from the Company's used equipment inventory when such units are sold on an "as is" basis, unless otherwise specified in writing at the time of sale.
- 10. Lost or stolen equipment.
- 11. Normal maintenance parts and labor including, but not limited to: replenishment of oils, lubricants, coolants, fluids, thermostats or filters. Exceptions include: received low level from the factory found during pre-delivery inspection, or where loss or contamination is directly caused by failure of component, i.e., engine, transmission, and rear axle, acknowledged by the company to be defective in material or workmanship.
- 12. Inspection or reconditioning of units.
- Claims involving original equipment repair of an OEM unit, which is covered by warranty to the OEM customer.
- 14. Components or items that are separately warranted to the purchaser by the manufacturer, such as engines, transmissions, tires, batteries, fuel injection, etc., shall be warranted directly by their respective manufacturer.
- 15. Repairs arising from any unauthorized modification to the product or the use of non-New Holland parts, implements or attachments.
- 16. Removal and replacement of non-New Holland attachments and components.
- Premiums charged for overtime or out of shop expenses.
- 18. Economic loss including lost profits, crop loss, equipment rental, or other expense.
- 19. Unauthorized modification or "field fixes", i.e., updating machines based on Service Bulletin information, or running production changes.
- 20. Dealer shop supplies including consumable items used for repairs including, but not limited to: solvents, cleaners, anti-seize lubricants, oil-dry, shop towels and special tools.
- 21. Warranty shall NOT apply to any product normally operated outside of the United States and/or Canada. Likewise, any unit purchased outside of the U.S. or Canada and imported in for any reason other than a customer relocation/personal move will not be covered by warranty in the U.S. or Canada.
- Failure of machine, its implement or attachments caused by improper field application or loading

#### RIGHT TO MAKE DESIGN CHANGES

Company reserves the right to make changes in the design and other changes in its products at any time and from time to time without notice and without incurring any obligation with respect to any product previously ordered from it, sold or shipped by it.

# NEW! TS-A Series Standard Tractors 90 to 110 PTO hp TS110A TS115A TS130A





TS-A Series standard tractors combine reliable power with convenience and comfort to make an ideal tractor for livestock and row-crop applications

#### High-torque power without the extras

Modern, fuel-efficient engines deliver superior torque rise and responsive power. You get the performance you need with minimum complexity. A 67-gallon fuel tank is standard on the six-cylinder TS115A and TS130A models.

#### Dedicated left-hand shuttle lever

Every TS-A model gives you the convenience of a forward/reverse shuttle lever to the left of the steering column for fast direction changes. Add the power shuttle option available on the 24x24 or 16x16 transmissions for even faster cycle times. You choose the transmission that best matches your needs:

- 12 x 12 Synchro Command™ transmission
- 24 x 24 Dual Command™ transmission
- 16 x 16 Electroshift<sup>TM</sup> transmission

#### Perfect for loader work

Add the 56LB Quick Attach loader with seatmounted joystick and you have a complete package for material handling. The low-profile design enhances visibility and the two-position lift cylinder provides the option of increased lift height.

#### Spacious, quiet, comfortable cab

- Panoramic views
- Unique high-visibility panel in roof gives an exceptional view to a raised loader bucket
- Tilt steering column
- · Conveniently placed controls

## **TS-A Series Standard Tractor Specifications**

Model	TS110A Standard	TS115A Standard	TS130A Standard	Model
Engine: Gross Engine Horsepower,			·	Rear Remotes, open cente Mid-Mount Loader Valve
hp (kW) PTO Horsepower, hp (kW) Rated RPM	110 (82.1) 90 (67.1)	115 (85.8) 95 (70.9) 2200	130 (97) 110 (82.1)	(Optional) Draft Control Type Hitch Category, MDC
Number of Cylinders Displacement, cu. in. (L) Aspiration	4 274 (4.5)	6 411 (6.7) charged and Inte	6 411 (6.7)	Hitch Lift Capacity, standard, lbs (kg) optional
Air Cleaner Fan	111927131131119334111	ry Type Dual Elen Viscous		3 point hitch leveling
Fuel Injection Injection Pump	Delhi	Vlechanical Gover Bosch		<b>PTO</b> Type
Fuel Capacity, gal (L)	47.5 (180)		Bosch 67 (254)	Speeds
Electrical:				
Alternator Amps		120		Estimated Weight, Ibs (kg ROPS 2WD
Battery Capacity (CCA)		standard (960 op heater starting air		ROPS FWA
Cab lights	2 head	llights, 4 front wo and 2 rear work lig	ork lights	Cab 2WD Cab FWA
ROPS lights			s, 1 rear work light	Approximate Dimensions,
Transmission				Height to top of ROPS
Transmission, standard		ro Command™ Inical shuttle	16x16 Electroshift <sup>TM</sup> with power	(Up Position) Height to top of Cab Wheelbase, 2WD Wheelbase, FWD
Transmission, optional		Command™ ver shuttle	shuttle —	Wiledingse, LAAD
Transmission, optional	16x16 Ele	ectroshift <sup>rM</sup> ver shuttle	<del>-</del>	
Axles*				
2WD, standard	Heavy	5-bolt hub standa: -duty 8-bolt hub (	rd, optional	
FWA, standard		standard optional	Class 3	<b>(73)</b>
* Note: Heavy Duty 8 bolt hu- boom mowers	b or Class 3 Axle	is required for use (	with loaders and	
Front Axle Differential Rear Axle		Limited slip standard, 98 in. ba		
Rear Differential Lock Brakes	-	Electro hydraulic Hydraulic wet dis		
Hydraulics & Hitch		-		Lift and place loads fast whe New Holland 56LB front-end
Hydraulic System Steering and Service Pump,		Open Center	***************************************	TS-A Standard tractor. The 5
gpm (lpm)	***************************************	10.5 (40)		attachments including a nall

......2 or 3 valves ..... ......Mechanical..... 4,878 (2213) 4,878 (2213) 7,509 (3406) ......8,813 (3998) ...... ......One turnbuckle on right-hand arm ...... ......Multi-Plate Wet Clutch with ..... .....electro-hydraulic engagement..... ......540/1000 RPM...... 9,060 (4110) 9,986 (4530) 10,052 (4560) 10,361 (4700) 10,890 (4940) 9,435 (4280) 10,427 (4730) 10,008 (4540) 10,978 (4980) 10,383 (4710) 11,265 (5110) 11,331 (5140) , in (mm) 114.1 (2898) 111.0 (2819) 112.4 (2855) 114.1 (2898) 109.9 (2791) 111.0 (2819) 93.3 (2370) 104.4 (2652) 104.4 (2652) 94.9 (2412) 104.7 (2661) 104.7 (2661)

TS110A

Standard

TS115A

Standard

TS130A

Standard



New Holland 56LB front-end loader to your new
TS-A Standard tractor. The 56LB features a lift height of
12 feet, a breakout force of 5,400 pounds and a selection of
attachments, including a pallet fork, bale spear and bale/silage grapple.

Cab standard equipment: Low profile roof with fixed visibility panel, mechanical suspension w/swivel, tilt steering wheel, two-speed front wiper

Cab options: Air Ride seat w/swivel, two external mirrors, sun shade, dealer-installed instructor seat

#### YOUR NEW HOLLAND DEALER

Visit our Web site at www.newholland.com/na Or, call toll-free: 1-888-290-7377

NEW HOLLAND IS A BRAND OF CNH.
A GLOBAL LEADER IN AGRICULTURAL AND CONSTRUCTION EQUIPMENT AND FINANCIAL SERVICES.

NEWHOLLAND

Design, materials and/or specifications are subject to change without notice and without liability therefor. Specifications are applicable to units sold in Canada, the United States, its territories and possessions, and may vary outside these areas.

© 2005 CNH America LLC

New Holland is a registered trademark of CNH America LLC.

Safety begins with a thorough understanding of the equipment. Always make sure you and your operators read the Operator's Manual before using the equipment. Pay close attention to all safety and operating decals and never operate machinery without all shields, protective devices and structures in place.

NH11170501 • 120540 • IS • PRINTED IN U.S.A.



Restore Attributes	Convert to PDF	Convert to Excel
SPECIFICATIONS		



## McCormick

1		•		ganding of the Tradition of the property of the second of	
	Make	New Holland	John Deere	Kubota	McCormick
	Model	TS110A Standard	6415	M105X	C105 Max
	Engine Performance	<del>-</del>			
	Gross Engine Power, hp (kW)		104.6 (79.5)	108 (80.5)	98.6 (72.5)
	Net Engine Power, hp (kW)	np	100 (74.6)	105 (78.2)	np
	Rated Engine Speed, rpm	2200	2300	2600	2200
▣	PTO Performance	-			
▣	PTO Horsepower, Basic Transmission, hp (kW)	90 (67.1)	86 (63)	90 (67.1)	88 (65)
3	Basic Engine	_			
Ξ	Engine Make	New Holland	John Deere	Kubota	Perkins
	Engine Model	F4CE0484A*D6	4045HL272	V3800TIE2	1104C-44T
	Number of Cylinders	4	4	4	4
≘	Displacement, cu in (L)	273 (4.5)	276 (4.5)	230 (3.77)	268 (4.4)
▣	Aspiration	Turbo-Intercooled	Turbo-Intercooled	Turbo-Intercooled	Turbocharged
	Engine Bore, in (mm)	4.0 (104)	4.19 (106.5)	3.94 (100)	4.1 (105)
♬	Engine Stroke, in (mm)	5.19 (132)	5.00 (127.0)	4.72 (120)	5.0 (127)
	Cooling System				
▣	System Type	Water-Cooled	Water-Cooled	Water-Cooled	Water
∄	Cold Start				
Ξ	Cold Start Aid	optional	np	Glow plug	Thermostarter (Glow plugs)
	Alternator	•			
E	Cold Cranking Amperage, Amps	800	np	900	600
▣	Battery Capacity, Amp-hours	пр	110 -154	100	170
	Basic Transmission Configuration	1			
▣	Transmission Type	Synchronized Gears	Gear	Powershift	Gear
▣	Manufacturer's Description	12x12 Synchro Command	SyncroPlus	Intelli-Shift	12 + 12 Synchro shuttle
ł					

COI	ilpeditive Comparison				Page 2 01 3
	Number of Forward / Reverse Speeds	12F / 12R	12F / 4R	16F / 16R	12F / 12R
■	Forward / Reverse Speeds w/ Creeper	24F / 24R	21F / 7R	24F / 24R	na
⊟	Transmission Clutch Type or Dump Valve	Dry cerametallic	PermalClutch 2	Wet multi disc	Single disc dry clutch
	Transmission Clutch Diameter, in (mm)	13.0 (330)	9 (229)	5.2 (133)	12.0 (305)
≘	Optional Transmission 1	_			
E	Manufacturer's Description	24x24 Dual Command	SyncroPlus	na	24+12 creep speed synchro shuttle
■	Transmission Type	Powershift between high - low	Gear	na	Gear
	Number of Forward / Reverse Speeds	24F / 24R	16F / 16R	na	24F / 12R
≘	Rear Axle Assembly	<del>.</del>			
	Final Drive Type	Planetary	Planetary	Planetary	Spur gear
≘	Differential	-			
■	Differential Type	Locking	np	Bevel Gear	Spiral bevel
	Front Axle, Non Driving	_			
3	Non-Driving Front Axle, Adjustable or Fixed	- Adjustable	Adjustable	Fixed	Adjustable
	Restricted Front Axle Capacity, lbs (kg)	11,023 (5000)	4,520 (2050)	np	пр
	Front Axle, Driving				
	Front Drive Axle Engagement Method	- Electro-hydraulic	пр	Electro-Hydraulic	Mechanical
	Restricted Front Axle Capacity, lbs (kg)	11,463 (5200)	7,495 (3400)	np	пр
	Steer Angles And Oscillation				
E	Steering Configuration	Front Wheel Steer	Front Wheel Steer	Front Wheel Steer	Front Wheel Steer
	Non Driving Axle Steer Angle, from center, degrees	55	пр	па	52
▣	Front Driving Axle Steer Angle, from center, degrees	55	52	50	55
	SuperSteer™ Front Axle Available	No	No	No	No
=	SuperSteer™ Total Angle, from center, degrees	na	na	na	na
▣	Non Driving Axle Oscillation Angle, +/-, degrees	10 - 12	20	na	np
B	Front Driving Axle Oscillation Angle, ÷/-, degrees	12	np	np	np
	Steering Hydraulic System	•			
₽	Steering Type, Power or Manual	Hydrostatic	Hydrostatic	Power	Power
Ξ	Steering Pump Type	np	пр	np	Gear
	Service Brake				

COL	iipeutive Companson				rage 3 01 3
	Service Brake Type	Wet plate disc	Wet disc	Wet disc	Wet multi disc
	Service Brake Operation/Actuation	Hydraulic	Hydraulic	Hydraulic	Hydraulic
E	Parking Type	-			
	Parking Brake Type	— Multi wet disc	np	Wet disc	Wet multi disc
	Parking Brake Operation/Actuation	Hand lever- cable	пр	Mechanical	Hand lever
	PTO Size And Performance	_			
a	540 rpm Output Shaft Diameter, in (mm)	1.375 (35)	1.375 (35)	1.375 (35)	1.375 (35)
E	1000 rpm Output Shaft Diameter, in (mm)	1.375 (35)	np	1.375 (35)	1.375 (35)
	PTO operational Type (Independent; Live; Continuous)	Independent	Independent	Live- independent	Independent
	Engine rpm at Rear PTO 540 rpm	1969	2143	2205	1944
E	Engine rpm at Rear PTO 1000 rpm	2120 	2208	2389	1916
E	PTO Clutch	_			
	PTO Clutch Type	Multi plate wet clutch	np	Wet Multi Disc	Multi disc dry clutch
	PTO Clutch Diameter, in (mm)	np	np	np	np
Ξ	PTO Clutch Material	np 	np	np	np ·
	System	_			
	Hydraulic System Type	Open center	np	Open center	Open center
	System Pressure, psi (bar)	Std 2974 (205)	2500 (172)	2859 (197.1)	2465 (170)
	Main Pump	_			
■	Main Hydraulic Pump Type	Gear	пр	Gear	Gear
Ξ	Standard Pump Flow, gpm (Lpm)	16.6 (63.0)	np	18.1 (68.4)	14.2 (53.9)
Ξ	Remote Control Valves	_			
	Number of Standard Remote Valves	2	np	2	1
	Optional Remotes, Factory or Dealer Installed	4	4	2	2 or 4
	Hitch Features	•		·	
∃	Hitch Category	- Category 2	Category 2	Category 2	Category 2
	Draft Sensing Type	Mechanical lower link	Electronic lower link	Electronic lower link	Electronic top link
Ð	Lift Capacity				
E	Standard Lift Capacity 24 Inches behind, lb (kg)	4,878 (2213)	5,028 (2282)	5,203 (2306)	5,292 (2400)
▣	Drawbar				
▣	Drawbar Type	Swinging	Swinging w/stops	Swinging	Class A swinging or class C/D2 fixed
	Instrumentation				

E	Type of Instrument Cluster	Analog / Digital	Analog	Digital LCD	Analog
E	Fluid Capacities	-			
	Fuel Tank, gal (L)	47.5 (180)	43.6 (165)	50.2 (190)	25.1 (95)
	Vertical	•			
▣	Height to Top of ROPS raised, in (mm)	– 112.4 (2856)	np	пр	102.8 (2610)
=	Height to Top of ROPS folded, in (mm)	np	np	np	np
E	Height to Top of Exhaust, in (mm)	113.2 (2876)	пр	пр	np
	Ground Clearance at Drawbar, in (mm)	16.7 (426)	пр	np	np
	Front Axle Clearance, in (mm)	16.8 (427)	18.7 (475)	23.2 (590)	17.3 (440)
Ē	Length				
	Length, 2WD, including Rear Hitch, in (mm)	163.1 (4145)	np	na	163.8 (4160) w/ front wts
	Length, 4WD, including Rear Hitch, in (mm)	164.6 (4182)	np	163.4 (4150)	163.8 (4160) w /front wts
	Length, SuperSteer, incl. Rear Hitch, in (mm)	na	na	na	na
	Wheelbase, 2WD, in (mm)	93.3 (2370)	94.5 (2400)	па	93.1 (2365)
■	Wheelbase, 4WD, în (mm)	94.9 (2412)	94.5 (2400)	95.9 (2435)	92.1 (2340)
	Wheelbase, SuperSteer, in (mm)	na	пр	na	па
		•	•		
	Width	•	r		
-	Width Overall Width, in (mm)	85.4 (2170)	па	83.7 (2125)	63.8 - 86.6 (1620 - 2200)
5		•			
	Overall Width, in (mm)  Front Wheel Track, 2WD, minimum,	85.4 (2170)	na	83.7 (2125)	63.8 - 86.6 (1620 - 2200)
	Overall Width, in (mm)  Front Wheel Track, 2WD, minimum, in (mm)  Front Wheel Track, 2WD, maximum,	85.4 (2170) 56.0 (1422)	na 58.5 (1487)	83.7 (2125) na	63.8 - 86.6 (1620 - 2200) 55.9 (1420)
	Overall Width, in (mm)  Front Wheel Track, 2WD, minimum, in (mm)  Front Wheel Track, 2WD, maximum, in (mm)  Front Wheel Track, 4WD, minimum,	85.4 (2170) 56.0 (1422) 84.0 (2134)	na 58.5 (1487) 80.5 (2043)	83.7 (2125) na na	63.8 - 86.6 (1620 - 2200) 55.9 (1420) 75.59 (1920)
	Overall Width, in (mm)  Front Wheel Track, 2WD, minimum, in (mm)  Front Wheel Track, 2WD, maximum, in (mm)  Front Wheel Track, 4WD, minimum, in (mm)  Front Wheel Track, 4WD, maximum,	85.4 (2170) 56.0 (1422) 84.0 (2134) 55.4 (1407)	na 58.5 (1487) 80.5 (2043) 59.7 (1516)	83.7 (2125) na na 60.2 (1530)	63.8 - 86.6 (1620 - 2200) 55.9 (1420) 75.59 (1920) 66.4 (1687)
	Overall Width, in (mm)  Front Wheel Track, 2WD, minimum, in (mm)  Front Wheel Track, 2WD, maximum, in (mm)  Front Wheel Track, 4WD, minimum, in (mm)  Front Wheel Track, 4WD, maximum, in (mm)  Rear Wheel Track, minimum, in	85.4 (2170) 56.0 (1422) 84.0 (2134) 55.4 (1407) 83.0 (2108)	na 58.5 (1487) 80.5 (2043) 59.7 (1516) 79.4 (2017)	83.7 (2125) na na 60.2 (1530) 65.4 (1660)	63.8 - 86.6 (1620 - 2200) 55.9 (1420) 75.59 (1920) 66.4 (1687) 74.3 (1887)
	Overall Width, in (mm)  Front Wheel Track, 2WD, minimum, in (mm)  Front Wheel Track, 2WD, maximum, in (mm)  Front Wheel Track, 4WD, minimum, in (mm)  Front Wheel Track, 4WD, maximum, in (mm)  Rear Wheel Track, minimum, in (mm)  Rear Wheel Track, maximum, in	85.4 (2170) 56.0 (1422) 84.0 (2134) 55.4 (1407) 83.0 (2108) 56.1 (1426)	na 58.5 (1487) 80.5 (2043) 59.7 (1516) 79.4 (2017) 63.5 (1612)	83.7 (2125) na na 60.2 (1530) 65.4 (1660) 60.2 (1530)	63.8 - 86.6 (1620 - 2200) 55.9 (1420) 75.59 (1920) 66.4 (1687) 74.3 (1887) 63.5 (1612)
	Overall Width, in (mm)  Front Wheel Track, 2WD, minimum, in (mm)  Front Wheel Track, 2WD, maximum, in (mm)  Front Wheel Track, 4WD, minimum, in (mm)  Front Wheel Track, 4WD, maximum, in (mm)  Rear Wheel Track, minimum, in (mm)  Rear Wheel Track, maximum, in (mm)	85.4 (2170) 56.0 (1422) 84.0 (2134) 55.4 (1407) 83.0 (2108) 56.1 (1426)	na 58.5 (1487) 80.5 (2043) 59.7 (1516) 79.4 (2017) 63.5 (1612)	83.7 (2125) na na 60.2 (1530) 65.4 (1660) 60.2 (1530)	63.8 - 86.6 (1620 - 2200) 55.9 (1420) 75.59 (1920) 66.4 (1687) 74.3 (1887) 63.5 (1612)
	Overall Width, in (mm)  Front Wheel Track, 2WD, minimum, in (mm)  Front Wheel Track, 2WD, maximum, in (mm)  Front Wheel Track, 4WD, minimum, in (mm)  Front Wheel Track, 4WD, maximum, in (mm)  Rear Wheel Track, minimum, in (mm)  Rear Wheel Track, maximum, in (mm)  Weight	85.4 (2170) 56.0 (1422) 84.0 (2134) 55.4 (1407) 83.0 (2108) 56.1 (1426) 79.8 (2026)	na 58.5 (1487) 80.5 (2043) 59.7 (1516) 79.4 (2017) 63.5 (1612) 78.9 (2004)	83.7 (2125) na na 60.2 (1530) 65.4 (1660) 60.2 (1530) 80.1 (2035)	63.8 - 86.6 (1620 - 2200) 55.9 (1420) 75.59 (1920) 66.4 (1687) 74.3 (1887) 63.5 (1612) 79.2 (2012)
	Overall Width, in (mm)  Front Wheel Track, 2WD, minimum, in (mm)  Front Wheel Track, 2WD, maximum, in (mm)  Front Wheel Track, 4WD, minimum, in (mm)  Front Wheel Track, 4WD, maximum, in (mm)  Rear Wheel Track, minimum, in (mm)  Rear Wheel Track, maximum, in (mm)  Weight  Total Weight, 2WD w/ROPS, lb (kg)	85.4 (2170) 56.0 (1422) 84.0 (2134) 55.4 (1407) 83.0 (2108) 56.1 (1426) 79.8 (2026)	na 58.5 (1487) 80.5 (2043) 59.7 (1516) 79.4 (2017) 63.5 (1612) 78.9 (2004)	83.7 (2125) na na 60.2 (1530) 65.4 (1660) 60.2 (1530) 80.1 (2035)	63.8 - 86.6 (1620 - 2200) 55.9 (1420) 75.59 (1920) 66.4 (1687) 74.3 (1887) 63.5 (1612) 79.2 (2012) 6,900 (3130)
	Overall Width, in (mm)  Front Wheel Track, 2WD, minimum, in (mm)  Front Wheel Track, 2WD, maximum, in (mm)  Front Wheel Track, 4WD, minimum, in (mm)  Front Wheel Track, 4WD, maximum, in (mm)  Rear Wheel Track, minimum, in (mm)  Rear Wheel Track, maximum, in (mm)  Weight  Total Weight, 2WD w/ROPS, lb (kg)	85.4 (2170) 56.0 (1422) 84.0 (2134) 55.4 (1407) 83.0 (2108) 56.1 (1426) 79.8 (2026) 9060 (410) 9435 (4280)	na 58.5 (1487) 80.5 (2043) 59.7 (1516) 79.4 (2017) 63.5 (1612) 78.9 (2004) 7,695 (3490) 8,102 (3675)	83.7 (2125) na na 60.2 (1530) 65.4 (1660) 60.2 (1530) 80.1 (2035)	63.8 - 86.6 (1620 - 2200) 55.9 (1420) 75.59 (1920) 66.4 (1687) 74.3 (1887) 63.5 (1612) 79.2 (2012) 6,900 (3130) 7,450 (3380)
	Overall Width, in (mm)  Front Wheel Track, 2WD, minimum, in (mm)  Front Wheel Track, 2WD, maximum, in (mm)  Front Wheel Track, 4WD, minimum, in (mm)  Front Wheel Track, 4WD, maximum, in (mm)  Rear Wheel Track, minimum, in (mm)  Rear Wheel Track, maximum, in (mm)  Weight  Total Weight, 2WD w/ROPS, lb (kg)  Total Weight, 4WD w/ROPS, lb (kg)  Total Weight, 4WD w/ROPS, lb (kg)	85.4 (2170) 56.0 (1422) 84.0 (2134) 55.4 (1407) 83.0 (2108) 56.1 (1426) 79.8 (2026) 9060 (410) 9435 (4280)	na 58.5 (1487) 80.5 (2043) 59.7 (1516) 79.4 (2017) 63.5 (1612) 78.9 (2004) 7,695 (3490) 8,102 (3675)	83.7 (2125) na na 60.2 (1530) 65.4 (1660) 60.2 (1530) 80.1 (2035)	63.8 - 86.6 (1620 - 2200) 55.9 (1420) 75.59 (1920) 66.4 (1687) 74.3 (1887) 63.5 (1612) 79.2 (2012) 6,900 (3130) 7,450 (3380)
	Overall Width, in (mm)  Front Wheel Track, 2WD, minimum, in (mm)  Front Wheel Track, 2WD, maximum, in (mm)  Front Wheel Track, 4WD, minimum, in (mm)  Front Wheel Track, 4WD, maximum, in (mm)  Rear Wheel Track, minimum, in (mm)  Rear Wheel Track, maximum, in (mm)  Weight  Total Weight, 2WD w/ROPS, lb (kg)  Total Weight, 4WD w/ROPS, lb (kg)  Total Weight, 4WD w/Cab, lb (kg)  Turn Radius To Outside Of Front Wheel  Turn Radius, 2WD, With Brakes, in	85.4 (2170) 56.0 (1422) 84.0 (2134) 55.4 (1407) 83.0 (2108) 56.1 (1426) 79.8 (2026) 9060 (410) 9435 (4280) 10,383 (4710)	na 58.5 (1487) 80.5 (2043) 59.7 (1516) 79.4 (2017) 63.5 (1612) 78.9 (2004) 7,695 (3490) 8,102 (3675) 8,987 (4085)	83.7 (2125) na na 60.2 (1530) 65.4 (1660) 60.2 (1530) 80.1 (2035) na np 8,987 (4085)	63.8 - 86.6 (1620 - 2200) 55.9 (1420) 75.59 (1920) 66.4 (1687) 74.3 (1887) 63.5 (1612) 79.2 (2012) 6,900 (3130) 7,450 (3380) 7,740 (3510)

▣	Turn Radius, 2WD, Without Brakes, in (mm)	144.0 (3660)	166.8 (4237)	na	165 (4191)
	Turn Radius, 4WD, Without Brakes, in (mm)	194.4 (4940)	176.4 (4481)	150 (3810)	165 (4191)
Ξ	Tire Size	-			
	Standard Tire Size, 2WD Front	7.50 x 16	10.00-16	na	9.00-16
	Standard Tire Size, 4WD Front	14.9 R24	12.4-24	13.6R24	380/70R24
1					

na = Not Applicable, np = Not Published

#### **UNCONTROLLED COPY**

This New Holland website contains records of competitive equipment. CNH assumes no responsibility or liability for any information, specifications, condition reports, photography, availability, pricing, taxes or duties, or warranty information of the competitive equipment. CNH is not responsible for the information contained or not contained regarding the competitive equipment. The User agrees to indemnify CNH, its officers, agents, employees, and other personnel under its control against any and all liability, expenses, attorney fees, and damages arising out of or relating to the use of any record of competitive equipment obtained from this website, including any claims alleging facts that if true would constitute a breach by the User of these terms and conditions. For more information, view our full legal policy.