



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

**Request for  
 Quotation**

RFQ NUMBER
AGR0875

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF:
KRISTA FERRELL 304-558-2596

VENDOR

\*709043751 304-366-4690  
 MIDDLETOWN TRACTOR SALES  
 2032 FAIRMONT AVE  
 FAIRMONT WV 26554

SHIP TO

DEPARTMENT OF AGRICULTURE  
 LAND SECTION  
 LAKIN STATE FARM  
 BOX 9, PLANT LANE ROAD  
 LAKIN, WV  
 25287 304-558-2221

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
03/10/2008	NET 30	OUR TRUCK	DESTINATION	PREPAID
BID OPENING DATE: 03/25/2008		BID OPENING TIME 01:30PM		

LINE	QUANTITY	UOP	CAT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
ADDENDUM NO. 1						
THIS ADDENDUM IS ISSUED TO INCLUDE THE FOLLOWING LANGUAGE IN THE SPECIFICATIONS.						
UNDER "COMFORT CAB PACKAGE" PLEASE ADD THE THE WORDING "INCLUDES INSTRUCTIONAL SEAT".						
BID OPENING DATE REMAINS 03/25/2008						
BID OPENING TIME REMAINS: 1:30 PM						
***** END ADDENDUM NO. 1 *****						
0001	1	EA		020-89	\$82,227.00	\$82,227.00
PREMIUM COMFORT GUARD CAB MFWD TRACTOR						
***** THIS IS THE END OF RFQ AGR0875 *****						TOTAL: \$82,227.00

**RECEIVED**

2008 MAR 25 A 10:00

PURCHASING DIVISION  
 STATE OF WV

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>Stephen Brown</i>	TELEPHONE 304-366-4690	DATE 3-24-08
TITLE Sales Associate	FEIN 530547175	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFO NUMBER  
**AGR0875**

PAGE  
**1**

ADDRESS CORRESPONDENCE TO ATTENTION OF  
**KRISTA FERRELL  
 304-558-2596**

VENDOR

\*709043751      304-366-4690  
 MIDDLETOWN TRACTOR SALES  
 2032 FAIRMONT AVE  
 FAIRMONT WV 26554

SHIP TO

DEPARTMENT OF AGRICULTURE  
 LAND SECTION  
 LAKIN STATE FARM  
 BOX 9, PLANT LANE ROAD  
 LAKIN, WV  
 25287      304-558-2221

DATE PRINTED <b>02/28/2008</b>	TERMS OF SALE <b>NET 30</b>	SHIP VIA <b>OUR TRUCK</b>	FOB <b>DESTINATION</b>	FREIGHT TERMS <b>PRE PAID</b>
BID OPENING DATE: <b>03/25/2008</b>		BID OPENING TIME <b>01:30PM</b>		

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	1	EA		020-89 PREMIUM COMFORT GUARD CAB MFWD TRACTOR	\$ 82,222.00	\$ 82,222.00
<p>REQUEST FOR QUOTATION</p> <p>THE WEST VIRGINIA PURCHASING DIVISION FOR THE AGENCY, THE WEST VIRGINIA DEPARTMENT OF AGRICULTURE, IS SOLICITING BIDS TO PROVIDE THE AGENCY WITH ONE (1) JOHN DEERE PREMIUM COMFORT GUARD CAB MFWD TRACTOR MODEL 7430 (OR EQUAL), 2008 MODEL OR NEWER WITH TWO (2) YEAR FULL MANUFACTURER'S WARRANTY PER THE ATTACHED SPECIFICATIONS.</p> <p>EXHIBIT 10</p> <p>REQUISITION NO.: <b>AGR0875</b></p> <p>ADDENDUM ACKNOWLEDGEMENT</p> <p>I HEREBY ACKNOWLEDGE RECEIPT OF THE FOLLOWING CHECKED ADDENDUM(S) AND HAVE MADE THE NECESSARY REVISIONS TO MY PROPOSAL, PLANS AND/OR SPECIFICATION, ETC.</p> <p>ADDENDUM NO.'S:</p> <p>NO. 1 ✓ .....</p> <p>NO. 2 .....</p> <p>NO. 3 .....</p> <p>NO. 4 .....</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>Shelby Crown</i>	TELEPHONE 304-366-4690	DATE 3-22-08
TITLE Sales Associate	FEIN 550547175	ADDRESS CHANGES TO BE NOTED ABOVE

PLEASE PRINT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'





State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFO NUMBER
AGR0875

PAGE
3

ADDRESS CORRESPONDENCE TO ATTENTION OF
KRISTA FERRELL 304-558-2596

RECEIVED

\*709043751      304-366-4690  
 MIDDLETOWN TRACTOR SALES  
 2032 FAIRMONT AVE  
  
 FAIRMONT WV 26554

SHIP TO

DEPARTMENT OF AGRICULTURE  
 LAND SECTION  
 LAKIN STATE FARM  
 BOX 9, PLANT LANE ROAD  
 LAKIN, WV  
 25287      304-558-2221

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
02/28/2008	NET 30	OUR TRUCK	DESTINATION	PRE PAID
BID OPENING DATE: 03/25/2008		BID OPENING TIME 01:30PM		

LINE	QUANTITY	UOP	CAT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>LITERATURE AND SPECIFICATIONS. FAILURE TO PROVIDE INFORMATION FOR ANY ALTERNATES MAY BE GROUNDS FOR REJECTION OF THE BID. THE STATE RESERVES THE RIGHT TO WAIVE MINOR IRREGULARITIES IN BIDS OR SPECIFICATIONS IN ACCORDANCE WITH SECTION 148-1-4(F) OF THE WEST VIRGINIA LEGISLATIVE RULES AND REGULATIONS.</p> <p>VENDOR PREFERENCE CERTIFICATE</p> <p>CERTIFICATION AND APPLICATION* IS HEREBY MADE FOR PREFERENCE IN ACCORDANCE WITH WEST VIRGINIA CODE, 5A-3-37 (DOES NOT APPLY TO CONSTRUCTION CONTRACTS).</p> <p>A. APPLICATION IS MADE FOR 2.5% PREFERENCE FOR THE REASON CHECKED:</p> <p>( ) BIDDER IS AN INDIVIDUAL RESIDENT VENDOR AND HAS RESIDED CONTINUOUSLY IN WEST VIRGINIA FOR FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION; OR</p> <p>(X) BIDDER IS A PARTNERSHIP, ASSOCIATION OR CORPORATION RESIDENT VENDOR AND HAS MAINTAINED ITS HEAD-QUARTERS OR PRINCIPAL PLACE OF BUSINESS CONTINUOUSLY I WEST VIRGINIA FOR FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION; OR 80% OF THE OWNERSHIP INTEREST OF BIDDER IS HELD BY ANOTHER INDIVIDUAL, PARTNERSHIP, ASSOCIATION OR CORPORATION RESIDENT VENDOR WHO HAS MAINTAINED ITS HEADQUARTERS OR PRINCIPAL PLACE OF BUSINESS CONTINUOUSLY IN WEST VIRGINIA FOR FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION; OR</p> <p>( ) BIDDER IS A CORPORATION NONRESIDENT VENDOR WHICH HAS AN AFFILIATE OR SUBSIDIARY WHICH EMPLOYS A MINIMUM OF ONE HUNDRED STATE RESIDENTS AND WHICH</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
<i>Steph Crown</i>	304-366-4690	3-22-08
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE
SALAS ASSOCIATES	550547175	



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER
AGR0875

PAGE
4

ADDRESS CORRESPONDENCE TO ATTENTION OF
KRISTA FERRELL 304-558-2596

VENDOR

\*709043751 304-366-4690  
 MIDDLETOWN TRACTOR SALES  
 2032 FAIRMONT AVE  
 FAIRMONT WV 26554

SHIP TO

DEPARTMENT OF AGRICULTURE  
 LAND SECTION  
 LAKIN STATE FARM  
 BOX 9, PLANT LANE ROAD  
 LAKIN, WV 25287 304-558-2221

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
02/28/2008	NET 30	OUR TRUCK	DESTINATION	PREPAID
BID OPENING DATE: 03/25/2008		BID OPENING TIME 01:30PM		

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>HAS MAINTAINED ITS HEADQUARTERS OR PRINCIPAL PLACE OF BUSINESS WITHIN WEST VIRGINIA CONTINUOUSLY FOR THE FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION.</p> <p>B. APPLICATION IS MADE FOR 2.5% PREFERENCE FOR THE REASON CHECKED:</p> <p><input checked="" type="checkbox"/> BIDDER IS A RESIDENT VENDOR WHO CERTIFIES THAT, DURING THE LIFE OF THE CONTRACT, ON AVERAGE AT LEAST 75% OF THE EMPLOYEES WORKING ON THE PROJECT BEING BID ARE RESIDENTS OF WEST VIRGINIA WHO HAVE RESIDED IN THE STATE CONTINUOUSLY FOR THE TWO YEARS IMMEDIATELY PRECEDING SUBMISSION OF THIS BID;</p> <p>OR</p> <p><input type="checkbox"/> BIDDER IS A NONRESIDENT VENDOR EMPLOYING A MINIMUM OF ONE HUNDRED STATE RESIDENTS OR IS A NONRESIDENT VENDOR WITH AN AFFILIATE OR SUBSIDIARY WHICH MAINTAINS ITS HEADQUARTERS OR PRINCIPAL PLACE OF BUSINESS WITHIN WEST VIRGINIA EMPLOYING A MINIMUM OF ONE HUNDRED STATE RESIDENTS WHO CERTIFIES THAT, DURING THE LIFE OF THE CONTRACT, ON AVERAGE AT LEAST 75% OF THE EMPLOYEES OR BIDDERS' AFFILIATE'S OR SUBSIDIARY'S EMPLOYEES ARE RESIDENTS OF WEST VIRGINIA WHO HAVE RESIDED IN THE STATE CONTINUOUSLY FOR THE TWO YEARS IMMEDIATELY PRECEDING SUBMISSION OF THIS BID.</p> <p>BIDDER UNDERSTANDS IF THE SECRETARY OF TAX &amp; REVENUE DETERMINES THAT A BIDDER RECEIVING PREFERENCE HAS FAILED TO CONTINUE TO MEET THE REQUIREMENTS FOR SUCH PREFERENCE, THE SECRETARY MAY ORDER THE DIRECTOR OF PURCHASING TO: (A) RESCIND THE CONTRACT OR PURCHASE ORDER ISSUED; OR (B) ASSESS A PENALTY AGAINST SUCH BIDDER IN AN AMOUNT NOT TO EXCEED 5% OF THE BID AMOUNT AND THAT SUCH PENALTY WILL BE PAID TO THE CONTRACTING AGENCY OR DEDUCTED FROM ANY UNPAID BALANCE ON THE</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
<i>[Signature]</i>	304-366-4690	3-22-08
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE
Sales Associate	550547175	



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER  
**AGR0875**

PAGE  
**5**

ADDRESS CORRESPONDENCE TO ATTENTION OF  
**KRISTA FERRELL  
 304-558-2596**

VENDOR

\*709043751      304-366-4690  
**MIDDLETOWN TRACTOR SALES  
 2032 FAIRMONT AVE  
 FAIRMONT WV 26554**

SHIP TO

**DEPARTMENT OF AGRICULTURE  
 LAND SECTION  
 LAKIN STATE FARM  
 BOX 9, PLANT LANE ROAD  
 LAKIN, WV  
 25287      304-558-2221**

DATE PRINTED <b>02/28/2008</b>	TERMS OF SALE <b>NET 30</b>	SHIP VIA <b>OUR TRUCK</b>	F.O.B. <b>DESTINATION</b>	FREIGHT TERMS <b>PRE PAID</b>
BID OPENING DATE: <b>03/25/2008</b>		BID OPENING TIME <b>01:30PM</b>		

LINE	QUANTITY	UQP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p><b>CONTRACT OR PURCHASE ORDER.</b></p> <p>BY SUBMISSION OF THIS CERTIFICATE, BIDDER AGREES TO DISCLOSE ANY REASONABLY REQUESTED INFORMATION TO THE PURCHASING DIVISION AND AUTHORIZES THE DEPARTMENT OF TAX AND REVENUE TO DISCLOSE TO THE DIRECTOR OF PURCHASING APPROPRIATE INFORMATION VERIFYING THAT BIDDER HAS PAID THE REQUIRED BUSINESS TAXES, PROVIDED THAT SUCH INFORMATION DOES NOT CONTAIN THE AMOUNTS OF TAXES PAID NOR ANY OTHER INFORMATION DEEMED BY THE TAX COMMISSIONER TO BE CONFIDENTIAL.</p> <p>UNDER PENALTY OF LAW FOR FALSE SWEARING (WEST VIRGINIA CODE 61-5-3), BIDDER HEREBY CERTIFIES THAT THIS CERTIFICATE IS TRUE AND ACCURATE IN ALL RESPECTS; AND THAT IF A CONTRACT IS ISSUED TO BIDDER AND IF ANYTHING CONTAINED WITHIN THIS CERTIFICATE CHANGES DURING THE TERM OF THE CONTRACT, BIDDER WILL NOTIFY THE PURCHASING DIVISION IN WRITING IMMEDIATELY.</p> <p>BIDDER: <u>Middletown Tractor Sales</u></p> <p>DATE: <u>3-22-08</u></p> <p>SIGNED: <u>[Signature]</u></p> <p>TITLE: <u>SALAS ASSOCIATE</u></p> <p>* CHECK ANY COMBINATION OF PREFERENCE CONSIDERATION(S) IN EITHER "A" OR "B", OR BOTH "A" AND "B" WHICH YOU ARE ENTITLED TO RECEIVE. YOU MAY REQUEST UP TO THE MAXIMUM 5% PREFERENCE FOR BOTH "A" AND "B".</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS			
SIGNATURE <u>[Signature]</u>	TELEPHONE <u>304-366-4690</u>	DATE <u>3-22-08</u>	
TITLE <u>SALAS ASSOCIATE</u>	FEIN <u>550547175</u>	ADDRESS CHANGES TO BE NOTED ABOVE	



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFO NUMBER
AGR0875

PAGE
6

ADDRESS CORRESPONDENCE TO ATTENTION OF:
KRISTA FERRELL 304-558-2596

PROPERTY

\*709043751      304-366-4690  
 MIDDLETOWN TRACTOR SALES  
 2032 FAIRMONT AVE  
  
 FAIRMONT WV 26554

SHIP TO

DEPARTMENT OF AGRICULTURE  
 LAND SECTION  
 LAKIN STATE FARM  
 BOX 9, PLANT LANE ROAD  
 LAKIN, WV 25287      304-558-2221

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
02/28/2008	NET 30	OUR TRUCK	DESTINATION	PREPAID
BID OPENING DATE:	03/25/2008	BID OPENING TIME		01:30PM

LINE	QUANTITY	UOP	CAT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>(REV. 12/00)</p> <p><b>NOTICE</b></p> <p><b>A SIGNED BID MUST BE SUBMITTED TO:</b></p> <p>DEPARTMENT OF ADMINISTRATION            PURCHASING DIVISION            BUILDING 15            2019 WASHINGTON STREET, EAST            CHARLESTON, WV 25305-0130</p> <p>THE BID SHOULD CONTAIN THIS INFORMATION ON THE FACE OF THE ENVELOPE OR THE BID MAY NOT BE CONSIDERED:</p> <p>SEALED BID</p> <p>BUYER: KRISTA FERRELL-FILE 21</p> <p>RFQ. NO.: AGR0875</p> <p>BID OPENING DATE: 03/25/2008</p> <p>BID OPENING TIME: 1:30 PM</p> <p>PLEASE PROVIDE A FAX NUMBER IN CASE IT IS NECESSARY TO CONTACT YOU REGARDING YOUR BID:</p> <p>-----</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
<i>Krista Ferrell</i>	304-366-4690	3-22-08
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE
Sales Associate	550547175	



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER
AGR0875

PAGE
7

ADDRESS CORRESPONDENCE TO ATTENTION OF
KRISTA FERRELL 304-558-2596

ROCKY MOUNTAIN

\*709043751 304-366-4690  
 MIDDLETOWN TRACTOR SALES  
 2032 FAIRMONT AVE  
 FAIRMONT WV 26554

SHIP TO

DEPARTMENT OF AGRICULTURE  
 LAND SECTION  
 LAKIN STATE FARM  
 BOX 9, PLANT LANE ROAD  
 LAKIN, WV 25287 304-558-2221

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
02/28/2008	NET 30	OUR TRUCK	DESTINATION	PRE PAID
BID OPENING DATE: 03/25/2008		BID OPENING TIME 01:30PM		

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
CONTACT PERSON (PLEASE PRINT CLEARLY):						
<i>Stephen M. Cronin</i>						
***** THIS IS THE END OF RFQ AGR0875 ***** TOTAL:						\$ 82,227.00

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>Stephen M. Cronin</i>	TELEPHONE 304-366-4690	DATE 3-22-08
TITLE Sales Associate	FEIN 580547175	ADDRESS CHANGES TO BE NOTED ABOVE



2008 John Deere 7430 Premium Comfort Guard Cab MFWD Tractor or equal

Specs:

1. Engine

- A. John Deere Diesel inline 6.8L Power Tech Plus Engine (Turbocharged)
- B. 6 cylinder 414 Cu. In. Displacement
- C. Wet Sleeve Design
- D. Min. Horsepower: 166 HP @ 2100 RPM
- E. Torque Rise 33% at 1500 RPM

2. Fuel Tank Cap: Min. 80 U.S. gallon

3. Min. PTO HP: 140 HP

4. Transmission 16F/16R Power Quad Plus with Left Hand Reverse & Wet Clutch

5. Independent 540/1000 PTO with Reversible Shaft Electro hydraulic Activation

6. Closed Center – pressure and flow compensated 29 GPM output

Maximum operation pressure 2900 PSI

7. MFWD with Limited Slip Differential

8. Tires, Loaded – Rear 480/80R42 Radial

Loaded - Front 380/85R30 Radial

9. Rack & Pinion 3.622 in. (92MM) by 96" length Axle

10. 3 Point Hitch Cat 3 with Telescopic Draft Links, Secondary Chain Support and Sway Blocks, Min. lift cap 10,600 lbs.

11. 3 Deluxe (3 Detent) Mechanical Selective SCV Hydraulic Remotes each SCV independently operated from Tractor Seat.

12. Underhood Muffler with Right of Engine Exhaust.

13. Super Comfort Seat with Mechanical Suspension

14. Toolbox/Sun Visor included

15. Quick attached Weight Support system with Hood Guard and 10 weights.

16. Auxiliary Heater PKg – 110V Cold Start package with transmission heater

17. One pair 165 lbs and 1 pair 450 lb. weight packages – assembled on rear

18. Comfort Cab Package includes heater and air conditioner

19. Min. Wt. 14,594 lbs.

Min. Wheelbase: 105.7"

Min. Turning Radius: 15.1"

20. Inboard Planetary Final Drive

21. Electro hydraulic Differential Controls

22. On the Go Engagement of Differential Lock

23. Hydraulic Actuated Wet Disc Brakes

24. Hydrostatic Steering

25. Full Length Tractor Frame

26. Crankcase Oil Capacity – min. 5.2 US gallon

27. Cooling System Capacity – min. 7.4 US gallon

2 Year Full Manufacturers Warranty will include transportation to and from vendors shop if major repairs must be done. Transportation cost will be covered by vendor.

Delivered, fully assembled, and demonstrated at Huttonsville State Farm.

Maximum Delivery time 90 days from award date.

Vendors bidding alternative models must supply manufacturer's specification sheets.

STATE OF WEST VIRGINIA  
Purchasing Division**PURCHASING AFFIDAVIT**

**West Virginia Code §5A-3-10a states:** No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate

**DEFINITIONS:**

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

**EXCEPTION:** The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

**LICENSING:** Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.

**CONFIDENTIALITY:** The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendors should visit [www.state.wv.us/admin/purchase/privacy](http://www.state.wv.us/admin/purchase/privacy) for the Notice of Agency Confidentiality Policies.

Under penalty of law for false swearing (West Virginia Code, §61-5-3), it is hereby certified that the vendor acknowledges the information in this said affidavit and are in compliance with the requirements as stated.

Vendor's Name: Michaela Tawana Tawsten Solas

Authorized Signature: [Signature] Date: 3-22-08



JOHN DEERE

**J D Quote**  
**MIDDLETOWN TRACTOR SALES**  
**2032 FAIRMONT AVE**  
**FAIRMONT WV 26554**  
**(304)366-4690**  
**ADAM@MIDDLETOWNTRACTOR.COM**

JOHN DEERE  
www.middletowntractor.com

**Prepared For** DEWAYNE ODELL  
 DEPT OF AG HUTTONSVILLE  
 Phone: (304)558-2211

**Prepared By** STEPHEN M CRONIN  
 2032 FAIRMONT AVE  
 FAIRMONT, WV 26554  
 Phone 304-366-4690  
 STEVE@MIDDLETOWNTRACTOR.COM

**Creation Date** Mar 18, 2008

**Expiration Date** Apr 30, 2008

**Quote Id** 2165680

Equipment Name :		John Deere 7430 PREM TRACTOR	Equipment Quantity :	1
Code	Description	Quantity	Price (\$)	
1491RW	7430 ComfortGard Premium Cab Tractor	1	106,113.00	
0700	No Package	1	0.00	
0170	ComfortGard Premium Cab with LH Traditional Door and RH Console Controls	1	0.00	
1006	Less GreenStar Ready Wiring Harness	1	0.00	
0250	Mechanical Front Wheel Drive Axle with Limited Slip Differential	1	0.00	
4211	480/80R42 In. 151A8 R1 Radial (18.4R42 In. 151A8 R1 Radial)	1	0.00	
4900	No Duals	1	0.00	
6211	380/85R30 In. 135A8 R1 Radial (14.9R30 In. 135A8 R1 Radial)	1	-202.00	
7073	PowrQuad PLUS (19 mph/30 kmh) 16F/16R with PowerTech Plus Engine	1	0.00	
7102	540/1000 RPM Rear Reversible PTO	1	0.00	
3001	Rack and Pinion 3.622 In. (92mm)	1	0.00	

	Diameter by 96 In. Length		
2550	10,600 Lb. Capacity 3-Point Hitch (Category 3) with Telescopic Draft Links, Secondary Chain Support and Sway Blocks	1	0.00
7236	Three Deluxe (3 Detent) Mechanical Selective Control Valves with ISO Breakaway Couplers	1	968.00
7452	Underhood Muffler with Right of Engine Exhaust	1	0.00
7651	Super Comfort Seat with Mechanical Suspension	1	0.00
8940	No Loader Package	1	0.00
9212	Sun Visor	1	59.00
9232	Instructional Seat with Seat Belt	1	416.00
9026	Auxiliary Heater Package	1	229.00
9410	Quik-Tatch Weight Support with Ten Weights	1	955.00
9292	One Pair 75 kg (165 Lb.) and One Pair 205 kg (450 Lb.)	1	1,144.00
AL175286	METAL TOOL BOX	1	184.00
BW15616	HD HOOD GUARD	1	354.00
GWYNS	FILL FRONT AND REAR TIRES /TUBES	1	1,487.00
	Freight		635.52
	Pre-delivery & set-up		200.00
	Delivery		300.00
	<b>Subtotal</b>		<b>112,842.52</b>
	<b>DISCOUNT</b>		<b>30,615.52</b>
	<b>Total</b>		<b>82,227.00</b>

**Total**

<b>Equipment</b>	<b>\$ 82,227.00</b>
<b>Subtotal</b>	<b>\$ 82,227.00</b>
<b>Total</b>	<b>\$ 82,227.00</b>
<b>Balance Due</b>	<b>\$ 82,227.00</b>

Salesperson \_\_\_\_\_

Accepted by \_\_\_\_\_

Make your main factor . . . . Middletown Tractor.

Don't forget to visit our website! -> [www.middletowntractor.com](http://www.middletowntractor.com)

Send us your email address and we can keep you updated with our special promotions and financing options !!

**Additional Comments**

THIS TRACTOR WILL BE SETUP AND DELIVERED TO HUTTONSVILLE FARM. THE TRACTOR WILL HAVE A TWO YEAR WARRANTY FROM JOHN DEERE. MIDDLETOWN TRACTOR WILL PICKUP THE UNIT AND TAKE CARE OF THE FREIGHT TO AND FROM THE HUTTONSVILLE FARM FOR THE TERM OF THE JOHN DEERE TWO YEAR WARRANTY.

**Additional Information**

Check out our website !!

[www.middletontractor.com](http://www.middletontractor.com)

We also sell KUHN equipment

[www.kuhn-usa.com](http://www.kuhn-usa.com)

 Print  Close 

## 7430 ComfortGard Premium Cab Tractor

## Equipment for Base Machine

## ENGINE:

6 Cylinder John Deere Power Tech Plus  
 Tier III Diesel Engine  
 414 Cu. In. (6.8L) Displacement  
 166 Engine Horsepower (124 kW) [97/68/EC] @ 2300 RPM  
 140 PTO Horsepower (104 kW) @ 2100 RPM  
 4-Valve-Common Rail (HPCR) Turbo with Variable Geometry (VTG) Intercooler  
 Cool Exhaust Gas Recirculation (EGR)  
 PowerCore Air Filtration System with Permanent Pre-Cleaning and Safety Element  
 Dual Temperature Cooling System  
 Tilt Hood Enclosure  
 Muffler with Exhaust Located at Engine Midpoint-Right of Hood  
 Viscous Drive Fan  
 Electric Fuel Shutoff  
 Thermostart (Electric) Starting Aid  
 Glow Plugs  
 Engine Coolant Recovery System  
 Engine Side Shields  
 Electronically Fuel Injected Pump with Electronic Governing  
 Water in Fuel Sensor  
 80.5 U.S. Gal (305 L) Fuel Tank Capacity  
 Rated Engine Speed: 2100 RPM

TRANSMISSION:  
 PowrQuad PLUS with Left Hand Reverser  
 16 Forward/16 Reverse Speeds (19 MPH / 30 km/hr)  
 Electronic Gear Shifting  
 Speed Matching Between Ranges  
 Field Cruise  
 Perma-Clutch II Wet-Disk Clutch, Hydraulically Engaged  
 Park Lock Position  
 Neutral Safety Start System  
 Hydraulic Power Differential Lock

HYDRAULICS:  
 Pressure and Flow Compensated Hydraulic System

Floor Mat  
 Rear Axle Differential Lock pedal  
 Foot Throttle pedal  
 Adjustable and Telescopic Dashboard &  
 Steering Column Width:  
 Integrated Left Hand Reverser Instrument (colored) with:  
 Two Large Analog Gauges for Engine RPM & Groundspeed  
 Two Analog Gauges for Fuel Level and  
 Engine Coolant Temperature  
 Self Alignment Turn Signal Indicator Lever with Horn  
 Front Wiper-Lever with Interval mode  
 Light On/Off Switch with Park Position  
 Light, Work Light Position, Road Light  
 Position and Egress Light  
 Hazard Switch  
 Key  
 Right Hand Side Console with:  
 Hand Throttle  
 CommandCenter (Distributed Tractor Information Display with Controls)  
 CommandCenter Display includes:  
 Percent Slip  
 Ground Speed  
 PTO Speed  
 Engine Hours  
 Displays Definable by Operator include:  
 Speed, Productivity, Efficiency, Area,  
 Implement Width, Service Hours, Voltage, Fuel Consumption, Temperatures, Hitch Settings, Power Meter or Time of Day  
 Headland Management System  
 Storage pocket on RH-Console with Power Outlet Socket (12 Volt, 10 Amp.)  
 Cup Holder  
 Rearview Mirror  
 Storage box with Cover on LH-Fender with  
 3-pin Power Outlet (12 Volt, 10

48 cc (2.93 Cu. In.) Hydraulic Pump  
 29 Gal/Min (1.83 L/S) Flow  
 Two Mechanical Rear Selective  
 Control  
 Valves (3 Detent) with ISO  
 Breakaway  
 Couplers  
**STEERING AND BRAKES:**  
 Load Sensing Hydrostatic Power  
 Steering  
 Wet-Disk Hydraulic Power Brakes  
**ROCKSHAFT, HITCH AND DRAWBAR:**  
 Electro-Hydraulic Hitch with  
 Transport  
 Lock and Hitch Dampening  
 Rear Fender Hitch Controls  
 Dual Cylinder Rear Rockshaft  
 10,600 Lb. Lift Capacity  
 Category 3 3-Point Hitch with  
 Center Link  
 Telescopic Draft Links with  
 Cat 3 Ball  
 Regular Drawbar  
 Secondary Implement Chain Support  
 Sway Blocks  
**OPERATOR PROTECTIVE STRUCTURE:**  
 ComfortGard Premium Cab with Heater  
 and  
 Air Conditioning  
 Tinted Glass  
 Left Hand Side Opening Door  
 Two Opening Side Windows  
 Opening Rear Window (swing out)  
 Front Wiper with Washer  
 Overhead Header Compartment with 3  
 Slots:  
 On LH-Side: Always Dedicated for  
 Heater /  
 Ventilation / Air Conditioning  
 Controls  
 Mid Position: Free Slot, Reserved  
 for  
 Rear Window Heater Defrost and/or  
 Electric  
 Mirror Controls, If Ordered  
 On RH-Side: Free Slot, Reserved for  
 Radio  
 Storage Compartment (roof mounted)  
 2 Speakers and Hidden Antenna,  
 Includes Wiring for Radio  
 Courtesy Light  
 Coat Hook

Amp.)  
 Seat: Super Comfort MSG 85-C12C  
 Mechanical  
 Suspension  
 One-piece Front Windshield  
**ELECTRICAL:**  
 Key Shutoff  
 12-Volt Electrical System  
 One 12 Volt, 700 Amp (154 Amp hour)  
 Battery  
 with 1200 Cold Cranking Amps  
 Battery Boost Terminal  
 120 Amp Alternator  
 7 Terminal Electrical ASAE Outlet  
 Socket  
 GreenStar Pre-Preparation  
**LIGHTS:**  
 Two H4 55/65W Halogen Headlights  
 with  
 High/Low Beam  
 Two 55W Halogen Wrap-Around Grille  
 Lights  
 Four H3 55W Front Roof Halogen  
 Floods  
 Two H3 55W Rear Roof Halogen Floods  
 Two Front Hazard/Turn Lights (Roof)  
 Two Rear Hazard/Turn Lights (Roof)  
 Rear Fender Tail Lights  
 Two H3 55W Belt Line Halogen Floods  
**FRONT AXLE, WHEELS AND TIRES:**  
 Mechanical Front Wheel Drive Front  
 Axle  
 with Limited Slip Differential  
 Two Multi Position Steel Wheels  
 Two 16.9R28 In. 139A8 R1 Radial  
 Tires  
**REAR AXLE, WHEELS AND TIRES:**  
 96 In. Width x 3.622 In. (96mm)  
 Diameter  
 Axle  
 Rack and Pinion Tread Width  
 Adjustment  
 Two Cast Inner Wheels  
 Two 18.4R42 In. 151A8 R1 Radial  
 Tires  
**POWER TAKE-OFF:**  
 Independent 540/1000 RPM, 1-3/8 In.  
 Neutral Start Safety System  
 Seat Activated PTO Warning  
 PTO Master Shield  
**CHASSIS:**  
 Full Frame Concept  
**MISCELLANEOUS:**  
 Horn



Toolbox  
SMV Emblem  
Operator's Manual

*Available for the United States, Canada, Mexico, Central America, Australia, South Korea, Israel and Egypt Onl*

Specifications are based on published information at the time of publication. The engine horsepower information is provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower will be less. Specifications are subject to change without notice. Contact your local John Deere dealer for more detailed information.

Prices are subject to change without notice. In all cases, current published price lists and incentive program bulletins will take precedence.

**MANUFACTURER  
MODEL****John Deere  
7430 Premium Cab  
Tractor****Official Test**

Nebraska Test Number

Not yet tested

**Engine**

Manufacturer

John Deere 6.8L  
PowerTech Plus (4-valve)  
engine and 6.8L  
PowerTech E (2-valve)  
engine

Aspiration

Standard Variable  
Geometry Turbocharger  
with air-to-water  
aftercooling and exhaust  
gas recirculation  
(PowerTech Plus);  
Optional fixed geometry  
turbocharger with air-to-  
water aftercooling  
(PowerTech E)

Cylinders/Displacement, cu. in. (liters)

6/415 (6.8)

Cylinder Liners

Wet sleeve

Fuel Tank Cap., US Gal. (L) (Open; Cab)

---

Standard

80 (305)

Optional

---

Underhood muffler

---

**Performance**

Advertised PTO HP (kW) @ Rated RPM

140 (104.39) @ 2100

Official PTO HP (kW) @ Rated RPM

---

@ Standard PTO @ Eng RPM

---

Maximum @ Eng RPM

---

Advertised Engine HP (kW) @ Rated Speed

166 (124.0) @ 2100

Max Unballast Drwbr HP (kW) @ Eng RPM

---

Maximum Torque (PTO) @ RPM, lb-ft (Nm)

---

Max Torque Rise (80% Rtd Spd) @ Eng RPM

---

Maximum Torque Rise % (PTO) @ Eng RPM

---

**Fuel Use, U.S. gal./hr. & HP hr./gal. at:**

PTO @ Rated Eng RPM

---

Standard PTO Speed @ Eng Speed

---

Maximum PTO Power @ Eng RPM

---

Maximum Engine Power @ Eng RPM

---

Max Unballasted Drawbar Power @ Eng RPM

---

75% Load, Full Engine RPM (Unballasted)

---

75% Load @ Reduced RPM (Unballasted)

---

**Transmission**

Std. Transmission; Forward/Reverse

PowrQuad Plus 16/16 (19  
mph/ 30 kmh) w/  
PowerTech Plus (4-valve)  
engine

Opt. Transmission; Forward/Reverse

PowerQuad Plus 16/16 (19  
mph/30 kmh) w/  
PowerTech E (2-valve);  
AutoQuad Plus 20/20 (25  
mph/40 kmh) w/ Power  
Tech Plus (4-valve); IVT  
(25 mph/40 kmh) w/  
PowerTech Plus (4-valve)

Reverser

---

On-the-Go Shifting (Yes/No/Partial)

Yes

Clutch; Wet/Dry

Wet

Creeper

Available with PowrQuad  
Plus and AutoQuad Plus**Power Take-Off (PTO)**

Standard

Independent 540/1000  
rpm w/ reversible shaft

Rear - 540E/1000/1000E

Optional	rpm, reversible shaft, shiftable in cab; (Front - 1000 rpm, 21 spline)
PTO Speeds @ Engine RPM	---
PTO Actuation	Electrohydraulic
<b>Hydraulics</b>	
Type	Closed-center, Pressure and Flow Compensated
Pump Rated Output, GPM (L/min.)	---
Standard	29 (109.8)
Optional	---
Rated Flow @ One SCV, GPM (L/min.)	---
Max Output @ SCV Couplers, GPM (L/min.)	---
Maximum Operating Pressure, PSI (kPa)	2900 (19,995)
Maximum Hydraulic Power, HP (kW)	---
Hitch Draft Control Load Sense Type	---
Remote Control Valves Available	Mechanical - Std. 2, (Opt. 3-4); Opt. Electrohydraulic - 2-4
Hitch Category (SAE Designation)	Standard III
Sensing Type	Electronic Lower Link
Joystick SCV Control	Mechanical or Electronic
<b>Final Drive</b>	
Type	Inboard Planetary
Differential Controls	Electrohydraulic
Availability	---
Front	Yes
Front & Rear	Yes
Engage On-the-Go Rear Differential Lock	Yes
Axle Type	---
Brakes, Type and Control	---
<b>Operator Station</b>	
Rollover Protective Structure, OOS	---
Rigid - Foldable - Telescopic	---
Platform - Flat/Straddle	---
Gearshift Location - Console/Floor	---
Cab	ComfortGard Premium Cab w/ PowrQuad Plus, AutoQuad Plus; ComfortGard Premium Plus Cab w/ IVT
Doors	1, opt 2
Platform - Flat/Straddle	Flat
dB(A) Rating	---
Seat Suspension System	Mechanical Seat w/ ComfortGard Premium Cab (opt. air); Air Seat w/ ComfortGard Premium Plus Cab w/ IVT
<b>2WD Dimensions</b>	
Wheelbase, in. (mm)	---
Front Tread Range, in. (mm)	---
Rear Tread Range, in. (mm)	---
Minimum Rear Tread Setting, in. (mm)	---
Front Axle Clearance, in. (mm)	---
Turning Radius w/Brakes, ft. (m)	---
Turning Radius w/o Brakes, ft. (m)	---
Unballasted Operating Weight, lb. (kg)	---
Approx. Ship Wgt, lb. (kg) Open; Cab	---
<b>MFWD Dimensions</b>	
Wheelbase, in. (mm)	105.7 (2685)
Front Tread Range, in. (mm)	60-88 (1524-2235)
Front Axle Clearance, in. (mm)	---
Turning Radius w/Brakes, ft. (m)	15.1 (4602)
Turning Radius w/o Brakes, ft. (m)	16.8 (5121)
Limited Slip Differential	Yes

Unballasted Operating Weight, lb. (kg)	---
Approx. Ship Wgt, lb (kg) Open; Cab	14,594 (6,620)
<b>4WD Dimensions</b>	
Wheelbase, in. (mm)	---
Wheel Tread, Min. to Max. in. (mm)	---
Turning Radius w/o Brakes, ft (m)	---
Nebraska Test Unballasted w/Duals, lb (kg)	---
Unballasted Weight, lb. (kg)	---
<b>Standard Tires</b>	
2WD	---
Front	---
Rear	---
MFWD	---
Front	16.9R28
Rear	18.4R42
4WD	---
Track Widths	---
<b>Miscellaneous</b>	
Country of Manufacture	Waterloo, IA

Specifications are based on published information at the time of publication. Specifications are subject to change without notice. Contact your local John Deere dealer for more information.