

Request for MEGANUMBER Quotation

DEFK8002

ADDRESS CORRESPONDENCE TO ATTENTION OF JOHN ABBOTT 304-558-2544

RFQ COPY TYPE NAME/ADDRESS HERE **Middletown Tractor Sales** 2032 Fairmont Avenue

Fairmont, WV 26554 (304) 366-4690 www.middletowntractor.com

DIV ENGINEERING & FACILITIES NATIONAL GUARD ARMORY 240 ARMY ROAD

KINGWOOD, WV 26537

341-6368

DATEPHINIE	************		MS UF SALE		SHIP VIA	FUB	FREIGHT TERMS
07/02/2 BID OPENING DATE:		NET 30			Our Truck	Destination	Prepaid
BID OPENING DATE:		07/17/		transmittates	BID	DPENING TIME	01:30PM
LINE	QUAN	TITY	UOP	CAT NO.	ITEM NUMBER	UNITPRICE	TNUQMA
T W T M	HE PUI EST V RAINI OWING ELIVEI PERAT	RCHASI IRGINI NG SIT ATTAC RY: DE IONAL	NG DIV A NATION E, TO N HMENT. LIVERY AND REA	REQ ISIO ONAL PROV SHAI ADY	UEST FOR QUOTATI N IS SOLICITING GUARD, CAMP DAW IDE A TRACTOR WI LL BE INCLUDED I FOR USE UPON REC ICATIONS SING AFFIDAVIT	ON BIDS FOR THE SON ARMY TH A 60"	
CI PI 5./ A RE	We are per Attended to the	R WITH e biddi ttached CCATION NCE IN CHECKE SIDDER	N AND A ACCOR NOT A SOUTH A SO	G ATTO THE PROPERTY OF THE PRO	FERENCE CERTIFIC CATION* IS HEREI CE WITH WEST VIRE TO CONSTRUCTION FOR 2.5% PREFER VIDUAL RESIDENT Y IN WEST VIRGIN PRECEDING THE DAT	CATE BY MADE FOR GINIA CODE, I CONTRACTS). RENCE FOR THE VENDOR AND IIA FOR FOUR E OF THIS	\$53,699.00 Pride Boom Mower 201 JUL 17 A 9 55
SIGNATURE)		1	/)	EE REVE	ERSE SIDE FOR TERMS AND CONF		ATP
OIGIVATURE	Cest	on l	Soul.	w	TELEPHONE 3	04-366-8421	7-16-2007
MLE Vice Presi	ident	FEN	55-05	4-717	75	ADDRESS CHA	GES TO BE NOTED ABOVE

GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

- 1. Awards will be made in the best interest of the State of West Virginia.
- The State may accept or reject in part, or in whole, any bid.
- 3. All quotations are governed by the West Virginia Code and the Legislative Rules of the Purchasing Division.
- Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125.00 registration fee.
- 5. All services performed or goods delivered under State Purchase Orders/Contracts are to be continued for the term of the Purchase Order/Contract, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods, this Purchase Order/Contract becomes void and of no effect after June 30.
- 6. Payment may only be made after the delivery and acceptance of goods or services.
- 7. Interest may be paid for late payment in accordance with the West Virginia Code.
- 8. Vendor preference will be granted upon written request in accordance with the West Virginia Code.
- The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
- 10. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- 11. The laws of the State of West Virginia and the Legislative Rules of the Purchasing Division shall govern all rights and duties under the Contract, including without limitation the validity of this Purchase Order/Contract.
- 12. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
- 13. BANKRUPTCY: In the event the vendor/contractor files for bankruptcy protection, this contract is automatically null and void, and is terminated without further order.
- 14. HIPAA Business Associate Addendum The West Viginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, and available online at the Purchasing Division's web site (http://www.state.wv.us/admin/purchase/vrc/hipaa.htm) is hereby made part of the agreement. Provided that, the Agency meets the definition of a Covered Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.

INSTRUCTIONS TO BIDDERS

- 1. Use the quotation forms provided by the Purchasing Division.
- 2. SPECIFICATIONS: Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as EQUAL to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
- Complete all sections of the quotation form.
- Unit prices shall prevail in cases of discrepancy.
- 5. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
- 6. BID SUBMISSION: All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications.

SIGNED BID TO:

Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130



Request for Quotation

DEFK8002

RFONUMBER

PAGE

2

JOHN ABBOTT 304-558-2544

SH N

DIV ENGINEERING & FACILITIES NATIONAL GUARD ARMORY 240 ARMY ROAD

ADDRESS: CORRESPONDENCE TO ATTENTION OF:

KINGWOOD, WV 26537

341-6368

RFQ COPY
TYPE NAME/ADDRESS HERE
Middletown Tractor Sales
2032 Fairmont Avenue

Fairmont, WV 26554 (304) 366-4690 www.middletowntractor.com

DATE PRINTED TERMS OF SALE SHIP VIA FOB FREIGHT TERMS 07/02/2007 BID OPENING DATE: 07/17/2007 BID OPENING TIME 01:30PM HOP LINE QUANTITY ITEM NUMBEA UNITPRICE AMOUNT CERTIFICATION; OR BIDDER IS A PARTNERSHIP, ASSOCIATION OR CORPORA-TIÒN RESIDENT VENDOR AND HAS MAINTAINED ITS HEAD-QUARTERS OR PRINCIPAL PLACE OF BUSINESS CONTINUOUSLY IN WEST VIRGINIA FOR FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION; OR 80% OF THE OWNERSHIP INTEREST OF BIDDER IS HELD BY ANOTHER INDIVIDUAL, PARTNERSHIP, ASSOCIATION OR CORPORATION RESIDENT VENDOR WHO HAS MAINTAINED ITS HEADQUARTERS OR PRINCIPAL PLACE OF BUSINESS CONTINUOUSLY IN WEST VIRGINIA FOR FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION; OR BIDDER IS A CORPORATION NONRESIDENT VENDOR WHICH HAS AN AFFILIATE OR SUBSIDIARY WHICH EMPLOYS A MINIMUM OF ONE HUNDRED STATE RESIDENTS AND WHICH HAS MAINTAINED ITS HEAQUARTERS OR PRINCIPAL PLACE OF BUSINESS WITHIN WEST VIRGINIA CONTINUOUSLY FOR THE FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION. APPLICATION IS MADE FOR 2.5% PREFERENCE FOR THE REASON CHECKED: (X) BIDDER IS A RESIDENT VENDOR WHO CERTIFIES THAT. DURING THE LIFE OF THE CONTRACT, ON AVERAGE AT LEAST 75% OF THE EMPLOYEES WORKING ON THE PROJECT BEING BID ARE RESIDENTS OF WEST VIRGINIA WHO HAVE RESIDED IN THE STATE CONTINUOUSLY FOR THE TWO YEARS IMMEDIATELY PRECEDING SUBMISSION OF THIS BID; BIDDER IS A NONRESIDENT VENDOR EMPLOYING A MINIMUM OF ONE HUNDRED STATE RESIDENTS OR IS A NONRESIDENT VENDOR WITH AN AFFILIATE OR SUBSIDIARY WHICH MAINTAINS ITS HEADQUARTERS OR PRINCIPAL PLACE SEE REVERSE SIDE FOR TERMS AND CONDITIONS SIGNATURE DATE TITLE ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



Request for Quotation

DEFK8002

PAGE

#ADDRESS GORRESPONDENCE TO ATTENTION OF

JOHN ABBOTT 304-558-2544

DIV ENGINEERING & FACILITIES NATIONAL GUARD ARMORY 240 ARMY ROAD

KINGWOOD, WV 26537

341-6368

RFQ COPY
TYPE NAME/ADDRESS HERE
Middletown Tractor Sales

2032 Fairmont Avenue Fairmont, WV 26554 (304) 366-4690 www.middletowntractor.com

DATEPRIN	TED	TER	MS OF SAI	E	SHIP	/IA		FO:B		FREIGHT TERMS
07/02/										
BID OPENING DATE		<u>07/17/</u>	<u> 2007 </u>	rossonario de la constancia de la consta		BID	OPENIN	S TIME	0 3	L:30PM
LINE	QUAN	ETITY	UOP	CAT.	ITEMNU!	/DER	U	NITPRICE		TRUOMA
	OF BUC	THECC	1.3 T T 14 T	N MEC	T UTDOTHI	4 EMDIO	WTUG 8	M T N T 35111	ust	
					T VIRGINI ESIDENTS				7	
					CONTRACT				-	
					R BIDDERS				ŧ	
					ARE RESI				FΑ	
	WHO HA	VE RES	IDED	IN TH	E STATE C	ONTINUO	USLY FO	OR THE	rwo	
					EDING SUB				–	
					THE SECRE				Ξ.	
					ER RECEIV					VI V
					MEET THE				ł	And the state of t
					ARY MAY 0					
					SCIND THE					reprinted .
					SSESS A P T T o exce					
					WILL BE P					
					M ANY UNP				10	
	CONTRAC					NID DAC	nnom on	1115		
	BY SUBI	11SS10	V OF	THIS (CERTIFICA	TE, BID	DER AGR	EES TO		
					Y REQUEST				<u>:</u>	
					D AUTHORI					
					CLOSE TO					
					INFORMAT					
					QUIRED BU					
					DOES NOT					
					ER INFORMA FIDENTIAL		EEMED 8	Y IHE I	AX	
į	COMMISS	TOMEK	IU DI	E CONT	TDENITAL	•				
	UNDFR F	ENAI T	OF	AW F	OR FALSE S	SWEARING	WEST	VIPCIN	TΛ	
ļ	CODE 61	-5-3)	BIDI	DER HE	REBY CER	TIFIES	THAT TH	IS	**	
					ACCURATI				D	
ļ	THAT IF	A CO	ITRAC	r is i	SSUED TO	BIDDER	AND IF	ANYTHI	NG	
	CONTAIN	IED WIN	HIN T	THIS C	ERTIFICAT	TE CHANG	SES DUR	ING THE		
	TERM OF	THE C	ONTR	ACT, E	SIDDER WI	L NOTIF	Y THE		ı	
ļ	PURCHAS	ING DI	VISI	IN IN	WRITING	[MMEDIA]	TELY.			
•	<i>i</i> a			SEEBEVI	ERSE SIDE FOR TE	RMS AND COM	TITIONS		.	
IGNATURE ///	150	<u></u>				ELEPHONE		ļ.	ATE	
TILE Y	1991/1	FEIR	4				<u>-</u>			·
	/	1.50	•			•	AD	DRESS CHAI	IGES:	TO BE NOTED ABOVE



Request for REGINUMBER Quotation

₽A	GE	8
	6	

WADDRESS CORRESPONDENCE TO ATTENTION OF JOHN ABBOTT 304-558-2544

RFQ COPY TYPE NAME/ADDRESS HERE Middletown Tractor Sales

2032 Fairmont Avenue Fairmont, WV 26554 (304) 366-4690 www.middletowntractor.com

DIV ENGINEERING & FACILITIES NATIONAL GUARD ARMORY 240 ARMY ROAD

KINGWOOD, WV 26537

341-6368

07/02/		- Fair	IMS:QF.SA	iLE:	SHIP VI		F.O.B.	FREIGHTTERMS
BID OPENING DATE	; :	07/17/	2007	VI 2000000000000000000000000000000000000	·	BID	OPENING TIME	01:30PM
LINE	QUAN	TITY	UCP	CAT NO	ITEM NUME	SEA .	UNITPRICE	TAUOMA
	* CHECK IN EITH ARE ENT MAXIMUM (REV. 1 A SIGNE PU BU 20 CH	ANY IER "A ITLED I 5% PI 2/00) D BID PARTME RCHASI ILDING 19 WAS ARLEST	COMBI OR TO R TEFER MUST ING D SIS ING	BIDDE DATE: SIGNE TITLE NATIO "B", ECEIV ENCE NOT BE SI TON SI WV 25	R: _Middlet 7-16-20 D: Vice Pre- N OF PREFE OR BOTH "A FOR BOTH "A FOR BOTH "A ICE UBMITTED TO INISTRATION IREET, EAST	own Trade of the sident of the	CONSIDERATION OF THE "B".	s)
S	SEALED :	BID	1			*		
				1	•			
IONISTING -				SEE BEVI	RSE SIDE FOR TERM			
IGNATURE X	Mous	gu			TEL	EPHONE	D	NE .
ITLE		FEIN					ADDRESS CHAN	GES TO BE NOTED ABOVE



Request for MEGNUMBER Quotation

DEFK8002

ADDRESS CORRES	PONDENCE TO A	VEIENTION	OF.
JOHN ABBOTT			
504-558-2544			

DIV ENGINEERING & FACILITIES NATIONAL GUARD ARMORY

KINGWOOD, WV 26537

240 ARMY ROAD

341-6368

RFQ COPY	
TYPE NAME/AD	DRESS HERE
Middletown	Tractor Sales

2032 Fairmont Avenue Fairmont, WV 26554 (304) 366-4690 www.middletowntractor.com

DATE PRIN		TE	RMS OF SAI	E	SHIP	VA	FGB		FREIGHTTERMS
07/02/ BID OPENING DATE		07/17	70007						
	- ale::::::::::::::::::::::::::::::::::::	07/17/		елт			OPENING TI	***********	L:30PM
LINE	QUAL	VTTY	UOP	CAT. NO	ITEMNI	JMBER	UNITER	CE	AMOUNT
	BUYER:				JOHN	ABBOTT			
	RFQ. N	0.:			DEFK8	002			-
	BID OP	ENTRIC	DATE.		7/17/	3007			
	DID OF	EMTMG.	DAIL		,,,,,,	2007			
	BID OP	ENING	TIME:		1:30	M			
			L [
	PLEASE	TVCT V	UE A	FAX N	NWREK IN	CASE IT	IS NECESS	ARY	
	I O CON		• •		NG YOUR I	an:			
		3	04-366	-4698				-	
	CONTAC	T PERS	ON (P	LEASE	PRINT CL	.EARLY):			
•					Boyers				
									,
				Ī					
				-					
	[į		l					
						į		•	
	*****	THIS	IS T	IE EN	OF RFQ	DEFK8	002 *****	TOTAL:	\$53,699.00
						1			
				1		1			
			l	1					
		1							
		I	-	1		}			
		7				-			
		į	ļ						
		į							
			l						
	2			SEE REVI	RSE SIDE FOR T		DITIONS	J	
IGNATURE	150019					TELEPHONE.		DATE	
ITLE /	JU-11	FEI	N		<u>-</u>		ADDRESS	CHANGES	TO BE NOTED ABOVE
	j	i					, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	~	NO LED MOUVE

DEFK8002 - TRACTOR MOWER SPECIFICATIONS

The below and attached are the minimum acceptable specifications that must be bid.

Kubota M8540DTC 4WD or Equal:

- 80HP Min.
- CAB WITH HEAT AND AIR CONDITIONING
- SYNCHRO SHUTTLE SHIFT
- 2 SETS REAR REMOTE HYDRAULIC KIT
- REAR TIRES LOADED WITH LEFT SIDE REAR WHEEL WEIGHTS TO COUNTER BALANCE MOWER
- WOODS OR EQUAL FRONT END LOADER 1020 SKID STEER MOUNT QUICK ATTACH
- LANDPRIDE RCP2660 OR EQUAL PARALLEL ARM BOON MOWER; 60" CUT; SOLENOID CONTROL VALVE WITH 3 BUTTON SWITCH; HYDRAULIC CYLINDER BREAKAWAY

DELIVERY: DELIVERY SHOULD BE MADE WITHIN 30 DAYS & PRICE SHALL INCLUDE DELIVERY TO:

CAMP DAWSON ARMY TRAINING SITE 240 ARMY ROAD KINGWOOD, WV 26537

^{*} SEE ATTACHED FOR ADDITIONAL TRACTOR SPECIFICATIONS

ing mengangangangangangangangangangangangangan	4-cylinder in-line, direct inject. w/turbocharger	84.6 (61.3)	75 (56.0)	230 (3769)	3.94X4.72 (100X120)		/ 29.1 (110) CAB Models	60 Amps / 12V 900 CCA ROPS Models	8 in, dry, dual element	Left side of hood vertical / Underhood muffler ROPS Models Right Side Corner-post vertical exhaust pipe / Underhood muffler CAB Models	8F/8R (12F/12R optional with hydraulic shuttle)	4-speed main transimssion, synchronized shift (6 speed opt, w/hydraulic shuttle)	2-speed High / Low	Synchro-Shuttle standard 2wd&4wd models	Optional (0,2681)	20.9 (33.6) @Maximum engine rpm	Synchro Shuttle, cerametallic button dry clutch 12.8 (325)	Hydraulically onerated wat disc cuton	Baval geer three with East To Chiff And assessed will a	Devel year type, with Easy- 10-50iit 4wd engagement whiting rolling	Live-Independent PTO, Hydraulically operated wet clutch, w/PTO brake	540 rpm (6 splines) standard, end optional 540/1000 rpm (21 splines, two shafts)	17.0 (64.3)	6.1 (23.0)	Mechanical position and mixed draft control. Too link draft sensing	Standard 4630 (2100) and 7055 (3200) optional on 8 Speed models	(U55 (3200) is standard on HD12/HDC12, 12-speed models	I standard (znd. 3rd of Flow control Valve optional)	SO-mounted flat deck. Handing Pedals. Till steering wheel	Reclining, full adjustment (height, weight, fore & aft.), arm rests, retractable seat belt
Model E	Type (Make KUBOTA)	SAE Net Rower 1895	HIOTHORSEDOWER HP (KW)	Totalibisplacement	English Bone X Stroke	Rafedispeed	A CONTROL OF THE STATE OF THE S	AitematoriBattery	Aircleaner	Muffler/ Exhaust/Ripe	Notice Speeds	Maingearshift	Rangergeanshift	Shuffleishiff and a second and a	Creep Speed (Cassette Wpe)	Transmission Max trave speed	Math olutchitype/diameter	Brake (kroe	Effort Wheel Files ever am		PTO System			Soon High Control of the Control of	Hydraulics. Control system	Lift capacify 24" behind lift point.	Remotewalines	Steeling The Steel		Seal



Standard training the Month of	ROPS: 2 headlights, 2 corner lights, 2 tail lights, 2 frt. and 4 rear safety flashers CAB; 2 headlights, 2 corner lights, 2 tail lights, 2 frt. and 4 rear safety flashers two frt worklights, 2 rear work lights.	Arched Beam roof line, Heater/Air conditioner, Sun visor, Front wiper/washer, Beverage holder, 12V/30 amp 3-Pin Electric outlet, Tinted glass, 2 external mirrors, 3-Position switch for Interior light 7-pin Trailer electric outlet	ROPS / 88.6 (2250) CAB All 4wd Models: 88.6 (2250)	. 78.0 (1900)	4wd 148.0 (3760)		18.3 (465)	56.7-72.4 (1440-1840)		75.6 (1620-1920)				
(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	ROPS: 2 headlights, 2 corner II CAB: 2 headlights, 2 corner II two frt w	Arched Beam roof line, Heater/Air holder, 12V/30 amp 3-Pin Electric o for Interior I	All 4		ale de la companya de	97.0 (2465) / 100.2 (2545)		jg.	۱.		13.1 (4.0)**	5401 (2450)	24 4wd	28
	Fighting —	Standard Cab Fratures	Wheelbase			9.4		Dimensions	Thead Width FrencaWD		(e) W. S. H. S. H. (b)	ERI.	Standard front tire	Standard rear fire

RFQ No.		
THE COUNTY.		

STATE OF WEST VIRGINIA Purchasing Division

PURCHASING AFFIDAVIT

West Virginia Code §5A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owned is an amount greater than one thousand dollars in the aggregate

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

EXCEPTION: The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

LICENSING: Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.

CONFIDENTIALITY: The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendors should visit **www.state.wv.us/admin/purchase/privacy** for the Notice of Agency Confidentiality Policies.

Under penalty of law for false swearing (West Virginia Code, §61-5-3), it is hereby certified that the vendor acknowledges the information in this said affidavit and are in compliance with the requirements as stated.

Vendor's Name: Middletown Tractor	Sales
Authorized Signature:	Bouly, VP Date: 7-16-2007
Purchasing Affidavit (Revised 04/15/07)	

Dealer Menu Feedback Heir



Competitive Specs

Specs | Compare Specs | Compare All

MANUFACTURER MODEL		John Deere 5603	
Official Test			
J.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Nebraska Test Number	Factory Observed	
Engine	National Table National	racery spectra	
	Manufacturer	John Deere PowerTech 4045	
	Aspiration	Turbocharged	
	Cylinders/Displacement, cu. in. (liters)	4/276 (4.5)	
	Cylinder Liners	Sleeved	
	Fuel Tank Cap., US Gal. (L) (Open; Cab)	707	
	Standard	33.5 (126.8)	
	Optional		
	Underhood muffler	Yes	
Performance			
	Advertised PTO HP (kW) @ Rated RPM	82 (61) @ 2400	
	Official PTO HP (kW) @ Rated RPM		
	@ Standard PTO @ Eng RPM	wa.~	
	Maximum @ Eng RPM	***	
	Advertised Engine HP (kW) @ Rated Speed	99 (74) @ 2400	
	Max Unballast Drwbr HP (kW) @ Eng RPM		
•	Maximum Torque (PTO) @ RPM, lb-ft (Nm)	als darmin	
	Max Torque Rise (80% Rtd Spd) @ Eng RPM	W. 64 (C.	
	Maximum Torque Rise % (PTO) @ Eng RPM		
uel Use. U.S. gal.	/hr. & HP hr./gal. at:		
	PTO @ Rated Eng RPM		
	Standard PTO Speed @ Eng Speed		
	Maximum PTO Power @ Eng RPM	-4-	
	Maximum Engine Power @ Eng RPM		
	Max Unballasted Drawbar Power @ Eng RPM		
	75% Load, Full Engine RPM (Unballasted)		
	75% Load @ Reduced RPM (Unballasted)		
ransmission	· · · · · · · · · · · · · · · · · · ·		
	Std. Transmission; Forward/Reverse	12F/12R PowrReverser	
	Opt. Transmission; Forward/Reverse		
	Reverser	Yes	
	On-the-Go Shifting (Yes/No/Partial)	Partial	
	Clutch; Wet/Dry	Wet	
	-Creeper		
Power Take-Off (F	•		
&-	Standard	540/540E	
	Optional		
	PTO Speeds @ Engine RPM	540E @ 1716	
	PTO Asharation		

Mechanical

Open Center

PTO Actuation

Pump Rated Output, GPM (L/min.)

Type

Hydraulics

	Standard	22.5 (85.1)
	Optional	
	Rated Flow @ One SCV, GPM (L/min.)	15.9 (60.1)
	Max Output @ SCV Couplers, GPM (L/min.)	
	Maximum Operating Pressure, PSI (kPa)	
	Maximum Hydraulic Power, HP (kW)	
	Hitch Draft Control Load Sense Type	Mechanical
	Remote Control Valves Available	1 (opt. 3)
	Hitch Category (SAE Designation)	1/2
	Hitch Lift Cap. lb. (kg) @24"Bhnd Lift Pt.	
	Standard	
	Optional	
	Sensing Type	Top Link (opt. Lower Link)
	Joystick SCV Control	Optional
Final Drive		
	Туре	Inboard Planetary
	Differential Controls	Mechanical (pedal)
	Availability	
	Front	No
	Front & Rear	No
	Engage On-the-Go Rear Differential Lock	Yes
	Axle Type	Flanged
	Brakes, Type and Control	Hydraulic Wet Disc
Operator Station		
	Rollover Protective Structure, OOS	
	Rigid - Foldable - Telescopic	
	Platform - Flat/Straddle	~~~
	Gearshift Location - Console/Floor	
	Cab	
	Doors	2
	Platform - Flat/Straddle	Flat
	dB(A) Rating	77
	Seat Suspension System	Mechanical
2WD Dimensions		
	Wheelbase, in. (mm)	
	Front Tread Range, in. (mm)	
	Rear Tread Range, in. (mm)	
	Minimum Rear Tread Setting, in. (mm)	
	Front Axle Clearance, in. (mm)	
	Turning Radius w/Brakes, ft. (m)	
	Turning Radius w/o Brakes, ft. (m)	
	Unballasted Operating Weight, lb. (kg)	***
	Approx. Ship Wgt, lb. (kg) Open; Cab	
MFWD Dimensions	3	
	Wheelbase, in. (mm)	85.7 (2178)
	Front Tread Range, in. (mm)	52.8 - 75.0 (1340 - 1904)
	Front Axle Clearance, in. (mm)	15.8 (4.81)
	Turning Radius w/Brakes, ft. (m)	10.2 (3.10)
	Turning Radius w/o Brakes, ft. (m)	12.5 (3.81)
	Limited Slip Differential	Yes
	Unballasted Operating Weight, lb. (kg)	7,435 (3372)
	Approx. Ship Wgt, lb. (kg) Open; Cab	7,385 (3350)
4WD Dimensions		
	Wheelbase, in. (mm)	
	Wheel Tread, Min. to Max. in. (mm)	

Standard Tires	Nebraska Test	s w/o Brakes, ft. (m) t Unballasted w/Duals, lb.(kg) reight, lb. (kg)	- •-
	2WD		
		Front	
		Rear	
	MFWD		
		Front	12.4-24 In. 8PR R1 Blas
		Rear	18.4-30 In. 8PR R1 Bias
	4WD		
	Track Widths		
Miscellaneous			
	Country of Manufacture Ballasting Restrictions, lb. (kg)		Augusta, GA
	*Notes		Updated 2/6/2007

Specifications are based on published information at the time of publication. Specifications are subject to change without notice. Contact your local John Deere dealer for more information.

Prices are subject to change without notice. In all cases, current published price lists and incentive program bulletins will take precedence.

Copyright © 1996-2007 Deere & Company. All Rights Reserved.

Privacy | Legal