



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER:
DEFK8002

PAGE:
1

ADDRESS CORRESPONDENCE TO ATTENTION OF:
JOHN ABBOTT
304-558-2544

VENDOR

*709054014 304-776-4406
 STATE EQUIPMENT INC
 PO BOX 3939
 CHARLESTON WV 25339

SHIP TO

DIV ENGINEERING & FACILITIES
 NATIONAL GUARD ARMORY
 240 ARMY ROAD
 KINGWOOD, WV
 26537 341-6368

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
07/02/2007	NET RECEIPT OF INVOICE	BEST WAY	DESTINATION	INCLUDED
BID OPENING DATE: 07/17/2007		BID OPENING TIME 01:30PM		

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	1	LS	765-87	TRACTOR WITH MOWING ATTACHMENT	KUBOTA m8540HSTC w/LOADER & mower	43600.00
<p>REQUEST FOR QUOTATION</p> <p>THE PURCHASING DIVISION IS SOLICITING BIDS FOR THE WEST VIRGINIA NATIONAL GUARD, CAMP DAWSON ARMY TRAINING SITE, TO PROVIDE A TRACTOR WITH A 60" MOWING ATTACHMENT.</p> <p>DELIVERY: DELIVERY SHALL BE INCLUDED IN THE PRICE AND OPERATIONAL AND READY FOR USE UPON RECEIPT.</p> <p>ATTACHMENTS: 1. SPECIFICATIONS 2. PURCHASING AFFIDAVIT</p> <p>VENDOR PREFERENCE CERTIFICATE</p> <p>CERTIFICATION AND APPLICATION* IS HEREBY MADE FOR PREFERENCE IN ACCORDANCE WITH WEST VIRGINIA CODE, 5A-3-37 (DOES NOT APPLY TO CONSTRUCTION CONTRACTS).</p> <p>A. APPLICATION IS MADE FOR 2.5% PREFERENCE FOR THE REASON CHECKED:</p> <p>() BIDDER IS AN INDIVIDUAL RESIDENT VENDOR AND HAS RESIDED CONTINUOUSLY IN WEST VIRGINIA FOR FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS</p>						



SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE: *Mark McDemas* TELEPHONE: 304-776-4405 DATE: 7-17-07

TITLE: BUSINESS MGR. FEN: 550658298 ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DEFK8002

PAGE
2

ADDRESS CORRESPONDENCE TO ATTENTION OF
JOHN ABBOTT
304-558-2544

VENDOR

*709054014 304-776-4406
 STATE EQUIPMENT INC
 PO BOX 3939
 CHARLESTON WV 25339

SHIP TO

DIV ENGINEERING & FACILITIES
 NATIONAL GUARD ARMORY
 240 ARMY ROAD
 KINGWOOD, WV
 26537 341-6368

DATE PRINTED 07/02/2007	TERMS OF SALE NET RECEIPT OF INVOICE	SHIP VIA BEST WAY	F.O.B. DESTINATION	FREIGHT TERMS INCLUDED
BID OPENING DATE: 07/17/2007		BID OPENING TIME 01:30PM		

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>CERTIFICATION; OR</p> <p><input checked="" type="checkbox"/> BIDDER IS A PARTNERSHIP, ASSOCIATION OR CORPORATION RESIDENT VENDOR AND HAS MAINTAINED ITS HEAD-QUARTERS OR PRINCIPAL PLACE OF BUSINESS CONTINUOUSLY IN WEST VIRGINIA FOR FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION; OR 80% OF THE OWNERSHIP INTEREST OF BIDDER IS HELD BY ANOTHER INDIVIDUAL, PARTNERSHIP, ASSOCIATION OR CORPORATION RESIDENT VENDOR WHO HAS MAINTAINED ITS HEADQUARTERS OR PRINCIPAL PLACE OF BUSINESS CONTINUOUSLY IN WEST VIRGINIA FOR FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION; OR</p> <p><input type="checkbox"/> BIDDER IS A CORPORATION NONRESIDENT VENDOR WHICH HAS AN AFFILIATE OR SUBSIDIARY WHICH EMPLOYS A MINIMUM OF ONE HUNDRED STATE RESIDENTS AND WHICH HAS MAINTAINED ITS HEADQUARTERS OR PRINCIPAL PLACE OF BUSINESS WITHIN WEST VIRGINIA CONTINUOUSLY FOR THE FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION.</p> <p>B. APPLICATION IS MADE FOR 2.5% PREFERENCE FOR THE REASON CHECKED:</p> <p><input checked="" type="checkbox"/> BIDDER IS A RESIDENT VENDOR WHO CERTIFIES THAT, DURING THE LIFE OF THE CONTRACT, ON AVERAGE AT LEAST 75% OF THE EMPLOYEES WORKING ON THE PROJECT BEING BID ARE RESIDENTS OF WEST VIRGINIA WHO HAVE RESIDED IN THE STATE CONTINUOUSLY FOR THE TWO YEARS IMMEDIATELY PRECEDING SUBMISSION OF THIS BID;</p> <p>OR</p> <p><input type="checkbox"/> BIDDER IS A NONRESIDENT VENDOR EMPLOYING A MINIMUM OF ONE HUNDRED STATE RESIDENTS OR IS A NONRESIDENT VENDOR WITH AN AFFILIATE OR SUBSIDIARY WHICH MAINTAINS ITS HEADQUARTERS OR PRINCIPAL PLACE</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>Mark M...</i>	TELEPHONE 304-776-4405	DATE 7-17-07
TITLE BUSINESS MGR	FEIN 550658298	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DEFK8002

PAGE
3

ADDRESS CORRESPONDENCE TO ATTENTION OF:
JOHN ABBOTT
304-558-2544

VENDOR

*709054014 304-776-4406
STATE EQUIPMENT INC
PO BOX 3939

CHARLESTON WV 25339

SHIP TO

DIV ENGINEERING & FACILITIES
NATIONAL GUARD ARMORY
240 ARMY ROAD

KINGWOOD, WV
26537 **341-6368**

DATE PRINTED 07/02/2007	TERMS OF SALE NET NET RECEIPT OF INVOICE	SHIP VIA BEST WAY	F.O.B DESTINATION	FREIGHT TERMS INCLUDED
BID OPENING DATE: 07/17/2007		BID OPENING TIME 01:30PM		

LINE	QUANTITY	UOP	CAT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>OF BUSINESS WITHIN WEST VIRGINIA EMPLOYING A MINIMUM OF ONE HUNDRED STATE RESIDENTS WHO CERTIFIES THAT, DURING THE LIFE OF THE CONTRACT, ON AVERAGE AT LEAST 75% OF THE EMPLOYEES OR BIDDERS' AFFILIATE'S OR SUBSIDIARY'S EMPLOYEES ARE RESIDENTS OF WEST VIRGINIA WHO HAVE RESIDED IN THE STATE CONTINUOUSLY FOR THE TWO YEARS IMMEDIATELY PRECEDING SUBMISSION OF THIS BID.</p> <p>BIDDER UNDERSTANDS IF THE SECRETARY OF TAX & REVENUE DETERMINES THAT A BIDDER RECEIVING PREFERENCE HAS FAILED TO CONTINUE TO MEET THE REQUIREMENTS FOR SUCH PREFERENCE, THE SECRETARY MAY ORDER THE DIRECTOR OF PURCHASING TO: (A) RESCIND THE CONTRACT OR PURCHASE ORDER ISSUED; OR (B) ASSESS A PENALTY AGAINST SUCH BIDDER IN AN AMOUNT NOT TO EXCEED 5% OF THE BID AMOUNT AND THAT SUCH PENALTY WILL BE PAID TO THE CONTRACTING AGENCY OR DEDUCTED FROM ANY UNPAID BALANCE ON THE CONTRACT OR PURCHASE ORDER.</p> <p>BY SUBMISSION OF THIS CERTIFICATE, BIDDER AGREES TO DISCLOSE ANY REASONABLY REQUESTED INFORMATION TO THE PURCHASING DIVISION AND AUTHORIZES THE DEPARTMENT OF TAX AND REVENUE TO DISCLOSE TO THE DIRECTOR OF PURCHASING APPROPRIATE INFORMATION VERIFYING THAT BIDDER HAS PAID THE REQUIRED BUSINESS TAXES, PROVIDED THAT SUCH INFORMATION DOES NOT CONTAIN THE AMOUNTS OF TAXES PAID NOR ANY OTHER INFORMATION DEEMED BY THE TAX COMMISSIONER TO BE CONFIDENTIAL.</p> <p>UNDER PENALTY OF LAW FOR FALSE SWEARING (WEST VIRGINIA CODE 61-5-3), BIDDER HEREBY CERTIFIES THAT THIS CERTIFICATE IS TRUE AND ACCURATE IN ALL RESPECTS; AND THAT IF A CONTRACT IS ISSUED TO BIDDER AND IF ANYTHING CONTAINED WITHIN THIS CERTIFICATE CHANGES DURING THE TERM OF THE CONTRACT, BIDDER WILL NOTIFY THE PURCHASING DIVISION IN WRITING IMMEDIATELY.</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>Mark McGehee</i>	TELEPHONE 304-776-4405	DATE 7-17-07
TITLE Business Mgr	550658298	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DEFK8002

PAGE
4

ADDRESS CORRESPONDENCE TO ATTENTION OF:
JOHN ABBOTT
304-558-2544

VENDOR

*709054014 304-776-4406
STATE EQUIPMENT INC
PO BOX 3939

CHARLESTON WV 25339

SHIP TO

DIV ENGINEERING & FACILITIES
NATIONAL GUARD ARMORY
240 ARMY ROAD

KINGWOOD, WV
26537 **341-6368**

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B	FREIGHT TERMS
07/02/2007	NET RECEIPT OF INVOICE	BEST WAY	DESTINATION	INCLUDED
BID OPENING DATE: 07/17/2007		BID OPENING TIME		01:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>BIDDER: <u>State Equipment, Inc.</u></p> <p>DATE: <u>7-17-07</u></p> <p>SIGNED: <u><i>Mark McEl...</i></u></p> <p>TITLE: <u>Business Mgr.</u></p> <p>* CHECK ANY COMBINATION OF PREFERENCE CONSIDERATION(S) IN EITHER "A" OR "B", OR BOTH "A" AND "B" WHICH YOU ARE ENTITLED TO RECEIVE. YOU MAY REQUEST UP TO THE MAXIMUM 5% PREFERENCE FOR BOTH "A" AND "B". (REV. 12/00)</p> <p>NOTICE</p> <p>A SIGNED BID MUST BE SUBMITTED TO:</p> <p>DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION BUILDING 15 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25305-0130</p> <p>THE BID SHOULD CONTAIN THIS INFORMATION ON THE FACE OF THE ENVELOPE OR THE BID MAY NOT BE CONSIDERED:</p> <p>SEALED BID</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <u><i>Mark McEl...</i></u>	TELEPHONE <u>304-776-4405</u>	DATE <u>7-17-07</u>
TITLE <u>Business Mgr.</u>	ADDRESS CHANGES TO BE NOTED ABOVE	

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DEFK8002

PAGE
5

ADDRESS CORRESPONDENCE TO ATTENTION OF:
JOHN ABBOTT
304-558-2544

VENDOR
 *709054014 304-776-4406
 STATE EQUIPMENT INC
 PO BOX 3939
 CHARLESTON WV 25339

SHIP TO
 DIV ENGINEERING & FACILITIES
 NATIONAL GUARD ARMORY
 240 ARMY ROAD
 KINGWOOD, WV
 26537 341-6368

DATE PRINTED 07/02/2007	TERMS OF SALE NET RECEIPT OF INN.	SHIP VIA BEST WAY	F.O.B. DESTINATION	FREIGHT TERMS INCLUDED
BID OPENING DATE: 07/17/2007		BID OPENING TIME 01:30PM		

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
BUYER:				JOHN ABBOTT-----		
RFQ. NO.:				DEFK8002-----		
BID OPENING DATE:				7/17/2007-----		
BID OPENING TIME:				1:30 PM-----		
PLEASE PROVIDE A FAX NUMBER IN CASE IT IS NECESSARY TO CONTACT YOU REGARDING YOUR BID:						
				304-776-4409-----		
CONTACT PERSON (PLEASE PRINT CLEARLY):						
				Mark McHenry-----		
***** THIS IS THE END OF RFQ DEFK8002 ***** TOTAL:						<u>43600.⁰⁰</u>

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>Mark McHenry</i>	TELEPHONE 304-776-4405	DATE 7-17-07
TITLE Business Mgr.	550658298	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

DEFK8002 – TRACTOR MOWER SPECIFICATIONS

The below and attached are the minimum acceptable specifications that must be bid.

Kubota M8540DTC 4WD or Equal:

- 80HP Min.
- CAB WITH HEAT AND AIR CONDITIONING
- SYNCHRO SHUTTLE SHIFT
- 2 SETS REAR REMOTE HYDRAULIC KIT
- REAR TIRES LOADED WITH LEFT SIDE REAR WHEEL WEIGHTS TO COUNTER BALANCE MOWER
- WOODS OR EQUAL FRONT END LOADER 1020 SKID STEER MOUNT QUICK ATTACH
- LANDPRIDE RCP2660 OR EQUAL PARALLEL ARM BOON MOWER; 60" CUT; SOLENOID CONTROL VALVE WITH 3 BUTTON SWITCH; HYDRAULIC CYLINDER BREAKAWAY

DELIVERY: DELIVERY SHOULD BE MADE WITHIN 30 DAYS & PRICE SHALL INCLUDE DELIVERY TO:

**CAMP DAWSON ARMY TRAINING SITE
240 ARMY ROAD
KINGWOOD, WV 26537**

*** SEE ATTACHED FOR ADDITIONAL TRACTOR SPECIFICATIONS**

<p>Engine</p>	<p>Model</p> <p>Type (Make: KUBOTA)</p> <p>SAE Net Power HP (kW)</p> <p>PTO horsepower HP (kW)</p> <p>Total Displacement cu.in. (cc)</p> <p>Bore X Stroke in. (mm)</p> <p>Rated speed rpm</p> <p>Fuel tank capacity gal. (l)</p> <p>Alternator/Battery</p> <p>Air cleaner</p> <p>Muffler / Exhaust Pipe</p>	<p>4-cylinder in-line, direct inject. w/turbocharger</p> <p>84.6 (61.3)</p> <p>75 (56.0)</p> <p>230 (3769)</p> <p>3.94X4.72 (100X120)</p> <p>2600</p> <p>29.1 (110) CAB Models</p> <p>60 Amps / 12V 900 CCA ROPS Models</p> <p>8 in. dry, dual element</p> <p>Left side of hood vertical / Underhood muffler ROPS Models</p> <p>Right Side Corner-post vertical exhaust pipe / Underhood muffler CAB Models</p>
<p>Transmission</p>	<p>No. of speeds</p> <p>Main gear shift</p> <p>Range gear shift</p> <p>Shuttle shift</p> <p>Creeper Speed (Cassette type) mph (km/h)</p> <p>Max. travel speed in. (mm)</p> <p>Main clutch type/diameter</p> <p>Brake type</p> <p>Front wheel drive system</p>	<p>8F/8R (12F/12R optional with hydraulic shuttle)</p> <p>4-speed main transmission, synchronized shift (6 speed opt. w/hydraulic shuttle)</p> <p>2-speed High / Low</p> <p>Synchro-Shuttle standard 2wd&4wd models</p> <p>Optional (0.26-.81)</p> <p>20.9 (33.6) @Maximum engine rpm</p> <p>Synchro Shuttle, cerametallic button dry clutch 12.8 (325)</p> <p>Hydraulic Shuttle = Multi-Plate wet disc clutch</p> <p>Hydraulically operated wet disc brakes</p> <p>Bevel gear type, with Easy-To-Shift 4wd engagement whiling rolling</p>
<p>PTO System</p>	<p>PTO type</p> <p>PTO Speed</p> <p>Pump flow (Hitch & remotes) gpm (l/min)</p> <p>Pump flow (Power steering) gpm (l/min)</p> <p>3-point hitch (Category II)</p> <p>Control system</p> <p>Lift capacity 24" behind lift point lbs. (kg)</p> <p>Remote valves</p> <p>Steering</p> <p>Operator area</p> <p>Seat</p>	<p>Live-Independent PTO, Hydraulically operated wet clutch, w/PTO brake</p> <p>540 rpm (6 splines) standard, and optional 540/1000 rpm (21 splines, two shafts)</p> <p>17.0 (64.3)</p> <p>6.1 (23.0)</p> <p>Telescopic lower link ends, Telescopic stabilizers</p> <p>Mechanical position and mixed draft control, Top link draft sensing</p> <p>Standard 4630 (2100) and 7055 (3200) optional on 8 Speed models</p> <p>7055 (3200) is standard on HD12/HDC12, 12-speed models</p> <p>1 standard (2nd, 3rd or Flow control valve optional)</p> <p>Hydrostatic power steering</p> <p>ISO-mounted flat deck, Hanging Pedals, Tilt steering wheel</p>
<p>Cab</p>	<p>Reclining, full adjustment (height, weight, fore & aft.), arm rests, retractable seat belt</p>	<p>Reclining, full adjustment (height, weight, fore & aft.), arm rests, retractable seat belt</p>

Cab (cont.)	Lighting	ROPS: 2 headlights, 2 corner lights, 2 tail lights, 2 ft. and 4 rear safety flashers CAB: 2 headlights, 2 corner lights, 2 tail lights, 2 ft. and 4 rear safety flashers two ft worklights, 2 rear work lights.
Standard Cab Features	Arched Beam roof line, Heater/Air conditioner, Sun visor, Front wiper/washer, Beverage holder, 12V/30 amp 3-Pin Electric outlet, Tinted glass, 2 external mirrors, 3-Position switch for Interior light 7-pin Trailer electric outlet	ROPS / 88.6 (2250) CAB All 4wd Models: 88.6 (2250)
Wheelbase	in. (mm)	78.0 (1900)
Overall width (minimum)	in. (mm)	4wd 148.0 (3760)
Overall length	in. (mm)	97.0 (2465) / 100.2 (2545)
Overall height ROPS/CAB	in. (mm)	18.3 (465)
Curb clearance	in. (mm)	56.7-72.4 (1440-1840)
Tread width Front 4WD	in. (mm)	59.8 (1420-1520)
Tread width Rear	in. (mm)	75.6 (1520-1920)
Turning radius (w/o brake)	ft. (m)	13.1 (4.0)**
Weight (w/Standard tire/Steel dish)	lbs. (kg)	5401 (2450)
Standard front tire		24 4wd
Standard rear tire		28

Dimensions & Weight

STATE OF WEST VIRGINIA
Purchasing Division

PURCHASING AFFIDAVIT

West Virginia Code §5A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owned is an amount greater than one thousand dollars in the aggregate

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

EXCEPTION: The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

LICENSING: Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.

CONFIDENTIALITY: The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendors should visit www.state.wv.us/admin/purchase/privacy for the Notice of Agency Confidentiality Policies.

Under penalty of law for false swearing (West Virginia Code, §61-5-3), it is hereby certified that the vendor acknowledges the information in this said affidavit and are in compliance with the requirements as stated.


Vendor's Name: STATE EQUIPMENT, INC.

Authorized Signature: Mark McHenry Date: 7-17-07


[Home](#)
[Products](#)
[Manuals](#)
[Advertising](#)
[Support Center](#)
[Dealer Locator](#)
[Dealer Access](#)
[Finance](#)
[Specifications](#)
[Features & Benefits](#)
[Operator's Manual](#)
[Parts Manuals](#)
[Literature](#)
[Warranty](#)
[Locate A Dealer](#)

Click here
to view
the RCP
in Action!

Photos may contain
optional equipment.



Roll over image for additional product features!

[Return to Rotary Cutter Selection](#)

[View additional product photos](#)

The RCP2660 and RCPM2660 Hydraulic Parallel Arm Rotary Cutters provide excellent cutting performance on ditch banks and other sloping areas adjacent to right-of-ways, lakes, ponds and streams. They work equally as well in and around areas of restricted access such as over or under fences, gut overhanging branches, tree limbs and hedges. These units perform extremely well in tall grass applications and will easily cut through standing brush up to two inches in diameter. The optional wheel package allows the cutter deck to float over undulations without having to constantly move conditions.

The RCP2660 and RCPM2660 cutters are adapted for Category 2 or 3 three-point hitch mounting to 150 hp. tractors weighing 7000 lbs. or more. Pump and reservoir system require either 540 cc input. Cutter drive and tractor need to be equipped with, depending upon hydraulic configuration four hydraulic outlets to operate the cutter's parallel arms and deck.

The RCP3060 offers a horizontal cutting reach of 18 foot 10 inches, which is a 3 foot longer reach RCP26 Series model. The 30 Series is great for those roadsides that want a manicured look further from the ditch, or being able to stay a little further away from the soggy banks of the pond.

[Click here to view literature featuring the Hydraulic Breakaway Feature.](#)



Features and Benefits

Rotary Cutters, Single Deck

RCP(M)2660 & RCP(M)3060 Series

Features	Benefits
Tractor HP Range RCP(M)2660 RCP(M)3060	Designed for 75-150 HP tractor with minimum weight of 8,000 lbs. Designed for 95-175 HP tractor with minimum weight of 12,000 lbs.
Gearbox HP Rating	150 HP
3 Point Design	Does not tie up a tractor. Three point hook up is easy to hook up and remove from tractor.
Cutter Deck Visibility	Visibility of the Rotary Tiller deck is captured from the operator's seat. Easy to see operation. Operator does not have to look behind.
Factory Assembled	Arrives ready for the customer, saves time and money. (Excluding fluids and hydraulic valve)
Grease Ports	All grease ports are easily accessible for servicing.
10' Transport Width	Folds up close to the tractor. No weight brackets or decks hanging away from the tractor. Typically, not much wider than the tractor, which means safer transporting.
Parallel Arm Design	Three cylinders used in a parallel arm design allows any cylinder to be adjusted without changing the position of the others. Means less positioning.
Long Horizontal Reach RCP(M)2660 = 15'-6" (186") RCP(M)3060 = 18'-10" (226")	Good access for reaching vegetation far away from the tractor. Better access for reaching vegetation far away from the tractor.
Above Grade Vertical Reach RCP(M)2660 = 11'-5" (137") RCP(M)3060 = 13'-5" (161")	Good access for reaching up embankments and cutting low over hanging limbs. Better access for reaching up embankments and cutting low over hanging limbs.
Below Grade Reach RCP(M)2660 = 9'-1" (109") RCP(M)3060 = 11'-0" (132")	Good access for reaching down embankments. Better access for reaching down embankments.
180 Degree Operating Tilt Arc	Cutter head can be positioned to reach different angles.
Cat. 2 & 3; 540 or 1000 RPM	Fits a wide variety of tractors.
35 Gallon Oil Reservoir	Large reservoir maintains optimum fluid temperatures and also serves as counterweight.
2" Cutting Capacity	Ideal for trimming brush.
High Blade Tip Speed	15,000 FPM tip speed means cleaner cutting.
Two Parking Stands	Easy and level storage, makes it easy for hooking to tractor.
In-line Filter	Cleans hydraulic fluid before it re-enters the reservoir.
Shut-off Valve	Permits maintenance with minimum oil loss.
Built-in Auxiliary Weight Rack on Left Side	Suitcase weights can be added to left side for balance.
Oil Pressure Gauge	Easily monitor oil pressure for optimum performance of unit.
Hydraulic Breakaway	Allows the parallel arms to pivot backwards to avoid obstacles and to protect Rotary Tiller deck and parallel arms. Parallel arms are pivoted back to normal operating position with the hydraulic breakaway cylinder.
Flow Control Valve (Supplied with Solenoid Controlled Options)	Compensates for various tractor hydraulic systems so proper hydraulic fluid pressure can be maintained. (Used only with solenoid controlled cylinders.)
Solenoid Controlled Cylinders (Supplied with Solenoid Controlled Options)	Allows Rotary Tiller to be used on tractors with only two hydraulic duplex outlets. Response time is faster than tractor controls making it an excellent choice when frequent changes to deck position are required.
Gauge Wheels (Supplied with Float Options)	Deck floats on gauge wheels eliminating frequent deck positioning and vigilant watch for changes in ground contour under the tractor and deck.

Designs, specifications, features and information are subject to change without notice.