

NOOKEY

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

25177

# Request for DEFK817

ADDRESS CURRESPONDENCE TO ATTENTION OF JOHN ABBOTT 304-558-2544

RFQ COPY TYPE NAME/ADDRESS HERE

Lewis Angus Pierson Technical Services 302 Spruce St. St. Albans West Virginia

DIV ENGINEERING & FACILITIES NATIONAL GUARD ARMORY. 3 ARMORY WAY

SUMMERSVILLE WV

26651

304-201-3870

DATEPRIN	TEO TEI	IMSOFSALE	SHIP VIA	FOH.	FREIGHTTERMS
02/07/	<del></del>				. 7004
BID OPENING DATE:	V 2 / L U /	l are	<b>1</b>		L:30PM
LINE	QUANTITY	UOP NO.	TEM NUMBER	UNIT PRICE	AMOUNT
0001	HVAC MAINTEN		936-10 PORT SERVICES	\$500.00 quartery	12000-00 YEAR
	SUPPORT SERV	ICES FOR T	ROVIDE HVAC MAIN HE NATIONAL GUAR HE SPECIFICATION	D ARMORY,	Target in the control of the control
	MANDATORY ON	-SITE PRE-	BID: 2/20/2008; NATIONAL GU 3 ARMORY WA SUMMERSVILL	ARD ARMORY Y	
	EXHIBIT 1		·		
	YEAR OR UNTI IS NECESSARY ORIGINAL CON NOT EXCEED T TIME" THE VE REASON UPON WRITTEN NOTI	AND EXL SUCH "RE TO OBTAIN TRACT. THE WELVE (12) NDOR MAY TO GIVING THE CE.	MONTHS. DURING ERMINATE THIS CO DIRECTOR OF PUR	OD OF ONE (1) HEREAFTER AS OR RENEW THE ME" PERIOD SHALL THIS "REASONABLE NTRACT FOR ANY	
	THIS CONTRAC	T DOCUMENT	, THE TERMS, CON FIRM FOR THE LI	DITIONS, AND	
	RENEWAL: THI		MAY BE RENEWED		-
SIGNATURE	/	SEEREN	ERSE SIDE FOR TERMS AND CON THE EPHONE		
()en	us D. (1	negers	304-7	122-1810 0	2/27/2008
TILE PLATER	FS+ Mate al	55-	0676021		TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

# GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

- Awards will be made in the best interest of the State of West Virginia.
- The State may accept or reject in part, or in whole, any bid.
- All quotations are governed by the West Virginia Code and the Legislative Rules of the Purchasing Division.
- 4. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125.00 registration fee.
- 5. All services performed or goods delivered under State Purchase Orders/Contracts are to be continued for the term of the Purchase Order/Contract, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods, this Purchase Order/Contract becomes void and of no effect after June 30.
- 6. Payment may only be made after the delivery and acceptance of goods or services.
- Interest may be paid for late payment in accordance with the West Virginia Code.
- 8. Vendor preference will be granted upon written request in accordance with the West Virginia Code.
- The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
- 10. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- 11. The laws of the State of West Virginia and the Legislative Rules of the Purchasing Division shall govern all rights and duties under the Contract, including without limitation the validity of this Purchase Order/Contract.
- 12. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
- 13. BANKRUPTCY: In the event the vendor/contractor files for bankruptcy protection, this Contract may be deemed null and void, and terminated without further order.
- 14. HIPAA Business Associate Addendum The West Viginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, and available online at the Purchasing Division's web site (http://www.state.wv.us/admin/purchase/vrc/hipaa.htm) is hereby made part of the agreement. Provided that, the Agency meets the definition of a Covered Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.

#### INSTRUCTIONS TO BIDDERS

- Use the quotation forms provided by the Purchasing Division.
- 2. SPECIFICATIONS: Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as EQUAL to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
- Complete all sections of the quotation form.
- 4. Unit prices shall prevail in cases of discrepancy.
- 5. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
- 6. BID SUBMISSION: All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications.

#### SIGNED BID TO:

Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130



TYPE NAME/ADDRESS HERE

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for
Quotation

DEFK8177

DEFK8177

JOHN ABBOTT

304-558-2544

67 -P -P 0

DIV ENGINEERING & FACILITIES NATIONAL GUARD ARMORY 3 ARMORY WAY

ADDRESS CORRESPONDENCE TO ATTENTION OF

SUMMERSVILLE WV

26651

	**************	***********				**********		***********	
DATE PRINTS	***************************************		RMS OF SAL	<b>.</b>	SHIP VIA		FOB.		FREIGHT TERMS
02/07/2 BID OPENING DATE:	· · · · · · · · · · · · · · · · · · ·			•	. ,				
BID OPENING DATE:		02/28	/2008	0.004.004.000		BID	OPENING TIME	0]	L:30PM
LINE	QUAN	MTY	UOP	CAT. NO	ITEM NUMB	ER	UNITPRICE		AMOUNT
								********	
	10 TTE	N CON		c Tuc	CACHDING	HAITT A	en veunon		
							ND VENDOR,		
							G THIRTY (30)		
							CH RENEWAL SH NDITIONS OF		
1 1								I H =	·
					R PERIODS.		TO TWO (2)		
)	OULLES:	PIAE	THE (1	) YEA	K PEKIUDS.				
_	AMOTE	ATTO		- n-r	CCTOD OC D	UDCUAC	ING RESERVES	711C	
							ELY UPON WRIT		
							S AND/OR SERV		
							DO NOT CONFO		1
							CONTRACT HER		
N	1712 11	RE SE	LIFIC	417018	S UF INE D	TD WAN	CUNIKACI NEP	ETM	
	DEN MA	ADVET	Ci Alle	: - TH	e nipecino	AE DU	RCHASING MAY		
1 1			1				ON THE OPEN		
							ON THE OPEN ITION OR COST	-	
					IED ON THI				
l I		-				1	KALI FUK TO UNFORESEEN		
								ı	-
					NOT LIMITE				
1 1			1 1	AN U	NAMIICIPAII	ED INC	REASE IN THE		
٧	OLUME	OF W	KK).	ļ					Attended to the state of the st
+	NCHOAR	ire. c	JICCE CK		TENDOD CHA		NISH PROOF OF	:	
							NISH PROOF OF TY INSURANCE		
							IT INSURANCE LESS OTHERWIS	, gra	
									No. of the Control of
							NIMUM AMOUNT	UF	
1	HARUCH	ice ci	VERAGE	: KEU	JIRED IS \$7	250,00	<b>U</b> .		
1.1	OBVEDI	e cos	DENCA	TON	WEMDOD TO	DEAUT	RED TO PROVID	r- a	
							IF SUCCESSFU		
L.	CKITLT	LCAIE	FRUM	IUKKE	( 5 CUMPEN	SAIIUN	TL SUCCESSED	L.	
100	ANKBHE	TOV.	TN TE	15 E/W	MT TUC VE	אין פחמו	ONTRACTOR FIL	Ee	
							CT IS AUTOMAT		
5	SIL DAN	HILL A	וחע מוג	TO A	LUM) INIS ( In 10 Tedmi	INATER	WITHOUT FURT	7 E D	
	ALLI N RDER.	WLL F	AN ANI	به و <i>د</i> .	IN TO LEKE!	FIANIER	WILLOUI FUR!	HEK	
U	NDLR.			l					
				I					
,				SEEREV	ERSE SIDE FOR TERI	US AND CON	DITIONS		
SIGNATURE					ĮTEI.	EPHONE		DATE	
IIILE		l <sub>F</sub>	EN					1	
		ľ	-				ADDRESS CH	anges'	TO BE NOTED ABOVE



TYPE NAME/ADDRESS HERE

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for
Quotation
DEFK817

DEFK817

DEFK817

**DEFK8177** 

ADDRESS CORRESPONDENCE TO ATTENTION OF

304-558-2544

ð

DIV ENGINEERING & FACILITIES NATIONAL GUARD ARMORY 3 ARMORY WAY

SUMMERSVILLE WV 26651

DATE PRIN	****************	TI	RMS OF SA	LE		SHIPVIA		FOB	FREIGHTTERMS
02/07/ BID OPENING DATE		02/28	/2008		<u> </u>	RT	n n	PENING TIME 01	:30PM
LINE	q	JANTITY	UGP	CAT.		MNUMBER		UNITPRICE	AMOUNT
	REV.	9/98							-
	WAGE	RATES:	THE C	ONTRA	CTOR O	R SUBCON	TRA	CTOR SHALL PAY	
								BOR MINIMUM WAGE	
								Y, PURSUANT	
					21-5A, IS PRO		. (	PREVAILING	
	WAGE	RAIES	APPLY	IIU IH	T2 PKO	JECIJ			
	EXHIB	IT 10	***************************************						
	ADDEN	DUM ACI	NOWLE	DGEME	NT				
	T HER	ERV AC	NOW! E	DCE P	ECETPT	NE TUE D	· O I I	LOWING CHECKED	
					4			REVISIONS TO	
						CIFICATI			
] :	VDDEN	DUM NOS			,	Λ			
	ADDEM	DUN NO.		0.1	Peciev	ed			
	NO. I	,							
	NO. 2								
	NO. 3								
	NO. J	•		• • • • •	* * * *				
	NO. 4	•		• • • • •	* * * *				
	NO. 5							-	
	T UND	COCTANT	THAT	ГАТ	NOC TO	OBMETON	1		
	1		1 3					RECEIPT OF THE	•
				1					
						ID THAT A			
								DE DURING ANY PRESENTATIVES	
	~:LF1 /							+	
SIGNATURE				SEEREV	ERSE SIDE FI	OF TEHMS AND C TELEPHONE	ONDI	FIONS DATE	
MLE	······································	le le	EiN		*				
_								ADDRESS CHANGES	TO BE NOTED ABOVE



TYPE NAME/ADDRESS HERE

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for
Quotation
DEFK8177

DEFK8177

ADDRESS CORRESPONDABLES

<b>***</b>	PAGE
	_
i	4

ADDRESS CORRESPONDENCE TO ATTENTION OF:

304-558-2544

DIV ENGINEERING & FACILITIES NATIONAL GUARD ARMORY 3 ARMORY WAY

SUMMERSVILLE WV 26651

DATE PRINTED	TERMS OF SALE	SHIPVIA	FOE	FREIGHTTERMS
02/07/2008				
BID OPENING DATE:	02/28/2008	BID	OPENING TIME 0	:30PM
LINE QU	ANTITY LIOP CAT.	TTEM NUMBER	UNITPRICE	AMOUNT
INFOR	NY STATE PERSONNE MATION ISSUED IN FICATIONS BY AN O	WRITING AND ADDE	D TO THE IS BINDING.	
P. I.	PSON TechNic		MPANY PIERSON Re	Freelation SORVICE
REV.				
	CONTRAC	TORS LICENSE		
PERSOI STATE Licens Licens Made I	BY CONTACTING THE DL COMPLEX, BUILD	RFORM CONTRACTING THE WEST VIRGOUS OWERED TO ISSUE FOR A CONTRACTOR WEST VIRGINIA DI ING 3, ROOM 319,	S WORK IN THIS INIA CONTRACTORS THE CONTRACTORS RS LICENSE MAY BE IVISION OF LABOR	
PROSP	VIRGINIA STATE CO ECTIVE BIDDER TO SE NUMBER ON THEI	INCLUDE THE CONTR		
	R TO COMPLETE:	erson Ret-R	geratian.S	ervices FNC
CONTRA	ACTORS LICENSE NO	11/1/10/2/16	96	
THE SL	ICCESSFUL BIDDER	WILL BE REQUIRED	TO FURNISH A	American
DICANATURE	SEERE	VERSE SIDE FOR TERMS AND CONC		
SIGNATURE		TELEPHONE	DATE	
TITLE	FEIN		ADDRESS CHANGES	TO BE NOTED ABOVE



State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for
Quotation

DEFK8177

DEFK8177

**DEFK8177** 

ADDRESS CORRESPONDENCE TO ATTENTION OF

304-558-2544

DIV ENGINEERING & FACILITIES NATIONAL GUARD ARMORY 3 ARMORY WAY

SUMMERSVILLE WV 26651

304-201-3870

RFQ COPY TYPE NAME/ADDRESS HERE

DATE PRINTED	FERMS OF SALE SHI	P VIA	FOH.	FREIGHTTERMS
02/07/2008 BID OPENING DATE: 02/2	3/2008	RTN NPF	ENING TIME 01	:30PM
LINE QUANTITY	ran-	UMBER	UNIT PRICE	AMOUNT
1 1	IR CONTRACTORS LICE ORDER/CONTRACT	NSE PRIOR T	TO ISSUANCE OF	
	APPLICABLE	LAW		
AND REGULATHE "REQUES	RGINIA STATE CODE, TIONS, AND THE INFORST FOR QUOTATION" IS THE SOLE AUTHORITY	MATION PROV	VIDED IN E PURCHASING	·
ANY OTHER S OR ALTERS	ATION PROVIDED IN SP SOURCE, VERBAL OR WR THE INFORMATION PROV IN THE ABOVE PARAGRA	ITTEN, WHIC IDED FROM T	CH CONTRADICTS THE SOURCES AS	
To pay	NOTICE			
A SIGNED BI	D MUST BE SUBMITTED	TO:	. The second sec	
PURCHA BUILDI 2019 W	MENT OF ADMINISTRAT SING DIVISION NG 15 ASHINGTON STREET, E. STON, WV 25305-013	AST		
Ţ.	ULD CONTAIN THIS IN	1		
SEALED BID				interpresson
BUYER:	JOHN ABBI	rra		
) SIGNATURE	SEE REVERSE SIDE FOR	TERMS AND CONDITIO	ONS DATE	
TILE	FEIN		ADDRESS CHANGES	TO BE NOTED ABOVE



TYPE NAME/ADDRESS HERE

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

# Request for BEGNUMBER Outstion DEFK8177

**DEFK8177** 

PA	GE	
	6	,

JOHN ABBOTT

304-558-2544

**DIV ENGINEERING & FACILITIES** NATIONAL GUARD ARMORY 3 ARMORY WAY

ADDRESS CORRESPONDENCE TO ATTENTION OF:

SUMMERSVILLE WV

26651

DATERRIN	ten		IMS OF SAI	-	I SHIP	ura.	FOR		FREIGHTTERMS
02/07/	***************************************			************					
BID OPENING DATE:		02/28/	2008		1	BID	OPENING TIME	01	:30PM
LINE	QUA	NITTY	UOP	CAT. NO	ITEMNU		UNIT PRICE		AMOUNT
	REQ. N	10.:			DEFK8177-				
	BID OP	ENING	DATE:		2/28/08				
	BID OF	ENING	TIME:		1:30 PM				
					UMBER IN NG YOUR B		IS NECESSAR	Y	
And the second s	_								
		PRINT NING T					_		
	_				Lewis	Mygu.	<b>5</b>	-	
The state of the s									//
	*****	THIS	IS T	HE EN	D OF RFO	DEFK8	177 ***** T	DTAL:	2000.00
		* * * * *			T		A. 120 and 1		2000,00 Pars + 00
					juc	1 / 100	rivera L	tell	eers. XX
									-
			-		-				
									0
,		Ż	<b>)</b>	SEERE	ERSE SIDE FOR T	************	DITIONS		
SIGNATURE	un (	D. C	ngu	W_		TELEPHONE		DATE	erralia-
THE FSTIMA	100	[2]	5-5	-00	76021		ADDRESS C	HANGES 1	TO BE NOTED ABOVE

- 1.Testing, Adjusting, Preventive maintenance, emergency services and repairs of heating ventilation and air conditioning (HVAC) system, and for the Digital (DC) temperature control system. Contract shall be awarded based on the Base Bid Cost (HVAC Maintenance Contract).
- 2.Pre-Bid Conference. A mandatory on site Pre-Bid Conference shall be held on February 20, 10:30 AM. Failure to attend will result in bid disqualification.
- 3. The purpose of this contract is to provide the contracted assurance that the HVAC equipment and DC operates within the prescribed guidelines. Vendor shall be fully responsible for the HVAC system's operation, reliability and performance to ensure environmental comfort and energy efficiency to the owner and minimize risk management.
- 4. The intent of this contract program is to provide the Owner with assurance that the HVAC equipment functions in the prescribed manner with in the required performance guidelines. The vendor shall be fully responsible for the HVAC system's operation, reliability and performance. Optimize benefits including environmental comfort, risk management and energy efficiency shall be provided to the Owner.
- 5. Renewal. Shall be in accordance with the Terms and Conditions of this contract. Shall be limited to three successive one year periods. Vendor is responsible to notify the Owner of its intent to renew within 60 days of termination of the contract with a letter of intent.
- 6. Vendor Qualifications. Proven successful testing, adjusting, commissioning, preventative maintenance, emergency service and repair experience of complex Commercial HVAC equipment/systems. Vendor shall be a factory authorized service agency of commercial HVAC equipment including McQuay, Carrier, York, Trane or approved equal, and shall have factory trained/certified technicians providing services to fore mentioned equipment.
- 7. Bid Opening Date: 2/28/2008; 1:30 PM
- 8. Invoicing. Preventive Maintenance shall be billed quarterly in arrears. Trouble calls, service orders, job orders shall be billed at time of completion.

- 9. Vendors:
- A. Contact Telephone Number 304 722-18.10
- B. Emergency Contact Telephone Number 304-722-1810

# (24/7)

#### 10. SCOPE OF WORK REQUIREMENTS

A. Provide initial inspection of equipment within 45 days of effective date of this contract (Notice to Proceed). Note: the Vendor shall notify the resident facilities manager / building maintenance mechanic a minimum of 15 days prior to the scheduled date of the initial inspection. Initial inspection shall include confirming that all scheduled equipment operates in conformance with the design requirements. It is not the intent of this Contract to provide air or water balancing services. Rather, it is the intent of this contract to provide the Owner with assurance that the HVAC equipment has been installed in the prescribed manner and is continuously operating within the required performance guidelines. It is required that systems that are determined to be deficient or unable to perform to specification (ie., sound requirements, cooling/heating capacity, insufficient airflow, waterflow, static pressure, etc.,) be brought to the immediate attention of the resident Facilities manager / building maintenance mechanic, and in written form, to the Owner to allow for design evaluation/mitigation of the conditions leading to the situation.

- B. The initial inspection shall include providing a documented report of test results for all scheduled HVAC equipment including a minimum of the following:
- i. Air Handling Systems / Rooftop Unit Test Report
  Unit Identification
  Location / Area Served
  Make and Type
  Model # / Serial # and Unit Size
  Unit Arrangement and Class

Discharge Arrangement

Fan and Motor Sheave Make, Size

(Pitch

Diameter) and Bore

fan and Motor Sheave Center to

Center Dimensions and Adjustment Number of Belts, Make and Size

Number of Filters. Type and Size Motor Data Type) Motor Horsepower and RPM (Make, Frame Size and Motor Voltage, Phase and Hertz Motor Full Factor Measured Running Load Load Amperage and Service System of Motor Operating Airflow Rate (CFM) Amps Static Pressure (in.wg.) Fan RPM Discharge Static Pressure (in.wg.) Cooling Coil / Heating Coil Filter Static Pressure (in.wg.) Pressure (in.wg.) Compartment to Static Compartment Static Pressure Differentials Ventilation Airflow / Outside Air (in.wg.)Minimum

Vortex / VFD Position

Damper Position Return Airflow

ii. Apparatus - Hydronic/Refrigerant Coil Test Report

Unit Identification Location / Area Served

Coil Type

Number of Rows

Fin Spacing (Fins/Inch)

Make and Model#

Face Area (Square Feet)

Tube Size (NPS)

**Tube and Fin Materials** 

Circulating Arrangement (3-way or 2-way)

Average Airflow Velocity

Airflow Rate

Air Pressure Drop

Outside Air Temperature (Dry Bulb and Wet Bulb)

Return Air Temperature (Dry Bulb and Wet Bulb)

Mixed Air Temperature (Dry Bulb and Wet Bulb)

Leaving Air Temperature (Dry Bulb and Wet Bulb)

Hydronic Coil Flow (GPM)

**Total Heating Capacity (Btuh)** 

Total and Sensible Cooling Capacity (BtuH)

Water Pressure Drop (ft.hd.or psia)

**Entering Water** 

temperature Leaving

Temperature DX Refrigerant Water

**Expansion Valve and** 

Refrigerant Type

Refrigerant Suction and Liquid Line Pressures (psig)

#### Refrigerant Suction Temperature

## iii. Apparatus - Electric Coil Test Report

Unit Identification Location Coil Identification Capacity (BtuH) Number of Stages

SCR Modulating or On-Off

Volts/Phase/Hertz

Rated Amperage

Airflow (CFM)

Face Area (Square Feet)

Minimum Face Velocity

Installed Fuse/Breaker Size for Overload Protection

Entering Air Temperature Leaving Air Temperature

## iv. Pumps - Test Report

Mark location of discharge valve(s) for reference. Open 2-way control valves and operate variable speed drive at 100%. Verify pump impeller size by operating the pump with the discharge valve closed. Verify with pump manufacturer that this will not damage the pump. Convert pressure to head and correct for differences in gage locations. Note operating point on manufacturer's pump curve at zero flow and confirm impeller size. Check system resistance. With all valves open, read pressure differential across pump and mark the pump manufacturer's head-capacity curve. Adjust pump discharge valve until design water flow is achieved. If an overamping condition is experienced, discontinue test and report condition to Owner. Verify pump motor brake horsepower. Calculate the intended brake horsepower for the system based on the pump manufacturer's performance data. Record calculated brake horsepower and nameplate data on pump motor. Report flow rates that cannot be adjusted within +/-5% of design to Owner.

Control

v. Compressor / Condenser Units – Test Report Unit Identification Location

Unit Make and Model# Manufacturer's Compressor Serial #'s Compressor Make Refrigerant Weight (1lbs.) Low Ambient Temperature Cutoff (Deg. F) Entering Condenser Air Temperature (Dry Bulb) Leaving Condenser Air Temperature (Dry Bulb) **Number Fans** Condenser Fan RPM Condenser Fan Airflow (CFM) Condenser Fan Motor Make, Frame Size, RPM and Horsepower Condenser Fan Motor Voltage Condenser Fan Motor Amperage Control Settings **Unloader Set Points** Low Pressure Cutoff Setting (psig) High Pressure Cutoff Setting (psig) Suction Pressure (psig) Suction Temperature (Deg.F.) Condenser Refrigerant Pressure (psig) Condenser Refrigerant Temperature (Deg.F.) Oil Pressure (psig) Oil Temperature (Deg.F.) Crankcase Heater KW

#### vi. Boilers - Test Report

Boiler Model and Serial # Burner Input Rating Boiler Output Rating Water Flow Rate Entering Water Temperature

(Deg.F.)

**Leaving Water Temperature** 

(Deg.F.)

Measured Flu Gas Temperature (Deg.F.)

Measured Flu Gas 02 and C02

Calculated Boiler Operating Efficiency (%)

vii. Heat Exchangers - Test Report

Level

Water Flow Rate (GPM)
Control Valve Model (Cv)
Entering Steam Pressure (psig)
Entering Water Temperature

(Deg.F.)

Leaving Water Temperature

(Deg.F)

Water Pressure Drop (psig)

- C. Provide equipment performance testing in conjunction with initial inspection as described above.
- D. It is required that the Vendor record all pre-inspection settings and post inspection settings of all devices in the initial inspection report. Any devices that do not have an indexed method by which the position can be recorded shall have a mark placed by a shaft, damper blade, etc, so that the balanced position can be restored in the event that repairs, such as the replacement of a damper operator, is required at some future date. This shall be by permanent marker, dated by Vendor and labeled accordingly.
- E. Vendor shall be responsible for inspecting and updating Operating & Maintenance (O&M) manuals to ensure "completeness" with respect to technical literature, O&M procedures, parts list, assembly diagrams and wiring diagrams. In addition, Vendor shall update/enhance O&M manuals to incorporate all pertinent technical information into a systems specific document that shall be maintained "on-site". The O&M manual shall be annually updated to include performance checklist and calibration reports of all scheduled equipment.
- G. Vendor shall be required to furnish test and calibration equipment that is of sufficient quality and accuracy to test/measure the operating performance of scheduled equipment and compare results to specify / industry standard tolerances. Test and calibration equipment shall be calibrated per manufacturer's recommended intervals and calibration certificate shall be documented/affixed to each instrument. Submit list of proposed test equipment.
- H. Vendor shall test and ensure the function/reliability of integral safety devices such as low water cut-off, pressure limits, low refrigerant, freeze-state (hardwired and software).

- I. Vendor shall provide on-site preventative maintenance, inspections, emergency service and all labor and parts, including oil, refrigerant, air filters and other materials to diagnose, repair or replace components of scheduled equipment to ensure proper function (minimum of 4 inspections per year, Quarterly).
- J. The Contractor shall furnish all required parts and labor excluding repairs due to negligence, acts of God, war, power fluctuations, or conditions caused beyond the reasonable control of Vendor.
- K. A documented service report shall be provided with each on-site inspection/service call shall and shall include performance checklist results for all equipment, list of adjustments, repairs or equipment replaced to include recommended further action, if required.
- L. Vendor must be available (on call) twenty-four (24) hours per day, seven (7) days per week to respond to requests for emergency service. Vendor must respond to calls for service within four (4) hours of notification. Failure to respond within four (4) hours will result in a charge to the Vendor of \$100.00 per hour for each hour over the four (4) hour limit. Emergency phone numbers shall be included within the bid.

#### 11. DC SCOPE OF WORK REQUIREMENTS:

- A. Vendor shall provide testing, maintenance, preventive maintenance services and repairs of the DC system equipment, to include all ancillary components. Ancillary components shall include but not be limited to; low voltage power supply(ies), transducers, wiring, valve and damper operators, sensors, relays, low temperature detection thermostats (freeze-stats), etc. Control equipment not included within the scope of work shall be limited to factory mounted controls installed on the chillers, boilers, and domestic hot water units. All technicians performing service on facility equipment will be certified / trained by equipment manufactures.
- B. Vendor shall be responsible for testing and verifying the function of the complete DC system and documenting the performance in accordance with design intent and documentation in accordance with industry standard guidelines to ensure that programmed

sequences of operation are complete and exactly meet the design requirements. Test procedures shall fully describe; system configuration (sequence of operation), calibration requirements of all analog input devices, evaluation procedures for all modulating output devices for smoothness of control operation (complete stroke output device/directional travel), evaluating all status inputs/electrical interlocks, evaluating all 2-position (on-off) control/interlocks and steps required for each test. The test procedures shall be appropriately documented in order for another party to repeat the tests with virtually identical results for accuracy.

D. Vendor shall establish seasonal software trending of operational variables, ie., temperature, pressure, relative humidity, etc., and perform documented comparative analysis via tables and/or graphs to evaluate optimum control tuning and parameters for achieving and maintaining set point (annual minimum of 1 documented evaluation for heating and

cooling season).

- E. Vendor shall be required to furnish test and calibration equipment that is of sufficient quality and accuracy to test/or measure DC system accuracy/performance and compare results to specified tolerances. Test and calibration equipment shall be calibrated per manufacturer's recommended intervals and calibration certificate shall be documented/affixed to each instrument.

  F. Vendor shall be responsible for inspecting and updating Operating & Maintenance (O&M) manuals to ensure "completeness" with respect to technical literature, O&M procedures, parts list, assembly diagrams and wiring diagrams. In addition, Vendor shall update/enhance O&M manuals to incorporate all pertinent technical information into a systems specific document that shall be maintained "on-site". The O&M manual shall be annually updated to include software/hardware performance checklist and calibration reports of all software/hardware equipment.
- G. Vendor shall test and ensure the function/reliability of integral safety devices such as freeze-stats (hardwired and software).
- H. Vendor shall provide on-site test and review of software/hardware to ensure proper function (minimum of 2 inspections per year). The Vendor shall be responsible for all needed DC system repairs and/or Equipment requiring replacement. The Vendor shall furnish all required parts and labor excluding repairs due to negligence, acts of God, war, power fluctuations, or conditions caused beyond the reasonable control of Vendor.

#### Preventive maintenance

12.

- A. Job labor and associated travel expenses required to clean, alignment, calibration, tighten, adjustments, lubricate, and paint equipment. Activities include:
- cleaning shall consist of coil surfaces; fan impellers and blades; electrical contacts; burner orifices; passages and nozzles; pilot and igniter; cooling tower baffles' basin' sump and float; chiller, condenser and boiler tubes. A thorough coil cleaning shall be completed during the third (3rd) quarterly preventive maintenance visit and documented by way of adhesive label mounted on the mechanical system in a location that will not interfere with its operation.
- II. Alignment of equipment belt drives; drive couplings; air fins.
- III. Calibrating safety controls; temperature and pressure controls.
- IV. Tightening shall include but not limited to electrical connections; mounting bolts; pipe clamps; refrigerant piping fittings; damper sections.
- V. Adjusting belt tension; refrigerant charge; super heat; fan RPM, water chemical feed and feed rate; burner fuel/air ratios; gas pressure, set point of controls and limits; compressor cylinder UN-loaders; damper close-off; sump floats.
- VI. Lubrication of equipment will follow manufactures prescribed instructions to include motors; fan and damper bearings; valve stems; damper linkages; fan vane linkages.
- VII. Painting of the exterior cabinet or shell of units for corrosion control.
  - B. Filter replacement is included using Extended Surface Pleated filters to be changed on a quarterly basis. Date of filter replacement shall be annotated on an adhesive label for each unit in a location that will not interfere with its operation.

Maintenance) Job labor and associated travel expenses including overtime and holidays, for unscheduled work resulting from an abnormal condition. This coverage will is 24 hours per day, seven days per week. Parts / materials procurement labor (locating, ordering, expediting, and transporting) required to repair, remove, and replace broken, worn, and/or doubtful components and /or parts. Costs shall reflect other than quarterly Preventive Maintenance visits.

## Bid Item 1: Preventive Maintenance Contract for the Glen Jean AFRC

Lump Sum / Base Bid for yearly Contract

Vendor shall visit location on a quarterly schedule and provide a detailed activity report to the Facilities Maintenance Manager. Report will be due within 15 (fifteen) days of completion of quarterly inspection. Activities include: Cleaning of coil surfaces; fan impellers and blades; electrical contacts; burner orifices; passages and nozzles; pilot and igniter, cooling tower baffles', basin' sump and float, chiller, condenser and boiler tubes. Alignment of equipment belt drives; drive couplings; air fins. Calibrating safety controls; temperature and pressure controls. Tightening shall include but not limited to electrical connections; mounting bolts; pipe clamps; refrigerant piping fittings; damper sections. Adjusting belt tension; refrigerant charge; super heat; fan RPM, water chemical feed and feed rate; burner fuel/air ratios; gas pressure, set point of controls and limits; compressor cylinder UN-loaders; damper close-off; sump floats. Conformance with overall desired performance design and providing support services for Buildings HVAC control system. Lubrication of equipment will follow manufactures prescribed instructions to include motors; fan and damper bearings; valve stems; damper linkages; fan vane linkages. Replacement of filters with pleated filters meeting existing efficiency factor. Replace filters in each / all units once a quarter. Painting of the exterior cabinet or shell of units to control corrosion as needed. Digital controls are included as

a part of this service. Vendor shall provide any and all needed materials, labor, tools, parts and equipment for work required. All technicians performing service on facility equipment will be certified / trained by equipment manufactures.

nt: Annual contract with four (4) quarterly visits. Each quarterly visit will be based on completion of preventive maintenance and services agreement.

Annual contract paid by quarterly invoice accompanied with services rendered. Fore mentioned reports and data required will be needed prior to invoicing. ALL SERVICES / PURCHASE ORDERS MUST BE INVOICED SEPARATELY.

Bid Alternate Item 1: Emergency Service calls / Trouble calls

#### Time and Materials

Work other than scheduled preventive maintenance (bid item #1). This coverage is 24 hours per day, seven days per week. Parts, materials and labor required to repair, remove, and replace broken, worn, and/or doubtful components and /or parts. Vendor shall provide any and all needed materials, labor, tools, parts and equipment for work required. Once a job order services have been requested a quotation for repair shall be sent to Division of Engineering and Facilities, 1703 coonskin drive, Charleston, WV 25311 with in five (5) working days of service request so that a purchase order can be issued for repair / services. If repairs can not be made with in a reasonable amount of time contract may be canceled.

nt: Cost to restore HVAC equipment to its original intended operating purpose.

Labor / percentage markup for materials (Example: \$25 per hour / per person and 15% markup for parts and materials) Shall be invoiced separately from Preventive maintenance contract. Fore mentioned reports, data required and / or service reports will be needed prior to invoicing. INVOICES SHALL BE ITEMIZED TO INCLUDE QUOTATIONS.

Billing for services shall be itemized and only contain costs agreed upon in this contract. Absolutely No other charges will be requested such as; Truck charges, miscellaneous charges, lodging charges, sur-charges, tax or any other additional fees not covered in this contract. In addition to invoice, actual service dates, service preformed to include building location, number and name, contract or purchase order number identification shall also accompany invoicing. A State Armory Board representative (at building location) signature verifying work complete is required with invoicing. Items listed above are

required for invoicing. ALL SERVICES / PURCHASE ORDERS MUST BE INVOICED SEPARATELY.

Points of Contact: The contract person at the Division of Engineering and Facilities shall be Charlie Mitchell, Michael J. Beckner, 1707 Coonskin Drive, Charleston, WV 25311 - Phone: (304)561-6333

DEFK 8178 - HVAC Maintenance Contract Bid Form						
ltem #	<u>Description</u>	Annual Usage	* Unit Price	Extended Price		
1	Annual Maintenance Contract	1		\$ 2000.00		
2	Regular Work Hours	80	\$ 65,00	\$ 5200,00		
3	After Regular Work Hours	40	\$ 97.50	\$ 3900.00		
4	Holiday Work Hours	20	\$ 130.00	\$ 2600.00		
5	Est Annual Part Usage X % Markup	\$25,000	% M/U 50%	\$ 37500.00		
Failu	re to Use this form may result in Disqua	TOTAL	\$5/200.00			

Bidder / Vendor Information:	
Name: Pierson Technical Services	_
Address: 302 SPruce street St. ALBANS WV 2577.	7
Phone# $304 - 722 - 1810$	
Email lewis. a ngus @ Ptswv. Com	

Contact Coordinator Information:  Name: Lewis Augus OR Frank Pierson
Name:
Address: 302 SPINCE ST. St. ALbans WV25177
Phone# 304-722-1810 / FAX 304-722-1846
Email Lewis Angus a PTS WV, Con
FIANK Plerson & Pts WV. Com
* Item#1 = Annual; Items 2,3,&4 are Hourly unit prices; Item#5 = \$25,000 X % Markup over cost

# STATE OF WEST VIRGINIA Purchasing Division

## **PURCHASING AFFIDAVIT**

West Virginia Code §5A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate

#### **DEFINITIONS:**

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivisions means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

**EXCEPTION:** The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

LICENSING: Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.

CONFIDENTIALITY: The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendors should visit www.state.wv.us/admin/purchase/privacy for the Notice of Agency Confidentiality Policies.

Under penalty of law for false swearing (West Virginia Code, §61-5-3), it is hereby certified that the vendor acknowledges the information in this said affidavit and are in compliance with the requirements as stated.

Vendor's Name: <u>PIERSON</u>	TECHNICAL 3	Services	
Authorized Signature; Sew	5 May	Date: 71 27	12008
Durahaning Stirlavit (Pavisort (15/15/17)		/	