

VENDOR

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

# Request for DEFK817

**DEFK8177** 

**************************************	UNDERCE TO ATTENHOR OF
e de la companya del companya de la companya de la companya del companya de la co	
OHN ABBOTT	
NG-558-2566	

RFQ COPY TYPE NAME/ADDRESS HERE

A & A Mechanical Service, Inc. 7200 Distribution Drive Louisville, KY 40258-2827

DIV ENGINEERING & FACILITIES NATIONAL GUARD ARMORY. 3 ARMORY WAY

SUMMERSVILLE WV 26651

304-201-3870

02/07/		IER	MS OF SAI	E	SHIP VIA		FOB.	FREIGHTTERMS
BID OPENING DATE:		02/28/	2008		4	BID O	PENING TIME 0	1:30PM
LINE	QUAI	ITITY	UOP	CAT. NO	ITEM:NUMBER		UNIT PRICE	AMOUNT
0001	HVAC M	1	LS Ance		936-10 PORT SERVICE	s	٠.	
	SUPPOR	T SERV	ICES	FOR T	ROVIDE HVAC HE NATIONAL HE SPECIFICA	GUARD	ARMORY,	
	MANDAT EXHIBI	And the second s	-SITE	PRE-	3 ARMOR	L GUA Y WAY	RD ARMORY	
·	YEAR OF IS NECTORIGINATION OF EXTENSION OF EXTENSION OF EXTENSION OF EXTENSION OF THE PROPERTY	R UNTI	A L SUC TO O TRACT WELVE NDOR GIVIN	ND EX H "RE BTAIN TH (12) MAY T	TENDS FOR A I ASONABLE TIMI A NEW CONTRA E "REASONABLI MONTHS. DUI ERMINATE THIS	PERION E" THE ACT OF E TIME RING S CON	EREAFTER AS	
	THIS COPRICING	ONTRAC S SET I	T DOC HEREI	UMENT N ARE	, THE TERMS, FIRM FOR THE	COND:	E OF THE	
	RENEWAI	.: THI	S CON				PON THE MUTUAL	
SIGNATURE	7) 1)		г	********	ERSE SIDE FOR TERMS A	ONE -	DATE	E
Henry	Jef [2]	FEI P	N -		J. Rhodes, Jr.	[(502	2) 968-0121	February 27, 2008
Vice Preside	snt		51-04	156396			ADDRESS CHANGES	TO BE NOTED ABOVE

## GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

- Awards will be made in the best interest of the State of West Virginia.
- 2. The State may accept or reject in part, or in whole, any bid.
- 3. All quotations are governed by the West Virginia Code and the Legislative Rules of the Purchasing Division.
- Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125.00 registration fee.
- 5. All services performed or goods delivered under State Purchase Orders/Contracts are to be continued for the term of the Purchase Order/Contract, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods, this Purchase Order/Contract becomes void and of no effect after June 30.
- 6. Payment may only be made after the delivery and acceptance of goods or services.
- Interest may be paid for late payment in accordance with the West Virginia Code.
- 8. Vendor preference will be granted upon written request in accordance with the West Virginia Code.
- The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
- 10. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- 11. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern all rights and duties under the Contract, including without limitation the validity of this Purchase Order/Contract.
- 12. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
- 13. BANKRUPTCY: In the event the vendor/contractor files for bankruptcy protection, this Contract may be deemed null and void, and terminated without further order.
- 14. HIPAA Business Associate Addendum The West Viginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, and available online at the Purchasing Division's web site (http://www.state.wv.us/admin/purchase/vrc/hipaa.htm) is hereby made part of the agreement. Provided that, the Agency meets the definition of a Covered Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.

#### INSTRUCTIONS TO BIDDERS

- 1. Use the quotation forms provided by the Purchasing Division.
- 2. SPECIFICATIONS: Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as EQUAL to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
- Complete all sections of the quotation form.
- Unit prices shall prevail in cases of discrepancy.
- 5. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
- 6. BID SUBMISSION: All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications.

#### SIGNED BID TO:

Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130



# Request for Quotation DEFK8177

**DEFK8177** 

ADDRESS:CORRESPONDENCE TO ATTENTION OF

JOHN ABBOTT 304-558-2544

DIV ENGINEERING & FACILITIES NATIONAL GUARD ARMORY 3 ARMORY WAY

SUMMERSVILLE WV 26651

304-201-3870

RFQ COPY TYPE NAME/ADDRESS HERE

A & A Mechanical Service, Inc. 7200 Distribution Drive Louisville, KY 40258-2827

DATE PRIN		TER	IMS OF SALE	SHIP	VIA	F.C	) B	FREIGHT TERMS
02/07/ BID OPENING DATE:		02/20/			DID	ODENTNO		
	1	02/28/				OPENING		1:30PM
	WRITTE SUBMIT DAYS P BE IGIN ORIGIN SUCCES CANCEL RIGHT ROTICE RIGHT WITH T OPEN ME MANUSES TAUNAME INSURAL INSURAL INSURAL COVERA PRICIF WORKER CERTIF BANKRAI FOR BA	TED TO RIOR T RIOR T ACCORD AL CON SIVE O LATION TO CAN TO ARE HE SPE ARKE A IT, WITH ACINCL ORTA WO NCE: SI GE OF ICATE ICATE PTCY: NKRUPTO	THE DIRE O THE EXF ANCE WITH TRACT AND INE (1) YE  THE DI CEL THIS E VENDOR OF AN IN CIFICATIO CLAUSE: T SPENDING OUT THE FI LIVERY IN UDING BUT ON OR RK). UCCESSFUL UDING BUT ON OR RK).	RECTOR OF A PERIOD OF THE TERMS OF THE CONTRACT IF THE CONTRACT IN ANTICIPAL VENDOR SHAPE CONTRACT IN ANTICIPAL VENDOR SHAPE CONTRACT IN ANTICIPAL VENDOR SHAPE CONTRACT IN ANTICIPAL VENDOR IS ER'S COMPETED IS THE CONTRACT IN ANTICIPAL VENDOR IS ER'S COMPETED IS AND IS TERMS	G UNIT A URCHASIN ATE. SU S AND CO LIMITED S. PURCHAS IMMEDIAT MMODITIE ALITY OR BID AND URCHASE A REQUIS HIS CONT HES DUE FED TO D ATED INC HALL FUR LIABILI ACT. UNI \$250,00	ND VENDO G THIRTY CH RENEW NDITIONS TO TWO  ING RESE ELY UPON S AND/OR CONTRAC RCHASING ON THE O ITION OR RACT FOR TO UNFOR ELAYS IN REASE IN NISH PROD ITY INSURA LESS OTHE NIMUM AMO O. RED TO PI IF SUCCE ONTRACTOR	(30) AL SHALL OF THE (2)  RVES THE WRITTEN SERVICES CONFORM T HEREIN  MAY PEN COST ESEEN THE OF OF ANCE ERWISE OUNT OF ROVIDE A ESSFUL. R FILES TOMATI-	AMOUNT
IGNATURE/		- <b>/</b> / / -	SEER	EVERSE SIDE FOR T	I			
Dein	er->f	Kho		n J. Rhodes, Jr.	TELEPHONE (50	02) 968-0121	DATE	February 27, 2008
Vice Preside	nt V	FEII	N 51-0456396			ADDF		TO BE NOTED ABOVE



### Request for Quotation

DEFK8177

····PAGE···

JOHN ABBOTT
304-558-2544

0II-p

DIV ENGINEERING & FACILITIES NATIONAL GUARD ARMORY 3 ARMORY WAY

SUMMERSVILLE WV 26651

304-201-3870

RFQ COPY
TYPE NAME/ADDRESS HERE
A & A Mechanical Service, Inc.
7200 Distribution Drive

Louisville, KY 40258-2827

DATE PRIN	TED	TEI	RMS OF SA	LE	SH	IP VIA		FOB,		FREIGHTTERMS
02/07/										
BID OPENING DATE	: 	02/28/	2008	18332472488		BID	OF	PENING TI	ME 01	L:30PM
LINE	QUA	NTITY	UOP	CAT NO	ITEM	NUMBER		UNIT PAK	jE	AMOUNT
									4.0.000.000.000.000.000	
	REV. 9	9/98								
	MACE E	Natro.	THE C	OUTO	CTOD OD	OUBOBUT	١.,	TOD 01111		
								CTOR SHALL		
	RATES	AS EST	ABLIS	HED F	OR NICH	DLAS COUN	VT V	PURSUA	NT	
	TO WES	ST VIRE	INIA	CODE	21-5A,	IT, SEQ.	(F	REVAILIN	G	
	WAGE R	RATES A	PPLY	TO TH	IS PROJI	ECT)				
· ·	[			}						
	EXHIBI	T 10								
	ADDEND	DUM ACK	NOWLE	DGEME	NT					
	T NEDE	'DV ACK	NOUL E	DCE 1	COLIDA (	of the ea	ͺͺͺ			
	T HEKE	BY ACK	VAD H	DRE K	VUE THE	JF IHE FL Mereccae		OWING CHI	ECKED	
	MY PRO	POSAL,	PLAN	S AND	OR SPE	CIFICATION	IN.	ETC.	5 I U	
	ADDEND	UM NOS	.:							
	NO. 1									
	140. I	•	• • • • •	• • • • •	• • • •					
	NO. 2									
							1			7.0
	NO. 3	•		• • • • •	• • • •					
	NO. 4									
		•	• • • • •	• • • •	• • • •		1			
	NO. 5	•		• • • •				-		
				:						
	I UNDE	RSTAND	THAT	FAIL	URE TO C	ONFIRM T	HE	RECEIPT	OF THE	
	ADDEND	UNICSI	PIAY B	E CAU	SE FUR H	EJECITUN	U	F THE BII	JS.	
	VENDOR	MUST	CLEAR	LY UN	DERSTAND	THAT AN	Y	VERBAL	•	
	REPRES	ENTATI	ON MA	DE OR	ASSUMED	TO BE M	AD	E DURING	ANY	
	ORAL D	ISCUSS	ION H	ELD B	ETWEEN V	ENDOR'S	RE	PRESENTAT	IVES	
			1	SEERE	/ERSE SIDE FOR	TERMS AND CO	I NDIT	IØNS		
SIGNOTURE	0	Phone	la Go		J. Rhodes, Jr	From Philippin		968-0121	DATE	February 27, 2008
Vice Preside	nt /	FE	IN (51.0	456396		. 11 17,	- <del></del> ,			TO BE NOTED ABOVE
A ICC 1 LESIGE	111	1	U 1-0	+00080				4000533	CODMINICO	I O DE MOTED NOOVE



# Request for Quotation DEFK8177

**DEFK8177** 

ADDRESS:COBRESPONDENCE TO ATTENTION OF

10HM	ABBOTT	
304-	559-2544	

RFO COPY TYPE NAME/ADDRESS HERE VENDOR A & A Mechanical Service, Inc. 7200 Distribution Drive Louisville, KY 40258-2827

DIV ENGINEERING & FACILITIES NATIONAL GUARD ARMORY 3 ARMORY WAY

SUMMERSVILLE WV 26651

304-201-3870

DATE PE		····	ERMS OF SAL	= 8888	SHIP VIA	FOB.	FREIGHTTERMS
02/07 BID OPENING DAT			/2000		<u> </u>		1 7004
[	·		/2008	CAT			1:30PM
LINE		QUANTITY	UOP	CAT NO	ITEM NUMBER	UNITPRICE	AMOUNT
	INF	ORMATION	ISSUE	) IN	L IS NOT BINDING WRITING AND ADDE FFICIAL ADDENDUM	D TO THE	
	-	A Mechanical		Sho.	Herman J. Rhodes, Jr.	GNATURE MPANY	
	1 0 0	*******	╣••••	• • • •		TE	
	REV	. 11/96	CO	ITRAC	TORS LICENSE		
	PER STA LIC LIC MAD CAP	SONS DES TE MUST ENSING B ENSE. A E BY CON ITOL COM	IRING BE LICE OARD IS PPLICAT TACTING PLEX, I	FO PE ENSED E EMP FIONS G THE BUILD	DE 21-11-2 REQUI RFORM CONTRACTIN . THE WEST VIRG OWERED TO ISSUE FOR A CONTRACTO WEST VIRGINIA D ING 3, ROOM 319, 4) 558-7890.	G WORK IN THIS INIA CONTRACTORS THE CONTRACTORS RS LICENSE MAY B IVISION OF LABOR	E
	PRO		BIDDE	TO	DE 21-11-11 REQUINCLUDE THE CONTR BID.		
	BID	DER TO C	OMPLETE	:			
		TRACTORS		• • •	& A Mechanical Service, Inc.  WV036853	] 	•
	THE	SUCCESS	FUL BI		WILL BE REQUIRED	m+	
SIGNATURE		~~~~	<i>y</i>	SEERE	VERSE SIDE FOR TERMS AND CON		
Dem	<u> </u>	7 Khro		erman J	J. Rhodes, Jr. TELEPHONE (50	02) 968-0121 DATE	February 27, 2008
Vice Presi	dent		51-04	6396		ADDRESS CHANGE	S TO BE NOTED ABOVE



# Request for REGNOMBER Quotation DEEK 8177

**DEFK8177** 

JOHN ABBOTT 304-558-2544

ADDRESS:CORRESPONDENCE TO ATTENTION OF

HODINEA

RFQ COPY TYPE NAME/ADDRESS HERE

A & A Mechanical Service, Inc. 7200 Distribution Drive Louisville, KY 40258-2827

DIV ENGINEERING & FACILITIES NATIONAL GUARD ARMORY 3 ARMORY WAY

SUMMERSVILLE WV 26651 304-201-3870

DATE PRIN	<u> </u>	RMS OF SALE	SHIP VIA	FOB.	FREIGHTTERMS
02/07/ BID OPENING DATE:		/2000			
	02720	editerro de caraciona de la caraciona a caracione			01:30PM
LINE	QUANTITY	UOP CAT	ITEM NUMBER	UNITPRICE	TRUDMA
	COPY OF THE		ORS LICENSE PRIO ACT	R TO ISSUANCE O	F
		AP	PLICABLE LAW		
	AND REGULAT:	ONS, AND T FOR QUOTA THE SOLE A	E CODE, PURCHASI HE INFORMATION P TION" ISSUED BY UTHORITY GOVERNI	ROVIDED IN THE PURCHASING	E
	ANY OTHER SO OR ALTERS TH	URCE, VERB IE INFORMAT	ED IN SPECIFICAT AL OR WRITTEN, W ION PROVIDED FRO PARAGRAPH IS VO	HICH CONTRADICT M THE SOURCES A	s
		סא	TICE		
	A SIGNED BII	MUST BE S	UBMITTED TO:		
	PURCHAS BUILDIN 2019 WA	ING DIVISI G 15	TREET, EAST		
	THE BID SHOU THE ENVELOPE	LD CONTAIN OR THE BI	THIS INFORMATIO D MAY NOT BE CON	N ON THE FACE OF	F
	SEALED BID				
	BUYER:		ТТОВВА ИНОГ		
SIGNAZUAE	<del>. ( ) 1) 1</del>	/ /	/ERSESIDE FOR TERMS AND CON		E
Deine	- J Kher	, ,	J. Rhodes, Jr.	02) 900-0121	February 27, 2008
Vice Preside	nt /	51-0456396		ADDRESS CHANG	ES TO BE NOTED ABOVE



HOGKEY

DATE PRINTED

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

TERMS OF SALE

# Request for Quotation

DEFK8177

PAGE....

FREIGHTTERMS

ADDRESS:CORRESPONDENCESTO:ATTENTION:OF:::

FO:B

JOHN ABBOTT 304-558-2544

RFO NUMBER

RFQ COPY
TYPE NAME/ADDRESS HERE

A & A Mechanical Service, Inc.
7200 Distribution Drive
Louisville, KY 40258-2827

DIV ENGINEERING & FACILITIES NATIONAL GUARD ARMORY
3 ARMORY WAY

SUMMERSVILLE WV
26651
304-201-3870

SHIP VIA

	02/07/					<u> </u>		<u> </u>			<u> </u>
BID O	PENING DATE:	100000000000000	02/28/	2008	lesso conseguence	100000000000000000000000000000000000000	BID	OPEN.	<u>ING TI</u>	ME [	)1:30PM
	LINE	Qυ	ANTITY	UOP	CAT NO	ITEM N	IMBER		UNITPRI	3E	AMOUNT
		REQ.	NO.:			DEFK8177					
		BID O	PENING	DATE:	!	2/28/08-					
		BID O	PENING	TIME:		1:30 PM-	~~~				
		PLEAS TO CO	E PROVI NTACT Y	DE A OU RE	FAX N GARDI	UMBER IN NG YOUR (502) 400-49	BID:	IS N	NECESS	ARY	
			E PRINT RNING T			AME OF PI			Γ <b>AC</b> T		
						Mike Hatfield,	(304) 767-56	10	T No 401 Lat 444 44		
		****	* THIS	IS T	HE EN	D OF RFQ	DEFK8	177 →	<del>*</del> ****	TOTAL	\$7063.07
			:						٠		
				,							•
	•			•							
	; ;			·							
			į								
		L			SEERE	/ERSE SIDE FOR	TERMS AND CO	IDITIONS:			
SIGNAT	lemo	<u>-</u> 9	Khoa	n R	Herman	J. Rhodes, Jr.	TELEBUONE -	02) 968-	0121	DATE	February 27, 2008
11146	Vice Preside	ent	ļre	" 51-0 <sub>4</sub>	456396				ADDRES	S CHANGE	ES TO BE NOTED ABOVE

- 1.Testing, Adjusting, Preventive maintenance, emergency services and repairs of heating ventilation and air conditioning (HVAC) system, and for the Digital (DC) temperature control system. Contract shall be awarded based on the Base Bid Cost (HVAC Maintenance Contract).
- 2.Pre-Bid Conference. A mandatory on site Pre-Bid Conference shall be held on February 20, 10:30 AM. Failure to attend will result in bid disqualification.
- 3. The purpose of this contract is to provide the contracted assurance that the HVAC equipment and DC operates within the prescribed guidelines. Vendor shall be fully responsible for the HVAC system's operation, reliability and performance to ensure environmental comfort and energy efficiency to the owner and minimize risk management.
- 4. The intent of this contract program is to provide the Owner with assurance that the HVAC equipment functions in the prescribed manner with in the required performance guidelines. The vendor shall be fully responsible for the HVAC system's operation, reliability and performance. Optimize benefits including environmental comfort, risk management and energy efficiency shall be provided to the Owner.
- 5. Renewal. Shall be in accordance with the Terms and Conditions of this contract. Shall be limited to three successive one year periods. Vendor is responsible to notify the Owner of its intent to renew within 60 days of termination of the contract with a letter of intent.
- 6. Vendor Qualifications. Proven successful testing, adjusting, commissioning, preventative maintenance, emergency service and repair experience of complex Commercial HVAC equipment/systems. Vendor shall be a factory authorized service agency of commercial HVAC equipment including McQuay, Carrier, York, Trane or approved equal, and shall have factory trained/certified technicians providing services to fore mentioned equipment.
- 7. Bid Opening Date: 2/28/2008; 1:30 PM
- 8. Invoicing. Preventive Maintenance shall be billed quarterly in arrears. Trouble calls, service orders, job orders shall be billed at time of completion.

- 9. Vendors:
- A. Contact Telephone Number (304) 767-5610
- B. Emergency Contact Telephone Number (502) 968-0121

#### 10. SCOPE OF WORK REQUIREMENTS

A. Provide initial inspection of equipment within 45 days of effective date of this contract (Notice to Proceed). Note: the Vendor shall notify the resident facilities manager / building maintenance mechanic a minimum of 15 days prior to the scheduled date of the initial inspection. Initial inspection shall include confirming that all scheduled equipment operates in conformance with the design requirements. It is not the intent of this Contract to provide air or water balancing services. Rather, it is the intent of this contract to provide the Owner with assurance that the HVAC equipment has been installed in the prescribed manner and is continuously operating within the required performance guidelines. It is required that systems that are determined to be deficient or unable to perform to specification (ie., sound requirements, cooling/heating capacity, insufficient airflow, waterflow, static pressure, etc..) be brought to the immediate attention of the resident Facilities manager / building maintenance mechanic, and in written form, to the Owner to allow for design evaluation/mitigation of the conditions leading to the situation.

- B. The initial inspection shall include providing a documented report of test results for all scheduled HVAC equipment including a minimum of the following:
- i. Air Handling Systems / Rooftop Unit Test Report
  Unit Identification

Location / Area Served

Make and Type

Model # / Serial # and Unit Size

Unit Arrangement and Class

Discharge Arrangement

Fan and Motor Sheave Make, Size

(Pitch

Diameter) and Bore

fan and Motor Sheave Center to

Center Dimensions and Adjustment Number of Belts, Make and Size Number of Filters, Type and Size

Motor Data

(Make, Frame Size and

Type) Motor Horsepower and RPM

Motor Voltage, Phase and Hertz

Motor Full

Load Amperage and Service

Factor Measured Running Load

Amps of Motor Operating Airflow Rate (CFM)

System

Static Pressure (in.wg.)

Fan RPM Discharge Static Pressure

(in.wg.)

Filter Static Pressure (in.wg.)

Cooling Coil / Heating Coil

Static Pressure (in.wg. Compartment Static Pressure

Pressure (in.wg.) Compartment to

ure Differentials

(in.wg.)Minimum

Ventilation Airflow / Outside Air

Damper Position Return Airflow

Vortex / VFD Position

ii. Apparatus - Hydronic/Refrigerant Coil Test Report

Unit Identification

Location / Area Served

Coll Type

Number of Rows

Fin Spacing (Fins/Inch)

Make and Model #

Face Area (Square Feet)

Tube Size (NPS)

Tube and Fin Materials

Circulating Arrangement (3-way or 2-way)

Average Airflow Velocity

Airflow Rate

Air Pressure Drop

Outside Air Temperature (Dry Bulb and Wet Bulb)

Return Air Temperature (Dry Bulb and Wet Bulb)

Mixed Air Temperature (Dry Bulb and Wet Bulb)

Leaving Air Temperature (Dry Bulb and Wet Bulb)

Hydronic Coil Flow (GPM)

Total Heating Capacity (Btuh)

Total and Sensible Cooling Capacity (BtuH)

Water Pressure Drop (ft.hd.or

psig)

Entering Water

temperature Leaving

Water

Temperature DX Refrigerant

**Expansion Valve and** 

Refrigerant Type

Refrigerant Suction and Liquid Line Pressures (psig)

#### Refrigerant Suction Temperature

### iii. Apparatus - Electric Coil Test Report

Unit Identification
Location
Coil Identification
Capacity (BtuH)
Number of Stages
SCR Modulating or On-Off
Volts/Phase/Hertz
Rated Amperage
Airflow (CFM)
Face Area (Square Feet)
Minimum Face Velocity
Installed Fuse/Breaker Size for Overload Protection
Entering Air Temperature
Leaving Air Temperature

### iv. Pumps - Test Report

Mark location of discharge valve(s) for reference. Open 2-way control valves and operate variable speed drive at 100%. Verify pump impeller size by operating the pump with the discharge valve closed. Verify with pump manufacturer that this will not damage the pump. Convert pressure to head and correct for differences in gage locations. Note operating point on manufacturer's pump curve at zero flow and confirm impeller size. Check system resistance. With all valves open, read pressure differential across pump and mark the pump manufacturer's head-capacity curve. Adjust pump discharge valve until design water flow is achieved. If an overamping condition is experienced, discontinue test and report condition to Owner. Verify pump motor brake horsepower. Calculate the intended brake horsepower for the system based on the pump manufacturer's performance data. Record calculated brake horsepower and nameplate data on pump motor. Report flow rates that cannot be adjusted within +/-5% of design to Owner.

v. Compressor / Condenser Units - Test Report Unit Identification Location

Unit Make and Model# Manufacturer's Compressor Serial #'s Compressor Make Refrigerant Weight (1lbs.) Low Ambient Temperature Cutoff (Deg. F) Entering Condenser Air Temperature (Dry Bulb) Leaving Condenser Air Temperature (Dry Bulb) Number Fans Condenser Fan RPM Condenser Fan Airflow (CFM) Condenser Fan Motor Make, Frame Size, RPM and Horsepower Condenser Fan Motor Voltage Condenser Fan Motor Amperage **Control Settings** Unloader Set Points Low Pressure Cutoff Setting (psig) High Pressure Cutoff Setting (psig) Suction Pressure (psig) Suction Temperature (Deg.F.) Condenser Refrigerant Pressure (psig) Condenser Refrigerant Temperature (Deg.F.) Oil Pressure (psig) Oil Temperature (Deg.F.)

### vi. Boilers - Test Report

Boiler Model and Serial #
Burner Input Rating
Boiler Output Rating
Water Flow Rate
Entering Water Temperature

(Deg.F.)

Crankcase Heater KW

Leaving Water Temperature

(Deg.F.)

Measured Flu Gas Temperature (Deg.F.)

Measured Flu Gas 02 and C02

Level

Calculated Boiler Operating Efficiency (%)

vii. Heat Exchangers - Test Report

Water Flow Rate (GPM)
Control Valve Model (Cv)
Entering Steam Pressure (psig)
Entering Water Temperature

(Deg.F.)

Leaving Water Temperature

(Deg.F)

Water Pressure Drop (psig)

- C. Provide equipment performance testing in conjunction with initial inspection as described above.
- D. It is required that the Vendor record all pre-inspection settings and post inspection settings of all devices in the initial inspection report. Any devices that do not have an indexed method by which the position can be recorded shall have a mark placed by a shaft, damper blade, etc, so that the balanced position can be restored in the event that repairs, such as the replacement of a damper operator, is required at some future date. This shall be by permanent marker, dated by Vendor and labeled accordingly.
- E. Vendor shall be responsible for inspecting and updating Operating & Maintenance (O&M) manuals to ensure "completeness" with respect to technical literature, O&M procedures, parts list, assembly diagrams and wiring diagrams. In addition, Vendor shall update/enhance O&M manuals to incorporate all pertinent technical information into a systems specific document that shall be maintained "on-site". The O&M manual shall be annually updated to include performance checklist and calibration reports of all scheduled equipment.
- G. Vendor shall be required to furnish test and calibration equipment that is of sufficient quality and accuracy to test/measure the operating performance of scheduled equipment and compare results to specify / industry standard tolerances. Test and calibration equipment shall be calibrated per manufacturer's recommended intervals and calibration certificate shall be documented/affixed to each instrument. Submit list of proposed test equipment.
- H. Vendor shall test and ensure the function/reliability of integral safety devices such as low water cut-off, pressure limits, low refrigerant, freeze-state (hardwired and software).

- I. Vendor shall provide on-site preventative maintenance, inspections, emergency service and all labor and parts, including oil, refrigerant, air filters and other materials to diagnose, repair or replace components of scheduled equipment to ensure proper function (minimum of 4 inspections per year, Quarterly).
- J. The Contractor shall furnish all required parts and labor excluding repairs due to negligence, acts of God, war, power fluctuations, or conditions caused beyond the reasonable control of Vendor.
- K. A documented service report shall be provided with each on-site inspection/service call shall and shall include performance checklist results for all equipment, list of adjustments, repairs or equipment replaced to include recommended further action, if required.
- L. Vendor must be available (on call) twenty-four (24) hours per day, seven (7) days per week to respond to requests for emergency service. Vendor must respond to calls for service within four (4) hours of notification. Failure to respond within four (4) hours will result in a charge to the Vendor of \$100.00 per hour for each hour over the four (4) hour limit. Emergency phone numbers shall be included within the bid.

### 11. DC SCOPE OF WORK REQUIREMENTS:

- A. Vendor shall provide testing, maintenance, preventive maintenance services and repairs of the DC system equipment, to include all ancillary components. Ancillary components shall include but not be limited to; low voltage power supply(ies), transducers, wiring, valve and damper operators, sensors, relays, low temperature detection thermostats (freeze-stats), etc. Control equipment not included within the scope of work shall be limited to factory mounted controls installed on the chillers, boilers, and domestic hot water units. All technicians performing service on facility equipment will be certified / trained by equipment manufactures.
- B. Vendor shall be responsible for testing and verifying the function of the complete DC system and documenting the performance in accordance with design intent and documentation in accordance with industry standard guidelines to ensure that programmed

sequences of operation are complete and exactly meet the design requirements. Test procedures shall fully describe; system configuration (sequence of operation), calibration requirements of all analog input devices, evaluation procedures for all modulating output devices for smoothness of control operation (complete stroke output device/directional travel), evaluating all status inputs/electrical interlocks, evaluating all 2-position (on-off) control/interlocks and steps required for each test. The test procedures shall be appropriately documented in order for another party to repeat the tests with virtually identical results for accuracy.

D. Vendor shall establish seasonal software trending of operational variables, ie., temperature, pressure, relative humidity, etc., and perform documented comparative analysis via tables and/or graphs to evaluate optimum control tuning and parameters for achieving and maintaining set point (annual minimum of 1 documented evaluation for heating and

cooling season).

- E. Vendor shall be required to furnish test and calibration equipment that is of sufficient quality and accuracy to test/or measure DC system accuracy/performance and compare results to specified tolerances. Test and calibration equipment shall be calibrated per manufacturer's recommended intervals and calibration certificate shall be documented/affixed to each instrument.

  F. Vendor shall be responsible for inspecting and updating Operating & Maintenance (O&M) manuals to ensure "completeness" with respect to technical literature, O&M procedures, parts list, assembly diagrams and wiring diagrams. In addition, Vendor shall update/enhance O&M manuals to incorporate all pertinent technical information into a systems specific document that shall be maintained "on-site". The O&M manual shall be annually updated to include software/hardware performance checklist and calibration reports of all software/hardware equipment.
- G. Vendor shall test and ensure the function/reliability of integral safety devices such as freeze-stats (hardwired and software).
- H. Vendor shall provide on-site test and review of software/hardware to ensure proper function (minimum of 2 inspections per year). The Vendor shall be responsible for all needed DC system repairs and/or Equipment requiring replacement. The Vendor shall furnish all required parts and labor excluding repairs due to negligence, acts of God, war, power fluctuations, or conditions caused beyond the reasonable control of Vendor.

#### Preventive maintenance

12.

- A. Job labor and associated travel expenses required to clean, alignment, calibration, tighten, adjustments, lubricate, and paint equipment. Activities include:
- Cleaning shall consist of coil surfaces; fan impellers and blades; electrical contacts; burner orifices; passages and nozzles; pilot and igniter; cooling tower baffles' basin' sump and float; chiller, condenser and boiler tubes. A thorough coil cleaning shall be completed during the third (3rd) quarterly preventive maintenance visit and documented by way of adhesive label mounted on the mechanical system in a location that will not interfere with its operation.
- II. Alignment of equipment belt drives; drive couplings; air fins.
- III. Calibrating safety controls; temperature and pressure controls.
- IV. Tightening shall include but not limited to electrical connections; mounting bolts; plpe clamps; refrigerant piping fittings; damper sections.
- V. Adjusting belt tension; refrigerant charge; super heat; fan RPM, water chemical feed and feed rate; burner fuel/air ratios; gas pressure, set point of controls and limits; compressor cylinder UN-loaders; damper close-off; sump floats.
- VI. Lubrication of equipment will follow manufactures prescribed instructions to include motors; fan and damper bearings; valve stems; damper linkages; fan vane linkages.
- VII. Painting of the exterior cabinet or shell of units for corrosion control.
  - B. Filter replacement is included using Extended Surface Pleated filters to be changed on a quarterly basis. Date of filter replacement shall be annotated on an adhesive label for each unit in a location that will not interfere with its operation.

Maintenance) Job labor and associated travel expenses including overtime and holidays, for unscheduled work resulting from an abnormal condition. This coverage will is 24 hours per day, seven days per week. Parts / materials procurement labor (locating, ordering, expediting, and transporting) required to repair, remove, and replace broken, worn, and/or doubtful components and /or parts. Costs shall reflect other than quarterly Preventive Maintenance visits.

### Bid Item 1: Preventive Maintenance Contract for the Glen Jean AFRC

Lump Sum / Base Bid for yearly Contract

Vendor shall visit location on a quarterly schedule and provide a detailed activity report to the Facilities Maintenance Manager. Report will be due within 15 (fifteen) days of completion of quarterly inspection. Activities include: Cleaning of coil surfaces; fan impellers and blades; electrical contacts; burner orifices; passages and nozzles; pilot and igniter; cooling tower baffles', basin' sump and float; chiller, condenser and boiler tubes. Alignment of equipment belt drives; drive couplings; air fins. Calibrating safety controls; temperature and pressure controls. Tightening shall include but not limited to electrical connections; mounting bolts; pipe clamps; refrigerant piping fittings; damper sections. Adjusting belt tension; refrigerant charge; super heat; fan RPM, water chemical feed and feed rate; burner fuel/air ratios; gas pressure, set point of controls and limits; compressor cylinder UN-loaders; damper close-off; sump floats. Conformance with overall desired performance design and providing support services for Buildings HVAC control system. Lubrication of equipment will follow manufactures prescribed instructions to include motors; fan and damper bearings; valve stems; damper linkages; fan vane linkages. Replacement of filters with pleated filters meeting existing efficiency factor. Replace filters in each / all units once a quarter. Painting of the exterior cabinet or shell of units to control corrosion as needed. Digital controls are included as

a part of this service. Vendor shall provide any and all needed materials, labor, tools, parts and equipment for work required. All technicians performing service on facility equipment will be certified / trained by equipment manufactures.

nt: Annual contract with four (4) quarterly visits. Each quarterly visit will be based on completion of preventive maintenance and services agreement.

Annual contract paid by quarterly invoice accompanied with services rendered. Fore mentioned reports and data required will be needed prior to invoicing. <u>ALL SERVICES / PURCHASE ORDERS MUST BE INVOICED SEPARATELY.</u>

Bid Alternate Item 1: Emergency Service calls / Trouble calls

#### Time and Materials

Work other than scheduled preventive maintenance (bid item #1). This coverage is 24 hours per day, seven days per week. Parts, materials and labor required to repair, remove, and replace broken, worn, and/or doubtful components and /or parts. Vendor shall provide any and all needed materials, labor, tools, parts and equipment for work required. Once a job order services have been requested a quotation for repair shall be sent to Division of Engineering and Facilities, 1703 coonskin drive, Charleston, WV 25311 with in five (5) working days of service request so that a purchase order can be issued for repair / services. If repairs can not be made with in a reasonable amount of time contract may be canceled.

nt: Cost to restore HVAC equipment to its original intended operating purpose.

Labor / percentage markup for materials (Example: \$25 per hour / per person and 15% markup for parts and materials) Shall be invoiced separately from Preventive maintenance contract. Fore mentioned reports, data required and / or service reports will be needed prior to invoicing. INVOICES SHALL BE ITEMIZED TO INCLUDE QUOTATIONS.

Billing for services shall be itemized and only contain costs agreed upon in this contract. Absolutely No other charges will be requested such as; Truck charges, miscellaneous charges, lodging charges, sur-charges, tax or any other additional fees not covered in this contract. In addition to invoice, actual service dates, service preformed to include building location, number and name, contract or purchase order number identification shall also accompany invoicing. A State Armory Board representative (at building location) signature verifying work complete is required with invoicing. Items listed above are

required for invoicing. ALL SERVICES / PURCHASE ORDERS MUST BE INVOICED SEPARATELY.

Points of Contact: The contract person at the Division of Engineering and Facilities shall be Charlie Mitchell, Michael J. Beckner, 1707 Coonskin Drive, Charleston, WV 25311 - Phone: (304)561-6333

DEFK   8177   HVAC Maintenance Contract Bid Form   Annual										
1	Annual Maintenance Contract	1		\$	7,063.07					
2	Regular Work Hours	80	\$	\$	6,000.00					
3	After Regular Work Hours	40	\$	\$	4,500.00					
4	Holiday Work Hours	20	\$	\$	2,250.00					
5	Est Annual Part Usage X % Markup	\$25,000	% M/U	\$	33,750.00					
Failu	re to Use this form may result in Disqua	lification	TOTAL	\$	53,563.07					

Bidder / Vendor Information:	
Name:	A & A Mechanical Service, Inc.
Address:	7200 Distribution Drive, Louisville, KY 40258
Phone#	(502) 968-0121
Email	melisa.kruer@aamservice.com

Name:	Mike Hatfield	
Address:	3760 Sleepy Hollow Drive, Hurricane, WV 25526	
Phone# _	(304) 767-5610	
Email	mike.hatfield@aamservice.com	
,	,	-
	s 2 3 &4 are Hourly unit prices: Item#5 = \$25 000 X % Markup ov	

#### STATE OF WEST VIRGINIA Purchasing Division

## **PURCHASING AFFIDAVIT**

West Virginia Code §5A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate

#### **DEFINITIONS:**

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

**EXCEPTION:** The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

LICENSING: Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.

CONFIDENTIALITY: The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendors should visit www.state.wv.us/admin/purchase/privacy for the Notice of Agency Confidentiality Policies.

Under penalty of law for false swearing (West Virginia Code, §61-5-3), it is hereby certified that the vendor acknowledges the information in this said affidavit and are in compliance with the requirements as stated.

Vendor's Name: A & A Mechanical Service, Inc.	]		
Authorized Signature; Luna D	Which M Dat	February 27, 2008	<u> </u>
Purchasing Affidavit (Revised 06/15/07) Herman J. Ri	nodes, Jr., Vice President		<del></del>