

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

# Request for

JOHN ABBOTT

304-558-2544

**DIV ENGINEERING & FACILITIES** NATIONAL GUARD ARMORY 3 ARMORY WAY

SUMMERSVILLE WV 26651

304-201-3870

RFQ COPY TYPE NAME/ADDRESS HERE Casto Technical Services 540 Leon Sullivan Way. Charleston, WV 25322

DATE PRIN	TEO	0.000.000.000.000	MSOFSA	E	SAI	P VIA	FO	·B.	FREIGHT TERMS
02/07/		N							
BID OPENING DATE:	<b>(</b>	02/28/	<u> 2008</u>	100000000000000000000000000000000000000		BID	OPENING	TIME (	11:30PM
LINE	QUAN	TITY	UOP	CAT. NO	ITEM!	JUMBER.	UNIT	PRICE	AMOUNT
						***************************************			
0001			LS		936-10		,		1 /
		1							40,600 Mr.
	HVAC MA	AINTEN	ANCE	& SUP	PORT SER	RVICES			See page
									1- 0
		ļ							50 page 19 for pricing
	1								
	OPEN-EN	ND CON	TRACT	TO P	ROVIDE H	IVAC MAIN	TENANCE A	AND	
							D ARMORY		
						FICATION		•	
	MANDATO	IPV OM	C T T E	DDE.	RID. 2/2	.0005/06	10:30 AM		
	INNERIC	JK 1 GI1	3115	1 KL			ARD ARMO		
						RMORY WA	t e		
					SUM	MERSVILL	E, WV 26	651	
	EXHIBIT	「 1							
	ITEE NE	CONT	RACT.	THI	S CONTRA	CT RECOM	ES EFFEC	TIVE ON	
							OD OF ON		
	YEAR OR						HEREAFTE		
	IS NECE	SSARY	TO O	BTAIN	A NEW C	ONTRACT	OR RENEW	THE	
							ME" PERIO		
							THIS "RI		E
							NTRACT FOR CHASING		
	WRITTEN			e inc	DIRECTU	K UF FUR	CHASING .	OU DATS	
		, ,							
							TED ELSE		
							DITIONS,		
			HEREI	N ARE	FIRM FO	R THE LI	FE OF THE	=	
	CONTRAC								
	RENEWAL	: THIS	S CON	TRACT	MAY BE	RENEWED	UPON THE	MUTUAL	
				,					
	***********			oseesse.	EDSE SISTERA	TERMS AND CO	INSTITUTE		<u> </u>
SIGNATURE		/	·	OCC MEV	chocolut POH			DATE	. / /
TITLE	Treef U	N/O	ece 1			1 504-	346-05		2/25/08
Regional	Act. M	gpt F		505	39 186		ADDR	RESS CHANGE	S TO BÉ NOTÉD ABOVE
( IAILIE	IN DECDO	T OLGICAL		INCED	CALABAT AND	ADDEECC	NI SDACE AD	OME LABEL	ED IVENDODI

### GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

- 1. Awards will be made in the best interest of the State of West Virginia.
- 2. The State may accept or reject in part, or in whole, any bid.
- 3. All quotations are governed by the West Virginia Code and the Legislative Rules of the Purchasing Division.
- 4. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125.00 registration fee.
- 5. All services performed or goods delivered under State Purchase Orders/Contracts are to be continued for the term of the Purchase Order/Contract, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods, this Purchase Order/Contract becomes void and of no effect after June 30.
- 6. Payment may only be made after the delivery and acceptance of goods or services.
- 7. Interest may be paid for late payment in accordance with the West Virginia Code.
- 8. Vendor preference will be granted upon written request in accordance with the West Virginia Code.
- 9. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
- 10. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- 11. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern all rights and duties under the Contract, including without limitation the validity of this Purchase Order/Contract.
- 12. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
- 13. BANKRUPTCY: In the event the vendor/contractor files for bankruptcy protection, this Contract may be deemed null and void, and terminated without further order.
- 14. HIPAA Business Associate Addendum The West Viginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, and available online at the Purchasing Division's web site (http://www.state.wv.us/admin/purchase/vrc/hipaa.htm) is hereby made part of the agreement. Provided that, the Agency meets the definition of a Covered Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.

#### **INSTRUCTIONS TO BIDDERS**

- 1. Use the quotation forms provided by the Purchasing Division.
- 2. SPECIFICATIONS: Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as EQUAL to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
- 3. Complete all sections of the quotation form.
- Unit prices shall prevail in cases of discrepancy.
- 5. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
- 6. BID SUBMISSION: All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications.

#### SIGNED BID TO:

Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130



DATE PRINTED

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston WW 25005 0400 Charleston, WV 25305-0130

TERMS OF SALE

REQ NUMBER **DEFK8177** 

F.O.B.

FREIGHTTERMS

ADDRESS CORRESPONDENCE TO ATTENTION OF

JOHN ABBOTT

304-558-2544

RFQ COPY TYPE NAME/ADDRESS HERE DIV ENGINEERING & FACILITIES **VHNOOR** NATIONAL GUARD ARMORY 3 ARMORY WAY SUMMERSVILLE WV 304-201-3870 26651

SHIP VIA

BID OPENING DATE: 0:	2 / 2 8 / 2 8 6 8			
BID OFENING DATE. B	2/28/2008	BID	OPENING TIME	01:30PM
LINE GLIANTI	TY UOP CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
	2010-11- 2			
		SPENDING UNIT A		
		TOR OF PURCHASIN		
		RATION DATE. SU		
		THE TERMS AND CO		E   '
		SHALL BE LIMITED	TO TWO (2)	
SUCCESSI	IVE ONE (1) YEAR	R PERIODS.		
		CTOR OF PURCHAS		
		ONTRACT IMMEDIAT		
NOTICE	TO THE VENDOR IF	THE COMMODITIE	S AND/OR SERVI	CES
		RIOR QUALITY OR		
WITH THE	E SPECIFICATIONS	S OF THE BID AND	CONTRACT HERE	IN
			•	
		DIRECTOR OF PU		
		VIT TO PURCHASE		
		ING OF A REQUIS		[
		ED ON THIS CONT		
		MERGENCIES DUE		
		OT LIMITED TO D		
	1 1 1	NANTICIPATED INC	REASE IN THE	
VOLUME O	OF WORK).			·
•				
		/ENDOR SHALL FUR		
		GENERAL LIABILI		
		IE CONTRACT. UN		1
SPECIFIE	ED IN THE BID D	CUMENTS, THE MI	IO TNUOMA MUMIV	=
INSURANC	CE COVERAGE REQU	JIRED IS \$250,000	).	
		VENDOR IS REQUI		
CERTIFIC	CATE FROM WORKER	R'S COMPENSATION	IF SUCCESSFUL	
		NT THE VENDOR/C		
FOR BANK	RUPTICY PRIOTECTI	ON, THIS CONTRA	CT IS AUTOMATI-	-
CALLY NU	JLL AND VOID, AN	ID IS TERMINATED	WITHOUT FURTHE	R
ORDER.				
				-
1			V	
SIGNATURE	SEEREVE	RSE SIDE FOR TERMS AND CONI TELEPHONE		TE
		FELEFIONE	DF	ure
TITLE	FEIN		ADDRESS CHAN	GES TO BE NOTED ABOVE



TITLE

RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

# Request for Quotation

JOHN ABBOTT

304-558-2544

DIV ENGINEERING & FACILITIES NATIONAL GUARD ARMORY 3 ARMORY WAY

ADDRESS: CORRESPONDENCE TO ATTENTION OF

SUMMERSVILLE WV 26651

304-201-3870

ADDRESS CHANGES TO BE NOTED ABOVE

DATE PRIN	000000000000000000000000000000000000000	TER	MS OF SAL	E	SHIP VIA	FOB	FREIGHT TERMS
82/07/ BID OPENING DATE:		02/28/	2009		חזם	OPENING TIME 01	:30PM
LINE	100000000000000000000000000000000000000	<u>02/28/</u> ANTITY	UOP	CAT NO	ITEM NUMBER	UNITARICE	AMOUNT
LINE				NO	MEINNOMBER	UNITERIOL	Autory
	REV.	9/98					
	THE H RATES TO WE:	IGHER O AS EST ST VIRG	F THE ABLIS INIA	U.S. HED F CODE			
<b>[</b>	EXHIB ADDEN	IT 10 DUM ACK	NOWLE	DGEME	NT		
	ADDENI	DUM(S)	AND H	AVE M	ECEIPT OF THE FO ADE THE NECESSAR /OR SPECIFICATIO	1	
	ADDENI	OUM NOS	• •				
	NO. 1	•	• • • •	• • • • •	• • • •		
	NO. 2	•	• • • •	• • • • •	••••		
	ND. 3	•	• • • •	• • • • •	• • • •		
	NO. 4	•	• • • • •	• • • • •	••••		
	NO. 5	•	• • • • •	• • • • •	• • • •	-	
,	l				URE TO CONFIRM T SE FOR REJECTION	HE RECEIPT OF THE OF THE BIDS.	
	REPRES	SENTATI	ON MA	DE OR ELD B	DERSTAND THAT AN ASSUMED TO BE M ETWEEN VENDOR'S	ADE DURING ANY REPRESENTATIVES	
SIGNATURE				SEEREV	/ERSE SIDE FOR TERMS AND CO  TELEPHONE	NDITIONS   DATE	



MODZMA

RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

#### Request for Quotation

DEFK8177

PAGE 4

\*\*\*ADDRESS:CORRESRONDENCEMO/AJMENTION:0E\*

JOHN ABBOTT 304-558-2544

ر+₽ +

DIV ENGINEERING & FACILITIES NATIONAL GUARD ARMORY 3 ARMORY WAY

SUMMERSVILLE WV 26651 304

304-201-3870

DATE PRINTED TERMS OF SALE FREIGHT TERMS: 02/07/2008 BID OPENING DATE: 02/28/2008 BID OPENING TIME 01:30PM LINE QUANTITY UOP ITEM NUMBER UNITPRICE AMOUNT AND ANY STATE PERSONNEL IS NOT BINDING. ONLY THE INFORMATION ISSUED IN WRITING AND ADDED TO THE SPECIFICATIONS BY AN OFFICIAL ADDENDUM IS BINDING. REV. 11/96 CONTRACTORS LICENSE WEST VIRGINIA STATE CODE 21-11-2 REQUIRES THAT ALL PERSONS DESIRING TO PERFORM CONTRACTING WORK IN THIS STATE MUST BE LICENSED. THE WEST VIRGINIA CONTRACTORS LICENSING BOARD IS EMPOWERED TO ISSUE THE CONTRACTORS APPLICATIONS FOR A CONTRACTORS LICENSE MAY BE MADE BY CONTACTING THE WEST VIRGINIA DIVISION OF LABOR CAPITOL COMPLEX, BUILDING 3, ROOM 319, CHARLESTON, WV TELEPHONE: (304) 558-7890. 25305. WEST VIRGINIA STATE CODE 21-11-11 REQUIRES ANY PROSPECTIVE BIDDER TO INCLUDE THE CONTRACTORS LICENSE NUMBER ON THEIR BID. BIDDER TO COMPLETE: asto technical Services CONTRACTORS NAME: WV 00 1241 CONTRACTORS LICENSE NO .: THE SUCCESSFUL BIDDER WILL BE REQUIRED TO FURNISH A SEE REVERSE SIDE FOR TERMS AND CONDITIONS SIGNATURE ELEPHONE TITLE ADDRESS CHANGES TO BE NOTED ABOVE



State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

TERMS OF SALE

# Request for Quotation

**DEFK8177** 

ADDRESS:CORRESPONDENCE TO ATTENTION OF

JOHN ABBOTT

		304-558-2544	
RFQ COPY TYPE NAME/ADDRESS	HERE	DIV ENGINEERIN NATIONAL GUARD 3 ARMORY WAY	
		SUMMERSVILLE W 26651	V 304-201-3870

02/07												
BID OPENING DATE	: ::	02/28/	2008	41 - 22 - 22 - 22 - 22 - 22			BID	OPE	NING	TIME	0 :	L:30PM
LINE	QUAI	NTITY	UOP	CAT	IT	EM NUMBER			UNI	TPRICE		AMOUNT
							************		************			
	COPY O	F THET	ם כטא	TDACT	OPC II	TCENCE	DDIO	D T	n TC6	CHANCE		
	A PURC					ICENSE	LKIU	/K 11	0 123	SUANCE	: UF	
					[							
		!		AP	PLICAE	BLE LA	u					
	THE HE	OT WIT						l				
	THE WE	CILL VIII	ONG	SIAI	E CODE	E, PURC	CHASI	NG I	DIVIS	SION R	RULE	
	THE "R	EDUFST	FOR	DHOTA	LIUNA UC TAL	. IAMAU- Techei	LUN P	TUE	DIIDU Then	TN TH	ıc	
	DIVISI	ON IS	THE S	OLE A	UTHORI	TY GOV	/ERNI	NG	THIS	JINGIN	10	
	PROCUR											
								ļ				
	ANY IN	FURMAT	TON P	ROVID	ED IN	SPECIF	ICAT	ION	MANL	JALS,	OR	
!	ANY DT OR ALT	FRS TH	F THE	NEKA	AL UK TON PR	NKTIIF	EPO	M LI HTC	15 6. 1 FDD	NIKADI	LIS	
	DESCRI	BED IN	THE	ABOVE	PARAG	RAPH 1	s vo	ID A	AND C	JORGES JF NO	, MS	
	EFFECT											
	-				TTOE							
				เกก	TICE							
	A SIGN	ED BID	MUST	BE S	UBMITT	ED TO:						
							1					
		EPARTM				RATION						,
		URCHAS UILDIN		IVISI	DN			•				
	1	019 WA		TNN C	TOFET.	FACT						
		HARLES										
							]					
								-				
	THE BIL	U SHOUL	LD CO	NTAIN	THIS	INFORM	ATION	N ON	I THE	FACE	OF	
	THE EN	VELUPE	UK II	JE 81	MAY	MUI BE	CONS	SIDE	KED:			
	SEALED	BID	-									
			1	[								
	BUYER:			}-	JOHN A	BBOTT-						
i		-										
	,	!		SEEREV	ERSE SIDE I	FOR TERMS	AND CON	IDITION:	S:::::::::			l
IGNATURE						TELEPI	IONE				DATE	
ITLE		FEII	Nł						חתם	RESS CH	ANGES	TO BE NOTED ABOVE
	***							_				DE NOILE ADOTE



RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia Department of Administration Quotation Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

## Request for

**DEFK8177** 

 AT THE	CONTRACTOR OF THE PARTY OF THE	TECHNOLOGY	ENCE TO ATTE	No. I STATE OF THE STATE OF
 リレンニ	33.000	JESEUJIU		4 : IUI4 UP

JOHN ABBOTT 304-558-2544

DIV ENGINEERING & FACILITIES NATIONAL GUARD ARMORY 3 ARMORY WAY

SUMMERSVILLE WV 26651

304-201-3870

DATE PRINTED TERMS OF SALE SHIP VIA FREIGHTTERMS 02/07/2008 BID OPENING DATE: 02/28/2008 01:30PM BID OPENING TIME LINE QUANTITY UOP ITEM NUMBER UNIT PRICE AMOUNT. REQ. NO.: DEFK8177----BID OPENING DATE: BID OPENING TIME: 1:30 PM-----PLEASE PROVIDE A FAX NUMBER IN CASE IT IS NECESSARY TO CONTACT YOU REGARDING YOUR BID: PLEASE PRINT OR TYPE NAME OF PERSON TO CONTACT CONCERNING THIS QUOTE: Fred W. Majer THIS IS THE END OF REQ \*\*\*\*\* DEFK8177 \*\*\*\*\* TOTAL: SEE REVERSE SIDE FOR TERMS AND CONDITIONS SIGNATURE TITLE ADDRESS CHANGES TO BE NOTED ABOVE

- 1.Testing, Adjusting, Preventive maintenance, emergency services and repairs of heating ventilation and air conditioning (HVAC) system, and for the Digital (DC) temperature control system. Contract shall be awarded based on the Base Bid Cost (HVAC Maintenance Contract).
- 2.Pre-Bid Conference. A mandatory on site Pre-Bid Conference shall be held on February 20, 10:30 AM. Failure to attend will result in bid disqualification.
- 3. The purpose of this contract is to provide the contracted assurance that the HVAC equipment and DC operates within the prescribed guidelines. Vendor shall be fully responsible for the HVAC system's operation, reliability and performance to ensure environmental comfort and energy efficiency to the owner and minimize risk management.
- 4. The intent of this contract program is to provide the Owner with assurance that the HVAC equipment functions in the prescribed manner with in the required performance guidelines. The vendor shall be fully responsible for the HVAC system's operation, reliability and performance. Optimize benefits including environmental comfort, risk management and energy efficiency shall be provided to the Owner.
- 5. Renewal. Shall be in accordance with the Terms and Conditions of this contract. Shall be limited to three successive one year periods. Vendor is responsible to notify the Owner of its intent to renew within 60 days of termination of the contract with a letter of intent.
- 6. Vendor Qualifications. Proven successful testing, adjusting, commissioning, preventative maintenance, emergency service and repair experience of complex Commercial HVAC equipment/systems. Vendor shall be a factory authorized service agency of commercial HVAC equipment including McQuay, Carrier, York, Trane or approved equal, and shall have factory trained/certified technicians providing services to fore mentioned equipment.
- 7. Bid Opening Date: 2/28/2008; 1:30 PM
- 8. Invoicing. Preventive Maintenance shall be billed quarterly in arrears. Trouble calls, service orders, job orders shall be billed at time of completion.

- 9. Vendors:
- A. Contact Telephone Number 304-346-0549
- B. Emergency Contact Telephone Number 304-346 -0549
- 10. SCOPE OF WORK REQUIREMENTS
- A. Provide initial inspection of equipment within 45 days of effective date of this contract (Notice to Proceed). Note: the Vendor shall notify the resident facilities manager / building maintenance mechanic a minimum of 15 days prior to the scheduled date of the initial inspection. Initial inspection shall include confirming that all scheduled equipment operates in conformance with the design requirements. It is not the intent of this Contract to provide air or water balancing services. Rather, it is the intent of this contract to provide the Owner with assurance that the HVAC equipment has been installed in the prescribed manner and is continuously operating within the required performance guidelines. It is required that systems that are determined to be deficient or unable to perform to specification (ie., sound requirements, cooling/heating capacity, insufficient airflow, waterflow, static pressure, etc..) be brought to the immediate attention of the resident Facilities manager / building maintenance mechanic, and in written form, to the Owner to allow for design evaluation/mitigation of the conditions leading to the situation.
- B. The initial inspection shall include providing a documented report of test results for all scheduled HVAC equipment including a minimum of the following:
- i. Air Handling Systems / Rooftop Unit Test Report
  Unit Identification
  Location / Area Served
  Make and Type
  Model # / Serial # and Unit Size
  Unit Arrangement and Class
  Discharge Arrangement

Fan and Motor Sheave Make, Size (Pitch Diameter) and Bore fan and Motor Sheave Center to

Center Dimensions and Adjustment
Number of Belts, Make and Size

(Make, Frame Size and Type) Motor Horsepower and RPM
Motor Voltage, Phase and Hertz Motor Full
Load Amperage and Service Factor Measured Running Load
Amps of Motor Operating Airflow Rate (CFM) System

Number of Filters, Type and Size

Static Pressure (in.wg.)

Fan RPM Discharge Static Pressure

(in.wg.)

Motor Data

Filter Static Pressure (in.wg.)

Cooling Coil / Heating Coil

Static Pressure (in.wg.) Compartment to Compartment Static Pressure

Differentials

(in.wg.)Minimum

Ventilation Airflow / Outside Air

Damper Position Return Airflow

Vortex / VFD Position

ii. Apparatus - Hydronic/Refrigerant Coil Test Report

Unit Identification

Location / Area Served

Coil Type

**Number of Rows** 

Fin Spacing (Fins/Inch)

Make and Model #

Face Area (Square Feet)

Tube Size (NPS)

**Tube and Fin Materials** 

Circulating Arrangement (3-way or 2-way)

Average Airflow Velocity

Airflow Rate

Air Pressure Drop

Outside Air Temperature (Dry Bulb and Wet Bulb)

Return Air Temperature (Dry Bulb and Wet Bulb)

Mixed Air Temperature (Dry Bulb and Wet Bulb)

Leaving Air Temperature (Dry Bulb and Wet Bulb)

Hydronic Coil Flow (GPM)

**Total Heating Capacity (Btuh)** 

Total and Sensible Cooling Capacity (BtuH)

Water Pressure Drop (ft.hd.or

psig)

Entering Water

temperature Leaving

Water Tempera Expansion Valve and

Temperature DX Refrigerant Refrigerant Type

Refrigerant Suction and Liquid Line Pressures (psig)

#### Refrigerant Suction Temperature

### iii. Apparatus - Electric Coil Test Report

Unit Identification

Location.

Coil Identification

Capacity (BtuH)

Number of Stages

SCR Modulating or On-Off

Control

Volts/Phase/Hertz

Rated Amperage

Airflow (CFM)

Face Area (Square Feet)

Minimum Face Velocity

Installed Fuse/Breaker Size for Overload Protection

Entering Air Temperature Leaving Air Temperature

#### iv. Pumps - Test Report

Mark location of discharge valve(s) for reference.

Open 2-way control valves and operate variable speed drive at 100%. Verify pump impeller size by operating the pump with the discharge valve closed. Verify with pump manufacturer that this will not damage the pump. Convert pressure to head and correct for differences in gage locations. Note operating point on manufacturer's pump curve at zero flow and confirm impeller size. Check system resistance. With all valves open, read pressure differential across pump and mark the pump manufacturer's head-capacity curve. Adjust pump discharge valve until design water flow is achieved. If an overamping condition is experienced, discontinue test and report condition to Owner. Verify pump motor brake horsepower. Calculate the intended brake horsepower for the system based on the pump manufacturer's performance data. Record calculated brake horsepower and nameplate data on pump motor. Report flow rates that cannot be adjusted within +/-5% of design to Owner.

v. Compressor / Condenser Units – Test Report Unit Identification
Location

Unit Make and Model # Manufacturer's Compressor Serial #'s Compressor Make Refrigerant Weight (1lbs.) Low Ambient Temperature Cutoff (Deg. F) Entering Condenser Air Temperature (Dry Bulb) Leaving Condenser Air Temperature (Dry Bulb) Number Fans Condenser Fan RPM Condenser Fan Airflow (CFM) Condenser Fan Motor Make, Frame Size, RPM and Horsepower Condenser Fan Motor Voltage Condenser Fan Motor Amperage Control Settings Unloader Set Points Low Pressure Cutoff Setting (psig) High Pressure Cutoff Setting (psig) Suction Pressure (psig) Suction Temperature (Deg.F.) Condenser Refrigerant Pressure (psig) Condenser Refrigerant Temperature (Deg.F.) Oil Pressure (psig) Oil Temperature (Deg.F.)

#### vi. Boilers - Test Report

Boiler Model and Serial # Burner Input Rating Boiler Output Rating Water Flow Rate Entering Water Temperature

(Deg.F.)

Crankcase Heater KW

Leaving Water Temperature

(Deg.F.)

Measured Flu Gas Temperature (Deg.F.)

Measured Flu Gas 02 and C02

Calculated Boiler Operating Efficiency (%)

vii. Heat Exchangers - Test Report

Level

Water Flow Rate (GPM)
Control Valve Model (Cv)
Entering Steam Pressure (psig)
Entering Water Temperature

(Deg.F.)

Leaving Water Temperature

(Deg.F)

Water Pressure Drop (psig)

- C. Provide equipment performance testing in conjunction with initial inspection as described above.
- D. It is required that the Vendor record all pre-inspection settings and post inspection settings of all devices in the initial inspection report. Any devices that do not have an indexed method by which the position can be recorded shall have a mark placed by a shaft, damper blade, etc, so that the balanced position can be restored in the event that repairs, such as the replacement of a damper operator, is required at some future date. This shall be by permanent marker, dated by Vendor and labeled accordingly.
- E. Vendor shall be responsible for inspecting and updating Operating & Maintenance (O&M) manuals to ensure "completeness" with respect to technical literature, O&M procedures, parts list, assembly diagrams and wiring diagrams. In addition, Vendor shall update/enhance O&M manuals to incorporate all pertinent technical information into a systems specific document that shall be maintained "on-site". The O&M manual shall be annually updated to include performance checklist and calibration reports of all scheduled equipment.
- G. Vendor shall be required to furnish test and calibration equipment that is of sufficient quality and accuracy to test/measure the operating performance of scheduled equipment and compare results to specify / industry standard tolerances. Test and calibration equipment shall be calibrated per manufacturer's recommended intervals and calibration certificate shall be documented/affixed to each instrument. Submit list of proposed test equipment.
- H. Vendor shall test and ensure the function/reliability of integral safety devices such as low water cut-off, pressure limits, low refrigerant, freeze-state (hardwired and software).

- I. Vendor shall provide on-site preventative maintenance, inspections, emergency service and all labor and parts, including oil, refrigerant, air filters and other materials to diagnose, repair or replace components of scheduled equipment to ensure proper function (minimum of 4 inspections per year, Quarterly).
- J. The Contractor shall furnish all required parts and labor excluding repairs due to negligence, acts of God, war, power fluctuations, or conditions caused beyond the reasonable control of Vendor.
- K. A documented service report shall be provided with each on-site inspection/service call shall and shall include performance checklist results for all equipment, list of adjustments, repairs or equipment replaced to include recommended further action, if required.
- L. Vendor must be available (on call) twenty-four (24) hours per day, seven (7) days per week to respond to requests for emergency service. Vendor must respond to calls for service within four (4) hours of notification. Failure to respond within four (4) hours will result in a charge to the Vendor of \$100.00 per hour for each hour over the four (4) hour limit. Emergency phone numbers shall be included within the bid.

#### 11. DC SCOPE OF WORK REQUIREMENTS:

- A. Vendor shall provide testing, maintenance, preventive maintenance services and repairs of the DC system equipment, to include all ancillary components. Ancillary components shall include but not be limited to; low voltage power supply(ies), transducers, wiring, valve and damper operators, sensors, relays, low temperature detection thermostats (freeze-stats), etc. Control equipment not included within the scope of work shall be limited to factory mounted controls installed on the chillers, boilers, and domestic hot water units. All technicians performing service on facility equipment will be certified / trained by equipment manufactures.
- B. Vendor shall be responsible for testing and verifying the function of the complete DC system and documenting the performance in accordance with design intent and documentation in accordance with industry standard guidelines to ensure that programmed

sequences of operation are complete and exactly meet the design requirements. Test procedures shall fully describe; system configuration (sequence of operation), calibration requirements of all analog input devices, evaluation procedures for all modulating output devices for smoothness of control operation (complete stroke output device/directional travel), evaluating all status inputs/electrical interlocks, evaluating all 2-position (on-off) control/interlocks and steps required for each test. The test procedures shall be appropriately documented in order for another party to repeat the tests with virtually identical results for accuracy.

- D. Vendor shall establish seasonal software trending of operational variables, ie., temperature, pressure, relative humidity, etc., and perform documented comparative analysis via tables and/or graphs to evaluate optimum control tuning and parameters for achieving and maintaining set point (annual minimum of 1 documented evaluation for heating and cooling season).
- E. Vendor shall be required to furnish test and calibration equipment that is of sufficient quality and accuracy to test/or measure DC system accuracy/performance and compare results to specified tolerances. Test and calibration equipment shall be calibrated per manufacturer's recommended intervals and calibration certificate shall be documented/affixed to each instrument.

  F. Vendor shall be responsible for inspecting and updating Operating & Maintenance (O&M) manuals to ensure "completeness" with respect to technical literature, O&M procedures, parts list, assembly diagrams and wiring diagrams. In addition, Vendor shall update/enhance O&M manuals to incorporate all pertinent technical information into a systems specific document that shall be maintained "on-site". The O&M manual shall be annually updated to include software/hardware performance checklist and calibration reports of all software/hardware equipment.
- G. Vendor shall test and ensure the function/reliability of integral safety devices such as freeze-stats (hardwired and software).
- H. Vendor shall provide on-site test and review of software/hardware to ensure proper function (minimum of 2 inspections per year). The Vendor shall be responsible for all needed DC system repairs and/or Equipment requiring replacement. The Vendor shall furnish all required parts and labor excluding repairs due to negligence, acts of God, war, power fluctuations, or conditions caused beyond the reasonable control of Vendor.

#### 12. Preventive maintenance

- A. Job labor and associated travel expenses required to clean, alignment, calibration, tighten, adjustments, lubricate, and paint equipment. Activities include:
- Cleaning shall consist of coil surfaces; fan impellers and blades; electrical contacts; burner orifices; passages and nozzles; pilot and igniter; cooling tower baffles' basin' sump and float; chiller, condenser and boiler tubes. A thorough coil cleaning shall be completed during the third (3rd) quarterly preventive maintenance visit and documented by way of adhesive label mounted on the mechanical system in a location that will not interfere with its operation.
- II. Alignment of equipment belt drives; drive couplings; air fins.
- III. Calibrating safety controls; temperature and pressure controls.
- IV. Tightening shall include but not limited to electrical connections; mounting bolts; pipe clamps; refrigerant piping fittings; damper sections.
- V. Adjusting belt tension; refrigerant charge; super heat; fan RPM, water chemical feed and feed rate; burner fuel/air ratios; gas pressure, set point of controls and limits; compressor cylinder UN-loaders; damper close-off; sump floats.
- VI. Lubrication of equipment will follow manufactures prescribed instructions to include motors; fan and damper bearings; valve stems; damper linkages; fan vane linkages.
- VII. Painting of the exterior cabinet or shell of units for corrosion control.
  - B. Filter replacement is included using Extended Surface Pleated filters to be changed on a quarterly basis. Date of filter replacement shall be annotated on an adhesive label for each unit in a location that will not interfere with its operation.

Maintenance) Job labor and associated travel expenses including overtime and holidays, for unscheduled work resulting from an abnormal condition. This coverage will is 24 hours per day, seven days per week. Parts / materials procurement labor (locating, ordering, expediting, and transporting) required to repair, remove, and replace broken, worn, and/or doubtful components and /or parts. Costs shall reflect other than quarterly Preventive Maintenance visits.

Summers villa

### Bid Item 1: Preventive Maintenance Contract for the Glen Jean AFRC

#### Lump Sum / Base Bid for yearly Contract

Vendor shall visit location on a quarterly schedule and provide a detailed activity report to the Facilities Maintenance Manager. Report will be due within 15 (fifteen) days of completion of quarterly inspection. Activities include: Cleaning of coil surfaces; fan impellers and blades; electrical contacts; burner orifices; passages and nozzles; pilot and igniter; cooling tower baffles', basin' sump and float; chiller, condenser and boiler tubes. Alignment of equipment belt drives; drive couplings; air fins. Calibrating safety controls; temperature and pressure controls. Tightening shall include but not limited to electrical connections; mounting bolts; pipe clamps; refrigerant piping fittings; damper sections. Adjusting belt tension; refrigerant charge; super heat; fan RPM, water chemical feed and feed rate; burner fuel/air ratios; gas pressure, set point of controls and limits; compressor cylinder UN-loaders; damper close-off; sump floats. Conformance with overall desired performance design and providing support services for Buildings HVAC control system. Lubrication of equipment will follow manufactures prescribed instructions to include motors; fan and damper bearings; valve stems; damper linkages; fan vane linkages. Replacement of filters with pleated filters meeting existing efficiency factor. Replace filters in each / all units once a quarter. Painting of the exterior cabinet or shell of units to control corrosion as needed. Digital controls are included as

a part of this service. Vendor shall provide any and all needed materials, labor, tools, parts and equipment for work required. All technicians performing service on facility equipment will be certified / trained by equipment manufactures.

nt: Annual contract with four (4) quarterly visits. Each quarterly visit will be based on completion of preventive maintenance and services agreement.

Annual contract paid by quarterly invoice accompanied with services rendered. Fore mentioned reports and data required will be needed prior to invoicing. <u>ALL SERVICES / PURCHASE ORDERS MUST BE INVOICED SEPARATELY.</u>

Bid Alternate Item 1: Emergency Service calls / Trouble calls

#### Time and Materials

Work other than scheduled preventive maintenance (bid item #1). This coverage is 24 hours per day, seven days per week. Parts, materials and labor required to repair, remove, and replace broken, worn, and/or doubtful components and /or parts. Vendor shall provide any and all needed materials, labor, tools, parts and equipment for work required. Once a job order services have been requested a quotation for repair shall be sent to Division of Engineering and Facilities, 1703 coonskin drive, Charleston, WV 25311 with in five (5) working days of service request so that a purchase order can be issued for repair / services. If repairs can not be made with in a reasonable amount of time contract may be canceled.

nt: Cost to restore HVAC equipment to its original intended operating purpose.

Labor / percentage markup for materials (Example: \$25 per hour / per person and 15% markup for parts and materials) Shall be invoiced separately from Preventive maintenance contract. Fore mentioned reports, data required and / or service reports will be needed prior to invoicing. INVOICES SHALL BE ITEMIZED TO INCLUDE QUOTATIONS.

Billing for services shall be itemized and only contain costs agreed upon in this contract. Absolutely No other charges will be requested such as; Truck charges, miscellaneous charges, lodging charges, sur-charges, tax or any other additional fees not covered in this contract. In addition to invoice, actual service dates, service preformed to include building location, number and name, contract or purchase order number identification shall also accompany invoicing. A State Armory Board representative (at building location) signature verifying work complete is required with invoicing. Items listed above are

required for invoicing. ALL SERVICES / PURCHASE ORDERS MUST BE INVOICED SEPARATELY.

Points of Contact: The contract person at the Division of Engineering and Facilities shall be Charlie Mitchell, Michael J. Beckner, 1707 Coonskin Drive, Charleston, WV 25311 - Phone: (304)561-6333

DEFK 8177 Summers ville

ltem #	<u>Description</u>	Annual Usage	* Unit Price	Extended Price
1	Annual Maintenance Contract	1		\$ 8,000.00
2	Regular Work Hours	80	\$ 60.00	\$ 4/800.00
3	After Regular Work Hours	40	\$ 50.00	\$ 2'000.00
4	Holiday Work Hours	20	\$ 40.00	\$ 800.00
5	Est Annual Part Usage X % Markup	\$25,000	% M/U 070	\$ 25.0000
Failu	ure to Use this form may result in Disqua	lification	TOTAL	\$ 40,600.00

Bidder / Vendor Information:	,
Name:	Casto Technical Services
Address:_	540 Leon Sullivan way
Phone# _	304-346-0549 Charleston, w 25322
Email	Fumaier e castotech, Cim

Contact Coordinator Informa	ution:
Name: _	Casto Technical Services
Address:	540 Lean Sullivan Way
Phone# _	304-346-0549 Charleston, ww 25 322
Email	Fumaier & Casho Tech, Rom.

Freda Main Regional Account Manager

<sup>\*</sup> Item#1 = Annual; Items 2,3,&4 are Hourly unit prices; Item#5 = \$25,000 X % Markup over cost

#### STATE OF WEST VIRGINIA Purchasing Division

### **PURCHASING AFFIDAVIT**

West Virginia Code §5A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate

#### **DEFINITIONS:**

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

**EXCEPTION:** The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

**LICENSING:** Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.

**CONFIDENTIALITY:** The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendors should visit **www.state.wv.us/admin/purchase/privacy** for the Notice of Agency Confidentiality Policies.

Under penalty of law for false swearing (West Virginia Code, §61-5-3), it is hereby certified that the vendor acknowledges the information in this said affidavit and are in compliance with the requirements as stated.

Vendor's Name:	Casto Technic	al Services	
Authorized Signature:	Tred uplaces	Date: 2/25708	<u> </u>
Durchaeine Affidavit (Revised I	06/15/07)		