

Request for REGNUMBER Quotation

669C0012

ADDRESS CORRESPONDENCE TO ATTENTION OF MICHAEL AUSTIN 304-558-2402

RFQ COPY TYPE NAME/ADDRESS HERE

Camden Materials, LLC 2950 Charles Ave. Dunbar, WV 25064

SHIP TO

11/10	/2008	100010000000000000000000000000000000000	ems of sal	5	TRU		DESTINA		FREIGHT TERMS
BID OPENING DATE	00 000000000000000000000000000000000000	11/26/	2008	***************	100000000000000000000000000000000000000	BID	OPENING T	IME 01	:30PM
LINE	QUAN	TITY	uop	CAT. NO	ITEM NO	JMBER.	UNIT PE	RICE	AMOUNT
0001	WINTER	GRADE	BITU		745-67 S PATCHII	NG MIXTU	RE		·
				OPE	N END COI	NTRACT			
	TO SUPF	PLY WI ARD AN	NTER G D/OR M	RADE ODIF	BITUMIN	DUS PATC	UIPMENT NE HING MIXTU MATED QUAN	JRE.	
	EXHIBIT		DAGT		to collect	10T PF00	450 55550		
	YEAR OR NECESSA ORIGINA NOT EXC TIME" T	UNTI RY TO L CON EED T HE VE UPON	L SUCH OBTAI TRACT. WELVE NDOR M	. AN I "RE N A THI (12)	D EXTENDS ASONABLE NEW CONTR E "REASON MONTHS. ERMINATE	FOR A TIME" T ACT OR IABLE TI DURING THIS CO	MES EFFECT PERIOD OF HEREAFTER RENEW THE ME" PERIOD THIS "REA NTRACT FOR CHASING 30	ONE (1) AS IS SHALL SONABLE ANY DAYS	
	IN THIS	CONT SET	RACT D	OCUME	ENT, THE	TERMS,	TED ELSEWH CONDITIONS FE OF THE	ERE AND	8 NOV 26 A 10: 39
	WRITTEN SUBMITT	CONS ED TO	THE D	THE IRECT	SPENDING FOR OF PU PATION DA	UNIT A RCHASIN TE. SU	JPON THE M ND VENDOR, S THIRTY (CH RENEWAL	30)	STATE OF WY
SIGNATUBE /		<i>-</i>		BEE REV	SESIDE FOR T		DITIONS 04-768-9733	DATE	
ITLE /	Mhey		ylse	1_		4			Nov. 26, 2008
Managing	Member	B	^20 - 466	2043			ADDRES	S CHANGES	TO BE NOTED ABOVE

GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

- 1. Awards will be made in the best interest of the State of West Virginia.
- 2. The State may accept or reject in part, or in whole, any bid.
- 3. All quotations are governed by the West Virginia Code and the Legislative Rules of the Purchasing Division.
- 4. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
- 5. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods, this Purchase Order/Contract becomes void and of no effect after June 30.
- 6. Payment may only be made after the delivery and acceptance of goods or services.
- 7. Interest may be paid for late payment in accordance with the West Virginia Code.
- 8. Vendor preference will be granted upon written request in accordance with the West Virginia Code.
- 9. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
- 10. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- 11. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern all rights and duties under the Contract, including without limitation the validity of this Purchase Order/Contract.
- 12. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
- 13. BANKRUPTCY: In the event the vendor/contractor files for bankruptcy protection, this Contract may be deemed null and void, and terminated without further order.
- 14. HIPAA BUSINESS ASSOCIATE ADDENDUM: The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, and available online at the Purchasing Division's web site (http://www.state.wv.us/admin/purchase/vrc/hipaa.htm) is hereby made part of the agreement. Provided that, the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
- 15. WEST VIRGINIA ALCOHOL & DRUG-FREE WORKPLACE ACT: If this Contract constitutes a public improvement construction contract as set forth in Article 1D, Chapter 21 of the West Virginia Code ("The West Virginia Alcohol and Drug-Free Workplace Act"), then the following language shall hereby become part of this Contract: "The contractor and its subcontractors shall implement and maintain a written drug-free workplace policy in compliance with the West Virginia Alcohol and Drug-Free Workplace Act, as set forth in Article 1D, Chapter 21 of the West Virginia Code. The contractor and its subcontractors shall provide a sworn statement in writing, under the penalties of perjury, that they maintain a valid drug-free work place policy in compliance with the West Virginia and Drug-Free Workplace Act. It is understood and agreed that this Contract shall be cancelled by the awarding authority if the Contractor: 1) Fails to implement its drug-free workplace policy; 2) Fails to provide information regarding implementation of the contractor's drug-free workplace policy at the request of the public authority; or 3) Provides to the public authority false information regarding the contractor's drug-free workplace policy."

INSTRUCTIONS TO BIDDERS

- 1. Use the quotation forms provided by the Purchasing Division.
- 2. SPECIFICATIONS: Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as EQUAL to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
- 3. Complete all sections of the quotation form.
- 4. Unit prices shall prevail in case of discrepancy.
- 5. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
- **6. BID SUBMISSION:** All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130



Request for Quotation 669C0012

669C0012

WADDRESS:CORRESPONDENCESIO/ATTENHON:OR

MICHAEL AUSTIN 304-558-2402

MODSMA

RFQ COPY TYPE NAME/ADDRESS HERE

Camden Materials, LLC 2950 Charles Ave. Dunbar, WV 25064

DATE PRINT 11/10/	Contract Con	0.0000000000000000000000000000000000000	MS:OF:SALE		TRUC		DESTINATION		NET 20
BID OPENING DATE:		11/26/					DPENING TIME	01	:30PM
LINE	QUAN	VTITY	UOP	CAT.	ITEM NUM	IBER	UNITPRICE		AMOUNT
			SS 1550 SS 1550			999001000000000000000000000000000000000			
	BE IN	ACCORD	ANCE W	ITH 1	THE TERMS	AND CO	NDITIONS OF	THE	
							TO TWO (2)		_
	(1) YE	AR PER	IODS.						
	CAMOUL	LATION	. TUE I	TDE	TAD AE D	препуст	NG RESERVES	TUC	
							ELY UPON WRI		
	NOTICE	TO TH	E VENDO	OR IF	THE COM	MODITIE	S AND/OR SEF	RVICES	
							DO NOT CONF		
	TO THE	SPECI	FICATI	ONS C	DE THE BT	D AND C	ONTRACT HERE	IN.	
	OPEN M	ARKET	CLAUSE	: THE	DIRECTO	R OF PU	RCHASING MAY	•	
	AUTHOR	IZE A	SPENDI	4G NV	IT TO PU	RCHASE	ON THE OPEN		
							ITION OR COS	T .	
					ED ON TH		KACI FUR TO UNFORESEE	: N	
							ELAYS IN TRA		
			AN UNA	ANTIC	CIPATED I	NCREASE	IN THE VOLU	ME	
	OF WOR	K.)	1						
	QUANTT	TIES:	QUANTI	TIES	LISTED I	N THE R	EQUISITION A	RE	
3	APPROX	OITAMI	NS ONL'	Y , B	SED ON E	STIMATE	S SUPPLIED E	Υ	
							TOOD AND AGE		
							TITIES ACTUA F THE CONTRA		
							ES SHOWN.	(01)	
							HALL ISSUE A		
							BER WV-39) T THIS CONTRAC		
							E MAILED TO		
							A SECOND COP		
					IG DIVISI IG UNIT.	ON, AND	A THIRD COF	Y	
	KETAIN:	בט מז	INE SEE	- 14 T? T.11/	A ONTI				
	BANKRU						ONTRACTOR FI		
	FOR BA	NKRUPT	CY PROT	LECT I	ON, THIS	CONTRA	CT IS AUTOMA	TI-	
			>	EE BEV	EBSE SIDE FOR T		**************************************		
SIGNATURE	Thee		ale			TELEPHONE	304-768-9733	DATE	Nov. 26, 2008
Managing	Member	•	20-466	52043			ADDRESS (CHANGES	TO BE NOTED ABOVE



Request for GOOD AFOND MEET GOOD 12

669C0012

PA	SE SS
	3

MICHAEL AUSTIN

*** ADDRESS CORRESPONDENCE: TO: ATTENTION OF 304-558-2402

RFQ COPY TYPE NAME/ADDRESS HERE

Camden Materials, LLC 2950 Charles Ave. Dunbar, WV 25064

T O

DATE PRINTED	TERMS OF SALE	SHIP VIA	FOR	FREIGHT TERMS
11/10/2008	NET 20	TRUCK	DESTINATION	NET 30
BID OPENING DATE:	11/26/2008	BID	OPENING TIME 01	:30PM
LINE QUAN	ITITY UOP CAT NO	ITEM NUMBER	UNITPRICE	AMOUNT
CALLY I	NULL AND VOID, A	ND IS TERMINATED	WITHOUT FURTHER	
SHALL S CONDITE DOCUMEN AGREEME	SUPERSEDE ANY AN IONS WHICH MAY A NTS SUCH AS PRIC	NS CONTAINED IN D ALL SUBSEQUENT PPEAR ON ANY ATT E LISTS, ORDER F NCE AGREEMENTS, AS CD-ROM.	TERMS AND ACHED PRINTED ORMS, SALES	
REV. 04	4/11/2001			
EXHIBIT	T 10		66000012	
		REQUISITION	No.: .669C0012	
ADDENDU	UM ACKNOWLEDGEME	NT		
ADDENDL	UM(S) AND HAVE M	ECEIPT OF THE FO ADE THE NECESSAR SPECIFICATION,	Y REVISIONS TO MY	
ADDENDU	UM NO. S:	The state of the s		
NO. 1 .	• • • • • •			
NO. 2 .	• • • • • • • • • • • • • • • • • • • •			
ND. 3.	• • • • • •			
NO. 4 .	• • • • • • • • • • • • • • • • • • • •			
NO. 5 .				
I UNDER		URE TO CONFIRM THERS AND CON		
SIGNATURE			04-768-9733 DATE	for 26 2000
THIE Managing Member	20-4662043			TO BE NOTED ABOVE



Request for Quotation 669C0012

669C0012

MADDRESS:CORRESPONDENCE TO ATTENTION OF MAD MICHAEL AUSTIN 304-558-2402

VENDOR

RFQ COPY TYPE NAME/ADDRESS HERE

Camden Materials, LLC 2950 Charles Ave. Dunbar, WV 25064

ŵН-р T O

DATE PRIN		RMS OF SALE	SHIP VIA	FOB	FREIGHTTERMS
BID OPENING DATE:		et so	TRUCK N.T.	DESTINATION OPENING TIME	NET 80
St. (3) (3) (3) (3) (3) (3) (3) (3) (3) (3)	1				01:30PM
LINE	QUANTITY	UOP CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
,					
	ADDENDUM(S)	MAY BE CAU	SE FOR REJECTION	OF BIDS.	
			DERSTAND THAT AN ASSUMED TO BE M		
			ETWEEN VENDOR'S		
			L IS NOT BINDING		
_			WRITING AND ADDE		-
	SPECIFICATION	NS BY AN O	FFICIAL ADDENDUM	is Binding.	
			MILL	11/10	
Tanana and a sanda		-	1/Mu	Market	
***************************************				GNATURE	• •
			Camden Ma	terials, LLC	
			CO	MPANY	
			Norzombor	26 2009	
***************************************			November DA		• •
		Marie de la companya	DA	1 14	
***		***************************************			
	REV. 11/96				
**					
		NOT	TOP		
***		NOT	ICE		
	A STENED BIT	MUST BE S	UBMITTED TO:		
ļ	CIONED DIE				**************************************
44.			INISTRATION		
	1	ING DIVISI	ON		
	BUILDIN		TOFFT FACT		
j		1 1 1	TREET, EAST 5305-0130		
	UNAKLES	PION, WV 2	JJ0;j0130		
	THE BID SHOU	LD CONTAIN	THIS INFORMATIO	N ON THE FACE O	=
and the second s			D MAY NOT BE CON		
President Control of the Control of	Parameter				
)))))))SEERP	ERSEISIDE FOR TERMS AND CON	IDITIONS	
SIGNOTORE			TELEPHONE	304-768-9733 PAT	Nov. 26, 2008
TITLE	They Can			ADDUCES OF THE	
Managing	Member	20-4662043	3	ADDRESS CHANG	ES TO BE NOTED ABOVE



DATE PRINTED

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation 669C0012

SHIP

T

SHIP VIA

		_					
66	9	C	0	0	1	2	

9 9 P	AGE	
	5	

FREIGHTTERMS

ADDRESS CORRESPONDENCE TO ATTENTION OF

MICHAEL AUSTIN 304-558-2402

RFQ COPY TYPE NAME/ADDRESS HERE Camden Materials, LLC 2950 Charles Ave. Dunbar, WV 25064

TERMS OF SALE

ALL STATE AGENCIES AND POLITICAL SUBDIVISIONS VARIOUS LOCALES AS INDICATED BY ORDER

FOB

11/10/			II 30		TRU	3K	DESTINATION		NET 30
BID OPENING DATE:		11/26/	2008			BID	OPENING TI	ME 01	:30PM
LINE	QUA	VITTY	UOP	CAT NO	ITEM NUI	VBER	UNITPRIC	E	AMOUNT
						ļ			
	SEALED	BID							
						ļ			
	BUYER:				33				
	RFQ. N	ο.			669C0	כוח			
	KLM. M	U.;				i			
	BID OP	FNTNG	DATE:		November	26, 2008			
					1 00 0				
	BID OP	ENING	TIME:		1:30 P	<u>M</u>			
	}						~		
							-		
							IS NECESSA	ARY	
	TO CON	TACT Y	OU RE	GARDI	NG YOUR B				
		•			304-768	3-9351			
	-								
		T 0500	O		DDINT OF	- ADI W.			
	CUNTAC	1 PERS	UN (P	LEASE	PRINT CL	EARLY):			
					Matthew Ca	mpbell_			,
	_								
				:		AND THE PARTY OF T			
						nemperature.			
	*****	THIS	IS T	HE EN	D OF RFQ	669C0	012 *****	TOTAL:	
						A STATE OF THE STA			
									,
						Adheren			
						Control			
			1	NEERE	ERSE SIDE FOR T				
SIGNATORE				1		TELEPHONE 30	4-768-9733	IDATE	lov. 26, 2008
TITLE	med	FE	IN.	_/		L	ADDDEC		TO BE NOTED ABOVE
Managing	Member	· / -		562043			AUUHES	SUMANUES	TO DE NOTED ADOVE

1. SPECIFICATIONS

The following sections of the West Virginia Department of Transportation, Division of Highways' Standard Specifications Roads and Bridges, adopted 2000 and the current Supplemental Specifications, shall apply to the administration of this Contract: Sections 101, 102.4, 102.5, 105.1, 105.3, 105.4, 105.10, 105.11, 105.12, 105.13, 106.3, 106.4, 106.5, 106.6, 106.7, 106.9, 107.1, 107.2, 107.3, 107.14, 107.19, 107.20, 108.8, 109.1, 109.2 and 109.20.

The requirements of the West Virginia Department of Transportation, Division of Highways', Standard Specifications Section 109.20, PRICE ADJUSTMENT FOR LOAD LIMIT VIOLATIONS shall apply to all material supplied under this contract. This will include material loaded by the vendor into Division of Highways owned and/or rented trucks.

"Contractor" and "Vendor" used in the above specifications of this contract are interchangeable. Contractor shall mean Vendor and Vendor shall mean Contractor.

West Virginia Department of Transportation, Division of Highways' Standard Specifications Roads and Bridges, adopted 2000 and the current Supplemental Specifications may be obtained from:

West Virginia Division of Highways Engineering Division, Technical Section State Capitol Complex Building 5, Room A-650 Charleston, West Virginia 25305-0430

DESCRIPTION

The patching material shall be composed of a suitable aggregate plant mixed with a liquid asphalt material and chemical additives. The asphalt material with additives shall be capable of coating the aggregate without stripping. The material shall maintain adhesive qualities for all moisture conditions in the patched areas, except those having standing water.

MATERIALS

AGGREGATE

The coarse aggregate shall be a clean material consisting of crushed stone, crushed gravel or slag, meeting the requirements of the Division of Highways' Standard Specifications subsections 703.1, 703.2 and 703.3 respectively. Fine aggregate shall meet the requirements of the Division of Highways' Standard Specifications meet the requirements of the Division of Highways' Standard Specifications subsection 702.3. The gradation of the final mixture shall be the same as the Vendor's currently approved plant mix formula for Type 1 Hot-Mix Asphalt Wearing Course when Standard Winter Grade Bituminous Patching Mix is being produced.

When Modified Winter Grade Bituminous Patching Mix is being produced, the aggregate gradation shall be as recommended by the supplier of the liquid asphalt with additives. Allowable standard aggregate sizes shall be #8, #89, #9, or a blend of these sizes.

The gradation shall be determined in accordance with AASHTO T-27 and T-11.

The aggregate fraction of the final mixture shall meet the crushed particle requirements of Subsection 703.2.2 of the Division of Highways' Standard Specifications. Questionable aggregates shall be tested as per MP 703.00.21, except the No. 8 sieve will be used.

ASPHALT MATERIAL

Standard Winter Grade Bituminous Patching Mix

The asphalt material shall conform to the requirement of the West Virginia Division of Highways' Standard Specifications, Subsection 705.1. Tests conducted by the supplier shall be presented to the respective Division of Highways District Materials Engineers/Supervisors for review prior to production of Standard Winter Grade Bituminous Patching Mix. This liquid asphalt shall also contain a minimum of 2.5% chemical anti-stripping additive.

or,

Modified Winter Grade Bituminous Patching Mix

The asphalt material shall be liquid asphalt with a chemical anti-stripping additives conforming to the requirements of AASHTO M82 or as modified to meet the requirements of the asphalt supplier. The asphalt shall contain a minimum of 2.5% chemical anti-stripping additive.

Results from the following test methods and any additional tests conducted by the supplier shall be presented to the respective Division of Highways District Materials Engineer/Supervisor for review prior to production of Modified Winter Grade Bituminous Patching Mix.

Modified Asphalt Test

- (1) Flash Point °C (°F)-AASHTO T79
- (2) Kinematic Viscosity in cSt at 60°C (140°F) Requirement – 350 to 500 cSt-AASHTO T201

- (3) Water (%)-Requirement-0.2% maximum-AASHTO T55
- (4) Distillate Test-AASHTO T78

% To 225°C (437°F) % To 260°C (500°F) % To 315°C (600°F) Residue (%) at 360°C(680°F)

Residue Tests

- (5) Ductility at 25°C(77°F)-AASHTO T51
- (6) Solubility Test-AASHTO T44

COMPOSITION OF MIXTURE

The aggregates and asphalt material shall be combined in such proportions that the composition by weight of the finished mix shall meet the requirements of the plant mix formula.

The aggregate fraction of the mixture shall be evaluated in accordance with AASHTO T-27 and T-11, and shall meet the requirements of the plant mix formula range. Any material failing to meet specification requirements on any sieve shall not be approved.

The asphalt fraction of the Standard Winter Grade Bituminous Patching Mix shall be a minimum of 5.0% when low-absorptive aggregates (<1.5%) are used and a minimum of 6.0% when high-absorptive aggregates (>1.5%) are used.

For Modified Winter Grade Bituminous Patching Mix the minimum amount of asphalt shall be as indicated in the table below. The amount of asphalt for all Winter Grade Bituminous Patching Mixtures shall be sufficient to thoroughly coat the aggregate particles and provide enough adhesion to hold the compacted particles together under traffic conditions when properly placed and to assure that the aggregate particles remain sufficiently coated after stockpiling.

Minimum Asphalt Content for Modified Patching Mix						
Aggregate Type	#8	#89 or Blend of #8 & #9	#9			
% Asphalt ^{Note-1}	5.0%	5.5%	6.0%			

Note-1: Add a minimum additional 1.0% asphalt to the above values for mixtures containing high-absorptive aggregates (>1.5%)

PLANT MIX FORMULA

The plant mix formula for Modified Winter Grade Bituminous Patching Mix shall be in accordance with the recommendations of the supplier of the liquid asphalt with additives. The plant mix formula composition report, which shall include the percentage of chemical anti-stripping additive, shall be forwarded to the District Materials Supervisor/Engineer before the mix is produced.

A plant mix formula for Standard Winter Grade Bituminous Patching Mix shall be developed in accordance with MP 401.02.22, and as modified by the Marshall Test Procedure described in AASHTO T-245 for cutback asphalts. Initial submission of the proposed plant mix formula for Standard Winter Grade Bituminous Patching Mix will not be considered unless accompanied by sufficient test data developed by supplier to indicate that the formula being proposed can be met. As a minimum, this test data shall include: three separate gradations of samples taken from the hot bin, or separate gradations from cold bins or storage facility, the percentage of each material to be used and the calculated combined gradation. The test data submitted shall have been developed from material that is to be used in the proposed mix. Additional data which shall be submitted includes that described in MP 401.02.22. This data will not be required to meet the limits given in the design property tables. The air void content for Standard Winter Grade Bituminous Patching Material shall be 4-7 percent.

The proposed plant mix formula for Standard Winter Grade Bituminous Patching Mix shall be documented on Department Form T400 and together with plant calibration test data set forth above shall be forwarded to the District Materials Engineer/Supervisor. The percentage of chemical anti-stripping additive shall be included in the documentation. The T400 shall then be transmitted to the Materials Control and Testing Division for final review and revision.

CHANGES IN PLANT MIX FORMULA

Should the contractor at any time propose to change the source of aggregate in the mix, the definite asphalt content or change the source of the bituminous material, the provisions of the Division of Highways' Standard Specifications subsection 401.4.2 shall apply.

QUALITY CONTROL TESTING

Quality control is the responsibility of the contractor. Quality control testing shall include daily asphalt content and gradation analysis of the design aggregate structure during production. Since the aggregate and asphalt material are required to be measured separately and accurately to the proportions of the plant mix formula, the asphalt content may be determined by calculating the percentage by total weight of mix. However, all standard methods of determining the asphalt content of the mixture that are allowed for hot-mix asphalt under Section 401 of the Division of Highways' Standard Specifications are acceptable. The ignition oven test method (AASHTO T308) would require an asphalt content correction factor, however, due to the low flash point of most asphalts used in Winter Grade Bituminous Patching Mix, this test method is not recommended. If the AASHTO T164 solvent extraction test method is used, a non-chlorinated solvent may be substituted for the standard specified solvent, and the test method may be modified as per the recommendations of the solvent supplier.

In addition, for each day of production, the completed mix shall be tested for aggregate coating as follows. Obtain a 100 – 150 gram sample and allow it to cure to normal laboratory temperature. Place the sample in a glass jar of sufficient size that the loose sample will protrude to a level of no more than half of its capacity. Cover the sample with water to approximately three-quarters of the capacity of the jar. Place a tight fitting cover on the jar and allow it to stand for a period of 20 to 24 hours at normal laboratory temperature. The sample jar shall then be vigorously agitated for a period of 30 seconds. Pour the water from the jar, remove the sample, and spread it on a flat light-colored surface (nonstick laboratory paper is recommended). Allow the sample to air dry and visually examine it for stripping of the asphalt film from the aggregate. Estimate the amount of coated aggregate. Any thin brownish, translucent areas are to be considered fully coated with an asphalt film. Document the results of this test. The mixture shall be considered acceptable if at least 95% of the aggregate is coated. Insufficient coating may require reworking of the mixture and/or an additional amount of anti-stripping additive.

ACCEPTANCE OF THE MIXTURE

Acceptance of Winter Grade Bituminous Patching Mix shall be the responsibility of the Division. This shall be accomplished by monitoring the contractor's quality control testing and reviewing all test data relevant to the mixture.

In addition, if the completed mixture shows signs of stripping, the Division shall choose to either monitor the contractor's quality control aggregate coating test or conduct their own test and visually estimate the amount of coated particles. Document the results of this test. Although this is a visual estimation, the contractor should be immediately notified if the Division's test results are below 95%. A low coating percentage should be an indicator for the Division to closely monitor the mixture after stockpiling. All Division testing of Winter Grade Bituminous Patching Mix shall be performed by the District Materials Section.

After the mixture is stockpiled on the Division's lot, it shall be visually evaluated for any appearance of excessive non-fully coated aggregate particles. If considered necessary, the Division shall evaluate the mixture in accordance with ASTM D2489 (based on two-sample average) to determine if at least 97% of the coarse aggregate particles are fully coated. This evaluation shall take place within the first week after stockpiling. If the mixture is less than 97% coated, the contractor will be required to provide new material or remove the existing stockpile material from the Division's lot, rework it to an acceptable condition with additional asphalt and/or chemical anti-stripping additive as needed, and return it to the Division's lot.

PREPARATION OF MIXTURE

The aggregate shall be heated to insure that it is surface dry at the time of mixing, however, the aggregate shall not be heated in excess of 180°F.

The asphaltic binder shall not be heated to a temperature greater than 165°F. Care shall be taken to prevent local overheating. The aggregate and asphalt material shall be measured separately and accurately to the proportions in which they are to be mixed. After the aggregate and binder have been combined, they shall be thoroughly mixed until the particles of aggregate are coated. At no time shall the finished mixture be at a temperature greater than 175°F.

Temperatures for Modified Winter Grade Bituminous Patching Mix may vary as per asphalt supplier's recommendations.

WORKABILITY

The mixture shall be stockpiled on the vendor's site for 14 days or until the internal mix temperature is within 10°F of ambient temperature without stripping and when taken from a stockpile, shall be capable of being shoveled, raked, spread and compacted.

At the end of the stockpiling period on the contractor's yard, the mixture shall be tested in accordance with ASTM D2489 (based on two-sample average). The total amount of non-fully coated particles shall not exceed 3%. The contractor shall provide these test results to the Division on a standard worksheet provided by the District Materials Section.

If the material fails to conform to the requirements of the specifications the contractor may rework the existing material or provide new material.

STORAGE

The mix shall be maintained on the contractor's property in stockpiles not exceeding a height of four (4) feet until the internal mix temperature is within 10° of the ambient temperature. In addition, the top of all stockpiles shall be leveled to eliminate any peaked areas.

All Winter Grade Bituminous Patching Mix shall contain sufficient asphalt that is capable of coating the aggregate without stripping. After stockpiling on the Division's lot, the mixture shall have a maximum of 5% non-fully coated particles after the first week and up to 90 days from delivery when evaluated in accordance with ASTM D2489 (based on two-sample average). This coating determination may be based on the Division's visual inspection if coating is not a problem, or based on Division testing when the amount of non-fully coated particles appears questionable. If stripping occurs the contractor will be required to provide new material or remove the existing stockpile material from the Division's lot, rework it to an acceptable condition with additional asphalt and/or chemical anti-stripping additive as needed, and return it to the Division's lot.

2. <u>BIDDING INSTRUCTIONS</u>

The purpose of this contract is to provide for the delivery of WINTER GRADE BITUMINOUS PATCHING MIXTURE (Standard or Modified) to the various locations and in the estimated quantities set out in the bid schedule.

Actual quantities to be delivered to each location will be specified in a State Contract Purchase Order (SCO) which will be issued by the Division of Highways at the time delivery is required.

Vendors may bid to deliver the estimated quantities of either or both types of material at any or all of the designated delivery sites.

Any qualification of bids or any modification of the specifications or conditions governing the bids may be cause for their rejection.

CONTRACT AWARD

The Division of Highways will consider Vendor's performance history in the award of this Purchase Order Contract.

Qualified Vendors who submit a valid bid "F.O.B. Division Storage Site" will be awarded a contract for those locations for which their bid is low for Standard Winter Grade Bituminous Patching Material and for which their bid is low for Modified Winter Grade Bituminous Patching Material.

In the event a Vendor fails to conform to the requirements set out in this contract document, the State Contract Purchase Order or the governing specifications, the Purchase Order Contract may be cancelled and awarded to the next low bidder.

4. SAMPLING AND TESTING

Upon award of contract, the Vendor shall inform the Division of the location of Vendor's storage sites so that materials may be sampled and tested prior to shipment. Information shall be directed to the respective Division of Highways District Materials Engineers/Supervisors.

5. WEIGHING MATERIALS DELIVERED BY TRUCK

Material delivered by truck shall be weighed in accordance with Section 401.9.3 of the West Virginia Department of Transportation, Division of Highways' Standard Specifications.

6. SUPPLYING OTHER ORGANIZATIONAL ENTITIES

County Courts, Municipalities, School Boards, other political subdivisions and governmental entities, etc., may have a need for these materials, and Vendors may wish to supply that need. Accordingly, bidders may wish to extend their contract prices to these other entities. If the bidder wishes to supply these other entities, but with prices different from those quoted for the Highway Department,

the bidder shall include a set of bid schedules clearly and unambiguously marked for the express use of entities other than the Division of Highways. Fallure by the bidder to include a set of bid schedules for other entities will be taken to mean that the bid schedules extended to the Division of Highways will also be extended to these other entities.

In the event any Vendor does not wish to extend the prices, terms and conditions of this bid and subsequent contract to other entities of the State, he must so indicate in a clear and unambiguous manner in his bid. This indication does not prejudice the award of the contract. If a Vendor does not indicate his refusal to extend the prices, terms and conditions of his bid to other entities of the State he is bound to extend them upon issuance of a purchase order by these other entities.

Other organizational entities using this provision of the contract shall do so without any involvement of the Division of Highways; that is, the entity shall make its own purchase arrangements with the Vendor and shall make its own arrangement for payment.

7. BASIS OF PAYMENT

The quantity, determined in accordance with Section Number 5, will be paid for at the delivered price per ton, which price and payment shall be full compensation for furnishing and handling all the material incorporated in the mixture and delivering the mixture to a designated storage site.

8. PRODUCTION SCHEDULE

Vendor should produce material within two weeks of receipt of SCO.

VENDOR'S INVOICES

Vendor's invoices must be submitted in original and one copy containing the following:

- a. Division of Highway's State Contract Purchase Order Number, and this Contract Number.
- b. Total quantity and unit price with the total cost of the material furnished.

Note: Under no circumstance will the West Virginia Division of Highways accept, or pay for, quantities of material in excess of the quantity stated on the State Contract Purchase Order.

10. PURCHASING CARD ACCEPTANCE

The State of West Virginia currently utilizes a VISA Purchasing Card Program which is issued through a bank. The successful vendors must accept the State of West Virginia VISA Purchasing Card for payment of all orders placed by State DOT agency for orders as a condition of award.

11. BIDDING SCHEDULE

WINTER GRADE BITUMINOUS PATCHING MIXTURE

DISTRICT 3

COUNTY	DELIVERY SITE	ESTIMATED NEEDS (TONS)	STANDARD DELIVERED PRICE PER TON FOB DIV. STORAGE SITE	MODIFIED DELIVERED PRICE PER TON FOB DIV. STORAGE SITE
Calhoun	Millstone	200	NO BID	\$125.00
Jackson	Ripley	300	NO BID	\$122.00
Pleasants	St. Marys (Colin-Anderson Lot	;) 75	NO BID	\$115.00
Ritchie	Ellenboro	75	NO BID	\$115.00
Roane	Spencer	225	NO BID	\$120.00
	WV 36 Left Hand	75	NO BID	\$125.00
Roane	Elizabeth	75	NO BID	\$120.00
Wirt		300	NO BID	\$115.80
Wood	WV 95, Parkersburg	-	NO BID	\$117.00
Corridor D	Greenwood	12	NO BID	\$120.00
I-77	Mill Run Road	35		\$120.00
I-77 Sec. 2	Medina	20	NO BID	ψ120.00

11. BIDDING SCHEDULE

WINTER GRADE BITUMINOUS PATCHING MIXTURE

DISTRICT 4

COUNTY	DELIVERY SITE	ESTIMATED NEEDS (TONS)	STANDARD DELIVERED PRICE PER TON FOB DIV. STORAGE SITE	ODIFIED DELIVERED PRICE PER TON FOB DIV. STORAGE SITE
Doddridge	Smithburg	100	NO BID	\$121.00
Harrison	Gore	300	NO BID	NO BID
Marion	Fairmont	100	NO BID	NO BID
Marion	Mannington	100	NO BID	NO BID
Monongalia	Sabraton	1.50	NO BID	NO BID
Monongalia	Pentress	75	NO BID	NO BID
Preston	Albright	100	NO BID	NO BID
Preston	Bruceton	50	NO BID	NO BID
Preston	Terra Alta	50	NO BID	NO BID
Preston	Fellowsville	50	NO BID	NO BID
Preston	Aurora	50	NO BID	NO BID
Taylor	Pruntytown	200	NO BID	NO BID
APD-50	Tunnel Hill	50	NO BID	NO BID
I-68	Coopers Rock	50	NO BID	NO BID
I-79	Lost Creek Yard	100	NO BID	NO BID
I-79	Goshen Road	50	NO BID	NO BID

11. BIDDING SCHEDULE

WINTER GRADE BITUMINOUS PATCHING MIXTURE

DISTRICT 6

COUNTY	DELIVERY SITE	estimated NEEDS (TONS)	STANDARD DELIVERED PRICE PER TON FOB DIV. STORAGE SITE	MODIFIED DELIVERED PRICE PER TON FOB DIV. STORAGE SITE
Brooke	Wellsburg	200	NO BID	\$128.00
Hancock	New Manchester	220	NO BID	\$131.00
	Cameron	700	NO BID	\$125.00
Marshall	Glen Dale	1300	NO BID	\$135.00
Marshall		150	NO BID	\$125.00
Ohio	Triadelphia	100	NO BID	\$125.00
Tyler	Centerville		NO BID	\$120.00
Tyler	Sistersville	100	NO BID	\$135.00
Wetzel	Hundred	100	NO BID	\$131.00
Wetzel	New Martinsville	150	<u></u>	
Wetzel	Pine Grove	100	NO BID	\$134.50
I-70	Woodland (Elm Grove	50	NO BID	\$127.00

DISTRICT ADDRESSES

District One 1334 Smith Street

Charleston, West Virginia 25301-1492

District Six 1 DOT Drive

Moundsville, West Virginia 26041-1605

District Two 801 Madison Avenue Huntington, West Virginia 25712-0880


District Seven
255 Depot Street
Weston, West Vi

Weston, West Virginia 26452-1228

District Three 624 Depot Street Parkersburg, West Virginia 26102-0308 District Eight US 219 North Elkins, West Virginia 26241-1516

District Four I-79 & Meadowbrook Road Clarksburg, West Virginia 26302-2570 District Nine 103 1/2 Church Street Lewisburg, West Virginia 24901

District Five US Route 50 Post Office Box 99 Burlington, West Virginia 26710-0099 District Ten 270 Hardwood Lane Princeton, West Virginia 24740-2737



VENDOR PREFERENCE CERTIFICATE

Certification and application* is hereby made for Preference in accordance with West Virginia Code, §5A-3-37. (Does not apply to construction contracts). West Virginia Code, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the West Virginia Code. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

	Application is made for 2.5% resident vendor preference for the reason checked: Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; or,
	Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or.
	Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; or,
	Application is made for 2.5% resident vendor preference for the reason checked: Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
····	Application is made for 2.5% resident vendor preference for the reason checked: Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
4. X	Application is made for 5% resident vendor preference for the reason checked: Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or,
	Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; or,
	Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.
requiren against : or deduc	inderstands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the nents for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency sted from any unpaid balance on the contract or purchase order.
authorize the requi deemed	nission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and es the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid ired business taxes, provided that such information does not contain the amounts of taxes paid nor any other information by the Tax Commissioner to be confidential.
and acc	cenalty of law for false swearing (West Virginia Code, §61-5-3), Bidder hereby certifies that this certificate is true curate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate is during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.
Bidder:	Camden Materials, LLC Signed:
Date:	Nov. 26, 2008 Title: Managing Member

^{*}Check any combination of preference consideration(s) indicated above, which you are entitled to receive.

STATE OF WEST VIRGINIA Purchasing Division

PURCHASING AFFIDAVIT

VENDOR OWING A DEBT TO THE STATE:

West Virginia Code §5A-3-10a provides that: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

PUBLIC IMPROVEMENT CONTRACTS & DRUG-FREE WORKPLACE ACT:

West Virginia Code §21-1D-5 provides that: Any solicitation for a public improvement construction contract shall require each vendor that submits a bid for the work to submit at the same time an affidavit that the vendor has a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the West Virginia Code. A public improvement construction contract may not be awarded to a vendor who does not have a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the West Virginia Code and who has not submitted that plan to the appropriate contracting authority in timely fashion. For a vendor who is a subcontractor, compliance with Section 5, Article 1D, Chapter 21 of the West Virginia Code may take place before their work on the public improvement is begun.

ANTITRUST:

In submitting a bid to any agency for the state of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the state of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the state of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the state of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership or person or entity submitting a bid for the same materials, supplies, equipment or services and is in all respects fair and without collusion or fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

LICENSING:

Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.

CONFIDENTIALITY:

The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendors should visit www.state.wv.us/admin/purchase/privacy for the Notice of Agency Confidentiality Policies.

Under penalty of law for false swearing (West Virginia Code §61-5-3), it is hereby certified that the vendor acknowledges the information in this said affidavit and is in compliance with the requirements as stated.

Vendor's Name: _	Camden Mat	erials, L	LC C						
Authorized Signati	ure.	the ?	Land.	M	Date:	November	26,	2008	
Purchasing Affidavit (R	- (- 100		•				

AFFIDAVIT

DRUG & ALCOHOL FREE WORKPLACE

Camden M	("Cont	("Contractor"), a				
West Virginia	corporation	(state	of in	corporat		by
Matthew Campbell		(office	r or	agent	signi	ing),
Managing Member	(title), does swear	or affirn	n that th	e Contra	ictor h	as a
written plan for a drug-free workplace po	licy and maintains	a valid dr	ug-free v	vorkplac	e polic	y in
compliance with Chapter 21, Article 1D o	of the West Virginia	a Code, 19	931, as a	mended.		
The Drug and Alcohol Free Workplace re	presentative is	Ke	elli Sam	ples		
Camden Materials						
(Contractor)						
By:		Da	te	26-	08	
Title: Managing Member						
STATE OF West Virginia						
COUNTY OF Kanawha						
Taken, subscribed and sworn before	re me this 26th o	lay of	Nove	nber		
2008 by Mathow Complete		·				
	Bunk	X H	ger			
		Notary P	ublic			
My Commission expires January 31	2018		Notary Put West Do My Commiss	Official Sea bilic, State of V Beverly Age I Virginia Pavi PO Box 544 Inbar, WV 25 ion Expires Jan	ll West Virgin ng Inc. I 064	nia eeeeeee