

***205110957**

PO BOX 296

LASH PAVING INC

70700 SWINGLE RD

COLERAIN OH 43916-0296

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

740-635-4335

Request for Quotation

669C0028

PA	GE 💮	
	1	

ADDRESS CORRESPONDENCE TO ATTENTION OF

MICHAEL AUSTIN 304-558-2402

DATE PRIN	TED	TEF	MS OF SAI	F		SHIP VIA			FO	8		FREIGHT TERMS
02/26/		111111111111111111111111111111111111111		10,7-1-1-1-1-1								
BID OPENING DATE:		03/18/	2009				BID	OPEN	ING	TIME	01	:30PM
LINE	QUAN	TITY	UOP	CAT NO	ITE	M NUMBE	R		UNIT	PRICE		AMOUNT
			0.0000000000000000000000000000000000000									
0001		1	TN		745-21							
	ASPHAL	TIC CO	NCRET	E, HO	T LAID							
			MPT-TANAMAN MANAGAMAN MANA	OPE	N END (CONTR	RACT		\$			
**************************************	TO PRO	VIDE M	ATERI	ALS,	EQUIPM	ENT,	AND L	ABOR	то :	SUPPL	У АТ	
ACMINISTRATION AND ACMINISTRATIO	THE VE											
	DIVISI	DN OF	HIGHW	AYS P	ER THE	ATTA	CHED	SPEC	IFIC	ATION	s.	
	;			AN	D/OR							
	TO FURI									ESSAR	Y TO	
	LAY DO		3	i l							_	
	DIVISI	אט אט	HIGHW	AYS P	ER IHE	ALIA	CHED	SPEC.	IFIC	AIIUN	s.	
	EXHIBI.	Т 3										
	LIFE O	F CONT	RACT:					ŧ				
					D EXTE			ŧ .				
i i	YEAR OI NECESS		1					1			18	
	ORIGINA		1		t			ł			ΔΙΙ	
	NOT EX						URING	Į.				
	TIME"							ţ.				
	REASON	UPON	GIVIN	G THE	DIREC'	TOR O	F PUR	CHAS:	ING :	30 DA	YS	RECEIVED
	WRITTE	NOTI	CE.									
***************************************	UNLESS	CPECT	בזר ם	DOVIC	TONE A	DE CT	TDIII A	TED I	= 1 0 = 1	uuebe	700	NARIT PI: 44
WARRING AND THE REAL PROPERTY AND THE PROPERTY	IN THIS											THAN I I TO IT WHY
	PRICING											RCHASING DIVISION
	CONTRAC	CT.									;" .	STATE OF WV
												NAME OF A PARTY AND ADDRESS OF A PARTY.
	l	А	!	SEE RE	VERSE SIDE I	OR TERM	IS AND CO	l ሃዶ/ፒዘሮሊጎ		30000000000		
SIGNATURE	m. K	//	D	avid M.		TEL	EPHONE	740-63			DATE	3-12-09
TITLE Vice Pr	esident	FE)-85223				7-10-02			ANGES	TO BE NOTED ABOVE
_ / VICCII	OSIGOIIL		۷۱	- 002443	V2				MUUI	1233 レロ	HINGES	TO DE NOTED ADOVE

GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

- 1. Awards will be made in the best interest of the State of West Virginia.
- 2. The State may accept or reject in part, or in whole, any bid.
- 3. All quotations are governed by the West Virginia Code and the Legislative Rules of the Purchasing Division.
- 4. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
- 5. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods, this Purchase Order/Contract becomes void and of no effect after June 30.
- 6. Payment may only be made after the delivery and acceptance of goods or services.
- 7. Interest may be paid for late payment in accordance with the West Virginia Code.
- 8. Vendor preference will be granted upon written request in accordance with the West Virginia Code.
- 9. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
- 10. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- 11. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern all rights and duties under the Contract, including without limitation the validity of this Purchase Order/Contract.
- 12. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
- 13. BANKRUPTCY: In the event the vendor/contractor files for bankruptcy protection, this Contract may be deemed null and void, and terminated without further order.
- 14. HIPAA BUSINESS ASSOCIATE ADDENDUM: The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, and available online at the Purchasing Division's web site (http://www.state.wv.us/admin/purchase/vrc/hipaa.htm) is hereby made part of the agreement. Provided that, the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
- 15. WEST VIRGINIA ALCOHOL & DRUG-FREE WORKPLACE ACT: If this Contract constitutes a public improvement construction contract as set forth in Article 1D, Chapter 21 of the West Virginia Code ("The West Virginia Alcohol and Drug-Free Workplace Act"), then the following language shall hereby become part of this Contract: "The contractor and its subcontractors shall implement and maintain a written drug-free workplace policy in compliance with the West Virginia Alcohol and Drug-Free Workplace Act, as set forth in Article 1D, Chapter 21 of the West Virginia Code. The contractor and its subcontractors shall provide a sworn statement in writing, under the penalties of perjury, that they maintain a valid drug-free work place policy in compliance with the West Virginia and Drug-Free Workplace Act. It is understood and agreed that this Contract shall be cancelled by the awarding authority if the Contractor: 1) Fails to implement its drug-free workplace policy; 2) Fails to provide information regarding implementation of the contractor's drug-free workplace policy at the request of the public authority; or 3) Provides to the public authority false information regarding the contractor's drug-free workplace policy."

INSTRUCTIONS TO BIDDERS

- 1. Use the quotation forms provided by the Purchasing Division.
- 2. SPECIFICATIONS: Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as EQUAL to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
- 3. Complete all sections of the quotation form.
- 4. Unit prices shall prevail in case of discrepancy.
- 5. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
- **6. BID SUBMISSION:** All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130

³(中)。1、11

Rev. 7/01/08



VENDOR

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Pay 50103 Post Office Box 50130 Charleston, WV 25305-0130

RFO NUMBER 669C0028

ADDRESS CORRESPONDENCE TO ATTENTION OF

MICHAEL AUSTIN 304-558-2402

Ö

DIVISION OF HIGHWAYS VARIOUS LOCALES AS INDICATED BY ORDER

***205110957** 740-635-4335 LASH PAVING INC 70700 SWINGLE RD PO BOX 296 COLERAIN OH 43916-0296

DATE PRIN	o Monde Midningons		IMS OF SAL		SHIP VI	9	F.O.B.	FREIGHT TERMS
02/26/								
BID OPENING DATE:	kanssaares araasad	03/18/	2009	Presidentalis		BID	OPENING TIME O	1:30PM
LINE	QUAN	ITITY	UOP	CAT. NO.	ITEM NUMI	3ER	UNIT PRICE	AMOUNT
	100000000000000000000000000000000000000	restressesses en bec	100000000000000000000000000000000000000	00.000.0000.000000				
	C) C		C CON	TD 4 CT	MAN DE DE	- 1 1 1 1 1	UDON THE MITTIAL	
							UPON THE MUTUAL	
	1		i	1			ND VENDOR,	
							G THIRTY (30)	
	ł.		Ì	1			CH RENEWAL SHALL	
			i .	1			NDITIONS OF THE	
			t	i l	SHALL BE L	TMTIED	TO TWO (2) ONE	·
	(1) YE	AR PER	iods.					
	7			1 1			NG RESERVES THE	,
	1		1	1 :			ELY UPON WRITTEN	I .
	1			1 8			S AND/OR SERVICE	
							DO NOT CONFORM	
	TO THE	SPECI	FICAT	IONS	OF THE BID) AND C	ONTRACT HEREIN.	
							RCHASING MAY	
				1			ON THE OPEN	
				1		- 1	ITION OR COST	
					IED ON THI			
				: t		1	TO UNFORESEEN	
							ELAYS IN TRANS-	+
			AN U	NANTI	CIPATED IN	ICREASE	IN THE VOLUME	
	OF WOR	K.)						1
							•	
							EQUISITION ARE	
							S SUPPLIED BY	
	THE ST	ATE SP	ENDIN	e nni	T. IT IS	UNDERS	TOOD AND AGREED	
	THAT TI	HE CON	TRACT	SHAL	L COVER TH	IE QUAN	TITIES ACTUALLY	
	ORDERE	D FOR	DELIV	ERY D	URING THE	TERM 0	F THE CONTRACT,	
	WHETHE	R MORE	OR L	ESS T	HAN THE QU	ITITANI	ES SHOWN.	
	ORDERI	NG PRO	CEDUR	E: SP	ENDING UNI	T(S) S	HALL ISSUE A	
							BER WV-39) TO	
	THE VE	NDOR F	OR CO	MMODI	TIES COVER	ED BY	THIS CONTRACT.	S
	THE OR	IGINAL	COPY	OF T	HE WV-39 S	HALL B	E MAILED TO THE	
3							A SECOND COPY	navarana na
CNATHOE	1	9-1		SEEREV	ERSE SIDE FOR TEI			
GNATURE	1997 K	(M)			1	ELEPHONE	DATE	2 10 00
TLE -	· · / /6	FE	311.8	a vid M.		······	740-635-4335 ADDRESS CHANGE	3-12-09 S TO BE NOTED ABOVE
Vice Pr		D 1 1 1 1 2 2) <u>-85223</u>				
WHI	=N KESPC	JNDING ⁻	IO RFQ	, INSER	I NAME AND A	DDRESS I	IN SPACE ABOVE LABEL	ED 'VENDOR'



DOCZEK

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for SHEET Quotation

SHIP

Ţ

669C0028

PAGE
 3

ADDRESS CORRESPONDENCE TO ATTENTION OF:

MICHAEL AUSTIN 304-558-2402

*205110957 740-635-4335 LASH PAVING INC 70700 SWINGLE RD PO BOX 296 COLERAIN OH 43916-0296

02/26/	<u> </u>		IMS OF SALE		્	dir VIA		F.O.B.	PREIGHT (ERM	3
BID OPENING DATE:		03/18/	2009			BID	OPENING	TIME	01:30PM	
LINE	1001240000000000000	YTITY	UOP	CAT	ITEM	NUMBER		NIT PRICE	AMOUNT	
				NO.						
	MATIED	TO TU	E BIID	LIVET	NC DIVI	SION, AND	A TUTE	n copy	er muse e e e e e e e e e e e e e e e e e e	
	l .		§ 1		NG UNIT	-	A IUTA	COFT	***	
									00000000000000000000000000000000000000	
						VENDOR/C				
						IS CONTRA				
	ORDER.		נטע טוו	.D, A	ND 13 1	CKHINAIEL	WITHOU) FURINE	in the second se	
										•
			i 1			AINED IN	1			
	i .		1 1			UBSEQUENT N ANY ATT				
	l .		1 1			, ORDER F				
			§			EEMENTS,				
	ELECTR	ONIC M	EDIUM	SUCH	AS CD-	ROM.				
	REV. 0	4/11/2	001						1	
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,								
	i					THE STATE	1		4	
						E SUCCESS			. 017	
	MUST A	CCEPT	THE ST	ATE	OF WEST	VIRGINIA	VISA F	URCHASIN	IG	
	1					S PLACED	BY ANY	STATE	***	
	AGENCY	AS A	CONDI	TON	OF AWAR	υ.				
•	***************************************									
	EXHIBI	1 4								
	LOCAL	GOVERN	MENT E	ODIE	S: UN	LESS THE	VENDOR	INDICATE	s	
						END THE P				
						COUNTY, S				
						DIES, THE			UN:	
	VIRGIN					NOT WISH				
	PRICES	, TERM	S, AND) CON	DITIONS	OF THE B	ID TO A	\LL		
) 20	Ø		SEE RE	/ERSE SIDE FO	OR TERMS AND CO	I NDITIONS			
SIGNATURE	100.1	inh)	. D~	vid M.	Lock	TELEPHONE	740-635-4		TE 3-12-09	
TITLE Vice Pr	resident	FE	IN	**************************************					GES TO BE NOTED ABOV	/E



MODZEK

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

RFO NUMBER 669C0028

ADDRESS CORRESPONDENCE TO ATTENTION OF:

MICHAEL AUSTIN 304-558-2402

***205110957** 740-635-4335 LASH PAVING INC 70700 SWINGLE RD PO BOX 296 COLERAIN OH 43916-0296

8 H-P ō

DATE PRIN	TED	TER	MS OF SAL	E	SH	P VIA	FO.B		FREIGHTTERMS
02/26/									
BID OPENING DATE:		03/18/	2009			BID	OPENING TIM	E 01	:30PM
LINE	QUAN	VTITY	UOP	CAT. NO	ITEMI	NUMBER	UNIT PRICE		AMOUNT
								rivotrinia kaininkoluinia kulukulu.	
	POLÍTI	CAL SU	BDIVI	SIONS	OF THE	STATE, T	HE VENDOR MI	JST	
	1					IN HIS B			
	3		EJUDI	CE TH	E AWARD	OF THIS	CONTRACT IN	ANY	
	MANNER	•							-
	REV. 3	/88							
	EXHIBI	T 10							A LANGE OF THE STATE OF THE STA
					REQU	JISITION	NO.:669C	0028	
	ADDEND	UM ACK	NOWLE	DGEME	NT				
	I HERE	BY ACK	NOWLE	DGE R	ECEIPT (OF THE FO	LLOWING CHE	CKED	
ł			1				Y REVISIONS		
	PROPOS	AL, PL	ANS A	ND/OR	SPECIF	ICATION,	ETC.		
	ADDEND	UM NO.	's:						THE PROPERTY OF THE PROPERTY O
				ļ					
	NO. 1	• • • • •	• •	1					111111111111111111111111111111111111111
	NO. 2		• •						a de la companya de l
	NO. 3		• •			į			
	NO. 4		* *	10000					
	NO. 5		• •	THE PARTY OF THE P					
	T HNDE	RSTAND	ТНАТ	FΔTI	URF TO (ONETRM T	HE RECEIPT (NE THE	
ſ	,						OF BIDS.	_ · · · · · · · · · · · · · · · · · · ·	
	VENDOR	MUST	CLEAR	LY UN	DERSTANI	THAT AN	Y VERBAL		
	REPRES	ENTATI	AM NO	DE OR	ASSUMEI) TO BE M	ADE DURING		
	ORAL D	ISCUSS	ION H	ELD B	ETWEEN \	/ENDOR'S	REPRESENTAT	IVES	
		1 .		SEERE	/ERSE SIDE FO	R TERMS AND CO	VDITIONS:		
SIGNATURE	1191	(rel)			Tash	TELEPHONE	740 606 4006	DATE	2 12 00
TITLE Vice Dr	agidant	I/A FE	:113	avid M. 1-85223		<u>.</u>	740-635-4335 ADDRESS		3-12-09 TO BE NOTED ABOVE
Vice Pr	esident			-03443	いン				



NOCZE

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for REQNUMBER GASCOOS

669C0028

PAG	
	5

ADDRESS CORRESPONDENCE TO ATTENTION OF: MICHAEL AUSTIN 304-558-2402

SH-P

*205110957 740-635-4335 LASH PAVING INC 70700 SWINGLE RD PO BOX 296 COLERAIN OH 43916-0296

DATE PRIN	ΓED	TER	MS OF SAL	É		SHIP VIA		F	O.B.		FREIGHT TERMS
02/26/											
BID OPENING DATE:		03/18/	2009			ВІ	D (DPENING	TIME	01	:30PM
LINE	QUAN	√TITY	UOP	CAT NO	.ТЕІ	M NUMBER		UNI	TPRICE		AMOUNT
•	1		1	1		OT BINDI					
I	1					G AND AD L ADDEND	1				A CONTRACTOR OF THE CONTRACTOR
}					<i>'</i> /	f/!!) SI	Soll	David M	. Las	h
					•	• • • • • • •	• •	h Paving, I MPANY	nc.		
					• •		3-12 DA	2- 0 9 TE			
	REV. 1	1/96									
				нот	ICE						
	A SIGN	ED BID	MUST	BE S	UBMITTI	ED TO:					
	Р	EPARTM URCHAS UILDIN	ING D		INISTR/ ON	ATION					
	2	019 WA	SHING		TREET, 5305-0						
				- -							
	!					INFORMAT NOT BE C	- 1			OF	
	SEALED	BID	***************************************								
SIGNATURE	Im.	L.L	_	<u> Santanahantana</u>	<u>ingbyggisenitrölige ennig</u>	OR TERMS AND TELEPHONE	<u>produptoral se</u>	<u>agan elektrika nama en indonetja elektrik</u>		DATE	2 10 00
TITLE	1 / /	/ <i> 1441/</i> / FE	IN	avid M.		t t	•	40-635-43			3-12-09
Vice Pro	esident	1	20	-85223	05		12.0	AUL	JNESS UMA	INGES	TO BE NOTED ABOVE



MODZEA

State of West Virginia
Department of Administration

Request for Quotation

George REQ NUMBER

669C0028 Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

SHIP

T O

669C0028

ADDRESS CORRESPONDENCE TO ATTENTION OF

MICHAEL AUSTIN 304-558-2402

*205110957 740-635-4335 LASH PAVING INC 70700 SWINGLE RD PO BOX 296 COLERAIN OH 43916-0296

DATEPRIN	<u>an municipal market</u>	TER	MS OF SAL	E	SHIPA	ΙA	F	O.B.		FREIGHT TERMS
02/26/ BID OPENING DATE:		07/10/	2000			DIN	OPENING	TIME	01.	30PM
LINE	Para esta esta esta esta esta esta esta est	03/18/ NTITY	UOP	CAT. NO.	ITEM NUI			TPRICE	<u> </u>	AMOUNT
	UUA.	NHIL		No.	n EW NOI	/IDEN	UNI	, rnice		AWOGW
***************************************										•
	BUYER:				33 .					
	RFQ. N	10.:			669C0	028				
	מת מזק	ENING	nate.		3-18-09)				
	PID OF	ENTING	DAIL							
	BID OF	ENING	TIME:		1:30 P.J	<u>M </u>				
			:							
1	PLEASE	PROVI	DE A	FAX N	UMBER IN	CASE IT	IS NECE	ESSARY		
The state of the s					NG YOUR B					
OT THE PARTY OF TH					740-63:	5-1047				
****	-									
	CONTAC	T PERS	ON (P	LEASE	PRINT CL	EARLY):				
						M. Lash	•			
	37	•								
			TO T	ur Eu	D 05 050	/ / O C O	030 222	TAT		
	****	1115	15 1	HE EN	D OF RFQ	66900	U28 ***	*** 101	AL:	
VA. Lia.										

	,	<i>j</i>)		SEE RE	ERSE SIDE FOR T		NDITIONS			
SIGNATURE	_////	? Lrul	, n	avid M		TELEPHONE	740-635-43		DATE 3.	-12-09
TITLE Vice Pr	resident	FE	IN)-85223					~	D BE NOTED ABOVE
Y 100 I I	VUIUVIII			. V. J. J. J.			N ODAOE A			

1. SPECIFICATIONS

The following sections of the West Virginia Department of Transportation, Division of Highways' Standard Specifications Roads and Bridges, Adopted 2000, as modified by the current Supplemental Specifications shall apply to the administration of this Contract: Sections 101, 102.4, 102.5, 105.1, 105.3, 105.4, 105.10, 105.11, 105.12, 105.13, 106.3, 106.4, 106.5, 106.6, 106.7, 106.9, 107.1, 107.2, 107.3, 107.12, 107.14, 107.15, 107.16, 107.19, 107.20, 107.23, 108.3, 108.5, 108.7, 108.8, 109.1, 109.2 and 109.20.

The requirements of the West Virginia Department of Transportation, Division of Highways' Standard Specifications, Roads and Bridges, Section 109.20, PRICE ADJUSTMENT FOR LOAD LIMIT VIOLATIONS, shall apply to all material supplied under this contract. This will include material loaded by the Vendor into Division of Highways owned and/or rented trucks.

The terms "Contractor" and "Vendor" used in the above specifications of this Contract are interchangeable. Contractor shall mean Vendor and Vendor shall mean Contractor.

West Virginia Department of Transportation, Division of Highways' Standard Specifications Roads and Bridges, Adopted 2000, and the current Supplemental Specifications may be obtained from:

West Virginia Division of Highways State Capitol Complex Engineering Division, Technical Section Room A-650, Building Five 1900 Kanawha Blvd., East Charleston, West Virginia 25305

All material, except Item F, shall be furnished in accordance with the requirements of the following West Virginia Department of Transportation, Division of Highways' Standard Specifications Roads and Bridges, Adopted 2000 as modified by the current Supplemental Specifications.

Item F shall meet West Virginia Division of Highways' Specifications, specifications of adjacent state highway departments or specifications acceptable to the Engineer for similar material as bid in Items A through E.

The Division of Highways may purchase Hot-Mix Asphalt F.O.B. Vendor's plant. The bid price F.O.B. Vendor's plant shall include the loading of Division of Highways', owned or rented, trucks and the furnishing of a coating solution in accordance with Paragraph 401.9.7 of the Specifications by Vendor.

2. BIDDING INSTRUCTIONS

Any qualification of bids or any modification of the specifications or conditions governing the bids may be cause to reject bids.

If a Vendor will be supplying materials from more than one plant, the bid prices that apply to each plant shall be clearly indicated in the bid, preferably on separate bid schedules.

3. DETERMINING LOW BID

The purpose of this contract is to establish unit prices for Items A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, and V which are to be used as the basis for requisitioning Hot-Mix Asphalt for use on various maintenance and repair projects throughout the District.

State Contract Purchase Orders (SCO's) for individual paving projects will be based on the lowest overall total cost of the pick-up price of material (Items A through E) plus the haul cost (Item G) plus the lay down cost (Item H), plus cleaning & sweeping (Item I), tack material (Item J), mobilization for paving (Items K or L), off season plant opening (Item M), additional heel-in joints (Item N), skip paving surcharge (Item O), mobilization for profiling (Item P), pavement profiling (Item Q), and Traffic Control (Items R, S, & T) as applicable; however, material (Items A through E) may be furnished from any approved production location. Items I, J, K, L, M, N, O, P, Q, R, S, T, U, and V shall be shown on the SCO as a separate pay item when requested by the Engineer.

State Contract Purchase Orders (SCO's) for material to be picked up at the Vendor's plant by the Division of Highways will be based on the lowest unit price of Items A through F and the Division's most economical haul cost from the Vendor's plant to individual job sites. Factors to be considered shall include but not be limited to; bid price of material, haul cost @ \$0.25 for each additional tonmile, loading and transportation delays, and availability of material.

The distances allowed for haul costs will be over suitable routes selected by the Engineer that provides the lowest total cost to the Division of Highways and shall be measured from the Vendor's plant location to the mid-point of the project. All such chosen routes shall have acceptable load limits for both roads and bridges.

The Division of Highways reserves the right to request any one or combination of items for which bids are received at the lowest overall total as set forth above.

Acceptance of a bid for any one item shall not be dependent upon the acceptance of a bid for any other item or any combination of items. However, Item F shall not be requested except when determined by the Engineer that all other equivalent items of material are not available, then only on a pick-up basis. Also, Item G will only be requested in combination with other quoted items.

Upon receipt of a State Contract Purchase Order (SCO) for lay down of Hot Mix Asphalt or pavement profiling, the Vendor shall advise the Division of Highways, in writing, within five (5) calendar days of their acceptance of the SCO. Failure to acknowledge may result in cancellation of the SCO and re-award to the next lowest bidder.

4. CONTRACT CONDITIONS

Vendors may bid any or all items on the bid schedule. However, the amount bid on any one item may not be conditioned on the acceptance of the bid on any other item or items.

All qualified Vendors who submit a valid bid "F.O.B. Vendor's Plant" will be awarded a Contract for those items bid (see Section 12).

In the event a Contractor fails to conform to the requirements set out in this contract document, the State Contract Purchase Order or the governing specifications, the State Contract Purchase Order may be canceled and reawarded to the next lowest bidder.

The State of West Virginia reserves the right to make multiple awards on this Contract when it is in the best interest of the State to do so.

All labor rates paid by Vendor under Items H, I, J, N, O, Q, R, and T of this contract must be in compliance with the West Virginia Department of Labor Prevailing Rates, Chapter 21-5A, Series 15, 2006.

The Vendor is not authorized to ship, nor is the Division authorized to receive materials prior to the issuance of an "SCO".

5. CONTRACT COMPLETION

All State Contract Purchase Order's (SCO's) for lay down work shall be started within fifteen (15) calendar days of receipt of the "SCO", unless otherwise specified by the Engineer, and be completed within thirty (30) calendar days of the starting date. Liquidated damages will be assessed in accordance with Section 108.7 of the Standard Specifications Roads and Bridges.

6. GENERAL PROVISIONS

6.1 Lay down

Lay down as noted in Item H shall be provided by the Vendor as requested by the Division of Highways at projects designated by the Engineer.

6.2 Skip Paving

The Vendor may be required to perform Skip Paving projects at a paving location, provided the distance between the end of one skip and the beginning of the next does not exceed two thousand five hundred (2500) feet. When Skip Paving is requested the Vendor shall be paid the Skip Paving Surcharge, Item O for each ton of final surface course material completed in place on the project. Patching and leveling in preparation for resurfacing of a project shall not be considered Skip Paving.

6.3 Heel-In

Heel-in of joints at the beginning and the end of each paving location, will be performed by the Vendor in accordance with the Resurfacing Heel-In Detail (Figure 1).

Payment for beginning and ending heel-in joints shall be included in the unit price bid for Item H, K or L as appropriate.

constructed Heel-In Joints, Item N, Additional accordance with the Resurfacing Heel-In Detail (Figure 1) may be required as directed by the Engineer at intersecting roadways, at the beginning and end of each paving skip, and other designated locations. Payment of additional Heel-In Joints shall be paid per lineal foot as measured along the for complete be full payment which shall joint, construction of the joint.

6.4 Cleaning and Sweeping

Cleaning and Sweeping will normally be performed by the Division. However, Cleaning and Sweeping, if provided by the Vendor, shall be performed in accordance with Subsection 401.10.1 of the Standard Specifications. Payment shall be calculated as the paving length times the width swept in accordance with subsection 401.10.1.

6.5 Off Season Plant Opening

If the Vendor is required to open his plant in the offseason to service the needs of the Division, an additional payment will be made under Item M, off-season plant opening. Vendor will be paid additional day charge for each additional consecutive day that the plant is open after the first day to serve the needs of the Division.

If the plant produces no material for any user on any calendar day, either during the week or on the weekend, the Division will pay the first day rate for off-season plant opening on the next day of Division usage. Payment for this item is subject to the following conditions:

6.5.1 Payment for Item M can only be authorized and made during the winter months, i.e., between December 15 and March 15, and then only if the plant would not have otherwise been open.

These dates may be revised by the State Highway Engineer, if necessary, to meet specific needs in the field. Any such revision of dates will be in writing and shall be attached to the Vendor's invoice at the time payment is requested.

- 6.5.2 Payment will always be made in the full contract bid price amount for first day of plant opening. However, the amount paid from each additional day of plant opening will be reduced as follows:
 - a. Payment for additional day charge will not be made if the plant has produced over 500 tons on that particular day. If between 300 and 500 tons have been produced, payment for additional day charge will be made equal to one-half of the amount bid for additional day charge. The quantity produced to make this determination shall include all material produced that day, which includes tonnage bought by the State, the various local governments, and all private work.

- b. The State will only pay its share of the amount determined to be due for additional day charge in paragraph 6.5.2a above. For example, if the plant produces 375 tons and the Division takes 150 tons of the total, in this illustration 40% of the plant's daily production, payment for additional day charge would be calculated as follows: Since the total daily production is between 300 and 500 tons, the Vendor is due one-half (50%) of the additional day charge in accordance with paragraph 6.5.2a Because the Division's share of this daily production is 40%, the Division would pay 40% of one-half of the additional day charge, or in this case, 20% of the additional day charge.
- 6.5.3 In order to be paid for additional day charge, a certified statement shall accompany the invoice stating the total quantity produced on that day. If payment for additional day of plant opening is not made due to tonnage produced, the next consecutive day of plant operation, if any, will only qualify for payment at the additional day rate, not the first day rate for plant opening.

6.6 Pavement Profiling (Milling)

6.6.1 Description of Work:

This work shall consist of profiling the existing pavement to the specified grade and cross slope by grinding, planing or milling. The profiling equipment shall be capable of accurately establishing profile grades (1/4 inch plus or minus) along each edge of the machine by reference from the existing pavement by use of ski or matching shoe or by reference to independent grade control. The equipment shall have an automatic system for controlling grade and cross slope. Vendor shall provide adequate manpower and auxiliary equipment to control dust and remove cutting from the project site. Stockpiling of cuttings on the project site will not be permitted. All cuttings shall become the property of the Vendor. The Vendor shall be responsible for damage to drainage facilities, manholes or other appurtenances within the pavement area.

6.6.2 Method of Measurement:

- 6.6.2.1 Mobilization for Profiling: The work shall consist of preparatory operations including movement of necessary personnel and equipment onto the project site to begin the profiling work. Only one Mobilization for Profiling per State Contract Order (SCO) shall be paid when Pavement Profiling (Milling) is required.
- 6.6.2.2 Pavement Profiling (Milling): "Pavement Profiling (Milling)" shall be measured as the total number of square yards planed or ground to a depth not exceeding two (2) inches. Should the required removal depth exceed two (2) inches additional quantities shall be measured for each additional two (2) inch increment.
- 6.6.2.3 Haul of Profiled Cuttings: Hauling of cuttings from project site to the Vendor's nearest production facility shall be paid under Item G "Haul by Vendor", and weighted on truck scales in accordance with Section 401.9.3 of the West Virginia Department of Transportation, Division of Highways' Standard Specifications Roads and Bridges, Adopted 2000 as modified by the current Supplemental Specifications.

6.7 Maintenance of Traffic

Maintenance of Traffic: Traffic Control and Temporary Pavement Marking Paint may be furnished by DOH. When Items R, S, T, U, and V are requested, traffic shall be maintained by the Vendor in accordance with Section 636 of the West Virginia Division of Highways Standard Specifications Roads and Bridges, Adopted 2000 as modified by the current Supplemental Specifications.

The project, while undergoing improvement, shall be kept open to traffic in such condition that both local and through traffic will be adequately and safely accommodated. All construction operations shall be scheduled by the Contractor to keep traffic delay to a minimum.

6.8 PRICE ADJUSTMENT OF ASPHALT CEMENT

Due to the uncertainty in estimating the costs of petroleum products that will be used during the life of this Contract, adjustment in compensation for contract Items A, B, C, D, E and F is provided for as follows:

The contract price for the items listed above will be adjusted in accordance with the Division of Highways index for asphalt cement. This index will be the average of the posted prices of asphalt cement per ton as reported from the following sources:

Marathon Ashland Petroleum, LLC, Catlettsburg, Kentucky Asphalt Materials, Marietta, Ohio Marathon Ashland Petroleum, LLC, Floreffe, Pennsylvania Citgo Asphalt Refining Co., Baltimore, Maryland Citgo, Incorporated, Bristol, Virginia Koch, Baltimore Maryland.

The bidding index (I_b) as determined above is the index price for the first working day of the month in which the bids are opened. The price adjustment for the specified material at the time of purchase will be based on an index price determined by averaging the posted prices reported by the sources listed above for the first working day of the month in which the material is purchased. If one of the sources listed above changes ownership and/or name the posted price from that terminal will continue in use as though the ownership and/or name change had not occurred.

If one of the sources used for determining the index goes out of business the index in the proposal I_b and the index at the time of purchase I_p will be based on the average of the remaining sources. Thus, I_b could be based on an average of 5 sources and the I_p on the average of 4 sources or vice versa. If a source that goes out of business reopens at a later date the index determined will once again be based on 5 sources as per the previous paragraph

The posted price for each source will be compared to the average of all sources. If the difference between the average and the individual price is greater than 25% of the average, that individual source will be excluded from the calculation of the average price $I_{\rm b}$ or $I_{\rm p}$ and a new average will be calculated using the remaining sources.

When the ratio of the price index at purchase (I_p) divided by the price index at bidding (I_b) is less than 0.90 or greater than 1.10, the portion of the contract unit price which reflects the cost of the specified material will be adjusted for the change in accordance with the following formula:

$$AUP = CAP + [(I_p + I_b) - 1.0] X C$$

where

AUP = Adjusted Unit Price CAP = Contract Award Price

 I_b = Price Index at Time of Bid Opening I_p = Price Index at time of Purchase C = Adjustment Factor for Contract Item

The Adjustment Factor (C) for Contract Items A, B, C, D, E and F shall be calculated as follows:

$$C = AC X I_b$$

where

AC = Statewide Average Asphalt Cement Content for The Materials Listed Under Items A, B, C, D, E and F.

The average asphalt cement content for use in the above formula is as follows:

Item	Asphalt Content (AC)
A	3.9%
В	4.8%
C	5.9%
D	7.5%
E	5.9%
F	See Below

The asphalt cement content used for Item F shall be that specified above for the similar materials in Item A through D.

6.9 PRICE ADJUSTMENT OF FUEL OIL NO. 2 (DIESEL FUEL)

Because of the uncertainty in estimating the cost of diesel fuel that will be used during the life of this contract, adjustment in compensation for contract Items A, B, C, D, E, and F is provided for as follows:

Product price quotations for Fuel Oil No. 2 (diesel fuel) as published by the Oil Price Information Service (OPIS) will be utilized to establish the contract base price as well as the monthly base price thereafter. These prices will be the average of the individual prices for the following locations:

Charleston, West Virginia Ashland, Kentucky Pittsburgh, Pennsylvania Roanoke, Virginia Marietta, Ohio

The initial contract base price will be based on the Fuel Index as published on the WVDOT Internet, Contractor Resources Center for the month immediately preceding the bid of this contract. The initial contract base price will be used for the first quarter (3 months) period of this contract. Thereafter, the OPIS Fuel Oil No. 2 prices as published monthly on the WV DOT Internet, Contractor Resource Center for the prior three months will be averaged and used for the quarterly base price each quarter.

The contract base price (Cbp) and the quarterly base price (Qbp) may be found posted at the Division's Internet website www.wvdot.com by selecting the 'Contractors' link under 'Doing Business' and then by choosing the 'Fuel and Asphalt Prices' option from the 'Contractors Resource Center' drop down menu.

The portion of the contract unit price which reflects the cost of the specified material will be adjusted for the change in accordance with the following formulae:

$Pa=[(Qbp+Cbp)-1.00] \times Cbp \times C \times Q$

Where:

Pa = Price Adjustment

Obp = Ouarterly Base Price at time of placement
Cbp = Contract Base Price at time of bidding

C = Cost Adjustment Factors per Unit of Contract Item

Bid as outlined in chart below

Q = Quantity

Adjustments in bid price for any period may be either plus or minus. If (Qbp) is greater than (Cbp), the adjustment will be plus. If (Cbp) is greater than (Qbp), the adjustment will be minus.

The adjustment in compensation for diesel fuel used for the listed items will be made on the separate items on the basis of the average diesel fuel requirements for processing a unit of the item as shown in the table below.

The gallons (liters) of diesel fuel for price adjustment will be determined by multiplying the usage factors listed in the table below by the amount of acceptable work performed.

All adjustments will be made based on the gallons (liters) of diesel fuel indicated in the table below and no changes will be made for variations between these usage factors and the actual factors.

COST ADJUSTMENT FACTORS FOR DIESEL FUEL USAGE

	UNITS	FACTOR
Items A, B, C, D, E, and F	Gallons per ton (Liters per megagram)	1.06 (4.43)

7. MOBILIZATION FOR PAVING LIMITS

Mobilization for Paving, Items K and L will be paid when Vendor is required to place lay down quantities (Item H) under 500 tons. In addition, nighttime mobilization for paving, Item L, will only be paid when Vendor is directed by the Engineer to perform lay down at night.

Only one mobilization for paving per day of operation will be paid, unless moves of over five miles between individual paving locations are required. In cases where a Vendor is required to move from one roadway to the adjacent roadway of a divided highway, additional mobilization for paving will only be paid if the nearest interchange or crossing point that will accommodate the Vendor's equipment is over five miles from the paving locations. (This provision may require roundtrip moves of up to 10 miles with no additional mobilization for paving payment).

At an individual paving location where the Vendor is required to place quantities of less than 500 tons on successive days and/or nights, mobilization for paving will only be paid for the initial day's and/or night's operation.

An individual paving location shall be defined as a paving job where no skips exceeding two thousand five hundred (2500) feet are involved, except between the approach slabs of a bridge or parallel pair of bridges.

8. WEIGHING MATERIALS DELIVERED BY TRUCK

Material delivered by truck shall be weighed in accordance with Section 401.9.3 of the West Virginia Department of Transportation, Division of Highways' Standard Specifications Roads and Bridges, Adopted 2000 as modified by the current Supplemental Specifications.

9. ACCEPTANCE PLAN

Quality control shall be the responsibility of the Vendor and meet the requirements of MP 401.03.50.

Acceptance testing shall be the responsibility of the Division.

Quality assurance of the material shall be as set forth in MP 401.02.23.

Sampling frequencies shall be in accordance with Section 6.2 of MP 401.02.23 or Section 4.1 and 4.2 of MP 700.00.52.

10. SUPPLYING OTHER ORGANIZATION ENTITIES

County Courts, Municipalities, School Boards, and other political subdivision and governmental entities, etc., may have a need for these materials, and Vendors may wish to supply that need.

Accordingly, bidders may wish to extend their contract prices to these other entities. If the bidder wishes to supply these other entities, but with prices different from quoted for the Division of Highways, the bidder shall include a set of bid schedules clearly and unambiguously marked for the express use of entities other than the Division of Highways. Failure by the bidder to include a set of bid schedules for other entities will be taken to mean that the bid schedules extended to the Division of Highways will also be extended to these other entities.

In the event any Vendor does not wish to extend the prices, terms and conditions of his bid and subsequent contract to other entities of the State, he must so indicate in a clear and unambiguous manner in his bid. This indication does not prejudice the award of the contract. If a Vendor does not indicate his refusal to extend the prices, terms and conditions of his bid to other entities of the State, he is bound to extend them upon issuance of a purchase order by these other entities.

Other organizational entities using this provision of the contract shall do so without any involvement of the Division of Highways. That is, the entity shall make its own purchase arrangements with the Vendor and shall make its own arrangement for payment.

11. VENDOR'S INVOICES

Separate invoices must be submitted for Items "A" through "F" and for Items "G" through "V".

Vendor's invoices must be submitted in original and one copy and contain the following:

- a. All weigh ticket numbers for material delivered and cuttings hauled during the invoicing period.
- b. Division of Highways' State Contract Purchase Order (SCO) number, and this contract number.
- c. Total quantity and unit price with the total cost of each type of material furnished.
- d. Vendors shall show all weigh ticket numbers on their individual invoices.
- e. No payment will be made to a Contractor for Item K or L unless he performs the lay down operation and the quantity involved is less than 201 tons.

Under no circumstance will the West Virginia Division of Highways accept, or pay for, quantities of material in excess of the quantity stated on the State Contract Purchase Order.

DISTRICT ONE

2.	RTD	SCHEDULE	
	مسترسك مست	استوسيه الباحث فيبدئ بدميا البية	

Item A -	Hot-Mix Asphalt Base I F.O.B. Vendor Plant per ton	@
<u>Item B</u> -	Hot-Mix Asphalt Base II (Patch & Level), or Wearing IV F.O.B. Vendor Plant per ton	@
<u>Item C</u> -	Hot-Mix Asphalt Wearing I (Scratch) F.O.B. Vendor Plant per ton	@
<u>Item D</u> -	Hot-Mix Asphalt Wearing III F.O.B. Vendor Plant per ton	@
Virginia I Standard S modified b	e above items shall be in Department of Transportation Specifications Roads and I by the current Supplemental cified in the SCO.	on, Division of Highways, Bridges, Adopted 2000 as
<u>Item E</u> -	Hot-Mix Asphalt Skid Resistant Pavement F.O.B. Vendor Plant per ton	@
Department Specificat	item shall be in accordance of Transportation, Divisions Roads and Bridges, Ad t Supplemental Specification	ion of Highways, Standard opted 2000 as modified by
<u>Item F</u> -	Hot-Mix Asphalt Plant Run F.O.B. Vendor Plant per ton	@
<u>Item G</u> -		irst ton mile and ach additional mile
Item H -	Lay down of Materials Items A thru E, Each 0 to 100 tons @ 101 to 200 tons @ 201 to 500 tons @ 501 and up @	Site per ton per ton per ton per ton per ton

DISTRICT ONE

12. BID SCHEDULE (Continued)

Material placed under Item H shall be constructed in accordance with the Requirements of The West Virginia Department of Transportation, Division of Highways, Standard Specifications Roads and Bridges, Adopted 2000 as modified by the current Supplemental Specifications, Section 401 or 402 as specified in the SCO.

<u> Item I</u> -	Cleaning & Sweeping @per sq. yd.
Item J -	Bituminous Material for Tack Coat or Prime All Types @ per gallon
Material Section Engineer	furnished and applied under Item J to be in accordance with 408 of the referenced specifications, as directed by the .
Item K -	Daytime Paving Mobilization - A Mobilization for Paving Charge of \$ may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is not specified.
<u>Item L</u> -	Nighttime Paving Mobilization - A Mobilization for Paving Charge of \$may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is specified.
<u>Item M</u> -	Off Season Plant Opening @ for first day @ for each additional day
<u> Item N</u> -	Additional Heel-In Joints @per lineal foot
<u> Item O</u> -	Skip Paving Surcharge @per ton
<u>Item P</u> -	Mobilization for Profiling @ per SCO
<u>Item Q</u> -	Pavement Profiling (Milling), square yards per SCO
	Less than 250 @ per Sq. Yd. 250 less than 500 @ per Sq. Yd. 500 less than 1000 @ per Sq. Yd. 1000 less than 2500 @ per Sq. Yd. 2500 less than 5000 per Sq. Yd. 5000 and greater @ per Sq. Yd.
<u> Item R</u> -	Pilot Truck and Driver @ per day

DISTRICT ONE

L2.	BID SCHEDULE (Continued)		
	<pre>Item S - Traffic Control : @</pre>	Devices per Unit	
	<u>Item T</u> - Flagger @	per Hour	
	<u>Item U</u> - Arrow Board @	per Day	
	<u>Item V</u> - Rumble Strips @	per LF	
	Vendor's Plant Location		

DISTRICT TWO

BID SCHEDU	LE (Continued)	
<u>Item A</u> -	Hot-Mix Asphalt Base I F.O.B. Vendor Plant per ton	@
Item B -	Hot-Mix Asphalt Base II (Patch & Level) or Wearing IV F.O.B. Vendor Plant per ton	@
<u> Item C</u> -	Hot-Mix Asphalt Wearing I (Scratch) F.O.B. Vendor Plant per ton	@
Item D -	Hot-Mix Asphalt Wearing III F.O.B. Vendor Plant per ton	@
Virginia I Standard : modified l	Department of Transporta Specifications Roads and	in accordance with The Wes tion, Division of Highways d Bridges, Adopted 2000 a htal Specifications, Sectio
Item E -	Hot-Mix Asphalt Skid Resistant Pavement F.O.B. Vendor Plant per ton	@
Department Specificat	of Transportation, Div	lance with The West Virgini ision of Highways, Standar Adopted 2000 as modified b tions, Section 402.
Item F -	Hot-Mix Asphalt Plant Run F.O.B. Vendor Plant per ton	@
<u>Item G</u> -		first ton mile and each additional mile
Item H -	Lay down of Materials Items A thru E, Each Si 0 to 100 tons @ 101 to 200 tons @ 201 to 500 tons @	te per ton per ton per ton per ton per ton

DISTRICT TWO

12. BID SCHEDULE (Continued)

Material placed under Item H shall be constructed in accordance with the Requirements of The West Virginia Department of Transportation, Division of Highways, Standard Specifications Roads and Bridges, Adopted 2000 as modified by the current Supplemental Specifications, Section 401 or 402 as specified in the SCO.

<u> Item I</u> -	Cleaning & Sweeping @per sq. yd.
<u>Item J</u> - :	Bituminous Material for Tack Coat or Prime
P	All Types @per gallon
Section 4	furnished and applied under Item J to be in accordance with 08 of the referenced specifications, as directed by the Engineer/Manager.
Item K -	Daytime Paving Mobilization - A Mobilization for Paving Charge of \$may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is not specified.
<u>Item L</u> -	Nighttime Paving Mobilization - A Mobilization for Paving Charge of \$may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is specified.
<u>Item M</u> -	Off Season Plant Opening @ for first day @ for each additional day
Item N -	Additional Heel-In Joints @per lineal foot
Item O -	Skip Paving Surcharge @per ton
Item P -	Mobilization for Profiling @ per SCO
Item Q -	Pavement Profiling (Milling), square yards per SCO
	Less than 250 @ per Sq. Yd. 250 less than 500 @ per Sq. Yd. 500 less than 1000 @ per Sq. Yd. 1000 less than 2500 @ per Sq. Yd. 2500 less than 5000 @ per Sq. Yd. 5000 and greater @ per Sq. Yd.
Item R -	Pilot Truck and Driver @ per day

DISTRICT TWO

2.	BID SCHEDULE (C			
	<u>Item S</u> - Traf	fic Control @		Unit
	<u>Item T</u> - Flag	ger @	per	Hour
	Item U - Arrow	Board @	per	Day
	<u>Item V</u> - Rumble	Strips @	per	LF
	Vendor's Plant	Location		

DISTRICT THREE

BID SCHEDU	LE (Continued)	
Item A -	Hot-Mix Asphalt Base I F.O.B. Vendor Plant per ton	@
Item B -	Hot-Mix Asphalt Base II (Patch & Level), or Wearing IV F.O.B. Vendor Plant per ton	@
Item C -	Hot-Mix Asphalt Wearing I (Scratch) F.O.B. Vendor Plant per ton	@
Item D -	Hot-Mix Asphalt Wearing III F.O.B. Vendor Plant per ton	@
Virginia D Standard S modified b	e above items shall be in epartment of Transportation geoifications Roads and by the current Supplemental cified in the SCO.	on, Division of Highway: Bridges, Adopted 2000 a
Item E -	Hot-Mix Asphalt Skid Resistant Pavement F.O.B. Vendor Plant per ton	@
Department Specificat:	item shall be in accordance of Transportation, Divisi ions Roads and Bridges, Ad t Supplemental Specificatio	on of Highways, Standa: opted 2000 as modified b
	Hot-Mix Asphalt Plant Run F.O.B. Vendor Plant per ton	@
<u>Item G</u> -	Haul by Vendor @ for for each of the form	irst ton mile and ach additional mile
Item H -		per ton per ton per ton per ton per ton per ton

DISTRICT THREE

12. BID SCHEDULE (Continued)

Material placed under Item H shall be constructed in accordance with the Requirements of The West Virginia Department of Transportation, Division of Highways, Standard Specifications Roads and Bridges, Adopted 2000 as modified by the current Supplemental Specifications, Section 401 or 402 as specified in the SCO.

<u>Item I</u> - Cleaning & Sweepingper sq. yd.
<u>Item J</u> - Bituminous Material for Tack Coat or Prime
All Types @per gallon
Material furnished and applied under Item J to be in accordance with Section 408 of the referenced specifications, as directed by the District Engineer/Manager.
Item K - Daytime Paving Mobilization - A Mobilization for Paving Charge of \$ may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is not specified.
Item L - Nighttime Paving Mobilization - A Mobilization for Paving Charge of \$may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is specified.
Item M - Off Season Plant Opening @ for first day @ for each additional day
<u>Item N</u> - Additional Heel-In Joints @per lineal foot
Item O - Skip Paving Surcharge @per ton
<u>Item P</u> - Mobilization for Profiling @ per SCO
<u>Item Q</u> - Pavement Profiling (Milling), square yards per SCO
Less than 250 @ per Sq. Yd. 250 less than 500 @ per Sq. Yd. 500 less than 1000 @ per Sq. Yd. 1000 less than 2500 @ per Sq. Yd. 2500 less than 5000 per Sq. Yd. 5000 and greater @ per Sq. Yd.
<u>Item R</u> - Pilot Truck and Driver @ per day

DISTRICT THREE

<u>Item S</u> -	Traffic Control Device		Unit
<u>Item T</u> -	Flagger @	per	Hour
<u>Item U</u> -	Arrow Board @	per	Day
<u>Item V</u> -	Rumble Strips @	per	LF
Vendor's			

DISTRICT FOUR

BID SCHEDU	LE (Continued)	
Item A -	Hot-Mix Asphalt Base I F.O.B. Vendor Plant per ton	@
Item B -	Hot-Mix Asphalt Base II (Patch & Level), or Wearing IV F.O.B. Vendor Plant per ton	@
Item C -	Hot-Mix Asphalt Wearing I (Scratch) F.O.B. Vendor Plant per ton	@
Item D -	Hot-Mix Asphalt Wearing III F.O.B. Vendor Plant per ton	@
Virginia I Standard S modified b 401 as spe	e above items shall be in Department of Transportation Epecifications Roads and by the current Supplementation cified in the SCO. Hot-Mix Asphalt Skid Resistant Pavement F.O.B. Vendor Plant	on, Division of Highways Bridges, Adopted 2000
Department Specificat	per ton item shall be in accordar of Transportation, Divis ions Roads and Bridges, Ac t Supplemental Specificati	nce with The West Virgin ion of Highways, Standa dopted 2000 as modified l
	Hot-Mix Asphalt Plant Run F.O.B. Vendor Plant per ton	@
<u>Item G</u> -		First ton mile and each additional mile
<u>Item H</u> -	Lay down of Materials Items A thru E, Each Site	

DISTRICT FOUR

12. BID SCHEDULE (Continued)

Material placed under Item H shall be constructed in accordance with the Requirements of The West Virginia Department of Transportation, Division of Highways, Standard Specifications Roads and Bridges, Adopted 2000 as modified by the current Supplemental Specifications, Section 401 or 402 as specified in the SCO.

Item I -	Cleaning & Sweeping @per sq. yd.
Item J -	Bituminous Material for Tack Coat or Prime
	All Types @per gallon
Section	furnished and applied under Item J to be in accordance with 408 of the referenced specifications, as directed by the Engineer/Manager.
<u>Item K</u> -	Daytime Paving Mobilization - A Mobilization for Paving Charge of \$may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is not specified.
Item L -	Nighttime Paving Mobilization - A Mobilization for Paving Charge of \$ may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is specified.
<u>Item M</u> -	Off Season Plant Opening @ for first day @ for each additional day
<u>Item N</u> -	Additional Heel-In Joints @per lineal foot
<u>Item O</u> -	Skip Paving Surcharge @per ton
<u>Item P</u> -	Mobilization for Profiling @ per SCO
<u>Item Q</u> -	Pavement Profiling (Milling), square yards per SCO
	Less than 250 @ per Sq. Yd. 250 less than 500 @ per Sq. Yd. 500 less than 1000 @ per Sq. Yd. 1000 less than 2500 @ per Sq. Yd. 2500 less than 5000 @ per Sq. Yd. 5000 and greater @ per Sq. Yd.
Item R -	Pilot Truck and Driver @ per day

DISTRICT FOUR

Trem 8 -	Traffic Control Devi @	per Unit
<u>Item T</u> -	Flagger @	per Hour
Item U -	Arrow Board @	per Day
Item V -	Rumble Strips @	per LF

DISTRICT FIVE

BID SCHEDU	LE (Continued)	
<u>Item A</u> -	Hot-Mix Asphalt Base I F.O.B. Vendor Plant per ton	@
Item B -	Hot-Mix Asphalt Base II (Patch & Level), or Wearing IV F.O.B. Vendor Plant per ton	@
Item C -	Hot-Mix Asphalt Wearing I (Scratch) F.O.B. Vendor Plant per ton	@
Item D -	Hot-Mix Asphalt Wearing III F.O.B. Vendor Plant per ton	@
Virginia I Standard : modified h 401 as spe	e above items shall be in a Department of Transportation Specifications Roads and Boy the current Supplemental acified in the SCO. Hot-Mix Asphalt Skid Resistant Pavement F.O.B. Vendor Plant	n, Division of Highways, ridges, Adopted 2000 as
Department Specificat	per ton item shall be in accordance of Transportation, Division ions Roads and Bridges, Ado t Supplemental Specification	on of Highways, Standard opted 2000 as modified by
	www. 1	•
Item F -	Hot-Mix Asphalt Plant Run F.O.B. Vendor Plant per ton	@
Item F -	Plant Run F.O.B. Vendor Plant per ton Haul by Vendor @ for fi	erst ton mile and such additional mile

DISTRICT FIVE

12. BID SCHEDULE (Continued)

Material placed under Item H shall be constructed in accordance with the Requirements of The West Virginia Department of Transportation, Division of Highways, Standard Specifications Roads and Bridges, Adopted 2000 as modified by the current Supplemental Specifications, Section 401 or 402 as specified in the SCO.

Item I -	Cleaning & Sweeping @per sq. yd.
<u>Item J</u> -	Bituminous Material for Tack Coat or Prime
_	All Types @per gallon
Section	furnished and applied under Item J to be in accordance with 408 of the referenced specifications, as directed by the Engineer/Manager.
Item K -	Daytime Paving Mobilization - A Mobilization for Paving Charge of \$ may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is not specified.
Item L -	Nighttime Paving Mobilization - A Mobilization for Paving Charge of \$may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is specified.
<u>Item M</u> -	Off Season Plant Opening @ for first day @ for each additional day
Item N -	Additional Heel-In Joints @per lineal foot
<u>Item O</u> -	Skip Paving Surcharge @per ton
<u>Item P</u> -	Mobilization for Profiling @ per SCO
<u>Item Q</u> -	Pavement Profiling (Milling), square yards per SCO
	Less than 250 @ per Sq. Yd. 250 less than 500 @ per Sq. Yd. 500 less than 1000 @ per Sq. Yd. 1000 less than 2500 @ per Sq. Yd. 2500 less than 5000 per Sq. Yd. 5000 and greater @ per Sq. Yd.
Item R -	Pilot Truck and Driver @ per day

DISTRICT FIVE

Item S -	Traffic Control Dev @	ices _ per Unit
Item T -	Flagger @	per Hour
<u>Item U</u> -	Arrow Board	per Day
<u>Item V</u> -	Rumble Strips @	per LF

DISTRICT SIX

12.	BID SCHEDUL	E (Continued)		
	Item A -	Hot-Mix Asphalt Base I F.O.B. Vendor Plant per ton	@	\$51.00
	Item B -	Hot-Mix Asphalt Base II (Patch & Level), or Wearing IV F.O.B. Vendor Plant per ton	@	\$55.00
	<u>Item C</u> -	Hot-Mix Asphalt Wearing I (Scratch) F.O.B. Vendor Plant per ton	@	\$59.50
	<u>Item D</u> -	Hot-Mix Asphalt Wearing III F.O.B. Vendor Plant per ton	@	\$66.00
	Virginia I Standard S modified b	e above items shall be i Department of Transportat Specifications Roads and Dy the current Supplement Cified in the SCO.	נוסח, D Brida	es, Adopted 2000 as
	Item E -	Hot-Mix Asphalt Skid Resistant Pavement F.O.B. Vendor Plant per ton	@ _	\$70.00
	Department	item shall be in accorda of Transportation, Divi ions Roads and Bridges, I t Supplemental Specificat	sion c Adopted	of Highways, Standard 2000 as modified by
	<u>Item F</u> -	Hot-Mix Asphalt Plant Run F.O.B. Vendor Plant per ton	@ _	\$56.00
	<u>Item G</u> -	Haul by Vendor @ \$1.30 for @ \$0.30 for	first each a	ton mile and additional mile
	<u>Item H</u> -	Lay down of Materials Items A thru E, Each Sit 0 to 100 tons @ 101 to 200 tons @ 201 to 500 tons @ 501 and up @	\$125.00 \$63.09 \$19.12 \$15.97	per ton per ton per ton per ton per ton

12. BID SCHEDULE (Continued)

Material placed under Item H shall be constructed in accordance with the Requirements of The West Virginia Department of Transportation, Division of Highways, Standard Specifications Roads and Bridges, Adopted 2000 as modified by the current Supplemental Specifications, Section 401 or 402 as specified in the SCO.

Section 401 or	1 402 GP 250011100 -11 1-11
<u>Item I</u> - Clear	ning & Sweeping @per sq. yd.
Item J - Bitum or	minous Material for Tack Coat Prime
All T	Types @\$3.32per gallon
Section 408 of District Engir	
Cha	ytime Paving Mobilization - A Mobilization for Paving arge of \$ \$935.00 may be made when the purchase order antity per paving location is less than 500 tons of the temperature to the temperature of the contract of the cont
Par pu 50	ghttime Paving Mobilization - A Mobilization for ving Charge of \$1,870.00 may be made when the rchase order quantity per paving location is less than tons of Hot-Mix Asphalt and nighttime paving is ecified.
<u>Item M</u> - Of	f Season Plant Opening @ \$6,000.00 for first day @ \$950.00 for each additional day
<u>Item N</u> - Ad	ditional Heel-In Joints @ \$11.93 per lineal foot
Item O - Sk	tip Paving Surcharge @per ton
Item P - Mo	obilization for Profiling @
<u>Item Q</u> - Pa	avement Profiling (Milling), square ards per SCO
25 50 10 25	### \$27.10 per Sq. Yd. 50 less than 500 @ \$16.67 per Sq. Yd. 50 less than 1000 @ \$14.83 per Sq. Yd. 50 less than 2500 @ \$6.96 per Sq. Yd. 50 less than 5000 @ \$3.23 per Sq. Yd. 50 less than 5000 @ \$3.23 per Sq. Yd. 50 and greater @ \$2.55 per Sq. Yd.

Item R - Pilot Truck and Driver
@ \$600.00 per day

12.	BID SCHEDULE (Continued)
	Item S - Traffic Control Devices @ \$2.57 per Unit
	<pre>Item T - Flagger @ \$52.00 per Hour</pre>
	Item U - Arrow Board @ No Bid per Day
	Item V - Rumble Strips @ No Bid per LF
	Vendor's Plant Location 412 S. 1st Street Martins Ferry, OH 43935

BID SCHEDU	LE (Continued)		
<u>Item A</u> -	Hot-Mix Asphalt Base I F.O.B. Vendor Plant per ton	@	\$51.00
<u> Item B</u> -	Hot-Mix Asphalt Base II (Patch & Level), or Wearing IV F.O.B. Vendor Plant per ton	@	\$55.00
<u>Item C</u> -	Hot-Mix Asphalt Wearing I (Scratch) F.O.B. Vendor Plant per ton	@	\$58.00
<u>Item D</u> -	Hot-Mix Asphalt Wearing III F.O.B. Vendor Plant per ton	@	\$64.00
Virginia Standard modified	ne above items shall be of Department of Transporta Specifications Roads and by the current Supplement scified in the SCO. Hot-Mix Asphalt Skid Resistant Pavement	tion, Di d Bridge ntal Spec	vision of Highway s, Adopted 2000 cifications, Secti
	F.O.B. Vendor Plant per ton	@	\$70.00
Departmen	item shall be in accord t of Transportation, Div tions Roads and Bridges, nt Supplemental Specifica	ision of Adopted	Highways, Standa 2000 as modified
<u>Item F</u> -	Hot-Mix Asphalt Plant Run F.O.B. Vendor Plant per ton	@	\$57.00
Item G -	<u> </u>		on mile and
	@ \$0.30 for	r each ad	ditional mile

12. BID SCHEDULE (Continued)

Material placed under Item H shall be constructed in accordance with the Requirements of The West Virginia Department of Transportation, Division of Highways, Standard Specifications Roads and Bridges, Adopted 2000 as modified by the current Supplemental Specifications, Section 401 or 402 as specified in the SCO.

Section 401	or 402 as specified in the boo.
<u>Item I</u> - Cl	eaning & Sweeping @per sq. yd.
<u>Item J</u> - Bi	tuminous Material for Tack Coat or Prime
Al	l Types @per gallon
Section 40	rnished and applied under Item J to be in accordance with of the referenced specifications, as directed by the gineer/Manager.
Item K -	Daytime Paving Mobilization - A Mobilization for Paving Charge of \$\square\$ system of \$\square\$ may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is not specified.
Item L -	Nighttime Paving Mobilization - A Mobilization for Paving Charge of $\$^{1,870.00}$ may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is specified.
<u>Item M</u> -	Off Season Plant Opening @ \$6,000.00 for first day @ \$950.00 for each additional day
Item N -	Additional Heel-In Joints @ \$11.93 per lineal foot
Item O -	Skip Paving Surcharge @per ton
Item P -	Mobilization for Profiling @ \$2,200.00 per SCO
Item Q -	Pavement Profiling (Milling), square yards per SCO
	Less than 250 @ \$27.10 per Sq. Yd. 250 less than 500 @ \$16.67 per Sq. Yd. 500 less than 1000 @ \$14.83 per Sq. Yd. 1000 less than 2500 @ \$6.96 per Sq. Yd. 2500 less than 5000 @ \$3.23 per Sq. Yd. 5000 and greater @ \$2.55 per Sq. Yd.

Item R - Pilot Truck and Driver

@ \$600.00 per day

12.	BID SCHEDULE (Continued)	
	<pre>Item S - Traffic Control @ \$2.57</pre>	Devices per Unit
	<pre>Item T - Flagger @ \$52.00</pre>	per Hour
	Item U - Arrow Board @_NoBid	per Day
	Item V - Rumble Strips @ No Bid	per LF
	Vendor's Plant Location	Old SR 7, CR 7F, Knox Twp. Empire, OH

DISTRICT SEVEN

BID SCHEDU	LE (Continued)	
Item A -	Hot-Mix Asphalt Base I F.O.B. Vendor Plant per ton	<i>.</i>
<u>Item B</u> -	Hot-Mix Asphalt Base II (Patch & Level), or Wearing IV F.O.B. Vendor Plant per ton	@
Item C -	Hot-Mix Asphalt Wearing I (Scratch) F.O.B. Vendor Plant per ton	@
Item D -	Hot-Mix Asphalt Wearing III F.O.B. Vendor Plant per ton	@
Virginia D Standard S modified b	e above items shall be in department of Transportation Specifications Roads and D by the current Supplementa cified in the SCO.	on, Division of Highways Bridges, Adopted 2000 as
<u>Item E</u> -	Hot-Mix Asphalt Skid Resistant Pavement F.O.B. Vendor Plant per ton	@
Department Specificat	item shall be in accordance of Transportation, Divisi ions Roads and Bridges, Ad t Supplemental Specification	ion of Highways, Standard opted 2000 as modified by
	Hot-Mix Asphalt Plant Run F.O.B. Vendor Plant per ton	@
Item G -	Haul by Vendor @ for f @ for e	irst ton mile and ach additional mile
Item H -	Items A thru E, Each Site 0 to 100 tons @	per ton per ton per ton per ton per ton per ton

DISTRICT SEVEN

12. BID SCHEDULE (Continued)

Material placed under Item H shall be constructed in accordance with the Requirements of The West Virginia Department of Transportation, Division of Highways, Standard Specifications Roads and Bridges, Adopted 2000 as modified by the current Supplemental Specifications, Section 401 or 402 as specified in the SCO.

Item I	C	Cleaning & Sweeping @per sq. yd.
Item J	- E	Bituminous Material for Tack Coat or Prime
	·A	ll Types @per gallon
Section	1 4	Furnished and applied under Item J to be in accordance with 08 of the referenced specifications, as directed by the Engineer/Manager.
<u>Item K</u>	-	Daytime Paving Mobilization - A Mobilization for Paving Charge of \$ may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is not specified.
Item L	***	Nighttime Paving Mobilization - A Mobilization for Paving Charge of \$ may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is specified.
Item M	•	Off Season Plant Opening @ for first day @ for each additional day
<u>Item N</u>	***	Additional Heel-In Joints @per lineal foot
<u>Item O</u>	-	Skip Paving Surcharge @per ton
<u>Item P</u>	•••	Mobilization for Profiling @ per SCO
<u>Item Q</u>	-	Pavement Profiling (Milling), square yards per SCO
	·	Less than 250 @ per Sq. Yd. 250 less than 500 @ per Sq. Yd. 500 less than 1000 @ per Sq. Yd. 1000 less than 2500 @ per Sq. Yd. 2500 less than 5000 per Sq. Yd. 5000 and greater @ per Sq. Yd.
Item R	-	Pilot Truck and Driver @ per day

DISTRICT SEVEN

Item S -	Traffic Control Dev @	ices _ per Unit
<u>Item T</u> -	Flagger @	per Hour
<u>Item U</u> -	Arrow Board	_ per_Day
Item V -	Rumble Strips @	per LF

DISTRICT EIGHT

BID SCHEDU	LE (Continued)	
Item A -	Hot-Mix Asphalt Base I F.O.B. Vendor Plant per ton	@
Item B -	Hot-Mix Asphalt Base II (Patch & Level), or Wearing IV F.O.B. Vendor Plant per ton	· · · · · · · · · · · · · · · · · · ·
<u>Item C</u> -	Hot-Mix Asphalt Wearing I (Scratch) F.O.B. Vendor Plant per ton	@
Item D -	Hot-Mix Asphalt Wearing III F.O.B. Vendor Plant per ton	@
Virginia I Standard S modified b	e above items shall be in Department of Transportation Specifications Roads and Epy the current Supplemental cified in the SCO.	on, Division of Highways, Bridges, Adopted 2000 as
Item E -	Hot-Mix Asphalt Skid Resistant Pavement F.O.B. Vendor Plant per ton	@
Department Specificat	item shall be in accordance of Transportation, Divisi ions Roads and Bridges, Add t Supplemental Specification	on of Highways, Standard opted 2000 as modified by
Item F -	Hot-Mix Asphalt Plant Run F.O.B. Vendor Plant per ton	@
Item G -		irst ton mile and ach additional mile
Item H -	Lay down of Materials	

DISTRICT EIGHT

BID SCHEDULE (Continued) 12.

Material placed under Item H shall be constructed in accordance with the Requirements of The West Virginia Department of Transportation, Division of Highways, Standard Specifications Roads and Bridges, Adopted 2000 as modified by the current Supplemental Specifications, Section 401 or 402 as specified in the SCO.

Item I -	Cleaning & Sweeping @per sq. yd.
Item J -	Bituminous Material for Tack Coat or Prime All Types @per gallon
Section	furnished and applied under Item J to be in accordance with 408 of the referenced specifications, as directed by the Engineer/Manager.
<u>Item K</u> -	Daytime Paving Mobilization - A Mobilization for Paving Charge of \$ may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is not specified.
Item L -	Nighttime Paving Mobilization - A Mobilization for Paving Charge of \$ may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is specified.
Item M -	Off Season Plant Opening @ for first day @ for each additional day
Item N -	Additional Heel-In Joints @per lineal foot
Item O -	Skip Paving Surcharge per ton
Item P -	Mobilization for Profiling @ per SCO
Item Q -	Pavement Profiling (Milling), square yards per SCO
	Less than 250 @ per Sq. Yd. 250 less than 500 @ per Sq. Yd. 500 less than 1000 @ per Sq. Yd. 1000 less than 2500 @ per Sq. Yd. 2500 less than 5000 @ per Sq. Yd. 5000 and greater @ per Sq. Yd.
Item R -	Pilot Truck and Driver @ per day

DISTRICT EIGHT

<u>Item S</u> -	Traffic Control Dev:	ices per Unit
Item T -	Flagger @	per Hour
<u>Item U</u> -	Arrow Board @	per Day
<u>Item V</u> -	Rumble Strips	

DISTRICT NINE

	LE (Continued)		
<u>Item A</u> -	Hot-Mix Asphalt Base I F.O.B. Vendor Plant per ton	@	
<u>Item B</u> -	Hot-Mix Asphalt Base II (Patch & Level), or Wearing IV F.O.B. Vendor Plant per ton	@	
Item C -	Hot-Mix Asphalt Wearing I (Scratch) F.O.B. Vendor Plant per ton	@	
Item D -	Hot-Mix Asphalt Wearing III F.O.B. Vendor Plant per ton	@	
Standard Smodified b	Department of Transportations Roads and Department Supplement Supplement Cified in the SCO. Hot-Mix Asphalt Skid Resistant Pavement F.O.B. Vendor Plant per ton	Bridges, Adopted 200	0 a
	FACT COTT		
Department Specificat	item shall be in accordant of Transportation, Divisions Roads and Bridges, A t Supplemental Specificati	sion of Highways, Star Adopted 2000 as modifie	idar
Department Specificat the curren	item shall be in accordant of Transportation, Divisions Roads and Bridges, A	sion of Highways, Star Adopted 2000 as modifie	idar
Department Specificat the curren Item F -	item shall be in accordant of Transportation, Divisions Roads and Bridges, At Supplemental Specificati Hot-Mix Asphalt Plant Run F.O.B. Vendor Plant per ton Haul by Vendor	sion of Highways, Star Adopted 2000 as modifie ions, Section 402.	idar

DISTRICT NINE

BID SCHEDULE (Continued) 12.

Material placed under Item H shall be constructed in accordance with the Requirements of The West Virginia Department of Transportation, Division of Highways, Standard Specifications Roads and Bridges, Adopted 2000 as modified by the current Supplemental Specifications, Section 401 or 402 as specified in the SCO.

<u>Item I</u> -	Cleaning & Sweeping @per sq. yd.
Item J -	Bituminous Material for Tack Coat or Prime
	All Types @per gallon
Section	furnished and applied under Item J to be in accordance with 408 of the referenced specifications, as directed by the Engineer/Manager.
<u>Item K</u> -	Daytime Paving Mobilization - A Mobilization for Paving Charge of \$ may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is not specified.
Item L -	Nighttime Paving Mobilization - A Mobilization for Paving Charge of \$may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is specified.
Item M	Off Season Plant Opening @ for first day @ for each additional day
<u>Item N</u> -	Additional Heel-In Joints @per lineal foot
<u>Item O</u> -	Skip Paving Surcharge @per ton
<u>Item P</u> -	Mobilization for Profiling @ per SCO
<u>Item Q</u> -	Pavement Profiling (Milling), square yards per SCO
	Less than 250 @ per Sq. Yd. 250 less than 500 @ per Sq. Yd. 500 less than 1000 @ per Sq. Yd. 1000 less than 2500 @ per Sq. Yd. 2500 less than 5000 @ per Sq. Yd. 5000 and greater @ per Sq. Yd.
Item R -	Pilot Truck and Driver @ per day

DISTRICT NINE

<u>ltem S</u> -	Traffic Control Dev	per Unit
<u>Item T</u> -	Flagger @	per Hour
<u>Item U</u> -	Arrow Board @	per Day
<u>Item V</u> -	Rumble Strips @	per LF

DISTRICT TEN

BID SCHEDU	LE (Continued)	
<u>Item A</u> -	Hot-Mix Asphalt Base I F.O.B. Vendor Plant per ton	@
<u> Item B</u> -	Hot-Mix Asphalt Base II (Patch & Level), or Wearing IV F.O.B. Vendor Plant per ton	@
Item C -	Hot-Mix Asphalt Wearing I (Scratch) F.O.B. Vendor Plant per ton	@
Item D -	Hot-Mix Asphalt Wearing III F.O.B. Vendor Plant per ton	@
Virginia I Standard ; modified l 401 as spe	e above items shall be in Department of Transportation Specifications Roads and Poy the current Supplemental cified in the SCO.	on, Division of Highways, Bridges, Adopted 2000 as
<u>Item E</u> -	Hot-Mix Asphalt Skid Resistant Pavement F.O.B. Vendor Plant per ton	@
Department Specificat	item shall be in accordance of Transportation, Divisi ions Roads and Bridges, Add t Supplemental Specification	on of Highways, Standard. Opted 2000 as modified by
Item F -	Hot-Mix Asphalt Plant Run F.O.B. Vendor Plant per ton	@
Item G -	Haul by Vendor @ for fi	irst ton mile and ach additional mile
<u>Item H</u> -	101 to 200 tons @	per ton per ton per ton per ton per ton per ton

DISTRICT TEN

12. BID SCHEDULE (Continued)

Material placed under Item H shall be constructed in accordance with the Requirements of The West Virginia Department of Transportation, Division of Highways, Standard Specifications Roads and Bridges, Adopted 2000 as modified by the current Supplemental Specifications, Section 401 or 402 as specified in the SCO.

<u> Item I</u> - Cl	eaning & Sweeping @per sq. yd.
	tuminous Material for Tack Coat
A	ll Types @per gallon
Section 40	arnished and applied under Item J to be in accordance with 8 of the referenced specifications, as directed by the agineer/Manager.
Item K -	Daytime Paving Mobilization - A Mobilization for Paving Charge of \$ may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is not specified.
Item L -	Nighttime Paving Mobilization - A Mobilization for Paving Charge of \$ may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is specified.
Item M -	Off Season Plant Opening @ for first day @ for each additional day
Item N -	Additional Heel-In Joints @per lineal foot
Item O -	Skip Paving Surcharge @per ton
Item P -	Mobilization for Profiling @ per SCO
Item Q -	Pavement Profiling (Milling), square yards per SCO
	Less than 250 @ per Sq. Yd. 250 less than 500 @ per Sq. Yd. 500 less than 1000 @ per Sq. Yd. 1000 less than 2500 @ per Sq. Yd. 2500 less than 5000 @ per Sq. Yd. 5000 and greater @ per Sq. Yd.
Item R -	Pilot Truck and Driver @ per day

DISTRICT TEN

Item S -	Traffic Control Dev	nces _ per Unit
Item T -	Flagger @	per Hour
Item U -	Arrow Board	_ ber men
***************************************	@	_ per Day
<u> Item V</u> -	Rumble Strips	
	@	_ per LF

VENDOR PREFERENCE CERTIFICATE

Certification and application* is hereby made for Preference in accordance with West Virginia Code, §5A-3-37. (Does not apply to construction contracts). West Virginia Code, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the West Virginia Code. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

1.	Application is made for 2.5% resident vendor p Bidder is an individual resident vendor and has resident ing the date of this certification; or,	oreference for the reason checked: ded continuously in West Virginia for four (4) years immediately preced-	
	Bidder is a partnership, association or corporation re business continuously in West Virginia for four (4) y ownership interest of Bidder is held by another indiv maintained its headquarters or principal place of the preceding the date of this certification; or.	esident vendor and has maintained its headquarters or principal place of years immediately preceding the date of this certification; or 80% of the yidual, partnership, association or corporation resident vendor who has business continuously in West Virginia for four (4) years immediately	
	Bidder is a nonresident vendor which has an affiliate	or subsidiary which employs a minimum of one hundred state residents cipal place of business within West Virginia continuously for the four (4) cation; or,	
2.	Application is made for 2.5% resident vendor problem is a resident vendor who certifies that, during working on the project being bid are residents of Weimmediately preceding submission of this bid; or,	preference for the reason checked: ing the life of the contract, on average at least 75% of the employees est Virginia who have resided in the state continuously for the two years	
3.	affiliate or subsidiary which maintains its headqua	num of one hundred state residents or is a nonresident vendor with an arters or principal place of business within West Virginia employing a ifies that, during the life of the contract, on average at least 75% of the nployees are residents of West Virginia who have resided in the state	
.4.	Application is made for 5% resident vendor pr Bidder meets either the requirement of both subdiv	eference for the reason checked: isions (1) and (2) or subdivision (1) and (3) as stated above; or,	
5.	Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the Nati and has resided in West Virginia continuously for the four years immediately preceding the date on which submitted; or,		
6.	Bidder is a resident vendor who is a veteran of the purposes of producing or distributing the commodition continuously over the entire term of the project, or	preference who is a veteran for the reason checked: United States armed forces, the reserves or the National Guard, if, for ies or completing the project which is the subject of the vendor's bid and average at least seventy-five percent of the vendor's employees are state continuously for the two immediately preceding years.	
require against or dedu	ements for such preference, the Secretary may order t such Bidder in an amount not to exceed 5% of the b acted from any unpaid balance on the contract or pur		
authorize the required deemed	zes the Department of Revenue to disclose to the Dire juired business taxes, provided that such information d by the Tax Commissioner to be confidential.	any reasonably requested information to the Purchasing Division and actor of Purchasing appropriate information verifying that Bidder has paid addess not contain the amounts of taxes paid nor any other information	
and ac	curate in all respects: and that if a contract is it	Code, §61-5-3), Bidder hereby certifies that this certificate is true ssued to Bidder and if anything contained within this certificate otify the Purchasing Division in writing immediately.	
Bidder:	*	Signed:	
Date:		Title:	
*Check a	any combination of preference consideration(s) indicated abo	ve, which you are entitled to receive.	

STATE OF WEST VIRGINIA Purchasing Division

PURCHASING AFFIDAVIT

VENDOR OWING A DEBT TO THE STATE:

West Virginia Code §5A-3-10a provides that: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

PUBLIC IMPROVEMENT CONTRACTS & DRUG-FREE WORKPLACE ACT:

If this is a solicitation for a public improvement construction contract, the vendor, by its signature below, affirms that it has a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the West Virginia Code. The vendor must make said affirmation with its bid submission. Further, public improvement construction contract may not be awarded to a vendor who does not have a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the West Virginia Code and who has not submitted that plan to the appropriate contracting authority in timely fashion. For a vendor who is a subcontractor, compliance with Section 5, Article 1D, Chapter 21 of the West Virginia Code may take place before their work on the public improvement is begun.

ANTITRUST:

In submitting a bid to any agency for the state of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the state of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the state of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the state of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership or person or entity submitting a bid for the same materials, supplies, equipment or services and is in all respects fair and without collusion or fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

LICENSING:

Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.

CONFIDENTIALITY:

The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in http://www.state.wv.us/admin/purchase/privacy/ noticeConfidentiality.pdf.

Under penalty of law for false swearing (West Virginia Code §61-5-3), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

Vendor's Name:	Lash Paving, Inc.				
Authorized Signature:	Inn Suils	David M. Lash	Date:	3-12-09	
Purchasing Affidavit (Revised 01.	/01/09)				