

DATE PRINTED

RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

TERMS OF SALE

Request for Quotation

709EC001

FREIGHT TERMS

ADDRESS CORRESPONDENCE TO ATTENTION OF

MICHAEL AUSTIN 304-558-2402

DIVISION OF HIGHWAYS

EQUIPMENT DIVISION ROUTE 33 BRUSHY FORK ROAD

MODZEA Middletown Tractor Sales 2345 Whitehall Blvd. Fairmont, WV 26554 BUCKHANNON, WV 26201 304-472-1750

SHIP VIA:

08/14/			30 Day	' S	Our Iruck		Destin			re-raid
BID OPENING DATE		09/03/	2008			BID	OPENING	TIME (11:	:30PM
LINE	QUAI	VIITY	UOP	CAT NO:	ITEM:NUMBER		บทา	TPRICE		AMOUNT
0001		1	EA		765-66			TO PAGE	19	FOR PRICING!
	DEMOUN	TABLE	ABRAS	IVE &	CHEMICAL S	PREAD	ER		***************************************	
				OPEN	END CONTRAC	T	·			
		VE & C	HEMIC	AL SP	ARD STRUCK (READER (SELI TIONS.				***************************************	
	STATE AT 10:	CAPITO 00 AM	L COM	PLEX, /28/0	ORY PRE-BID BUILDING 1! 8. FAILURE IN BID DIS	5, CO TO AT	NFERENCE TEND THE	ROOM, PRE-BII	0	
	CLOSE	OF BUS	INESS	(5:0	STIONS MUST O PM EST) OF PURCHASING ATTENTION 2019 WASH	N FRI G DIV MICH INGTO	DAY, 08/ ISION AEL AUST N ST. E.	'22/08. TIN	The manufacture of the state of	
		AIL: M		L.D.A	VIA FAX, EM/ USTINƏWV.GO	AIL,		AR MAIL.	•	
					ONSIBILITY CEIVED BY CA					RECEIVED
		T 0	1						0	8 SEP 29 AM 10: 05
	EXHIBI								Fl	JACHALIA LIMSION
	LIFE O	F CONT	RACT:	AND	S CONTRACT I EXTENDS FOR	A PE	RĮOD OF			STATE OF WV
				SEE RE	VERSE SIDE FOR TERMS		DITIONS			
SIGNATURE	le constant	7 C.		tu O O	TELES	PHONE 304	-366-4690) DATE	-	September 2008
TITLE		CFE	IN							O BE NOTED ABOVE
Sales Con	sultant		55-07	4-717	5					



Request for Quotation

709EC001

PAGE 2

ADDRESS CORRESPONDENCE TO ATTENTION OF MICHAEL AUSTIN

RFQ COPY

Middletown Tractor Sales

2345 Whitehall Boulevard Fairmont, WV 26554 (304) 366-4690 www.middletowntractor.com ØH-P-FO

DIVISION OF HIGHWAYS EQUIPMENT DIVISION ROUTE 33 BRUSHY FORK ROAD BUCKHANNON, WV 26201 304-4

304-558-2402

DATE PRINTEI	D TE	RMS OF SALE	SHIPVIA	FOB,	FREIGHTTERMS
08/14/2		30 Days	Our Truck	Destination	Pre-Paid
BID OPENING DATE:	09/03		BID	OPENING TIME 0	L:30PM
LINE	QUANTITY	UOP CAT NO	(TEM NUMBER	UNIT PRICE	AMOUNT
Y	EAR OR UNT	IL SUCH "RE	ASONABLE TIME" T	HEREAFTER AS IS	
N	ECESSARY T	O OBTAIN A	NEW CONTRACT OR	RENEW THE	
D	RIGINAL CO	NTRACT. TH	E "REASONABLE TI	ME" PERIOD SHALL	
N1	OT EXCEED	TWELVE (12)	MONTHS. DURING	THIS "REASONABLE	
Τ	IME" THE V	ENDOR MAY T	ERMINATE THIS CO	NTRACT FOR	
			THE DIRECTOR OF	PURCHASING	
11	HTKIA (20)	DAYS WRITT	EN NOTICE.		
111	NIESS SPEC	TETC PROVIS	IONS ARE STIPULA	TEN IN TUIC	
Ci	DNTRACT DO	UMENT, THE	TERMS, CONDITIO	NS. AND PRICING	
SE	ET HEREIN A	ARE FIRM FO	R THE LIFE OF TH	E CONTRACT.	
RE	ENEWAL: Th	IS CONTRAC	T MAY BE RENEWED	UPON THE MUTUAL	
Wi	RITTEN CONS	SENT OF THE	SPENDING UNIT A	ND VENDOR,	
St.	NAC GOLUG JAN	I HE DIKEC	TOR OF PURCHASIN	G THIRTY (30) CH RENEWAL SHALL	
RE	TN ACCORT	VANCE MITTU	THE TERMS AND CO	UN KENEWAL SHALL	
OF	RIGINAL CON	TRACT AND	SHALL BE LIMITED	NDITIONS OF THE	
) YEAR PER			10 110 (2) 5112	
İ					
CA	NCELLATION	: THE DIRE	ECTOR OF PURCHAS	ING RESERVES THE	
RI	GHT TO CAN	CEL THIS C	ONTRACT IMMEDIAT	ELY UPON WRITTEN	
NC	TICE TO TH	E VENDOR IF	THE COMMODITIE	S AND/OR SERVICES	
9 U	TH THE COE	OF AN INFE	ERIOR QUALITY OR	DO NOT CONFORM CONTRACT HEREIN.	
**	THE STE	CILICALIONS	S OF IUC PID WAN	CUNIKACI HEKEIN.	
OP	EN MARKET	CLAUSE: TH	IE DIRECTOR OF P	URCHASING MAY	
AU	THORIZE A	SPENDING UN	IT TO PURCHASE	ON THE OPEN	
MA	RKET, WITH	OUT THE FIL	ING OF A REQUIS	ITION OR COST	
ES	TIMATE, IT	EMS SPECIFI	ED ON THIS CONT	RACT FOR IMME-	
bī	ATE DELIVE	RY IN EMERG	SENCIES DUE TO U	NFORESEEN CAUSES	
UD (T	MCTONING B	CIDATED THE	TED TO DELAYS I	TRANSPORTATION	
UK	WH DIMMINIT	CILAICD THE	REASE IN THE VO	LUME UP WURK).	,
้ฉบ	ANTITIES:	QUANTITIES	LISTED IN THE	REQUISITION ARE	
AP	PROXIMATIO	NS DNLY, BA	SED ON ESTIMATES	SUPPLIES BY TH	
			ERSE SIDE FOR TERMS AND CON		
GNATURE ///	2 - () ×		TELEPHONE	DITIONS DATE	
TLE /		othill			September 2008
Sales Cons	ultant	55-0747175	5	ADDRESS CHANGES	TO BE NOTED ABOVE



TERMS OF SALE

Request for Quotation

SHIP VIA

RFQ NUMBER 709EC001

ADDRESS CORRESPONDENCE TO ATTENTION OF

MICHAEL AUSTIN 304-558-2402

DATE PRINTED

RFQ COPY

Middletown Tractor Sales

2345 Whitehall Boulevard Fairmont, WV 26554 (304) 366-4690 www.middletowntractor.com

DIVISION OF HIGHWAYS **EQUIPMENT DIVISION** ROUTE 33 **BRUSHY FORK ROAD** BUCKHANNON, WV 26201 304-472-1750

> F.O.B, FREIGHT TERMS

08/14/2008	Net 30 Days	Our Truck	Destination	Pre-Paid
BID OPENING DATE:	09/03/2008	BID O	PENING TIME 01	:30PM
LINE QUA	NTITY UOP CAT NO.	ITEM NUMBER	UNITPRICE	AMOUNT
THE CO	NTRACT SHALL COVED FOR DELIVERY D	IT IS UNDERSTOOD A ER THE QUANTITIES URING THE TERM OF HAN THE QUANTITIES	ACTUALLY CONTRACT,	
WRITTE FOR CO WV-35 OF THE AND EN BE RET	EN EQUIPMENT CONTO DMMODITIES COVERE MUST BE SENT TO E DEPARTMENT OF A CUMBRANCE, ONE C URNED TO THE SPE	PENDING UNIT(S) SI RACT ORDER (FORM I D BY THIS CONTRACT THE PURCHASING DIV DMINISTRATION. AI OPY OF THE PURCHASING UNIT AND ONE S AUTHORIZATION FO	NUMBER WV-35) T. THE QRIGINAL VISION FTER APPROVAL SE ORDER WILL E COPY FOR-	
NO ORD BY THE BANKRU	PER IS VALID UNLE PURCHASING DIVI	SS APPROVED AND E	NCUMBERED NTRACTOR FILES	
CALLY ORDER. REV. 9		ND IS TERMINATED V	WITHOUT FURTHER	
EXHIBI	Т 6			
THE ST CONTAI ORIGIN SUCH P MOVEME IS BAS RAW MA	N PROVISIONS FOR AL EXPIRATION OF RICE ADJUSTMENT ON THE COMMODIST OF A FERIALS AND/OR LANTIAL PART OF A	INIA WILL CONSIDER PRICE ADJUSTMENTS THE CONTRACT, PROCOVERS BOTH UPWARD THE PRICE, AND THE THROUGH INCREASE ABOR, WHICH MAKE UPRODUCT. ADJUSTME	S PRIOR TO THE DVIDED THAT D AND DOWNWARD AT ADJUSTMENT OR DECREASE OF JP ALL OR A ENTS ARE TO BE	
SIGNATURE /		ERSE SIDE FOR TERMS AND CONDI-		
1 hours	Chattille	TELEPHONE 304-	366-4690 720	September 2008
Sales Consulta		.75		TO BE NOTED ABOVE



Request for Quotation

709EC001

· PA	\GE⊹ <u></u>
	4

ADDRESS CORRESPONDENCE TO ATTENTION OF

MICHAEL AUSTIN 304-558-2402

MODZMA

RFQ COPY

Middletown Tractor Sales

2345 Whitehall Boulevard Fairmont, WV 26554 (304) 366-4690 www.middletowntractor.com DIVISION OF HIGHWAYS **EQUIPMENT DIVISION** ROUTE 33 BRUSHY FORK ROAD BUCKHANNON, WV 26201

DATE PRINTED	TI.		SHIP VIA	FOB	FREIGHT TERMS
08/14/2008		30 Days	Our Truck	Destination	Pre-Paid
BID OPENING DATE:	09/03	AND DESCRIPTION OF THE PROPERTY OF THE PARTY	BID	OPENING TIME O	1:30PM
LINE	QUANTITY	UOP CAT NO	ITEM NUMBER	UNITPRICE	AMOUNT
BASE	D UPON	AN ACTUAL D	OLLAR FIGURE, NO	T Δ PERCENTAGE	
ALL	PRICE A	DJUSTMENT R	EQUESTS MUST BE	SUBSTANTIATED IN	
A MA	INNER AC	CEPTABLE TO	THE DIRECTOR PU	RCHASING, E.G.	
GOVE	RNMENTA	L BENCH MAR	KS, GENERAL MARK	ET INCREASE,	,
PUBL	ISHED P	RICE LISTS.	SUCH REQUESTS	FOR AND INCREASE	
			WRITING BY THE D	IRECTOR OF OF THE EFFECTIVE	_
			ANY TIME THE VE		
PRIC	E ADJUS	TMENT, THE	PURCHASING DIVIS	ION MAY FITHER	
ACCE	PT THE I	PRICE ADJUS	TMENT AND AMEND	THE CONTRACT	
ACCO	RDINGLY	OR REJECT	THE ADUSTMENT IN	ITS ENTIRETY	
AND	CANCEL '	THE CONTRAC	Т.		
EXHT	BIT 10				
- 7111	DI, 10	77			
			REQUISITION	NO.: 709EC001	
ADDE	NDUM ACK	MOMPEDGEME	NT		
T 115	DEBY ACE	NOW FROM D			
ADDE	KEDT AUD NDUM(C)	WAND HAVE W	ECEIPT OF THE FO	LLOWING CHECKED Y REVISIONS TO MY	
PROP	OSAL, PL	ANS AND/OR	SPECIFICATION,	T REVISIONS TO MY FTC.	
				_, _,	
ADDE	ирим мо.	'S:			
ļ	1 ^X	!			
NO.		••			
NO.	2				
-	_				
NO. :	3	[]			
Manus	X			X	
NO.	4 X	• •			
No.	5	***************************************			
SIGNATURE () 1 2 3	······································	entra de la constitución de la c	ERSE SIDE FOR TERMS AND CON	DMONS 1-366-4690 DATE	
TITLE // // S	<u> 20/ (</u>	attil O	> 1 304	-366-4690 DATE	20 September 2008
Sales Cons	ultant	55-074-717	75	ADDRESS CHANGES	TO BE NOTED ABOVE



MOCAMA

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

709EC001

PAGE 5

ADDRESS CORRESPONDENCE TO ATTENTION OF MICHAEL AUSTIN
304-558-2402

RFQ COPY

TY' Middletown Tractor Sales

2345 Whitehall Boulevard Fairmont, WV 26554 (304) 366-4690 www.middletowntractor.com DIVISION OF HIGHWAYS
EQUIPMENT DIVISION
ROUTE 33
BRUSHY FORK ROAD
BUCKHANNON, WV
26201 304-

DATE PRINTED	TERMS OF SALE	SHIP VIA	FOB	FREIGHTTERMS
08/14/2008	Net 30 Days	Our Truck	Destination	Pre-Paid
BID OPENING DATE:	09/03/2008	BID	OPENING TIME 0	1:30PM
I UNDE	NITTY UOP CAT NO ERSTAND THAT FAIL			AMOUNT E
	OUM(S) MAY BE CAU R MUST CLEARLY UN			
	SENTATION MADE OR			
	DISCUSSION HELD B NY STATE PERSONNE			will be a second
INFORM	MATION ISSUED IN	WRITING AND ADDE	D TO THE	
SPECIF	FICATIONS BY AN O	FFICIAL ADDENDUM	IS BINDING.	
		sı	GNATURE	
			Tractor Sales MPANY	•
		20 Septembe	r 2008	
		DA	TE	
REV. 1	1/96		•	
}	VENDOR PR	EFERENCE CERTIFI	CATE	
	ICATION AND APPL			
	RENCE IN ACCORDAN 57 (DOES NOT APPL			
j.	PLICATION IS MAD	E FOR 2.5% PREFE	RENCE FOR THE	
	BIDDER IS AN IND			
	SIDED CONTINUOUS ARS IMMEDIATELY			- In the second
(4) TE				
SIGNATURE ()		FOR TERMS AND CON TELEPHONE	DATE	
TITLE / No. CO.	Co Chill	304-3		September 2008 TO BE NOTED ABOVE
Sales Consult				



Request for REGNUMBER Quotation

709EC001

PAGE	3
6	

ADDRESS CORRESPONDENCE TO ATTENTION OF MICHAEL AUSTIN 304-558-2402

RFQ COPY

T Middletown Tractor Sales

2345 Whitehall Boulevard Fairmont, WV 26554 (304) 366-4690

www.middletowntractor.com

DIVISION OF HIGHWAYS **EQUIPMENT DIVISION** ROUTE 33 BRUSHY FORK ROAD BUCKHANNON, WV 26201

08/16/2008		HMS OF SALE t 30 Days	SHP VIA Our Truck	FOR Destination	FREIGHTTERMS Pre-Paid
08/14/2008 BID OPENING DATE:	09/03/			<u>.i</u>	
[2003]	JANTITY	UOP CA			1:30PM
CINC Q	// N. 1. 1	NO NO		UNITPRICE	AMOUNT
CERTI	FICATIO	N; OR	1		
	-				
(X)	BIDDER	IS A PA	RTNERSHIP, ASSOCIA	TION OR CORPORA-	
MOTI	EBC UD. KESTNEV	PRINCIPA	AND HAS MAINTAINE L PLACE OF BUSINES	ED LIS HEAD-	
			UR (4) YEARS IMMED		
			TIFICATION; OR 80%		
INTER	EST OF	BIDDER I	S HELD BY ANOTHER	INDIVIDUAL.	' [
PARTN	ERSHIP,	ASSOCIA	TION OR CORPORATIO	N RESIDENT VENDO	R
н оны	AS MAIN	TAINED I	TS HEADQUARTERS OF	PRINCIPAL PLACE	
OF BU	SINESS	CONTINUO	USLY IN WEST VIRGI	NIA FOR FOUR (4)	}
			ECEDING THE DATE C	F THIS	
CEKII	FICATIO	N; UK			-
()	BIDDER	IS A CO	RPORATION NONRESID	ENT VENDOR	
	HAS AN	AFFILIA	TE OR SUBSIDIARY W	HICH EMPLOYS	**************************************
A MIN	IMUM OF	DNE HUNI	DRED STATE RESIDEN	TS AND WHICH	
HAS M	AINTAIN	ED ITS HE	EAQUARTERS OR PRIN	CIPAL PLACE OF	
BUSIN	ESS WIT	HIN WEST	VIRGINIA CONTINUO	USLY FOR THE	
			TATELY PRECEDING T	HE DATE OF THIS	
CERII	FICATIO	N .			
В. А	PPITCAT	TON IS MA	NDE FOR 2.5% PREFE	DENCE END THE	
	N CHECK	;	LE TOR 2.5% TREFE	RENCE FOR THE	
,,,,,,,					
(_X)	BIDDER	IS A RES	SIDENT VENDOR WHO	CERTIFIES THAT,	
DUŔIN	G THE L	IFE OF TH	IE CONTRACT, ON AV	ERAGE AT LEAST	
75% 0	F THE E	MPLOYEES	WORKING ON THE PR	OJECT BEING BID	
ARE R	ESIDENT	S OF WEST	VIRGINIA WHO HAV	E RESIDED IN	
			Y FOR THE TWO YEADF THIS BID;	RS IMMEDIATELY	
DR	DING 20	DUITOOTUN	ol iuto Rin!		
()	BIDDER	IS A NON	RESIDENT VENDOR E	MPI DYTNE A	***************************************
MINIM	UM OF O	NE HUNDRE	D STATE RESIDENTS	OR IS A	
NONRE:	SIDENT	VENDOR WI	TH AN AFFILIATE O	R SUBSIDIARY	
Мнісн	MAINTA	иѕ і⊤ѕ н	EADQUARTERS OR PR	INCIPAL PLACE	
L		SEF	REVERSE SIDE FOR TERMS AND COM	IDITIONS	1
SIGNATURE /			TELEPHONE	DATE	
TILE SOLLED		ellille		l l	September 2008
Sales Consult	ant	55-074-	7175	ADDRESS CHANGES	TO BE NOTED ABOVE



Request for Quotation

709EC001

PAGE 7

ADDRESS CORRESPONDENCE TO ATTENTION OF

MICHAEL AUSTIN 304-558-2402

T' |

RFQ COPY

T' Middletown Tractor Sales

2345 Whitehall Boulevard Fairmont, WV 26554 (304) 366-4690 www.middletowntractor.com DIVISION OF HIGHWAYS
EQUIPMENT DIVISION
ROUTE 33
BRUSHY FORK ROAD
BUCKHANNON, WV
26201 304-4

DATE PRINTED	ΤEI	RMS OF SALE	SHIP VIA	FOB	FREIGHTTERMS
08/14/2008		30 Days	Our Truck	Destination	Pre-Paid
BID OPENING DATE:	09/03/		BID	OPENING TIME O	1:30PM
LINE	YTITVAUK	UOP CAT	ITEM NUMBER	UNITPRICE	AMOUNT
			T WINGTHIA EMPLO	VINO A MINIM	
• .		1 1	T VIRGINIA EMPLO ESIDENTS WHO CER		
			CONTRACT, ON AV		
			R BIDDERS' AFFIL		
			ARE RESIDENTS D		
			E STATE CONTINUO		
YEAR	S IMMEDI	ATELY PREC	EDING SUBMISSION	OF THIS BID.	
			THE SECRETARY OF		
1		1 1	ER RECEIVING PRE		
			MEET THE REQUIRE		
			ARY MAY ORDER TH		
			SCIND THE CONTRA SSESS A PENALTY		
			T TO EXCEED 5% 0		
		3	WILL BE PAID TO		Miles and a second
			M ANY UNPAID BAL		
		PURCHASE O			
			CERTIFICATE, BID		
, ,		1 1	Y REQUESTED INFO		
I I		; !	D AUTHORIZES THE		***************************************
			CLOSE TO THE DIR		
			INFORMATION VER QUIRED BUSINESS		To the state of th
			DOES NOT CONTAIN		
			ER INFORMATION D		
			FIDENTIAL.	`\	
UNDE	R PENALT	Y OF LAW F	OR FALSE SWEARIN	G (WEST VIRGINIA	
			EREBY CERTIFIES		
			D ACCURATE IN AL		
THAT	IF A CO	NTRACT IS	ISSUED TO BIDDER	AND IF ANYTHING	
			CERTIFICATE CHAN		
			BIDDER WILL NOTI WRITING IMMEDIA		
FURC	INSTIAN D	TATOTON TH	MUTITUD THREDIA	ծ ետ ետ	
		SEE RE	VERSE SIDE FOR TERMS AND CON		
SIGNATURE	0a./	100	TELEPHONE 4-	366-4690 DATE	20 September 2008
TITLE Sales Consul	tant FE	55-074-71	75		S TO BE NOTED ABOVE
	DONDING:			MODAGE ABOVE LABELL	



Request for Quotation 709EC001

****************	*******			اجتملت ماسب	
70	9 E	CO	0	1	

⊗ PAGE ⊗	4
8	

ADDRESS CORRESPONDENCE TO A TENTION OF: MICHAEL AUSTIN 304-558-2402

RFQ COPY

Middletown Tractor Sales

2345 Whitehall Boulevard Fairmont, WV 26554 (304) 366-4690 www.middletowntractor.com DIVISION OF HIGHWAYS **EQUIPMENT DIVISION** ROUTE 33 BRUSHY FORK ROAD BUCKHANNON, WV 26201

DATE PRINTE		N ~ F	msorsa 30 Day		SHIP		FOB		FREIGHT TERMS	
D8/14/2 BID OPENING DATE:		9/03/		7.5	Our Truck		Destination OPENING TIME 0		Pre-Paid 1:30PM	
NO. 1000 000 1000 1000 1000 100			600 000 0000	CAT			ESCRETATION OF THE PROPERTY OF			
LINE	QUAN	III Y	UOP	CAT NO	ITEM NI	JMBER	UNIT PRICE		AMOUNT	
				BIDDE		letown Tr	actor Sales			
				DATE:		eptember	2008			
				SIGNE	D: - Sta	lly d	l othe	220	>	
				TITLE	Sale:	s_Consult	ant			
II AI M	N EITH RE ENT	ER "A ITLED 5% P	"OR TOR	"B", ECEIV	OR BOTH '	'A" AND 'AY REQU	CONSIDERATION "B" WHICH YOU EST UP TO THE "B".			
				нот				The state of the s		
A					UBMITTED			And and Property of the Control of t	The state of the s	
	PU BU 20	RCHAS ILDIN 19 WAS	ING D G 15 SHING	IVISI TON S	INISTRATI ON TREET, EA 5305-0130	\ST .		***************************************		
					THIS INF		N ON THE FACE SIDERED:	OF		
SE	EALED	BID	1							
Вц	JYER:				33					
SIGNATURE / //) <u> </u>				ERSE SIDE FOR T	ERMS AND CON	DITIONS	DATE		
////	700C	4./_	elly	tto_		304	-366-4690	20	September 2008	
me Sales Cons	uItant	FEI	[™] 55-	074-71	L75				O BE NOTED ABOVE	



Request for Quotation

RFQ NUMBER 709EC001

ADDRESS CORRESPONDENCE TO ATTENTION OF

MICHAEL AUSTIN 304-558-2402

RFQ COPY

Middletown Tractor Sales 2345 Whitehall Boulevard Fairmont, WV 26554 (304) 366-4690

www.middletowntractor.com

DIVISION OF HIGHWAYS SHIP **EQUIPMENT DIVISION** ROUTE 33 BRUSHY FORK ROAD BUCKHANNON, WV 26201

08/14/	AND CONTRACTOR OF THE		MS OF SA		Our Truck		FOB Destination	Pre-Paid
BID OPENING DATE:		09/03/		·		BID O	PENING TIME	01:30PM
LINE	QUAN	PTOT	UOP	CAT NO	ITEM NUMBE	R .	UNITPRIÇE	AMOUNT
		id talling id ad sing a fill of the last o					kasiki lekindi padakan di daren da pengangan berakan berakan da baran barah barah da baran barah barah barah b	
]		~			700000			
	RFQ. N	U.:			709EC00	1		
	BID OP	ENING	DATE:		09/03/2	800		
	BID OP	ENING	TIME:		1:30 PM			
				i		***************************************		
 -	PLEASE	PROVI	DE A	FAX N	UMBER IN CA NG YOUR BID	SE IT	IS NECESSARY	
	IO COM	IACI T	UU KE	RAKDI	304-366-469	1		
	***	~			304-300-407	2	the total total time rune with some time time some was	
	CONTAC	T PERS	ON (P	LEASE	PRINT CLEA	RLY):		
			_ , , , , ,		Phillip A.	I	le	

***************************************						***************************************		
								Refer to page
 	*****	THIS	IS T	HE EN	D OF RFQ	709EC00	01 ***** 107	TAL: 19 for pricing
					1			
<u> </u>					•			
į								
l de la companya de l								To the second se
*horeververververververververververververve								
***************************************		j						
ner tempering								The state of the s
			استرز	SEE HEV	ERSESIDE FOR TERM			
SIGNATURE	Zn	7./	- ch	TO DE	> TELE	PHONE 304-36	66-4690	DATE 20 September 2008
ma Sales Cor	nsultan	t H	55-	074-71	75		ADDRESS CHA	NGES TO BE NOTED ABOVE

WEST VIRGINIA DEPARTMENT OF TRANSPORTATION DIVISION OF HIGHWAYS EQUIPMENT DIVISION

PROCUREMENT SPECIFICATIONS NO. 011-1-H

2.3 CUBIC YARD STRUCK CAPACITY DEMOUNTABLE ABRASIVE AND CHEMICAL SPREADER (SELF CONTAINTED)

1.0 PURPOSE

It is the purpose of these specifications to describe a 2.3 Cubic Yard Struck Capacity Demountable Abrasive and Chemical Spreader (Self Contained) (hereinafter referred to as a "spreader" or a "unit") to be purchased for use by the West Virginia Division of Highways (DOH) on an Open End Contract basis.

2.0 BIDDING PROCEDURES

The current purchasing procedures regarding bidding as established by the Department of Administration, Purchasing Division, shall apply. Failure to submit the "Request for Quotation" forms, complete in its entirety and according to directions indicated, may subject the bidder to disqualification. Each bid submitted shall also be accompanied by a Bidder's Evaluation Report completed in detail. Addendums in order, along with exception sheets, should be with Bidder's Evaluation Report. FAILURE TO SUBMIT THE BIDDER'S EVALUATION REPORT, COMPLETE IN ITS ENTIRETY, MAY RESULT IN AUTOMATIC DISQUALIFICATION.

3.0 SPECIFICATIONS

The specifications named herein, mandatory and non-mandatory, establish the acceptable level of quality only and are not intended to reflect a preference or favor any particular brand or vendor.

3.1 EXCEPTIONS TO NON-MANDATORY SPECIFICATIONS

Exception to a non-mandatory unit specification may be made by the bidder, providing the exception is not available from the manufacturer. Any such exception must be noted on the bidder's evaluation report and should be accompanied by supporting documentation/literature from the manufacturer. Any exception must be indicated on a separate attachment to the bidder's evaluation report and labeled as "Exception to Specifications". The state reserves the right to determine whether the stated exception does or does not reduce the quality and performance of the unit. Failure to provide information for any exceptions may be grounds for rejection of the bid. The state reserves the right to waive minor irregularities in bids or specifications in accordance with §148-1-4(f) of the WV Legislative Rules and Regulations.

11

3.2 MANDATORY SPECIFICATIONS

All specifications preceded by "shall, will, and/or must" or are stated as a "minimum and/or maximum" are mandatory as stated in Purchasing Divisions Policies and Procedures. Any bid failing to meet any mandatory item shall be immediately disqualified. Failure to respond in the appropriate evaluation section may also be grounds for immediate disqualification at the discretion of the State.

A mandatory pre-bid conference is scheduled for this equipment purchase as stated in the RFQ. Vendors having products with variations or exceptions in specified mandatory items are expected to address any such variations or exceptions during the pre-bid conference. The State shall review and consider any such variation or exception, and may at its sole discretion, issue an addendum to change mandatory specifications deemed to be in the State's best interest. Bids from any vendor failing to attend the mandatory pre-bid shall be disqualified. Bids containing any variation or exception to a mandatory specification that was not addressed during the pre-bid conference and accepted by the issuance of an Addendum shall be disqualified

4.0 REPRESENTATIVE UNIT FOR TEST

The successful vendor must (if specified) provide DOH one (1) completed representative unit to be observed and evaluated on each order to insure compliance with specification. If requested, the time period for testing and evaluation shall be seven (7) working days following receipt of the unit. DOH will incur no obligation for deterioration of surfaces, finishes, seals, and mechanical or electrical parts on the unit resulting from operation and testing within the limits of these specifications; nor will DOH incur obligation for damage to the unit resulting from failure to meet specifications when due care and attention is given by DOH and testing is done within the limits of these specifications. Failure of the pilot unit to satisfactorily meet specifications as bid shall be cause for cancellation of the purchase order, and return of the delivered unit along with all associated equipment to the vendor at the vendor's expense.

4.1 CONDITION OF UNIT(S) UPON DELIVERY

All units must arrive at the prescribed delivery point having been completely preserviced with oil, lubricants, and coolant. All prescribed precautions pertaining to first operations and break-in of the unit are to be posted conspicuously on the unit for ready observance by the operator.

4.2 DELIVERY

Delivery point of the completely assembled representative unit will be the DOH, Equipment Division, Route 33 at Brushy Fork Road, Buckhannon, West Virginia (26201).

The vendor is responsible for guaranteeing delivery of the completed units within the time specified and agreed to by the State. Delivery is preferred within 45 days after receipt of purchase agreement. The vendor is responsible for establishing and coordinating delivery terms with allied manufacturers or suppliers. Delivery terms shall be stated in the bid and the State reserves the right to accept or negotiate such terms. Failure to reach an agreement may result in rejection of the bid. The successful bidder shall provide their manufacturer's confirmation of the order to the WVDOH

A completed pilot model for inspection must be provided within 60 calendar days after receipt of the purchase agreement by the successful vendor.

Delivery is an integral part of this specification and failure to comply will be cause to initiate a D.O.T. Administrative Form WV-82, Vendor Performance Form. The WV-82 Form will provide a means of officially notifying the Purchasing Division and the vendor of unsatisfactory performance; such as late deliveries, poor service, inadequate parts supplies, etc.

The decision to initiate subject Form will be at the sole discretion of the D.O.H. Commissioner's established Equipment Review Board

Issuance of the WV-82 Vendor Complaint Form on unsatisfactory delivery against any vendor will be cause to refuse to consider similar items from those vendors on future Request For Quotations.

(NOTE: Delivery time could be altered due to labor strikes, severe inclement weather conditions, etc.)

- 5.0 AWARD CRITERIA
- DOH will recommend the award in accordance with the RFQ evaluation criteria described in the requisition. The award shall be made to the lowest unit cost vendor that meets or exceeds the specifications.

Prices for the units shall be in quantities of 1-10, 11-20, 21-50, and 51 and over. However, for evaluation purposes, we will use quantities 1-10. DOH reserves the right to place multiple orders in any quantity.

- 6.0 SPECIFICATIONS AND GUIDELINES GENERAL
- 6.1 IDENTIFICATION OF THE UNIT BEING PROPOSED

The bidder must identify the unit by manufacturer, model, series, and year of manufacture, in the bid to enable identification by DOH in the manufacturer's specifications of the proposed unit. The bidder will submit complete descriptive literature of the proposed unit, to establish that the bid is the manufacturer's most current model, including latest engineering improvements, which have been, or will imminently be, regularly advertised and sold on the open market. The unit specified herein and

offered to be manufactured after January 1, 2008 and be clearly identified and marked with date of manufacture.

OPERATING AND SERVICE MANUALS AND PARTS LISTS
An operator's manual must be included with each unit upon delivery. A "line sheet" (if applicable) and Equipment Preventative Maintenance Questionnaire (as shown in X6.2 of the Bidder's Evaluation Report) must be with pilot unit upon delivery. In addition, there must be 12 service, shop, or maintenance manuals; ten (10) to be distributed to the Districts and two (2) for the Equipment Division. Also,

there must be 14 parts manuals; ten (10) to be distributed to the Districts and four (4) for Equipment Division use. CD ROM is preferred in lieu of parts manuals.

* NOTE: MANUALS SHALL BE DELIVERED UPON COMPLETION OF DELIVERY OF TOTAL UNITS. FAILURE TO DO SO WILL DELAY PAYMENT.

6.3 TRAINING:

13

Manufacturers and/or dealers will be required to stage a thorough seminar on the subjects of Preventative Maintenance, Operator and Mechanic Training. In order to keep the operators and mechanics updated, the successful vendor shall conduct training with each purchase order against this open end contract. Training is preferred within 2 working days after delivery of the pilot unit on the individual purchase order.

Manufacturers and/or dealers shall be required to furnish the Training Academy with one (1) Operator's Manual to be shipped direct to WVDOH Training Academy, Post Office Box 610, Buckhannon, West Virginia 26201 prior to delivery of the pilot.

The seminar to be held at the W. Va. Division of Highways, Equipment Division, Buckhannon, West Virginia.

6.4 PREVENTIVE MAINTENANCE AND OPERATOR PROCEDURES:

Manufacturers and/or dealers will be required to submit to the Equipment Division, in addition to the operating and service manuals, booklets and pamphlets explaining the Preventive Maintenance and Operator Procedures to be used by the operators of this equipment, and must include such things as daily prestart inspection procedure, service schedule, and routine maintenance required, safety precautions, etc.

The successful vendor shall furnish all training aids; i.e., videos, projectors, etc. required in conducting the training.

6.5 WARRANTY AND SERVICE POLICY

The Manufacturers warranty or service policy is to apply to the unit. Such warranty or service policy is to be recognized at any authorized unit dealer, representing manufacturer of proposed unit throughout the State of West Virginia. The applicable warranty or service policy will not be contingent upon obtaining routine service, lubrication, and servicing of the unit from factory authorized agencies. It will be the responsibility of the bidder to have available labor to repair or replace any defective replacement parts, components and materials, and to have available those replacement parts, components, and/or materials found to be defective during the terms of the warranty period. The bidder should state the labor rates, locations where parts will be stocked, availability of parts, and discounts offered for parts, when terms of the warranty offer a pro-rated cost for parts and labor. In addition, the successful bidder should offer field work to repair or replace defective parts, components, and materials found to be defective during the terms of the warranty and should provide mechanic's travel rates, mileage charges, field mechanic rates, and any surcharge for miscellaneous items, if applicable, for field work during the warranty period. Submit to Division of Highways

A mandatory minimum two (2) year bumper to bumper basic parts and labor warranty excluding abuse and normal wear items is required for this unit.

THE "WARRANTY AND SERVICE POLICY QUESTIONNAIRE" ATTACHED IN THE BIDDER'S EVALUATION REPORT MUST BE COMPLETED IN ITS ENTIRETY BY THE SUCCESSFUL BIDDER OR MANUFACTURER PRIOR TO DELIVERY OF THE PILOT MODEL. (SEE SECTION X6.5 OF BIDDER'S EVALUATION REPORT).

6.6 EVALUATION COMMITTEE REQUIREMENTS

Detailed component specifications, product literature, component models, required for specification compliance determination by the Evaluation Committee should be provided with each bid. Any information supplied that is contrary to/or conflicting with the specifications and/or attached Bidders Evaluation Report may be sufficient cause for rejection of bid.

6.7 UNSPECIFIED ACCESSORIES & FEATURES

All parts, equipment, accessories, material, design and performance characteristics not specified herein, but which are necessary to provide a complete unit, must be furnished with each unit and required to conform to strength, quality of material, and quality of workmanship to those which are advertised and provided to the market in general by the unit industry.

All parts and accessories advertised and regularly supplied as standard shall be included, except those which would represent duplication of these specified, and except those which, by specification, are not to be furnished. All standard safety features, required by Federal and State Law, shall be included.

- 7.0 SPECIFICATIONS OF THE QUOTED UNIT ARE AS FOLLOWS:
- 7.1 Spreaders offered shall be of the heavy-duty, self-contained, hopper type.
- 7.2 Spreaders shall consist of a steel body, feeder conveyor, spinner disc, power drive, and all components necessary to make a complete operating unit.
- 7.3 The spreader shall be capable of uniformly spreading sand, cinders, salt, calcium chloride, or other mixtures up to a width of 20 feet.
- 7.4 Body:
- 7.4.1 The body is to be of all-welded 304 stainless steel construction.

7.4.2	The struck capacity 2.3 cubic yards minimum
7.4.3	Hopper length to be 8 feet.
7.4.4	Overall height to be approximately 34 inches
7.4.5	Inside width to be 54 inches (approximate)
7.4.6	The body sides to slope at approximately 45° pitch to insure free flow of materials to the conveyor.
7.4.7	The body sides and <u>end-gates</u> to be constructed of minimum twelve (12) gauge 304 stainless steel and 12 gauge full-weld sills.
7.4.8	Top of the body to be angle formed for additional support.
7.4.9	Cross support stiffeners; one (1) at balance point with "lift eye" to be provided.
7.4 10	A protected inverted V conveyor shield to be made of 304 stainless steel and allow for vertical height adjustment.
7.4.11	All necessary hardware to be stainless steel.
7.5 C	onveyor:
7.5.1	The conveyor to be located in bottom of hopper capable of engaging material along its full length, and moving material to the rear adjustable metering gate.
7.5.2	To be chain bar flight type self-cleaning consisting of two (2) heat treated all steel pintle-type parallel chains with cross bars on 9" centers made of 1/4 " x 1 " steel.
7.5.3	Overall width of chain conveyor shall not be less than 12 inches.
7.5.4	Chain driven by approximately 6-tooth drop forged steel sprockets and approximately 1 1/4" alloy steel shaft mounted in anti-friction sealed bearings.
7.5.5	Conveyor to have adjustment provisions for at least 3" lateral takeup.
7.5.6	The material composition of the adjustment mechanism shall be rust proof or rust resistant.
7.5.7	Gear case to have approximately 20:1 reduction consisting of a hardened and polished worm; driving a cast bronze worm gear.
7.5.8	Approximate feedgate opening to be no less than 4" high x 8" wide and of the detented adjustable type to be located at the body rear in order to adjust flow of material to the spinner.

- 7.6 Distributor Spinner Assembly:
- 7.6.1 The distributor disc to be of urethane material and approximately 13" in diameter and equipped with four (4) fins designed to obtain a controlled spread of 4 feet to 20 feet.
- Material is to be directed from conveyor end to distributor disc by means of an adjustable material flow enclosed chute equipped with a sealed bearing which supports the distributor disc driveshaft.
- 7.6.3 An 18 inch chute and 26 inch below the mounting surface spinner extension shall be provided.
- 7.6.4 The spinner assembly to be manufactured from 304 stainless steel.
- 7.7 Baffles:
- 7.7.1 Baffles to be provided to control direction and width of spread. To have four (4) baffle sections
- 7.72 Baffle sections to be easily adjusted to desired position, from full down to horizontal, without use of tools.
- 7.8 Power Drive and Controls:
- 7.8.1 Auxiliary engine drive will be mounted on rear and shall power both the conveyor and distributor spinner assembly.
- Engine to be air cooled four (4) cycle, 10.5 HP minimum industrial/commercial type with positive gear driven internal lubrication and integral fuel pump.
- 7.8.3 Throttle to be electronically controlled from "in cab" controls.
- 7.8.4 Engine shall have manufacturer's heavy duty electric clutch with "in cab" control.
- 7.8.5 Twelve (12) volt electric starter-alternator with control panel for "in cab" starting and stopping of engine to be provided.
- 7.8.6 Engine to be fully enclosed and provide easy access for service.
- 7.8.7 Manufacturers heavy duty 12 volt battery and battery case to be provided
- 7.8.8 Additional two (2) gallon fuel tank to be provided.
- 7.9 Screen Over Hopper:
- A flat screen with approximately 3/8" rod x 2 " openings to be provided to prevent oversize material from entering hopper during filling.

- 7.9.2 Mounting: Manufacturers heaviest duty chain with turn buckle or load binders hold-downs to be provided with all necessary mounting hardware for proposed model.
- 7.10 Paint: All metal that is not 304 stainless shall have the mill scale removed and the surface chemically cleaned in preparation of rust preventative primer and manufacturers standard top coat paint. All painting shall be in conjunction with good commercial practice.
- 7.11 Vendor must certify that spreader offered will comply with "Occupational Safety and Health Act of 1970" and subsequent amendments.

WEST VIRGINIA DEPARTMENT OF TRANSPORTATION DIVISION OF HIGHWAYS EQUIPMENT DIVISION

BIDDER'S EVALUATION REPORT

PROCUREMENT SPECIFICATIONS FOR OPEN END CONTRACT NO. 011-1-H

2.3 CUBIC YARD STRUCK CAPACITY DEMOUNTABLE ABRASIVE AND CHEMICAL SPREADER (SELF CONTAINED)

NOTE TO BIDDER: Procurement Specification No. 011-1-H, Paragraph 2.0 recommends the completion and submittal of this Report with your bid. Purpose of this Report is to enable the West Virginia Division of Highways Evaluation Committee to make full and fair evaluation of the bid. Addendums in order, along with a summary of exception as a separate attachment, should be with Bidder's Evaluation Report. FAILURE TO SUBMIT THIS REPORT, COMPLETE IN ITS ENTIRETY, MAY SUBJECT THE BIDDER TO DISQUALIFICATION.

	Reference Requisition No : 709EC001							
	Bidder's Name: Middletown Tractor Sales							
	Address:2345 Whitehall Blvd. Fairmont, WV 26554							
	Telephone Number: 304-366-4690							
	Years Bidder has been registered to do business with the State of West Virginia: 30	YRS						
	Years Company has been an authorized dealer for proposed unit:	YRS.						
X3.2	Have you complied with all mandatory specifications? X YES NO	-						
	DELIVERY: Delivery date of completed representative unit: 45 Calendar Days After Receipt of Purchase Agr							
	2 Delivery date of balance of completed units: 60 Calendar Days After Receipt of Purchase Agree							
I	NOTE: Vendor should type Bidder's Evaluation Report							
	Bidder's Evaluation Report available for download on Purchasing's Web site www.state.wv.us/admin/purchase	at						

X5.0	AWARD CRITERIA;								
X5.1	Prices for units:	1-10	\$5,988.00	_per unit					
		11-20	\$5,988.00	per unit					
		21-50	\$5,988.00	per unit					
		51 and over	\$5,988.00	per unit					
X6.0 X6.1	Manufacturer, model, series, and date of manufacture of proposed unit:								
	Monroe Mfgr. 8PU3250SS-10.5 Is descriptive literature, fully describing proposed	unit attached to	your bid? X Y	ESNO					
	If not, why?			····					
X6.2	Will the required number of service manuals, a Equipment Division at Buckhannon upon comp		ry of total units?	ed to the					
	Will the required Equipment Preventive Maint Report) be provided upon inspection of the pilo			dders Evaluation SNO					

EQUIPMENT PREVENTATIVE MAINTENANCE QUESTIONNAIRE

THIS FORM MUST BE COMPLETED IN ITS ENTIRETY BY SUCCESSFUL BIDDER OR MANUFACTURER'S TECHNICAL REPRESENTATIVE PRIOR TO DELIVERY OF PILOT MODEL TO THE WVDOH.

DESCRIPT	IION:		MAKE:					
M	ODEL:	YEAR:						
ENGINE:	MAKE:	MODEL:	FUEL TYPE:					
				ENGINE SERIAL:				
	COOLING SYSTEM CAPACITY:		· · · · · · · · · · · · · · · · · · ·					
BELTS:	DESCRIPTION:		PART NUMBERS:					
			<u> </u>					
GVW:	AXLE CAPAC	IIY: FRONI:	The state of the s	•	REAR:			
TIRES:	FRONT MAKE & SIZE:			·····				
	REAR MAKE & SIZE:							
DIMENSIO	ONS OF UNIT: LENGTH:	·	WIDTH: _		LENGTH:			
VENDOR O	CONTACT PERSON:		mand the late of t	PHONE:				
PARTS:								
BATTERY	MAKE: DE POST:	MODEL:		CCA:				
TOP OR SI	DE POST:	DIMENSIONS	: LENGTH_	WIDIH	HEIGHT			
STARK PLU	OGS OK FUEL INJECTOKS MAKE: _		PARI#	•				
LOTP LOM	IF OR INJECTION FOME MAKE:		MODEL:					
ALTERNA.	IOR MAKE:		PART#					
STARTER	MAKE:		PARI #:					
TURBO CH	IARGER MAKE:		PART #:					
IRANS MA	AKE: MODE	EL:		AUTO/MANUA	.L:			
HYDKAUL	MAKE: JARGER MAKE: AKE: MODE JC PUMP MAKE: MODE		MODEL:					
FILTERS	MAKE PART NO.	LUBR	UCANT	MANUFACTU	JRER TYPE			
OIL.		ENGI	NE					
AIR INNER	L	TRAN	ISMISSION					
AIK OUTER	(ER STEERING	<u> </u>				
FUEL PRIM	IARY	HYDI	POWER STEERING HYDRAULIC					
UEL SECO	IARY ONDARY	DIFFE	DIFFERENTIALS					
COOLANT	10	BRAK	BRAKE FLUID					
IYDRAUL!	IC	COOL	ANT					
THER		OTHER						

X6.3	TRAINING:									
	Will training seminar be conducted on Preventive Maintenance, Operator and Mechanic Training									
	Will you conduct training with each purchase order	against this open	end cont	ract? ESNO						
	Will training be conducted within 2 working days from purchase order?	the delivery of the	pilot uni _XY	t on the individual ESNO						
	If NO, explain time frame									
	Will an Operator's Manual be furnished directly to delivery of the pilot?	Training Academ	y prior t Y	o the ESNO						
X6.4	If you are the successful vendor, will you furnish all in conducting the training? X YES	training aids, i.e., NO	videos, į	projectors, required						
X6.4.1	Will all manuals, booklets, etc. explaining prever service schedule be delivered with each unit? If NO, explain		operato	or procedures, and ESNO						
X6.5	WARRANTY AND SERVICE POLICY									
	Will the warranty and service you provide comply with all areas as stated in Section 6.5 of specifications YES NO									
	Is warranty literature attached?	<u>X</u>	YES	NO						
	Is a minimum two (2) year bumper to bumper basic and normal wear items included? Describe:	parts and labor w	arranty YES	excluding abuse NO						
	Refer to attached warranty information									
	NCLCL_LOCALICATION WALLALL									

X6.5 WARRANTY AND SERVICE POLICY QUESTIONNAIRE

THIS FORM MUST BE COMPLETED IN ITS ENTIRETY AND SUBMITTED WITH YOUR BID. (If additional lines are needed, make copies of form.)

	Monroe Truck Equi	endard warranty If not offered, so state. (Attach copy) pment provides a limited two year warranty of alluninstalled					
	goods to the orig	inal purchaser of the equipment. See the attached warranty policy.					
manu Was	facturer's representative arranty repair is iddletown Tractor acility.	be performed at DOH facilities and warranty service to be performed at refacility. List name and location of manufacturer's representative to be made at the manufacturer's representative facility. Sales in Fairmont, WV is the manufacturer's representative					
3. Lis		rentories that are within the State of West Virginia. Also, list availability levels, if					
	The manufacture	's recommended stocking level of parts are available					
	at Middletown T	Cactor Sales in FAirmont WV.					
	ring the term of warran r will sell the parts to o	ty, list the guarantee discount to manufacturer's published list price for parts that wner.					
A. B. C.	Terms: Net 30Manufacturer's published list price less: 5.0 % discountTerms: Net 60Manufacturer's published list price less: N/A % discountTerms: Net 90Manufacturer's published list price less: N/A % discount						
5. Du Highv		ty, will all manufacturers or engineering improvements be submitted to Division ofX_YESNO					
6. Du	ring the term of warran	ty, list the guaranteed rates charged for repair to the unit.					
Α.	Shop Rate	\$55.00 per mechanic hour					
B.	Travel Time Charge (Specify if one-way)	\$ 60.00 per mechanic hour ; port to port We bill from port to port.					
C.	Mileage Charge (Specify if one-way	\$ N/A per vehicle mile ; port to port					
D.	Field Mechanic Rate	\$60.00 per mechanic hour					
E. F.		that prices are in effect: We will honor these prices during the two year warranty period aneous items:					
		Currently we are charging a 10% fuel surcharge for travel time and / or pick-up and delivery of equipment.					

X6 6	EVALUATION COMMITTEE REQUIREMENTS
	Is all component specifications, product literature, component models provided for Evaluation Committee bid determination? X YES NO
X6.7	Will all parts, equipment, accessories, material, design and performance characteristics not specified herein, but which are necessary to provide a complete unit, be furnished with the unit and conform in strength, quality of material, and quality of workmanship to those which are advertised and provided to the market in general by the unit industry? YESNO
X6.7.1	Are all parts and accessories adequate and regularly supplied as standard to be included except those which may be duplications of specifications herein, and except these by specification are not to be furnished? _X_YESNO
X6.7.2	Are all standard safety features that are required by Federal and State statutes of law included? YESNO
X7.0	SPECIFICATIONS OF THE QUOTED UNIT The bidder should complete the following schedule in order for the Division to compare the actual bid unit to the specifications. Should the bidder except a requirement, then such exception may be only on the basis that such feature is not offered by the manufacturer. The Division will have the sole discretion as to whether the bidder's substitution meets the requirements of the specifications. Manufacturer: Monroe Model: 8PII3250SS-10.5
X7.1	Are spreaders offered the heavy duty, self contained, hopper type? X YES NO
X7.2	Does spreader consist of a steel body, feeder conveyor, spinner disc, power drive, and all components necessary to make a complete operating unit? X YES NO
X7.3	Is the unit capable of uniformly spreading sand, cinders, salt, calcium chloride, or other mixtures up to a width of 20 feet?
X7.4	Body:
X7.4.1	Is the body all-welded 304 stainless steel construction? X YES NO
X7.4.2	Capacity Struck:2.4 Cubic Yards
X7.4.3	Hopper length: 8 Feet 0 Inches

X7.4.4	Overall height:3 Feet Inches W/Extensions
X7.4.5	Inside width: 4 Feet 2 Inches (outside width)
X7.4.6	Are body sides sloped at approximately 45° pitch to insure free flow of materials to the conveyor? YESNO
X7.4.7	Gauge of steel body sides and end-gates is gauge 304 stainless steel and support sills constructed of gauge steel and fully welded YES NO
X7.4.7.1	Body end-gates are constructed of gauge 304 stainless steel
X7.4.8	Is top of body angle formed for additional supportX_YESNO
X7.4.9	Are cross supports provided with one (1) at balance point with "lift eye" for easy removal of unit from truck bed? YES NO
X7.4.10	Is there a protective inverted V conveyor shield made of 304 stainless steel and allows for vertical height adjustment INCLUDED/No Vertical Ht. Adj. YESNO
X7.4.11	Is all necessary hardware stainless steel BODY CONSTRUCTION + Body Shell is 30488 YES X NO
X7.5 Co	onveyor: (Drive components are other)
X7.5.1	Is the conveyor located in bottom of hopper and capable of engaging material along its full length and moving material to rear adjustable metering gate?
X7.5.2	Is conveyor of chain bar flight construction self-cleaning consisting of two (2) heat treated all steel pintle-type parallel chains with cross bars on nine inch (9") centers YES NO 6.66 Centers
	Specify cross bar dimensions 1/4 inches x 3/4 inches
X7.5.3	Overall width of chain conveyor: 14" Wide Chain inches
X7.5.4	Is chain driven by approximately 6-tooth drop forged steel sprocket? YES NO GAST GREY IRON
	And approximately 1 1/4" alloy shaft mounted in anti-friction sealed bearings X YES NO
	If not, specify:
X7.5.5	Does forward end of conveyor have adjustment provisions for at least 3" lateral takeup?
X7.5.6	Is material composition of adjustment mechanism rust proof? X YES NO
X7.5.7	Does the reduction gear box provide a 20:1 ratio? X YESNO
X758	Feedgate opening height and width: 6 inches high x 8.5 inches wide

≱ 3.6 D	istributor Spinner Assembly:
X7.6.1	Distributor disc material Formed Play Disc diameter 13.5 inches
X7.6.1.1	Number of fins: 6; constructed of Formed Poly
X7.6.1.2	Are fins designed to obtain a controlled spread of material from 4 feet to 20 feet?
X7.6.2	Is material directed from conveyor end to distributor disc by means of an adjustable material flow enclosed chute?NO
X7.6.3	Is an 18 inch chute and 26 inch below the mounting surface spinner extension provided? YESNO
X7.6.4	Is the spinner assembly manufactured from 304 stainless steel? X YES NO
X7.7 Ba	affles:
X7.7.1	Are baffles provided to control direction and width of spread? X YES NO
X7.7.1.1	Are there four (4) sectionsNO
X7.7.2	Are sections easily adjusted from the full down to the horizontal position without use of tools?
X7.8. Po	wer Drive:NO
X7.8.1	Is auxiliary engine mounted at rear of unit to power both conveyor gear box and spinner assembly?
X7.8.2	Specify engine manufacturer: Briggs & Stratton
	Is it air cooled four (4) cycle YES NO
	HP: 10.5 industrial/commercial type with positive gear driven internal lubrication and integral fuel pump (Vacumn Style) YES X NO
X7.8.3	Is throttle electrically controlled with "in cab" controls? X YES NO
X7.8.4	Is clutch manufacturer's heavy duty electric controlled with "in cab" controls? YESNO
X7.8.5	Is 12 volt electric starter-alternator with control panel for "in cab" start and stop of engine provided?
X7.8.6	Is engine fully enclosed and provisions made for easy access for service? X YESNO
X7.8.7	Are manufacturers heavy duty 12 volt battery and battery case provided? YES NO
X7.8.8	Is there an additional two (2) gallon fuel tank provided YES NO
	8

23.1 7	Screen Ove	er riopper:								
X7 9.1		screen with ap intering hoppe			inch oper			to prevent YES		material
X7.9.2		anufacturers h oposed model	eavy duty bind	ders/hold-d	lowns prov	vided with	all n	•	nounting	
X7.10	Describe 1	manufacturer	s method of r	netal prep	paration a	nd paint p	proce	dures:		
	Пп	its_shipped	hare 304	Stainles	s Steel			NA A STATE OF STATE O		
									•	
				,						
X7.11	Does unit	offered meet onto	or exceed "O	ccupation	al Safety a			t of 1970' YES		sequent

GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

- 1. Awards will be made in the best interest of the State of West Virginia
- 2. The State may accept or reject in part, or in whole, any bid.
- 3. All quotations are governed by the West Virginia Code and the Legislative Rules of the Purchasing Division.
- 4. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
- 5. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods, this Purchase Order/Contract becomes void and of no effect after June 30.
- 6. Payment may only be made after the delivery and acceptance of goods or services.
- 7. Interest may be paid for late payment in accordance with the West Virginia Code.
- 8. Vendor preference will be granted upon written request in accordance with the West Virginia Code.
- 9. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes
- 10. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- 11. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern all rights and duties under the Contract, including without limitation the validity of this Purchase Order/Contract.
- 12. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
- 13. BANKRUPTCY: In the event the vendor/contractor files for bankruptcy protection, this Contract may be deemed null and void, and terminated without further order.
- 14. HIPAA BUSINESS ASSOCIATE ADDENDUM: The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, and available online at the Purchasing Division's web site (http://www.state.wv.us/admin/purchase/vrc/hipaa.htm) is hereby made part of the agreement. Provided that, the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
- 15. WEST VIRGINIA ALCOHOL & DRUG-FREE WORKPLACE ACT: If this Contract constitutes a public improvement construction contract as set forth in Article 1D, Chapter 21 of the West Virginia Code ("The West Virginia Alcohol and Drug-Free Workplace Act"), then the following language shall hereby become part of this Contract: "The contractor and its subcontractors shall implement and maintain a written drug-free workplace policy in compliance with the West Virginia Alcohol and Drug-Free Workplace Act, as set forth in Article 1D, Chapter 21 of the West Virginia Code. The contractor and its subcontractors shall provide a sworn statement in writing, under the penalties of perjury, that they maintain a valid drug-free work place policy in compliance with the West Virginia and Drug-Free Workplace Act. It is understood and agreed that this Contract shall be cancelled by the awarding authority if the Contractor: 1) Fails to implement its drug-free workplace policy; 2) Fails to provide information regarding implementation of the contractor's drug-free workplace policy at the request of the public authority; or 3) Provides to the public authority false information regarding the contractor's drug-free workplace policy."

INSTRUCTIONS TO BIDDERS

- 1. Use the quotation forms provided by the Purchasing Division.
- 2. SPECIFICATIONS: Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as EQUAL to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
- Complete all sections of the quotation form.
- 4. Unit prices shall prevail in case of discrepancy
- 5. All quotations are considered FO.B. destination unless alternate shipping terms are clearly identified in the quotation.
- 6. BID SUBMISSION: All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130

STATE OF WEST VIRGINIA Purchasing Division

PURCHASING AFFIDAVIT

VENDOR OWING A DEBT TO THE STATE:

West Virginia Code §5A-3-10a provides that: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

PUBLIC IMPROVEMENT CONTRACTS & DRUG-FREE WORKPLACE ACT:

West Virginia Code §21-1D-5 provides that: Any solicitation for a public improvement construction contract shall require each vendor that submits a bid for the work to submit at the same time an affidavit that the vendor has a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the West Virginia Code. A public improvement construction contract may not be awarded to a vendor who does not have a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the West Virginia Code and who has not submitted that plan to the appropriate contracting authority in timely fashion For a vendor who is a subcontractor, compliance with Section 5, Article 1D, Chapter 21 of the West Virginia Code may take place before their work on the public improvement is begun.

ANTITRUST:

In submitting a bid to any agency for the state of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the state of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the state of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the state of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership or person or entity submitting a bid for the same materials, supplies, equipment or services and is in all respects fair and without collusion or fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

LICENSING:

Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities

CONFIDENTIALITY:

The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendors should visit www.state.wv.us/admin/purchase/privacy for the Notice of Agency Confidentiality Policies.

Under penalty of law for false swearing (West Virginia Code §61-5-3), it is hereby certified that the vendor acknowledges the information in this said affidavit and is in compliance with the requirements as stated.

Vendor's Name:	Middletown Tractor Sales								
Authorized Signature:			- Leis		Date:	20	September	2008	
Purchasing Affidavit (Revised		/ (



MODZEK

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for Quotation

709EC001

PAGE 1

ADDRESS CORRESPONDENCE TO ATTENTION OF

MICHAEL AUSTIN 304-558-2402

*709043751 304-366-4690 MIDDLETOWN TRACTOR SALES 2032 FAIRMONT AVE

FAIRMONT WV 26554

DIVISION OF HIGHWAYS
EQUIPMENT DIVISION
ROUTE 33
BRUSHY FORK ROAD
BUCKHANNON, WV
26201 304-472-1750

DATE PRINTED TERMS OF SALE SHIP VIA F O.B FREIGHT TERMS 08/28/2008 Our Truck Destination Pre-Paid Net 30 Days BID OPENING DATE: BID OPENING TIME 01:30PM 09/10/2008 CAT. LINE QUANTITY UOP UNITPRICE ITEM NUMBER AMOUNT ADDENDUM NO. 1 BID OPENING DATE AND TIME CHANGED FROM: 09/03/08 AT 1:30 P.M. 09/10/08 AT 1:30 P.M. TO: NO OTHER CHANGES 0001 765-66 ĖΑ 1 ABRASIVE & CHEMICAL SPREADER DEMOUNTABLE THIS IS THE END OF REO 709EC001 ***** TOTAL: ***** SEE REVERSE SIDE FOR TERMS AND CONDITIONS TELEPHONE 304-366-4690 DATE September 2008 SIGNATURE 55-074-7175 ADDRESS CHANGES TO BE NOTED ABOVE Sales Consultant

SIGN IN SHEET

RFQ#_7096Coo/ Date: 09/03/08

Firm & Representative Name:

Mailing Address:

Phone, Fax, & E-Mail:

1. WY TRACTOR

P.O. BOX 473 P 346-5301

GARY GRADY

CHARCESTUM UN F 346-5305 25322 E-mail UNIVECTANOMISH.COM

Phillip A. Comerce FAIRMONT. W. 26554 F 366.4698

2. MIDDRETOURN TRACTOR 2845 Whitehall Blue P 366-4690

E-mail MUDIETOWNTRACTOR. COM

3. Hrg. o Moorman

DON P

4. RON Spreks 20 MC JUNKIN Rd. P 759-4837 LOGAN CORP. NITRO, W.UA. F 759-4828

E-mail ASpARKS @ LOGAN CORR C.

5. L. H. Junes Equipment 1825 Earl L. Core P 304-292-1307

Jim Shragletow Magastown WU F 304-291-6641

E-mail ishingle tow O 14 Teacs

Please print or write legibly!

Your fax # is essential to contact you timely!

E-mail _____

	SIGN IN SHEET RFQ # Date:	
Firm & Representative Name:	Mailing Address:	Phone, Fax, & E-Mail:
1. Patty Stone Expt. Div.	Dott	P
Egot. Div.		F
O.		E-mail
2. Da Weese	DOA	P
Egpt. Div.		F
O'		E-mail
3. Marcia Los Equip. Div.	DO#	P_473-5501
Equip, Div.		F 473-4206
		E-mail
4		P
		E-mail
5.		P
		F

Please print or write legibly!

Your fax # is essential to contact you timely!



VENDOR

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Roy 50130 Post Office Box 50130 Charleston, WV 25305-0130

ō

RFO NUMBER 709EC001

ADDRESS CORRESPONDENCE TO ATTENTION OF

MICHAEL AUSTIN 304-558-2402

*709043751 304-366-4690 MIDDLETOWN TRACTOR SALES 2032 FAIRMONT AVE

FAIRMONT WV 26554 DIVISION OF HIGHWAYS **EQUIPMENT DIVISION** ROUTE 33 BRUSHY FORK ROAD BUCKHANNON, WV 26201

DATE PRIN		ngagaaaaaaanaaaaaa	MS OF SAL	. T o en en en	SHIP V	440000000000000000000000000000000000000	F.O.B	FREIGHTTERMS
09/04/ BID OPENING DATE:		Net 30			Our Truc		Destination TIME	Pre-Paid
			renecession contra		OPENING TIME	01:30PM		
LINE	QUAI	VTITY	UOP	NO.	ITEM NUM	/BER	UNITPRICE	AMOUNT
					DUM NO. 2			-
	BID OP	ENING	DATE	AND T	IME CHANG	ED		
	FROM:	09/10	/08 A	T 1:3	0 P.M.			
	TO:	09/17	/08 A	T 1:3	0 P.M.			•
	NO OTH	ER CHA	NGES					
0001	DEMOUN	. 1	EA ABRAS		765-66 Chemical	SPREAD	ER	
	****	THIS	IS T	HE EN	D OF RFQ	709EC	001 ***** TOT	ΓAL:
			5555655555555555	Spc or	VERSE SIDE FOR T	edike and co	NOTIONS	
SIGNATURE /	<u> </u>				VENOE SIDE FURTI			DATE 20 September 2009
TITLE Sales Co	nefiltani	. C	- 1	<u>ه 92</u> 074-71	75	30		ANGES TO BE NOTED ABOVE
			TA 1750	INIOEE	T NIARAT ARITS	ADDDEGG	IN SPACE ABOVE LA	DELEC MENDOD!

SIGN IN SHEET

RFQ# 709EC00 / Date: 09/03/08

Firm & Representative Name:	Mailing Address:	Phone, Fax, & E-Mail:
1. WY TRACTOR	P.O. BOX 473	P_346-5301
GARY GRADY	OHARCESTUN W 25	U F 346-5305
709043751	2S	322 E-mail <u>UNTVCClaremSN.Co</u> n
2. MIDDLETOUGH TRACTOR	2845 Whitehall Blue	P_366-4690
Phillip A. Conxue	FAIRMONT. WY 2655	4 F 366.4698
•		E-mail <u>muddetrunterarer. Co</u> m
3. Angre Moorman	DOH	P
O .		F
7090 35033 301	F	E-mail
4. RON SPACKS LOGAN CORP.	20 MC JUNKINK	Pd. P 759-4837
LOGAN CORP.	NITRO W.UA	F 759- 4828
	•	E-mail Aspacks Ologan Coll.
5. L.H. Jones Equipment	1825 Each L. Core	P 304-292-1307

Please print or write legibly!

Margantown WU F 304-292-6641

E-mail ishingle tow O 14 Teacs

Jim Shrogletow

Your fax # is essential to contact you timely!

E-mail

	SIGN IN SHEET RFQ # Date:	
Firm & Representative Name:	Mailing Address:	Phone, Fax, & E-Mail:
1. Patty Stone	Dost	P
Eggt. Div.		F
O,		E-mail
2. Da Weese	DOA	P
Egpt. Div.	****	F
DA		E-mail
3. MARCIA Lee	Do 44	P 473-5501
3. Marcia Lee Equip. Div.		F 473-4206
•		E-mail
4		
		F
		E-mail
5		P
		F

Please print or write legibly!

Your fax # is essential to contact you timely!



MODZEK

*709043751

FAIRMONT WV

State of West Virginia
Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

26554

MIDDLETOWN TRACTOR SALES

2032 FAIRMONT AVE

304-366-4690

Request for Quotation

RFO NUMBER 709EC001 1

ADDRESS CORRESPONDENCE TO ATTENTION OF

MICHAEL AUSTIN 304-558-2402

DIVISION OF HIGHWAYS

P

EQUIPMENT DIVISION ROUTE 33 BRUSHY FORK ROAD BUCKHANNON, WV

26201

DATE PRIN		······································	MS OF SAL		SHIP VIA	000000000000000000000000000000000000000	F.O.B	0820868888888888	FREIGHTTE	-bMc@@@@@
09/12/	1440040000000000000000000	190400000000000000000	Days		Our Truck		Destination	0.	Pre-Paid	
BID OPENING DATE		09/24/				BID	PENING TIM	I	:30PM	
LINE	QUAI	YTITY	UOP	CAT. NO.	ITEM NUMBI	≘A	UNITPRIC	E	AMOU	NT
			Al	DDEND	JM NO. 3					And the second s
	CHANGE:	S TO TI	HE SPI	ECIFI	CATIONS ATT	CACHED				
	BID OP	ENING I	DATE 2	AND T	IME CHANGEI					
	FROM:	09/17,	/08 A'	r 1:3	P.M.					
	to:	09/24,	/08 A'	r 1:3	P.M.		•]
	REPLAC:	ES THE	PREV:	rous '	ENDOR PREFI VENDOR PREF FATION.	5				
	NO OTH	ER CHAI	IGES.	: :		:				
0001	And the second s	1	EA		765-66		`			•
	DEMOUN'	*****	ABRAS:	IVE &	CHEMICAL S	SPREADI	ER			
	орт—положения									
	****	THIS	IS TI	HE ENI	OF RFQ	709EC	01 *****	TOTAL:		
	,									
			50000 (000000000	OCCUPATION PROPERTY.	yein kelikin menemen	120 200 200	(A)TTANIA	1991/1999/1999		
SIGNATURE	//			1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	VERSE SIDE FOR TER TE	LEPHONE		DATE		
TITLE Sales ((Oly)	CO (FE	N_	rill	<u> </u>	304	-366-4690		September	
J Dares	Consulta	iil	55·	-074-7	L75 <mark>T NAME AND A</mark> I				TO BE NOTED A	ROAE

ADDENDUM #3

PREBID ISSUES OF CONCERN

709EC001

2.3 CUBIC YARD STRUCK CAPACITY DEMOUNTABLE ABRASIVE & CHEMICAL SPREADER

CHANGES TO SPECIFICATIONS:

FROM:

4.2 DELIVERY – 2nd Paragraph 2nd Sentence

Delivery is preferred within 45 days after receipt of purchase agreement.

TO:

4.2 DELIVERY – 2nd Paragraph 2nd Sentence

Delivery is preferred within 60 days after receipt of purchase agreement.

FROM:

4.2 DELIVERY – 3rd Paragraph

A completed pilot model for inspection must be provided within 60 calendar days after receipt of the purchase agreement by the successful vendor.

TO:

4.2 DELIVERY – 3rd Paragraph

A completed pilot model for inspection must be provided within 45 calendar days after receipt of the purchase agreement by the successful vendor.

LEAVE AS WRITTEN:

7.4.1 The body is to be of all welded 304 stainless steel construction

FROM:

7.4.2 The struck capacity 2.3 cubic yards minimum

TO:

7.4.2 The struck capacity 2.3 cubic yards minimum. (Accept L.H. Jones request for side extensions)

LEAVE AS WRITTEN:

7.4.4 Overall height to be approximately 34 inches

FROM:

7.6.3 An 18 inch chute and 26 inch below the mounting surface spinner extension shall be provided.

TO:

7.6.3 An 18 inch chute and 26 inch below the mounting surface spinner extension shall be provided. (Accept Middletown's 24.296 inch)

FROM:

7.8.2 Engine to be air cooled four (4) cycle, 10.5 HP minimum industrial/commercial type with positive gear driven internal lubrication and integral fuel pump.

TO:

7.8.2 Engine to be air cooled four (4) cycle, 10.5 HP minimum industrial/commercial type with positive gear driven internal lubrication and integral fuel pump. (Due to new emissions, probably accept different engines with manufacturer's letters of equal emission engines.) (Accept Middletown's external vac fuel pump with a shut off valve in place of integral fuel pump.)

ADDENDUM '#3

PREBID ISSUES OF CONCERN

709EC001

2.3 CUBIC YARD STRUCK CAPACITY DEMOUNTABLE ABRASIVE & CHEMICAL SPREADER

CHANGES TO BIDDER'S EVALUATION REPORT:
X4.2 DELIVERY (NO CHANGE REQUIRED)
X4.2.1 Delivery date of completed representative unit: 45 calendar days after receipt of purchase agreement
X7.4.2 Delivery date of balance of completed units: 60 calendar days after receipt o purchase agreement
NO CHANGE REQUIRED
X7.4.1 Is the body all welded 304 stainless steel construction? X YES NO
FROM: X7.4.2 Capacity struck: cubic yards
TO: X7.4.2 Capacity struck: 2.4 cubic yards (L.H. Jones side extensions YES NO)
NO CHANGE REQUIRED
X7.4.4 Overall height: 3 feet 2 inches

FROM:	
X7.5.6 Is material composition of adjustment mechanism rust p	oroofYESNO
TO:	
X7.5.6 Is material composition of adjustment mechanism rust p	oroof or rust resistantXYESNO
FROM:	
X7.6.3 Is an 18 inch chute and 26 inch below the mounting surf provided	ace spinner extensionYESNO
TO:	
X7.6.3 Is an 18 inch chute and 26 inch below the mounting surf provided (Middletown 24.296 inchX YES NO	ace spinner extension YES NO
FROM:	
X7.8.2 Specify engine manufacturer: Is it air cooled four (4) cycle YES NO HP: industrial/commercial type with positive gear and integral fuel pump YES NO	driven internal lubrication
TO:	
X7.8.2 Specify engine manufacturer: Briggs & Stratton	
Is it air cooled four (4) cycleX_ YES NO	
HP: 10.5 industrial/commercial type with positive gear and integral fuel pumpXYESNO	driven internal lubrication
(Have you supplied manufacturer's letter of equal emission	engineYES_X_NO)
(Middletown – external vac fuel pump with a shut off valve	in place of integral fuel pump

Rev. 11/07

State of West Virginia

VENDOR PREFERENCE CERTIFICATE

Certification and application* is hereby made for Preference in accordance with West Virginia Code, §5A-3-37. (Does not apply to construction contracts). *West Virginia Code*, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the *West Virginia Code*. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

1.		preference for the reason checked: ded continuously in West Virginia for four (4) years immediately preced-
<u> </u>	business continuously in West Virginia for four (4) yownership interest of Bidder is held by another indimaintained its headquarters or principal place of preceding the date of this certification; or, Bidder is a nonresident vendor which has an affiliate	esident vendor and has maintained its headquarters or principal place of years immediately preceding the date of this certification; or 80% of the vidual, partnership, association or corporation resident vendor who has business continuously in West Virginia for four (4) years immediately or subsidiary which employs a minimum of one hundred state residents cipal place of business within West Virginia continuously for the four (4) tection; or,
2. _X_	Application is made for 2.5% resident vendor plidder is a resident vendor who certifies that, dur	
3.	affiliate or subsidiary which maintains its headque minimum of one hundred state residents who cert	num of one hundred state residents or is a nonresident vendor with an arters or principal place of business within West Virginia employing a ifies that, during the life of the contract, on average at least 75% of the inployees are residents of West Virginia who have resided in the state
4. _X_	Application is made for 5% resident vendor pr Bidder meets either the requirement of both subdiv	reference for the reason checked: risions (1) and (2) or subdivision (1) and (3) as stated above; or,
5.	Bidder is an individual resident vendor who is a veter	preference who is a veteran for the reason checked: ran of the United States armed forces, the reserves or the National Guard or the four years immediately preceding the date on which the bid is
6.	Bidder is a resident vendor who is a veteran of the purposes of producing or distributing the commodit continuously over the entire term of the project, or	preference who is a veteran for the reason checked: United States armed forces, the reserves or the National Guard, if, for ies or completing the project which is the subject of the vendor's bid and a average at least seventy-five percent of the vendor's employees are state continuously for the two immediately preceding years.
requirer against	ments for such preference, the Secretary may order	es that a Bidder receiving preference has failed to continue to meet the the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty bid amount and that such penalty will be paid to the contracting agency or chase order.
authoriz	es the Department of Revenue to disclose to the Dire	any reasonably requested information to the Purchasing Division and ector of Purchasing appropriate information verifying that Bidder has paid n does not contain the amounts of taxes paid nor any other information
and ac	curate in all respects; and that if a contract is i	Code, §61-5-3), Bidder hereby certifies that this certificate is true ssued to Bidder and if anything contained within this certificate otify the Purchasing Division in writing immediately.
Bidder:	Middletown Tractor Sales	Signed:
Date:_	20 September 2008	Title: Sales Consultant

^{*}Check any combination of preference consideration(s) in either "A" or "B", or both "A" and "B" which you are entitled to receive. You may request up to the maximum of 5% preference for both "A" and "B".



*709043751

FAIRMONT WV

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

26554

MIDDLETOWN TRACTOR SALES

2032 FAIRMONT AVE

304-366-4690

Request for Quotation

RFQ NUMBER 709EC001

ADDRESS CORRESPONDENCE TO ATTENTION OF

MICHAEL AUSTIN 304-558-2402

DIVISION OF HIGHWAYS EQUIPMENT DIVISION

ROUTE 33

þ BRUSHY FORK ROAD BUCKHANNON, WV

26201

DATE PRIN	TED	TEF	MS OF SAL	E	SHIPA	Α	FOB		FREIGHTTERMS
09/22/		Net 3	O Days		Our Truck		Destination		Pre-Paid
BID OPENING DATE:	1000000000000000000	09/29/					DENING TIME	01	·30PM
LINE	QUAN	THY	UOP	CAT. NO	ITEM NU	/BER	UNIT PRICE		AMOUNT
			A	DDEND	UM NO. 4				
	BID OPI	ENING	DATE .	AND T	IME CHANG	ED			
	FROM:	09/24	/08 A	Г 1:3	O P.M				
	ro:	09/29	/08 A	Г 1:3	0 P.M.				:
	NO OTHI	ER CHA	NGES.						
0001		1	EA		765-66		,		
	DEMOUNT	rable .	ABRAS	IVE &	CHEMICAL	SPREAD	ĒR	_	
						The control of the co			
	*****	THIS	IS T	HE EN	OF RFQ	709EC)01 ***** T(CTAL:	
						1. Committee of the control of the c			
	5			SEE RE	VERSE SIDE FOR T				
SIGNATURE	200	4.	lli.S	20_		тесерноуб 4 – 3	366-4690	DATE 2	20 September 2008
Sales Con	sultant		IIN 55-07	74-7175	;		ADDRESS C	HANGES	TO BE NOTED ABOVE





1051 W. 7th Street ⊗ Monroe, WI 53566 800-880-0109 ⊗ 608-329-8105 ⊗ FAX 608-328-8390

E-mail: snowandicecontrol@monroetruck.com

Website: www.monroetruck.com

WARRANTY POLICY (West Virginia) RFO # 709EC001

Uninstalled Parts and Equipment provided by Monroe Truck Equipment

Monroe Truck Equipment will provide the following limited warranty for a period of two years to the original purchaser of all uninstalled goods provided by Monroe Truck Equipment.

LIMITED WARRANTY: All goods provided by Monroe Truck Equipment (MTE) will be free from defects in material and workmanship for a period of two years from the date of purchase by the original purchaser. This limited warranty shall be the sole and exclusive remedy for any such product found to be defective. This limited warranty supercedes all previous warranties and is exclusive and in lieu of all other warranties, whether expressed or implied.

This limited warranty applies only to parts or accessories manufactured by MTE and/or provided by same. Except with respect to title, this limited warranty does not pertain to parts or accessories not manufactured and/or provided by MTE, regardless of whether such parts or accessories were selected and/or recommended by MTE. MTE will, as a service to the buyer, pass on any warranties received from the original manufacturer of MTE provided parts and/or accessories.

MTE will not under any circumstances be liable for any incidental or consequential damages whether in tort, contract, or otherwise, for any bodily injury, death, property damage, loss of use, or loss of income resulting from or in any way arising out of any goods provided by MTE, or their sale, use, or manufacture.

Any warranty claim deemed to be arising from the result of misuse, abuse, neglect, accident, improper installation, lack of maintenance, act of war (whether declared or otherwise), or act of God will be denied. Any repair or modification by the buyer or any third party, without the prior written consent of MTE, will void any possible warranty compensation. Any damage deemed to be the result of abnormal operation will not be compensated by this warranty.

Normal or special maintenance items such as fuels, fluids, tires, belts, hoses, filters, air cleaners, light bulbs, and any other items subject to normal wear and tear that are supplied in connection with goods provided by MTE are not allowed under this warranty.

Electrical and hydraulic components are not to be disassembled without the express written consent of MTE. Any disassembly of MTE provided components without prior authorization will void the applicable warranty.

Monroe Truck Equipment shall be the sole and final determining authority as it applies to the administration of this warranty policy. Purchaser acknowledges receipt of Monroe Truck Equipment Warranty Policy and agrees to be bound by same.

Any and all warranty claims must be forwarded to MTE within 10 days of defect discovery. A copy of the original Monroe Truck Equipment invoice as well as the manufacturer's model number, serial number, and date of installation must accompany all correspondence regarding said claims. MTE will, at their option, choose whether to repair or replace the defective part unless otherwise specified by the original manufacturer of said part.

Procedures for Warranty Claims Notification

For submission of any warranty claim, please contact Monroe Truck Equipment – Warranty Dept. at 800-356-8134. The following documentation will be needed when you call for initial warranty authorization.

A copy of the original MTE invoice.

Make, Model, and VIN or Serial number of the equipment involved.

Part number and serial number of the part in question.

A complete description of the problem.

The following must accompany and claim submitted to Monroe Truck Equipment:

Documented photographs of any physical damage.

Inspection notes by MTE personnel or MTE authorized 3rd party.

Authorization number issued by Monroe Truck Equipment - Warranty Department.

Defective parts must be returned to Monroe Truck Equipment (freight pre-paid) within 30 days of issuance of Authorization Number.

Monroe Truck Equipment reserves the right to void any warranty for failure to comply with Monroe Truck Equipment Warranty Policy.

This policy is effective November 5, 2007





Monroe Pickup V-Box Spreader






Available for a wide variety of applications including: parking lots intersections, schools, parks, alleys, apartment complexes shopping malls, bridges and ramps, manufacturing plants, and much more

Available For Use On:

- ¾-Ton Pickups
- 1-Ton & HD/Super-duty Trucks with Flatbed or Dump Body
- Optional Pull-behind Trailer Mount
 Note: Do not exceed manufacturer's recommended gross axle or gross vehicle weight ratings.

Standard Specification:

- 10 gauge longsills and floor, 12 gauge hopper shell
- 8'--1.8 cubic yard capacity, 114" overall length
- · 6-tooth, cast iron sprockets
- Self-cleaning pintle chain with 22,000 pound ultimate strength
- 14" drag chain with ¼" x ¾" crossbars, 6½" on center
- 6" x 8½" adjustable feed gate
- Short spinner assembly, for pickup truck mounting, has adjustable baffles and a 10 gauge, 13" spinner disk
- 50½" overall outside width, 32" height
- 10½ HP Briggs & Stratton engine
- Orange powder coat paint




100% continuously welded inside

12 gauge hopper shell 6 side gussets


2 internal & 3 external adjustable baffles

12 gauge spinner assembly

10 gauge spinner disc



Heavy-duty, 10 gauge longsills and floor.



Standard Throttle Control Kit

(Engine Model Shown)


MINITE SPREADER

SI

Powder Coat Painted

Front

Rear



Slotted longsills for easy removal of chain-sprocket assembly.


1¼" drive & idler shafts.

4-bolt, relubeable bearings on shafts.




- Inverted V
- · Hold Down Kit
- Poly Spinner Disk
- Extended Spinner Assembly
- Vertical Hopper Extensions
- 304 Stainless Steel Construction
- 7' and 8' Lengths
- Battery
- Hose Kits

- Flow Control Valve
- Special Paint
- Center High Mount Stop Light
- Top Screens
- Deluxe Throttle Control
- Hydraulic Drive Auger in lieu of Conveyor
- Hydraulic Drive in lieu of Gas Engine



Optional Deluxe Throttle Control.



Optional ¼" or ¾" rod, set-in top screen.

Manufactured by: Monroe Snow & Ice Control 1051 W. 7th Street • Monroe, WI 53566 800-880-0109 • 608-329-8105 608-328-8390 Fax

Web: monroetruck.com
E-mail: snowandicecontrol@tds.net

Distributed by:

Middletown Tractor Sales

2345 Whitehall Boulevard Fairmont, WV 26554 (304) 366-4690 www.middletowntractor.com

5/25/2006