

709EC001

ADDRESS CORRESPONDENCE TO ATTENTION OF

MICHAEL AUSTIN 304-558-2402

RFQ COPY TYPE NAME/ADDRESS HERE

DIVISION OF HIGHWAYS EQUIPMENT DIVISION ROUTE 33 BRUSHY FORK ROAD BUCKHANNON, WV 26201

304-472-1750

DATE PRIN		ERMS OF SALE	SHIP VIA	FOB.	FREIGHTTERMS
08/14/ BID OPENING DATE		4 30 Day		DPENING TIME O	No Chaze
LINE	GUANTITY	UGP CAT	ITEMNUMBER.	UNITPRICE	1:30PM AMOUNT
0001	1 DEMOUNTABLE	'	765-66 CHEMICAL SPREAD	See Page	. 19
		OPEN	END CONTRACT	·	
	ABRASIVE &	2.3 CUBIC Y CHEMICAL SF D SPECIFICA	ARD STRUCK CAPAC READER (SELF CON TIONS.	ITY DEMOUNTABLE TAINED) PER	
	STATE CAPIT AT 10:00 AM	OL COMPLEX, ON 08/28/0	ORY PRE-BID CONF BUILDING 15, CO 8. FAILURE TO AT IN BID DISQUALI	NFERENCE ROOM, TEND THE PRE-BID	
	CLOSE OF BU	SINESS (5:0	STIONS MUST BE R D PM EST) ON FRI D: PURCHASING DIV ATTENTION MICH 2019 WASHINGTO	DAY, 08/22/08. ISION AEL AUSTIN	
	E-MAIL:		CHARLESTON, WV VIA FAX, EMAIL, USTINƏWV.GOV 5		
	IT IS THE V QUESTIONS H	ENDORS RESP AVE BEEN RE	ONSIBILITY TO VE	RIFY THAT THEIR G 304-558-2402.	RECEIVED
	EXHIBIT 2			ĺ	08 SEP 29 AM 10: 07
	LIFE OF CON	AND	EXTENDS FOR A PE		PURCHASING DIVISION STATE OF WV
SIGNATURE	120 —	SEE RE	VERSE SIDE FOR TEAMS AND CON	DITIONS DATE	
TITLE (FEIN	TELEPHONE 3	1	9/19/08
	W	<u> </u>	1865	ADDRESS CHANGES	TO BE NOTED ABOVE

GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

- 1. Awards will be made in the best interest of the State of West Virginia.
- 2. The State may accept or reject in part, or in whole, any bid.
- 3. All quotations are governed by the West Virginia Code and the Legislative Rules of the Purchasing Division.
- 4. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
- 5. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods, this Purchase Order/Contract becomes void and of no effect after June 30.
- Payment may only be made after the delivery and acceptance of goods or services.
- 7. Interest may be paid for late payment in accordance with the West Virginia Code.
- 8. Vendor preference will be granted upon written request in accordance with the West Virginia Code.
- 9. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes
- 10. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- 11. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern all rights and duties under the Contract, including without limitation the validity of this Purchase Order/Contract.
- 12. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
- 13. BANKRUPTCY: In the event the vendor/contractor files for bankruptcy protection, this Contract may be deemed null and void, and terminated without further order.
- 14. HIPAA BUSINESS ASSOCIATE ADDENDUM: The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, and available online at the Purchasing Division's web site (http://www.state.wv.us/admin/purchase/vrc/hipaa.htm) is hereby made part of the agreement. Provided that, the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
- 15. WEST VIRGINIA ALCOHOL & DRUG-FREE WORKPLACE ACT: If this Contract constitutes a public improvement construction contract as set forth in Article 1D, Chapter 21 of the West Virginia Code ("The West Virginia Alcohol and Drug-Free Workplace Act"), then the following language shall hereby become part of this Contract: "The contractor and its subcontractors shall implement and maintain a written drug-free workplace policy in compliance with the West Virginia Alcohol and Drug-Free Workplace Act, as set forth in Article 1D, Chapter 21 of the West Virginia Code. The contractor and its subcontractors shall provide a sworn statement in writing, under the penalties of perjury, that they maintain a valid drug-free work place policy in compliance with the West Virginia and Drug-Free Workplace Act. It is understood and agreed that this Contract shall be cancelled by the awarding authority if the Contractor: 1) Fails to implement its drug-free workplace policy; 2) Fails to provide information regarding implementation of the contractor's drug-free workplace policy at the request of the public authority; or 3) Provides to the public authority false information regarding the contractor's drug-free workplace policy."

INSTRUCTIONS TO BIDDERS

- 1. Use the quotation forms provided by the Purchasing Division.
- 2. SPECIFICATIONS: Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as EQUAL to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
- 3. Complete all sections of the quotation form.
- 4. Unit prices shall prevail in case of discrepancy
- 5. All quotations are considered FO.B. destination unless alternate shipping terms are clearly identified in the quotation.
- **6. BID SUBMISSION:** All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130



HOUZER

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

REO NUMBER 709EC001

MICHAEL AUSTIN 304-558-2402

ADDRESS CORRESPONDENCE TO ATTENTION OF

RFQ COPY TYPE NAME/ADDRESS HERE

DIVISION OF HIGHWAYS EQUIPMENT DIVISION ROUTE 33 **BRUSHY FORK ROAD** BUCKHANNON, WV 26201 304-472-1750

DATE PRINTED TERMS OF SALE SHIP VIA F.O.8 FREIGHTTERMS 08/14/2008 BID OPENING DATE: 09/03/2008 BID OPENING TIME 01:30PM LINE QUANTITY UOP ITEM NUMBER UNIT PRICE AMOUNT: YEAR OR UNTIL SUCH "REASONABLE TIME" THEREAFTER AS IS NECESSARY TO OBTAIN A NEW CONTRACT OR RENEW THE DRIGINAL CONTRACT. THE "REASONABLE TIME" PERIOD SHALL NOT EXCEED TWELVE (12) MONTHS. DURING THIS "REASONABLE TIME" THE VENDOR MAY TERMINATE THIS CONTRACT FOR ANY REASON UPON GIVING THE DIRECTOR OF PURCHASING THIRTY (30) DAYS WRITTEN NOTICE. UNLESS SPECIFIC PROVISIONS ARE STIPULATED IN THIS CONTRACT DOCUMENT, THE TERMS, CONDITIONS, AND PRICING SET HEREIN ARE FIRM FOR THE LIFE OF THE CONTRACT. RENEWAL: THIS CONTRACT MAY BE RENEWED UPON THE MUTUAL WRITTEN CONSENT OF THE SPENDING UNIT AND VENDOR, SUBMITTED TO THE DIRECTOR OF PURCHASING THIRTY (30) DAYS PRIOR TO THE EXPIRATION DATE. SUCH RENEWAL SHALL BE IN ACCORDANCE WITH THE TERMS AND CONDITIONS OF THE DRIGINAL CONTRACT AND SHALL BE LIMITED TO TWO (2) ONE (1) YEAR PERIODS. CANCELLATION: THE DIRECTOR OF PURCHASING RESERVES THE RIGHT TO CANCEL THIS CONTRACT IMMEDIATELY UPON WRITTEN NOTICE TO THE VENDOR IF THE COMMODITIES AND/OR SERVICES SUPPLIED ARE OF AN INFERIOR QUALITY OR DO NOT CONFORM WITH THE SPECIFICATIONS OF THE BID AND CONTRACT HEREIN. OPEN MARKET CLAUSE: THE DIRECTOR OF PURCHASING MAY AUTHORIZE A SPENDING UNIT TO PURCHASE ON THE OPEN MARKET, WITHOUT THE FILING OF A REQUISITION OR COST ESTIMATE, ITEMS SPECIFIED ON THIS CONTRACT FOR IMME-DIATE DELIVERY IN EMERGENCIES DUE TO UNFORESEEN CAUSES KINCLUDING BUT NOT LIMITED TO DELAYS IN TRANSPORTATION OR AN UNANTICIPATED INCREASE IN THE VOLUME OF WORK). QUANTITIES: QUANTITIES LISTED IN THE REQUISITION ARE APPROXIMATIONS ONLY, BASED ON ESTIMATES SUPPLIES BY TH SEE REVERSE SIDE FOR TERMS AND CONDITIONS SIGNATURE TELEPHONE nne FEIN ADDRESS CHANGES TO BE NOTED ABOVE



MODZEK

DATE PRINTED

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

TERMS OF SALE

Request for Quotation

SHIP VIA

AFC NUMBER 709EC001 PAGE

FREIGHT TERMS

MICHAEL AUSTIN

ADDRESS CORRESPONDENCE TO ATTENTION OF 304-558-2402

RFQ COPY TYPE NAME/ADDRESS HERE

DIVISION OF HIGHWAYS EQUIPMENT DIVISION ROUTE 33 **BRUSHY FORK ROAD** Ţ BUCKHANNON, WV 26201 304-472-1750

FOB.

08/14/2008 **BID OPENING DATE** 09/03/2008 BID OPENING TIME 01:30PM QUANTITY AMOUNT LINE ITEM NUMBER UNIT PRICE STATE SPENDING UNIT. IT IS UNDERSTOOD AND AGREED THAT THE CONTRACT SHALL COVER THE QUANTITIES ACTUALLY DRDERED FOR DELIVERY DURING THE TERM OF CONTRACT, WHETHER MORE OR LESS THAN THE QUANTITIES SHOWN. SPENDING UNIT(S) SHALL ISSUE A ORDERING PROCEDURE: WRITTEN EQUIPMENT CONTRACT ORDER (FORM NUMBER WV-35) FOR COMMODITIES COVERED BY THIS CONTRACT. THE ORIGINAL WV-35 MUST BE SENT TO THE PURCHASING DIVISION OF THE DEPARTMENT OF ADMINISTRATION. AFTER APPROVAL AND ENCUMBRANCE, ONE COPY OF THE PURCHASE ORDER WILL BE RETURNED TO THE SPENDING UNIT AND ONE COPY FOR-WARDED TO THE VENDOR AS AUTHORIZATION FOR SHIPMENT. NO ORDER IS VALID UNLESS APPROVED AND ENCUMBERED BY THE PURCHASING DIVISION. BANKRUPTCY: IN THE EVENT THE VENDOR/CONTRACTOR FILES FOR BANKRUPTCY PROTECTION, THIS CONTRACT IS AUTOMATI-CALLY NULL AND VOID, AND IS TERMINATED WITHOUT FURTHER ORDER. REV. 9/98 EXHIBIT 6 PRICE ADJUSTMENT PROVISION: THE STATE OF WEST VIRGINIA WILL CONSIDER BIDS THAT CONTAIN PROVISIONS FOR PRICE ADJUSTMENTS PRIOR TO THE ORIGINAL EXPIRATION OF THE CONTRACT, PROVIDED THAT SUCH PRICE ADJUSTMENT COVERS BOTH UPWARD AND DOWNWARD MOVEMENT OF THE COMMODITY PRICE, AND THAT ADJUSTMENT IS BASED ON THE "PASS THROUGH" INCREASE OR DECREASE OF RAW MATERIALS AND/OR LABOR, WHICH MAKE UP ALL OR A SUBSTANTIAL PART OF A PRODUCT. ADJUSTMENTS ARE TO BE SEE REVERSE SIDE FOR TERMS AND CONDITIONS SIGNATURE TELEPHONE DATE TITLE FEIN ADDRESS CHANGES TO BE NOTED ABOVE



RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for Quotation

709EC001

PAGE 4

ADDRESS CORRESPONDENCE TO ATTENTION OF MICHAEL AUSTIN
304-558-2402

RFO NUMBER

0 T - - T 0

DIVISION OF HIGHWAYS
EQUIPMENT DIVISION
ROUTE 33
BRUSHY FORK ROAD
BUCKHANNON, WV

26201

304-472-1750

DATE PRINTED	TERMS OF SALE SHI	P VIA	FOB	FREIGHTTERMS
08/14/2008				
1-17.	3/2008	BID D	PENING TIME O	1:30PM
LINE QUANTITY	UOP CAT ITEM N	UMBER	UNITPRICE	AMOUNT
ALL PRICE A MANNER A GOVERNMENT PUBLISHED SHOULD BE PURCHASING DATE OF TH PRICE ADJU ACCEPT THE ACCORDINGL	AN ACTUAL DOLLAR FI ADJUSTMENT REQUESTS CCEPTABLE TO THE DIR AL BENCH MARKS, GENE PRICE LISTS. SUCH R RECEIVED IN WRITING AT LEAST 30 DAYS IN E INCREASE. ANY TIM STMENT, THE PURCHASI PRICE ADJUSTMENT AN Y OR REJECT THE ADUS THE CONTRACT.	MUST BE S ECTOR PUR RAL MARKE EQUESTS F BY THE DI ADVANCE E THE VEN NG DIVISI D AMEND T	UBSTANTIATED IN CHASING, E.G. T INCREASE, OR AND INCREASE RECTOR OF THE EFFECTIVE DOR REQUESTS A ON MAY EITHER HE CONTRACT	
EXHIBIT 10	REQU	ISITION NO	7.45 EC (W.).	
ADDENDUM A	CKNOWLEDGEMENT			The state of the s
ADDENDUM(S:	CKNOWLEDGE RECEIPT O D AND HAVE MADE THE PLANS AND/OR SPECIFI	NECESSARY	REVISIONS TO MY	
ADDENDUM NO	o. 's:			
NO. 1				
NO. 2				
NO. 3				
NO. 4		Varioussessessessessessessessessessessessesse		
NO. 5	• •	orening the management of the contract of the		
SIGNATURE	SEE REVERSE SIDE FOR	TERMS AND CONDIT	TIONS DATE	
TITLE	FEIN		ADDRESS CHANGES	TO BE NOTED ABOVE



Request for Quotation

709EC001

PAGE 5

4	Ι	C	H	A	E	L	A	Ų	S	T	ΙN	ļ
z	n	1.		E	E	0	 ~	r.	n	~		

709EC001 5

DOCZMA

RFQ COPY
TYPE NAME/ADDRESS HERE

DIVISION OF HIGHWAYS
EQUIPMENT DIVISION
ROUTE 33
BRUSHY FORK ROAD
BUCKHANNON, WV
26201 304-472-1750

DATE PRINTED TERMS OF SALE SHIP VIA F.O.B. FREIGHT TERMS 08/14/2008 BID OPENING DATE: 09/03/2008 BID OPENING TIME 01:30PM CAT NO QUANTITY TEM NUMBER LINE UOP UNIT PRICE AMOUNT. I UNDERSTAND THAT FAILURE TO CONFIRM THE RECEIPT OF THE ADDENDUM(S) MAY BE CAUSE FOR REJECTION OF BIDS. VENDOR MUST CLEARLY UNDERSTAND THAT ANY VERBAL REPRESENTATION MADE OR ASSUMED TO BE MADE DURING ANY ORAL DISCUSSION HELD BETWEEN VENDOR'S REPRESENTATIVES AND ANY STATE PERSONNEL IS NOT BINDING. ONLY THE INFORMATION ISSUED IN WRITING AND ADDED TO THE SPECIFICATIONS BY AN OFFICIAL ADDENDUM IS SIGNATURE DATE REV. 11/96 VENDOR PREFERENCE CERTIFICATE CERTIFICATION AND APPLICATION* IS HEREBY MADE FOR PREFERENCE IN ACCORDANCE WITH WEST VIRGINIA CODE, 5A-3-37 (DOES NOT APPLY TO CONSTRUCTION CONTRACTS). A. APPLICATION IS MADE FOR 2.5% PREFERENCE FOR THE REASON CHECKED: BIDDER IS AN INDIVIDUAL RESIDENT VENDOR AND HAS RESIDED CONTINUOUSLY IN WEST VIRGINIA FOR FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS SEE REVERSE SIDE FOR TERMS AND CONDITIONS SIGNATURE TITLE FEIN ADDRESS CHANGES TO BE NOTED ABOVE



State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130

Request for Quotation

709EC001

Control of the last of the las	Charleston, WV 25305-0130	MICHAEL AUSTIN	
		304-558-2402	
RFQ	COPY	8888	
TYPE	NAME/ADDRESS HERE	DIVISION OF HIGHWAYS	
¥		EQUIPMENT DIVISION	
N.		ROUTE 33	
ğ		BRUSHY FORK ROAD	
		BUCKHANNON, WV	
		DIVISION OF HIGHWAYS EQUIPMENT DIVISION ROUTE 33 BRUSHY FORK ROAD BUCKHANNON, WV 26201 304-472-1750	
			

DATE PRINTED	TERMS OF SALE SI	IIP VIA	FOB	FREIGHTTERMS
08/14/2008				
BID OPENING DATE: 09	/03/2008	BID D	PENING TIME 01	:30PM
LINE QUANTITY	UOP CAT ITEM	NUMBER	UNITPRICE	TNUOMA
CERTIFICA	ATION; OR			

СЖ ВІІ	DDER IS A PARTNERSHIP	. ASSOCIAT	ION OR CORPORA-	
TION RESI	IDENT VENDOR AND HAS	MAINTAINED	ITS HEAD-	
QUARTERS	OR PRINCIPAL PLACE O	F BUSINES	CONTINUOUSLY IN	
WEST VIRG	SINIA FOR FOUR (4) YE	ARS IMMEDI.	ATELY PRECEDING	
THE DATE	OF THIS CERTIFICATIO	N; OR 80%	OF THE OWNERSHIP	
INIERESI	OF BIDDER IS HELD BY	ANOTHER I	NDIVIDUAL,	
MAKINEKSP	IIP, ASSOCIATION OR C MAINTAINED ITS HEADQU	URPORATION	RESIDENT VENDOR	
OF RISTNE	SS CONTINUOUSLY IN W	AKIEKS UK	PRINCIPAL PLACE	
YEARS IMM	EDIATELY PRECEDING T	HE DATE OF	IA FUR FUUR (4) Thic	
CERTIFICA		THE DATE OF	11112	
() BIE	DER IS A CORPORATION	NONRESIDE	NT VENDOR	
WHICH HAS	AN AFFILIATE OR SUB:	SIDIARY WH:	ICH EMPLOYS	
A MINIMUM	I OF ONE HUNDRED STATI	E RESIDENTS	S AND WHICH	
HAS MAINT	AINED ITS HEAQUARTER	S OR PRINC	IPAL PLACE OF	
BUSINESS	WITHIN WEST VIRGINIA	CONTINUOUS	SLY FOR THE	
CERTIFICA	YEARS IMMEDIATELY PRI	CEDING IH	E DATE OF THIS	
				İ
B. APPLI	CATION IS MADE FOR 2	.5% PREFERE	ENCE FOR THE	
REASON CH				
(X) BID	DER IS A RESIDENT VEN	IDOR WHO CE	ERTIFIES THAT,	
BURING TH	E LIFE OF THE CONTRAC	CT, ON AVER	RAGE AT LEAST	
75% OF TH	E EMPLOYEES WORKING (ON THE PRO.	JECT BEING BID	
ARE RESID	ENTS OF WEST VIRGINIA	WHO HAVE	RESIDED IN	
DDECEDING	CONTINUOUSLY FOR THE SUBMISSION OF THIS E	: IWU YEARS	S IMMEDIATELY	
DR DR	SOBUTSSION OF THIS E	tn!		
1	DER IS A NONRESIDENT	VENDOD EME	PLOVING A	22
	F ONE HUNDRED STATE R			
NONRESIDE	NT VENDOR WITH AN AFF	ILIATE OR	SUBSIDIARY	
WHICH MAI	NTAINS ITS HEADQUARTE	RS OR PRIN	CIPAL PLACE	
1	SEE REVERSE SIDE FOR			
RIGNATURE	DEE REVERSE SUBTOF	TELEPHONE	HONS DATE	
TILE	CENT			
5 4 Lm.	FEIN		ADDRESS CHANGES	TO BE NOTED ABOVE



>₩ZDOR

RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Roy 50120 Post Office Box 50130 Charleston, WV 25305-0130

RFO NUMBER 709EC001

ADDRESS CORRESPONDENCE TO ATTENTION OF

MICHAEL AUSTIN 304-558-2402

DIVISION OF HIGHWAYS **EQUIPMENT DIVISION** ROUTE 33 BRUSHY FORK ROAD BUCKHANNON, WV

26201

304-472-1750

DATE PRINTED	TERMS OF SALE SHIP	YIA FOB	FREIGHTTERMS
08/14/2008		<u> </u>	
BID OPENING DATE: 09	/03/2008	BID OPENING TIME 0	:30PM
	NO.	UNITPRICE IA EMPLOYING A MINIMUM WHO CERTIFIES THAT.	AMQUNT
DURING TO 75% OF TO SUBSIDIA WHO HAVE	HE LIFE OF THE CONTRAC HE EMPLOYEES OR BIDDER RY'S EMPLOYEES ARE RES	T, ON AVERAGE AT LEAST S' AFFILIATE'S OR IDENTS OF WEST VIRGINIA CONTINUOUSLY FOR THE TWO	
DETERMIN FAILED T PREFEREN PURCHASI DRDER IS BIDDER I AND THAT AGENCY O	ES THAT A BIDDER RECEID CONTINUE TO MEET THE CE, THE SECRETARY MAY NG TO: (A) RESCIND THE SUED; OR (B) ASSESS AN AN AMOUNT NOT TO EXC	REQUIREMENTS FOR SUCH ORDER THE DIRECTOR OF E CONTRACT OR PURCHASE PENALTY AGAINST SUCH EED 5% OF THE BID AMOUNT PAID TO THE CONTRACTING	
DISCLOSE PURCHASI TAX AND PURCHASI BIDDER H THAT SUC TAXES PA	NG DIVISION AND AUTHOR REVENUE TO DISCLOSE TO NG APPROPRIATE INFORMA AS PAID THE REQUIRED BH INFORMATION DOES NOT	TED INFORMATION TO THE IZES THE DEPARTMENT OF THE DIRECTOR OF TION VERIFYING THAT USINESS TAXES, PROVIDED CONTAIN THE AMOUNTS OF MATION DEEMED BY THE TAX	
CODE 61-1 CERTIFIC THAT IF CONTAINED TERM OF	5-3), BIDDER HEREBY CE ATE IS TRUE AND ACCURA A CONTRACT IS ISSUED T D WITHIN THIS CERTIFIC THE CONTRACT, BIDDER W NG DIVISION IN WRITING	TE IN ALL RESPECTS; AND O BIDDER AND IF ANYTHING ATE CHANGES DURING THE ILL NOTIFY THE IMMEDIATELY.	
SIGNATURE	SEE REVERSE SIDE FOR	TERMS AND CONDITIONS TELEPHONE DATE	
TITLE	FEIN	ADDRESS CHANGES	TO BE NOTED ABOVE



Request for Quotation

709EC001

PAGE	22
8	

ADDRESS CORRESPONDENCE TO ATTENTION OF:

MICHAEL AUSTIN 304-558-2402

RFQ COPY TYPE NAME/ADDRESS HERE

DIVISION OF HIGHWAYS **EQUIPMENT DIVISION** ROUTE 33 BRUSHY FORK ROAD BUCKHANNON, WV 26201 304-472-1750

DATE PRINTED TERMS OF SALE SHIP VIA FO.8. FREIGHT TERMS 08/14/2008 BID OPENING DATE: 09/03/2008 BID OPENING TIME 01:30PM LINE QUANTITY UOP ITEM NUMBER UNIT PRICE AMOUNT Equip. Cu. DATE: SIGNED: TITLE: * CHECK ANY COMBINATION OF PREFERENCE CONSIDERATION(S) IN EITHER "A" OR "B", OR BOTH "A" AND "B" WHICH YOU ARE ENTITLED TO RECEIVE. YOU MAY REQUEST UP TO THE MAXIMUM 5% PREFERENCE FOR BOTH "A" AND "B". (REV. 12/00) NOTICE A SIGNED BID MUST BE SUBMITTED TO: DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION BUILDING 15 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25305-0130 THE BID SHOULD CONTAIN THIS INFORMATION ON THE FACE OF THE ENVELOPE OR THE BID MAY NOT BE CONSIDERED: SEALED BID BUYER: 33 SEE REVERSE SIDE FOR TERMS AND CONDITIONS SIGNATURE TELEPHONE TITLE FEN ADDRESS CHANGES TO BE NOTED ABOVE



DOCZEK

RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for Quotation

709EC001

PAGE 9

ADDRESS CORRESPONDENCE TO ATTENTION OF MICHAEL AUSTIN
304-558-2402

DIVISION OF HIGHWAYS
EQUIPMENT DIVISION
ROUTE 33
BRUSHY FORK ROAD
BUCKHANNON, WV

26201

304-472-1750

DATEPRIN	ITED	ΤĒ	RMS OF SA	LE	5	HIP VIA		F.O.B	1	FREIGHT TERMS
08/14/										
BID OPENING DATE	: :4::::::::::::::::::::::::::::::::::	09/03	/2008	1000-00000000000000	decorionesconocionis	BII) OPE	ENING TI	ME O	L:30PM
LINE	QUA	NTITY	UOP	CAT NO.	JTEN	ANUMBER		UNITPRIC	JE	AMOUNT
THE SECTION AND ASSESSMENT	The second	والموادات فالمتناف في الماليات								
							W. Carlotte			
	RFQ. N	10.:			709	PEC001	Amma44444			
	BID OF	PENTNG	DATE.		na	03/2008				
		L11110	PA			0072000	ŀ			
	BID OP	PENING	TIME:		1:3	O PM				
	honeenullaww									
					1					
	PLEASE	PROVI	DE A	FAX N	UMBER I	N CASE I	T IS	NECESS/	ARY	
	TO CON	ITACT Y	OU RE	GARDI	NG YOUR					
	_				scy	292 6	44/	•		
	CONTAC	T PERS	ON (P	LEASE	PRINT	CLEARLY)	:			
				4	leaner	1 Han	coch	Ja		
PLANA CAREFORNIA	-	Fro 400 See 500 See 500 Se		£	3			,		-
and the same of th										
	}									(0.
	*****	THIS	TST	HF FN	D DE RE	Q 709E	Coni	*****	TOTAL •	See 15.19
			,			Q (0)L		, ,,,,,,,,,	IUINC.	

					l					
				i						·
				ļ			ĺ			
	:									
				SEE REV	/ERSESIDEFC	RTERMS AND C	ONDITIO	NS		1
SIGNATURE						TELEPHONE			DATE	The state of the s
TITLE	······································	F	IN					ADDRESS	CHANGES	TO BE NOTED ABOVE

WEST VIRGINIA DEPARTMENT OF TRANSPORTATION DIVISION OF HIGHWAYS EQUIPMENT DIVISION

BIDDER'S EVALUATION REPORT

PROCUREMENT SPECIFICATIONS FOR OPEN END CONTRACT NO. 011-1-H

2.3 CUBIC YARD STRUCK CAPACITY DEMOUNTABLE ABRASIVE AND CHEMICAL SPREADER (SELF CONTAINED)

NOTE TO BIDDER: Procurement Specification No. 011-1-H, Paragraph 2.0 recommends the completion and submittal of this Report with your bid. Purpose of this Report is to enable the West Virginia Division of Highways Evaluation Committee to make full and fair evaluation of the bid. Addendums in order, along with a summary of exception as a separate attachment, should be with Bidder's Evaluation Report. FAILURE TO SUBMIT THIS REPORT, COMPLETE IN ITS ENTIRETY, MAY SUBJECT THE BIDDER TO DISQUALIFICATION.

	Reference Requisition No.: 709 8000/
	Bidder's Name: LH Junes Earjo, Cc.
	Address: 1825 EARL COME RS. Margintain, UN 26505
	Telephone Number: 304 742 1307
	Years Bidder has been registered to do business with the State of West Virginia: YRS
	Years Company has been an authorized dealer for proposed unit:
X3.2	Have you complied with all mandatory specifications? YESNO
X4.2 X4.2.1	DELIVERY: Delivery date of completed representative unit: See AUD Calendar Days After Receipt of Purchase Agreement
X4 2.2	Delivery date of balance of completed units: See Asl.#3 Calendar Days After Receipt of Purchase Agreement
	NOTE: Vendor should type Bidder's Evaluation Report
	Bidder's Evaluation Report available for download on Purchasing's Web site at www.state.wv.us/admin/purchase

X5.0 AWARD CRITERIA;

X5.1	Prices for unit	S ‡		1-10	<u>4455.00</u> per unit	
				11-20	4555.00 per unit	
				21-50	4655 W per unit	
				51 and over	4755.00 per unit	
	SPECIFICATION Manufacturer,			manufacture of propo	sed unit:	
	Byess Is descriptive li	Salt Doss,	14000	sosed upit attached to	ccessures revs/09 fr your bid? YES	wdiction NO
	If not, why?	Literatore	Le pits	standel unit.	Bid wit equipped	
	いた	ecessories.			••	
X6.2				uals, and complete pa 1 completion of delive	rts list be delivered to the ry of total units? YESN	(O
	•	red Equipment wided upon ins		•	section X6.2 of Bidders Eval	

EQUIPMENT PREVENTATIVE MAINTENANCE QUESTIONNAIRE

THIS FORM MUST BE COMPLETED IN ITS ENTIRETY BY SUCCESSFUL BIDDER OR MANUFACTURER'S TECHNICAL REPRESENTATIVE PRIOR TO DELIVERY OF PILOT MODEL TO THE WVDOH.

DESCRIPT	ION:		<u> </u>	MAKE:				
M	ODEL:	***************************************	YEAR:					
ENGINE:								
		EM CAPACITY: _						
BELTS:	DESCRIPTION:			PART NUN				
and the state of	***************************************			www.commission.com				
Gvw;		AXLE CAPAC	HY: FRONT:		•	REAR:		
TIRES:	FRONT MAKE &	: SIZE:						
	REAR MAKE & S	SIZE:						
DIMENSIO						LENGTH:		
VENDOR C	CONTACT PERSON	V:			PHONE:			
PARTS:								
BATTERY	MAKE:		MODEL:		CCA:	HEIGHT		
TOP OR SII	DE POST:		DIMENSIONS	: LENGTH	WIDTH	HEIGHT		
ひた リオイガン たずつん	JOS ON LOED HAN	CUTORO MARE:		PAKI#				
				IATOREP:				
STARTER N	OR MAKE:			PARI#;				
TURBO CH	ARGER MAKE	*		ΓΑΙΚΙ # ΡΑΌΤ #:				
TRANS MA	AKE:	MODE	II.:	I FILL II.	ΑΙΙΤΟ/ΜΑΝΙΙΑ	(•		
HYDRAUL	IC PUMP MAKE:			MODEL:		L;		
	MAKE				MANUFACTU			
OIL		~	ENGI	VE				
AIR INNER			TRAN	SMISSION				
AIK OO IER	<u> </u>		POWE	R STEERING	***************************************			
	ANI		HYDR	AULIC				
FUEL SECO	NDARY		DIFFE	KENHALS				
JOOLANI			BRAK	E FLUID				
HYDRAULI	C		COOL	ANT				
OTHER		¥	OTHE	R				

X6.3	TRAINING:										
	Will training seminar be conducted on Preventive Maintenance, Operator	and Mechai YES	nic Training NO								
	Will you conduct training with each purchase order against this open	end contra	act? SNO								
	Will training be conducted within 2 working days from the delivery of the purchase order?	pilot upit c	on the individual								
	If NO, explain time frame										
	Will an Operator's Manual be furnished directly to Training Academ delivery of the pilot?	y prior to t	the SNO								
X6.4	If you are the successful vendor, will you furnish all training aids, i.e., in conducting the training? YESNO	videos, pr	ojectors, required								
X6.4.1	Will all manuals, booklets, etc. explaining preventive maintenance service schedule be delivered with each unit? If NO, explain	, operator YE	procedures, and SNO								
X6.5	WARRANTY AND SERVICE POLICY										
	Will the warranty and service you provide comply with all areas as stated YESNO	in Section ()	6.5 of specifications								
	Is warranty literature attached?	YES	_NO								
	Is a minimum two (2) year bumper to bumper basic parts and labor y and normal wear items included? Describe: A Helel	YES	_NO								
		100									

X6.5 WARRANTY AND SERVICE POLICY QUESTIONNAIRE

THIS FORM MUST BE COMPLETED IN ITS ENTIRETY AND SUBMITTED WITH YOUR BID. (If additional lines are needed, make copies of form.)

1. Define the terms of the standard warranty If not offered, so state. (Attach copy)									
2. D	efine warranty service to	be performed at DOH facilities and warranty service to be performed at							
man	manufacturer's representative facility. List name and location of manufacturer's representative. All words Serve at: LH Jan Farin. G.								
	44 0000	1825 EARL CORE R.							
		Margentin WV 26505							
3. L	ist locations for parts inv	ventories that are within the State of West Virginia. Also, list availability levels, if							
knov	wn.								
	CH John Equ	20. a.							
	1825 EARL	Cent Rd							
	Margarhan	. W 26505							
	uring the term of warran	ty, list the guarantee discount to manufacturer's published list price for parts that							
bidd	er will sell the parts to o	wner.							
A.	Terms: Net 30	Manufacturer's published list price less: % discount							
B.	Terms: Net 60	Manufacturer's published list price less: % discount							
C.	Terms: Net 90	Manufacturer's published list price less: % discount							
5 D.	raina tha tarm of war								
J. D.	urnig the term of warran	ty, will all manufacturers or engineering improvements be submitted to Division of YES NO							
^^	array a.	1155110							
6. Di	uring the term of warran	ty, list the guaranteed rates charged for repair to the unit.							
٨	(1) D-4-	\$ 60 = per mechanic hour							
Α.	Shop Rate								
В.,	Travel Time Charge	\$ 60° per mechanic hour; post to post							
	(Specify if one-way)	; port to port							
_		ė.							
C.	Mileage Charge	\$ per vehicle mile							
	(Specify if one-way	; port to port							
D.	Field Mechanic Rate	\$ 60° per mechanic hour							
_									
E .	Specify period of time	e that prices are in effect:							
F	Surcharge for miscell	aneous items. Net cost of the air freight							

X6.6	EVALUATION COMMITTEE REQUIREMENTS						
	Is all component specifications, product literature, component models provided for Evaluation Committee bid determination? YES NO						
X6.7	Will all parts, equipment, accessories, material, design and performance characteristics not specified herein, but which are necessary to provide a complete unit, be furnished with the unit and conform in strength, quality of material, and quality of workmanship to those which are advertised and provided to the market in general by the unit industry? YESNO						
X6.7.1	Are all parts and accessories adequate and regularly supplied as standard to be included except those which may be duplications of specifications herein, and except these by specification are not to be furnished?						
X6.7.2	Are all standard safety features that are required by Federal and State statutes of law included? YESNO						
X7.0	SPECIFICATIONS OF THE QUOTED UNIT The bidder should complete the following schedule in order for the Division to compare the actual bid unit to the specifications. Should the bidder except a requirement, then such exception may be only on the basis that such feature is not offered by the manufacturer. The Division will have the sole discretion as to whether the bidder's substitution meets the requirements of the specifications. Manufacturer: Model: 14cw5055-1						
X7.1	Are spreaders offered the heavy duty, self contained, hopper type?NO						
X7.2	Does spreader consist of a steel body, feeder conveyor, spinner disc, power drive, and all components necessary to make a complete operating unit? YESNO						
X7.3	Is the unit capable of uniformly spreading sand, cinders, salt, calcium chloride, or other mixtures up to a width of 20 feet? YESNO						
X7.4	Body:						
X7.4.1	Is the body all-welded 304 stainless steel construction?YESNO						
X7.4.2	Capacity Struck: 2.3 Cubic Yards						
X7.4.3	Hopper length: K Feet O Inches						

X7.4.4	Overall height: Feet 38/2 Inches						
X7.4.5	Inside width:Feet 47 Inches						
X7.4.6	Are body sides sloped at approximately 45° pitch to insure free flow of materials to the conveyor? YESNO						
X7.4.7	Gauge of steel body sides and end-gates is gauge 304 stainless steel and support sills constructed of gauge steel and fully welded YES NO						
X7.4.7.1	Body end-gates are constructed of 12 gauge 304 stainless steel						
X7.4.8	Is top of body angle formed for additional support YESNO						
X7.4.9	Are cross supports provided with one (1) at balance point with "lift eye" for easy removal of unit from truck bed? YES NO						
X7.4.10	Is there a protective inverted V conveyor shield made of 304 stainless steel and allows for vertical height adjustment YESNO						
X7.4.11	height adjustment YESNO Is all necessary hardware stainless steel YESNO						
X7.5 C	onveyor:						
X7.5.1	Is the conveyor located in bottom of hopper and capable of engaging material along its full length and moving material to rear adjustable metering gate?YESNO						
X7.5.2	Is conveyor of chain bar flight construction self-cleaning consisting of two (2) heat treated all steel pintle-type parallel chains with cross bars on nine inch (9") centers YES NO						
	Specify cross bar dimensions inches x inches						
X7.5.3	Overall width of chain conveyor:inches						
X7.5.4	Is chain driven by approximately 6-tooth drop forged steel sprocket? 1 ES NO						
	And approximately 1 1/4" alloy shaft mounted in anti-friction sealed bearings YES NO						
	If not, specify: 8T spruket, not 6T						
X7.5.5	Does forward end of conveyor have adjustment provisions for at least 3" lateral takeup? YESNO						
X7.5.6	Is material composition of adjustment mechanism rust proof?YESNO						
X7.5.7	Does the reduction gear box provide a 20:1 ratio?YESNO						
X7.5.8	Feedgate opening height and width: 4 inches high x 6 inches wide						

25.6 Di	stributor Spinner Assembly:							
X7.6.1	Distributor disc material Disc diameter liches							
X7.6.1.1	Number of fins: 4; constructed of crefice							
X7.6.1.2	Are fins designed to obtain a controlled spread of material from 4 feet to 20 feet? YESNO							
X7.6.2	Is material directed from conveyor end to distributor disc by means of an adjustable material flow enclosed chute? YESNO							
X7.6.3	Is an 18 inch chute and 26 inch below the mounting surface spinner extension provided? YESNO							
X7.6.4	Is the spinner assembly manufactured from 304 stainless steel? YES NO							
X7.7 Ba	offles:							
X7.7.1	Are baffles provided to control direction and width of spread? YESNO Are there four (4) sections YESNO							
X7.7.1.1	Are there four (4) sections YESNO							
X7.7.2	· ·							
X7.8. Po	X7.8. Power Drive:							
X7.8.1	Is auxiliary engine mounted at rear of unit to power both conveyor gear box and spinner assembly? YESNO							
X7.8.2	Specify engine manufacturer: Briss & Shuthan Is it air cooled four (4) cycle YESNO							
	Is it air cooled four (4) cycle YESNO							
	HP:(U, 5 industrial/commercial type with positive gear driven internal lubrication and integral fuel pump YES NO							
X7.8.3	Is throttle electrically controlled with "in cab" controls?NO							
X7.8.4	Is clutch manufacturer's heavy duty electric controlled with "in cab" controls? YESNO							
X7.8.5	Is 12 volt electric starter-alternator with control panel for "in cab" start and stop of engine provided? YESNO							
X7.8.6	Is engine fully enclosed and provisions made for easy access for service? YESNO							
X7.8.7	Are manufacturers heavy duty 12 volt battery and battery case provided? YESNO							
X7.8.8	Is there an additional two (2) gallon fuel tank provided YES NO							

X79	Screen Over Hopper:										
X7.9.1	Is flat screen with approximately 3/8 inch x 2 inch openings provided to prevent oversize m from entering hopper during loading? YESNO										
X7.9.2	Are manufacturers heavy duty binders/hold-downs provided with all necessary mounting for proposed model YES YES										
X7.10	Describe manufacturers method of metal preparation and paint procedures:										
X7.11	Does unit offered meet or exceed "Occupational Safety and Health Act of 19 amendments? YES	70" and subsequent NO									



Request for

BEO NUMBER 709EC001

1

ADDRESS:CORRESPONDENCE TO ATTENTION OF MICHAEL AUSTIN 304-558-2402

DIVISION OF HIGHWAYS EQUIPMENT DIVISION ROUTE 33

BRUSHY FORK ROAD BUCKHANNON, WV

26201

304-472-1750

RFQ COPY TYPE NAME/ADDRESS HERE Ut Junea Equip. Co. 1875 Earl Con Bl. Morganton, and 76505

DATE PRIN 08/28/		100000000000000000000000000000000000000	MS OF SAL		SHIP Moster F	va zaiht	R H	108. hema, l		FREIGI	TERMS Cloud
BID OPENING DATE:	100000000000000000000000000000000000000	09/10/	2008			BID	OPENII	NG TIME		:30PM	
LINE	QUAI	VTITY	UOP	CAT. NO	ITEMN	JMBER		UNIT PRICE		Al	MOUNT
,	Province of the Control of the Contr			ADDE	NDUM NO.	1					Account to the contract of the
	BID OP	ENING	DATE	AND T	IME CHAN	GED					·
	FROM:	09/03	/08 A	r 1:3	O P.M.						
-	ro:	09/10	/08 A	Г 1:3	0 P.M.						
	NO OTH	ER CHA	NGES						TO A 14 TO A AND MAN AND AND AND AND AND AND AND AND AND A		
0001	DEMOTING.	1	EA		765-66 CHEMICA	ר. פטסטאח	GTD.	See P.	9.19	of 13.	,d.
	DEMOON	1ADUE	ADRAS	TAE Œ	CHEMICA		ek.				- Automotive and Auto
	*****	THIS	IS T	HE EN	D OF RFQ	709EC	001 **	·*** TC	TAL:	Se	eP5.19
						,					
	ALLA PRINCIPALITY										
								,		,	nover menumentation and the second
											The state of the s
SIGNATURE		9		SEERE	/ERSE SIDE FOR				DATE	0/: 1	-/
TITLE		FE	IN 🍝		mill -	TELEPHONE 3				7//9/(N ADOUT
L WH	EN RESP		し TO RFO	INSER	T NAME AND	ADDRESS	1	ADDRESS CH E ABOVE L			



Request for SEGNUMBER Quotation

709EC001

MICHAEL AUSTIN 304-558-2402

RFQ COPY TYPE NAME/ADDRESS HERE LH Jores Equip. Con 1875 Parl Cone Bd. Marganton, Lar 26508 DOOZMA

DIVISION OF HIGHWAYS. **EQUIPMENT DIVISION** ROUTE 33 BRUSHY FORK ROAD

BUCKHANNON, WV

26201 304-472-1750

CADDRESS CORRESSIONDENCER (FATERENTION CORRES

09/04/		Net 3	220 000 000 000 000		FreiLL		os nna.hv	FREIGHT TERMS A Chemp
BID OPENING DATE:	09	/17/200			BID	OPENING	TIMÉ 0	1:30PM
LINE	QUANTITY	00	CAT. NO	ITEMN	UMBER	UN	IT PRICE	AMOUNT
							•	
			ADDEN	DUM NO.	2			
	BID OPEN	TAG DAT	F AND T	TME CHAN	IGED			
					• • • • • • • • • • • • • • • • • • • •	,		
1	FROM: 0	9/10/08	AT 1.3	. n D M				
	rkom: u	27 107 08	A, I.	O FAIT.				
-	TO: 0	9/17/08	AT 1:3	SO P.M.				
	,							•
	NO OTHER	CHANGE	S					
			***************************************			0	<i>a</i>	
0001		EA	***************************************	765-66		200	1/2 19	of Bil
	DEMOUNTA	··· }	ASIVE 8	CHEMICA	L SPREAD	ER		
	****	21 2141	THE EN	n of 850	1 709EC	በበ፤ ****	*** TOTAL	. See Ps. 19
							AAA TUTAL	•
							,	
						-		
	,							
				VERSE SINE TO		(ecceptary)		
SIGNATURE)	OEEMI	venoe olve PUF	TELEPHONE 3	W 762	13ef DATE	allelas
TITLE		FEIN	(C)	057865				S TO BE NOTED ABOVE



Request for Quotation

709EC001

PAGE

ADDRESS CORRESPONDENCE TO ALTENTION OF THE MICHAEL AUSTIN \$04-558-2402

DIVISION OF HIGHWAYS
EQUIPMENT DIVISION
ROUTE 33
BRUSHY FORK ROAD

BUCKHANNON, WV

26201 304-472-1750

RFQ COPY
TYPE NAME/ADDRESS HERE

LH June Coup in

1825 End Coup in

Margar turn 1 1 16505

DATE PRINTED

DO 12/2008

REF Se June 1

DATE PRIN			VS OF SAL			HIP VIA		FOB.		FREIGHTTERMS	$\overline{\otimes}$
09/12/ BID OPENING DATE:			<u> </u>	148	Mek	Fush		Mhorn		No Conf]
	1	/24/2	000000000000000000000000000000000000000	CAT			JPENJ	NG TIM		:30PM	
LINE	QUANTIT		UOP	CAT NO	1150	INUMBER		UNITPRIC	E.	AMGUNT	
	į		A)	DDEND	M NO.	3					
	CHANGES !	TO T	E SP	ECIFI	CATIONS	ATTACHED					
	BID OPEN:	ING	DATE	AND T	IME CHA	NGED					
	FROM: 0	9/17	'08 A'	r 1:3	P.M.						
	ro: 0:	9/24	'08 A'	r 1:3	P.M.	•					
		THE	PREV	IOUS '	VENDOR	REFERENCE PREFERENC					
	NO OTHER	CHAI	IGES.								
		1 BLE A	:	IVE &		AL SPREAD	ER.			L B2.	
				⊗ o geo∈	/EDCE EME	or terms and co	(fsp:)#k/#				2533
SIGNATURE					CHOCOUCE	TELEPHONE		2 (3%)	DATE	9/19/12	
TITLE / C		FEI	N a	n_ear	ece e		, 68	. /		TO BE NOTED ABOVE	
	1			1-65	860			WUNIVE95	CINNUCS	IN DE MAIEN ABANE	

ADDENDUM '#3

PREBID ISSUES OF CONCERN

709EC001

2.3 CUBIC YARD STRUCK CAPACITY DEMOUNTABLE ABRASIVE & CHEMICAL SPREADER

CHANGES TO BIDDER'S EVALUATION REPORT:
X4.2 DELIVERY (NO CHANGE REQUIRED)
X4.2.1 Delivery date of completed representative unit:45 calendar days after receipt of purchase agreement
X7.4.2 Delivery date of balance of completed units: calendar days after receipt of purchase agreement
NO CHANGE REQUIRED
X7.4.1 Is the body all welded 304 stainless steel construction? YESNO
FROM: X7.4.2 Capacity struck: cubic yards
TO: X7.4.2 Capacity struck: cubic yards (L.H. Jones side extensions YESNO)
NO CHANGE REQUIRED
X7.4.4 Overall height: feet 361/2 inches

FROM:
X7.5.6 Is material composition of adjustment mechanism rust proofYESNO
TO:
X7.5.6 Is material composition of adjustment mechanism rust proof or fust resistant YES NO
FROM:
X7.6.3 Is an 18 inch chute and 26 inch below the mounting surface spinner extension providedYESNO
TO:
X7.6.3 Is an 18 inch chute and 26 inch below the mounting surface spinner extension provided (Middletown 24.296 inch YES NO
FROM: X7.8.2 Specify engine manufacturer: Is it air cooled fina (4) cycle YES NO HP: flustrial/commercial type with positive gear driven internal lubrication and integral fuel pump YES NO
TO:
X7.8.2 Specify engine manufacturer: Busset Shath
Is it air cooled four (4) cycle YES NO
HP:industrial/commercial_type with positive gear driven internal lubrication and integral fuel pump YESNO
(Have you supplied manufacturer's letter of equal emission engine YES NO)
(Middletown – external vac fuel pump with a shut off valve in place of integral fuel pump YESNO)

MARKET ADDRESS CORRESPONDENCE TO A STENTION OF THE SECOND

SEP. 22. 2008 1:14PM WY DIV OF PURCH



MODZEN

State of West Virginia Department of Administration Quotation **Purchasing Division** 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Management of the Republic State
709EC001

A PAGESTA

MICHAEL AUSTIN 304-558-2402

*709043957 **01** 304-292-1307 L H JONES EQUIP CO 1825 EARL CORE ROAD

MORGANTOWN WV 26505

DIVISION OF HIGHWAYS EQUIPMENT DIVISION ROUTE 33 BRUSHY FORK ROAD BUCKHANNON, WV 26201

304-472-1750

09/22/	2008		30 Cas	Make	2 - 222 - 200 (200 d) 4 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 -	Bulleon		AU Ches	
SID OPENING DATE:	Tala salas salas salas	9/29/	2008	2.18.89 P. 28.88.85 200 000, 200.8	BID O	PENING TI	,	:30PM	25 257 5 3 3 3
LIME	QUANT	'nΥ	uop C	TEMN	UMBER	UNITPA	ICE	AMOUNT	
			ADDI	ENDUM NO. 4				AND A STATE OF THE	
	BID OPE	NING	DATE ANI	TIME CHAN	GED			,	
	FROM:	09/24	/08 AT 1	L:30 P.M					
	TO:	09/29	/08 Ar 1	L:30 P.M.					
	NO OTHE	R CHAI	iges .						
0001	DEMOUNT	1	ea Abrasivi	765-66 CHEMICA	L SPREADE	Sec.	Page (19 of Bil	
	****	THIS	IS THE	END OF RFQ	709ECD	01 *****	TOTAL:	See B	(9
									1
SIGNATURE			6	E REVERSESIDE FOR	TELEPHONE	· · · , · le	DATE	9/2/1	
THE		TFF	ın		304			7// 26/08	\
4			<i>5</i> 3.	0551865		AUUHE	oo Changes	TO BE NOTED ABO	YE



1825 Earl Core Road Morgantown, WV 26505 Local Phone: 304-292-1307 Toll Free: 888-292-1305

Fax: 304-292-6641 www.lhjones.com

RFQ 709EC001

Exceptions to Specifications and/or Notes on Specifications

7.5.4 The sprocket with which we are responding is cast, not drop forged and 8T, not 6T, shaft 1-1/8" 7.5.8 A clamp style adjustment is used to achieve the desired result rather than a detented adjustment.

7.8.8 An additional two (2) gallon fuel tank is not provided.

As a note:

Several places in the specifications the word "approximate" is used. For clarification:


Section

7.4.4	approximate 34"	LHJ response 38.5"
7.4.5	approximate 54"	LHJ response 47"
7.5.4	approximate 6T	LHJ Response 8T
7.5.4	approximate 1-1/4"	LHJ Response 1-1/8"
7.6.1	approximate 13"	LHJ Response 11.5"
7.9.1	approximate 3/8 and 2"	LHJ Response 1/4" and 3.75" x 1.75"




SaltDogg

Gas Drive Salt & Sand Spreaders



SCH096SS stainless steel



1400400 poly/stainless steel

Steel • Stainless Steel • Polymer

PART NO.	188 DESCRIPTION GENERAL HERES SEED AND SEED OF THE SECTION OF THE	WT.
SPREADERS onl		
SCH072SS	1.3 cu. yd. 72" Stainless Steel Hopper Spreader, Std. Chute	639 lbs.
SCH072SSX	1.3 cu. yd. 72" Stainless Steel Hopper Spreader, Ext. Chute	655 lbs.
SCH096C	1.8 cu. yd. 96" Carbon Steel Hopper Spreader, Std. Chute	857 lbs.
SCH096CX	1.8 cu. yd. 96" Carbon Steel Hopper Spreader, Ext. Chute	875 lbs.
SCH096SS	1.8 cu. yd. 96" Stainless Steel Hopper Spreader, Std. Chute	745 lbs.
SCH096SSX	1.8 cu. yd. 96" Stainless Steel Hopper Spreader, Ext. Chute	758 lbs.
SCH120SS	2.3 cu. yd. 120" Stainless Steel Hopper Spreader, Std. Chute	789 lbs.
SCH120SSX	2.3 cu. yd. 120" Stainless Steel Hopper Spreader, Ext. Chute	804 lbs.
PREADER KITS	(kits include Spreader, Inverted "V", & Top Screen):	
1400200SS	1.3 cu. yd. 72" Stainless Steel Hopper Spreader Kit, Std. Chute	753 lbs.
140025055	1.3 cu. yd. 72" Stainless Steel Hopper Spreader Kit, Ext. Chute	764 lbs.
1400050	1.8 cu. yd. 96" Carbon Steel Hopper Spreader Kit, Std. Chute	945 lbs.
1400050SS	1.8 cu. yd. 96" Stainless Steel Hopper Spreader Kit, Std. Chute	750 lbs.
1400100	1.8 cu. yd. 96" Carbon Steel Hopper Spreader Kit, Ext. Chute	955 lbs.
1400100SS	1.8 cu. yd. 96" Stainless Steel Hopper Spreader Kit, Ext. Chute	760 lbs.
1400400	1.8 cu. yd. 96" Polymer Hopper Spreader Kit, Std. Chute	837 lbs.
1400450	1.8 cu. yd. 96" Polymer Hopper Spreader Kit, Ext. Chute	853 lbs.
1400300SS	2.3 cu. yd. 120" Stainless Steel Hopper Spreader Kit, Std. Chute	910 lbs.
1400350SS	2.3 cu. yd. 120" Stainless Steel Hopper Spreader Kit, Ext. Chute	922 lbs.
PTIONS & ACC		
1498551	Top Screen, HD Black Powder Coat Finish (for 96" x 47" Steel/SS Spreaders)	79 lbs.
1498561	Top Screen, HD Black Powder Coat Finish (for 72" x 47" Steel/SS Spreaders)	63 lbs.
1498571	Top Screen, HD Black Powder Coat Finish (for 120" x 47" Steel/SS Spreaders)	103 lbs.
1499300SS	Inverted Vee, 304 Stainless Steel (for 120" Spreaders)	18 lbs.
1499500	Inverted Vee, Carbon Steel, Black Powder Coat Finish (for 96" Spreaders)	20 lbs.
1499500SS	Inverted Vee, 304 Stainless Steel (for 96" Spreaders)	15 lbs.
1499700SS	Inverted Vee, 304 Stainless Steel (for 72" Spreaders)	12 lbs.
1493505	Hopper Side Extensions Kit,12" (for 96" x 47" Steel Spreaders)	153 lbs.
1493501SS	Hopper Side Extensions Kit,12" (for 96" x 47" SS Spreaders)	92 lbs.
1493550SS	Hopper Side Extensions Kit,12" (for 120" x 47" SS Spreaders)	106 lbs.
1491301	Tarp Kit, 120" x 47"	9 lbs.
1491501	Tarp Kit, 96" x 47"	8 lbs.
1491701	Tarp Kit, 72" x 47"	7 lbs.
1496500	Hold Down Kit, Four 1/2" x 6" HD Forged Turnbuckle (for Steel/SS Spreaders)	10 lbs.
1496505	Hold Down Kit, 1-3/4" x 5' Ratchet Straps (4 pcs.)	9 lbs.
1496605	Sling, 4,000 lbs. Capacity, 4 Hooks ,5ft Long	7 lbs.
LB8443SST	Stainless Steel D.O.T. Spreader Lightbar, 7-Hole Round (8"x3"x44")	19 lbs.

IDEAL FOR MEDIUM & HEAVY-DUTY COMMERCIAL APPLICATIONS

GENERAL – All hopper spreaders are completely selfcontained, ultra durable spreader units designed for ice and snow control. The rugged design allows for use with salt, sand and other materials. The complete assembly mounts easily on pickup, dump and platform trucks making it ideal for municipalities, shopping malls, industries, hospitals and private contractors.

STEEL/STAINLESS STEEL MATERIAL HOPPER* -

Electrically welded 12-gauge ends and steel sides sloped at 45° are constructed with channel formed top edges. 12-gauge vertical supports add extra strength to the unit. The single lift point on the cross support beam is located at the unit 's center of gravity to allow for easy loading and unloading. The floor is constructed of 10-gauge steel. *Stainless steel models feature high-quality grade 304 stainless steel components, including: Hopper, Hopper Supports, Hopper Floor, Gussets, Spinner Chute Assembly, Deflectors and Engine Hood.

POLYMER MATERIAL HOPPER — Rotationally molded double-wall polymer unibody spreader with smooth angled walls to maximize material flow. Features integrated positive position mount system plus 4-piece ratchet tie-down kit. No drilling required.

CONVEYOR – The conveyor is made of 12" wide all-steel pintle chain with 3/16"x 3/4"cross bars. Chain strength is 11,000 lbs. per strand; 22,000 lbs. total weight. The drive sprockets are 6-tooth cast iron, on a 1-1/8" diameter shaft. The conveyor chain has an adjustment range of 3-1/2". The drive shaft has heavy-duty, sealed, self-aligning ball bearings with grease fittings. The idler drum has heavy-duty 1" diameter ball bearings.

CONVEYOR GEAR CASE — Gear is constructed of aluminum bronze, worm gear is hardened steel and ground. Housing is made of durable cast iron. Gear ratio is 20:1 with 1" input shaft and 1-1/8" output shaft on tapered roller bearings

FEEDGATE – Lever operated with a friction lock for accurate adjustment.

SPINNER CHUTE ASSEMBLY** – A polymer disc with four fins is connected to a 3/4" diameter shaft secured on two pillow block bearings. The spreading material is guided from the conveyor to the spinner plate through

an enclosed 12-gauge chute with internal and external deflectors. Adjustable deflectors allow for complete directional spread control and full or compact spread. Total spread radius ranges from 2' to 25'. The extra wide rear deflector protects the rear and under carriage of the vehicle.

**Stainless steel & polymer hoppers feature high-quality grade 304 stainless steel Spinner Chute Assembly, Deflectors and Engine Hood.

ENGINE – Heavy-duty 10.5 horsepower Briggs & Stratton Intek industrial/commercial gasoline engine. Engine comes equipped with alternator and 12 volt electric starter with in-cab start/stop and electric throttle control (standard). Entire engine is completely protected by the convenient hinged hood.

ELECTRIC THROTTLE CONTROL – Throttle control unit allows for full-range of throttle settings, including idle and full choke, via the in-cab hopper control box. Use of electric throttle control eliminates cable freezing, binding and breaking.

CLUTCH – 12 volt DC electric clutch has a three-position in-cab switch, for greater control and material economy. Also allows for low-speed operation and spot spreading.

72" Spreaders – Body Side Length, 6'; Overall Length, 89"; Capacity Struck, 1.3 cu. yd.; Capacity Rounded, 1.6 cu. yd.; Width, 47"; Height, 32–1/2"; Recommended Use, 3/4 or 1–Ton Trucks.

96" Spreaders – Body Side Length, 8'; Overall Length, 113"; Capacity Struck, 1.8 cu. yd.; Capacity Rounded, 2.1 cu. yd.; Width, 47"; Height, 32–1/2"; Recommended Use, 3/4 or 1–Ton Trucks.

120" Spreaders – Body Side Length, 10'; Overall Length, 137"; Capacity Struck, 2.3 cu. yd.; Capacity Rounded, 2.7 cu. yd.; Width, 47"; Height, 32–1/2"; Recommended Use, Heavy-duty flatbed or long dump Trucks.

Buyers Products Company reserves the right to change material, dimension and/or component specifications without notice.

Contact:



Your Authorized Saltdogg Distributor



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY OFFICE OF TRANSPORTATION AND AIR QUALITY WASHINGTON, DC 20460



CERTIFICATE OF CONFORMITY 2008 MODEL YEAR

Manufacturer: BRIGGS & STRATTON CORPORATION

Engine Family: 8BSXS.3442VM
Certificate Number: BSX-NRSI-08-12
FELs: g/kW-hr HC+NOx: 11.0

Effective Date: 12/19/2007
Date Issued: 12/19/2007

Karl J. Simon, Director


Compliance and Innovative Strategies Division Office of Transportation and Air Quality

Pursuant to Section 213 of the Clean Air Act (42 U.S.C. section 7547) and 40 CFR 90, and subject to the terms and conditions prescribed in those provisions, this certificate of conformity is hereby issued for the following small nonroad engine family, more fully described in the documentation required by 40 CFR 90 and produced in the stated model year. This certificate of conformity covers only those new small nonroad engines which conform in all material respects to the design specifications that applied to those engines described in the documentation required by 40 CFR Part 90 and which are produced during the model year stated on this certificate. This certificate of conformity does not cover small nonroad engines imported prior to the effective date of the certificate.

This certificate of conformity is conditional upon compliance of said manufacturer with the averaging, banking, and trading provisions of 40 CFR Part 90, Subpart C both during and after model year production. Failure to comply with these provisions may render this certificate void ab initio.

It is a term of this certificate that the manufacturer shall consent to all inspections described in 40 CFR 90.126 and 90.506 and authorized in a warrant or court order. Failure to comply with the requirements of such a warrant or court order may lead to revocation or suspension of this certificate for reasons specified in 40 CFR Part 90. It is also a term of this certificate that this certificate may be revoked or suspended or rendered void ab initio for other reasons specified in 40 CFR Part 90.

This certificate does not cover small nonroad engines sold, offered for sale, or introduced, or delivered for introduction, into commerce in the U.S. prior to the effective date of the certificate.





Quality since 1946

September 26, 2008

L.H. Jones Equipment Co. 1825 Earl L. Core Road Morgantown, WV 26505 304-292-1307 304-292-6641 fax

via email: len@lhjones.com

Dear Mr. Hancock,

Buyers Products Company Salt Dogg Spreader is covered by a 2-year warranty as per State of West Virginia's bid specifications.

Regards,

Dan Doerr Buyers Products Company 440-974-8888 Rev. 11/07

State of West Virginia

VENDOR PREFERENCE CERTIFICATE

Certification and application* is hereby made for Preference in accordance with West Virginia Code, §5A-3-37. (Does not apply to construction contracts). **West Virginia Code**, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the **West Virginia Code**. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

	1.	Application is made for 2.5% resident vendor pro- Bidder is an individual resident vendor and has reside ing the date of this certification; or,	ed continuously in W	est Virginia for four (4) years immediately preced-				
		Bidder is a partnership, association or corporation resi business continuously in West Virginia for four (4) ye ownership interest of Bidder is held by another individ maintained its headquarters or principal place of bu	ars immediately pre dual, partnership, as usiness continuously	ceding the date of this certification; or 80% of the sociation or corporation resident vendor who has in West Virginia for four (4) years immediately				
		Bidder is a nonresident vendor which has an affiliate o and which has maintained its headquarters or princip years immediately preceding the date of this certification.	oal place of business	mploys a minimum of one hundred state residents within West Virginia continuously for the four (4)				
	2.	Application is made for 2.5% resident vendor problem is a resident vendor who certifies that, during working on the project being bid are residents of Westimmediately preceding submission of this bid; or,	a the life of the cont	ract, on average at least 75% of the employees				
	3.	Application is made for 2.5% resident vendor pr Bidder is a nonresident vendor employing a minimu affiliate or subsidiary which maintains its headquart minimum of one hundred state residents who certific employees or Bidder's affiliate's or subsidiary's emp continuously for the two years immediately preceding	im of one hundred s ters or principal places es that, during the lib ployees are resident	tate residents or is a nonresident vendor with an be of business within West Virginia employing a fe of the contract, on average at least 75% of the is of West Virginia who have resided in the state				
	⁴ ×	Application is made for 5% resident vendor pref Bidder meets either the requirement of both subdivis	ference for the reasions (1) and (2) or s	son checked: ubdivision (1) and (3) as stated above; or,				
	5.	Application is made for 3.5% resident vendor pr Bidder is an individual resident vendor who is a veteral and has resided in West Virginia continuously for submitted; or,	n of the United States	s armed forces, the reserves or the National Guard				
	6.	Application is made for 3.5% resident vendor president is a resident vendor who is a veteran of the Upurposes of producing or distributing the commoditie continuously over the entire term of the project, on a residents of West Virginia who have resided in the sidents.	Inited States armed as or completing the payerage at least sever average at least severage.	forces, the reserves or the National Guard, if, for project which is the subject of the vendor's bid and renty-five percent of the vendor's employees are				
Bidder understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the requirements for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty against such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency or deducted from any unpaid balance on the contract or purchase order.								
By submission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and authorizes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid the required business taxes, provided that such information does not contain the amounts of taxes paid nor any other information deemed by the Tax Commissioner to be confidential.								
	Under penalty of law for false swearing (West Virginia Code, §61-5-3), Bidder hereby certifies that this certificate is true and accurate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate changes during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.							
	Bidder	. LH Junes Early. Co	Signed:					
	Date:_	r. LH Janes Eacip. Co. alialos	Title:	W				

^{*}Check any combination of preference consideration(s) in either "A" or "B", or both "A" and "B" which you are entitled to receive. You may request up to the maximum of 5% preference for both "A" and "B".

STATE OF WEST VIRGINIA Purchasing Division

PURCHASING AFFIDAVIT

VENDOR OWING A DEBT TO THE STATE:

West Virginia Code §5A-3-10a provides that: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

PUBLIC IMPROVEMENT CONTRACTS & DRUG-FREE WORKPLACE ACT:

West Virginia Code §21-1D-5 provides that: Any solicitation for a public improvement construction contract shall require each vendor that submits a bid for the work to submit at the same time an affidavit that the vendor has a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the West Virginia Code. A public improvement construction contract may not be awarded to a vendor who does not have a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the West Virginia Code and who has not submitted that plan to the appropriate contracting authority in timely fashion For a vendor who is a subcontractor, compliance with Section 5, Article 1D, Chapter 21 of the West Virginia Code may take place before their work on the public improvement is begun.

ANTITRUST:

In submitting a bid to any agency for the state of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the state of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the state of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the state of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership or person or entity submitting a bid for the same materials, supplies, equipment or services and is in all respects fair and without collusion or fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

LICENSING:

Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities

CONFIDENTIALITY:

The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendors should visit www.state.wv.us/admin/purchase/privacy for the Notice of Agency Confidentiality Policies.

Under penalty of law for false swearing (West Virginia Code §61-5-3), it is hereby certified that the vendor acknowledges the information in this said affidavit and is in compliance with the requirements as stated.

Vendor's Name:	LH Jures	Equip S.			
Authorized Signature:	As.		Date:	9/19/08	
Purchasing Affidavit (Revised	101/01/00				