

MODERA

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation 709EC006

709EC006

ADDRESS CORRESPONDENCE TO ATTENTION OF

MICHAEL AUSTIN 304-558-2402

RFQ COPY **MH Equipment**

MH Equipment Co. 126 Lakeview Drive Charleston, WV 25313

DIVISION OF HIGHWAYS **EQUIPMENT DIVISION** ROUTE 33 BRUSHY FORK ROAD BUCKHANNON, WV 26201

09/23			ims up sai		SHIP VIA	FOB	FHEIGHITERMS
BID OPENING DATE	: . : 1 00-00-00-00-00-00	10/22/	2008	5502-51-1500	BID	OPENING TIME O	1:30PM
LINE	QUAI	NTITY	UOP	CAT NO	ITEM NUMBER	UNITPRICE	AMOUNT
0001	HYDRAU	1	EA ACK E		968-39 TOR	106,985	106985
			OP	EN EN	D CONTRACT		
		IA DIV	ISION		RACK EXCAVATOR FIGHWAYS PER THE		
	EQUIPM 10:00	ENT DI AM ON	VISIO 10/09	N IN /2008	ORY PRE-BID CONF BUCKHANNON, WEST FAILURE TO ATTE QUALIFICATION.	VIRGINIA AT	
	CLOSE	OF BUS	INESS	(5:0	STIONS MUST BE ROUND	IDAY, 10/03/08. ISION AEL AUSTIN	
		AIL: M		L.D.A	USTINDWV.GOV	25305 OR REGULAR MAIL.	RECEIVED
					ONIBILITY TO VER CEIVED BY CALLIN	G 304-558-2402	DDB NOV 12 A 8: 30
	EXHIBIT	Г 2					ADMASING DIVISION
	LIFE OF	CONT	RACT:	AND	S CONTRACT BECOM EXTENDS FOR A PE	ES EFFECTIVE ON RIOD OF ONE (1)	STATE OF WV
IGNATURE			<u> </u>	SEE REV	ERSE SIDE FOR TERMS AND CO		
TLE		J2 FEI	NI NI		304-		1-10-08
SAIL	5/		(¥			ADDRESS CHANGE	S TO BE NOTED ABOVE



NOCERA

RFQ COPY

TYPE NAME/ADDRESS HERE

MA EQUIPORT

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for REQNUMBER Quotation

709EC006

ADDRESS CORRESPONDENCE TO ATTENTION OF

MICHAEL AUSTIN 304-558-2402

DIVISION OF HIGHWAYS **EQUIPMENT DIVISION** P ROUTE 33 BRUSHY FORK ROAD

BUCKHANNON, WV

26201

DATE PRIN	E6	le se se se	RMS OF SAL	F	SHIPV	IIA.		F.O.B		FREIGHT TERMS
09/23/	<u> Beritedaanseaane</u>								310000000000000	
BID OPENING DATE:		10/22/	2008			BID	OPENI	NG TIME	01	:30PM
LINE	QUA	INTITY	UOP	CAT NO.	ITEM NUM	/BER		UNIT PRICE		AMOUNT
	VEAR /	ND UNTI	CIIC	u Bbc	ASONABLE	TIMEN T	UEDEA	ETED AC	TC	•
	1			í .	NEW CONTR		I		10	
		NAL CON			E "REASON		ŧ.		ALL	
					MONTHS.		}	"REASON		
				Į I	ERMINATE		ł			
]	ŧ		1 1		THE DIRE		PURC	HASING		
	THIRTY	y (30)	DAYS	WRITT	EN NOTICE	•				
	HAII ECC	פ פפברו	ETC B	DOVIC	IONS ARE	CTTDIII A	TEN T	N THIC		
1			1 1		TERMS, C		g .		NG	
1					R THE LIF		•			

1	RENEWA		1 1		T MAY BE		E .		UAL	
					SPENDING					
;			ŧ 1		TOR OF PU		,	RIY (3U) Newal sh	Att	
			3		RATION DA The Terms					
			1		SHALL BE		1			
1 1		EAR PER					,			
					ECTOR OF		i .			
i I			1 1	1	ONTRACT I					
i			1 1	1	F THE COM		1			
					ERIOR QUA S OF THE			•		
~		1 + 1 hu - 1,7 1 hu		71101	3 01 177L	010 AND	- CONT	KAO! IIEK	L	
	OPEN M	MARKET	CLAUS	E: T	HE DIRECT	OR OF P	URCHA	SING MAY		
i i					NIT TO PU					
					LING OF A					
					IED ON TH					
					GENCIES D ITED TO D					
					CREASE IN					
	M. 1. L. 1.4	** ******* *			THE RESERVE TO THE RESERVE OF STR				-	
		ITIES:			S LISTED					
	APPROX	CIMATIO	NS ON	LY, B	ASED ON E	STIMATE	S SUP	PLIES BY	TH	
			<u> </u>	SEERE	/ERSE SIDE FOR T	ERMS AND COL	L VDITIONS			
SIGNATURE						TELEPHONE			DATE	
TITLE		Į F	EIN					ADDDEED OIL	ANCER	TO DE NOTER APOVE
		ſ						AUUNESS CH.	ベコシアト	TO BE NOTED ABOVE



3002m<

RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for Quotation

709EC006

PAGE 3

WADDRESS CORRESPONDENCE TO ATTENTION OF

MICHAEL AUSTIN 304-558-2402

DIVISION OF HIGHWAYS
EQUIPMENT DIVISION
ROUTE 33
BRUSHY FORK ROAD
BUCKHANNON, WV

26201

304-472-1750

SHIP VIA FOB FREIGHT TEAMS TERMS OF SALE DATE PRINTED 09/23/2008 BID OPENING DATE: BID OPENING TIME 10/22/2008 01:30PM AMOUNT: ITEM NUMBER UNIT PRICE HOP LINE QUANTITY STATE SPENDING UNIT. IT IS UNDERSTOOD AND AGREED THAT THE CONTRACT SHALL COVER THE QUANTITIES ACTUALLY DRDERED FOR DELIVERY DURING THE TERM OF CONTRACT, WHETHER MORE OR LESS THAN THE QUANTITIES SHOWN. ORDERING PROCEDURE: SPENDING UNIT(S) SHALL ISSUE A WRITTEN EQUIPMENT CONTRACT ORDER (FORM NUMBER WV-35) FOR COMMODITIES COVERED BY THIS CONTRACT. THE ORIGINAL WV-35 MUST BE SENT TO THE PURCHASING DIVISION OF THE DEPARTMENT OF ADMINISTRATION. AFTER APPROVAL AND ENCUMBRANCE, ONE COPY OF THE PURCHASE ORDER WILL BE RETURNED TO THE SPENDING UNIT AND ONE COPY FOR-WARDED TO THE VENDOR AS AUTHORIZATION FOR SHIPMENT. NO ORDER IS VALID UNLESS APPROVED AND ENCUMBERED BY THE PURCHASING DIVISION. BANKRUPTCY: IN THE EVENT THE VENDOR/CONTRACTOR FILES FOR BANKRUPTCY PROTECTION, THIS CONTRACT IS AUTOMATI-CALLY NULL AND VOID, AND IS TERMINATED WITHOUT FURTHER ORDER. REV. 9/98 EXHIBIT 4 LOCAL GOVERNMENT BODIES: UNLESS THE VENDOR INDICATES IN THE BID HIS REFUSAL TO EXTEND THE PRICES, TERMS, AND CONDITIONS OF THE BID TO COUNTY, SCHOOL, MUNICIPAL AND OTHER LOCAL GOVERNMENT BODIES, THE BID SHALL EXTEN TO POLITICAL SUBDIVISIONS OF THE STATE OF WEST IF THE VENDOR DOES NOT WISH TO EXTEND THE VIRGINIA. PRICES, TERMS, AND CONDITIONS OF THE BID TO ALL POLITICAL SUBDIVISIONS OF THE STATE, THE VENDOR MUST CLEARLY INDICATE SUCH REFUSAL IN HIS BID. SUCH REFUSAL SHALL NOT PREJUDICE THE AWARD OF THIS CONTRACT IN ANY SEE REVERSE SIDE FOR TERMS AND CONDITIONS DATE SIGNATURE FLEPHONE FEIN TITLE ADDRESS CHANGES TO BE NOTED ABOVE



⊅002 m<

RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Guotation 709EC00

709EC006

ADDRESS CORRESPONDENCE TO A STENTION OF SE

MICHAEL AUSTIN 304-558-2402

DIVISION OF HIGHWAYS **EQUIPMENT DIVISION** ROUTE 33 **BRUSHY FORK ROAD** BUCKHANNON, WV

26201

DATE PRINTED	ı	TERMS OF SA	i E	SHIP VIA		F.O.B	FREIGHT TERMS
09/23/20	08	<u> </u>		And the second second second			
BID OPENING DATE:	10/	22/2008	S lásticonomicións		BID (PENING TIME	01:30PM
LINE	QUANTITY	UOP	CAT NO	ITEM NUMB	ER	UNIT PRICE	AMOUNT
MA	NNER.						
RE	V. 3/88						
EX	HIBIT 6						
THICOR OR SUI MO' IS RAI BA: BA: BA: BA: PUI SHI PUI ACO ANI EXI	E STATE NTAIN P IGINAL CH PRICE WEMENT WASED W MATER BSTANTE BSTANTE L PRICE MANNER VERNMEN' BLISH BE CHASINI CEPT THI CORDING D CANCE HIBIT 10	ROVISION EXPIRATI E ADJUST OF THE " ON THE " IAL PART N AD JUSTM ACCEPTAB TAL BENC PRICE L RECEIVE G AT LEA HE TINCRE US PRICE L THE CO	VIRG S F OR D F OF MEND D PASS A D D F A D E MAR L E MAR L E MAR L E MAR D T S O S O S O S O S O S O S O S O S O S O	INIA WILL PRICE ADJI THE CONTRI COVERS BOTI ITY PRICE, THROUGH" IT ABOR, WHICH PRODUCT. DLLAR FIGUI EQUESTS MU: CS, GENERAL SUCH REQUE WRITING BY DAYS IN ALL ANY TIME PURCHASING THE ADUSTME	USTMENT ACT, PR H ACT, PR H ACREASE H ACREASE H ACREASE H ACREASE TO MARK TO M	OF THE EFFECT IDOR REQUESTS ON MAY EITHER THE CONTRACT ITS ENTIRETY	D OF E IN SE IV A
_			SEE REV	ERSE SIDE FOR TERI			
SIGNATURE				TEL	LEPHONE	D	ATE
TITLE		FEIN		· · · · · · · · · · · · · · · · · · ·		ADDRESS CHAN	IGES TO BE NOTED ABOVE



MOCEMA

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for REQUUMBER Quotation

709EC006

ADDRESS:CO	orrespondence doathent	ONOF
ICHAEL AU	STIN	
184-558-24	n 2	

RFQ COPY TYPE NAME/ADDRESS HERE MH EQUIPPENT CO.

DIVISION OF HIGHWAYS EQUIPMENT DIVISION ROUTE 33 **BRUSHY FORK ROAD** BUCKHANNON, WV 26201 304-472-1750

DATE PRINTED	TERMS OF SALE	SHIP VIA	FO/B	FREIGHT TERMS
09/23/2008 BID OPENING DATE:	10/22/2008	RID OF	PENING TIME 01	:30PM
processor reserve to the control of	NTITY UOP SAT	ITEM NUMBER	UNITPRICE	AMOUNT
	NO NO			
		ECEIPT OF THE FOLL		
ADDEND	UM(S) AND HAVE M	ADE THE NECESSARY	REVISIONS TO MY	and the second s
PROPOS	AL, PLANS AND/UR	SPECIFICATION, E1	IC.	
ADDEND	:s: on Muc			
NO. 1				
	75			assarana de la companya de la compan
NO. 3				
NO. 4				
NO. 5				
I UNDE	RSTAND THAT FAIL	URE TO CONFIRM THE SE FOR REJECTION (E RECEIPT OF TH	
		DERSTAND THAT ANY		
REPRES	ENTATION MADE OR	ASSUMED TO BE MAI	DE DURING ANY	***************************************
		ETWEEN VENDOR'S RE	EPRESENTATIVES ONLY THE	
		L IS NOT BINDING. WRITING AND ADDED		***************************************
		FFICIAL ADDENDUM		THE PARTY NAMED AND ADDRESS OF
			<i>/</i>	
			NA TURE	
			NATURE	and the same of th
		* * * * * * * * * * * * * * * *	IP~E~T PANY	
		11-10-0	8	
		DATE		
	SEE RE	VERSE SIDE FOR TERMS AND CONDI	nions	
SIGNATURE	<u> </u>	TELEPHONE 30ター	741-3569 DATE	·/o·03
TITLE SAILS	FEIN		ADDRESS CHANGES	TO BE NOTED ABOVE



DOUZEK

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Pay 50100 Post Office Box 50130 Charleston, WV 25305-0130

ADDRESSICORRESPONDENCE TO ATTENTION OF

MICHAEL AUSTIN 304-558-2402

RFQ COPY TYPE NAME/ADDRESS HERE EQUIPOEM 4m

DIVISION OF HIGHWAYS **EQUIPMENT DIVISION** ROUTE 33 BRUSHY FORK ROAD

BUCKHANNON, WV

09/23/	2008	30.110.110.100.100.100.	MSOFSAL			SHIP.VIA			3.8	FREIGHT	chive:
BID OPENING DATE:	16000000000000000000000000000000000000	10/22/	2008		800000000000000000000000000000000000000	200000000000000000000000000000000000000	BID	OPENING	<u>TIME</u>	01:30PM	
LINE	QUAR	VIIIY	POL	CAT NO	TT:	EM NUMBER		UNIT	FPRICE	AMOL	NT .
	REV. 1	1/96		Not							
	A SIGN	ED BID	MUST	NOT BE S		ED TO:					
	P B 2	EPARTM URCHAS UILDIN 019 WA HARLES	ING D G 15 Shing	IVISI TON S	ON TREET,	EAST					
								N ON THE Sidered:		F	
	SEALED	BID	A THE STATE OF THE								
	BUYER:				33						
	RFQ. N	D.:	İ			9EC006	i				
	BID OP	ENING	DATE:			1-12-9		~~ ~ w w == == ==			
	BID OP	ENING	TIME:		·· ·· ·· ·· ·· ·· ··	/ 30					
	PLEASE TO CON				NG ADN			IS NECE	SSARY	Manual and the state of the sta	

SIGNATURE				SEE REV	ERSE SIDE	FOR TERMS TELEPI	1 and 1 and 1 and 1 and 1	IDITIONS	DAT	- - - - - - - - - - - - - - - - - - -	3
TITLE		FEI	N		-			ADD	RESS CHANG	ES TO BE NOTED A	BOVE



MODEMA

State of West Virginia Department of Administration **Purchasing Division** 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

8FQ NUMBER 709EC006

ADDRESS CORRESPONDENCE NO ATTENTION OF MICHAEL AUSTIN 304-558-2402

RFQ COPY TYPE NAME/ADDRESS HEDE

MH Equipment

MH Equipment Co. 126 Lakeview Drive Charleston, WV 25313 DIVISION OF HIGHWAYS **EQUIPMENT DIVISION** ROUTE 33 **BRUSHY FORK ROAD** BUCKHANNON, WV

26201

09/23/		JE a	MS OF SAL			SHIPV	A		F.O.B.		FREIGHT TEAMS
BID OPENING DATE:	ZUUO	10/22/	2008				BID	OPE	NING TIME	01	:30PM
LINE	QUAN		UOP	CAT NO		TEM NUM	BER		UNIT PRICE		AMOUNT
	CONTAC*	T PERS	ON (P	000000000000000000000000000000000000000			EARLY): ゴロト	ES	<u> </u>		
	*****	THIS	IS T	HE EN	D OF	RFQ	709EC	006	***** T	OTAL:	106,985
								*			
					·						
SIGNATURE			2	SEE RE	/ERSE SII	DE FOR TI	FRMS AND COI TELEPHONE 304-7	NDITIO	NS 3569	DATE.	-/0.08
TITLE		F	an	····			30-7- /	7/3			TO BE NOTED ABOVE

WEST VIRGINIA DEPARTMENT OF TRANSPORTATION DIVISION OF HIGHWAYS EQUIPMENT DIVISION

BIDDER'S EVALUATION REPORT

PROCUREMENT SPECIFICATIONS FOR OPEN END CONTRACT NO. 310-1-D

HYDRAULIC TRACK EXCAVATOR

NOTE TO BIDDER: Procurement Specification No. 310-1-D, Paragraph 2.0 recommends the completion and submittal of this Report with your bid. Purpose of this Report is to enable the West Virginia Division of Highways Evaluation Committee to make full and fair evaluation of the bid. Addendums in order, along with a summary of exception as a separate attachment, should be with Bidder's Evaluation Report. FAILURE TO SUBMIT THIS REPORT, COMPLETE IN ITS ENTIRETY, MAY SUBJECT THE BIDDER TO DISQUALIFICATION.

	Reference Requisition No.: 709 ECOO
	Bidder's Name: MH EQUIPMENT
	Address: 126 LAKEUIEW DR. CHARIESTON WV 25313
	Telephone Number: 304-776-6900
	Years Bidder has been registered to do business with the State of West Virginia: YRS
	Years Company has been an authorized dealer for proposed unit: 2 + YRS
X3.2	Have you complied with all mandatory specifications? YES X NO
X4.2 X4.2.1	DELIVERY: Delivery date of completed representative unit: Calendar Days After Receipt of Purchase Agreement
X4.2.2	Delivery date of balance of completed units: Calendar Days After Receipt of Purchase Agreement

X5.0	AWARD CRITERIA;		
X5.1	Prices for units:	1-10	106 985 per unit
		11-20	102963 per unit
		21 and over	/02963 per unit

X6.0 X6.1	SPECIFICATIONS - GENERAL Manufacturer, model, series, and date of manuf	acture of prope	osed unit:
28043			
	Is descriptive literature, fully describing proposed	008/20	07
	Is descriptive literature, fully describing proposed	unit attached to	your bid? X YES NO
	If not, why?		
		and the same and a same of the same of	
X6.2	Will the required number of service manuals, a		
	Equipment Division at Buckhannon upon comp	pletion of delive	ery of total units? X YES NO
	Will the required Equipment Preventive Maint	,	
	Report) be provided upon inspection of the pilo	t unit?	_X_YESNO

X6.2 2-10-00

EQUIPMENT PREVENTATIVE MAINTENANCE QUESTIONNAIRE

THIS FORM MUST BE COMPLETED IN ITS ENTIRETY BY SUCCESSFUL BIDDER OR MANUFACTURER'S TECHNICAL REPRESENTATIVE PRIOR TO DELIVERY OF PILOT MODEL TO THE WVDOH

DESCRIPT	ION:			MA	KE:	
M	ODEL:		YEAR:	PUR	RCHASE AMOUNT	[:
ENGINE:	MAKE:		MODEL:	And the second s	FUEL TYPE:	
	HORSEPOWER:	4	CYLINDER: _	ENC	GINE SERIAL:	
	COOLING SYST	EM CAPACITY: _	~~~			
BELTS:	DESCRIPTION:			PARI NUM	BERS:	
GVW:						REAR:
TIRES:	FRONT MAKE &	: SIZE:		/Markettenstant		
		SIZE:				
DIMENSIC	ONS OF UNIT:	LENGTH:		WIDTH:		LENGTH:
VENDOR (CONTACT PERSO	V:			PHONE:	
PARTS:						
BATTERV	MAKE		MODEL		CCA.	
TOP OR SI	DE POST:	, , , , , , , , , , , , , , , , , , , 	DIMENSIONS	LENGTH	WIDTH	HEIGHT
SPARK PL	UGS OR FUEL INJ	ECTORS MAKE:	W	PART#		
FUEL PUM	IP OR INJECTION	PUMP MAKE:		MODEL:		
ALTERNA	TOR MAKE:		·····	PART#:	Contain the state of the state	
STARTER	MAKE:			PART #:		Manual Andrews and
TURBOCE	MAKE: IARGER MAKE:			PART #		A CONTRACTOR OF THE PROPERTY O
TRANS M	AKE.	MODE	T.		AUTO/MANUA	T.:
HYDRAUL	IC PUMP MAKE:			MODEL:	_ 11010/111111021	T:
FILTERS	MAKE	PART NO.	LUBR	LICANT	MANUFACTU	JRER TYPE
OIL			ENGI	NE		
	\		TRAN	ISMISSION		
AIR OUTE	R		POWI	ER STEERING		
FUEL PRIN	/ARY		HYDI	RAULIC		
FUEL SEC	MARYONDARY		DIFFE		·····	
COOLANT			BRAK	Œ FLUID		
HYDRAUL			COOL	A 3. Y/T		
OTHER			OTHE			

X63	TRAINING:		
	Will training seminar be conducted on Preventive Maintenand Training	ce, Operator	and Mechanic YESNO
	Will you conduct training with each purchase order again	st this open X YES	end contract?
	Will training be conducted within 2 working days from the determined the individual purchase order?	elivery of the YES_	
	If NO, explain time frame		
	Will an Operator's Manual be furnished directly to Train delivery of the pilot? X YES NO	ing Acaden	ny prior to the
X6.4	If you are the successful vendor, will you furnish all training projectors, required in conducting the training?	ing aids, i.e.	, videos, YESNO
X6.4.1	Will all manuals, booklets, etc. explaining preventive a procedures, and service schedule be delivered with each YESNO		e, operator
	If NO, explain		
X6.5	WARRANTY AND SERVICE POLICY		
	Will the warranty and service you provide comply with all are of specifications	eas as stated XYES_	in Section 6.5 NO
	Is warranty literature attached?	X_YES_	NO
	Is a minimum two (2) year bumper to bumper basic parts excluding abuse and normal wear items included?	and labor	warranty
	Describe:	IES_	NO
	Describe: Plus 3 year STRUCTURIAL		NO

X6.5 WARRANTY AND SERVICE POLICY QUESTIONNAIRE THIS FORM MUST BE COMPLETED IN ITS ENTIRETY AND SUBMITTED WITH YOUR BID.

(If additional lines are needed, make copies of form.)
1. Define the terms of the standard warranty. If not offered, so state. (Attach copy)
2 YEAR STA-DARD, 1ST YEAR UNLIGHTLD HOURS
2 - 94R UP TO 2000 HRS.
3 YEAR STRUTURAL (SEE ATTACHMEN)
2. Define warranty service to be performed at DOH facilities and warranty service to be
performed at manufacturer's representative facility. List name and location of manufacturer's
representative.
All REPAIRS LIKE BE DONE IN FIELD, MAJOR
BALAKOOUN REPAIRS LIKE BE PREFIRABLY DONE AT OUR CHARLISTON IN FACILITY HR. MAX TRAVEL CHARLE
AT OUR CHARILOTON IN FACILITY / HR. MAX TRAVEL CHARGE
3. List locations for parts inventories that are within the State of West Virginia. Also, list
availability levels, if known
126 CAKEVIEW DR, CHARIESTON, LU
24 HOLL AVAILABILITY ON PARTS IN STOCK
44 HOLD ON FACTORY NEXT DAY ORDERS SAVENAH GA-
4. During the term of warranty, list the guarantee discount to manufacturer's published list price
for parts that bidder will sell the parts to owner.
T DI (00 DE Catanata mallial addiction land (C) 9/ discount
A Terms: Net 30 Manufacturer's published list price less: / % discount B. Terms: Net 60 Manufacturer's published list price less: / % discount
B. Terms: Net 60 Manufacturer's published list price less: //> C. Terms: Net 90 Manufacturer's published list price less: ///> Manufacturer's published list price less: /// Manufacturer's published list price less: //// Manufacturer's published list price less: //// Manufacturer's published list price less: //// Manufacturer's published list price less: ///// Manufacturer's published list price less: ///// Manufacturer's published list price less: ///// Manufacturer's published list price less: ////// Manufacturer's published list price less: ////// Manufacturer's published list price less: /////// Manufacturer's published list price less: ///////////////////////////////////
relins. Net 90 Wiantifactater's published list price less
5 During the term of warranty, will all manufacturers or engineering improvements be submitted
to Division of Highways? YESNO
6. During the term of warranty, list the guaranteed rates charged for repair to the unit.
A Shop Rate \$
B. Travel Time Charge \$ per mechanic hour
B. Travel Time Charge \$ per mechanic hour (Specify if one-way) ; port to port
(Specify if one-way), port to port
C. Mileage Charge \$ Non E per vehicle mile
(Specify if one-way ; port to port
D. Field Mechanic Rate \$
E. Specify period of time that prices are in effect: 1 4R FROM DIME OF P.O.
D. Spootly pointed of this state process in the state of

X6.6	EVALUATION COMMITTEE REQUIREMENTS
	Is all component specifications, product literature, component models provided for Evaluation Committee bid determination? YESNO
X6.7	Will all parts, equipment, accessories, material, design and performance characteristics not specified herein, but which are necessary to provide a complete unit, be furnished with the unit and conform in strength, quality of material, and quality of workmanship to those which are advertised and provided to the market in general by the unit industry? YESNO
X6.7.1	Are all parts and accessories adequate and regularly supplied as standard to be included except those which may be duplications of specifications herein, and except these by specification are not to be furnished? YESNO
X6.7.2	Are all standard safety features that are required by Federal and State statutes of law included? YESNO
X7.0	SPECIFICATIONS OF THE QUOTED UNIT:
	The bidder should complete the following schedule in order for the Division to compare the actual bid unit to the specifications. Should the bidder except a requirement, then such exception may be only on the basis that such feature is not offered by the manufacturer. The Division will have the sole discretion as to whether the bidder's substitution meets the requirements of the specification.
	Manufacturer: 3 < B Model: 32140
X7.1	Specify operating weight 32890 pounds.
X7.2	Engine:
X7.2.1	Specify engineHP.
X7.2.2	Is engine tubrocharged diesel?NO
X7.2.3	Is pressurized liquid cooling system w/thermostat, filled with manufacturers approved extended life permanent type anti-freeze that provides freeze protection to at least
	-30° F?

ADD: To	Bidder's Evaluation Report	
X7.2.4	Is air cleaner, double element with auto dust evacuation?	NO
X7.2.5	Is fuel filtering system manufacturers heaviest duty available?	X YESNO
X7.2.6	Is dust proof net for radiator and oil cooler provided?	$\underline{\hspace{1cm}}_{\text{YES}}\underline{\times}_{\text{NO}}$
X7.2.7	Will Manufacturers heaviest duty electrical system be prov	ided? YESNO
Х7.3 Ну	vdraulic System:	
X7.3.1	Will proposed hydraulic system maintain manufacturers recomtemperature within recommended operating range during continuations?	mended safe oil nuous operation under YESNO
X7.3.2	Does system provide manufacturer heaviest variable capacity p With load sensing for maximum efficiency?	viston type pumps YESNO
X7.3.3	Is boom controlled by two (2) hydraulic cylinders?	YESNO
	Specify boom length 15'5" feet	
X7.3.4	Is arm controlled by one (1) hydraulic cylinder/equipped with hydraulic with piping to the end of arm with foot controls?	multi function YESNO
	Specify arm length 8'2" feet	
X7.3.5	Is shut off valve at end of piping?	NO
X7.3.5.1	Is unit equipped with a hydraulic thumb?	YESNO
	Specify size 18 inches x 47 inches	
X7.3.5.2	Tine thickness of thumb 1.25 inch with a pin diameter	
X7.3.6	Bucket _ C cubic yard with teeth and side cutters	YESNO
	Controlled by one (1) hydraulic cylinder YES YES	
Wm 2 m	Is drive hydrostatic design with independent track control	$_{?} \propto_{YES}$ NO

ADD: To	Bidder's Evaluation Report				
X7.3.8	Does unit have wet multiple disk brakes that automatica propelling and applies when stationary?	lly relea	${}$ YI	3S	_NO
X7.3.9	Is unit swing capable of 360 degrees?	,	X_{Σ}	ES	_NO
X7.3.10	Specify swing speed 12.8 R.P.M.				
X7.3.11	Is swing brake SAHR for safety?	\overline{A}	ES	_NO	
	If not specify:				
X7.3.12	Is unit joystick controlled with one (1) additional act hydraulics?	tuator fo	or auxili ÆS	ary _NO	
X7.4 U1 X7.4.1	ndercarriage: Is undercarriage frame manufacturers standard for	model l	bid? /ES	_NO	
X7.4.2	Does unit have sealed type track		$\underline{\swarrow}_{Y}$	ES	_NO
X7.4.3	Does unit have a minimum of one (1) top carrier roll track support	ler each	side for	proper ES	NO
X7.4.4	Are track guides provided to prevent track misalign	ment	<u>X</u> Y	ES	_NO
X7.4.5	Is track adjustment of hydraulic design		X_{X}	ES	_NO
X7.4.6	Does unit have manufacturers triple grouser shoes?	\overline{X}	ÆS	_NO	
X7.4.7	Specify track lengthfeet	inches			
X7.4.8	Tail Swing including manufacturers needed weight((s): <u>4</u>		feet	
X7.5 C	ab:				
X7.5.1	Is proposed cab all weather steel isolation mounted?		YES	NO	
X7.5.2	Does proposed unit have a deep cushioned fully adjurests?	ustable :	seat with ES	n padde _NO	d arm
X7.5.3	Is cab equipped with manufacturers heater and air	conditio	n syster	n? ES	NO
X7.5.4	Is cold weather starting aid provided?	\propto	YES	NO	

X7.5.5		Is cab equipped with front windshield wiper/washer wit	h intein		reatures?	_NO
X7.5.6		Is manufacturers vandalism protection package prov	vided?	<u>×</u>	YES	_NO
X7.5.7		Is unit provided with interior cab light?	<u>X</u>	TES	NO	
X7.5.8		Are work lights provided at boom and cab adequate for		_	nations?	
X7.5.9		Is tinted safety glass provided at all locations?	<u> </u>	YES	NO	
X7.5.1	0	Is AM/FM radio with antenna provided?	<u>X</u>	YES	NO	
X7.6	Pai	nt:				
X7.6.1		Will unit be painted manufacturers standard color?	<u></u>	YES _	NO	
X7.6.2		Does painting procedures for cleaning, degreasing, prep manufacturers standard requirement for painting unit?	aring, p		/painting I YES	
X7.7	Do	es unit meet OSHA requirements as specified?	<u>×</u>	ES_	NO	
X7.8	Do	es unit meet advertising guidelines as specified?	<u>×</u>	YES	NO	

709EC006

STATE OF WEST VIRGINIA Purchasing Division

PURCHASING AFFIDAVIT

VENDOR OWING A DEBT TO THE STATE:

West Virginia Code §5A-3-10a provides that: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

PUBLIC IMPROVEMENT CONTRACTS & DRUG-FREE WORKPLACE ACT:

West Virginia Code §21-1D-5 provides that: Any solicitation for a public improvement construction contract shall require each vendor that submits a bid for the work to submit at the same time an affidavit that the vendor has a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the West Virginia Code. A public improvement construction contract may not be awarded to a vendor who does not have a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the West Virginia Code and who has not submitted that plan to the appropriate contracting authority in timely fashion. For a vendor who is a subcontractor, compliance with Section 5, Article 1D, Chapter 21 of the West Virginia Code may take place before their work on the public improvement is begun.

ANTITRUST:

In submitting a bid to any agency for the state of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the state of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the state of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the state of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership or person or entity submitting a bid for the same materials, supplies, equipment or services and is in all respects fair and without collusion or fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

LICENSING:

Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.

CONFIDENTIALITY:

The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendors should visit www.state.wv.us/admin/purchase/privacy for the Notice of Agency Confidentiality Policies.

Under penalty of law for false swearing (West Virginia Code §61-5-3), it is hereby certified that the vendor acknowledges the information in this said affidavit and is in compliance with the requirements as stated

Vendor's Name:	1H EC	RUIPMENT				
Authorized Signature: _	-7		Da	ate:/	1-10-08	
Purchasing Affidavit (Revised (07/01/08)					

709EC006 PRE BID ADDENDUM #3

HYDRAULIC TRACK EXCAVATOR

CHANGES TO BIDDER'S EVALUATION REPORT:				
X4.2.1 – NO CHANGES REQUIRED				
Delivery date of completed representative unit: calendar days after receipt of Purchase agreement				
FROM: X7.1 Specify operating weight pounds				
TO: X7.1 Specify operating weight 32890 pounds including fuel, thumb, and bucket attached.				
X7.4.8 – NO CHANGES REQUIRED				
Tail swing including manufacturers needed weight(s): feet				
FROM: X7.5.6 Is manufacturers vandalism protection package provided? YESNO				
TO: X7.5.6 Is manufacturers vandalism protection package provided? YESNO				
Does it include locking cab doors, locking compartments for the engine and hydraulic components, locking fuel and radiator access and electrical cut-off switch, and all locks except master switch are keyed alike YESNO				







126 Lakeview Drive Charleston, WV 25313 304-776-6900 (304) 776-6966 (Fax)

November 10, 2008

Division of Highways Equipment Division Rte. 33 Brushy Fork Rd. Buckhannon, WV 26201

Thank you for the opportunity to provide this quote for a new JCB JZ140 Hydraulic Excavator. Below you will find specifications and pricing.

ENGINE Isuzu model A4BGIT-S1, 97.6 Net HP at 2200 RPM. Four-cylinder water cooled direct injection diesel with glow plugs for cold starting. Low emission engine designed to comply with US EPA emission standard. Dual element air cleaner. Cooling via large capacity combined engine and hydraulic single faced cooler with hydraulically powered fan.

HYDRAULICS Variable flow load sensing system with on demand and servo operated multi function open center control. Independent servo gear pump. Two main axial piston pumps yield combined flow of 68 GPM. Servo pump flow: 5.5 GPM.

OPERATOR'S AREA Pressed steel cab, noise and vibration isolated by six hydraulically damped resilient mountings. All safety glass windows with opening front window and overhead stowage of both upper and lower windows. Full opening door window. Fan forced fresh air ventilation, air conditioning and heater with defogger and washer/wiper. Fully adjustable suspension seat with seatbelt, headrest, armrests, and backrest recline. Cigarette lighter and ashtray.

CONTROLS Excavator controls are ISO pattern, servo operated, with in cab change over switch to SAE. Tracks are individually operated by foot pedal or hand lever. Speed selection via joystick operated switch. Control isolation by gate lock lever at cab entrance and a console mounted switch.

UPPER Monoboom with choice of dipper arms to suit dig depth requirements. No reinforcing required for hammer operations. Boom: 15' 5" Dippers: 8' 2".

UNDERCARRIAGE The undercarriage gives excellent stability, is a fully welded X-frame type with undercarriage center cover, engine undercover and travel drive motor, cover and shields. One top and seven bottom rollers are heat-treated, sealed and lubricated. Track idler is sealed and lubricated and incorporates spring cushion recoil.

TRACK DRIVE Full hydrostatic, 3 speed, driven by two axial piston motors. Motors are guarded in undercarriage frame for protection from debris. Final drives are planetary reduction type with bolt on sprockets. Maximum track speed is 3.4 MPH, low speed is 1.4 MPH. Movement alarm. Parking brake is disc type, spring applied, hydraulic release.

ELECTRICAL 24 volt electrical system. 2 x 12 volt heavy duty batteries, 24 volt, 40 amp output alternator.

OPERATING WEIGHT Equipped w/standard boom, dipper, 24" track shoes, 30" bucket, hyd. thumb and full tank of fuel. Approximately **32,890 lbs**.

WARRANTY 2 Year full coverage warranty (please see the machine warranty certificate for details)

Options to meet specifications:

Weld on Hydraulic thumb 30" excavator bucket .61 cu. yd. Hydraulic shut off valves Required manuals

Price for one (1) unit with above options......\$106,985.00 net each

Price includes delivery.

Sincerely,

Tony Jones MH Equipment JCB Sales representative 304-741-3569







126 Lakeview Drive Charleston, WV 25313 304-776-6900 (304) 776-6966 (Fax)

November 10, 2008

Division of Highways Equipment Division Rte. 33 Brushy Fork Rd. Buckhannon, WV 26201

Exception to Specifications

X7.1 Operating weight is 32,980 lbs. with thumb, bucket, and full fuel tank.

Sincerely,

Tony Jones MH Equipment JCB Sales