



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
709EC006

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF
MICHAEL AUSTIN 304-558-2402

VENDOR

*709015804 724-437-1578
 UNIONTOWN INDUSTRIAL EQUIP CO
 2266 UNIVERSITY DR
 LEMONT FURNACE PA 15478

SHIP TO

DIVISION OF HIGHWAYS
 EQUIPMENT DIVISION
 ROUTE 33
 BRUSHY FORK ROAD
 BUCKHANNON, WV
 26201 304-472-1750

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
09/23/2008				

BID OPENING DATE: **10/22/2008** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	1	EA		968-39		\$102,950.00
<p>HYDRAULIC TRACK EXCAVATOR</p> <p>OPEN END CONTRACT</p> <p>TO PROVIDE HYDRAULIC TRACK EXCAVATOR FOR THE WEST VIRGINIA DIVISION OF HIGHWAYS PER THE ATTACHED SPECIFICATIONS.</p> <p>THERE WILL BE A MANDATORY PRE-BID CONFERENCE AT THE EQUIPMENT DIVISION IN BUCKHANNON, WEST VIRGINIA AT 10:00 AM ON 10/09/2008. FAILURE TO ATTEND THE PRE-BID WILL RESULT IN BID DISQUALIFICATION.</p> <p>QUESTIONS: WRITTEN QUESTIONS MUST BE RECEIVED BY CLOSE OF BUSINESS (5:00 PM EST.) ON FRIDAY, 10/03/08. SEND YOUR QUESTIONS TO: PURCHASING DIVISION ATTENTION MICHAEL AUSTIN 2019 WASHINGTON STREET EAST CHARLESTON, WV 25305</p> <p>QUESTIONS MAY BE SENT VIA FAX, E-MAIL OR REGULAR MAIL. E-MAIL: MICHAEL.D.AUSTIN@WV.GOV FAX: 304-558-4115</p> <p>IT IS THE VENDORS RESPONSIBILITY TO VERIFY THAT THEIR QUESTIONS HAVE BEEN RECEIVED BY CALLING 304-558-2402.</p> <p>EXHIBIT 2</p> <p>LIFE OF CONTRACT: THIS CONTRACT BECOMES EFFECTIVE 01/01/09 AND EXTENDS FOR A PERIOD OF ONE (1) YEAR.</p>						

RECEIVED

2008 NOV 12 P 12:26

PURCHASING DIVISION
STATE OF WV

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
<i>Michael Austin</i>	(724) 437-1578	10/27/08
TITLE	FAX	ADDRESS CHANGES TO BE NOTED ABOVE
V. PRESIDENT	25-1389795	

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

**GENERAL TERMS & CONDITIONS
REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)**

1. Awards will be made in the best interest of the State of West Virginia.
2. The State may accept or reject in part, or in whole, any bid.
3. All quotations are governed by the *West Virginia Code* and the *Legislative Rules* of the Purchasing Division.
4. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
5. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods, this Purchase Order/Contract becomes void and of no effect after June 30.
6. Payment may only be made after the delivery and acceptance of goods or services.
7. Interest may be paid for late payment in accordance with the *West Virginia Code*.
8. Vendor preference will be granted upon written request in accordance with the *West Virginia Code*.
9. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
10. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
11. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern all rights and duties under the Contract, including without limitation the validity of this Purchase Order/Contract.
12. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
13. **BANKRUPTCY:** In the event the vendor/contractor files for bankruptcy protection, this Contract may be deemed null and void, and terminated without further order.
14. **HIPAA BUSINESS ASSOCIATE ADDENDUM:** The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, and available online at the Purchasing Division's web site (<http://www.state.wv.us/admin/purchase/vrc/hipaa.htm>) is hereby made part of the agreement. Provided that, the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
15. **WEST VIRGINIA ALCOHOL & DRUG-FREE WORKPLACE ACT:** If this Contract constitutes a public improvement construction contract as set forth in Article 1D, Chapter 21 of the West Virginia Code ("The West Virginia Alcohol and Drug-Free Workplace Act"), then the following language shall hereby become part of this Contract: "The contractor and its subcontractors shall implement and maintain a written drug-free workplace policy in compliance with the West Virginia Alcohol and Drug-Free Workplace Act, as set forth in Article 1D, Chapter 21 of the West Virginia Code. The contractor and its subcontractors shall provide a sworn statement in writing, under the penalties of perjury, that they maintain a valid drug-free workplace policy in compliance with the West Virginia and Drug-Free Workplace Act. It is understood and agreed that this Contract shall be cancelled by the awarding authority if the Contractor: 1) Fails to implement its drug-free workplace policy; 2) Fails to provide information regarding implementation of the contractor's drug-free workplace policy at the request of the public authority; or 3) Provides to the public authority false information regarding the contractor's drug-free workplace policy."

INSTRUCTIONS TO BIDDERS

1. Use the quotation forms provided by the Purchasing Division.
2. **SPECIFICATIONS:** Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as **EQUAL** to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
3. Complete all sections of the quotation form.
4. Unit prices shall prevail in case of discrepancy.
5. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
6. **BID SUBMISSION:** All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
709EC006

PAGE
2

ADDRESS CORRESPONDENCE TO ATTENTION OF:
MICHAEL AUSTIN 304-558-2402

VENDOR

*709015804 724-437-1578
 UNIONTOWN INDUSTRIAL EQUIP CO
 2266 UNIVERSITY DR
 LEMONT FURNACE PA 15478

SHIP TO

DIVISION OF HIGHWAYS
 EQUIPMENT DIVISION
 ROUTE 33
 BRUSHY FORK ROAD
 BUCKHANNON, WV
 26201 304-472-1750

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
09/23/2008				

ID OPENING DATE: 10/22/2008 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>YEAR OR UNTIL SUCH "REASONABLE TIME" THEREAFTER AS IS NECESSARY TO OBTAIN A NEW CONTRACT OR RENEW THE ORIGINAL CONTRACT. THE "REASONABLE TIME" PERIOD SHALL NOT EXCEED TWELVE (12) MONTHS. DURING THIS "REASONABLE TIME" THE VENDOR MAY TERMINATE THIS CONTRACT FOR ANY REASON UPON GIVING THE DIRECTOR OF PURCHASING THIRTY (30) DAYS WRITTEN NOTICE.</p> <p>UNLESS SPECIFIC PROVISIONS ARE STIPULATED IN THIS CONTRACT DOCUMENT, THE TERMS, CONDITIONS, AND PRICING SET HEREIN ARE FIRM FOR THE LIFE OF THE CONTRACT.</p> <p>RENEWAL: THIS CONTRACT MAY BE RENEWED UPON THE MUTUAL WRITTEN CONSENT OF THE SPENDING UNIT AND VENDOR, SUBMITTED TO THE DIRECTOR OF PURCHASING THIRTY (30) DAYS PRIOR TO THE EXPIRATION DATE. SUCH RENEWAL SHALL BE IN ACCORDANCE WITH THE TERMS AND CONDITIONS OF THE ORIGINAL CONTRACT AND SHALL BE LIMITED TO TWO (2) ONE (1) YEAR PERIODS.</p> <p>CANCELLATION: THE DIRECTOR OF PURCHASING RESERVES THE RIGHT TO CANCEL THIS CONTRACT IMMEDIATELY UPON WRITTEN NOTICE TO THE VENDOR IF THE COMMODITIES AND/OR SERVICES SUPPLIED ARE OF AN INFERIOR QUALITY OR DO NOT CONFORM WITH THE SPECIFICATIONS OF THE BID AND CONTRACT HEREIN.</p> <p>OPEN MARKET CLAUSE: THE DIRECTOR OF PURCHASING MAY AUTHORIZE A SPENDING UNIT TO PURCHASE ON THE OPEN MARKET, WITHOUT THE FILING OF A REQUISITION OR COST ESTIMATE, ITEMS SPECIFIED ON THIS CONTRACT FOR IMMEDIATE DELIVERY IN EMERGENCIES DUE TO UNFORESEEN CAUSES (INCLUDING BUT NOT LIMITED TO DELAYS IN TRANSPORTATION OR AN UNANTICIPATED INCREASE IN THE VOLUME OF WORK).</p> <p>QUANTITIES: QUANTITIES LISTED IN THE REQUISITION ARE APPROXIMATIONS ONLY, BASED ON ESTIMATES SUPPLIES BY TH</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
<i>Michael W. Che...</i>	(724) 437-1578	10/27/08
TITLE	FAX	ADDRESS CHANGES TO BE NOTED ABOVE
V. PRESIDENT	25-1389795	

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

**Request for
 Quotation**

RFO NUMBER
709EC006

PAGE
3

ADDRESS CORRESPONDENCE TO ATTENTION OF
MICHAEL AUSTIN 304-558-2402

VENDOR

*709015804 724-437-1578
 UNIONTOWN INDUSTRIAL EQUIP CO
 2266 UNIVERSITY DR
 LEMONT FURNACE PA 15478

SHIP TO

DIVISION OF HIGHWAYS
 EQUIPMENT DIVISION
 ROUTE 33
 BRUSHY FORK ROAD
 BUCKHANNON, WV
 26201 304-472-1750

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
09/23/2008				

BID OPENING DATE: 10/22/2008 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>STATE SPENDING UNIT. IT IS UNDERSTOOD AND AGREED THAT THE CONTRACT SHALL COVER THE QUANTITIES ACTUALLY ORDERED FOR DELIVERY DURING THE TERM OF CONTRACT, WHETHER MORE OR LESS THAN THE QUANTITIES SHOWN.</p> <p>ORDERING PROCEDURE: SPENDING UNIT(S) SHALL ISSUE A WRITTEN EQUIPMENT CONTRACT ORDER (FORM NUMBER WV-35) FOR COMMODITIES COVERED BY THIS CONTRACT. THE ORIGINAL WV-35 MUST BE SENT TO THE PURCHASING DIVISION OF THE DEPARTMENT OF ADMINISTRATION. AFTER APPROVAL AND ENCUMBRANCE, ONE COPY OF THE PURCHASE ORDER WILL BE RETURNED TO THE SPENDING UNIT AND ONE COPY FORWARDED TO THE VENDOR AS AUTHORIZATION FOR SHIPMENT. NO ORDER IS VALID UNLESS APPROVED AND ENCUMBERED BY THE PURCHASING DIVISION.</p> <p>BANKRUPTCY: IN THE EVENT THE VENDOR/CONTRACTOR FILES FOR BANKRUPTCY PROTECTION, THIS CONTRACT IS AUTOMATICALLY NULL AND VOID, AND IS TERMINATED WITHOUT FURTHER ORDER.</p> <p>REV. 9/98</p> <p>EXHIBIT 4</p> <p>LOCAL GOVERNMENT BODIES: UNLESS THE VENDOR INDICATES IN THE BID HIS REFUSAL TO EXTEND THE PRICES, TERMS, AND CONDITIONS OF THE BID TO COUNTY, SCHOOL, MUNICIPAL AND OTHER LOCAL GOVERNMENT BODIES, THE BID SHALL EXTEND TO POLITICAL SUBDIVISIONS OF THE STATE OF WEST VIRGINIA. IF THE VENDOR DOES NOT WISH TO EXTEND THE PRICES, TERMS, AND CONDITIONS OF THE BID TO ALL POLITICAL SUBDIVISIONS OF THE STATE, THE VENDOR MUST CLEARLY INDICATE SUCH REFUSAL IN HIS BID. SUCH REFUSAL SHALL NOT PREJUDICE THE AWARD OF THIS CONTRACT IN ANY</p>						

SIGNATURE			SEE REVERSE SIDE FOR TERMS AND CONDITIONS		TELEPHONE		DATE	
<i>Michael Austin</i>					(724) 437-1578		10/27/08	
TITLE			FEIN		ADDRESS CHANGES TO BE NOTED ABOVE			
V. PRESIDENT			25-1389795					

WHEN RESPONDING TO RFO, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

**Request for
 Quotation**

RFQ NUMBER
 709EC006

PAGE
 4

ADDRESS CORRESPONDENCE TO ATTENTION OF:
 MICHAEL AUSTIN
 304-558-2402

VENDOR

*709015804 724-437-1578
 UNIONTOWN INDUSTRIAL EQUIP CO
 2266 UNIVERSITY DR
 LEMONT FURNACE PA 15478

SHIP TO

DIVISION OF HIGHWAYS
 EQUIPMENT DIVISION
 ROUTE 33
 BRUSHY FORK ROAD
 BUCKHANNON, WV
 26201 304-472-1750

DATE PRINTED 09/23/2008	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
----------------------------	---------------	----------	--------	---------------

BID OPENING DATE: 10/22/2008 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
	MANNER. REV. 3/88 EXHIBIT 6					
	<p>PRICE ADJUSTMENT PROVISION: THE STATE OF WEST VIRGINIA WILL CONSIDER BIDS THAT CONTAIN PROVISIONS FOR PRICE ADJUSTMENTS PRIOR TO THE ORIGINAL EXPIRATION OF THE CONTRACT, PROVIDED THAT SUCH PRICE ADJUSTMENT COVERS BOTH UPWARD AND DOWNWARD MOVEMENT OF THE COMMODITY PRICE, AND THAT ADJUSTMENT IS BASED ON THE "PASS THROUGH" INCREASE OR DECREASE OF RAW MATERIALS AND/OR LABOR, WHICH MAKE UP ALL OR A SUBSTANTIAL PART OF A PRODUCT. ADJUSTMENTS ARE TO BE BASED UPON AN ACTUAL DOLLAR FIGURE, NOT A PERCENTAGE. ALL PRICE ADJUSTMENT REQUESTS MUST BE SUBSTANTIATED IN A MANNER ACCEPTABLE TO THE DIRECTOR PURCHASING, E.G. GOVERNMENTAL BENCH MARKS, GENERAL MARKET INCREASE, PUBLISHED PRICE LISTS. SUCH REQUESTS FOR AND INCREASE SHOULD BE RECEIVED IN WRITING BY THE DIRECTOR OF PURCHASING AT LEAST 30 DAYS IN ADVANCE OF THE EFFECTIVE DATE OF THE INCREASE. ANY TIME THE VENDOR REQUESTS A PRICE ADJUSTMENT, THE PURCHASING DIVISION MAY EITHER ACCEPT THE PRICE ADJUSTMENT AND AMEND THE CONTRACT ACCORDINGLY OR REJECT THE ADJUSTMENT IN ITS ENTIRETY AND CANCEL THE CONTRACT.</p>					
	EXHIBIT 10					
	REQUISITION NO.: 709EC006...					
	ADDENDUM ACKNOWLEDGEMENT					

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>Michael W. Chee</i>	TELEPHONE (724) 437-1578	DATE 10/27/08
TITLE V. PRESIDENT	FEIN 25-1389795	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
709EC006

PAGE
5

ADDRESS CORRESPONDENCE TO ATTENTION OF
**MICHAEL AUSTIN
 304-558-2402**


***709015804 724-437-1578**
UNIONTOWN INDUSTRIAL EQUIP CO
2266 UNIVERSITY DR

LEMONT FURNACE PA 15478

DIVISION OF HIGHWAYS
EQUIPMENT DIVISION
ROUTE 33
BRUSHY FORK ROAD
BUCKHANNON, WV
26201 304-472-1750

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
09/23/2008				

ID OPENING DATE: **10/22/2008** **BID OPENING TIME 01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>I HEREBY ACKNOWLEDGE RECEIPT OF THE FOLLOWING CHECKED ADDENDUM(S) AND HAVE MADE THE NECESSARY REVISIONS TO MY PROPOSAL, PLANS AND/OR SPECIFICATION, ETC.</p> <p>ADDENDUM NO.'S:</p> <p>NO. 1 ..X.....</p> <p>NO. 2 ...X.....</p> <p>NO. 3 ...X.....</p> <p>NO. 4</p> <p>NO. 5</p> <p>I UNDERSTAND THAT FAILURE TO CONFIRM THE RECEIPT OF TH ADDENDUM(S) MAY BE CAUSE FOR REJECTION OF BIDS.</p> <p>VENDOR MUST CLEARLY UNDERSTAND THAT ANY VERBAL REPRESENTATION MADE OR ASSUMED TO BE MADE DURING ANY ORAL DISCUSSION HELD BETWEEN VENDOR'S REPRESENTATIVES AND ANY STATE PERSONNEL IS NOT BINDING. ONLY THE INFORMATION ISSUED IN WRITING AND ADDED TO THE SPECIFICATIONS BY AN OFFICIAL ADDENDUM IS BINDING.</p> <p style="text-align: right;">  SIGNATURE Uniontown Industrial Equipment Co. Inc. COMPANY October 27, 2008 DATE </p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS			
SIGNATURE	TELEPHONE	DATE	
	(724) 437-1578	10/27/08	
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE	
V. PRESIDENT	25-1389795		

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
709EC006

PAGE
6

ADDRESS CORRESPONDENCE TO ATTENTION OF
MICHAEL AUSTIN
304-558-2402

*709015804 724-437-1578
 UNIONTOWN INDUSTRIAL EQUIP CO
 2266 UNIVERSITY DR

LEMONT FURNACE PA 15478

DIVISION OF HIGHWAYS
EQUIPMENT DIVISION
ROUTE 33
BRUSHY FORK ROAD
BUCKHANNON, WV
26201 **304-472-1750**

VENDOR

SHIP TO

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
09/23/2008				

BID OPENING DATE: 10/22/2008		BID OPENING TIME 01:30PM				
LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT

REV. 11/96

NOTICE

A SIGNED BID MUST BE SUBMITTED TO:

DEPARTMENT OF ADMINISTRATION
 PURCHASING DIVISION
 BUILDING 15
 2019 WASHINGTON STREET, EAST
 CHARLESTON, WV 25305-0130

THE BID SHOULD CONTAIN THIS INFORMATION ON THE FACE OF THE ENVELOPE OR THE BID MAY NOT BE CONSIDERED:

SEALED BID

BUYER: 33
RFQ. NO.: 709EC006
BID OPENING DATE: November 12, 2008
BID OPENING TIME: 01:30PM

PLEASE PROVIDE A FAX NUMBER IN CASE IT IS NECESSARY TO CONTACT YOU REGARDING YOUR BID:

----- (724) 437-2098 -----

SIGNATURE: *Michael Austin* SEE REVERSE SIDE FOR TERMS AND CONDITIONS TELEPHONE: (724) 437-1578 DATE: 10/27/08
 TITLE: **V. PRESIDENT** PEIN: 25-1389795 ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
709EC006

PAGE
7

ADDRESS CORRESPONDENCE TO ATTENTION OF:
MICHAEL AUSTIN 304-558-2402

VENDOR

*709015804 724-437-1578
 UNIONTOWN INDUSTRIAL EQUIP CO
 2266 UNIVERSITY DR
 LEMONT FURNACE PA 15478

SHIP TO

DIVISION OF HIGHWAYS
 EQUIPMENT DIVISION
 ROUTE 33
 BRUSHY FORK ROAD
 BUCKHANNON, WV
 26201 304-472-1750

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
09/23/2008				

BID OPENING DATE: 10/22/2008 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
CONTACT PERSON (PLEASE PRINT CLEARLY):						
-----MICHAEL W. CLOWER-----						
***** THIS IS THE END OF RFQ 709EC006 ***** TOTAL:						\$102,950.00

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	<i>Michael W. Clower</i>	TELEPHONE	(724) 437-1578	DATE	10/27/08
TITLE	V. PRESIDENT	FEIN	25-1389795	ADDRESS CHANGES TO BE NOTED ABOVE	

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

WEST VIRGINIA DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
EQUIPMENT DIVISION

PROCUREMENT SPECIFICATIONS
NO. 310-1-D

HYDRAULIC TRACK EXCAVATOR

1.0 PURPOSE

It is the purpose of these specifications to describe a Hydraulic Track Excavator (hereinafter referred to as an "excavator" or a "unit") to be purchased for use by the West Virginia Division of Highways (DOH) on an Open End Contract basis.

2.0 BIDDING PROCEDURES

The current purchasing procedures regarding bidding as established by the Department of Administration, Purchasing Division, shall apply. Failure to submit the "Request for Quotation" forms, complete in its entirety and according to directions indicated, may subject the bidder to disqualification. **Each bid submitted shall also be accompanied by a Bidder's Evaluation Report completed in detail.** Addendums in order, along with exception sheets, should be with Bidder's Evaluation Report. **FAILURE TO SUBMIT THE BIDDER'S EVALUATION REPORT, COMPLETE IN ITS ENTIRETY, MAY RESULT IN AUTOMATIC DISQUALIFICATION.**

3.0 SPECIFICATIONS

The specifications named herein, mandatory and non-mandatory, establish the acceptable level of quality only and are not intended to reflect a preference or favor any particular brand or vendor.

3.1 EXCEPTIONS TO NON-MANDATORY SPECIFICATIONS

Exception to a non-mandatory unit specification may be made by the bidder, providing the exception is not available from the manufacturer. **Any such exception must be noted on the bidder's evaluation report and should be accompanied by supporting documentation/literature from the manufacturer. Any exception must be indicated on a separate attachment to the bidder's evaluation report and labeled as "Exception to Specifications".** The state reserves the right to determine whether the stated exception does or does not reduce the quality and performance of the unit. Failure to provide information for any exceptions may be grounds for rejection of the bid. The state reserves the right to waive minor irregularities in bids or specifications in accordance with §148-1-4(f) of the WV Legislative Rules and Regulations.

3.2 MANDATORY SPECIFICATIONS

All specifications preceded by "shall, will, and/or must" or are stated as a "minimum and/or maximum" are mandatory as stated in Purchasing Divisions Policies and Procedures. Any bid failing to meet any mandatory item shall be immediately disqualified. Failure to respond in the appropriate evaluation section may also be grounds for immediate disqualification at the discretion of the State.

A mandatory pre-bid conference is scheduled for this equipment purchase as stated in the RFQ. Vendors having products with variations or exceptions in specified mandatory items are expected to address any such variations or exceptions during the pre-bid conference. The State shall review and consider any such variation or exception, and may at its sole discretion, issue an addendum to change mandatory specifications deemed to be in the State's best interest. Bids from any vendor failing to attend the mandatory pre-bid shall be disqualified. Bids containing any variation or exception to a mandatory specification that was not addressed during the pre-bid conference and accepted by the issuance of an Addendum shall be disqualified.

4.0 REPRESENTATIVE UNIT FOR TEST

The successful vendor must (if specified) provide DOH one (1) completed representative unit to be observed and evaluated on each order to insure compliance with specification. If requested, the time period for testing and evaluation shall be seven (7) working days following receipt of the unit. DOH will incur no obligation for deterioration of surfaces, finishes, seals, and mechanical or electrical parts on the unit resulting from operation and testing within the limits of these specifications; nor will DOH incur obligation for damage to the unit resulting from failure to meet specifications when due care and attention is given by DOH and testing is done within the limits of these specifications. Failure of the pilot unit to satisfactorily meet specifications as bid shall be cause for cancellation of the purchase order, and return of the delivered unit along with all associated equipment to the vendor at the vendor's expense.

4.1 CONDITION OF UNIT(S) UPON DELIVERY

All units must arrive at the prescribed delivery point having been completely preserviced with oil, lubricants, and coolant. All prescribed precautions pertaining to first operations and break-in of the unit are to be posted conspicuously on the unit for ready observance by the operator.

4.2 DELIVERY

Delivery point of the completely assembled representative unit will be the DOH, Equipment Division, Route 33 at Brushy Fork Road, Buckhannon, West Virginia (26201).

The vendor is responsible for guaranteeing delivery of the completed units within the time specified and agreed to by the State. Delivery is preferred within 90 days after receipt of purchase agreement. The vendor is responsible for establishing and coordinating delivery terms with allied manufacturers or suppliers. **Delivery terms shall be stated in the bid and the State reserves the right to accept or negotiate such terms.** Failure to reach an agreement may result in rejection of the bid. **The successful bidder shall provide their manufacturer's confirmation of the order to the WVDOH contact person within seven (7) working days after receiving the approved purchase order.**

A completed pilot model for inspection must be provided within 30 calendar days after receipt of the purchase agreement by the successful vendor.

Delivery is an integral part of this specification and failure to comply will be cause to initiate a D.O.T. Administrative Form WV-82, Vendor Performance Form. The WV-82 Form will provide a means of officially notifying the Purchasing Division and the vendor of unsatisfactory performance; such as late deliveries, poor service, inadequate parts supplies, etc.

The decision to initiate subject Form will be at the sole discretion of the D.O.H. Commissioner's established Equipment Review Board.

Issuance of the WV-82 Vendor Complaint Form on unsatisfactory delivery against any vendor will be cause to refuse to consider similar items from those vendors on future Request For Quotations.

(NOTE: Delivery time could be altered due to labor strikes, severe inclement weather conditions, etc.)

5.0 AWARD CRITERIA

- 5.1 DOH will recommend the award in accordance with the RFQ evaluation criteria described in the requisition. **The award shall be made to the lowest unit cost vendor that meets or exceeds the specifications.**

Prices for the units shall be in quantities of 1-10, 11-20, 21 and over. However, for evaluation purposes, we will use quantities 1-10. DOH reserves the right to place multiple orders in any quantity.

6.0 SPECIFICATIONS AND GUIDELINES - GENERAL

6.1 IDENTIFICATION OF THE UNIT BEING PROPOSED

The bidder must identify the unit by manufacturer, model, series, and year of manufacture, in the bid to enable identification by DOH in the manufacturer's

specifications of the proposed unit. The bidder will submit complete descriptive literature of the proposed unit, to establish that the bid is the manufacturer's most current model, including latest engineering improvements, which have been, or will imminently be, regularly advertised and sold on the open market. The unit specified herein and offered to be manufactured after January 1, 2008 and be clearly identified and marked with date of manufacture.

6.2 OPERATING AND SERVICE MANUALS AND PARTS LISTS

An operator's manual must be included with each unit upon delivery. A "line sheet" (if applicable) and Equipment Preventative Maintenance Questionnaire (as shown in X6.2 of the Bidder's Evaluation Report) must be with pilot unit upon delivery. In addition, there must be 12 service, shop, or maintenance manuals; ten (10) to be distributed to the Districts and two (2) for the Equipment Division. Also, there must be 14 parts manuals; ten (10) to be distributed to the Districts and four (4) for Equipment Division use. CD ROM is preferred in lieu of parts manuals.

*** NOTE: MANUALS SHALL BE DELIVERED UPON COMPLETION OF DELIVERY OF TOTAL UNITS. FAILURE TO DO SO WILL DELAY PAYMENT.**

6.3 TRAINING:

Manufacturers and/or dealers will be required to stage a thorough seminar on the subjects of Preventative Maintenance, Operator and Mechanic Training. **In order to keep the operators and mechanics updated, the successful vendor shall conduct training with each purchase order against this open end contract.** Training is preferred within 2 working days after delivery of the pilot unit on the individual purchase order.

Manufacturers and/or dealers shall be required to furnish the Training Academy with one (1) Operator's Manual to be shipped direct to WVDOH Training Academy, Post Office Box 610, Buckhannon, West Virginia 26201 prior to delivery of the pilot.

The seminar to be held at the W. Va. Division of Highways, Equipment Division, Buckhannon, West Virginia.

6.4 PREVENTIVE MAINTENANCE AND OPERATOR PROCEDURES:

Manufacturers and/or dealers will be required to submit to the Equipment Division, in addition to the operating and service manuals, booklets and pamphlets explaining the Preventive Maintenance and Operator Procedures to be used by the operators of this equipment, and must include such things as daily prestart inspection procedure, service schedule, and routine maintenance required, safety precautions, etc.

The successful vendor shall furnish all training aids; i.e., videos, projectors, etc. required in conducting the training.

6.5 WARRANTY AND SERVICE POLICY

The Manufacturers warranty or service policy is to apply to the unit. Such warranty or service policy is to be recognized at any authorized unit dealer, representing manufacturer of proposed unit throughout the State of West Virginia. The applicable warranty or service policy will not be contingent upon obtaining routine service, lubrication, and servicing of the unit from factory authorized agencies. It will be the responsibility of the bidder to have available labor to repair or replace any defective replacement parts, components and materials, and to have available those replacement parts, components, and/or materials found to be defective during the terms of the warranty period. The bidder should state the labor rates, locations where parts will be stocked, availability of parts, and discounts offered for parts, when terms of the warranty offer a pro-rated cost for parts and labor. In addition, the successful bidder should offer field work to repair or replace defective parts, components, and materials found to be defective during the terms of the warranty and should provide mechanic's travel rates, mileage charges, field mechanic rates, and any surcharge for miscellaneous items, if applicable, for field work during the warranty period. Submit to Division of Highways any technical or engineering improvements during the term of the warranty. **The unit must be accompanied upon delivery by the unit's manufacturer's executed warranty or service policy.**

A mandatory minimum two (2) year bumper to bumper basic parts and labor warranty excluding abuse and normal wear items is required for this unit.

THE "WARRANTY AND SERVICE POLICY QUESTIONNAIRE" ATTACHED IN THE BIDDER'S EVALUATION REPORT MUST BE COMPLETED IN ITS ENTIRETY BY THE SUCCESSFUL BIDDER OR MANUFACTURER PRIOR TO DELIVERY OF THE PILOT MODEL. (SEE SECTION X6.5 OF BIDDER'S EVALUATION REPORT).

6.6 EVALUATION COMMITTEE REQUIREMENTS

Detailed component specifications, product literature, component models, required for specification compliance determination by the Evaluation Committee should be provided with each bid. Any information supplied that is contrary to/or conflicting with the specifications and/or attached Bidders Evaluation Report may be sufficient cause for rejection of bid.

6.7 UNSPECIFIED ACCESSORIES & FEATURES

All parts, equipment, accessories, material, design and performance characteristics not specified herein, but which are necessary to provide a complete unit, must be furnished with each unit and required to conform to strength, quality of material,

and quality of workmanship to those which are advertised and provided to the market in general by the unit industry.

All parts and accessories advertised and regularly supplied as standard shall be included, except those which would represent duplication of these specified, and except those which, by specification, are not to be furnished. All standard safety features, required by Federal and State Law, shall be included.

**7.0 SPECIFICATIONS OF THE QUOTED UNIT ARE AS FOLLOWS:
Shall be Kobelco SK135SR or equal**

7.1 Operating weight shall be no less than 28,000 pounds and not more than 32,291 pounds.

7.2 Engine:

7.2.1 Engine will be 84 horsepower minimum.

7.2.2 Engine should be turbocharged diesel.

7.2.3 Pressurized liquid cooling system with thermostat, filled with manufacturers approved extended life permanent type anti-freeze that provides freeze protection to at least -30 degrees F.

7.2.4 Air cleaner, double element with auto dust evacuation.

7.2.5 Fuel filtering system shall be manufacturer's heaviest duty available.

7.2.6 Dust proof net for radiator and oil cooler should be provided.

7.2.7 Manufacturer's heaviest duty electrical system shall be provided.

7.3 Hydraulic System:

7.3.1 Hydraulic system to maintain manufacturers recommended safe oil temperature within recommended operating range during continuous operation under maximum working combinations.

7.3.2 System to have manufacturer's heaviest variable capacity piston type pumps with load sensing for maximum efficiency.

7.3.3 Boom length should be no less than 15 feet and controlled by two (2) hydraulic cylinders.

- 7.3.4 Arm length should be no less than 8 feet and controlled by one (1) hydraulic cylinder and equipped with multi function hydraulics with piping to the end of arm with foot controls.
- 7.3.5 Shut off valve at end of piping.
- 7.3.5.1 **Unit shall be equipped with a hydraulic thumb approximately 18 inches x 46 inches.**
- 7.3.5.2 Tine thickness of thumb to be 1 inch with a pin diameter of approximately 2 inches.
- 7.3.6 Bucket to be approximately 0.60 cubic yard capacity, **shall be with teeth and side cutters and controlled by one (1) hydraulic cylinder.**
- 7.3.7 **Drive shall be hydrostatic design with independent track control.**
- 7.3.8 Wet multiple disk brakes that automatically release while propelling and apply when stationary.
- 7.3.9 **Unit swing shall be capable of 360 degrees.**
- 7.3.10 Swing speed should be approximately 10 R.P.M.
- 7.3.11 **Swing brake shall be SAHR for safety.**
- 7.3.12 **Unit shall be joystick controlled with one (1) additional actuator for auxiliary hydraulics.**
- 7.4 Undercarriage:
- 7.4.1 **Undercarriage frame shall be manufacturers standard for model bid.**
- 7.4.2 **Unit shall have sealed type track.**
- 7.4.3 **A minimum of one (1) top carrier roller each side for proper track support.**
- 7.4.4 **Track guides shall be provided to prevent track misalignment.**
- 7.4.5 **Track adjustment shall be of hydraulic design.**
- 7.4.6 Manufacturers triple grouser shoes.
- 7.4.7 Track length approximately 11 feet 6 inches.

7.4.8 **Maximum tail swing 4.82 feet including manufacturers needed weight(s)**

7.5 Cab:

7.5.1 **Cab shall be all weather steel isolation mounted.**

7.5.2 **Unit will have a deep cushioned fully adjustable seat with padded arm rests.**

7.5.3 **Cab shall be equipped manufacturers heater and air condition system.**

7.5.4 **Cold weather starting aid shall be provided.**

7.5.5 Cab equipped with front windshield wiper and washer, intermittent features.

7.5.6 **Manufacturers vandalism protection package shall be provided.**

7.5.7 Interior cab light.

7.5.8 Work lights at boom and cab for sufficient night shift operations.

7.5.9 Tinted safety glass at all locations.

7.5.10 AM and FM radio with antenna.

7.6 Paint:

7.6.1 **Unit will be painted manufacturers standard color.**

7.6.2 Manufacturers standard plant painting procedures for cleaning, degreasing, preparing, priming and painting are sufficient to meet the requirements for painting unit.

7.7 **Vendor must certify that unit offered will meet or exceed the "Occupational Safety and Health Act or 1970" and subsequent amendments.**

7.8 Advertising: No visible decals or name plates or painted on names representing the manufacturer or model number or trademark should appear on the exterior surface of the unit. Such logos created through the stamping or casting process of manufacture are accepted.

WEST VIRGINIA DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
EQUIPMENT DIVISION

BIDDER'S EVALUATION REPORT

PROCUREMENT SPECIFICATIONS FOR OPEN END CONTRACT
NO. 310-1-D

HYDRAULIC TRACK EXCAVATOR

NOTE TO BIDDER: Procurement Specification No. 310-1-D, Paragraph 2.0 recommends the completion and submittal of this Report with your bid. Purpose of this Report is to enable the West Virginia Division of Highways Evaluation Committee to make full and fair evaluation of the bid. Addendums in order, along with a summary of exception as a separate attachment, should be with Bidder's Evaluation Report. FAILURE TO SUBMIT THIS REPORT, COMPLETE IN ITS ENTIRETY, MAY SUBJECT THE BIDDER TO DISQUALIFICATION.

Reference Requisition No.: 709EC006

Bidder's Name: Uniontown Industrial Equipment Co. Inc.

Address: 2266 University Drive Lemont Furnace PA 15456

Telephone Number: (724) 437-1578

Years Bidder has been registered to do business with the State of West Virginia: 13 YRS.

Years Company has been an authorized dealer for proposed unit: 6 YRS.

X3.2 Have you complied with all mandatory specifications? YES NO

X4.2 DELIVERY:

X4.2.1 Delivery date of completed representative unit: 60 Calendar Days After Receipt of Purchase Agreement

X4.2.2 Delivery date of balance of completed units: 90 Calendar Days After Receipt of Purchase Agreement

X5.0 AWARD CRITERIA;

X5.1 Prices for units:

1-10	\$102,950.00	per unit
11-20	\$102,950.00	per unit
21 and over	\$102,950.00	per unit

X6.0 SPECIFICATIONS - GENERAL

X6.1 Manufacturer, model, series, and date of manufacture of proposed unit:

TEREX TC125

Is descriptive literature, fully describing proposed unit attached to your bid? YES NO

If not, why? _____

X6.2 Will the required number of service manuals, and complete parts list be delivered to the Equipment Division at Buckhannon upon completion of delivery of total units?

YES NO

Will the required Equipment Preventive Maintenance Form (Section X6.2 of Bidders Evaluation Report) be provided upon inspection of the pilot unit? YES NO

X6.2
2-10-00

EQUIPMENT PREVENTATIVE MAINTENANCE QUESTIONNAIRE

THIS FORM MUST BE COMPLETED IN ITS ENTIRETY BY SUCCESSFUL BIDDER OR MANUFACTURER'S TECHNICAL REPRESENTATIVE PRIOR TO DELIVERY OF PILOT MODEL TO THE WVDOH.

DESCRIPTION: _____ MAKE: _____

MODEL: _____ YEAR: _____ PURCHASE AMOUNT: _____

ENGINE: MAKE: _____ MODEL: _____ FUEL TYPE: _____

HORSEPOWER: _____ CYLINDER: _____ ENGINE SERIAL: _____

COOLING SYSTEM CAPACITY: _____

BELTS: DESCRIPTION: _____ PART NUMBERS: _____

GVW: _____ AXLE CAPACITY: FRONT: _____ REAR: _____

TIRES: FRONT MAKE & SIZE: _____

REAR MAKE & SIZE: _____

DIMENSIONS OF UNIT: LENGTH: _____ WIDTH: _____ LENGTH: _____

VENDOR CONTACT PERSON: _____ PHONE: _____

PARTS:

BATTERY MAKE: _____ MODEL: _____ CCA: _____
TOP OR SIDE POST: _____ DIMENSIONS: LENGTH _____ WIDTH _____ HEIGHT _____
SPARK PLUGS OR FUEL INJECTORS MAKE: _____ PART # _____
FUEL PUMP OR INJECTION PUMP MAKE: _____ MODEL: _____
ALTERNATOR MAKE: _____ PART #: _____
STARTER MAKE: _____ PART #: _____
TURBO CHARGER MAKE: _____ PART #: _____
TRANS. MAKE: _____ MODEL: _____ AUTO/MANUAL: _____
HYDRAULIC PUMP MAKE: _____ MODEL: _____

FILTERS	MAKE	PART NO.	LUBRICANT	MANUFACTURER TYPE
OIL	_____	_____	ENGINE	_____
AIR INNER	_____	_____	TRANSMISSION	_____
AIR OUTER	_____	_____	POWER STEERING	_____
FUEL PRIMARY	_____	_____	HYDRAULIC	_____
FUEL SECONDARY	_____	_____	DIFFERENTIALS	_____
COOLANT	_____	_____	BRAKE FLUID	_____
HYDRAULIC	_____	_____	COOLANT	_____
OTHER	_____	_____	OTHER	_____

X6.3 TRAINING:

Will training seminar be conducted on Preventive Maintenance, Operator and Mechanic Training YES NO

Will you conduct training with each purchase order against this open end contract? YES NO

Will training be conducted within 2 working days from the delivery of the pilot unit on the individual purchase order? YES NO

If NO, explain time frame _____

2 WEEKS

Will an Operator's Manual be furnished directly to Training Academy prior to the delivery of the pilot? YES NO

X6.4 If you are the successful vendor, will you furnish all training aids, i.e., videos, projectors, required in conducting the training? YES NO

X6.4.1 Will all manuals, booklets, etc. explaining preventive maintenance, operator procedures, and service schedule be delivered with each unit? YES NO

If NO, explain _____

X6.5 WARRANTY AND SERVICE POLICY

Will the warranty and service you provide comply with all areas as stated in Section 6.5 of specifications YES NO

Is warranty literature attached? YES NO

Is a minimum two (2) year bumper to bumper basic parts and labor warranty excluding abuse and normal wear items included? YES NO

Describe:

2 YEARS OR 2,000 HRS.

X6.5 WARRANTY AND SERVICE POLICY QUESTIONNAIRE
THIS FORM MUST BE COMPLETED IN ITS ENTIRETY AND SUBMITTED WITH YOUR BID.

(If additional lines are needed, make copies of form.)

1. Define the terms of the standard warranty. If not offered, so state. (Attach copy)
2 YEARS OR 2,000 HRS. BUMPER TO BUMPER BASIC PARTS & LABOR
EXCLUDING ABUSE AND NORMAL WEAR ITEM

2. Define warranty service to be performed at DOH facilities and warranty service to be performed at manufacturer's representative facility. List name and location of manufacturer's representative.

WHEN WARRANTY SERVICE IS PREFORMED AT DOH FACILITY DOH IS RESPONSIBLE FOR TRAVEL & MILEAGE TO AND FROM THEIR FACILITY. WHEN WARRANTY IS PREFORMED AT UIEC, DOH IS RESPONSIBLE FOR ROUND TRIP TRANSPORTATION COST.

3. List locations for parts inventories that are within the State of West Virginia. Also, list availability levels, if known.

DOES NOT HAVE PARTS LOCATIONS IN THE STATE OF WV. HOWEVER THE SURROUNDING STATES OF PA, MD, VA, OHIO AND KENTUCKY ALL ARE HOUSE OF SUCCESSFUL TEREX DEALERSHIPS. PARTS INVENTORY IS AT \$100,000.00

4. During the term of warranty, list the guarantee discount to manufacturer's published list price for parts that bidder will sell the parts to owner.

A.	Terms: Net 30	Manufacturer's published list price less: <u> 0 </u> % discount
B.	Terms: Net 60	Manufacturer's published list price less: <u> 0 </u> % discount
C.	Terms: Net 90	Manufacturer's published list price less: <u> 0 </u> % discount

5. During the term of warranty, will all manufacturers or engineering improvements be submitted to Division of Highways? X YES NO

6. During the term of warranty, list the guaranteed rates charged for repair to the unit.

- A. Shop Rate \$ 0 per mechanic hour
- B. Travel Time Charge (Specify if one-way) \$ 0 per mechanic hour
 0 ; port to port 0
- C. Mileage Charge (Specify if one-way) \$ 0 per vehicle mile
 0 ; port to port 0
- D. Field Mechanic Rate \$ 0 per mechanic hour
- E. Specify period of time that prices are in effect: 0
- F. Surcharge for miscellaneous items: 0 %

X6.6 EVALUATION COMMITTEE REQUIREMENTS

Is all component specifications, product literature, component models provided for Evaluation Committee bid determination? YES NO

X6.7 Will all parts, equipment, accessories, material, design and performance characteristics not specified herein, but which are necessary to provide a complete unit, be furnished with the unit and conform in strength, quality of material, and quality of workmanship to those which are advertised and provided to the market in general by the unit industry? YES NO

X6.7.1 Are all parts and accessories adequate and regularly supplied as standard to be included except those which may be duplications of specifications herein, and except these by specification are not to be furnished? YES NO

X6.7.2 Are all standard safety features that are required by Federal and State statutes of law included? YES NO

X7.0 SPECIFICATIONS OF THE QUOTED UNIT:

The bidder should complete the following schedule in order for the Division to compare the actual bid unit to the specifications. Should the bidder except a requirement, then such exception may be only on the basis that such feature is not offered by the manufacturer. The Division will have the sole discretion as to whether the bidder's substitution meets the requirements of the specification.

Manufacturer: TEREX **Model:** TC125

X7.1 Specify operating weight 29,783 **pounds.**

X7.2 Engine:

X7.2.1 Specify engine 94 **HP.**

X7.2.2 Is engine turbocharged diesel? YES NO

X7.2.3 Is pressurized liquid cooling system w/thermostat, filled with manufacturers approved extended life permanent type anti-freeze that provides freeze protection to at least -30° F? YES NO

- X7.2.4 Is air cleaner, double element with auto dust evacuation? YES NO
- X7.2.5 Is fuel filtering system manufacturers heaviest duty available? YES NO
- X7.2.6 Is dust proof net for radiator and oil cooler provided? YES NO
- X7.2.7 Will Manufacturers heaviest duty electrical system be provided?**
 YES NO

X7.3 Hydraulic System:

- X7.3.1 Will proposed hydraulic system maintain manufacturers recommended safe oil temperature within recommended operating range during continuous operation under maximum working combinations? YES NO
- X7.3.2 Does system provide manufacturer heaviest variable capacity piston type pumps With load sensing for maximum efficiency? YES NO
- X7.3.3 Is boom controlled by two (2) hydraulic cylinders? YES NO
Specify boom length 12' 4" feet
- X7.3.4 Is arm controlled by one (1) hydraulic cylinder/equipped with multi function hydraulic with piping to the end of arm with foot controls? YES NO
Specify arm length 7' 9" feet
- X7.3.5 Is shut off valve at end of piping? YES NO
- X7.3.5.1 Is unit equipped with a hydraulic thumb?** YES NO
Specify size 18 inches x 46 inches
- X7.3.5.2 Tine thickness of thumb 1 inch with a pin diameter 2 inch
- X7.3.6 Bucket 60 cubic yard **with teeth and side cutters** YES NO
Controlled by one (1) hydraulic cylinder YES NO
- X7.3.7 Is drive hydrostatic design with independent track control?** YES NO

X7.3.8 Does unit have wet multiple disk brakes that automatically releases while propelling and applies when stationary? YES NO

X7.3.9 Is unit swing capable of 360 degrees? YES NO

X7.3.10 Specify swing speed 9 R.P.M.

X7.3.11 Is swing brake SAHR for safety? YES NO

If not specify: _____

X7.3.12 Is unit joystick controlled with one (1) additional actuator for auxiliary hydraulics? YES NO

X7.4 Undercarriage:

X7.4.1 Is undercarriage frame manufacturers standard for model bid? YES NO

X7.4.2 Does unit have sealed type track YES NO

X7.4.3 Does unit have a minimum of one (1) top carrier roller each side for proper track support YES NO

X7.4.4 Are track guides provided to prevent track misalignment YES NO

X7.4.5 Is track adjustment of hydraulic design YES NO

X7.4.6 Does unit have manufacturers triple grouser shoes? YES NO

X7.4.7 Specify track length 10 feet 10 inches

X7.4.8 Tail Swing including manufacturers needed weight(s): 4.5 feet

X7.5 Cab:

X7.5.1 Is proposed cab all weather steel isolation mounted? YES NO

X7.5.2 Does proposed unit have a deep cushioned fully adjustable seat with padded arm rests? YES NO

X7.5.3 Is cab equipped with manufacturers heater and air condition system? YES NO

X7.5.4 Is cold weather starting aid provided? YES NO

- X7.5.5 Is cab equipped with front windshield wiper/washer with intermittent features? _____ YES x NO
- X7.5.6 Is manufacturers vandalism protection package provided? x YES _____ NO**
- X7.5.7 Is unit provided with interior cab light? x YES _____ NO
- X7.5.8 Are work lights provided at boom and cab adequate for night shift operations? x YES _____ NO
- X7.5.9 Is tinted safety glass provided at all locations? x YES _____ NO
- X7.5.10 Is AM/FM radio with antenna provided? x YES _____ NO
- X7.6 Paint:
- X7.6.1 Will unit be painted manufacturers standard color? x YES _____ NO**
- X7.6.2 Does painting procedures for cleaning, degreasing, preparing, priming/painting meet manufacturers standard requirement for painting unit? _____ x YES _____ NO
- X7.7 Does unit meet OSHA requirements as specified? x YES _____ NO**
- X7.8 Does unit meet advertising guidelines as specified? x YES _____ NO

VENDOR PREFERENCE CERTIFICATE

Certification and application* is hereby made for Preference in accordance with *West Virginia Code*, §5A-3-37. (Does not apply to construction contracts). *West Virginia Code*, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the *West Virginia Code*. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

1. **Application is made for 2.5% resident vendor preference for the reason checked:**
 Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; **or**,
 Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; **or** 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; **or**,
 Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; **or**,
2. **Application is made for 2.5% resident vendor preference for the reason checked:**
 Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; **or**,
3. **Application is made for 2.5% resident vendor preference for the reason checked:**
 Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; **or**,
4. **Application is made for 5% resident vendor preference for the reason checked:**
 Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; **or**,
5. **Application is made for 3.5% resident vendor preference who is a veteran for the reason checked:**
 Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; **or**,
6. **Application is made for 3.5% resident vendor preference who is a veteran for the reason checked:**
 Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.

Bidder understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the requirements for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty against such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency or deducted from any unpaid balance on the contract or purchase order.

By submission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and authorizes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid the required business taxes, provided that such information does not contain the amounts of taxes paid nor any other information deemed by the Tax Commissioner to be confidential.

Under penalty of law for false swearing (*West Virginia Code*, §61-5-3), Bidder hereby certifies that this certificate is true and accurate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate changes during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.

Bidder: Uniontown Industrial Equip

Signed: 

Date: November 3, 2008

Title: V. PRESIDENT

*Check any combination of preference consideration(s) indicated above, which you are entitled to receive.

STATE OF WEST VIRGINIA
Purchasing Division

PURCHASING AFFIDAVIT

VENDOR OWING A DEBT TO THE STATE:

West Virginia Code §5A-3-10a provides that: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

PUBLIC IMPROVEMENT CONTRACTS & DRUG-FREE WORKPLACE ACT:

West Virginia Code §21-1D-5 provides that: Any solicitation for a public improvement construction contract shall require each vendor that submits a bid for the work to submit at the same time an affidavit that the vendor has a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the West Virginia Code. A public improvement construction contract may not be awarded to a vendor who does not have a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the West Virginia Code and who has not submitted that plan to the appropriate contracting authority in timely fashion. For a vendor who is a subcontractor, compliance with Section 5, Article 1D, Chapter 21 of the West Virginia Code may take place before their work on the public improvement is begun.

ANTITRUST:

In submitting a bid to any agency for the state of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the state of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the state of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the state of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership or person or entity submitting a bid for the same materials, supplies, equipment or services and is in all respects fair and without collusion or fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

LICENSING:


Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.

CONFIDENTIALITY:

The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendors should visit www.state.wv.us/admin/purchase/privacy for the Notice of Agency Confidentiality Policies.

Under penalty of law for false swearing (West Virginia Code §61-5-3), it is hereby certified that the vendor acknowledges the information in this said affidavit and is in compliance with the requirements as stated.

Vendor's Name: Uniontown Industrial Equipment CO. Inc.

Authorized Signature:  Date: 10/27/08



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
709EC006

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF
MICHAEL AUSTIN 304-558-2402

PROPERTY	*709015804 724-437-1578
	UNIONTOWN INDUSTRIAL EQUIP CO 2266 UNIVERSITY DR
	LEMONT FURNACE PA 15478

SHIP TO	DIVISION OF HIGHWAYS
	EQUIPMENT DIVISION
	ROUTE 33
	BRUSHY FORK ROAD
	BUCKHANNON, WV 26201 304-472-1750

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
10/20/2008				

BID OPENING DATE: 10/29/2008 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
ADDEDNUM NO. 1						
BID OPENING DATE AND TIME CHANGED						
FROM: 10/24/08 AT 1:30 P.M.						
TO: 10/29/08 AT 1:30 P.M.						
NO OTHER CHANGES.						
0001	1	EA		968-39		\$102,950.00
***** THIS IS THE END OF RFQ 709EC006 ***** TOTAL:						\$102,950.00

SEE REVERSE SIDE FOR TERMS AND CONDITIONS		
SIGNATURE <i>Michael W. Lee</i>	TELEPHONE (724) 437-1578	DATE 10/27/08
TITLE V. PRESIDENT	FEIN 25-1389795	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
 709EC006

PAGE
 1

ADDRESS CORRESPONDENCE TO ATTENTION OF
 MICHAEL AUSTIN
 304-558-2402

PROPERTY

*709015804 724-437-1578
 UNIONTOWN INDUSTRIAL EQUIP CO
 2266 UNIVERSITY DR
 LEMONT FURNACE PA 15478

SHIP TO

DIVISION OF HIGHWAYS
 EQUIPMENT DIVISION
 ROUTE 33
 BRUSHY FORK ROAD
 BUCKHANNON, WV
 26201 304-472-1750

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
10/27/2008				

BID OPENING DATE: 11/12/2008 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
ADDENDUM NO. 2						
BID OPENING DATE AND TIME CHANGED						
FROM: 10/29/08 AT 1:30 P.M.						
TO: 11/12/08 AT 1:30 P.M.						
NO OTHER CHANGES						
0001	1	EA		968-39		\$102,950.00
HYDRAULIC TRACK EXCAVATOR						
***** THIS IS THE END OF RFQ 709EC006 ***** TOTAL:						\$102,950.00

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>Michael W. Austin</i>	TELEPHONE (724) 437-1578	DATE 10/27/08
TITLE V. PRESIDENT	FEIN 25-1389795	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

GENERAL TERMS & CONDITIONS
REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

1. Awards will be made in the best interest of the State of West Virginia.
2. The State may accept or reject in part, or in whole, any bid.
3. All quotations are governed by the *West Virginia Code* and the *Legislative Rules* of the Purchasing Division.
4. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
5. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods, this Purchase Order/Contract becomes void and of no effect after June 30.
6. Payment may only be made after the delivery and acceptance of goods or services.
7. Interest may be paid for late payment in accordance with the *West Virginia Code*.
8. Vendor preference will be granted upon written request in accordance with the *West Virginia Code*.
9. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
10. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
11. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern all rights and duties under the Contract, including without limitation the validity of this Purchase Order/Contract.
12. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
13. **BANKRUPTCY:** In the event the vendor/contractor files for bankruptcy protection, this Contract may be deemed null and void, and terminated without further order.
14. **HIPAA BUSINESS ASSOCIATE ADDENDUM:** The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, and available online at the Purchasing Division's web site (<http://www.state.wv.us/admin/purchase/vrc/hipaa.htm>) is hereby made part of the agreement. Provided that, the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
15. **WEST VIRGINIA ALCOHOL & DRUG-FREE WORKPLACE ACT:** If this Contract constitutes a public improvement construction contract as set forth in Article 1D, Chapter 21 of the West Virginia Code ("The West Virginia Alcohol and Drug-Free Workplace Act"), then the following language shall hereby become part of this Contract: "The contractor and its subcontractors shall implement and maintain a written drug-free workplace policy in compliance with the West Virginia Alcohol and Drug-Free Workplace Act, as set forth in Article 1D, Chapter 21 of the West Virginia Code. The contractor and its subcontractors shall provide a sworn statement in writing, under the penalties of perjury, that they maintain a valid drug-free work place policy in compliance with the West Virginia and Drug-Free Workplace Act. It is understood and agreed that this Contract shall be cancelled by the awarding authority if the Contractor: 1) Fails to implement its drug-free workplace policy; 2) Fails to provide information regarding implementation of the contractor's drug-free workplace policy at the request of the public authority; or 3) Provides to the public authority false information regarding the contractor's drug-free workplace policy."

INSTRUCTIONS TO BIDDERS

1. Use the quotation forms provided by the Purchasing Division.
2. **SPECIFICATIONS:** Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as **EQUAL** to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
3. Complete all sections of the quotation form.
4. Unit prices shall prevail in case of discrepancy.
5. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
6. **BID SUBMISSION:** All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130

Pre-Bid Conference
SIGN IN SHEET

[Please Print]

Request for Proposal No.: 709EC006 Date: 10/9/08

<u>Firm & Representative Name</u>	<u>Mailing Address</u>	<u>Telephone & FAX Numbers</u>
1. <u>State Equipment</u> <u>TERRY Lamm</u>	<u>P.O. Box 3939</u> <u>Charleston WV 25339</u>	T: <u>304-776-4405</u> F: <u>304-776-4409</u>
2. <u>State Equipment</u> <u>Jason Lamm</u>	<u>P.O. Box 3939</u> <u>Charleston WV 25339</u>	T: <u>304-776-4405</u> F: <u>304-776-4409</u>
3. <u>Leslie Equipment</u> <u>Thomas Hobbs</u>	<u>284 Van Kirk Dr</u> <u>Fairmont, WV 26554</u>	T: <u>304-534-5454</u> F: <u>304-534-5888</u>
4. <u>Leslie Equipment</u> <u>Tim Wagner</u>	<u>284 Van Kirk Dr.</u> <u>FAIRMONT, WV 26554</u>	T: <u>304-584-5454</u> F: <u>304-584-5888</u>
5. <u>MH EQUIPMENT</u> <u>TONY JONES</u>	<u>126 LAKEVIEW DR</u> <u>CHARLESTON WV 25313</u>	T: <u>304-776-6900</u> F: <u>304-776-6966</u>
6. <u>Walker Machinery</u> <u>Eric Ramey</u>	<u>3 Park Rd HUB Industrial Park</u> <u>Nitro, WV 25143</u>	T: <u>304-389-4190</u> F: <u>304-759-6404</u>
7. <u>WV TRACTOR</u> <u>Garry Grady</u>	<u>P.O. BOX 473</u> <u>CHARLESTON WV 25322</u>	T: <u>346-5301</u> F: <u>346-5305</u>
8. <u>RISH EQUIPMENT CO.</u> <u>ANTONIO B. SELARDO</u>	<u>P.O. BOX 906</u> <u>BRIDGEPORT, WV 26330</u>	T: <u>304-842-3511</u> F: <u>304-842-6126</u>
9. <u>JACK PAJAN</u> <u>CLEVELAND BROS. CORP.</u>	<u>4565 Wm Penn Hwy</u> <u>MURRYSVILLE PA 15668</u>	T: <u>724-327-1300</u> F: <u>724-327-9318</u>
10. <u>Uniontown Industrial</u> <u>JEFFREY Scales</u>	<u>2266 University Dr.</u> <u>Lemont Furnace, Pa. 15456</u>	T: <u>724-437-1578</u> F: <u>724-437-2098</u>

Please print or write legibly. The fax number is essential to contact the attendees in a timely manner.

Pre-Bid Conference
SIGN IN SHEET

[Please Print]

Request for Proposal No.: 709 E 2006 Date: 10-9-08

Firm & Representative Name	Mailing Address	Telephone & FAX Numbers
1. Maria Lee	DOH	T: _____ F: _____
2. Angi Moorman	DOH	T: _____ F: _____
3. Fare Cochran	DOH	T: _____ F: _____
4. Don Weese	DOH	T: _____ F: _____
5. _____	_____	T: _____ F: _____
6. _____	_____	T: _____ F: _____
7. _____	_____	T: _____ F: _____
8. _____	_____	T: _____ F: _____
9. _____	_____	T: _____ F: _____
10. _____	_____	T: _____ F: _____

Please print or write legibly. The fax number is essential to contact the attendees in a timely manner.



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

**Request for
 Quotation**

RFQ NUMBER
 709EC006

PAGE
 1

ADDRESS CORRESPONDENCE TO ATTENTION OF
 MICHAEL AUSTIN
 304-558-2402

PROPERTY

*709015804 724-437-1578
 UNIONTOWN INDUSTRIAL EQUIP CO
 2266 UNIVERSITY DR
 LEMONT FURNACE PA 15478

SHIP TO

DIVISION OF HIGHWAYS
 EQUIPMENT DIVISION
 ROUTE 33
 BRUSHY FORK ROAD
 BUCKHANNON, WV
 26201 304-472-1750

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
10/28/2008				

BID OPENING DATE: 11/12/2008 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
ADDENDUM NO. 3						
CHANGES TO THE SPECIFICATIONS ATTACHED.						
ADD: ITEMS X7.2.4 THROUGH X7.5.4 TO THE BIDDER'S EVALUATION REPORT INADVERTENTLY LEFT OUT OF THE "REQUEST FOR QUOTATION.						
BID OPENING DATE AND TIME REMAINS 11/12/08 @1:30 P.M.						
NO OTHER CHANGES.						
0001	1	EA		968-39		\$102,950.00
HYDRAULIC TRACK EXCAVATOR						
***** THIS IS THE END OF RFQ 709EC006 ***** TOTAL:						\$102,950.00

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	<i>Michael W. Chee</i>	TELEPHONE	(724)437-1578	DATE	10/27/08
TITLE	V. PRESIDENT	FAX	25-1389795	ADDRESS CHANGES TO BE NOTED ABOVE	

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

709EC006
PRE BID ADDENDUM #3

HYDRAULIC TRACK EXCAVATOR

CHANGES TO SPECIFICATIONS:

FROM:

4.2 DELIVERY – (3rd Paragraph)

A completed pilot model for inspection must be provided within 30 calendar days after receipt of the purchase agreement by the successful vendor.

TO:

4.2 DELIVERY – (3rd Paragraph)

A completed pilot model for inspection must be provided within 60 calendar days after receipt of the purchase agreement by the successful vendor.

FROM:

7.1 **Operating weight shall be no less than 28,000 pounds and not more than 32,291 pounds.**

TO:

7.1 **Operating weight shall be no less than 28,000 pounds and not more than 32,291 pounds including fuel, thumb, and bucket attached.**

FROM:

7.4.8 **Maximum tail swing 4.82 feet including manufacturers needed weight(s).**

TO:

7.4.8 **Maximum tail swing 5.1 feet including manufacturers needed weight(s),**

FROM:

7.5.6 **Manufacturers vandalism protection package shall be provided.**

TO:

7.5.6 **Manufacturers vandalism protection package shall be provided. The vandalism protection package shall include locking cab doors, locking compartments for the engine and hydraulic components, locking fuel and radiator access and electrical cut-off switch. All locks except master switch shall be keyed alike.**

709EC006
PRE BID ADDENDUM #3

HYDRAULIC TRACK EXCAVATOR

CHANGES TO BIDDER'S EVALUATION REPORT:

X4.2.1 – NO CHANGES REQUIRED

Delivery date of completed representative unit: 60 calendar days after receipt of Purchase agreement

FROM:

X7.1 Specify operating weight ** pounds

TO:

X7.1 Specify operating weight 29,783 pounds including fuel, thumb, and bucket attached.

X7.4.8 – NO CHANGES REQUIRED

Tail swing including manufacturers needed weight(s): 4.5 feet

FROM:

X7.5.6 Is manufacturers vandalism protection package provided? YES NO

TO:

X7.5.6 Is manufacturers vandalism protection package provided? YES NO

Does it include locking cab doors, locking compartments for the engine and hydraulic components, locking fuel and radiator access and electrical cut-off switch, and all locks except master switch are keyed alike YES NO

ADD: To Bidder's Evaluation Report

X7.2.4 Is air cleaner, double element with auto dust evacuation? YES NO

X7.2.5 Is fuel filtering system manufacturers heaviest duty available? YES NO

X7.2.6 Is dust proof net for radiator and oil cooler provided? YES NO

X7.2.7 Will Manufacturers heaviest duty electrical system be provided?
 YES NO

X7.3 Hydraulic System:

X7.3.1 Will proposed hydraulic system maintain manufacturers recommended safe oil temperature within recommended operating range during continuous operation under maximum working combinations? YES NO

X7.3.2 Does system provide manufacturer heaviest variable capacity piston type pumps With load sensing for maximum efficiency? YES NO

X7.3.3 Is boom controlled by two (2) hydraulic cylinders? YES NO
Specify boom length 12' 4" feet

X7.3.4 Is arm controlled by one (1) hydraulic cylinder/equipped with multi function hydraulic with piping to the end of arm with foot controls? YES NO
Specify arm length 7.9 feet

X7.3.5 Is shut off valve at end of piping? YES NO

X7.3.5.1 Is unit equipped with a hydraulic thumb? YES NO
Specify size 18 inches x 46 inches

X7.3.5.2 Tine thickness of thumb 1 inch with a pin diameter 2 inch

X7.3.6 Bucket 60 cubic yard with teeth and side cutters YES NO

Controlled by one (1) hydraulic cylinder YES NO

X7.3.7 Is drive hydrostatic design with independent track control? YES NO

ADD: To Bidder's Evaluation Report

X7.3.8 Does unit have wet multiple disk brakes that automatically releases while propelling and applies when stationary? YES NO

X7.3.9 Is unit swing capable of 360 degrees? YES NO

X7.3.10 Specify swing speed 9 R.P.M.

X7.3.11 Is swing brake SAHR for safety? YES NO

If not specify: _____

X7.3.12 Is unit joystick controlled with one (1) additional actuator for auxiliary hydraulics? YES NO

X7.4 Undercarriage:

X7.4.1 Is undercarriage frame manufacturers standard for model bid? YES NO

X7.4.2 Does unit have sealed type track YES NO

X7.4.3 Does unit have a minimum of one (1) top carrier roller each side for proper track support YES NO

X7.4.4 Are track guides provided to prevent track misalignment YES NO

X7.4.5 Is track adjustment of hydraulic design YES NO

X7.4.6 Does unit have manufacturers triple grouser shoes? YES NO

X7.4.7 Specify track length 10 feet 10 inches

X7.4.8 Tail Swing including manufacturers needed weight(s): 4.5 feet

X7.5 Cab:

X7.5.1 Is proposed cab all weather steel isolation mounted? YES NO

X7.5.2 Does proposed unit have a deep cushioned fully adjustable seat with padded arm rests? YES NO

X7.5.3 Is cab equipped with manufacturers heater and air condition system? YES NO

X7.5.4 Is cold weather starting aid provided? YES NO



TEREX®

TC125

Compact Crawler Excavator

OPERATING WEIGHT 27,558 - 28,219 lbs
(12,500 - 12,800 kg)

NET ENGINE POWER 94 hp
(64 kW)

MAX DIG DEPTH 15' 4" (4.67 m)

MAX REACH 27' 2" (8.28 m)



Operating Data, Standard Equipment

Operating weight (rubber crawlers)	27,558 lb (12,500 kg)
Operating weight (steel crawlers)	28,219 lbs (12,800 kg)
Overall length (travel position)	15' 4" (4.7 m)
Overall height (travel position)	18' 7" (5.7 m)
Total length (transport position)	23' 8" (7.3 m)
Total width with dozer blade	8' 2" (2.5 m)
Total height (top of cab)	9' 5" (2.9 m)
Ground clearance	16" (420 mm)
Uppercarriage tailswing	4' 5" (1.4 m)
Uppercarriage front swing	8' 6" (2.6 m)
Working envelope, 180°	12' 10" (3.9 m)
Working envelope, 360°	17' 2" (5.2 m)
Breakout force (SAE J 1179)*	18,338 lbs (81,500 N)
Ripping force (SAE J 1179)*	13,725 lbs (61,000 N)
Ground pressure (rubber crawlers)	6.1 psi (0.43 daN/cm ²)
Ground pressure (steel crawlers)	6.3 psi (0.44 daN/cm ²)

*Standard equipment, may vary with different bucket.

Specifications

Engine

Manufacturer, model	Deutz, BF 4 M 2012
Type	4-cylinder, turbocharged diesel engine
Combustion	4-stroke, direct injection
Displacement	246 in ³ (4.0 L)
Net power rating at 2,100 rpm (SAE J 1349)	94 hp (69 kW)
Cooling system	Water

Electrical System

Nominal voltage	12 V
Battery	12 V / 135 Ah / 600 A

Power Transmission

Hydrostatic drive with reduction gear. Gear-integrated multi-disc brake acting as parking brake, automatic hydraulically bled; 2-stage variable displacement motor, full power shift. Two speed ranges:

Travel speed forward/reverse	0 – 1.7 mph (0 – 2.7 km/h) 0 – 3.4 mph (0 – 5.4 km/h)
Gradeability	> 60%
Drawbar pull	18,450 lbs (82 kN)
Travel motion alarm (acoustic signal) as standard fitting	

Undercarriage

Maintenance-friendly crawler-type undercarriage with triple grouser plates or rubber crawlers. Idler suspension with hydraulic crawler tensioning.

Rubber crawlers	18" (450 mm)
Steel crawlers	20" (500 mm)
Total length (sprocket/idler)	8' 6" (2.6 m)
Total length	10' 10" (3.3 m)

Dozer Blade

Independent from drive train, sensitive control via hand lever, float position.

Width	8' 2" (2.5 m)
Cut below ground	16" (400 mm)
Lift above ground	20" (500 mm)
Slope angle	35°


Steering

Independent control of crawlers and counter rotation sensitive servo-control via pilot-operated foot pedals combined with hand levers.

Swing System

Hydrostatic drive with 2-stage planetary gear and axial piston fixed displacement motor also acting as a low maintenance break. In addition, an automatically controlled spring-loaded multi-disc brake acts as a parking brake when the pilot control lever is in neutral position.

Swing speed	0 – 9 rpm
-------------	-----------



Fluid Capacities

Fuel tank	50 gal (190 L)
Hydraulic system (including tank)	37 gal (140 L)

Hydraulic System

Working hydraulics: Axial piston pump with load-sensing, coupled with a load-independent flow division (LUDV). Simultaneous, independent control of all movements. Sensitive maneuvers irrespective of loads.

Pump capacity	42 gpm (158 Lpm)
Maximum working pressure	5,075 psi (350 bar)

Dual gear pump for all positioning and swing movements. Pressure cut-off valve for sensitive and energy-saving swing movements.

Pump capacities	11 + 9.5 gpm (41.4 + 36 Lpm)
Maximum working pressure	3,335 psi (230 bar)

Control circuit for work attachments:

Pump capacity	adjustable
Maximum working pressure	5,075 psi up to (350 bar)

Two servo-assisted four way control levers for excavator operations.

Kinematics

Boom offset to provide lateral parallel adjustment at full digging depth.

Angle of artic./ lateral adjustment left	55°/2' 8" (55°/ 855 mm)
Angle of artic./ lateral adjustment right	55°/3' 3" (55°/ 995 mm)

Cab

Sound-insulated, full-vision steel cab. Safety glass windows. Thermo windows tinted in green. Left-hand outside rear-view mirror. Cab heating through hot water heat exchanger and separate windshield defroster.

Pneumatically cushioned comfort seat with armrests, longitudinal, height, and backrest adjustments. Operator control levers adjustable in longitudinal position. Instrument panel that contains three gauges and six warning lights.

Working floodlight Halogen H-3.


Noise emission ambience LWA	103 dB (A)
-----------------------------	------------

Noise emission cab LpA	80 dB (A)
------------------------	-----------

Measured in dynamic measuring cycle (EEC-directive 2000/14).

* Optional FOPS approved skylight guard available.

Working Ranges & Dimensions



Lifting Capacities: 79" (2.0 m) Dipperstick

Unit: x 1,000 lbs (Metric tons)

Load radius from the center of the ring gear


Bucket hinge pin height	10' 6" (3.2 m)		13' 1" (4.0 m)		16' 5" (5.0 m)		19' 8" (6.0 m)		21' 8" (6.6 m)	
	End	Side	End	Side	End	Side	End	Side	End	Side
9' 10" (3.0 m)										
Supported by blade	10.6 (4.80)	4.5 (2.06)	7.9 (3.58)	7.4 (3.36)	6.7 (3.02)	5.0 (2.28)	6.1 (2.78)	3.7 (1.70)	12.5 (5.68)	3.3 (1.48)
Traveling	6.9 (3.15)	—	7.8 (3.53)	7.2 (3.28)	5.1 (2.32)	5.0 (2.26)	4.5 (2.03)	3.7 (1.69)	3.0 (1.37)	3.2 (1.46)
4' 11" (1.5 m)										
Supported by blade	15.9 (7.19)	8.6 (3.90)	11.7 (5.32)	6.3 (2.86)	8.6 (3.90)	4.5 (2.03)	7.1 (3.25)	3.5 (1.60)	6.5 (2.93)	3.0 (1.36)
Traveling	10.2 (4.66)	8.4 (3.83)	7.8 (3.53)	4.6 (2.07)	5.7 (2.60)	4.6 (2.07)	4.4 (1.98)	3.6 (1.62)	3.6 (1.65)	2.9 (1.33)
0										
Supported by blade	16.1 (7.30)	8.9 (4.02)	13.0 (5.91)	5.8 (2.65)	10.0 (4.53)	4.4 (1.98)	6.5 (2.87)	3.3 (1.51)	7.1 (3.20)	2.9 (1.32)
Traveling	10.4 (4.70)	8.6 (3.92)	7.1 (3.21)	5.7 (2.59)	5.3 (2.41)	4.3 (1.95)	2.5 (1.14)	3.3 (1.48)	3.6 (1.64)	2.9 (1.30)
- 2' 4" (- 0.7 m)										
Supported by blade	15.0 (6.84)	8.1 (3.67)	14.0 (6.37)	6.0 (2.74)	9.7 (4.40)	4.3 (1.95)	8.1 (3.69)	3.4 (1.52)	7.4 (3.37)	3.0 (1.37)
Traveling	9.8 (4.45)	8.0 (3.62)	7.2 (3.26)	5.8 (2.61)	5.6 (2.34)	4.2 (1.91)	3.9 (1.77)	3.3 (1.50)	3.5 (1.57)	3.0 (1.34)

The above loads (all values in lbs x 1,000 resp. metric tons) are in compliance with SAE J 1097. They do not exceed 87% of hydraulic lifting capacity or 75% of tipping capacity. In each case, the smaller value is indicated. All values were determined with load hook. In the event of an attached bucket the difference weights bucket minus load hook must be deducted from the permissible payloads. When used for crane operations, excavators must be equipped with hose-rupture safety valves and overload warning device. Working equipment: Rubber crawlers, dipperstick 79" (2.0 m).


Compact Crawler Excavator

TC125


Excavation within the Entire Machine Width - No Repositioning of Machine



Swing Circle - Top View



Transporting Position



Optional Accessories

- Mechanical quick-coupler system for work tools (QMH)
- Dipperstick 79" (2.0 m)
- Additional control circuit for hydraulic hammer
- Quick-change adapter for hydraulic hammer
- FOPS skylight guard
- Hose rupture safety valves for intermediate boom/dipperstick
- Filling with biodegradable hydraulic oil, ester-based VI68
- Electrical tank refueling pump
- Set of working floodlights (cab-mounted, front & rear)
- Immobilizer (anti-theft device)

Bucket Options

Pin-on Style / Quick Coupler	Capacity cu. yd.	(Liters)
18" (450 mm) H.D. Bucket	0.34	260
24" (600 mm) H.D. Bucket	0.50	382
30" (760 mm) H.D. Bucket	0.66	505
36" (900 mm) H.D. Bucket	0.83	635
54" (1,370 mm) Ditch-cleaning Bucket	0.83	635
48" (1,220 mm) Tilt-Bucket (45 degree rotation)	0.70	535

Crawler-type Options

- Steel Crawlers 24" (600 mm), 28" (700 mm), 32" (800 mm)
- Rubber Crawlers 18" (450 mm)

Hydraulic Hammer

Sound insulated. Tools: Moil point or chisel point



Terex Construction Americas

8800 Rostin Road
 Southaven, MS 38671
 USA
 TEL 662-393-1800
 SALES 866-837-3923
 PARTS & TECH SUPPORT 888-201-6008
 FAX 662-393-1700
 EMAIL sales@terexca.com
 WEB terexca.com

For more information, product demonstration, or details on purchase, lease and rental plans, please contact your local Terex Distributor.

Effective date: August 15, 2006. For further information, please contact your local distributor or the Terex sales office listed. Product specifications are subject to change without notice or obligation. The photographs and drawings in this brochure are for illustrative purposes only. Refer to the appropriate Operator's Manual for instructions on the proper use of this equipment. Failure to follow the appropriate Operator's Manual when using our equipment or to otherwise act irresponsibly may result in serious injury or death. Prices and specifications subject to change without notice. The only warranty applicable is the standard written warranty applicable to the particular product and sale. Terex makes no other warranty, expressed or implied. Products and services listed may be trademarks, service marks or trade-names of Terex Corporation and/or its subsidiaries in the USA and other countries and all rights are reserved. "Terex" is a Registered Trademark of Terex Corporation in the USA and many other countries. Copyright ©2006 Terex Corporation