

TITIF

CHARLESTON WV

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for Quotation

709EC006

PAGE 1

MICHAEL AUSTIN

\*709054014 304-776-4406 STATE EQUIPMENT INC PO BOX 3939

25339

DIVISION OF HIGHWAYS
EQUIPMENT DIVISION
ROUTE 33
BRUSHY FORK ROAD

BRUSHY FORK ROAD BUCKHANNON, WV

26201 304-472-1750

ADDRESS CHANGES TO BE NOTED ABOVE

TERMS OF SALE SHIP VIA DATE PRINTED FOB FREIGHTTERMS 09/23/2008 Net 30 Days State Equipment Buckhannon WV BID OPENING DATE: 10/22/2008 **BID OPENING TIME** 01:30PM QUANTITY UOP ITEM NUMBER UNIT PRICE LINE AMOUNT 0001 EΑ 968-39 \$93.600.00 #93,600,00 1 HYDRAULIC TRACK EXCAVATOR DOSSEN DX1402CR OPEN END CONTRACT TO PROVIDE HYDRAULIC TRACK EXCAVATOR FOR THE WEST VIRGINIA DIVISION OF HIGHWAYS PER THE ATTACHED SPECIFICATIONS. THERE WILL BE A MANDATORY PRE-BID CONFERENCE AT THE EQUIPMENT DIVISION IN BUCKHANNON, WEST VIRGINIA AT 10:00 AM ON 10/09/2008 FAILURE TO ATTEND THE PRE-BID WILL RESULT IN BID DISQUALIFICATION. QUESTIONS: WRITTEN QUESTIONS MUST BE RECEIVED BY CLOSE OF BUSINESS (5:00 PM EST.) ON FRIDAY, 10/03/08. SEND YOUR QUESTIONS TO: PURCHASING DIVISION ATTENTION MICHAEL AUSTIN 2019 WASHINGTON STREET EAST CHARLESTON, WV 25305 QUESTIONS MAY BE SENT VIA FAX, E-MAIL OR REGULAR MAIL. E-MAIL: MICHAEL.D.AUSTINOWV.GOV 304-558-4115 FAX: IDECEIVED IT IS THE VENDORS RESPONIBILITY TO VERIFY THAT THEIR QUESTIONS HAVE BEEN RECEIVED BY CALLING 304-558-2402. 2000 NOV 12 P 12: 58 EXHIBIT 2 of the asing divisi**on** LIFE OF CONTRACT: THIS CONTRACT BECOMES EFFECTIVE ON STATE OF WV AND EXTENDS FOR A PERIOD OF ONE (1) SEE REVERSE SIDE FOR TERMS AND CONDITIONS SIGNATURE TELEPHONE 304 776 440S

# GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

- 1. Awards will be made in the best interest of the State of West Virginia.
- 2. The State may accept or reject in part, or in whole, any bid.
- 3. All quotations are governed by the West Virginia Code and the Legislative Rules of the Purchasing Division.
- 4. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
- 5. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods, this Purchase Order/Contract becomes void and of no effect after June 30.
- 6. Payment may only be made after the delivery and acceptance of goods or services.
- 7. Interest may be paid for late payment in accordance with the West Virginia Code.
- 8. Vendor preference will be granted upon written request in accordance with the West Virginia Code.
- 9. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
- 10. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- 11. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern all rights and duties under the Contract, including without limitation the validity of this Purchase Order/Contract.
- 12. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
- 13. BANKRUPTCY: In the event the vendor/contractor files for bankruptcy protection, this Contract may be deemed null and void, and terminated without further order.
- 14. HIPAA BUSINESS ASSOCIATE ADDENDUM: The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, and available online at the Purchasing Division's web site (http://www.state.wv.us/admin/purchase/vrc/hipaa.htm) is hereby made part of the agreement. Provided that, the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
- 15. WEST VIRGINIA ALCOHOL & DRUG-FREE WORKPLACE ACT: If this Contract constitutes a public improvement construction contract as set forth in Article 1D, Chapter 21 of the West Virginia Code ("The West Virginia Alcohol and Drug-Free Workplace Act"), then the following language shall hereby become part of this Contract: "The contractor and its subcontractors shall implement and maintain a written drug-free workplace policy in compliance with the West Virginia Alcohol and Drug-Free Workplace Act, as set forth in Article 1D, Chapter 21 of the West Virginia Code. The contractor and its subcontractors shall provide a sworn statement in writing, under the penalties of perjury, that they maintain a valid drug-free work place policy in compliance with the West Virginia and Drug-Free Workplace Act. It is understood and agreed that this Contract shall be cancelled by the awarding authority if the Contractor: 1) Fails to implement its drug-free workplace policy; 2) Fails to provide information regarding implementation of the contractor's drug-free workplace policy at the request of the public authority; or 3) Provides to the public authority false information regarding the contractor's drug-free workplace policy."

#### **INSTRUCTIONS TO BIDDERS**

- 1. Use the quotation forms provided by the Purchasing Division.
- 2. SPECIFICATIONS: Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as EQUAL to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
- 3. Complete all sections of the quotation form.
- 4. Unit prices shall prevail in case of discrepancy.
- **5.** All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
- **6. BID SUBMISSION:** All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130



VENDOR

State of West Virginia Department of Administration **Purchasing Division** 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

304-776-4406

## Request for Quotation

AFO NUMBER 709EC006

ADDRESS CORRESPONDENCE TO ATTENTION OF

MICHAEL AUSTIN 304-558-2402

þ

Ō

PO BOX 3939

\*709054014

25339 CHARLESTON WV

STATE EQUIPMENT INC

DIVISION OF HIGHWAYS **EQUIPMENT DIVISION** ROUTE 33 **BRUSHY FORK ROAD BUCKHANNON, WV** 26201

304-472-1750

DATE PRINT	004000490406060666		MS OF SALE		SPILVIA	30000		SENE CONTRACTIVO	
09/23/						<u> </u>			
BID OPENING DATE: 10/2		10/22/	2008	************	BID	OPI	PENING TIME 01:30PM		
LINE	QUAN	NTITY	UOP	CAT. NO	ITEM NUMBER		UNITPRICE	AMOUNT	
				330,000,000,000		1050000		*	
	V=40 0		CHC	ı Hoc	ASONABLE TIME" 1		DEAETED AC TC		
					NEW CONTRACT OR				
					E "REASONABLE T				
					MONTHS. DURING			<b>-</b>	
					ERMINATE THIS CO				
					THE DIRECTOR OF		UKCHASING		
	IHTKIA	(50)	DAYS	MKTI!	EN NOTICE.				
	WILL TOO	CDECT	ETC. D	DOVIC	IONS ARE STIPULA	TE	ח זא דעוכ		
					TERMS, CONDITION				
					R THE LIFE OF THE				
	SE! HE	KEIN A	KC LT	KM FU	R INE LIFE OF T	<b>"</b>	CONTRACT		
	DENEWA	II. TH	TS CO	NTRAC	T MAY BE RENEWE	าน	PON THE MUTUAL		
					SPENDING UNIT				
	,				TOR OF PURCHASI				
Land of the state	1				RATION DATE. S		· · · · · · · · · · · · · · · · · · ·		
					THE TERMS AND C				
					SHALL BE LIMITE				
	1 " '	AR PER							
					5				
	CANCEL	LATION	: TH	E DIR	ECTOR OF PURCHA	SIN	G RESERVES THE		
					ONTRACT IMMEDIA				
					F THE COMMODITE				
					ERIOR QUALITY O				
	WITH T	THE SPE	CIFIC	ATION	S OF THE BID AN	D C	ONTRACT HEREIN	1.	
	OPEN N	<b>1ARKET</b>	CLAUS	E: 1	HE DIRECTOR OF	PUR	CHASING MAY		
					NIT TO PURCHASE				
					LING OF A REQUI				
					IED ON THIS CON				
	DIATE	DELIVE	RY IN	EMER	GENCIES DUE TO	UNF	ORESEEN CAUSES	§	
	CINCLU	JDING E	UT NO	T LIN	ITED TO DELAYS	ΙN	TRANSPORTATION	<b>∮</b>	
	OR AN	UNANT	CIPAT	ED I	CREASE IN THE V	OLU	ME OF WORK).		
	QUANT	ITIES:	QUAN	TITIE	S LISTED IN THE	RE	QUISTIIUN ARE		
	APPROX	TTAMIX	NS ON	LY, I	BASED ON ESTIMAT	ED	POLLETER BA I	•	
	<u> </u>		<u> </u>	SEE RI	VERSE SIDE FOR TERMS AND C	ONDIT	ions	1	
SIGNATURE					TELEPHONE		DAT		
TITLE		Į.	EIN				ADDRESS CHANG	ES TO BE NOTED ABOVE	
1							ADDITESS CITATIO	LO IO ILLI MOVIL	



MODZEN

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

# Request for Quotation

709EC006

1166	P.	Αï	ЗE	30	Š.	
-		-		****	-	
			17	3		

ADDRESS CORRESPONDENCE TO ATTENTION OF:

MICHAEL AUSTIN 304-558-2402

&H-₽ ∓-0

DIVISION OF HIGHWAYS EQUIPMENT DIVISION ROUTE 33 BRUSHY FORK ROAD

BUCKHANNON, WV 26201

304-472-1750

\*709054014 304-776-4406 STATE EQUIPMENT INC PO BOX 3939 CHARLESTON WV 25339

DATE PRINT	ED	TER	MS OF SAL	E	SHIP VIA		F.O.B.		FREIGHT TERMS	
09/23/	2008					i				
BID OPENING DATE:		10/22/	2008		BI	D OPENIN	G TIME	01:	1:30PM	
LINE	QUAN		UOP	CAT. NO:	ITEM NUMBER		UNIT PRICE		AMOUNT	
	THE CO ORDERE	NTRACT D FOR	SHAL Deliv	L COV ERY D	IT IS UNDERSTO ER THE QUANTIT URING THE TERM HAN THE QUANTI	IES ACTU OF CONT	RACT,	AT		
	WRITTE FOR CO WV-35 OF THE AND EN BE RET WARDED	N EQUI MMODIT MUST B DEPAR CUMBRA URNED TO TH ER IS	PMENT IES C E SEN TMENT NCE, TO TH E VEN VALID	CONT OVERE T TO OF A ONE C E SPE DOR A UNLE	PENDING UNIT(S RACT ORDER (FOD BY THIS CONT THE PURCHASING DMINISTRATION. OPY OF THE PURNDING UNIT AND S AUTHORIZATIOSS APPROVED ANSION.	RM NUMBERACT. TO DIVISION AFTER CHASE OR ONE COF	R WV-35) HE ORIGI N APPROVAL DER WILL Y FOR-	NAL		
	FOR BA	NKRUPT NULL A	CY PR	OTECT	ENT THE VENDOR ION, THIS CONT ND IS TERMINAT	RACT IS	AUTOMATI	-		
	IN THE AND CO AND OT TO POLITI CLEARL	GOVERN BID H NDITIO HER LO ITICAL IA. I , TERM CAL SU Y INDI	IS RE NS OF CAL G SUBD F THE S, AN BDIVI CATE	FUSAL THE OVERN IVISI VEND CON SIONS SUCH CE TH	S: UNLESS TH TO EXTEND THE BID TO COUNTY, MENT BODIES, T ONS OF THE STA OR DOES NOT WI DITIONS OF THE OF THE STATE, REFUSAL IN HIS E AWARD OF THI	PRICES, SCHOOL, THE BID S ATE OF WE SH TO EX E BID TO THE VEN B BID. S SCONTRA	TERMS, MUNICIPSHALL EXTEST CTEND THE ALL IDOR MUST	AL EN		
SIGNATURE					TELEPHON			DATE	<u></u>	
TITLE		fc:	EIN				ADDRESS OUA			



VENDOR

DATE PRINTED

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

TERMS OF SALE

304-776-4406

Request for Quotation

709EC006

FREIGHT TERMS

address correspondence notation ion or

MICHAEL AUSTIN 304-558-2402

SHIP VIA

STATE EQUIPMENT INC PO BOX 3939

**\*709054014** 

CHARLESTON WV 25339

DIVISION OF HIGHWAYS GH-P **EQUIPMENT DIVISION** ROUTE 33 **BRUSHY FORK ROAD BUCKHANNON, WV** 

F.O.B

26201 304-472-1750

09/23/2008					
BID OPENING DATE:	10/22/2008		BID	OPENING TIME	01:30PM
LINE QUAN	NTITY UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
MANNER REV. 3 EXHIBI PRICE THE ST CONTAI DRIGIN SUCH P MOVEME IS BAS RAW MA SUBSTA BASED ALL PR A MANN GOVERN PUBLIS SHOULD PURCHA DATE O PRICE ACCEPT ACCORE	ADJUST MENT ATE OF WES N PROVISIO AL EXPIRAT RICE ADJUS NT OF THE ED ON THE TERIAL S AN NTIAL PART UPON AN AC ICE ADJUST ER ACCEPTA IMENTAL BEN SING AT LE SING AT LE ADJUST MENT THE PRICE INGLY OR R INCEL THE	PROVISION TO VIRGINING PROVISION OF THE COMMODITY PASS THE PROUDE TO LABOUTH AST 30 DA LAST 30 DA L	N: A WILL CONSIDICE ADJUSTMENE CONTRACT, PERS BOTH UPWA PRICE, AND TOUGH" INCREASE, WHICH MAKEDUCT. ADJUST BE EDIRECTOR PUGENERAL MARKUCH REQUESTS TING BY THE DYS IN ADVANCE Y TIME THE VECHASING DIVISENT AND AMEND	ER BIDS THAT TS PRIOR TO TH ROVIDED THAT RD AND DOWNWAR HAT ADJUSTMENT E OR DECREASE UP ALL OR A MENTS ARE TO B T A PERCENTAGE SUBSTANTIATED RCHASING, E.G. ET INCREASE, FOR AND INCREA IRECTOR OF OF THE EFFECT NDOR REQUESTS ION MAY EITHER THE CONTRACT ITS ENTIRETY	E D OF SE IN
ADDENT	OUM ACKNOWL	EDGEMENT			
MUNENT	OH ACKNOWL				
SIGNATURE		SEE REVERSE	SIDE FOR TERMS AND CO		DATE
			, LCLY, JONE		
TITLE	FEIN			ADDRESS CHA	NGES TO BE NOTED ABOVE



DOCZEK

**\*709054014** 

PO BOX 3939

CHARLESTON WV

STATE EQUIPMENT INC

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

25339

304-776-4406

# Request for Quotation

709EC006

RFQ NUMBER

4366	Ρ,	Ŋ	G	<b>E</b> :::		
				=	1	

ADDRESS CORRESPONDENCE TO ATTENTION OF

MICHAEL AUSTIN 304-558-2402

0T-0 F0

DIVISION OF HIGHWAYS EQUIPMENT DIVISION ROUTE 33 BRUSHY FORK ROAD

BRUSHY FORK ROAD BUCKHANNON, WV

26201 304-472-1750

DATE PRINTE		ERMS OF SAL	E	SHIP VIA		F.O.B.	FREIGHTTERMS
09/23/2 BID OPENING DATE:		2/2008		-	RTD O	PENING TIME (	] )1:30PM
30,000,000,000,000,000,000,000,000,000,			CAT	ITEM NUMBER			
LINE I AP A N N N N N R C A I	HEREBY AGDENDUM (S) PROPOSAL, I ADDENDUM NO 10. 1 10. 2 10. 3 10. 4 10. 5 10. HORRSTAI ADDENDUM (S) PRESENTAI ORAL DISCUITAND ANY STAI INFORMATION	CKNOWLE CAND H PLANS A C. 'S: O THAT O MAY B T CLEAR TION MA SSION H ATE PER N ISSUE	DGE RAVE MUZOR  FAIL E CAU DE OR ELD B SONNE D IN	ADE THE NECE SPECIFICATI  URE TO CONFI SE FOR REJECT  DERSTAND THA ASSUMED TO	E FOLSSARY ON, E	LOWING CHECKED REVISIONS TO NOTE.  TO BIDS. VERBAL ADE DURING ANY REPRESENTATIVES ONLY THE TO THE IS BINDING.	AMOUNT 1Y
				• • • • • •	COM UAT	11/08 TE	•
			SEE RE	VERSE SIDE FOR TERMS			-
SIGNATURE		•		TELE!	HONE	DAT	<b>E</b>
TITLE	·	FEIN		·		ADDRESS CHANG	ES TO BE NOTED ABOVE



VEXDOR

DATE PRINTED

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

TERMS OF SALE

# Request for Quotation

RFO NUMBER 709EC006 PAGE

FREIGHT TERMS

vaddhessicorderoenderovariennoe
---------------------------------

MICHAEL AUSTIN <u>304-558-2402</u>

P

SHIP VIA

304-776-4406 \*709054014 STATE EQUIPMENT INC PO BOX 3939

CHARLESTON WV 25339

DIVISION OF HIGHWAYS **EQUIPMENT DIVISION** ROUTE 33 **BRUSHY FORK ROAD BUCKHANNON, WV** 26201 304-472-1750

F.O.B

ENING DAT	/2008 E:	10/22/	2008		<u> </u>	BID OPI	ENING TIM	E 01:	:30PM
LINE	QUA	NTITY	YOP	CAT NO	ITEM NUMBER		UNIT PRICE		AMOUNT
	REV. 1	1/96							
					ICE				
	A SIGN	ED BID	MUST	BE S	UBMITTED TO:				
	F	EPARTM PURCHAS BUILDIN	ING D		INISTRATION ON				
	a	019 WA	SHING		TREET, EAST 5305-0130			A policia de la companya de la compa	
					THIS INFORMAD MAY NOT BE			CE OF	
	SEALEI	BID							
	BUYER	<b>:</b>			33				
	RFQ. 1	10.:			709EC006				
	BID OF	PENING	DATE:		11/12/08				
	BID O	PENING	TIME:		1:30 P.M				
					NUMBER IN CAS ING YOUR BID: 304 776 4		S NECESS	<b>\RY</b>	
		, ,							
TURE				SEE RE	VERSE SIDE FOR TERMS TELEPI	and the second second	IONS	DATE	
		Ţ.	EIN		<u> </u>		ADDDER	S CHANCES	TO BE NOTED ABOVE



MODEMA

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

304-776-4406

# Request for Quotation

30000000 C	FQN	IUM	3EA	2002
	70	9E	CO	06

ADDRESS CORRESPONDENCE TO ATTENTION OF MICHAEL AUSTIN

304-558-2402

þ

STATE EQUIPMENT INC

PO BOX 3939

**\*709054014** 

CHARLESTON WV 25339

DIVISION OF HIGHWAYS **EQUIPMENT DIVISION** ROUTE 33 **BRUSHY FORK ROAD** BUCKHANNON, WV 26201

304-472-1750

09/23/		e e e e e e e e e e e e e e e e e e e	MS OF SAL	<del>-</del>		SHIPVIA			F.O.B	FHEIGHT LENMS
BID OPENING DATE:		10/22/	2008	!			BID	OPE	NING TIME	01:30PM
LINE	QUAN		UOP	CAT NO.	ſ	TEM NUMB			UNIT PRICE	AMOUNT
	CONTAC -		ON (P			r cle		#*** **** ****	AND BAD AND BAD AND BAD AND BAD	
	****	THIS	IS T	HE EN	D OF	RFQ	709EC	006	***** TOTA	L: \$ 93,600.00
										·
		·								
SIGNATURE				SEE RE	VEHSE SIE		RMS AND CO ELEPHONE	NDITIO	DNS  DA	TE
			rikt					<u> </u>		
TITLE		ļF	EIN						ADDRESS CHANG	GES TO BE NOTED ABOVE

### WEST VIRGINIA DEPARTMENT OF TRANSPORTATION DIVISION OF HIGHWAYS EQUIPMENT DIVISION

#### PROCUREMENT SPECIFICATIONS NO. 310-1-D

#### HYDRAULIC TRACK EXCAVATOR

#### 1.0 PURPOSE

It is the purpose of these specifications to describe a Hydraulic Track Excavator (hereinafter referred to as an "excavator" or a "unit") to be purchased for use by the West Virginia Division of Highways (DOH) on an Open End Contract basis.

#### 2.0 BIDDING PROCEDURES

The current purchasing procedures regarding bidding as established by the Department of Administration, Purchasing Division, shall apply. Failure to submit the "Request for Quotation" forms, complete in its entirety and according to directions indicated, may subject the bidder to disqualification. Each bid submitted shall also be accompanied by a Bidder's Evaluation Report completed in detail. Addendums in order, along with exception sheets, should be with Bidder's Evaluation Report. FAILURE TO SUBMIT THE BIDDER'S EVALUATION REPORT, COMPLETE IN ITS ENTIRETY, MAY RESULT IN AUTOMATIC DISQUALIFICATION.

#### 3.0 SPECIFICATIONS

The specifications named herein, mandatory and non-mandatory, establish the acceptable level of quality only and are not intended to reflect a preference or favor any particular brand or vendor.

#### 3.1 EXCEPTIONS TO NON-MANDATORY SPECIFICATIONS

Exception to a non-mandatory unit specification may be made by the bidder, providing the exception is not available from the manufacturer. Any such exception must be noted on the bidder's evaluation report and should be accompanied by supporting documentation/literature from the manufacturer. Any exception must be indicated on a separate attachment to the bidder's evaluation report and labeled as "Exception to Specifications". The state reserves the right to determine whether the stated exception does or does not reduce the quality and performance of the unit. Failure to provide information for any exceptions may be grounds for rejection of the bid. The state reserves the right to waive minor irregularities in bids or specifications in accordance with §148-1-4(f) of the WV Legislative Rules and Regulations.

#### 3.2 MANDATORY SPECIFICATIONS

All specifications preceded by "shall, will, and/or must" or are stated as a "minimum and/or maximum" are mandatory as stated in Purchasing Divisions Policies and Procedures. Any bid failing to meet any mandatory item shall be immediately disqualified. Failure to respond in the appropriate evaluation section may also be grounds for immediate disqualification at the discretion of the State.

A mandatory pre-bid conference is scheduled for this equipment purchase as stated in the RFQ. Vendors having products with variations or exceptions in specified mandatory items are expected to address any such variations or exceptions during the pre-bid conference. The State shall review and consider any such variation or exception, and may at its sole discretion, issue an addendum to change mandatory specifications deemed to be in the State's best interest. Bids from any vendor failing to attend the mandatory pre-bid shall be disqualified. Bids containing any variation or exception to a mandatory specification that was not addressed during the pre-bid conference and accepted by the issuance of an Addendum shall be disqualified.

#### 4.0 REPRESENTATIVE UNIT FOR TEST

The successful vendor must (if specified) provide DOH one (1) completed representative unit to be observed and evaluated on each order to insure compliance with specification. If requested, the time period for testing and evaluation shall be seven (7) working days following receipt of the unit. DOH will incur no obligation for deterioration of surfaces, finishes, seals, and mechanical or electrical parts on the unit resulting from operation and testing within the limits of these specifications; nor will DOH incur obligation for damage to the unit resulting from failure to meet specifications when due care and attention is given by DOH and testing is done within the limits of these specifications. Failure of the pilot unit to satisfactorily meet specifications as bid shall be cause for cancellation of the purchase order, and return of the delivered unit along with all associated equipment to the vendor at the vendor's expense.

#### 4.1 CONDITION OF UNIT(S) UPON DELIVERY

All units must arrive at the prescribed delivery point having been completely preserviced with oil, lubricants, and coolant. All prescribed precautions pertaining to first operations and break-in of the unit are to be posted conspicuously on the unit for ready observance by the operator.

#### 4.2 DELIVERY

Delivery point of the completely assembled representative unit will be the DOH, Equipment Division, Route 33 at Brushy Fork Road, Buckhannon, West Virginia (26201).

The vendor is responsible for guaranteeing delivery of the completed units within the time specified and agreed to by the State. Delivery is preferred within 90 days after receipt of purchase agreement. The vendor is responsible for establishing and coordinating delivery terms with allied manufacturers or suppliers. Delivery terms shall be stated in the bid and the State reserves the right to accept or negotiate such terms. Failure to reach an agreement may result in rejection of the bid. The successful bidder shall provide their manufacturer's confirmation of the order to the WVDOH contact person within seven (7) working days after receiving the approved purchase order.

A completed pilot model for inspection must be provided within 30 calendar days after receipt of the purchase agreement by the successful vendor.

Delivery is an integral part of this specification and failure to comply will be cause to initiate a D.O.T. Administrative Form WV-82, Vendor Performance Form. The WV-82 Form will provide a means of officially notifying the Purchasing Division and the vendor of unsatisfactory performance; such as late deliveries, poor service, inadequate parts supplies, etc.

The decision to initiate subject Form will be at the sole discretion of the D.O.H. Commissioner's established Equipment Review Board.

Issuance of the WV-82 Vendor Complaint Form on unsatisfactory delivery against any vendor will be cause to refuse to consider similar items from those vendors on future Request For Quotations.

(NOTE: Delivery time could be altered due to labor strikes, severe inclement weather conditions, etc.)

#### 5.0 AWARD CRITERIA

DOH will recommend the award in accordance with the RFQ evaluation criteria described in the requisition. The award shall be made to the lowest unit cost vendor that meets or exceeds the specifications.

Prices for the units shall be in quantities of 1-10, 11-20, 21 and over. However, for evaluation purposes, we will use quantities 1-10. DOH reserves the right to place multiple orders in any quantity.

- 6.0 SPECIFICATIONS AND GUIDELINES GENERAL
- 6.1 IDENTIFICATION OF THE UNIT BEING PROPOSED

The bidder must identify the unit by manufacturer, model, series, and year of manufacture, in the bid to enable identification by DOH in the manufacturer's

specifications of the proposed unit. The bidder will submit complete descriptive literature of the proposed unit, to establish that the bid is the manufacturer's most current model, including latest engineering improvements, which have been, or will imminently be, regularly advertised and sold on the open market. The unit specified herein and offered to be manufactured after January 1, 2008 and be clearly identified and marked with date of manufacture.

#### 6.2 OPERATING AND SERVICE MANUALS AND PARTS LISTS

An operator's manual must be included with each unit upon delivery. A "line sheet" (if applicable) and Equipment Preventative Maintenance Questionnaire (as shown in X6.2 of the Bidder's Evaluation Report) must be with pilot unit upon delivery. In addition, there must be 12 service, shop, or maintenance manuals; ten (10) to be distributed to the Districts and two (2) for the Equipment Division. Also, there must be 14 parts manuals; ten (10) to be distributed to the Districts and four (4) for Equipment Division use. CD ROM is preferred in lieu of parts manuals.

\* NOTE: MANUALS SHALL BE DELIVERED UPON COMPLETION OF DELIVERY OF TOTAL UNITS. FAILURE TO DO SO WILL DELAY PAYMENT.

#### 6.3 TRAINING:

Manufacturers and/or dealers will be required to stage a thorough seminar on the subjects of Preventative Maintenance, Operator and Mechanic Training. In order to keep the operators and mechanics updated, the successful vendor shall conduct training with each purchase order against this open end contract. Training is preferred within 2 working days after delivery of the pilot unit on the individual purchase order.

Manufacturers and/or dealers shall be required to furnish the Training Academy with one (1) Operator's Manual to be shipped direct to WVDOH Training Academy, Post Office Box 610, Buckhannon, West Virginia 26201 prior to delivery of the pilot.

The seminar to be held at the W. Va. Division of Highways, Equipment Division, Buckhannon, West Virginia.

#### 6.4 PREVENTIVE MAINTENANCE AND OPERATOR PROCEDURES:

Manufacturers and/or dealers will be required to submit to the Equipment Division, in addition to the operating and service manuals, booklets and pamphlets explaining the Preventive Maintenance and Operator Procedures to be used by the operators of this equipment, and must include such things as daily prestart inspection procedure, service schedule, and routine maintenance required, safety precautions, etc.

The successful vendor shall furnish all training aids; i.e., videos, projectors, etc. required in conducting the training.

#### 6.5 WARRANTY AND SERVICE POLICY

The Manufacturers warranty or service policy is to apply to the unit. Such warranty or service policy is to be recognized at any authorized unit dealer, representing manufacturer of proposed unit throughout the State of West Virginia. The applicable warranty or service policy will not be contingent upon obtaining routine service, lubrication, and servicing of the unit from factory authorized agencies. It will be the responsibility of the bidder to have available labor to repair or replace any defective replacement parts, components and materials, and to have available those replacement parts, components, and/or materials found to be defective during the terms of the warranty period. The bidder should state the labor rates, locations where parts will be stocked, availability of parts, and discounts offered for parts, when terms of the warranty offer a pro-rated cost for parts and labor. In addition, the successful bidder should offer field work to repair or replace defective parts, components, and materials found to be defective during the terms of the warranty and should provide mechanic's travel rates, mileage charges, field mechanic rates, and any surcharge for miscellaneous items, if applicable, for field work during the warranty period. Submit to Division of Highways any technical or engineering improvements during the term of the warranty. The unit must be accompanied upon delivery by the unit's manufacturer's executed warranty or service policy.

A mandatory minimum two (2) year bumper to bumper basic parts and labor warranty excluding abuse and normal wear items is required for this unit.

THE "WARRANTY AND SERVICE POLICY QUESTIONNAIRE" ATTACHED IN THE BIDDER'S EVALUATION REPORT MUST BE COMPLETED IN ITS ENTIRETY BY THE SUCCESSFUL BIDDER OR MANUFACTURER PRIOR TO DELIVERY OF THE PILOT MODEL. (SEE SECTION X6.5 OF BIDDER'S EVALUATION REPORT).

#### 6.6 EVALUATION COMMITTEE REQUIREMENTS

Detailed component specifications, product literature, component models, required for specification compliance determination by the Evaluation Committee should be provided with each bid. Any information supplied that is contrary to/or conflicting with the specifications and/or attached Bidders Evaluation Report may be sufficient cause for rejection of bid.

#### 6.7 UNSPECIFIED ACCESSORIES & FEATURES

All parts, equipment, accessories, material, design and performance characteristics not specified herein, but which are necessary to provide a complete unit, must be furnished with each unit and required to conform to strength, quality of material,

and quality of workmanship to those which are advertised and provided to the market in general by the unit industry.

All parts and accessories advertised and regularly supplied as standard shall be included, except those which would represent duplication of these specified, and except those which, by specification, are not to be furnished. All standard safety features, required by Federal and State Law, shall be included.

- 7.0 SPECIFICATIONS OF THE QUOTED UNIT ARE AS FOLLOWS: Shall be Kobelco SK135SR or equal
- 7.1 Operating weight shall be no less than 28,000 pounds and not more than 32,291 pounds.
- 7.2 Engine:
- 7.2.1 Engine will be 84 horsepower minimum.
- 7.2.2 Engine should be turbocharged diesel.
- 7.2.3 Pressurized liquid cooling system with thermostat, filled with manufacturers approved extended life permanent type anti-freeze that provides freeze protection to at least -30 degrees F.
- 7.2.4 Air cleaner, double element with auto dust evacuation.
- 7.2.5 Fuel filtering system shall be manufacturer's heaviest duty available.
- 7.2.6 Dust proof net for radiator and oil cooler should be provided.
- 7.2.7 Manufacturer's heaviest duty electrical system shall be provided.
- 7.3 Hydraulic System:
- 7.3.1 Hydraulic system to maintain manufacturers recommended safe oil temperature within recommended operating range during continuous operation under maximum working combinations.
- 7.3.2 System to have manufacturer's heaviest variable capacity piston type pumps with load sensing for maximum efficiency.
- 7.3.3 Boom length should be no less then 15 feet and controlled by two (2) hydraulic cylinders.

7.3.4	Arm length should be no less than 8 feet and controlled by one (1) hydraulic cylinder and equipped with multi function hydraulics with piping to the end of arm with foot controls.
7.3.5	Shut off valve at end of piping.
7.3.5.1	Unit shall be equipped with a hydraulic thumb approximately 18 inches x 46 inches.
7.3.5.2	Tine thickness of thumb to be 1 inch with a pin diameter of approximately 2 inches.
7.3.6	Bucket to be approximately 0.60 cubic yard capacity, shall be with teeth and side cutters and controlled by one (1) hydraulic cylinder.
7.3.7	Drive shall be hydrostatic design with independent track control.
7.3.8	Wet multiple disk brakes that automatically release while propelling and apply when stationary.
7.3.9	Unit swing shall be capable of 360 degrees.
7.3.10	Swing speed should be approximately 10 R.P.M.
7.3.11	Swing brake shall be SAHR for safety.
7.3.12	Unit shall be joystick controlled with one (1) additional actuator for auxiliary hydraulics.
7.4 (	Indercarriage:
7.4.1	Undercarriage frame shall be manufacturers standard for model bid.
7.4.2	Unit shall have sealed type track.
7.4.3	A minimum of one (1) top carrier roller each side for proper track support.
7.4.4	Track guides shall be provided to prevent track misalignment.
7.4.5	Track adjustment shall be of hydraulic design.
7.4.6	Manufacturers triple grouser shoes.
7.4.7	Track length approximately 11 feet 6 inches.

- 7.4.8 Maximum tail swing 4.82 feet including manufacturers needed weight(s)
- 7.5 Cab:
- 7.5.1 Cab shall be all weather steel isolation mounted.
- 7.5.2 Unit will have a deep cushioned fully adjustable seat with padded arm rests.
- 7.5.3 Cab shall be equipped manufacturers heater and air condition system.
- 7.5.4 Cold weather starting aid shall be provided.
- 7.5.5 Cab equipped with front windshield wiper and washer, intermittent features.
- 7.5.6 Manufacturers vandalism protection package shall be provided.
- 7.5.7 Interior cab light.
- 7.5.8 Work lights at boom and cab for sufficient night shift operations.
- 7.5.9 Tinted safety glass at all locations.
- 7.5.10 AM and FM radio with antenna.
- 7.6 Paint:
- 7.6.1 Unit will be painted manufacturers standard color.
- 7.6.2 Manufacturers standard plant painting procedures for cleaning, degreasing, preparing, priming and painting are sufficient to meet the requirements for painting unit.
- 7.7 Vendor must certify that unit offered will meet or exceed the "Occupational Safety and Health Act or 1970" and subsequent amendments.
- 7.8 Advertising: No visible decals or name plates or painted on names representing the manufacturer or model number or trademark should appear on the exterior surface of the unit. Such logos created through the stamping or casting process of manufacture are accepted.

## WEST VIRGINIA DEPARTMENT OF TRANSPORTATION DIVISION OF HIGHWAYS EQUIPMENT DIVISION

#### BIDDER'S EVALUATION REPORT

#### PROCUREMENT SPECIFICATIONS FOR OPEN END CONTRACT NO. 310-1-D

#### HYDRAULIC TRACK EXCAVATOR

NOTE TO BIDDER: Procurement Specification No. 310-1-D, Paragraph 2.0 recommends the completion and submittal of this Report with your bid. Purpose of this Report is to enable the West Virginia Division of Highways Evaluation Committee to make full and fair evaluation of the bid. Addendums in order, along with a summary of exception as a separate attachment, should be with Bidder's Evaluation Report. FAILURE TO SUBMIT THIS REPORT, COMPLETE IN ITS ENTIRETY, MAY SUBJECT THE BIDDER TO DISQUALIFICATION.

TAGELANI

	Reference Requisition No.: 707LC009
	Bidder's Name: State Equipment, Inc.
	Address: 560 New Goff Mtn. Rd. Cross Lanes WV 25313
	Telephone Number: 304 774 4405
	Years Bidder has been registered to do business with the State of West Virginia: 23 YRS.
	Years Company has been an authorized dealer for proposed unit:  // YRS.
X3.2	Have you complied with all mandatory specifications? YES NO
X4.2 <b>X4.2.1</b>	DELIVERY:  Delivery date of completed representative unit: 60 Calendar Days After  Receipt of Purchase Agreement
X4.2.2	Delivery date of balance of completed units: 90-120 Calendar Days After Receipt of Purchase Agreement

X5.0	AWARD CRITERIA;						
X5.1	Prices for units:	1-10	\$ 93,600.00 per	unit			
	•	11-20	# 93, 600.00 per 1	unit			
		21 and over	# 93,600.00 per	unit			
X6.0	SPECIFICATIONS - GENERAL						
X6.1	Manufacturer, model, series, and date of manufacture of proposed unit:						
	Dousan DX140LCR						
	Is descriptive literature, fully describing proposed unit attached to your bid? YES NO						
	If not, why?						
W/O	XX/:11 4b			٠.			
X6.2	Will the required number of servi Equipment Division at Buckhanne		·	he			
		-	VYES	NO			
	Will the required Equipment Prev Report) be provided upon inspect		Section X6.2 of Bidders YES				

X6.2 2-10-00

#### EQUIPMENT PREVENTATIVE MAINTENANCE QUESTIONNAIRE

THIS FORM MUST BE COMPLETED IN ITS ENTIRETY BY SUCCESSFUL BIDDER OR MANUFACTURER'S TECHNICAL REPRESENTATIVE PRIOR TO DELIVERY OF PILOT MODEL TO THE WVDOH.

DESCRIPTION:				MAKE:			
MODEL:YE			YEAR:	PUR	RCHASE AMOUNT:		
ENGINE:	MAKE:		MODEL:		FUEL TYPE:		
			-			,	
	COOLING SYSTE	EM CAPACITY: _					
BELTS:	DESCRIPTION:			PART NUMI	BERS:		
OVIV.						DEAD.	
						REAR:	
TIRES:	FRONT MAKE &	SIZE:					
	REAR MAKE & S	SIZE:			······		
DIMENSIO		•				LENGTH:	
VENDOR	CONTACT PERSON	V:			PHONE:	·	
PARTS:							
BATTERY	MAKE:		MODEL:		CCA:		
TOP OR S	IDE POST:		DIMENSION	S: LENGTH	WIDTH	HEIGHT	
SPARK PL	LUGS OR FUEL INJ	ECTORS MAKE: _		PART #			
FUEL PUN	MP OR INJECTION	PUMP MAKE:		MODEL:			
ALTERNA	YTOR MAKE:			PARI#:			
STARTER	MAKE:			PART#:			
TURBUC	HAKGEK MAKE: _	MODI	mr .	PAR1 #:	A Y YTCO (N & A N TE T /	T .	
HYDRAU	AAKE: LIC PUMP MAKE: ]	MODI	EL:	MODEL:	AUTO/MANUA	AL:	
						URER TYPE	
OIL			ENG	INE			
AIR INNER			TRA	NSMISSION			
AIR OUTER POWER FUEL PRIMARY HYDEL SECONDARY DIF			POW	ER STEERING			
FUEL PRI	MARY		HYD	POWER STEERING			
FUEL SEC	CONDARY		DIFF	ERENTIALS			
COOLAN	T		BRA	KE FLUID			
HYDRAU	TLIC		coo	BRAKE FLUID			
OTHER			OTH	OTHER			

X6.3	TRAINING:
	Will training seminar be conducted on Preventive Maintenance, Operator and Mechanic Training YESNO
	Will you conduct training with each purchase order against this open end contract?  YESNO
	Will training be conducted within 2 working days from the delivery of the pilot unit on the individual purchase order?  YESNO
	If NO, explain time frame
	Will an Operator's Manual be furnished directly to Training Academy prior to the delivery of the pilot? NO
X6.4	If you are the successful vendor, will you furnish all training aids, i.e., videos, projectors, required in conducting the training?  YESNO
X6.4.1	Will all manuals, booklets, etc. explaining preventive maintenance, operator procedures, and service schedule be delivered with each unit?  YESNO  If NO, explain
X6.5	WARRANTY AND SERVICE POLICY
	Will the warranty and service you provide comply with all areas as stated in Section 6.5 of specifications  YESNO
	Is warranty literature attached? YESNO
	Is a minimum two (2) year bumper to bumper basic parts and labor warranty excluding abuse and normal wear items included? YESNO Describe:
	2 yr. Bumper to Bumper Parts + Labor
	Zyr. Bumper to Bumpar Parts + Labor Excluding normal wear + maintenance

# X6.5 WARRANTY AND SERVICE POLICY QUESTIONNAIRE THIS FORM MUST BE COMPLETED IN ITS ENTIRETY AND SUBMITTED WITH YOUR BID.

<u>YOU</u>	<u>R BID</u> .	
(If ad	ditional lines are needed,	make copies of form.)
l. De		lard warranty. If not offered, so state. (Attach copy)
	2 41 B	umper to Bumper parts & labor
2 De	fine warranty service to b	be performed at DOH facilities and warranty service to be
		epresentative facility. List name and location of manufacturer's
renre	sentative.	
A	11 warranty to be	performed at dealer facility deport NV, Beckley WV, Parkers burg in
	Lockson 1.14 Box	do not WY Beckler WY Parkersture in
	1-11. 1 1/V	aggso, it is seen to got the factor of the
2 T :	t locations for north invol	ntories that are within the State of West Virginia. Also, list
	ability levels, if known.	noties that are within the State of West Virginia. Also, list
avali	ability levels, if known.	Reidenant WV Reckley WV. Parkershure WI
	Charlesvon by	Bridgeport WV, Beckley WV, Parkersburg WV
		<i>V</i>
	_	, list the guarantee discount to manufacturer's published list price
for pa	arts that bidder will sell th	ne parts to owner.
	Tr.,,,,,,,,,, NI-4 20	Manufacturer's published list price less:  % discount
A.	Terms: Net 30	Manufacturer's published list price less:% discount Manufacturer's published list price less:% discount
B.	Terms: Net 60	Manufacturer's published list price less: 6 % discount  Manufacturer's published list price less: 6 % discount
C.	Terms: Net 90	Manufacturer's published list price less:% discount
5 Di	uring the term of warrants	, will all manufacturers or engineering improvements be submitted
	vision of Highways?	YES NO
וכנ טו	ivision of thighways.	
6. Di	ring the term of warranty	, list the guaranteed rates charged for repair to the unit.
0. 20	and with the transfer	, and the Summand and a constitution of the co
A.	Shop Rate	\$ <u>90.00</u> per mechanic hour
	•	
B.	Travel Time Charge	\$ <u>90,00</u> per mechanic hour
	(Specify if one-way)	; port to port
	, ,	
C.	Mileage Charge	\$_2.15 per vehicle mile ; port to port
	(Specify if one-way	; port to port
D.	Field Mechanic Rate	\$ 90.00 per mechanic hour
_		/ / / / / / / / / / / / / / / / / / / /
E.	Specify period of time	that prices are in effect: / year
1773		
F.	Surcharge for miscella	neous items: $\checkmark$ %

X6.6	EVALUATION COMMITTEE REQUIREMENTS
	Is all component specifications, product literature, component models provided for Evaluation Committee bid determination? YESNO
X6.7	Will all parts, equipment, accessories, material, design and performance characteristics not specified herein, but which are necessary to provide a complete unit, be furnished with the unit and conform in strength, quality of material, and quality of workmanship to those which are advertised and provided to the market in general by the unit industry?  YESNO
X6.7.1	Are all parts and accessories adequate and regularly supplied as standard to be included except those which may be duplications of specifications herein, and except these by specification are not to be furnished?YESNO
X6.7.2	Are all standard safety features that are required by Federal and State statutes of law included? YESNO
X7.0	SPECIFICATIONS OF THE QUOTED UNIT:
	The bidder should complete the following schedule in order for the Division to compare the actual bid unit to the specifications. Should the bidder except a requirement, then such exception may be only on the basis that such feature is not offered by the manufacturer. The Division will have the sole discretion as to whether the bidder's substitution meets the requirements of the specification.
	Manufacturer: <u>Doosan</u> Model: <u>OX140LCR</u>
X7.1	Specify operating weight 32, 210 pounds.
X7.2	Engine:
X7.2.1	Specify engine95 HP.
X7.2.2	Is engine tubrocharged diesel?YESNO
X7.2.3	. Is pressurized liquid cooling system w/thermostat, filled with manufacturers approved extended life permanent type anti-freeze that provides freeze protection to at least -30° F?  YES  NO

ADD: To	Bidder's Evaluation Report	
X7.2.4	Is air cleaner, double element with auto dust evacuation?	YESNO
X7.2.5	Is fuel filtering system manufacturers heaviest duty available?	YESNO
X7.2.6	Is dust proof net for radiator and oil cooler provided?	YES NO
X7.2.7	Will Manufacturers heaviest duty electrical system be provi	ided?
Х7.3 Ну	draulic System:	
X7.3.1	Will proposed hydraulic system maintain manufacturers recommended operating range during continuations?	mended safe oil nuous operation under
X7.3.2	Does system provide manufacturer heaviest variable capacity p With load sensing for maximum efficiency?	iston type pumps YESNO
X7.3.3	Is boom controlled by two (2) hydraulic cylinders?	YES NO
	Specify boom length /5 / / // feet	
X7.3.4	Is arm controlled by one (1) hydraulic cylinder/equipped with r hydraulic with piping to the end of arm with foot controls?	nulti function VESNO
	Specify arm length 8'2" feet	
X7.3.5	Is shut off valve at end of piping?	VYESNO
X7.3.5.1	Is unit equipped with a hydraulic thumb?	YES NO
	Specify size 18 inches x 50 inches	
X7.3.5.2	Tine thickness of thumb inch with a pin diameter _	2_inch
X7.3.6	Bucket 60 cubic yard with teeth and side cutters Y	TESNO
	Controlled by one (1) hydraulic cylinderYES	ИО
X7.3.7	Is drive hydrostatic design with independent track control?	YES NO

ADD: T	o Bidder's Evaluation Report		
X7.3.8	Does unit have wet multiple disk brakes that automatic propelling and applies when stationary?	ally releases while YES _	NO
X7.3.9	Is unit swing capable of 360 degrees?	YES_	NO
X7.3.10	Specify swing speed /6, 8 R.P.M.		
X7.3.11	Is swing brake SAHR for safety?	YESN	)
	If not specify:		
X7.3.12	Is unit joystick controlled with one (1) additional achydraulics?	tuator for auxiliaryYESNo	O
X7.4 U <b>X7.4.1</b>	ndercarriage:  Is undercarriage frame manufacturers standard for	model bid? YESN	O
X7.4.2	Does unit have sealed type track	✓ YES _	NO
X7.4.3	Does unit have a minimum of one (1) top carrier rol track support	ller each side for pro YES_	per NO
X7.4.4	Are track guides provided to prevent track misalign	ment VES_	NO
X7.4.5	Is track adjustment of hydraulic design	YES_	NO
X7.4.6	Does unit have manufacturers triple grouser shoes?	YESNO	O
X7.4.7	Specify track length 12 feet 4	inches	,
X7.4.8	Tail Swing including manufacturers needed weight	(s): 4'/0" feet	
X7.5 C	ab:	,	
X7.5.1	Is proposed cab all weather steel isolation mounted	?	O
X7.5.2	Does proposed unit have a deep cushioned fully adjrests?	ustable seat with pactive YESNO	lded arm
X7.5.3	Is cab equipped with manufacturers heater and air	condition system?YES_	NO
X7.5.4	Is cold weather starting aid provided?	VYES N	O

X7.5.5		Is cab equipped with front windshield wiper/washer with	h interr	nitten	t features? _YES	_NO
X7.5.6		Is manufacturers vandalism protection package prov	ided?	<u>/</u>	YES	_NO
X7.5.7		Is unit provided with interior cab light?	<u> </u>	YES_	NO	
X7.5.8		Are work lights provided at boom and cab adequate for		hift op YES _	erations?	•
X7.5.9		Is tinted safety glass provided at all locations?	V	YES_	NO	
X7.5.10	0	Is AM/FM radio with antenna provided?	<u>V</u>	YES _	NO	
X7.6	Pai	int:				
X7.6.1		Will unit be painted manufacturers standard color?		YES_	NO	
X7.6.2		Does painting procedures for cleaning, degreasing, prep manufacturers standard requirement for painting unit?	aring, ]	primin	g/painting _YES	meet _NO
X7.7	Do	es unit meet OSHA requirements as specified?	<u></u>	YES_	NO	
X7.8	Do	es unit meet advertising guidelines as specified?	<b>V</b>	YES_	NO	

RFQ	NO.	709EC006
-----	-----	----------

## **VENDOR PREFERENCE CERTIFICATE**

Certification and application\* is hereby made for Preference in accordance with **West Virginia Code**, §5A-3-37. (Does not apply to construction contracts). **West Virginia Code**, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the **West Virginia Code**. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

-,	, , , , , , , , , , , , , , , , , , , ,
i. 	Application is made for 2.5% resident vendor preference for the reason checked:  Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; or,  Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or,  Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; or,
2	Application is made for 2.5% resident vendor preference for the reason checked: Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
3.	Application is made for 2.5% resident vendor preference for the reason checked: Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
4.	Application is made for 5% resident vendor preference for the reason checked:  Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or,
5.	Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; or,
6.	Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.
require against	understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the ments for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency cted from any unpaid balance on the contract or purchase order.
authoriz the requ deeme	mission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and test the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid uired business taxes, provided that such information does not contain the amounts of taxes paid nor any other information d by the Tax Commissioner to be confidential.
Under and ac	penalty of law for false swearing (West Virginia Code, §61-5-3), Bidder hereby certifies that this certificate is true curate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate

Date: 11/11/08 Title: Via President

changes during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.

<sup>\*</sup>Check any combination of preference consideration(s) indicated above, which you are entitled to receive.

709EC006

### STATE OF WEST VIRGINIA Purchasing Division

# **PURCHASING AFFIDAVIT**

#### **VENDOR OWING A DEBT TO THE STATE:**

West Virginia Code §5A-3-10a provides that: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

## PUBLIC IMPROVEMENT CONTRACTS & DRUG-FREE WORKPLACE ACT:

West Virginia Code §21-1D-5 provides that: Any solicitation for a public improvement construction contract shall require each vendor that submits a bid for the work to submit at the same time an affidavit that the vendor has a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the West Virginia Code. A public improvement construction contract may not be awarded to a vendor who does not have a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the West Virginia Code and who has not submitted that plan to the appropriate contracting authority in timely fashion. For a vendor who is a subcontractor, compliance with Section 5, Article 1D, Chapter 21 of the West Virginia Code may take place before their work on the public improvement is begun.

#### **ANTITRUST:**

In submitting a bid to any agency for the state of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the state of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the state of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the state of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership or person or entity submitting a bid for the same materials, supplies, equipment or services and is in all respects fair and without collusion or fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

#### LICENSING:

Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.


#### CONFIDENTIALITY:

The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendors should visit www.state.wv.us/admin/purchase/privacy for the Notice of Agency Confidentiality Policies.

Under penalty of law for false swearing (West Virginia Code §61-5-3), it is hereby certified that the vendor acknowledges the information in this said affidavit and is in compliance with the requirements as stated.

Vendor's Name:	State	Egui	pment, Inc.			,
Authorized Signature: _		2		Date:	11/11/08	
Purchasing Affidavit (Revised	07/01/08)					





# DEF

#### FEATURES AND BENEFITS:

- The new DX140LCR meets all Tier III emission standards.
- High swing torque on the DX140LCR makes it Best in Class for working on a grade.
- Greasing intervals have been extended to 250 hours because of the use of new polymer shims and the new design of bushings used at the boom, arm, and bucket locations.
- The same Finite Element Method, used in all larger Doosan excavators that make our frame design Best in Class, has also been used on the new DX140LCR.
- An ergonomically correct cabin design fully automatic heating and air-conditioning, a six-way adjustable seat with lumbar support, and a telescopic control stand.
- A dual-walled muffler that reduces noise levels.
- Convenient hose routing, wiring harness layout and filter placement.
- entralized grease points on the boom and arm.
- Lower operating costs using easier routine maintenance, extended service intervals and increased fuel efficiency.

#### **SPECIFICATIONS:**

Specification	Standard Track
Operating Weight	31,658 lb
Max. Reach @ Ground Level	27' 3"
Max. Digging Depth	18' 1"
Breakout Force – Arm (Boost)	13,227 lbf
Breakout Force – Bucket (Boost)	24,471 lbf
Lifting Capacity - Ground Level	16,990 lb
Swing Speed	10.8 rpm

To locate your nearest dealer or for more information, visit www.infracore.com