

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for Quotation

709EC006

PAGE:

*ADDRESS CORRESPONDENCE TO ATTENTION OF

MICHAEL AUSTIN 304-558-2402

*709054014 304-776-4406 STATE EQUIPMENT INC PO BOX 3939 CHARLESTON WV 25339

DIVISION OF HIGHWAYS EQUIPMENT DIVISION ROUTE 33 BRUSHY FORK ROAD BUCKHANNON, WV

26201

304-472-1750

DATE PRIN 09/23/ BID OPENING DATE	2008	TERMS 0 Net 3 22/20(O Days	State Equipment BID	BULKHANNON WV OPENING TIME O	FREIGHT TERMS
LINE	QUANTITY		OP CAT.	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	HYDRAULIC	EA 1 TRACK	(EXCAVA	968-39 TOR Case CX135	\$98,500.00	# 98,500.00
	Topics of the state of the stat		OPEN EN	D CONTRACT		
	1	DIVISI	ON OF H	RACK EXCAVATOR F IGHWAYS PER THE	· ·	ì
	EQUIPMENT 10:00 AM	DIVIS	SION IN 109/2008	ORY PRE-BID CONF BUCKHANNON, WEST FAILURE TO ATTE QUALIFICATION.	VIRGINIA AT	·
	CLOSE OF	BUSINE	SS (5:0	STIONS MUST BE FOURCHASING DIVERSE ATTENTION MICH	IDAY, 10/03/08. ISION AEL AUSTIN N STREET EAST	. :
	l .	: MICH		USTINAWV.GOV	OR REGULAR MAIL.	
				ONIBILITY TO VER		
	EXHIBIT 2					2008 NOV 12 P 12: 58
	LIFE OF C			S CONTRACT BECOMEXTENDS FOR A PE	N Control of the Cont	STATE OF WV
SIGNATURE		j	SEERE	VERSE SIDE FOR TERMS AND CO	NOITIONS 204 774 4405 DATE	10/27/08

GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

- 1. Awards will be made in the best interest of the State of West Virginia.
- 2. The State may accept or reject in part, or in whole, any bid.
- 3. All quotations are governed by the West Virginia Code and the Legislative Rules of the Purchasing Division.
- 4. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
- 5. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods, this Purchase Order/Contract becomes void and of no effect after June 30.
- 6. Payment may only be made after the delivery and acceptance of goods or services.
- 7. Interest may be paid for late payment in accordance with the West Virginia Code.
- 8. Vendor preference will be granted upon written request in accordance with the West Virginia Code.
- 9. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
- 10. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- 11. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern all rights and duties under the Contract, including without limitation the validity of this Purchase Order/Contract.
- 12. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
- **13. BANKRUPTCY:** In the event the vendor/contractor files for bankruptcy protection, this Contract may be deemed null and void, and terminated without further order.
- 14. HIPAA BUSINESS ASSOCIATE ADDENDUM: The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, and available online at the Purchasing Division's web site (http://www.state.wv.us/admin/purchase/vrc/hipaa.htm) is hereby made part of the agreement. Provided that, the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
- 15. WEST VIRGINIA ALCOHOL & DRUG-FREE WORKPLACE ACT: If this Contract constitutes a public improvement construction contract as set forth in Article 1D, Chapter 21 of the West Virginia Code ("The West Virginia Alcohol and Drug-Free Workplace Act"), then the following language shall hereby become part of this Contract: "The contractor and its subcontractors shall implement and maintain a written drug-free workplace policy in compliance with the West Virginia Alcohol and Drug-Free Workplace Act, as set forth in Article 1D, Chapter 21 of the West Virginia Code. The contractor and its subcontractors shall provide a sworn statement in writing, under the penalties of perjury, that they maintain a valid drug-free work place policy in compliance with the West Virginia and Drug-Free Workplace Act. It is understood and agreed that this Contract shall be cancelled by the awarding authority if the Contractor: 1) Fails to implement its drug-free workplace policy; 2) Fails to provide information regarding implementation of the contractor's drug-free workplace policy at the request of the public authority; or 3) Provides to the public authority false information regarding the contractor's drug-free workplace policy."

INSTRUCTIONS TO BIDDERS

- 1. Use the guotation forms provided by the Purchasing Division.
- 2. SPECIFICATIONS: Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as EQUAL to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
- 3. Complete all sections of the quotation form.
- 4. Unit prices shall prevail in case of discrepancy.
- 5. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
- **6. BID SUBMISSION:** All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130



*709054014

DATE PRINTED

State of West Virginia Department of Administration **Purchasing Division** 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

TERMS OF SALE

304-776-4406

Request for Quotation

RFO NUMBER 709EC006

ADDRESS CORRESPONDENCE TO A HENTION OR A

FREIGHT TERMS

MICHAEL AUSTIN 304-558-2402

DIVISION OF HIGHWAYS

FOB

STATE EQUIPMENT INC **EQUIPMENT DIVISION** VENDOR PO BOX 3939 ROUTE 33 **BRUSHY FORK ROAD** CHARLESTON WV 25339 **BUCKHANNON, WV** 26201 304-472-1750

SHIP VIA

09/23/ D OPENING DATE:		10/22/	2008		RID	OPE	NING TIME	01:30PM
LINE	QUA		UOP	CAT NO	1055255255555555555565555555555555555555	40(0040000	UNITPRICE	
	NECESS ORIGIN NOT EX TIME" ANY RE	ARY TO IAL CON CEED T THE VE	OBTA TRACT WELVE NDOR PON G	IN A . TH (12) May T Iving	ASONABLE TIME" T NEW CONTRACT OR E "REASONABLE TI MONTHS. DURING ERMINATE THIS CO THE DIRECTOR OF EN NOTICE.	REN ME" TH NTR	EW THE PERIOD SHAI IS "REASONAI ACT FOR	LL
	CONTRA	CT DOC	UMENT	, THE	IONS ARE STIPULA TERMS, CONDITIO R THE LIFE OF TH	NS,	AND PRICIN	G
	WRITTE SUBMIT DAYS F BE IN ORIGIN	EN CONSTED TOPRIOR T	ENT O THE O THE ANCE TRACT	F THE DIREC EXPI WITH AND	T MAY BE RENEWED SPENDING UNIT A TOR OF PURCHASIN RATION DATE. SU THE TERMS AND COSHALL BE LIMITED	AND VG T DNDI	VENDOR, HIRTY (30) RENEWAL SHA TIONS OF TH	LL E
	RIGHT NOTICE SUPPL:	TO CAN TO THE TED ARE	CEL T E VEN OF A	HIS O DOR I N INF	ECTOR OF PURCHAS CONTRACT IMMEDIAT F THE COMMODITIE ERIOR QUALITY OF IS OF THE BID AND	TELY ES A R DO	UPON WRITT ND/OR SERVI NOT CONFOR	CES M
	AUTHOR MARKE ESTIMA DIATE (INCL	RIZE A T, WITH ATE, IT DELIVE JDING E	SPEND OUT T EMS S RY IN UT NO	ING UNE FINE FINE FINE FINE FINE FINE FINE FI	THE DIRECTOR OF FUNIT TO PURCHASE LING OF A REQUISTIED ON THIS CONTRIBUTED TO LITED TO DELAYS TO CREASE IN THE VO	ON SITI TRAC UNFO IN T	THE OPEN ON OR COST T FOR IMME- PRESEEN CAUS RANSPORTATI	SES CON
				LY, 1	S LISTED IN THE BASED ON ESTIMATE EVERSE SIDE FOR TERMS AND CO	ES S	SUPPLIES BY	
IGNATURE				oce Ki	TELEPHONE	UNITED IN		DATE
TLE			EIN		L.		ADDRESS OUA	NGES TO BE NOTED ABOVE



MYDOR

***709054014**

PO BOX 3939

CHARLESTON WV

STATE EQUIPMENT INC

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

25339

304-776-4406

Request for Quotation

709EC006

PAGE

7

ADDRESS CORRESPONDENCE TO ATTENTION OF:

MICHAEL AUSTIN 304-558-2402

SH-P P TO DIVISION OF HIGHWAYS EQUIPMENT DIVISION ROUTE 33 BRUSHY FORK ROAD

BUCKHANNON, WV 26201

304-472-1750

DATE PRINTED TERMS OF SALE SHIP VIA FREIGHT TERMS FOB. 09/23/2008 BID OPENING DATE: 10/22/2008 BID OPENING TIME 01:30PM QUANTITY LINE UOP ITEM NUMBER UNIT PRICE AMOUNT IT IS UNDERSTOOD AND AGREED THAT STATE SPENDING UNIT. THE CONTRACT SHALL COVER THE QUANTITIES ACTUALLY ORDERED FOR DELIVERY DURING THE TERM OF CONTRACT, WHETHER MORE OR LESS THAN THE QUANTITIES SHOWN. ORDERING PROCEDURE: SPENDING UNIT(S) SHALL ISSUE A WRITTEN EQUIPMENT CONTRACT ORDER (FORM NUMBER WV-35) FOR COMMODITIES COVERED BY THIS CONTRACT. THE ORIGINAL WV-35 MUST BE SENT TO THE PURCHASING DIVISION OF THE DEPARTMENT OF ADMINISTRATION. AFTER APPROVAL AND ENCUMBRANCE, ONE COPY OF THE PURCHASE ORDER WILL BE RETURNED TO THE SPENDING UNIT AND ONE COPY FOR-WARDED TO THE VENDOR AS AUTHORIZATION FOR SHIPMENT. NO ORDER IS VALID UNLESS APPROVED AND ENCUMBERED BY THE PURCHASING DIVISION. BANKRUPTCY: IN THE EVENT THE VENDOR/CONTRACTOR FILES FOR BANKRUPTCY PROTECTION, THIS CONTRACT IS AUTOMATI-CALLY NULL AND VOID, AND IS TERMINATED WITHOUT FURTHER ORDER. REV. 9/98 EXHIBIT 4 LOCAL GOVERNMENT BODIES: UNLESS THE VENDOR INDICATES IN THE BID HIS REFUSAL TO EXTEND THE PRICES, TERMS, AND CONDITIONS OF THE BID TO COUNTY, SCHOOL, MUNICIPAL AND OTHER LOCAL GOVERNMENT BODIES, THE BID SHALL EXTEN TO POLITICAL SUBDIVISIONS OF THE STATE OF WEST IF THE VENDOR DOES NOT WISH TO EXTEND THE VIRGINIA. PRICES, TERMS, AND CONDITIONS OF THE BID TO ALL POLITICAL SUBDIVISIONS OF THE STATE, THE VENDOR MUST CLEARLY INDICATE SUCH REFUSAL IN HIS BID. SUCH REFUSAL SHALL NOT PREJUDICE THE AWARD OF THIS CONTRACT IN ANY SEE REVERSE SIDE FOR TERMS AND CONDITIONS SIGNATURE TITLE FEIN ADDRESS CHANGES TO BE NOTED ABOVE



VENDOR

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

TERMS OF SALE

304-776-4406

Request for Quotation

709EC006

PΑ	GE
	7.

FREIGHT TERMS

raddressicorbescondencebio/abieninonio MICHAEL AUSTIN 304-558-2402

SHIP

SHIP VIA

STATE EQUIPMENT INC PO BOX 3939

DATE PRINTED

*709054014

CHARLESTON WV 25339 DIVISION OF HIGHWAYS **EQUIPMENT DIVISION** ROUTE 33 **BRUSHY FORK ROAD** BUCKHANNON, WV

26201 304-472-1750

09/23/200	3						
BID OPENING DATE:	10/22	10/22/2008		BID	<u>OPENING</u>	TIME C	1:30PM
LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UN	IT PRICE	AMOUNT
MAN	NER.						
REV	. 3/88					c	
ЕХН	IBIT 6						
	CE ADJUS			SION: INIA WILL CONSII	ER BIDS	THAT	
CON ORI	TAIN PRO	OVISION XPIRATI	S FOR ON OF	PRICE ADJUSTMENTHE CONTRACT, F	TS PRIO	R TO THE	
MOV	EMENT O	F THE C	OMMOD	COVERS BOTH UPWA	HAT ADJ	USTMENT	
RAW	MATERIA	ALS AND	OR L	THROUGH" INCREAS ABOR, WHICH MAKE PRODUCT. ADJUST	UP ALL		
BAS	ED UPON	AN ACT	UAL E	OLLAR FIGURE, NO EQUESTS MUST BE	T A PER	CENTAGE.	N
A M GOV	ANNER A	CCEPTAB Al Benc	LE TO H MAR	THE DIRECTOR PURKS, GENERAL MARK	JRCHASIN (ET INCR	IG, E.G. REASE,	
SHO		RECEIVE	DIN	WRITING BY THE I	IRECTOR	OF	
DAT	E OF TH	E INCRE	ASE.	DAYS IN ADVANCE ANY TIME THE VERICHASING DIVIS	NDOR RE	QUESTS A	1
ACC	EPT THE	PRICE	ADJUS	TMENT AND AMEND THE ADUSTMENT II	THE CON	ITRACT	
AND	CANCEL	THE CO	NTRAC	т.			
ЕХН	IBIT 10						
				REQUISITION	NO.: .		••
ADD	ENDUM A	CKNOWLE		NT VERSE SIDE FOR TERMS AND CO	NDITIONS		
SIGNATURE			OCE TH	TELEPHONE	ATTENNO NO	DA	TE
TITLE		FEIN		1	Α	DDRESS CHANG	GES TO BE NOTED ABOVE



State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston WW 25305 0130 Charleston, WV 25305-0130

RFQ NUMBER 709EC006

MICHAEL AUSTIN 304-558-2402

ADDRESS CORRESPONDENCE TO ATTENTION OF

MODEMA

***709054014** 304-776-4406 STATE EQUIPMENT INC PO BOX 3939

CHARLESTON WV 25339 DIVISION OF HIGHWAYS **EQUIPMENT DIVISION** ROUTE 33 **BRUSHY FORK ROAD** BUCKHANNON, WV 26201

304-472-1750

DATE PRINTED TE		TER	RMS OF SALE SHIP VIA				F.	О.В.	FREIGHTTEAMS
09/23/	2008					,			<u>-</u>
BID OPENING DATE:		10/22/	2008			BID OPE		TIME 0	1:30PM
LINE	QUAI	VTITY	UOP	CAT NO	ITEM NUM	BER	UNI	TPRICE	AMOUNT
	1			1	ECEIPT OF	1	ſ		.]
	1				ADE THE NE			ONS TO M	Y
İ	PKUPUS	AL, PL	ANS A	אטעטא	SPECIFICA	AIIUN,	EIC.		
;	ADDEND	IIM NO.	10.						
	KDDEND	0.11 110	3.		•				
	NO. 1	V							
	NO. 2		• •						
H-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1		. 1							
	NO. 3	· · · · · ·	• •						
	l								
ļ	NO. 4		• •						
	NO. 5				:		, .		
	NO. 5	• • • • •	* *					•	
	I UNDE	RSTAND	THAT	FAIL	URE TO COI	VFIRM T	HE RECE	PT OF TH	
1	ž .				SE FOR RE				
§ .	1				DERSTAND '		3		
£	1		3		ASSUMED				
l .	1		•		ETWEEN VE				
i	1		2		L IS NOT				
1	1		3		WRITING AN				
	PLECIL	TCWITO	113 01	AN U	FFICIAL A	DDENDUN	12 PIMI	JING.	
							1 フ	•	
									•
						\$1	GNATURE		
						Ctate	Fairm.	and To	
						3/7/-	70.7	ent, Inc.	•
						CO	MPANY		
						11/11/	108		
					* * * * *	4 i ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '	TE		•
				SEERE	VERSE SIDE FOR TH		NOITIONS	<u> </u>	
SIGNATURE					ſ	TELEPHONE		DATE	
TITLE	**************************************	Fi	ΞIN				ADI	DRESS CHANGE	S TO BE NOTED ABOVE



VENDOR

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for Quotation

709EC006

PAGE 6

ADDRESS	CORRESPONDE	NCE TO ATTE	NTION C

MICHAEL AUSTIN 304-558-2402

6X-P +

*709054014 304-776-4406 STATE EQUIPMENT INC PO BOX 3939

CHARLESTON WV 25339

DIVISION OF HIGHWAYS
EQUIPMENT DIVISION
ROUTE 33
BRUSHY FORK ROAD
BUCKHANNON, WV

26201 304-472-1750

DATE PRIN	ŒΟ	TER	MS OF SAL	E	SHIP VIA		F/C).B.	FREIGHT TERMS
09/23/	2008								
BID OPENING DATE:		10/22/	2008		В	ID OP	ENING	TIME 01	:30PM
LINE	QUAI	VTITY	UOP	CAT NO	ITEM NUMBER		UNIT	PRICE	AMOUNT
	REV. 1	1/96							
			:	нот	ICE				
	A SIGN	ED BID	MUST	BE S	UBMITTED TO:				
	P	EPARTM URCHAS UILDIN	ING D		INISTRATION ON				
	2	019 WA	SHING		TREET, EAST 5305-0130				
**************************************					THIS INFORMA D MAY NOT BE				
	SEALED	BID							
	BUYER:	•			33				
	RFQ. N	10.:			709EC006	1/2/	02		
	BID OP				1:30 P.M.	Z'_=Z_			
	BID OP	ENING	TIME:						-
					UMBER IN CASE NG YOUR BID: 304 776 440		IS NECE	ESSARY	
	-								
				SEERE	VERSE SIDE FOR TERMS AN	tala in the land of the land o	TIONS		
SIGNATURE					TELEPHO	NE		DATE	
TITLE		F	EIN				ADI	DRESS CHANGE	S TO BE NOTED ABOVE



ADDOR

DATE PRINTED

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

TERMS OF SALE

Request for Quotation

SHIP VIA

(4.34)	***	• •	140		2.4			2(2)2(3)
7	0	9	E	C	0	0	6	

(10)	PΑ	GI:	

FREIGHT TERMS

ADDRESS CORRESPONDENCE TO ATTENTION OF

MICHAEL AUSTIN 304-558-2402

*709054014 304-776-4406 STATE EQUIPMENT INC PO BOX 3939

CHARLESTON WV 25339

DIVISION OF HIGHWAYS EQUIPMENT DIVISION ROUTE 33 BRUSHY FORK ROAD BUCKHANNON, WV

FO.B.

26201 304-472-1750

09/23/2008 BID OPENING DATE:								
E-00-22-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-				OPENING TIME 01:30PM				
LINE	QUANTITY	UOP CAT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT			
CON.	TACT PERSO	N (PLEASE	PRINT CLEARLY): Jason Lamm					
***	*** THIS	IS THE ENI	O OF RFQ 709EC	006 ***** TOTAL:	\$ 98,500.00			
	Andread							
	ed entry the property of the control							
SIGNATURE		SEE REV	ERSE SIDE FOR TERMS AND CO	NDITIONS DATE				
TITLE	FEIN			ADDRESS CHANGES	TO BE NOTED ABOVE			

WEST VIRGINIA DEPARTMENT OF TRANSPORTATION DIVISION OF HIGHWAYS EQUIPMENT DIVISION

PROCUREMENT SPECIFICATIONS NO. 310-1-D

HYDRAULIC TRACK EXCAVATOR

1.0 PURPOSE

It is the purpose of these specifications to describe a Hydraulic Track Excavator (hereinafter referred to as an"excavator" or a "unit") to be purchased for use by the West Virginia Division of Highways (DOH) on an Open End Contract basis.

2.0 BIDDING PROCEDURES

The current purchasing procedures regarding bidding as established by the Department of Administration, Purchasing Division, shall apply. Failure to submit the "Request for Quotation" forms, complete in its entirety and according to directions indicated, may subject the bidder to disqualification. Each bid submitted shall also be accompanied by a Bidder's Evaluation Report completed in detail. Addendums in order, along with exception sheets, should be with Bidder's Evaluation Report. FAILURE TO SUBMIT THE BIDDER'S EVALUATION REPORT, COMPLETE IN ITS ENTIRETY, MAY RESULT IN AUTOMATIC DISQUALIFICATION.

3.0 SPECIFICATIONS

The specifications named herein, mandatory and non-mandatory, establish the acceptable level of quality only and are not intended to reflect a preference or favor any particular brand or vendor.

3.1 EXCEPTIONS TO NON-MANDATORY SPECIFICATIONS

Exception to a non-mandatory unit specification may be made by the bidder, providing the exception is not available from the manufacturer. Any such exception must be noted on the bidder's evaluation report and should be accompanied by supporting documentation/literature from the manufacturer. Any exception must be indicated on a separate attachment to the bidder's evaluation report and labeled as "Exception to Specifications". The state reserves the right to determine whether the stated exception does or does not reduce the quality and performance of the unit. Failure to provide information for any exceptions may be grounds for rejection of the bid. The state reserves the right to waive minor irregularities in bids or specifications in accordance with §148-1-4(f) of the WV Legislative Rules and Regulations.

3.2 MANDATORY SPECIFICATIONS

All specifications preceded by "shall, will, and/or must" or are stated as a "minimum and/or maximum" are mandatory as stated in Purchasing Divisions Policies and Procedures. Any bid failing to meet any mandatory item shall be immediately disqualified. Failure to respond in the appropriate evaluation section may also be grounds for immediate disqualification at the discretion of the State.

A mandatory pre-bid conference is scheduled for this equipment purchase as stated in the RFQ. Vendors having products with variations or exceptions in specified mandatory items are expected to address any such variations or exceptions during the pre-bid conference. The State shall review and consider any such variation or exception, and may at its sole discretion, issue an addendum to change mandatory specifications deemed to be in the State's best interest. Bids from any vendor failing to attend the mandatory pre-bid shall be disqualified. Bids containing any variation or exception to a mandatory specification that was not addressed during the pre-bid conference and accepted by the issuance of an Addendum shall be disqualified.

4.0 REPRESENTATIVE UNIT FOR TEST

The successful vendor must (if specified) provide DOH one (1) completed representative unit to be observed and evaluated on each order to insure compliance with specification. If requested, the time period for testing and evaluation shall be seven (7) working days following receipt of the unit. DOH will incur no obligation for deterioration of surfaces, finishes, seals, and mechanical or electrical parts on the unit resulting from operation and testing within the limits of these specifications; nor will DOH incur obligation for damage to the unit resulting from failure to meet specifications when due care and attention is given by DOH and testing is done within the limits of these specifications. Failure of the pilot unit to satisfactorily meet specifications as bid shall be cause for cancellation of the purchase order, and return of the delivered unit along with all associated equipment to the vendor at the vendor's expense.

4.1 CONDITION OF UNIT(S) UPON DELIVERY

All units must arrive at the prescribed delivery point having been completely preserviced with oil, lubricants, and coolant. All prescribed precautions pertaining to first operations and break-in of the unit are to be posted conspicuously on the unit for ready observance by the operator.

4.2 DELIVERY

Delivery point of the completely assembled representative unit will be the DOH, Equipment Division, Route 33 at Brushy Fork Road, Buckhannon, West Virginia (26201).

The vendor is responsible for guaranteeing delivery of the completed units within the time specified and agreed to by the State. Delivery is preferred within 90 days after receipt of purchase agreement. The vendor is responsible for establishing and coordinating delivery terms with allied manufacturers or suppliers. Delivery terms shall be stated in the bid and the State reserves the right to accept or negotiate such terms. Failure to reach an agreement may result in rejection of the bid. The successful bidder shall provide their manufacturer's confirmation of the order to the WVDOH contact person within seven (7) working days after receiving the approved purchase order.

A completed pilot model for inspection must be provided within 30 calendar days after receipt of the purchase agreement by the successful vendor.

Delivery is an integral part of this specification and failure to comply will be cause to initiate a D.O.T. Administrative Form WV-82, Vendor Performance Form. The WV-82 Form will provide a means of officially notifying the Purchasing Division and the vendor of unsatisfactory performance; such as late deliveries, poor service, inadequate parts supplies, etc.

The decision to initiate subject Form will be at the sole discretion of the D.O.H. Commissioner's established Equipment Review Board.

Issuance of the WV-82 Vendor Complaint Form on unsatisfactory delivery against any vendor will be cause to refuse to consider similar items from those vendors on future Request For Ouotations.

(NOTE: Delivery time could be altered due to labor strikes, severe inclement weather conditions, etc.)

5.0 AWARD CRITERIA

5.1 DOH will recommend the award in accordance with the RFQ evaluation criteria described in the requisition. The award shall be made to the lowest unit cost vendor that meets or exceeds the specifications.

Prices for the units shall be in quantities of 1-10, 11-20, 21 and over. However, for evaluation purposes, we will use quantities 1-10. DOH reserves the right to place multiple orders in any quantity.

- 6.0 SPECIFICATIONS AND GUIDELINES GENERAL
- 6.1 IDENTIFICATION OF THE UNIT BEING PROPOSED

The bidder must identify the unit by manufacturer, model, series, and year of manufacture, in the bid to enable identification by DOH in the manufacturer's

specifications of the proposed unit. The bidder will submit complete descriptive literature of the proposed unit, to establish that the bid is the manufacturer's most current model, including latest engineering improvements, which have been, or will imminently be, regularly advertised and sold on the open market. The unit specified herein and offered to be manufactured after January 1, 2008 and be clearly identified and marked with date of manufacture.

6.2 OPERATING AND SERVICE MANUALS AND PARTS LISTS

An operator's manual must be included with each unit upon delivery. A "line sheet" (if applicable) and Equipment Preventative Maintenance Questionnaire (as shown in X6.2 of the Bidder's Evaluation Report) must be with pilot unit upon delivery. In addition, there must be 12 service, shop, or maintenance manuals; ten (10) to be distributed to the Districts and two (2) for the Equipment Division. Also, there must be 14 parts manuals; ten (10) to be distributed to the Districts and four (4) for Equipment Division use. CD ROM is preferred in lieu of parts manuals.

* NOTE: MANUALS SHALL BE DELIVERED UPON COMPLETION OF DELIVERY OF TOTAL UNITS. FAILURE TO DO SO WILL DELAY PAYMENT.

6.3 TRAINING:

Manufacturers and/or dealers will be required to stage a thorough seminar on the subjects of Preventative Maintenance, Operator and Mechanic Training. In order to keep the operators and mechanics updated, the successful vendor shall conduct training with each purchase order against this open end contract. Training is preferred within 2 working days after delivery of the pilot unit on the individual purchase order.

Manufacturers and/or dealers shall be required to furnish the Training Academy with one (1) Operator's Manual to be shipped direct to WVDOH Training Academy, Post Office Box 610, Buckhannon, West Virginia 26201 prior to delivery of the pilot.

The seminar to be held at the W. Va. Division of Highways, Equipment Division, Buckhannon, West Virginia.

6.4 PREVENTIVE MAINTENANCE AND OPERATOR PROCEDURES:

Manufacturers and/or dealers will be required to submit to the Equipment Division, in addition to the operating and service manuals, booklets and pamphlets explaining the Preventive Maintenance and Operator Procedures to be used by the operators of this equipment, and must include such things as daily prestart inspection procedure, service schedule, and routine maintenance required, safety precautions, etc.

The successful vendor shall furnish all training aids; i.e., videos, projectors, etc. required in conducting the training.

6.5 WARRANTY AND SERVICE POLICY

The Manufacturers warranty or service policy is to apply to the unit. Such warranty or service policy is to be recognized at any authorized unit dealer, representing manufacturer of proposed unit throughout the State of West Virginia. The applicable warranty or service policy will not be contingent upon obtaining routine service, lubrication, and servicing of the unit from factory authorized agencies. It will be the responsibility of the bidder to have available labor to repair or replace any defective replacement parts, components and materials, and to have available those replacement parts, components, and/or materials found to be defective during the terms of the warranty period. The bidder should state the labor rates, locations where parts will be stocked, availability of parts, and discounts offered for parts, when terms of the warranty offer a pro-rated cost for parts and labor. In addition, the successful bidder should offer field work to repair or replace defective parts, components, and materials found to be defective during the terms of the warranty and should provide mechanic's travel rates, mileage charges, field mechanic rates, and any surcharge for miscellaneous items, if applicable, for field work during the warranty period. Submit to Division of Highways any technical or engineering improvements during the term of the warranty. The unit must be accompanied upon delivery by the unit's manufacturer's executed warranty or service policy.

A mandatory minimum two (2) year bumper to bumper basic parts and labor warranty excluding abuse and normal wear items is required for this unit.

THE "WARRANTY AND SERVICE POLICY QUESTIONNAIRE" ATTACHED IN THE BIDDER'S EVALUATION REPORT MUST BE COMPLETED IN ITS ENTIRETY BY THE SUCCESSFUL BIDDER OR MANUFACTURER PRIOR TO DELIVERY OF THE PILOT MODEL. (SEE SECTION X6.5 OF BIDDER'S EVALUATION REPORT).

6.6 EVALUATION COMMITTEE REQUIREMENTS

Detailed component specifications, product literature, component models, required for specification compliance determination by the Evaluation Committee should be provided with each bid. Any information supplied that is contrary to/or conflicting with the specifications and/or attached Bidders Evaluation Report may be sufficient cause for rejection of bid.

6.7 UNSPECIFIED ACCESSORIES & FEATURES

All parts, equipment, accessories, material, design and performance characteristics not specified herein, but which are necessary to provide a complete unit, must be furnished with each unit and required to conform to strength, quality of material,

and quality of workmanship to those which are advertised and provided to the market in general by the unit industry.

All parts and accessories advertised and regularly supplied as standard shall be included, except those which would represent duplication of these specified, and except those which, by specification, are not to be furnished. All standard safety features, required by Federal and State Law, shall be included.

- 7.0 SPECIFICATIONS OF THE QUOTED UNIT ARE AS FOLLOWS: Shall be Kobelco SK135SR or equal
- 7.1 Operating weight shall be no less than 28,000 pounds and not more than 32,291 pounds.
- 7.2 Engine:
- 7.2.1 Engine will be 84 horsepower minimum.
- 7.2.2 Engine should be turbocharged diesel.
- 7.2.3 Pressurized liquid cooling system with thermostat, filled with manufacturers approved extended life permanent type anti-freeze that provides freeze protection to at least -30 degrees F.
- 7.2.4 Air cleaner, double element with auto dust evacuation.
- 7.2.5 Fuel filtering system shall be manufacturer's heaviest duty available.
- 7.2.6 Dust proof net for radiator and oil cooler should be provided.
- 7.2.7 Manufacturer's heaviest duty electrical system shall be provided.
- 7.3 Hydraulic System:
- 7.3.1 Hydraulic system to maintain manufacturers recommended safe oil temperature within recommended operating range during continuous operation under maximum working combinations.
- 7.3.2 System to have manufacturer's heaviest variable capacity piston type pumps with load sensing for maximum efficiency.
- 7.3.3 Boom length should be no less then 15 feet and controlled by two (2) hydraulic cylinders.

7.3.4	Arm length should be no less than 8 feet and controlled by one (1) hydraulic cylinder and equipped with multi function hydraulics with piping to the end of arm with foot controls.
7.3.5	Shut off valve at end of piping.
7.3.5.1	Unit shall be equipped with a hydraulic thumb approximately 18 inches x 46 inches.
7.3.5.2	Tine thickness of thumb to be 1 inch with a pin diameter of approximately 2 inches.
7.3.6	Bucket to be approximately 0.60 cubic yard capacity, shall be with teeth and side cutters and controlled by one (1) hydraulic cylinder.
7.3.7	Drive shall be hydrostatic design with independent track control.
7.3.8	Wet multiple disk brakes that automatically release while propelling and apply when stationary.
7.3.9	Unit swing shall be capable of 360 degrees.
7.3.10	Swing speed should be approximately 10 R.P.M.
7.3.11	Swing brake shall be SAHR for safety.
7.3.12	Unit shall be joystick controlled with one (1) additional actuator for auxiliary hydraulics.
7.4	Undercarriage:
7.4.1	Undercarriage frame shall be manufacturers standard for model bid.
7.4.2	Unit shall have sealed type track.
7.4.3	A minimum of one (1) top carrier roller each side for proper track support.
7.4.4	Track guides shall be provided to prevent track misalignment.
7.4.5	Track adjustment shall be of hydraulic design.
7.4.6	Manufacturers triple grouser shoes.
7.4.7	Track length approximately 11 feet 6 inches.

7.4.8	Maximum t	ail swing 4	1.82 feet	including	manufacturers:	needed	weight(s)
-------	-----------	-------------	-----------	-----------	----------------	--------	-----------

- 7.5 Cab:
- 7.5.1 Cab shall be all weather steel isolation mounted.
- 7.5.2 Unit will have a deep cushioned fully adjustable seat with padded arm rests.
- 7.5.3 Cab shall be equipped manufacturers heater and air condition system.
- 7.5.4 Cold weather starting aid shall be provided.
- 7.5.5 Cab equipped with front windshield wiper and washer, intermittent features.
- 7.5.6 Manufacturers vandalism protection package shall be provided.
- 7.5.7 Interior cab light.
- 7.5.8 Work lights at boom and cab for sufficient night shift operations.
- 7.5.9 Tinted safety glass at all locations.
- 7.5.10 AM and FM radio with antenna.
- **7.6** Paint:
- 7.6.1 Unit will be painted manufacturers standard color.
- 7.6.2 Manufacturers standard plant painting procedures for cleaning, degreasing, preparing, priming and painting are sufficient to meet the requirements for painting unit.
- 7.7 Vendor must certify that unit offered will meet or exceed the "Occupational Safety and Health Act or 1970" and subsequent amendments.
- 7.8 Advertising: No visible decals or name plates or painted on names representing the manufacturer or model number or trademark should appear on the exterior surface of the unit. Such logos created through the stamping or casting process of manufacture are accepted.

WEST VIRGINIA DEPARTMENT OF TRANSPORTATION DIVISION OF HIGHWAYS EQUIPMENT DIVISION

BIDDER'S EVALUATION REPORT

PROCUREMENT SPECIFICATIONS FOR OPEN END CONTRACT NO. 310-1-D

HYDRAULIC TRACK EXCAVATOR

NOTE TO BIDDER: Procurement Specification No. 310-1-D, Paragraph 2.0 recommends the completion and submittal of this Report with your bid. Purpose of this Report is to enable the West Virginia Division of Highways Evaluation Committee to make full and fair evaluation of the bid. Addendums in order, along with a summary of exception as a separate attachment, should be with Bidder's Evaluation Report. FAILURE TO SUBMIT THIS REPORT, COMPLETE IN ITS ENTIRETY, MAY SUBJECT THE BIDDER TO DISQUALIFICATION.

	Reference Requisition No.: 109ECOOC	
	Bidder's Name: State Equipment Inc.	
	Address: 560 New Goff Mtn. Rd. Cross Lanes, WV 25313	
	Telephone Number: 304 774 4405	
	Years Bidder has been registered to do business with the State of West Virginia: 23 YE	tS.
	Years Company has been an authorized dealer for proposed unit: 23 YR	S.
X3.2	Have you complied with all mandatory specifications? YES NO	
X4.2 X4.2.1	DELIVERY: Delivery date of completed representative unit: Calendar Days After Receipt of Purchase Agreement	
X4.2.2	Delivery date of balance of completed units: 90-120 Calendar Days After Receipt of Purchase Agreemen	nt

X5.0	AWARD CRITERIA;		
X5.1	Prices for units:	1-10	# 98,500.00 per unit
		11-20	# 98,500.00 per unit # 98,500.00 per unit # 98,500.00 per unit
		21 and over	# 98,500.00 per unit
	SPECIFICATIONS - GENERAL Manufacturer, model, series, and date of manu	facture of propo	sed unit:
	2009 Case CXI	35	
	Is descriptive literature, fully describing proposed If not, why?		
X6.2	Will the required number of service manuals, a Equipment Division at Buckhannon upon com		
	Will the required Equipment Preventive Main Report) be provided upon inspection of the pile		

X6.2 2-10-00

EQUIPMENT PREVENTATIVE MAINTENANCE QUESTIONNAIRE

THIS FORM MUST BE COMPLETED IN ITS ENTIRETY BY SUCCESSFUL BIDDER OR MANUFACTURER'S TECHNICAL REPRESENTATIVE PRIOR TO DELIVERY OF PILOT MODEL TO THE WVDOH.

DESCRIPTION:			MAKE:			
M	ODEL:		YEAR:	PUR	CHASE AMOUNT:	
ENGINE:	MAKE:		MODEL:		_ FUEL TYPE:	
	COOLING SYSTI	EM CAPACITY: _		***************************************		
BELTS:	DESCRIPTION:			PART NUMI	BERS:	
GVW·						REAR:
TIRES:	FRONT MAKE &					
	REAR MAKE & S	SIZE:			·	
DIMENSIO						LENGTH:
VENDOR	CONTACT PERSO	N:			PHONE:	
PARTS:						
BATTERY	MAKE:		MODEL:		CCA:	
TOP OR S	IDE POST:		DIMENSIONS	LENGTH	WIDTH	HEIGHT
SPARK PL	LUGS OR FUEL INJ	ECTORS MAKE: _		PART #		
FUEL PUN	MP OR INJECTION	PUMP MAKE:		MODEL:		·····
ALTERNA	TOR MAKE:			PART#:		
STARTER	MAKE:			PART#:		, ,
TURBO C	HARGER MAKE:	1.60701	DT .	PART #:	A Y YTY O'N A A NITLY A	L:
HVDRAII	LIC PUMP MAKE:	MOD	EL:	MODEL:	AUTO/MANUA	
	MAKE					
OIL			ENGI			
AIR INNE	R		TRAN	ISMISSION_		
AIR OUTI	ER		POWI	ER STEERING		
FUEL PRI	MARY			RAULIC	,	
FUEL SEC	CONDARY		DIFFI	ERENTIALS		
COOLAN	Т		BRAK	Œ FLUID _		
	LIC		COOI	ANI		
OTHER			OTHE			

X6.3	TRAINING:
	Will training seminar be conducted on Preventive Maintenance, Operator and Mechanic Training YESNO
	Will you conduct training with each purchase order against this open end contract? YESNO
	Will training be conducted within 2 working days from the delivery of the pilot unit on the individual purchase order? YESNO
	If NO, explain time frame
·	Will an Operator's Manual be furnished directly to Training Academy prior to the delivery of the pilot? YES NO
X6.4	If you are the successful vendor, will you furnish all training aids, i.e., videos, projectors, required in conducting the training? YESNO
X6.4.1	Will all manuals, booklets, etc. explaining preventive maintenance, operator procedures, and service schedule be delivered with each unit? YESNO If NO, explainNO
X6.5	WARRANTY AND SERVICE POLICY
	Will the warranty and service you provide comply with all areas as stated in Section 6.5 of specifications YESNO
	Is warranty literature attached?YESNO
	Is a minimum two (2) year bumper to bumper basic parts and labor warranty excluding abuse and normal wear items included? YESNO
	Describe:
	Full Machine Zyr 2400 hr O deductible
	Full Machine Zyr 2400 hr O deductible Excluding normal wear + normal maintenance

X6.5 WARRANTY AND SERVICE POLICY QUESTIONNAIRE THIS FORM MUST BE COMPLETED IN ITS ENTIRETY AND SUBMITTED WITH YOUR BID.

(If additional lines are needed, make copies of form.) 1. Define the terms of the standard warranty. If not offered, so state. (Attach copy) Full Machine 27-2400 hr. O deductible				
	Excluding Normal	wear and normal maintonance		
perfor	med at manufacturer's representative.	rformed at DOH facilities and warranty service to be sentative facility. List name and location of manufacturer's to be per formed at dealer locations		
	Charleston WV, Brio	to be performed at dealer locations Igaport WV, Beckley NV, Parkersburg WV,		
availa	bility levels, if known.	tes that are within the State of West Virginia. Also, list wersburg www, Charleston WV, Beckley, WV		
	rts that bidder will sell the particle. Terms: Net 30 Man Terms: Net 60 Man	the guarantee discount to manufacturer's published list price arts to owner. ufacturer's published list price less: % discount		
	ring the term of warranty, wi vision of Highways?	ll all manufacturers or engineering improvements be submitted YESNO		
6. Du	ring the term of warranty, lis	t the guaranteed rates charged for repair to the unit.		
A.	Shop Rate	\$ 90.00 per mechanic hour		
В.	Travel Time Charge (Specify if one-way)	\$ 90.00 per mechanic hour ; port to port		
C.	Mileage Charge (Specify if one-way	\$ 2.15 per vehicle mile; port to port		
D.	Field Mechanic Rate	\$ 90,00 per mechanic hour		
E.	Specify period of time that prices are in effect:			
F	Surcharge for miscellaneon	us items: 2 %		

X6.6	EVALUATION COMMITTEE REQUIREMENTS
	Is all component specifications, product literature, component models provided for Evaluation Committee bid determination? YESNO
X6.7	Will all parts, equipment, accessories, material, design and performance characteristics not specified herein, but which are necessary to provide a complete unit, be furnished with the unit and conform in strength, quality of material, and quality of workmanship to those which are advertised and provided to the market in general by the unit industry? YESNO
X6.7.1	Are all parts and accessories adequate and regularly supplied as standard to be included except those which may be duplications of specifications herein, and except these by specification are not to be furnished?YESNO
X6.7.2	Are all standard safety features that are required by Federal and State statutes of law included? YESNO
X7.0	SPECIFICATIONS OF THE QUOTED UNIT:
	The bidder should complete the following schedule in order for the Division to compare the actual bid unit to the specifications. Should the bidder except a requirement, then such exception may be only on the basis that such feature is not offered by the manufacturer. The Division will have the sole discretion as to whether the bidder's substitution meets the requirements of the specification.
	Manufacturer: Case Model: Cx 135
X7.1	Specify operating weight 30,767 pounds.
X7.2	Engine:
X7.2.1	Specify engine 95 HP.
X7.2.2	Is engine tubrocharged diesel?YESNO
X7.2.3	Is pressurized liquid cooling system w/thermostat, filled with manufacturers approved extended life permanent type anti-freeze that provides freeze protection to at least -30° F? YESNO

ADD: To	Bidder's Evaluation Report			
X7.2.4	Is air cleaner, double element with auto dust evacuation?	V	YES	_NO
X7.2.5	Is fuel filtering system manufacturers heaviest duty available?	<u> </u>	YES	NO
X7.2.6	Is dust proof net for radiator and oil cooler provided?	V	YES	_NO
X7.2.7	Will Manufacturers heaviest duty electrical system be prov	ided?		
LA C & Seek & I	THE EXTENDED TO LOCAL TOP OF THE PARTY OF TH		YES	_NO
X7.3 Hy	draulic System:			
X7.3.1	Will proposed hydraulic system maintain manufacturers recom- temperature within recommended operating range during conti- maximum working combinations?	nuous	ed safe oil operation YES	under _NO
X7.3.2	Does system provide manufacturer heaviest variable capacity p With load sensing for maximum efficiency?	oiston	type pump _YES	s NO
X7.3.3	Is boom controlled by two (2) hydraulic cylinders? Specify boom length /5 /6 // feet	V	YES	_NO
X7.3.4	Is arm controlled by one (1) hydraulic cylinder/equipped with hydraulic with piping to the end of arm with foot controls? Specify arm length	multi i	function _YES	NO
X7.3.5	Is shut off valve at end of piping?		YES	
X7.3.5.1	Is unit equipped with a hydraulic thumb?	YES	NO)
	Specify size $\frac{18}{18}$ inches x $\frac{50}{18}$ inches			
X7.3.5.2	Tine thickness of thumb inch with a pin diameter	2	inch	
X7.3.6	Bucket cubic yard with teeth and side cutters	YES_	NO	
	Controlled by one (1) hydraulic cylinder YES _	1	40	
V727	Is drive hydrostatic design with independent track control	? V	YES	NO

ADD: To	Bidder's Evaluation Report	
X7.3.8	Does unit have wet multiple disk brakes that automatically releases while propelling and applies when stationary? YES	NO
X7.3.9	Is unit swing capable of 360 degrees?YES	NO
X7.3.10	Specify swing speedR.P.M.	
X7.3.11	Is swing brake SAHR for safety?NO	
	If not specify:	
X7.3.12	Is unit joystick controlled with one (1) additional actuator for auxiliary hydraulics? YESNO	
X7.4 Un X7.4.1	ndercarriage: Is undercarriage frame manufacturers standard for model bid?YESNO	
X7.4.2	Does unit have sealed type track YES	NO
X7.4.3	Does unit have a minimum of one (1) top carrier roller each side for prop track support YES	er NO
X7.4.4	Are track guides provided to prevent track misalignmentYES	
X7.4.5	Is track adjustment of hydraulic designYES	
X7.4.6	Does unit have manufacturers triple grouser shoes?YESNO	•
X7.4.7	Specify track length feet inches	
X7.4.8	Tail Swing including manufacturers needed weight(s): 4'/0' feet	
X7.5 Ca		
X7.5.1	Is proposed cab all weather steel isolation mounted?YESNC)
X7.5.2	Does proposed unit have a deep cushioned fully adjustable seat with paderests? YESNO	ded arm
X7.5.3	Is cab equipped with manufacturers heater and air condition system? YESYES	NO
X7.5.4	Is cold weather starting aid provided? YESNO)

X7.5.5	1 11	Ю
X7.5.6	Is manufacturers vandalism protection package provided? VESN	Ю
X7.5.7	Is unit provided with interior cab light?YESNO	
X7.5.8	Are work lights provided at boom and cab adequate for night shift operations? YESNO	
X7.5.9	Is tinted safety glass provided at all locations? YESNO	
X7.5.1	0 Is AM/FM radio with antenna provided?YESNO	
X7.6	Paint:	
X7.6.1	Will unit be painted manufacturers standard color?YESNO	
X7.6.2		et VO
X7.7	Does unit meet OSHA requirements as specified? YESNO	
X7.8	Does unit meet advertising guidelines as specified?YESNO	

709EC006

23

VENDOR PREFERENCE CERTIFICATE

Certification and application* is hereby made for Preference in accordance with **West Virginia Code**, §5A-3-37. (Does not apply to construction contracts). **West Virginia Code**, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the **West Virginia Code**. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

PIVISION	Will fillake the determination of the Nesident Vehicle Frederice, if applicable.
	Application is made for 2.5% resident vendor preference for the reason checked: Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; or, Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or, Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; or,
2	Application is made for 2.5% resident vendor preference for the reason checked: Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
3.	Application is made for 2.5% resident vendor preference for the reason checked: Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
4.	Application is made for 5% resident vendor preference for the reason checked: Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or,
5.	Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; or,
3. ——	Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.
require against	understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the ments for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency acted from any unpaid balance on the contract or purchase order.
authoriz the req	mission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and zes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid uired business taxes, provided that such information does not contain the amounts of taxes paid nor any other information d by the Tax Commissioner to be confidential.

Under penalty of law for false swearing (West Virginia Code, §61-5-3), Bidder hereby certifies that this certificate is true and accurate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate

changes during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.

Date: 10/27/08 Title: 1/14 President

*Check any combination of preference consideration(s) indicated above, which you are entitled to receive.

709E0006

STATE OF WEST VIRGINIA Purchasing Division

PURCHASING AFFIDAVIT

VENDOR OWING A DEBT TO THE STATE:

West Virginia Code §5A-3-10a provides that: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

PUBLIC IMPROVEMENT CONTRACTS & DRUG-FREE WORKPLACE ACT:

West Virginia Code §21-1D-5 provides that: Any solicitation for a public improvement construction contract shall require each vendor that submits a bid for the work to submit at the same time an affidavit that the vendor has a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the West Virginia Code. A public improvement construction contract may not be awarded to a vendor who does not have a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the West Virginia Code and who has not submitted that plan to the appropriate contracting authority in timely fashion. For a vendor who is a subcontractor, compliance with Section 5, Article 1D, Chapter 21 of the West Virginia Code may take place before their work on the public improvement is begun.

ANTITRUST:

In submitting a bid to any agency for the state of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the state of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the state of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the state of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership or person or entity submitting a bid for the same materials, supplies. equipment or services and is in all respects fair and without collusion or fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

LICENSING:

Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.

CONFIDENTIALITY:

The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendors should visit www.state.wv.us/admin/purchase/privacy for the Notice of Agency Confidentiality Policies.

Under penalty of law for false swearing (West Virginia Code §61-5-3), it is hereby certified that the vendor acknowledges the information in this said affidavit and is in compliance with the requirements as stated.

Vendor's Name:	ate Equipment	Inc.	
Authorized Signature:	27	Date: 10/27/08	
Purchasing Affidavit (Revised 07/0	1/08)		



CX135

EXCAVATOR TIER III CERTIFIED

ENGINE

**************************************	·/		
Model	isuzu AJ-4JJ1X, Tier III certified		
Туре	4-stroke, turbocharged		
Cylinders	4		
Bore/Stroke	3.76 in x 4.13 in (95.4 x 104.9 mm)		
Displacement	183 in³ (2999 cc)		
Fuel injection	Direct		
Fuel injection pump	Electronic		
Fuel	Diesel		
Fuel filter	In-line strainer		
Cooling	Liquid		
Horsepower per SAE J1349			
Net 95	hp (70.9 kW) @ 2000 rpm		
Maximum torque @ 1600 rpm			
Net	265 lb·ft (359 N·m)		

BOOM/ARM

Boom 15 ft 6 in (4.73 m)								
2,147 lb (974 kg)								
269 lb (122 kg) ea								
2,686 lb (1218 kg)								
853 lb (387 kg)								
479 lb (217 kg)								
1,332 lb (604 kg)								
669 lb (304 kg)								
479 lb (217 kg)								
1,148 lb (521 kg)								

UNDERCARRIAGE

Number of top rollers	
Top, each track	1
Bottom, each track	6
Number of shoes	
Triple grouser - each tra	nck 43
Link pitch	6,75 in (171.5 mm)
Gradeability	70%

HYDRAULICS

B S B Bar S Charlet Car Bank Car with	J			
Pumps (2)	Variable displacement axial piston design			
Capacity				
Maximum	2 x 31.0 gpm (117.2 L/min)			
System relief pressure	9 —			
Standard	4,975 psi (34.3 MPa)			
Control valves				
1-spool blade (optio	onal)			
4-spool section for l travel, boom, bucke				
5-spool section for a				
travel, boom, auxilia				
Boom and arm anti-				
Pilot control hydraulic	system –			
Pump (1)	Gear design			
Maximum capacity	5.3 gpm			
	(20 L/min)			
Relief pressure	566 psi (3.9 MPa)			
Swing –				
Motor (1)	Fixed displacement axial piston design			
Speed	0-10.0 rpm			
Brake	Mechanical disc			
Travel –				
Motor (2)	Two-speed			
د ر	axial piston design			
Final drive	Planetary gear reduction			
Drawbar pull	25,853 lb (115 kN)			
Travel Speeds - 2				
Auto shift high to low				
	Forward/Reverse			
Low	1.9 mph (3.1 km/h)			
High	3.1 mph (5.0 km/h)			
Travel control valve -				
Dual stage relief and	d counter-balance design			

HYDRAULIC CYLINDERS

Boom cylinders (2)	
Bore diameter	4.1 in (105 mm)
Rod diameter	3.0 in (75 mm)
Stroke	44.1 in (1120 mm)
Arm cylinder (1) -	
Bore diameter	4.5 in (115 mm)
Rod diameter	3.1 in (80 mm)
Stroke	43.6 in (1108 mm)
Bucket cylinder (1) -	
Bore diameter	3.7 in (95 mm)
Rod diameter	2.6 in (65 mm)
Stroke	34.7 in (881 mm)

ELECTRICAL

24 volts,
negative ground
50 amp
Low-maintenance 72 Ah (5 hr rate)

SERVICE CAPACITIES

Hydraulic tank	***************************************		
Refill capacity	21 gal (81 L)		
Total system	34 gal (130 L)		
Final drive (per side)	2.2 qt (2.1 L)		
Swing drive	3.2 qt (3.0 L)		
Engine			
w/filter change	18.2 qt (17.2 L)		
Fuel	44 gal (165 L)		
Radiator	14.9 qt (14.1 L)		

OPERATING WEIGHT

With 7 ft 10 in (2.39 m) arm, 23.6 in (600 mm) track shoes, 750 lb (340 kg) bucket, 165 lb (75 kg) operator, full fuel and standard equipment 29,631 lb (13 440 kg)

LIFT CAPACITIES


9 ft 4 in (2.85 m) Arm Lift capacities calculated using a 750 lb (340 kg) bucket and 7,099 lb (3220 kg) counterweight in "Standard" Mode.

Load (Lift		ft 2 m)	1	ft 5 m)	15 (4.5)		20 (6.1			5 ft 32 m)	M/	XIMUM RI	EACH
Point) Height	END	SIDE	END	SIDE	END	SIDE	END	SIDE	END	SIDE	Ø	END	SIDE
+25 ft (7.62 m)					-			:			I	3,750 lb* (1701 kg)*	•
+20 ft (6.1 m)			- Andrewski -		6,750 lb* (3062 kg)*	6,750 lb* (3062 kg)*					l	3,350 lb* (1520 kg)*	
+15 ft (4.57 m)					7,600 lb* (3447 kg)*	7,350 lb* (3334 kg)*	6,300 lb (2858 kg)	4,450 lb (2018 kg)			Ì	3,200 lb* (1451 kg)*	
+10 ft (3.05)	:		11,700 lb* (5307 kg)*	11,700 lb* (5307 kg)*	9,550 lb* (4332 kg)*	7,000 lb (3175 kg)	6,100 lb (2767 kg)	4,300 lb (1950 kg)			27 ft 0 in (8.23 m)	3,300 lb* (1497 kg)*	•
+5 ft (1.52 m)			17,750 lb* (8051 kg)*	12,150 lb (5511 kg)	9,300 lb (4218 kg)	6,400 lb (2903 kg)	5,800 lb (2631 kg)	4,000 lb (1814 kg)	4,000 lb (1817 kg)	2,700 lb (1255 kg)	27 ft 3 in (8.31 m)	: '	2,300 lb (1043 kg)
Ground- line			17,450 lb (7915 kg)	10,900 lb (4944 kg)	8,750 lb (3969 kg)	5,850 lb (2654 kg)	5,550 lb (2517 kg)	3,750 lb (1701 kg)	3,900 lb (1769 kg)	2,600 lb (1179 kg)	26 ft 5 in (8.05 m)	3,550 lb (1610 kg)	2,350 lb (1066 kg)
-5 ft (-1.52 m)	10,800 lb* (4899 kg)*	10,800 lb* (4899 kg)*	17,000 lb (7711 kg)	10,600 lb (4808 kg)	8,450 lb (3833 kg)	5,600 lb (2540 kg)	5,400 lb (2449 kg)	3,600 lb (1633 kg)			24 ft 5 in (7,44 m)	4,000 lb (1814 kg)	2,650 lb (1202 kg)
-10 ft (-3,05 m)	16,550 lb* (7507 kg)*	16,550 lb* (7507 kg)*	17,000 lb (7711 kg)	10,700 lb (4853 kg)	8,400 lb (3810 kg)	5,500 lb (2517 kg)	5,400 lb (2449 kg)	3,600 lb (1633 kg)			20 ft 10 in (6.35 m)		3,500 lb (1588 kg)
-15 ft (-4.57 m)	18,600 lb* (8437 kg)*	18,600 lb* (8437 kg)*	12,050 lb* (5466 kg)*	10,950 lb* (4967 kg)	7,900 lb* (3583 kg)*	5,800 lb (2631 kg)						**************************************	

7 ft 10 in (2.39 m) Arm Lift capacities calculated using a 750 lb (340 kg) bucket and 7,099 lb (3220 kg) counterweight in "Standard" Mode.

Load (Lift	5 (1,5)	ft 2 m)	10 (3.0)	ft 5 m)	16 (4.57		20 (8.1		MA	XIMUM REA	сн
Point) Height	END	SIDE	END	SIDE	END	SIDE	END	SIDE	©	END	SIDE
+25 ft (7,62 m)			_						16 ft 4 in (4.98 m)	3,565 lb* (1617 kg)*	3,565 lb* (1617 kg)*
+20 ft (6.1 m)					6,965 lb* (3159 kg)*	6,965 lb* (3159 kg)*			21 ft 6 in (6.55 m)	3,065 lb* (1390 kg)*	3,065 lb* (1390 kg)*
+15 ft (4.57 m)					8,765 lb* (3976 kg)*	7,349 lb (3333 kg)	6,249 lb (2834 kg)	4,449 lb (2018 kg)	24 ft 4 in (7.42 m)	2,915 lb* (1322 kg)*	2,915 lb* (1322 kg)*
+10 ft (3.05)			14,265 lb* (6470 kg)*	13,499 lb (6123 kg)	9,899 lb (4490 kg)	6,899 lb (3129 kg)	6,099 lb (2766 kg)	4,299 lb (1950 kg)	25 ft 9 in (7.85 m)	2,915 lb* (1322 kg)*	2,699 lb (1224 kg)
+5 ft (1.52 m)			18,459 lb (8414 kg)	11,849 lb (5375 kg)	9,249 lb (4195 kg)	6,349 lb (2880 kg)	5849 lb (2653 kg)	4,049 lb (1837 kg)	26 ft 0 in (7.92 m)	3,115 lb* (1413 kg)*	2,549 lb (1156 kg)
Ground- line			17,299 lb (7847 kg)	10,889 lb (4944kg)	8,799 lb (3991 kg)	5,899 lb (2676 kg)	5,649 lb (2562 kg)	3,849 lb (1746 kg)	25 ft 2 in (7.67 m)	3,465 lb* (1572 kg)*	2,649 lb (1202 kg)
-5 ft (-1.52 m)	11,515 lb* (5223 kg)*	11,515 lb* (5223 kg)*	17,249 lb (7824 kg)	10,799 lb (4898 kg)	8,549 lb (3878 kg)	5,699 lb (2585 kg)	5,499 lb (2494 kg)	3,749 lb (1701 kg)	23 ft 1 in (7.04 m)	4,115 lb* (1866 kg)*	3,049 lb (1383 kg)
-10 ft (-3,05 m)	18,465 lb* (8376 kg)*	18,465 lb* (8376 kg)*	16,365 lb* (7423 kg)*	10,999 lb (4898 kg)	8,599 lb (3900 kg)	5,749 lb (2608 kg)			19 ft 2 in (5.84 m)	5,565 lb* (2524 kg)*	4,149 lb (1882 kg)
-15 ft (-4.57 m)		and the second second	9,665 lb* (4384 kg)*	9,665 lb* (4384 kg)*				a harmon, a command on a carbon fractions		gandigated Pagaman digamanda di Andrea (Ingala) a	(finis) quantifus finished a fini


NOTE: *Lift capacities do not exceed 75% of the minimum tipping load or 87% of the hydraulic lift capacity. Capacities that are marked with an asterisk are hydraulic limited.



DIMENSIONS

		9 ft 4 in (2.85 m) Arm	7 ft 10 in (2.39 m) Arm	
A.	Overall height	9 ft 0 in (2.75 m)	9 ft 0 in (2.75 m)	
В.	Cab height	9 ft 0 in (2.75 m)	9 ft 0 in (2.75 m)	
C.	Overali length	23 ft 9 in (7.23 m)	23 ft 9 in (7.23 m)	
D.	w/o attachment	11 ft 6 in (3.51 m)	11 ft 6 in (3.51 m)	
E.	Width of upperstructure	7 ft 11 in (2.42 m)	7 ft 11 in (2.42 m)	
F.	Track overall length	11 ft 6 in (3.51 m)	11 ft 6 in (3.51 m)	
G.	Track overall width w/23.6 in (600 mm) shoes	8 ft 6 in (2,59 m)	8 ft 6 in (2.59 m)	
Ĥ.	Track shoe width	23.6 in (600 mm)	23,6 in (600 mm)	
Ĵ.	Center to center (idler to sprocket)	9 ft 2 in (2.79 m)	9 ft 2 in (2.79 m)	
ζ.	Upperstructure ground clearance	2 ft 11 ln (0.88 m)	2 ft 11 in (0,88 m)	
 L,	Minimum ground clearance	1 ft 5 in (0.44 mm)	1 ft 5 in (0.44 mm)	
M.	Tail swing radius	4 ft 10 in (1.48 m)	4 ft 10 in (1.48 m)	
Working weight*		29,814 lb (13 523 kg)	29,631 lb (13 440 kg)	
Gro	ound pressure	5.3 psì (36 kPa)		

^{*}With 23.6 in (600 mm) track shoe, 750 lb (340 kg) bucket, 165 lb (75 kg) operator, full fuel and standard equipment.



PERFORMANCE SPECS

		9 ft 4 in (2.85 m) Arm	7 ft 10 in (2.39 m) Arm
A.	Maximum dig radius	28 ft 1 in (8.57 m)	26 ft 11 in (8.21 m)
B.	Dig radius at groundline	27 ft 8 in (8.43 m)	26 ft 6 in (8.07 m)
Ċ.	Maximum dig depth	19 ft 5 in (5.91 m)	17 ft 11 in (5.47 m)
D.	Dig depth - 8 ft 0 in (2.44 m) level bottom	18 ft 9 in (5.72 m)	17 ft 3 in (5.25 m)
Ē.	Dump height	23 ft 5 in (7.13 m)	22 ft 8 in (6.91 m)
F.	Overall reach height	31 ft 3 in (9.52 m)	30 ft 6 in (9.31 m)
G.	Bucket rotation	178°	178°
H.	Vertical straight wall dig depth	16 ft 8 in (5.08 m)	15 ft 11 in (4.85 m)
J.	Minimum swing radius	7 ft 4 in (2.23 m)	5 ft 10 in (1.78 m)
Arn	n digging force		
	Standard	13,399 lb (59.6 kN)	14,365 lb (63.9 kN)
Bu	cket digging force		
	Standard	20,165 lb (89.7 kN)	20,165 lb (89.7 kN)

STANDARD EQUIPMENT

OPERATOR'S COMPARTMENT

Cab with Isomount® system Adjustable deluxe seat with 3 in (76 mm) seat belt

Safety glass

Air conditioning

AM/FM Radio w/auto tuner

Skyliaht

Sliding front windows Windshield wiper w/washer

ENGINE

Isuzu AJ-4JJ1X turbocharged diesel

Tier III certified Glow plug

Selectable one touch accelerator/decelerator

ELECTRICAL

Batteries (2) 12V Horn, dual

HYDRAULICS

ISO pattern pilot controls
Position mode selector: S, E
Variable flow piston pumps
Neutral pump destroke
Auxiliary hydraulic valve
Boom and arm anti-drift valves
Ultra Clean filtration system

UNDERCARRIAGE

Shoes: 23.6 in (600 mm) 3-bar, 43 per side

Track length: 11 ft 6 in (3.51 m) Track gauge: 6 ft 6 in (1.99 m)

TRACK DRIVE

2-speed hydrostatic travel Straight tracking travel priority Disc-type parking brakes

UPPERSTRUCTURE

Boom: 15 ft 6 in (4.73 m) one piece Hammer adaptable, no reinforcing required Swing brake

OTHER

Counterweight: 7,099 lb (3220 kg) Single key vandal lockup

OPTIONAL EQUIPMENT

UPPERSTRUCTURE

Arm: 9 ft 4 in (2.85 m)

UPPERCARRIAGE

Track Shoes: 28 in (700 mm)

Rubber Link Track

Dozer blade Width: 8 ft 2 in (2.49 m) Height: 1 ft 10 in (.57 m)

HYDRAULICS

Auxiliary hydraulics

Single acting, one pump

Double acting, single or dual pump

(includes heavy-duty bucket linkage)

Double acting general purpose

for use with thumb kit

Control pattern selector valve

OTHER

Load holding control devices
Cylinder mounted
Case/JRB Slide-Loc* Hydraulic
Coupler

BUCKETS

Application	Width	SAE Heaped Capacity
General Purpose	24 in thru 42 in (0.6 m thru 1.067 m)	0.50 yd³ thru 0.98 yd³ (0.40 m³ thru 0.75 m³)
Heavy-duty	24 in thru 39 in (0.6 m thru 1.00 m)	0.50 yd³ thru 0.89 yd³ (0.38 m3 thru 0.68 m³)
Ditching	60 in thru 66 in (1.52 m thru 1.68 m)	0.86 yd³ thru 0.96 yd³ (0.57 m3 thru 0.67 m³)

This page intentionally left blank.

NOTE: All specifications are stated in accordance with SAE Standards or Recommended Practices, where applicable.

NOTE: All engines meet current EPA emissions requirements.

IMPORTANT: CNH America LLC reserves the right to change these specifications without notice and without incurring any obligation relating to such change. CNH America LLC does not warrant the safety or reliability of attachments from other manufacturers.

Case is a registered trademark of CNH America LLC. Any trademarks referred to herein, in association with goods and/or services of companies other than CNH America LLC, are the property of those respective companies.



www.casece.com

PURCHASED PROTECTION PLAN TERMS AND CONDITIONS

This document sets out the terms and conditions that exclusively govern the Purchased Protection Plan. You are encouraged to familiarize yourself with its contents.

1. Definitions:

- (a) As used herein, "Plan" means the purchased protection plan, in respect of the Goods, sold by the Provider to the Customer in return for a payment that is non-refundable to the extent permitted by applicable law.
 - (b) As used herein, "Provider" means EPG Insurance, Inc.
- (c) As used herein, "Customer" means the purchaser of the Plan, or an assignee thereof as expressly permitted hereunder.
- 2. The Plan is a contract between the Provider and the Customer under which the Provider agrees to protect certain specified whole goods purchased by the Customer (the "Goods") according to the terms and conditions set out herein. THE SCOPE AND EFFECTIVENESS OF THE PLAN IS HEREBY LIMITED EXCLUSIVELY TO THE TERMS AND CONDITIONS EXPRESSED HEREIN, AND THE CUSTOMER IS BOUND BY THESE TERMS AND CONDITIONS.
- 3. Protection under the Plan applies, exclusively, to specified new or used Goods sold and registered by authorized CNH dealerships in the United States and operated exclusively in the United States, Puerto Rico and Canada.
- 4. Protection under the Plan is limited to reimbursement of the cost of parts, and labor for repairs, approved by the Provider, and made by a service center authorized by the Provider, if a defect in material or workmanship is found in the Goods; provided, however, that such reimbursement, as to Goods classified as "used" at the time they are purchased by the Customer, shall not exceed, in the aggregate for all claims made under the Plan, fifty percent (50%) of the value of the Goods at the time they were purchased by the Customer. The Master Parts Schedule attached hereto, and incorporated herein by this reference, lists the only parts protected under the Plan.
- 5. Protection under the Plan is limited to repairs to the Goods in accordance with the terms and conditions set out herein in consequence of a request for reimbursement authorized by the Provider for failure, due to defects in parts listed on the Master Parts Schedule, that occurs (a) during the term of the Plan, (b) after the expiration of the term of any applicable manufacturer's base warranty period, or any applicable manufacturer's extended warranty, in respect of such Goods, and (c) in respect of defects in the Goods arising after such expiration.
- 6. If parts are needed to effect an authorized repair, the Provider may require that only parts authorized by the Provider or genuine CNH remanufactured parts be used; such parts shall be protected exclusively under any CNH Replacement Parts Warranty while it remains in effect, and only thereafter under the Plan.

PPP U.S. December 2007-RCF-20071114 Page 1

- 7. The Customer shall be solely responsible for payment for travel by personnel of the authorized service center to the Goods to repair them, including, without limitation, payment for the time of such personnel, unless the Plan specifies otherwise.
- 8. Protection under the Plan applies to the exploratory dismantling of the Goods only (a) in the event of a defect within the scope of such protection, and (b) with the prior authorization of the Customer; provided, however, that the Customer shall be responsible for all charges for exploratory dismantling if, as a result of such dismantling, the Provider determines that there has not been a failure that falls within the scope of protection under the Plan.
- 9. The Provider neither offers nor provides to the Customer any warranty, expressed or implied, for any component, or other item, that is separately warranted by such part's manufacturer.
- 10. For new Goods, protection under the Plan starts on the later of (i) the date the Goods are first registered for the their base warranty by the selling dealership, as specified in the Warranty and Limitation of Liability Agreement signed by the Customer at the time of purchase of the Goods, and (ii) the time of expiration of the term of any applicable manufacturer's base warranty period, or any applicable manufacturer's extended warranty, in respect of such Goods, and ends on the earlier of (a) the expiration date of the Plan, or (b) the date on which the Goods have been operated for the maximum number of hours permitted. For greater certainty, the term of protection under the Plan does not include the term of the base warranty for such Goods.
- 11. For used Goods, protection under the Plan starts on the effective date of the Plan and ends on the earlier of (a) the expiration date of the Plan, or (b) the date on which the Goods have been operated for the maximum number of hours permitted.
- 12. Any transportation, travel, or other expenses will not be credited toward any applicable deductible, unless the Plan specifies otherwise. For new agricultural equipment, one deductible will apply to all reported failures that occur within any thirty (30) consecutive calendar days. For new construction equipment, and all used equipment, one deductible will apply to each reported failure.
- 13. To be eligible to receive any payment under the Plan, the Customer must have:
- (a) performed all required maintenance on the Goods, at the recommended intervals specified in the Good's manufacturer's operator's manual, and must first present to the Provider proof of such maintenance, satisfactory to the Provider,
- (b) operated the Goods exclusively within their rated capacity as specified in the Good's manufacturer's operator's manual, and
 - (c) promptly reported to the Provider any problems with respect to the performance of Goods.
- 14. CNH AMERICA LLC, ITS AFFILIATES, SUBSIDIARIES AND AUTHORIZED DEALERSHIPS AND THE PROVIDER, IF A DIFFERENT ENTITY, ARE NOT RESPONSIBLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES. INCIDENTAL OR CONSEQUENTIAL DAMAGES INCLUDE, BUT ARE NOT LIMITED TO, LOST CROPS, LOST CONTRACTS, LOST INCOME, FINES, THEFT, FIRE, VANDALISM OR COLLISIONS. CNH AMERICA LLC, ITS AFFILIATES, SUBSIDIARIES AND AUTHORIZED DEALERSHIPS AND THE PROVIDER, IF A

DIFFERENT ENTITY, SPECIFICALLY HEREBY EXCLUDE THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

- 15. Protection under the Plan, in respect of Goods classified as "new" at the time the Customer purchased them, may be transferred to a new purchaser (a "New Purchaser") by a Customer at any time during the effective term of the Plan, upon the Provider accepting, from the New Purchaser, a Plan Registration Transfer Form satisfactory to the Provider. To transfer such protection under the Plan from the Customer to the New Purchaser, the Provider must first have received any required application fee as well as such Plan Registration Transfer Form. Such form must include, without limitation, the correct serial number(s) of the relevant Goods. Protection under the Plan in respect of Goods classified as "used" at the time they were purchased by the Customer may not be transferred.
- 16. If Goods, new when purchased by the Customer and protected under the Plan, are stolen or destroyed within their applicable base warranty period, due to no act, omission, or negligence on the part of the Customer, the Customer may, within six (6) months after such event of theft or destruction, transfer protection under the Plan to goods that are purchased from an authorized CNH dealership at a price acceptable to the Provider in its sole discretion.
- 17. No person, dealer or agent may in any way alter or extend the terms and conditions expressed herein without the prior written authorization of the Provider. Any accommodation made to the Customer by any party shall not constitute a waiver, modification or extension of the terms and conditions of the Plan as expressed herein.
- 18. A Customer may upgrade the scope of the Plan applicable to such Customer's Goods, by selecting a different Plan option at any time during the manufacturer's base warranty period applicable to such Goods, upon written request to the Provider and payment to the Provider of any additional cost of such different Plan option.
- 19. The Plan, and all protection thereunder, shall be void if:
- (a) the Goods protected thereby are modified or altered, except with the prior written consent of the Provider or at the direction of the manufacturer of the Goods,
- (b) the Goods' hour meter is changed or altered, other than by an authorized CNH dealership at the direction of the manufacturer of the Goods,
- (c) the Goods' fuel or hydraulic system is changed or altered, without the prior written consent of the Provider,
 - (d) the Goods are used in any application for which they were not designed to be used,
 - (e) the Goods are scrapped, salvaged, stolen, junked, or totaled, or
- (f) misrepresentation has occurred on the Purchased Protection Plan Registration as to the application(s) for which the Goods will be used.
- 20. Any dispute between the Customer and the Provider in respect of a payment due the Customer under the Plan shall be referred exclusively to an arbitrator to be appointed in accordance with the commercial rules of the American Arbitration Association.

 PPP U.S. December 2007-RCF-20071114 Page 3

- 21. The Plan gives the Customer specific legal rights and the Customer may also have other rights, which may vary, from state to state.
- 22. The following limitations and exclusions may not be allowed by some states and shall not apply to the extent not allowed by applicable state law:
- (a) The Plan shall not protect Goods with respect to failure due to operating conditions, accidents, abuse, misuse, neglect, damage, weathering, or failure to follow the recommended adjustments or maintenance as described in the applicable manufacturer's operator's manual. Failure resulting from these factors is not eligible for reimbursement under the Plan.
- (b) The Provider is not responsible for failure resulting from improper repair, or use of parts that are not authorized by the Provider or genuine CNH remanufactured parts.
- (c) Reimbursement under the Plan shall not extend to the replacement of wear items normally replaced during the term of the Plan period, including, but not limited to, lights, flasher switches, ignition points, fuses and belts, brake or clutch linings, knives, bucket cutting edges and teeth, steel or rubber tracks and track components, crawler track pads and track components, crop processing and cutting components, external drive sprockets and chains, soil engaging tools, universal joints, resistors, disk bands, roller bearings and seals on undercarriage, quick couplers and grease fittings, lug nuts and studs, lubricated joints, pins and bushings, shovels and sweeps, and accessories or items replaced solely at the Customer's preference.
 - (d) Reimbursement under the Plan shall not extend to:
 - (i) normal maintenance parts and service, including, but not limited to, replenishment of oils, lubricants, spark plugs, coolants, thermostats, filters, and fuel injectors; provided, however, that lubricants, filters, and coolants may qualify for Plan reimbursement if they require replacement as a direct result of a defect in material or workmanship;
 - (ii) costs for coolant, fuel, or lube oil analysis, or supplies and lab recommendations relating thereto;
 - (iii) the repair of damage, including, but not limited to, damage resulting from air or water leaks caused by aged weather stripping, to Customer comfort items, including, but not limited to, carpets and floor mats, mirrors, glass, hinges, interior cab moldings and panels, knobs for switches, handles, and seat cushions;
 - (iv) repairs related exclusively to noise, such as rattles and squeaks;
 - (v) Goods covered by warranties or extended warranties, including, but not limited to, tires, batteries, fuel injection, transmissions, engines and advanced farming systems;
 - (vi) travel costs associated with transporting Goods to and from the location of repair without the prior written authorization of the Provider, unless the Plan specifies otherwise;

- (vii) failure arising from the use of attachments not authorized in advance in writing by the Provider;
- (viii) failure arising from the storage or deterioration of, or failure to properly maintain, the Goods, or negligence, improper use of the Goods, collision, accident, vandalism, fire, or other peril or casualty, or operation of the Goods beyond their rated capacity or specifications;
- (ix) charges for labor performed other than by a service center authorized in advance in writing by the Provider;
- (x) failure arising from abuse or neglect, including, but not limited to, operation without adequate coolant or lubricants, adjustments to the fuel system outside the Goods' manufacturer's specifications, illegal or improper speeding, or from improper storage, starting, warm-up, or shutdown practices, or use of incorrect or contaminated fuel, oil or other fluids; or failure arising from non-compliance with instructions provided by the manufacturer to prevent such failure;
- (xi) failure of the Goods, their implements or attachments caused by improper field application, or overloading, beyond the manufacturer's specifications;
 - (xii) costs charged for overtime labor costs or out-of-shop expenses:
- (xiii) economic loss, including, but not limited to, lost profits, crop loss, or cost of equipment rental;
 - (xiv) the cost of cleaning of Goods, in preparation for servicing;
 - (xv) loss or damage of the Goods during shipment;
- (xvi) claims involving Goods damaged in transit or handling and subsequently sold as "salvage" Goods:
- (xvii) the cost of initial setup or installation of any optional equipment or attachments to the Goods;
- (xviii) items used for repairs, including, but not limited to, solvents, cleaners, anti-seize lubricants, oil-dry, special tools, shop towels, or other shop supplies;
- (xix) the cost of normal maintenance services, including, but not limited to, checks, adjustments, and shimming, engine tune-ups, replacement of fuses, and engine fuel system cleaning, such as replacing fuel filters, cleaning, setting, or replacement of components due to fuel contamination, normal wear and/or low pressure, and repair of corrosion, decay and deterioration to items such as radiators and coolers:
- (xx) repairs subsequent to, or in connection with, unauthorized modification of, or "field fixes" to, the Goods;

- (xxi) claims in respect of a complete assembly, if the combined cost of parts and labor to repair the assembly are less than the replacement cost of the entire assembly, other than with the prior written authorization of the Provider or at the direction of the manufacturer of the Goods:
 - (xxii) claims in respect of the inspection or reconditioning of the Goods:
- (xxiii) any duplicate, repeat, or comeback repair resulting from improper diagnosis, testing, or poor service work within sixty (60) days after a protected failure;
- (xxiv) the cost of removing optional equipment or attachments that were installed without the prior written permission of the Provider, including, but not limited to, loaders, duals, and tanks;
- (xxv) Goods sold "as is", other than with the written authorization of the Provider at the time of sale:
 - (xxvi) lost or stolen equipment;
 - (xxvii) costs related to the failure of a part replaced pursuant to an OEM parts warranty;
- (xxviii) original equipment repair of Goods covered by a warranty issued to the retail purchaser; or repair covered by the manufacturer under a field campaign or recall policy;
- (xxix) diagnosis, except according to published CNH labor time schedules in respect of hydraulic pump testing;
 - (xxx) parts or repairs covered by a warranty supplied by the parts manufacturer;
 - (xxxi) repairs to CNH remanufactured fuel injection pumps (as such pumps must be replaced);
 - (xxxii) ensuing loss arising from a failure, including, without limitation, such loss caused by fire;
 - (xxxiii) severe usage, unless the Plan provides otherwise:
- (xxxiv) severe duty applications, including, without limitation, the use of Goods in demolition, foundry, scrap, waste recycling, landfill, mining, tree mowing, or forestry work or in the warehousing of chemicals, unless the Plan specifies otherwise.
- (e) Reimbursement under the Plan shall not extend to failure due to tampering with, adjustments or additions of components to, or replacements for Goods, when such actions could contribute to increasing the published horsepower rating of any engine-powered Goods.
- (f) Any part installed on the Goods, if such part is under a manufacturer's whole goods warranty or service parts warranty, shall be deemed to be under whichever of such warranties that terminates last.
- 23. THE REMEDIES OF HAVING A DEFECT IN MATERIAL OR WORKMANSHIP REPAIRED. OR HAVING DEFECTIVE MATERIALS REPLACED, AT A SERVICE CENTER AUTHORIZED BY THE PROVIDER UNDER THE TERMS AND CONDITIONS OF THE PLAN ARE THE CUSTOMER'S EXCLUSIVE REMEDIES UNDER THE PLAN AND ARE IN LIEU OF ANY OTHER REMEDY OR REMEDIES OTHERWISE AVAILABLE.

- 24. Only the Provider has any liability in respect of claims made under the Plan.
- 25. The Plan does not provide protection in respect of any agricultural tractor used in a scraper, earthmoving or non-agricultural application for which the Customer receives compensation unless such tractor is designated by its manufacturer as suitable for such application. A Customer using a scraper on his or her own farm to level land for agricultural crop preparation may use an agricultural tractor in such application for not more than (50%) of such tractor's total annual hours of operation; exceeding this limit in any period of twelve (12) consecutive months will make such tractor ineligible for further protection under the Plan. Use of an agricultural tractor in any of the following commercial applications will make such tractor ineligible for further protection under the Plan: site preparation, excavation, pond-building and forestry applications.
- 26. The terms and conditions set out herein supercede and replace any and all agreements, representations, understandings, and terms and conditions whatsoever made by any party whatsoever prior to the issuance hereof to the Customer and contain the entire understanding of the Customer, and all other parties named herein, with respect to the subject matter hereof. The unenforceability of any term or condition set out herein shall not be construed to limit the enforceability of any other term or condition set out herein. The waiver or non-enforcement by a party named herein, other than the Customer, of a right, requirement, term or condition set out herein shall not operate in law or in equity to prevent such party from later enforcing such or similar rights, requirements, terms or conditions. No changes may be made to the Plan unless approved by the Provider in writing.
- 27. The Plan shall be interpreted for all purposes in accordance with the laws of the state of Wisconsin.
- 28. The Plan does not guarantee days or time of service. The Provider is not liable for any damages whatsoever arising out of delays, either before or after a day or time of service is agreed upon.
- 29. If the Provider pays for repairs under this Plan and the Customer is also repaid for the same repairs by someone else, the Customer's payment will become the Provider's property up to the amount that the Provider paid for the repairs.

Master Parts Schedule- New Construction Equipment (see exclusions in PPP Policy Document)

Powertrain Only	Powertrain Plus	Powertrain Plus	Full Machine		
	Electronics	Hydraulics			
The Powertrain Only coverage	Powertrain Plus Electronics	Powertrain Plus Hydraulics	Full Machine includes the Powertrain		
provides for the following engine and driveline	includes Powertrain Only Components along with the	includes the Powertrain Only	Only,		
Components. Any Component	following Major Components	components along with the following Major Component	Powertrain Plus Electronics, and Powertrain Plus Hydraulics, along		
not listed below is not covered	systems:	systems:	with the following Major Component		
under the Powertrain Only Coverage.	Drive Train Electronic	Hydraulics	systems:		
	Controls	Main Hydraulic Pump	Fuel system		
<u>Engine</u>	Traction Control System	Steering pump	Fuel Transfer/ lift pumps,		
All internal, lubricated parts	Electronic Control Module	Main control valves	Injection pumps and lines that do		
that are captured between the valve cover and oil pan,	Wheel Speed Sensor	Hydraulic lift cylinders	not fall into the Emissions Warranty		
cylinder block and head, front	Brake Proportional Solenoid Valve	Hydraulic lift/dump cylinders Hydraulic steering cylinders	guidelines.		
cover and flywheel housing,	On / Off Pilot Solenoid Valve	Hydraulic boom cylinders	Electrical		
turbocharger and water pump.	Articulation Angle Position	Hydraulic stick cylinders	Wiring harnesses		
	Sensor	Hydraulic bucket cylinders	Sensors		
Drive Line	Brake Pressure Reducing		Instruments		
Drive (flex) plates/flywheel Drive axle assembly	Valve	Hoses, excluding external	Gauges		
Drive couplings	Drive Train Electronic Control Module	packing, seals, o-rings and bonded washers, quick	Indicators Circuit Breakers		
Drive shafts	Brake Position Sensor	connects.	Relays		
Final drive/planetary			Switches		
Hydraulic Drive Motor (on	Implement Electronic Controls	O-ring failures in hoses,	Motors		
Hydrostatically Driven units only, including Excavators)	Implement Electronic Control	not related to loose	Joysticks		
Hydraulic Drive Pump(on	Module Frame Level Control	fittings or worn out	Hydraulics		
Hydrostatically driven units	Linkage Position Sensor	seals, are covered.	Steering Hydraulic Components		
Only, including Excavators)	Control Lever Position Sensor		2.55g 11, a.		
Hydraulic Pump (when used			Chassis/ Frame/Cab		
as a Swing Reducer) Transmission	Exclusions:		Weldment failures		
Torque converter	Wiring Harnesses, Instruments		A/C system (excludes Dryer Failures)		
Track Steering Brakes	Gauges		Exhaust system: includes		
Transfer Gear Group	Resistors	,	manifolds and muffler		
Transmission Charge Pump	Indicators		Internal door latch mechanisms/		
Transmission/Transmission	Light Bulbs		Weldment failures		
Control Valve Turntable Bearing/ Swing	Circuit Breakers		Cooling System:		
Gear/ Hydraulic Swivel	Fuses Switches		Radiator and cooler failures not related to corrosion, decay, or		
Electronic Engine Controls	Motors		deterioration		
Injection Pumps	Electric Joysticks				
Wet Brakes/Wet clutch	Batteries		Exclusions: Comfort Items listed in		
MFWD Assemblies			policy document		
	·-				
			The state of the s		
		1	1		

*Note: Emissions and Parts Warranty related failures should be filed back to the manufacturer, and NOT through PPP; in accordance with the manufacturer's operating guidelines and conditions

**Note: Field Campaigns/factory directed repairs should NOT be filed through the PPP.

Please direct to the Manufacturer.

Revised 7.24.2007

MASTER PARTS SCHEDULE - USED CONSTRUCTION EQUIPMENT

POWERTRAIN

ENGINE

Engine Block Cylinder Liners Front & Rear Engine Covers Crankshaft Crankshaft Bearings & Gear Front & Rear Crankshaft Seals Flywheel, Ring Gear Cylinder Heads Rocker Arm Assembly Valves (Intake / Exhaust) Valve Cover Camshaft Camshaft Bearings Camshaft Drive Gear **Timing Gears** Accessory Gears Pistons & Rings

Connecting Rods & Bearings

Turbocharger

Oil Pump

Oil Pan

TRANSMISSION

Transmission Case Counter Shaft Clutch Transmission Pump Torque Converter Pump Transmission Gears, Bearings, & Shafts Torque Converter Splitter Drive Transfer Drive Hydraulic Transmission-Control Valves Hydrostatic Transmission Charge Pump Hydrostatic Transmission Variable-Displacement Pump Hydrostatic Transmission Rotary Group. Internal Transmission Control Linkage

Final Drive Planetary Gears Final Drive Pinion

Differential Pinion Gear / Ring

DIFFERENTIAL / FINAL DRIVE

Planetary Gear Carrier

Differential Housing

Drive Axle Hub

Gear

DIFFERENTIAL / FINAL DRIVE (HYDROSTATIC EQUIPMENT)

Hydraulic Drive Pump Hydraulic Drive / Travel Motor Swing Motor and Swing Gear Box Control Valve (Travel and Swing functions only. Travel & Swing sections of valve, Excludes Dig Functions)

DRIVE LINE

Axle Shaft

AIR COMPRESSOR

Air end (excludes separator)

COMPACTION/PAVING **EQUIPMENT**

Propulsion System Hydraulic Components Torque Hubs Pump Drive Splitter Box Reduction Unit Vibration System Hydraulic Components Eccentric Mechanism & bearings

POWERTRAIN PLUS HYDRAULICS

Pumps Valves

Hydraulic cylinders

Exclusions: packing, seals, o-rings, bonded washers, hoses, couplers, filters, quick connect, pipes, breathers and oil

The following wear item parts are NOT covered:

Water Pump Clutch Plates (wet only) Fuel Lift Pump Clutch Discs (wet only) Injection Pump Wet steering clutches Damper Drive Shaft Support Bearing Universal Joints Mud Pump