



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

**request for
 Quotation**

RFO NUMBER
CDR61399

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF
**JOHN ABBOTT
 304-558-2544**

*619160639 304-344-5252
STORAGELOGIC OF WV INC
3501 MACCORKLE AVE #147
CHARLESTON WV 25304

DIVISION OF CORRECTIONS
617 LEON SULLIVAN WAY
CHARLESTON, WV
25301 304-558-8045

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
02/23/2009				

BID OPENING DATE: **03/05/2009** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
ADDENDUM #01						
THIS ADDENDUM IS ISSUED TO CLARIFY ANDF MODIFY THE ORIGINAL SPECIFICATIONS, PER THE ATTACHED; AND EXTEND THE BID OPENING DATE TO 3/5/2009.						
REVISED BID OPENING DATE: 3/5/2009						
0001	1	LS		425-68	34,835.00	34,835.00
ROTARY FILING SYSTEMS						
***** THIS IS THE END OF RFQ CDR61399 *****						TOTAL: 34,835.00
						2009 MAR -14 PM 3:24
						WV PURCHASING DIVISION

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE: *[Signature]* TELEPHONE: **304-590-6802** DATE: **3/2/09**

TITLE: **SALES MGR** FEIN: **261741399** ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

**Request for
 Quotation**

RFQ NUMBER
COR61399

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF
**JOHN ABBOTT
 304-558-2544**

RFQ COPY
 TYPE NAME/ADDRESS HERE

**STORAGElogic of WV, INC.
 3501 MacCorkle Ave #147
 Charleston, WV 25304**

**DIVISION OF CORRECTIONS
 617 LEON SULLIVAN WAY
 CHARLESTON, WV
 25301 304-558-8045**

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
02/01/2009				

BID OPENING DATE: **02/26/2009** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOF	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	1	LS		425-68	34,835.00	34,835.00
<p>ROTARY FILING SYSTEMS</p> <p>PROVIDE ALL LABOR, DELIVERY, MATERIALS, AND EQUIPMENT NECESSARY TO INSTALL A HIGH DENSITY FILING SYSTEM FOR THE WEST VIRGINIA DIVISION OF CORRECTIONS, PER THE SPECIFICATIONS.</p> <p>MANDATORY ON-SITE PRE-BID: 2/18/2009; 10:30 AM CONERSTONE BUILDING 1409 GREENBRIER STREET CHARLESTON, WV 25311</p> <p>EXHIBIT 10</p> <p>REQUISITION NO.:</p> <p>ADDENDUM ACKNOWLEDGEMENT</p> <p>I HEREBY ACKNOWLEDGE RECEIPT OF THE FOLLOWING CHECKED ADDENDUM(S) AND HAVE MADE THE NECESSARY REVISIONS TO MY PROPOSAL, PLANS AND/OR SPECIFICATION, ETC.</p> <p>ADDENDUM NO.'S: NO. 1 NO. 2 NO. 3</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE: *Amey Smith* TELEPHONE: **304-590-6802** DATE: **3/2/09**

TITLE: *Sales Mgr* FEIN: **261741399** ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

**Request for
 Quotation**

RFQ NUMBER
COR61399

PAGE
2

ADDRESS CORRESPONDENCE TO ATTENTION OF
**JOHN ABBOTT
 304-558-2544**

RFQ COPY
 TYPE NAME/ADDRESS HERE

DIVISION OF CORRECTIONS
 617 LEON SULLIVAN WAY
 CHARLESTON, WV
 25301 304-558-8045

DATE PRINTED	TERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
02/01/2009				

BID OPENING DATE: **02/26/2009** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
	NO. 4					
	NO. 5					
<p>I UNDERSTAND THAT FAILURE TO CONFIRM THE RECEIPT OF THE ADDENDUM(S) MAY BE CAUSE FOR REJECTION OF BIDS.</p> <p>VENDOR MUST CLEARLY UNDERSTAND THAT ANY VERBAL REPRESENTATION MADE OR ASSUMED TO BE MADE DURING ANY ORAL DISCUSSION HELD BETWEEN VENDOR'S REPRESENTATIVES AND ANY STATE PERSONNEL IS NOT BINDING. ONLY THE INFORMATION ISSUED IN WRITING AND ADDED TO THE SPECIFICATIONS BY AN OFFICIAL ADDENDUM IS BINDING.</p> <p>..... SIGNATURE <i>Amey Smith</i> STORAGElogic WV, Inc COMPANY 3/2/09 DATE</p> <p>NOTICE</p> <p>A SIGNED BID MUST BE SUBMITTED TO:</p> <p>DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION BUILDING 15 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25305-0130</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE *Amey Smith* TELEPHONE **304-590-6802** DATE **3/2/09**

TITLE *Sales Manager* FEIN **261741399** ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
COR61399

PAGE
3

ADDRESS CORRESPONDENCE TO ATTENTION OF
JOHN ABBOTT
304-558-2544

RFQ COPY
 TYPE NAME/ADDRESS HERE

DIVISION OF CORRECTIONS
617 LEON SULLIVAN WAY
CHARLESTON, WV
25301 304-558-8045

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
02/01/2009				

BID OPENING DATE: **02/26/2009** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UCP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>THE BID SHOULD CONTAIN THIS INFORMATION ON THE FACE OF THE ENVELOPE OR THE BID MAY NOT BE CONSIDERED:</p> <p>SEALED BID</p> <p>BUYER: JOHN ABBOTT-----</p> <p>RFQ. NO.: COR61399-----</p> <p>BID OPENING DATE: 2/26/2009-----</p> <p>BID OPENING TIME: 1:30 PM-----</p> <p>PLEASE PROVIDE A FAX NUMBER IN CASE IT IS NECESSARY TO CONTACT YOU REGARDING YOUR BID: <u>866-298-4083</u>-----</p> <p>CONTACT PERSON (PLEASE PRINT CLEARLY): <u>Amy Smith</u>-----</p> <p>***** THIS IS THE END OF RFQ COR61399 ***** TOTAL: <u>34,835.00</u></p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS			
SIGNATURE <i>Amy Smith</i>	TELEPHONE 304-590-6802	DATE 3/2/09	
TITLE Sales Mgr	FEIN 261741399	ADDRESS CHANGES TO BE NOTED ABOVE	

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

ACORD CERTIFICATE OF LIABILITY INSURANCE

OP ID SG
STORA-4

DATE (MM/DD/YYYY)
03/03/09


PRODUCER Insurance Incorporated 2 Park Center Court Owings Mills, MD 21117 Phone: 410-753-1900 Fax: 410-753-1899	THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW.	
	INSURERS AFFORDING COVERAGE	NAIC #
INSURED StorageLogic of West Virginia David C. Long 47 Loveton Circle, Suite Q Sparks MD 21152	INSURER A: The Hartford Ins. Group	29424
	INSURER B: Hartford Casualty Insurance Co	
	INSURER C:	
	INSURER D:	
	INSURER E:	

COVERAGES

THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. AGGREGATE LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR ADD'L LTR	INSRD	TYPE OF INSURANCE	POLICY NUMBER	POLICY EFFECTIVE DATE (MM/DD/YY)	POLICY EXPIRATION DATE (MM/DD/YY)	LIMITS	
B		GENERAL LIABILITY	30SBAUG5959	06/14/08	06/14/09	EACH OCCURRENCE	\$ 1,000,000
		<input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY				DAMAGE TO RENTED PREMISES (Ea occurrence)	\$ 300,000
		<input type="checkbox"/> CLAIMS MADE <input checked="" type="checkbox"/> OCCUR				MED EXP (Any one person)	\$ 10,000
						PERSONAL & ADV INJURY	\$ 1,000,000
						GENERAL AGGREGATE	\$ 2,000,000
						PRODUCTS - COMP/OP AGG	\$ 2,000,000
						GEN'L AGGREGATE LIMIT APPLIES PER: <input type="checkbox"/> POLICY <input type="checkbox"/> PRO-JECT <input type="checkbox"/> LOC	
		AUTOMOBILE LIABILITY				COMBINED SINGLE LIMIT (Ea accident)	\$
		<input type="checkbox"/> ANY AUTO				BODILY INJURY (Per person)	\$
		<input type="checkbox"/> ALL OWNED AUTOS				BODILY INJURY (Per accident)	\$
		<input type="checkbox"/> SCHEDULED AUTOS				PROPERTY DAMAGE (Per accident)	\$
		<input type="checkbox"/> HIRED AUTOS					
		GARAGE LIABILITY				AUTO ONLY - EA ACCIDENT	\$
		<input type="checkbox"/> ANY AUTO				OTHER THAN AUTO ONLY: EA ACC	\$
						AGG	\$
B		EXCESS/UMBRELLA LIABILITY	30SBAUG5959	06/14/08	06/14/09	EACH OCCURRENCE	\$ 5,000,000
		<input checked="" type="checkbox"/> OCCUR <input type="checkbox"/> CLAIMS MADE				AGGREGATE	\$ 5,000,000
		<input type="checkbox"/> DEDUCTIBLE					\$
		<input checked="" type="checkbox"/> RETENTION \$10,000					\$
A		WORKERS COMPENSATION AND EMPLOYERS' LIABILITY	30WECIS8372	07/01/08	07/01/09	WC STATU-TORY LIMITS	OTH-ER
		ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? If yes, describe under SPECIAL PROVISIONS below				E.L. EACH ACCIDENT	\$ 500000
						E.L. DISEASE - EA EMPLOYEE	\$ 500000
						E.L. DISEASE - POLICY LIMIT	\$ 500000
B		Property Section	30SBAUG5959	06/14/08	06/14/09		

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES / EXCLUSIONS ADDED BY ENDORSEMENT / SPECIAL PROVISIONS

CERTIFICATE HOLDER DIVIOFC State of West Virginia, The Division of Corrections	CANCELLATION SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, THE ISSUING INSURER WILL ENDEAVOR TO MAIL <u>30</u> DAYS WRITTEN NOTICE TO THE CERTIFICATE HOLDER NAMED TO THE LEFT, BUT FAILURE TO DO SO SHALL IMPOSE NO OBLIGATION OR LIABILITY OF ANY KIND UPON THE INSURER, ITS AGENTS OR REPRESENTATIVES. AUTHORIZED REPRESENTATIVE 
--	--

ACORD CERTIFICATE OF LIABILITY INSURANCE

OP ID SG
STORA-4

DATE (MM/DD/YYYY)
03/03/09


PRODUCER Insurance Incorporated 2 Park Center Court Owings Mills, MD 21117 Phone: 410-753-1900 Fax: 410-753-1899	THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW.	
	INSURERS AFFORDING COVERAGE	NAIC #
INSURED StorageLogic of West Virginia David C. Long 47 Loveton Circle, Suite Q Sparks MD 21152	INSURER A: The Hartford Ins. Group	29424
	INSURER B: Hartford Casualty Insurance Co	
	INSURER C:	
	INSURER D:	
	INSURER E:	


COVERAGES

THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. AGGREGATE LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR ADD'L LTR	INSRD	TYPE OF INSURANCE	POLICY NUMBER	POLICY EFFECTIVE DATE (MM/DD/YY)	POLICY EXPIRATION DATE (MM/DD/YY)	LIMITS	
B		GENERAL LIABILITY	30SBAUG5959	06/14/08	06/14/09	EACH OCCURRENCE	\$ 1,000,000
		<input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY				DAMAGE TO RENTED PREMISES (Ea occurrence)	\$ 300,000
		<input type="checkbox"/> CLAIMS MADE <input checked="" type="checkbox"/> OCCUR				MED EXP (Any one person)	\$ 10,000
						PERSONAL & ADV INJURY	\$ 1,000,000
						GENERAL AGGREGATE	\$ 2,000,000
						PRODUCTS - COMP/OP AGG	\$ 2,000,000
		GEN'L AGGREGATE LIMIT APPLIES PER: <input type="checkbox"/> POLICY <input type="checkbox"/> PRO-JECT <input type="checkbox"/> LOC					
		AUTOMOBILE LIABILITY				COMBINED SINGLE LIMIT (Ea accident)	\$
		<input type="checkbox"/> ANY AUTO				BODILY INJURY (Per person)	\$
		<input type="checkbox"/> ALL OWNED AUTOS				BODILY INJURY (Per accident)	\$
		<input type="checkbox"/> SCHEDULED AUTOS				PROPERTY DAMAGE (Per accident)	\$
		GARAGE LIABILITY				AUTO ONLY - EA ACCIDENT	\$
		<input type="checkbox"/> ANY AUTO				OTHER THAN AUTO ONLY: EA ACC	\$
						AGG	\$
B		EXCESS/UMBRELLA LIABILITY	30SBAUG5959	06/14/08	06/14/09	EACH OCCURRENCE	\$ 5,000,000
		<input checked="" type="checkbox"/> OCCUR <input type="checkbox"/> CLAIMS MADE				AGGREGATE	\$ 5,000,000
		<input type="checkbox"/> DEDUCTIBLE					\$
		<input checked="" type="checkbox"/> RETENTION \$10,000					\$
A		WORKERS COMPENSATION AND EMPLOYERS' LIABILITY	30WECIS8372	07/01/08	07/01/09	WC STATU-TORY LIMITS	OTH-ER
		ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? If yes, describe under SPECIAL PROVISIONS below				E.L. EACH ACCIDENT	\$ 500000
		OTHER				E.L. DISEASE - EA EMPLOYEE	\$ 500000
B		Property Section	30SBAUG5959	06/14/08	06/14/09	E.L. DISEASE - POLICY LIMIT	\$ 500000

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES / EXCLUSIONS ADDED BY ENDORSEMENT / SPECIAL PROVISIONS



CERTIFICATE HOLDER Insurance Verification Only	CANCELLATION SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, THE ISSUING INSURER WILL ENDEAVOR TO MAIL <u>30</u> DAYS WRITTEN NOTICE TO THE CERTIFICATE HOLDER NAMED TO THE LEFT, BUT FAILURE TO DO SO SHALL IMPOSE NO OBLIGATION OR LIABILITY OF ANY KIND UPON THE INSURER, ITS AGENTS OR REPRESENTATIVES.
	AUTHORIZED REPRESENTATIVE 



Project No:
 Drawn By: AS
 Saved Date: 03/02/2009
 Scale: Dept of Corrections
 Filename: FINAL.om
 Revision: Sheet No: 1 of 2

Project Name: **Department of Corrections Bid**





Project Name:

Department of Corrections Bid

Project No:

Drawn By: AS

Saved Date: 03/02/2009

Scale:

Filename: Dept of Corrections FINAL.om

Revision:

Sheet No: 2 of 2



VENDOR PREFERENCE CERTIFICATE

Certification and application* is hereby made for Preference in accordance with West Virginia Code, §5A-3-37. (Does not apply to construction contracts). West Virginia Code, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the West Virginia Code. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

- 1. Application is made for 2.5% resident vendor preference for the reason checked: Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; or, Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or, Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; or,
2. Application is made for 2.5% resident vendor preference for the reason checked: Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
3. Application is made for 2.5% resident vendor preference for the reason checked: Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
4. Application is made for 5% resident vendor preference for the reason checked: Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or,
5. Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; or,
6. Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.

Bidder understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the requirements for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty against such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency or deducted from any unpaid balance on the contract or purchase order.

By submission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and authorizes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid the required business taxes, provided that such information does not contain the amounts of taxes paid nor any other information deemed by the Tax Commissioner to be confidential.

Under penalty of law for false swearing (West Virginia Code, §61-5-3), Bidder hereby certifies that this certificate is true and accurate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate changes during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.

Bidder: STORAGElogic of WV, INC. Signed: [Signature]
Date: 3/2/09 Title: Sales Mgr.

*Check any combination of preference consideration(s) indicated above, which you are entitled to receive.

STATE OF WEST VIRGINIA
Purchasing Division**PURCHASING AFFIDAVIT****VENDOR OWING A DEBT TO THE STATE:**

West Virginia Code §5A-3-10a provides that: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

PUBLIC IMPROVEMENT CONTRACTS & DRUG-FREE WORKPLACE ACT:

If this is a solicitation for a public improvement construction contract, the vendor, by its signature below, affirms that it has a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the **West Virginia Code**. The vendor **must** make said affirmation with its bid submission. Further, public improvement construction contract may not be awarded to a vendor who does not have a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the **West Virginia Code** and who has not submitted that plan to the appropriate contracting authority in timely fashion. For a vendor who is a subcontractor, compliance with Section 5, Article 1D, Chapter 21 of the **West Virginia Code** may take place before their work on the public improvement is begun.

ANTITRUST:

In submitting a bid to any agency for the state of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the state of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the state of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the state of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership or person or entity submitting a bid for the same materials, supplies, equipment or services and is in all respects fair and without collusion or fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.


LICENSING:

Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.

CONFIDENTIALITY:

The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in <http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf>.

Under penalty of law for false swearing (**West Virginia Code §61-5-3**), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

Vendor's Name: STORAGElogic of WV, INC.
Authorized Signature:  Date: 3/2/09



High-Density Mobile Storage

MECHANICAL
ASSIST SYSTEMS


Storage Solved®





 Spacesaver

MOBILE CARRIAGE SYSTEMS

By mounting shelving units and storage cabinets on wheeled carriages that travel on rails, Spacesaver High-Density Mobile Storage Systems eliminate the need for multiple fixed aisles, freeing floor space for other more productive uses.

- Standard Carriage Length Spacesaver Mechanical Assist carriages are available in standard lengths up to 45 feet (13.7m). Greater carriage lengths are possible, depending on system load factors.
- Load Carrying Capacity Each carriage has a minimum load carrying capacity of 1,000 lb. (1,500 kg) per linear foot (meter). Your local Area Contractor can provide weight analyses and offer structural strategies to accommodate heavier system floor loads.
- Flexible Rail Layout By adjusting rail size, spacing and orientation, floor loads can be optimally distributed at practical bearing points.
- Welded-Steel Uniframe Carriage Spacesaver's welded-steel carriages ensure that all drive train components retain their alignment, eliminating binding, racking and misalignment of carriage and shelving. Their rigid, uniframe design has no exposed fasteners to loosen or break.
- Wheels And Rails Carriage wheels and rails are fabricated and precision-machined for maximum strength and system life.
- Optional One-Piece Structural Rail System Available one-piece rail systems have no butt joints or welds. Their tongue-and-groove design restricts lateral movement and provides greater structural rigidity.
- Fully-Grouted Rails All rails are fully supported and grouted to evenly distribute system weight. They are not installed using shims, which can cause carriage rails to flex and the system to malfunction.
- Synchronized Drive System A synchronized drive transmits power to both sides of the carriage, not just one, providing positive tracking – even with unbalanced loads. Not only are system stability and performance enhanced, wear is reduced. Line shaft drive is also available.
- Flexible Guidance Systems To reduce friction and facilitate smoother tracking, Spacesaver carriages are available with a variety of guidance systems. Your local Area Contractor will help you select the system best suited for your application.
- Matched Drive Ratios Spacesaver Mechanical Assist carriages can be equipped with a number of different drive ratios. By appropriately matching the system drive ratio to the load, operation becomes smooth and effortless. Very little force or exertion is needed to open an aisle.
- Chain Tensioner To assure the smoothest possible operation, an integrated chain tensioner can be easily adjusted to fine-tune the carriage drive. This can be accomplished in seconds as a minor service adjustment, without disassembly of the system.
- Recessed Carriage/Welded Shelving Uprights Spacesaver carriages are designed for maximum stability. Their welded steel uprights and recessed mounting of shelving and cabinets enhance the structural integrity of the system. Storage housings become an integral part of the carriage, ensuring that they won't shift position or lose their alignment.
- Anti-Tip Protection Built-in anti-tip devices are engineered to comply with all seismic requirements, providing an extra measure of system stability and safety – even in areas prone to earthquakes.





- Low Profile Rail Design The low-profile design of Spacesaver rail systems is engineered to mount flush with the finished floor. To ensure a proper match with the rest of their environment, system decks and ramps can be covered with virtually any flooring material.
- ADA Compliant To accommodate the personal limitations of individual users, Spacesaver Mechanical Assist Systems can be readily configured to comply with all ADA accessibility requirements.

SYSTEM CONTROLS

- Soft-Touch Ergonomic Handles Comfort and ease of operation are enhanced by our ergonomically designed, soft-touch rotating handles. A variety of optional handle colors are available to match any decor.
- Safety Locks To enhance user safety, unwanted movement can be prevented by a standard safety lock control that has a bright visual indicator showing lock status. For additional safety, optional automatic locks are available which help prevent the system from being closed on an occupied aisle.
- Carriage Safety Sweep/Brake To ensure maximum protection for users and materials being stored, Spacesaver Mechanical Assist systems can be equipped with an optional carriage safety sweep/brake.
- Controlled Access Unauthorized access to any or all aisles can be prevented with optional hub locks which allow individual carriages to be key-locked in closed-aisle position as desired.
- Upgradable To Electric Operation Spacesaver Mechanical Assist Systems can be designed for easy upgrading to electrically-controlled operation. In this way, special programmable features can also be added as your needs change.

SHELVING AND CABINET OPTIONS

- Wide Choice Of Housings Almost any type of storage housing can be mounted on Spacesaver mobile carriages, including your own existing shelving and cabinets.
- Unlimited Shelving Options/Storage Accessories Beyond basic cabinetry, Spacesaver offers you a large assortment of shelving options and storage accessories designed to accommodate virtually anything you wish to store.
- Ability To Reconfigure/Expand System As your storage needs change, Spacesaver shelving and cabinets can typically be reconfigured or expanded to accommodate them.
- Heavy-Duty Shelving Construction For added strength, Spacesaver shelving and cabinets are fabricated using heavy-gauge, cold-rolled steel and extensively reinforced for increased rigidity, improving their ability to support greater shelf loads.
- Wide Array Of Design Options A wide range of colors, finishes, and end-panel materials provides you with design options limited only by your imagination.
- Durable Paint Finishes Spacesaver's powder-coat paint finishes are extremely durable, exceeding the stringent scuff, scratch and chip requirements of the American Library Association.

THE BOTTOM-LINE QUESTION


Why Spacesaver?

As our ISO 9001:2000 certification would suggest, Spacesaver is dedicated to the highest standards of product quality. Equally important is our commitment to customer service, both before the sale and after.

Through our extensive network of local Area Contractors, Spacesaver provides a level of experience and competency that others simply do not. From architectural constraints and building codes to system design and floor-loading, we have the expertise to handle every issue and customer concern.

A storage solution that meets your unique criteria. Single-source turn-key project management. Certified system installation. Ongoing maintenance and support. Spacesaver sets a standard of professionalism, performance and responsiveness that is unmatched. We live up to our customer commitments and have the references to prove it.

You can rely on The Spacesaver Group.



Spacesaver Corporation
1450 Janesville Avenue
Fort Atkinson, WI 53538-2798
1-800-492-3434
www.spacesaver.com



KI
1330 Bellevue Street
P.O. Box 8100
Green Bay, WI 54302-8100
1-800-424-2432
www.ki.com


Library Shelving & Display Systems

CANTILEVER
SHELVING SYSTEMS


Storage Solved®




Spacesaver




Welded-Frame Shelving Uprights Fully-welded steel frame with 14-gauge uprights provides superior strength. No cross-bracing is required. Frame will accept most types of existing cantilever shelves. Optional mid tubular spreaders are available for seismic compliance.




Triple-Bend Shelf Construction Far stronger than conventional double-bend fabrication. Eliminates sharp exposed edges for user safety.




Interlocking Shelf End Brackets Smooth, clean design with rounded edges to help prevent book "knifing." Interlocking tabs lock shelves securely to uprights.





Location Indicators For easy shelf alignment, indicator holes are spaced every 6" (150 mm). Shelf height is fully adjustable in 1" (25 mm) increments.




Gusset To help meet seismic requirements, a metal gusset is welded to the base support and bolted to the upright to provide added strength and rigidity in both mobile and stationary shelving configurations.



Base Shelf Fixed base shelf with integral 3" (75 mm) kickplate for stationary applications. For mobile systems, the base shelf can be replaced with a 1" (25 mm) adjustable shelf to provide 2" (50 mm) more storage height.



Shear Tabs Exclusive interlocking shear tabs securely join the base support to the frame for maximum stability, providing a more secure mount than conventional "wrap around" design.





SPACESAVER CANTILEVER SHELVING SYSTEMS

Design Features

Due to their rugged strength and pleasing aesthetic design, Spacesaver Cantilever Shelving and Display Systems are ideal for academic, corporate, public and legal libraries, as well as many general office applications.


- Unlimited Shelving Options Designed to adapt to both stationary and mobile storage applications, Spacesaver Cantilever Shelving (also known as Bookstack) offers you a comprehensive range of options and storage accessories to meet your specific needs and accommodate a wide array of media formats.
- Heavy-Duty Shelving Construction Spacesaver Cantilever Shelving Systems are engineered for stability, strength and rugged functionality. Their sturdy, heavy-gauge steel, welded-frame construction meets or exceeds American Library Association standards for structural integrity.
- Anti-Tip Protection Our Cantilever Shelving Systems can be equipped with overhead tie devices engineered for mobile or stationary applications or floor anchored to help comply with seismic requirements, providing an extra measure of system stability and safety – even in areas prone to earthquakes.
- Ability To Reconfigure/Expand System Easily assembled, disassembled and reassembled, Spacesaver Cantilever Shelving Systems are designed to conveniently reconfigure, relocate or expand as your storage needs change.
- Wide Array Of Design Options Your design options are virtually unlimited. Spacesaver Cantilever Shelving Systems are available in an imaginative range of colors, as well as end panel materials and finishes to complement and match any décor.
- Durable Paint Finishes Spacesaver's powder-coat paint finishes are extremely durable, meeting or exceeding the stringent scuff, scratch and chip requirements of the American Library Association.






SPACESAVER CANTILEVER SHELVING SYSTEMS


Specialty Shelves & Accessories




Zig-Zag Display Backstop For merchandising a variety of audio-visual and paperback media.




Pull-Out Reference Shelf For convenience in referencing shelved materials. 50 lb. (23 kg) load capacity.




Multimedia Shelf Each shelf will hold approximately 26 VHS tapes or 80 CDs. Can also be used to store paperback media.




Two-Tier Sloped VHS & CD Shelf Each 36" (914 mm) shelf holds approximately 56 VHS tapes (28 per tier) or 168 CDs (84 per tier).




Media Bag Rack Designed to hang large or small media bags from a 36" (914 mm) rod.




Flat Storage Shelf Includes end brackets – can be used for storage under a fixed display shelf.



Fixed Display Shelf 11" (279 mm) high – sloped display for merchandising of books, tapes and periodicals.




Periodical Display Shelf (Closed) Hinged with plexiglass cover. Sloped display is 14" (355 mm) high. Flat storage shelf is 12" (305 mm) deep.




Periodical Display Shelf (Open) Hinged and sloped display surface is 14" (355 mm) high. Flat storage shelf is 12" (305 mm) deep.


FOR A MORE COMPLETE INVENTORY OF ACCESSORIES AND
OPTIONS, SEE SPACESAVER'S LIBRARY SHELVING CATALOG.




Hanging Wire Support Squeeze type, available in three sizes for five different shelf depths.




Snap-In Hanging Wire Support Available in four different sizes.




Integral Low-Back Dividers For low-back shelves, available in three sizes for five different shelf depths.




Steel Book Supports
Available as:
(A.) findable book supports,
(B.) flat book ends, or
(C.) clip-on book supports.




Multimedia Browsing Box Each 36" wide (914 mm) unit stores approximately 42 VHS tapes or 100 CDs.




Two-Tier Multimedia Browsing Box Divider type – each 36" wide (914 mm) unit stores approximately 48 VHS or 110 CDs.




Two-Tier Audio Cassette Tape Shelf Each 36" (914 mm) shelf holds approximately 100 audio cassette tapes (50 per tier).




Six-Tier Newspaper Rack Efficiently displays up to six newspapers for easy identification and retrieval.




Sloped Adjustable Shelves With Integral Low-Back Shelf is sloped to aid viewing of displayed items. Unit is compatible with integral low-back dividers.



Aisle Identification Options
Optional range finders and card holders make locating and reshelving of materials fast and easy.



Canopy Light Illuminates display shelves and brightens dimly lit alcoves. Includes white prismatic diffuser.



Offset Centerstop Eliminates the need for two independent shelf backstops. Can increase shelf depth by 1" (25 mm).



Photograph by David Wakely

THE BOTTOM-LINE QUESTION

Why Spacesaver?

As our ISO 9001 certification would suggest, Spacesaver is dedicated to the highest standards of product quality. Equally important is our commitment to customer service, both before the sale and after.


Through our extensive network of local Area Contractors, Spacesaver provides a level of experience and competency that others simply do not. From architectural constraints and system design to book moves and floor-loading, we have the expertise to handle every issue and customer concern.

A shelving solution that meets your unique criteria. Single-source turn-key project management. Certified system installation. Ongoing maintenance and support. Spacesaver sets a standard of professionalism, performance and responsiveness that is unmatched. We live up to our customer commitments and have the references to prove it.

You can rely on The Spacesaver Group.

ASK US FOR A PROFESSIONAL ASSESSMENT OF YOUR SHELVING NEEDS

Spacesaver's team of experienced Area Contractors are proven problem solvers who can make an invaluable contribution to your planning process. For a qualified professional assessment of your shelving needs, give us a call at 1-800-492-3434. There is no cost or obligation.



Spacesaver Corporation
1450 Janesville Avenue
Fort Atkinson, WI 53538-2798
1-800-492-3434
www.spacesaver.com



KI
1330 Bellevue Street
P.O. Box 8100
Green Bay, WI 54302-8100
1-800-424-2432
www.ki.com