



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

**Request for
 Quotation**

RFO NUMBER
DEFK9020

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF
**JOHN ABBOTT
 304-558-2544**

TURMAN CONSTRUCTION
 P. O. Box 460
 Barboursville, WV 25504

**DIV ENGINEERING & FACILITIES
 CAMP DAWSON ARMY TRAINING SITE
 240 ARMY ROAD**

**KINGWOOD, WV
 26537-1077 304-329-4417**

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B	FREIGHT TERMS
03/12/2009				

BID OPENING DATE: **04/15/2009** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	1	LS		962-73		
<p>RECLAMATION: RESTORATION OF LAND & OTHER PROPERTIES</p> <p>CONTRACT TO PROVIDE ALL LABOR, MATERIALS, AND EQUIPMENT NECESSARY TO REPAIR THE ROAD SLIP AT THE WV ARMY NATIONAL GUARD, CAMP DAWSON, KINGWOOD, WV, PER THE SPECIFICATIONS.</p> <p>MANDATORY ON-SITE PRE-BID: CAMP DAWSON 240 ARMY ROAD KINGWOOD, WV 3/30/2009; 1:30 PM</p> <p>EXHIBIT 5</p> <p>WEST VIRGINIA CODE 21-1D-5 PROVIDES THAT: ANY SOLICITATION FOR A PUBLIC IMPROVEMENT CONSTRUCTION CONTRACT REQUIRES EACH VENDOR THAT SUBMITS A BID FOR THE WORK TO SUBMIT AT THE SAME TIME AN AFFIDAVIT OF COMPLIANCE WITH THE BID. THE ENCLOSED DRUG-FREE WORKPLACE AFFIDAVIT MUST BE SIGNED AND SUBMITTED WITH THE BID AS EVIDENCE OF THE VENDOR'S COMPLIANCE WITH THE PROVISIONS OF ARTICLE 1D, CHAPTER 21 OF THE WEST VIRGINIA CODE. FAILURE TO SUBMIT THE SIGNED DRUG-FREE WORKPLACE AFFIDAVIT WITH THE BID SHALL RESULT IN DISQUALIFICATION OF SUCH BID.</p> <p>NOTICE TO PROCEED: THIS CONTRACT IS TO BE PERFORMED WITHIN 60 CALENDAR DAYS AFTER THE NOTICE TO PROCEED IS RECEIVED. UNLESS OTHERWISE SPECIFIED, THE FULLY EXECUTED PURCHASE ORDER WILL BE CONSIDERED NOTICE TO PROCEED.</p>						

RECEIVED
 2009 APR 22 PM 1:00
 WV PURCHASING
 DIVISION

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE *[Signature]* TELEPHONE **304 525 9485** DATE **4/22/09**

TITLE **President** FEIN **26-1621615** ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

**GENERAL TERMS & CONDITIONS
REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)**

1. Awards will be made in the best interest of the State of West Virginia.
2. The State may accept or reject in part, or in whole, any bid.
3. All quotations are governed by the *West Virginia Code* and the *Legislative Rules* of the Purchasing Division.
4. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
5. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods, this Purchase Order/Contract becomes void and of no effect after June 30.
6. Payment may only be made after the delivery and acceptance of goods or services.
7. Interest may be paid for late payment in accordance with the *West Virginia Code*.
8. Vendor preference will be granted upon written request in accordance with the *West Virginia Code*.
9. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
10. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
11. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern all rights and duties under the Contract, including without limitation the validity of this Purchase Order/Contract.
12. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
13. **BANKRUPTCY:** In the event the vendor/contractor files for bankruptcy protection, this Contract may be deemed null and void, and terminated without further order.
14. **HIPAA BUSINESS ASSOCIATE ADDENDUM:** The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, and available online at the Purchasing Division's web site (<http://www.state.wv.us/admin/purchase/vrc/hipaa.htm>) is hereby made part of the agreement. Provided that, the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
15. **WEST VIRGINIA ALCOHOL & DRUG-FREE WORKPLACE ACT:** If this Contract constitutes a public improvement construction contract as set forth in Article 1D, Chapter 21 of the West Virginia Code ("The West Virginia Alcohol and Drug-Free Workplace Act"), then the following language shall hereby become part of this Contract: "The contractor and its subcontractors shall implement and maintain a written drug-free workplace policy in compliance with the West Virginia Alcohol and Drug-Free Workplace Act, as set forth in Article 1D, Chapter 21 of the West Virginia Code. The contractor and its subcontractors shall provide a sworn statement in writing, under the penalties of perjury, that they maintain a valid drug-free work place policy in compliance with the West Virginia and Drug-Free Workplace Act. It is understood and agreed that this Contract shall be cancelled by the awarding authority if the Contractor: 1) Fails to implement its drug-free workplace policy; 2) Fails to provide information regarding implementation of the contractor's drug-free workplace policy at the request of the public authority; or 3) Provides to the public authority false information regarding the contractor's drug-free workplace policy."

INSTRUCTIONS TO BIDDERS

1. Use the quotation forms provided by the Purchasing Division.
2. **SPECIFICATIONS:** Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as **EQUAL** to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
3. Complete all sections of the quotation form.
4. Unit prices shall prevail in case of discrepancy.
5. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
6. **BID SUBMISSION:** All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DEFK9020

PAGE
2

ADDRESS CORRESPONDENCE TO ATTENTION OF:
JOHN ABBOTT
304-558-2544

RFQ COPY
 TYPE NAME/ADDRESS HERE

VENDOR

SHIP TO

DIV ENGINEERING & FACILITIES
CAMP DAWSON ARMY TRAINING SITE
240 ARMY ROAD

KINGWOOD, WV
26537-1077 304-329-4417

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
03/12/2009				

BID OPENING DATE: **04/15/2009** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>CANCELLATION: THE DIRECTOR OF PURCHASING RESERVES THE RIGHT TO CANCEL THIS CONTRACT IMMEDIATELY UPON WRITTEN NOTICE TO THE VENDOR IF THE MATERIALS OR WORKMANSHIP SUPPLIED ARE OF AN INFERIOR QUALITY OR DO NOT CONFORM WITH THE SPECIFICATIONS OF THE BID AND CONTRACT HERE IN.</p> <p>WAGE RATES: THE CONTRACTOR OR SUBCONTRACTOR SHALL PAY THE HIGHER OF THE U.S. DEPARTMENT OF LABOR MINIMUM WAGE RATES AS ESTABLISHED FOR PRESTON COUNTY, PURSUANT TO WEST VIRGINIA CODE 21-5A, ET, SEQ. (PREVAILING WAGE RATES APPLY TO THIS PROJECT)</p> <p>ARBITRATION: ANY REFERENCES MADE TO ARBITRATION OR INTEREST FOR PAYMENTS DUE (EXCEPT FOR ANY INTEREST REQUIRED BY STATE LAW) CONTAINED IN THIS CONTRACT OR IN ANY AMERICAN INSTITUTE OF ARCHITECTS DOCUMENTS PERTAINING TO THIS CONTRACT ARE HEREBY DELETED.</p> <p>WORKERS' COMPENSATION: VENDOR IS REQUIRED TO PROVIDE A CERTIFICATE FROM WORKERS' COMPENSATION IF SUCCESSFUL.</p> <p>ALL OF THE ITEMS CHECKED BELOW WILL BE A REQUIREMENT OF THIS CONTRACT:</p> <p><input checked="" type="checkbox"/> INSURANCE: SUCCESSFUL VENDOR SHALL FURNISH PROOF OF COMMERCIAL GENERAL LIABILITY INSURANCE PRIOR TO ISSUANCE OF CONTRACT. UNLESS OTHERWISE SPECIFIED IN THE BID DOCUMENTS, THE MINIMUM AMOUNT OF INSURANCE COVERAGE REQUIRED IS \$250,000.</p> <p><input type="checkbox"/> BUILDERS RISK INSURANCE: SUCCESSFUL VENDOR SHALL FURNISH PROOF OF BUILDERS RISK - ALL RISK INSURANCE IN AN AMOUNT EQUAL TO 100% OF THE AMOUNT OF THE CONTRACT.</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE 	TELEPHONE 304 525 9485	DATE 4/22/09
TITLE President	FEN 26-1621615	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DEFK9020

PAGE
3

ADDRESS CORRESPONDENCE TO ATTENTION OF
JOHN ABBOTT 304-558-2544

RFQ COPY
 TYPE NAME/ADDRESS HERE

VENDOR

SHIP TO

DIV ENGINEERING & FACILITIES
 CAMP DAWSON ARMY TRAINING SITE
 240 ARMY ROAD

KINGWOOD, WV
 26537-1077 304-329-4417

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
03/12/2009				

BID OPENING DATE: 04/15/2009 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>(XX) BONDS: FIVE PERCENT (5%) OF THE TOTAL AMOUNT OF THE BID PAYABLE TO THE STATE OF WEST VIRGINIA, SHALL BE SUBMITTED WITH EACH BID AS A BID BOND. THE SUCCESSFUL BIDDER SHALL ALSO FURNISH A PERFORMANCE BOND AND LABOR/MATERIAL BOND FOR 100% OF THE AMOUNT OF THE CONTRACT. BONDS MAY BE PROVIDED IN THE FORM OF A CERTIFIED CHECK IRREVOCABLE LETTER OF CREDIT, OR BOND FURNISHED BY A SOLVENT SURETY COMPANY AUTHORIZED TO DO BUSINESS IN THE STATE OF WEST VIRGINIA. A LETTER OF CREDIT SUBMITTED IN LIEU OF A BOND WILL ONLY BE ALLOWED FOR PROJECTS UNDER \$100,000. PERSONAL OR BUSINESS CHECKS ARE NOT ACCEPCTABLE IN LIEU OF THE 5% BID BOND, PERFORMANCE BOND, OR LABOR AND MATERIAL BOND.</p> <p>() MAINTENANCE BOND: A TWO (2) YEAR MAINTENANCE BOND COVERING THE ROOFING SYSTEM WILL BE A REQUIREMENT OF THE SUCCESSFUL VENDOR.</p> <p>REV. 11/00</p> <p>EXHIBIT 7</p> <p>DOMESTIC ALUMINUM, GLASS & STEEL IN PUBLIC WORKS PROJECTS</p> <p>IN ACCORDANCE WITH WEST VIRGINIA CODE 5-19-1 ET., SEQ., EVERY CONTRACT FOR CONSTRUCTION, RECONSTRUCTION, ALTERATION, REPAIR, IMPROVEMENT OR MAINTENANCE OF PUBLIC WORKS, WHERE THE COST IS MORE THAN \$50,000 AND, IN THE CASE OF STEEL ONLY, WHERE THE COST OF STEEL IS MORE THAN \$50,000 OR WHERE MORE THAN 10,000 POUNDS OF STEEL ARE REQUIRED, THE STATE WILL ACCEPT ONLY ALUMINUM GLASS, OR STEEL PRODUCTS PRODUCED IN THE UNITED STATES. IN ADDITION, ITEMS OF MACHINERY OR EQUIPMENT PURCHASED FOR USE AT THE SITE OF PUBLIC WORKS SHALL BE MADE OF</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
	304 525-9485	4/22/09
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE
President	26-1621615	

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DEFK9020

PAGE
4

ADDRESS CORRESPONDENCE TO ATTENTION OF
JOHN ABBOTT 304-558-2544

RFQ COPY
TYPE NAME/ADDRESS HERE
VENDOR

SHIP TO
DIV ENGINEERING & FACILITIES CAMP DAWSON ARMY TRAINING SITE 240 ARMY ROAD KINGWOOD, WV 26537-1077 304-329-4417

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
03/12/2009				

BID OPENING DATE: 04/15/2009 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>DOMESTIC ALUMINUM, GLASS OR STEEL, UNLESS THE COST OF THE PRODUCT IS LESS THAN \$50,000 OR LESS THAN 10,000 POUNDS OF STEEL ARE USED IN PUBLIC WORKS PROJECTS.</p> <p>FOREIGN MADE ALUMINUM, GLASS OR STEEL PRODUCTS MAY BE ACCEPTED ONLY IF THE COST OF DOMESTIC PRODUCTS IS FOUND TO BE UNREASONABLE. SUCH COST IS UNREASONABLE IF IT IS 20% OR MORE HIGHER THAN THE BID PRICE FOR FOREIGN MADE PRODUCTS. IF THE DOMESTIC ALUMINUM, GLASS OR STEEL PRODUCTS TO BE SUPPLIED OR PRODUCED IN A "SUBSTANTIAL LABOR SURPLUS AREA", AS DEFINED BY THE UNITED STATES DEPARTMENT OF LABOR, FOREIGN PRODUCTS MAY BE SUPPLIED ONLY IF DOMESTIC PRODUCTS ARE 30% OR MORE HIGHER IN PRICE THAN THE FOREIGN MADE PRODUCTS.</p> <p>IF, PRIOR TO THE AWARD OF A CONTRACT UNDER THE ABOVE PROVISIONS, THE SPENDING OFFICER OF THE SPENDING UNIT DETERMINES THAT THERE EXISTS A BID FOR LIKE FOREIGN ALUMINUM, GLASS OR STEEL THAT IS REASONABLE AND LOWER THAN THE LOWEST BID DOMESTIC PRODUCTS, THE SPENDING OFFICE MAY REQUEST, IN WRITING, A REEVALUATION AND REDUCTION IN THE LOWEST BID FOR SUCH DOMESTIC PRODUCTS. ALL VENDORS MUST INDICATE IN THEIR BID IF THEY ARE SUPPLYING FOREIGN ALUMINUM, GLASS OR STEEL.</p> <p>REV. 3/88</p> <p>EXHIBIT 9</p> <p>NOTICE FOR ISSUANCE & ACKNOWLEDGEMENT OF CONSTRUCTION PROJECT ADDENDA</p> <p>THE ARCHITECT/ENGINEER AND/OR AGENCY SHALL BE REQUIRED TO ABIDE BY THE FOLLOWING SCHEDULE IN ISSUING CONSTRUCTION PROJECT ADDENDA FOR STATE AGENCIES:</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
	304 525 9485	4-22-09
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE
President	26-162165	

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DEFK9020

PAGE
5

ADDRESS CORRESPONDENCE TO ATTENTION OF
JOHN ABBOTT
304-558-2544

RFQ COPY
 TYPE NAME/ADDRESS HERE

VENDOR

SHIP TO

DIV ENGINEERING & FACILITIES
CAMP DAWSON ARMY TRAINING SITE
240 ARMY ROAD

KINGWOOD, WV
26537-1077 **304-329-4417**

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
03/12/2009				

BID OPENING DATE: **04/15/2009** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>(1) THE ARCHITECT/ENGINEER SHALL PREPARE THE ADDENDUM AND A LIST OF ALL PARTIES THAT HAVE PROCURED DRAWINGS AND SPECIFICATIONS FOR THE PROJECT. THE ADDENDUM AND LIST SHALL BE FORWARDED TO THE BUYER IN THE STATE PURCHASING DIVISION. THE ARCHITECT/ENGINEER SHALL ALSO SEND A COPY OF THE ADDENDUM TO THE STATE AGENCY FOR WHICH THE CONTRACT IS ISSUED.</p> <p>(2) THE BUYER SHALL SEND THE ADDENDUM TO ALL INTERESTED PARTIES AND, IF NECESSARY, EXTEND THE BID OPENING DATE. ANY ADDENDUM SHOULD BE RECEIVED BY THE BUYER WITHIN FOURTEEN (14) DAYS PRIOR TO THE BID OPENING DATE.</p> <p>(3) ALL ADDENDA SHOULD BE FORMALLY ACKNOWLEDGED BY ALL BIDDERS AND SUBMITTED TO THE STATE PURCHASING DIVISION. THE SAME RULES AND REGULATIONS THAT APPLY TO THE ORIGINAL BIDDING DOCUMENT SHALL ALSO APPLY TO AN ADDENDUM DOCUMENT. THE ONLY EXCEPTION MAY BE FOR AN ADDENDUM THAT IS ISSUED FOR THE SOLE PURPOSE OF CHANGING A BID OPENING TIME AND/OR DATE.</p> <p>REV. 11/96</p> <p>EXHIBIT 10</p> <p>ADDENDUM ACKNOWLEDGEMENT</p> <p>I HEREBY ACKNOWLEDGE RECEIPT OF THE FOLLOWING CHECKED ADDENDUM(S) AND HAVE MADE THE NECESSARY REVISIONS TO MY PROPOSAL, PLANS AND/OR SPECIFICATION, ETC.</p> <p>ADDENDUM NOS.:</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
	304 525 9485	4-22-09
TITLE	FAX	ADDRESS CHANGES TO BE NOTED ABOVE
President	26-1621615	

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
 DEFK9020

PAGE
 6

ADDRESS CORRESPONDENCE TO ATTENTION OF:
 JOHN ABBOTT
 304-558-2544

VENDOR

RFQ COPY
 TYPE NAME/ADDRESS HERE

SHIP TO

DIV ENGINEERING & FACILITIES
 CAMP DAWSON ARMY TRAINING SITE
 240 ARMY ROAD
 KINGWOOD, WV
 26537-1077 304-329-4417

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
03/12/2009				

BID OPENING DATE: 04/15/2009 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
NO. 1		✓		yes <i>[Signature]</i>		
NO. 2		✓		yes <i>[Signature]</i>		
NO. 3						
NO. 4						
NO. 5						

I UNDERSTAND THAT FAILURE TO CONFIRM THE RECEIPT OF TH ADDENDUM(S) MAY BE CAUSE FOR REJECTION OF THE BIDS.

VENDOR MUST CLEARLY UNDERSTAND THAT ANY VERBAL REPRESENTATION MADE OR ASSUMED TO BE MADE DURING ANY ORAL DISCUSSION HELD BETWEEN VENDOR'S REPRESENTATIVES AND ANY STATE PERSONNEL IS NOT BINDING. ONLY THE INFORMATION ISSUED IN WRITING AND ADDED TO THE SPECIFICATIONS BY AN OFFICIAL ADDENDUM IS BINDING.

[Signature] Clarke Wilson Jr
SIGNATURE

Turman Construction LLCCOMPANY

4/15/09DATE

REV. 11/96

CONTRACTORS LICENSE

WEST VIRGINIA STATE CODE 21-11-2 REQUIRES THAT ALL PERSONS DESIRING TO PERFORM CONTRACTING WORK IN THIS STATE MUST BE LICENSED. THE WEST VIRGINIA CONTRACTORS

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE *[Signature]* TELEPHONE 304 625 9485 DATE 4-22-09

TITLE President FEIN 26-1621615 ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DEFK9020

PAGE
7

ADDRESS CORRESPONDENCE TO ATTENTION OF
JOHN ABBOTT 304-558-2544

RFQ COPY
 TYPE NAME/ADDRESS HERE

VENDOR

SHIP TO

DIV ENGINEERING & FACILITIES
 CAMP DAWSON ARMY TRAINING SITE
 240 ARMY ROAD

KINGWOOD, WV
 26537-1077 304-329-4417

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
03/12/2009				

BID OPENING DATE: 04/15/2009 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>LICENSING BOARD IS EMPOWERED TO ISSUE THE CONTRACTORS LICENSE. APPLICATIONS FOR A CONTRACTORS LICENSE MAY BE MADE BY CONTACTING THE WEST VIRGINIA DIVISION OF LABOR CAPITOL COMPLEX, BUILDING 3, ROOM 319, CHARLESTON, WV 25305. TELEPHONE: (304) 558-7890.</p> <p>WEST VIRGINIA STATE CODE 21-11-11 REQUIRES ANY PROSPECTIVE BIDDER TO INCLUDE THE CONTRACTORS LICENSE NUMBER ON THEIR BID.</p> <p>BIDDER TO COMPLETE:</p> <p>CONTRACTORS NAME: <i>Turman Construction L.L.C</i></p> <p>CONTRACTORS LICENSE NO.: <i>WV043670</i></p> <p>THE SUCCESSFUL BIDDER WILL BE REQUIRED TO FURNISH A COPY OF THEIR CONTRACTORS LICENSE PRIOR TO ISSUANCE OF A PURCHASE ORDER/CONTRACT</p> <p style="text-align: center;">APPLICABLE LAW</p> <p>THE WEST VIRGINIA STATE CODE, PURCHASING DIVISION RULES AND REGULATIONS, AND THE INFORMATION PROVIDED IN THE "REQUEST FOR QUOTATION" ISSUED BY THE PURCHASING DIVISION IS THE SOLE AUTHORITY GOVERNING THIS PROCUREMENT.</p> <p>ANY INFORMATION PROVIDED IN SPECIFICATION MANUALS, OR ANY OTHER SOURCE, VERBAL OR WRITTEN, WHICH CONTRADICTS OR ALTERS THE INFORMATION PROVIDED FROM THE SOURCES AS DESCRIBED IN THE ABOVE PARAGRAPH IS VOID AND OF NO EFFECT.</p> <p>BANKRUPTCY: IN THE EVENT THE VENDOR/CONTRACTOR FILES FOR BANKRUPTCY PROTECTION, THIS CONTRACT IS AUTOMATI-</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
<i>[Signature]</i>	304 525 9486	4-22-09

TITLE	FEE	ADDRESS CHANGES TO BE NOTED ABOVE
President	26.162.1615	

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DEFK9020

PAGE
8

ADDRESS CORRESPONDENCE TO ATTENTION OF:
JOHN ABBOTT 304-558-2544

VENDOR

RFQ COPY
 TYPE NAME/ADDRESS HERE

SHIP TO

DIV ENGINEERING & FACILITIES
 CAMP DAWSON ARMY TRAINING SITE
 240 ARMY ROAD
 KINGWOOD, WV
 26537-1077 304-329-4417

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
03/12/2009				

BID OPENING DATE: 04/15/2009 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>CALLY NULL AND VOID, AND IS TERMINATED WITHOUT FURTHER ORDER.</p> <p>REV. 1/2005</p> <p style="text-align: center;">NOTICE</p> <p>A SIGNED BID MUST BE SUBMITTED TO:</p> <p style="text-align: center;">DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION BUILDING 15 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25305-0130</p> <p>THE BID SHOULD CONTAIN THIS INFORMATION ON THE FACE OF THE ENVELOPE OR THE BID MAY NOT BE CONSIDERED:</p> <p>SEALED BID</p> <p>BUYER: JOHN ABBOTT-----</p> <p>REQ. NO.: DEFK9020-----</p> <p>BID OPENING DATE: 04/15/2009-----</p> <p>BID OPENING TIME: 1:30 PM-----</p> <p>PLEASE PROVIDE A FAX NUMBER IN CASE IT IS NECESSARY TO CONTACT YOU REGARDING YOUR BID: ----- 304-525-9181-----</p> <p>PLEASE PRINT OR TYPE NAME OF PERSON TO CONTACT</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS		
SIGNATURE 	TELEPHONE 304-525-9485	DATE 4-22-09
TITLE President	FAX 26-162-1615	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DEFK9020

PAGE
9

ADDRESS CORRESPONDENCE TO ATTENTION OF
JOHN ABBOTT
304-558-2544

VENDOR

RFQ COPY
 TYPE NAME/ADDRESS HERE

SHIP TO

DIV ENGINEERING & FACILITIES
 CAMP DAWSON ARMY TRAINING SITE
 240 ARMY ROAD
 KINGWOOD, WV
 26537-1077 304-329-4417

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
03/12/2009				

BID OPENING DATE: **04/15/2009** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
CONCERNING THIS QUOTE:				<i>Clarke Wilson Jr</i>		
***** THIS IS THE END OF RFQ DEFK9020 ***** TOTAL: _____						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>[Signature]</i>	TELEPHONE 304-625-9485	DATE 4-22-09
TITLE President	FEIN 26-1621615	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



AMEC Earth & Environmental
 690 Commonwealth Center
 11003 Bluegrass Parkway
 Louisville, KY 40299
 (502) 267-0700


Project Name: WVARNG South Gate¹⁰
Road
 Project No. 7-7728-0000
 By: CJR
 Chk'd By: DWD

WVARNG
South Gate Road Slope Repair
Design Brief

Dated: 2/25/09

Prepared For:

WVARNG



Prepared By:



2-25-09



AMEC Earth & Environmental
690 Commonwealth Center
11003 Bluegrass Parkway
Louisville, KY 40299
(502) 267-0700

Project Name: WVARNG South Gate Road
Project No. 7-7728-0000
By: CJR
Chk'd By: DWD

Design Discussion

The South Gate Access Road has suffered from intermittent erosion and minor landslides, which have led to a state of disrepair and limited use. AMEC prepared three concepts for stabilization of approximately 230 linear feet of the road. AMEC recommended, and WVARNG concurred that the best method of repair was a drilled shaft wall embedded into bedrock with precast concrete lagging spanning between the shafts near the surface. Multiple exploratory borings and surface reconnaissance were used to estimate the limits of the proposed drilled shaft retaining wall, the loads that would be induced on the system as it supports the restored road grade and adjacent hillside, and the soil & rock properties within the underlying subsurface profile.

Lab tests indicate an average unit weight for the overburden soils is approximately 115 pounds per cubic foot (pcf). Considering the amount of clay content in soil matrix, an appropriate friction angle would be 25 degrees. Field and lab inspection of the rock core samples indicate a hard shale, that would most likely not be easily removed with normal augering tools. As such, we assigned a unit weight of 140 pcf, a friction angle of 40 degrees and a shear strength of 10,000 pounds per square foot to the rock

Drilled shaft retaining walls are common in roadsides next to river valley applications, similar to this. The methodology developed to design this system is derived from the following sources:

- AASHTO Standard Specifications for Bridges, 17th Edition
- FHWA Publication Geotechnical Engineering Circular No. 4 (1999), and
- "Slide Control by Drilled Pier Walls", M. Nethero, ASCE National Convention; Las Vegas, NV; 1982.



AMEC Earth & Environmental
 690 Commonwealth Center
 11003 Bluegrass Parkway
 Louisville, KY 40299
 (502) 267-0700

Project Name: WVARNG South Gate Road¹²
 Project No. 7-7728-0000
 By: CJR
 Chk'd By: DWD

Drilled Shaft Retaining Wall - Design Section 11+00:

Soil Parameters:


Unit weight $\gamma_{soil} := 115 \cdot \text{pcf}$ Phi angle $\phi_{soil} := 25 \cdot \text{deg}$ $k_{a_soil} := \tan\left(45 \cdot \text{deg} - \frac{\phi_{soil}}{2}\right)^2$ $k_{a_soil} = 0.41$
 Factor of Safety on Passive $FS := 1.5$ $k_{p_soil} := \frac{1}{k_{a_soil}}$ $k_{p_soil} = 2.46$

Rock Parameters:

Unit weight $\gamma_{rock} := 140 \cdot \text{pcf}$ Phi angle $\phi_{rock} := 40 \cdot \text{deg}$ $k_{a_rock} := \tan\left(45 \cdot \text{deg} - \frac{\phi_{rock}}{2}\right)^2$ $k_{a_rock} = 0.22$
 Factor of Safety on Passive $FS := 1.5$ $k_{p_rock} := \frac{1}{k_{a_rock}}$ $k_{p_rock} = 4.60$
 Rock Shear Strength $C_{rock} := 10 \text{ksf}$

Wall Characteristics:

Wall height $H := 27 \cdot \text{ft}$ Depth of Overburden $h := 18 \text{ft}$ Pile Width $b_f := 2.5 \cdot \text{ft}$ Pile spacing $s := 10 \cdot \text{ft}$
 Horizontal Surcharge Pressure applied $q := 100 \text{psf}$ $b_e := \text{if}(3 \cdot b_f < s, 3 \cdot b_f, s)$ $b_e = 7.5 \text{ft}$
 Depth of Rock Socket $D := 12 \text{ft}$





AMEC Earth & Environmental
690 Commonwealth Center
11003 Bluegrass Parkway
Louisville, KY 40299
(502) 267-0700

Project Name: WVARNG South Gate Road

Project No. 7-7728-0000

By: CJR

Chk'd By: DWD

$$P_a := k_{a_soil} \cdot \gamma_{soil} \cdot \frac{(H)^2}{2} = 17.01 \cdot \frac{\text{kips}}{\text{ft}}$$

SUM MOMENTS ABOUT "P" AND SOLVE FOR "Rp"

$$R_p := \left[(P_a \cdot s) \cdot \left(\frac{H}{3} + \frac{D}{3} \right) - \gamma_{soil} \cdot \left[\frac{k_{p_soil} \cdot b_e}{FS} \cdot \left[\frac{(h)^2}{2} \right] \right] \cdot \left(\frac{h}{3} + \frac{D}{3} \right) + q \cdot H \cdot s \cdot \left(\left(\frac{H}{2} + \frac{D}{3} \right) \right) \right] \cdot \frac{9}{D \cdot 5} = 58.35 \cdot \text{kips}$$

SUM OF THE HORIZONTAL FORCES = 0, DETERMINE "Pp"

$$P_p := P_a \cdot s - \left[\gamma_{soil} \cdot \frac{k_{p_soil} \cdot b_e}{FS} \cdot \left(\frac{h^2}{2} \right) \right] + q \cdot H \cdot s + R_p = 25.96 \cdot \text{kips}$$

$$P_{p_avg} := \frac{P_p}{\frac{2 \cdot D \cdot b_f}{3}} = 1.3 \cdot \text{ksf}$$

$$P_{p_max} := 1.5 \cdot P_{p_avg} = 1.95 \cdot \text{ksf}$$

DUE TO PARABOLIC DISTRIBUTION

$$R_{p_avg} := \frac{R_p}{D \cdot \frac{b_f}{3}} = 5.83 \cdot \text{ksf}$$

$$R_{p_max} := 2 \cdot R_{p_avg} = 11.67 \cdot \text{ksf}$$

DUE TO TRIANGULAR DISTRIBUTION



AMEC Earth & Environmental
 690 Commonwealth Center
 11003 Bluegrass Parkway
 Louisville, KY 40299
 (502) 267-0700

14

Project Name: WVARNG South Gate Road
 Project No. 7-7728-0000
 By: CJR
 Chk'd By: DWD

ULTIMATE PASSIVE PRESSURE @ Pp or D/3

$$D3_{pass} := \gamma_{soil} \cdot H + 2 \cdot C_{rock} + \gamma_{rock} \cdot \frac{D}{3} = 23.66 \text{ ksf}$$

$$FS_{D3_{pass}} := \frac{D3_{pass}}{P_{p,max}} = 12.15 > 2.0 \quad \text{OK!}$$

ULTIMATE PASSIVE PRESSURE @ Rp or 8D/9

$$D8_{9pass} := \gamma_{soil} \cdot H + 2 \cdot C_{rock} + \gamma_{rock} \cdot \frac{8D}{9} = 24.6 \text{ ksf}$$

$$FS_{D8_{9pass}} := \frac{D8_{9pass}}{R_{p,avg}} = 4.22 > 2.0 \quad \text{OK!}$$

ULTIMATE PASSIVE PRESSURE @ D

$$D_{pass} := \gamma_{soil} \cdot H + 2 \cdot C_{rock} + \gamma_{rock} \cdot D = 24.79 \text{ ksf}$$

$$FS_{D_{pass}} := \frac{D_{pass}}{R_{p,max}} = 2.12 > 2.0 \quad \text{OK!}$$

FIND POINT OF ZERO SHEAR

$$V_o := \frac{\left[P_a \cdot s - \left[\gamma_{soil} \cdot \frac{k_{p,soil} \cdot b_e}{FS} \cdot \left(\frac{h^2}{2} \right) \right] + q \cdot H \cdot s \right]}{b_f \cdot P_{p,avg}} = -9.98 \text{ ft} \quad \text{ABOVE TOP OF ROCK}$$

MAXIMUM MOMENT

$$M_{max} := \left(\frac{H}{3} + V_o \right) \cdot P_a \cdot s - \left(\frac{h}{3} + V_o \right) \cdot \left[\gamma_{soil} \cdot \frac{k_{p,soil} \cdot b_e}{FS} \cdot \left(\frac{h^2}{2} \right) \right] + \left(\frac{H}{2} + V_o \right) \cdot q \cdot H \cdot s - P_{p,avg} \cdot b_f \cdot \frac{V_o^2}{2} = 680.16 \text{ ft-kips}$$

$$F_y := 50 \text{ ksi} \quad F_a := .66 F_y = 33 \text{ ksi}$$

$$S_{x,rqd} := \frac{M_{max}}{F_a} = 247.33 \text{ in}^3$$

USE W21x111 GR50 PILE



AMEC Earth & Environmental
 690 Commonwealth Center
 11003 Bluegrass Parkway
 Louisville, KY 40299
 (502) 267-0700

Project Name: WVARNG South Gate Road
 Project No. 7-7728-0000
 By: CJR
 Chk'd By: DWD

Drilled Shaft Retaining Wall - Design Sections 12+00 & 13+00:

Soil Parameters:

Unit weight $\gamma_{soil} := 115 \cdot \text{pcf}$ Phi angle $\phi_{soil} := 25 \cdot \text{deg}$ $k_{a_soil} := \tan\left(45 \cdot \text{deg} - \frac{\phi_{soil}}{2}\right)^2$ $k_{a_soil} = 0.41$
 Factor of Safety on Passive $FS := 1.5$ $k_{p_soil} := \frac{1}{k_{a_soil}}$ $k_{p_soil} = 2.46$


Rock Parameters:

Unit weight $\gamma_{rock} := 140 \cdot \text{pcf}$ Phi angle $\phi_{rock} := 40 \cdot \text{deg}$ $k_{a_rock} := \tan\left(45 \cdot \text{deg} - \frac{\phi_{rock}}{2}\right)^2$ $k_{a_rock} = 0.22$
 Factor of Safety on Passive $FS := 1.5$ $k_{p_rock} := \frac{1}{k_{a_rock}}$ $k_{p_rock} = 4.60$

Rock Shear Strength $C_{rock} := 10 \text{ksf}$

Wall Characteristics:

Wall height $H := 20 \cdot \text{ft}$ Depth of Overburden $h := 11 \text{ft}$ Pile Width $b_f := 2.5 \cdot \text{ft}$ Pile spacing $s := 10 \cdot \text{ft}$
 Horizontal Surcharge Pressure applied $q := 100 \text{psf}$ $b_e := \text{if}(3 \cdot b_f < s, 3 \cdot b_f, s)$ $b_e = 7.5 \text{ft}$
 Depth of Rock Socket $D := 15 \text{ft}$





AMEC Earth & Environmental
 690 Commonwealth Center
 11003 Bluegrass Parkway
 Louisville, KY 40299
 (502) 267-0700

Project Name: WVARNG South Gate¹⁶
Road
 Project No. 7-7728-0000
 By: CJR
 Chk'd By: DWD

$$P_a := k_{a_soil} \cdot \gamma_{soil} \cdot \frac{(H)^2}{2} = 9.33 \cdot \frac{\text{kips}}{\text{ft}}$$

SUM MOMENTS ABOUT "P" AND SOLVE FOR "Rp"

$$R_p := \left[(P_a \cdot s) \cdot \left(\frac{H}{3} + \frac{D}{3} \right) - \gamma_{soil} \cdot b_e \cdot \left[\frac{k_{p_soil}}{FS} \cdot \left[\frac{(h)^2}{2} \right] \cdot \left(\frac{h}{3} + \frac{D}{3} \right) + q \cdot H \cdot s \cdot \left(\left(\frac{H}{2} + \frac{D}{3} \right) \right) \right] \right] \cdot \frac{9}{D \cdot 5} = 77.54 \cdot \text{kips}$$

SUM OF THE HORIZONTAL FORCES = 0, DETERMINE "Pp"

$$P_p := P_a \cdot s - \left[\gamma_{soil} \cdot b_e \cdot \frac{k_{p_soil}}{FS} \cdot \left(\frac{h^2}{2} \right) \right] + q \cdot H \cdot s + R_p = 105.18 \cdot \text{kips}$$

$$P_{p_avg} := \frac{P_p}{\frac{2 \cdot D \cdot b_f}{3}} = 4.21 \cdot \text{ksf}$$

$$P_{p_max} := 1.5 \cdot P_{p_avg} = 6.31 \cdot \text{ksf} \quad \text{DUE TO PARABOLIC DISTRIBUTION}$$

$$R_{p_avg} := \frac{R_p}{D \cdot \frac{b_f}{3}} = 6.2 \cdot \text{ksf}$$

$$R_{p_max} := 2 \cdot R_{p_avg} = 12.41 \cdot \text{ksf} \quad \text{DUE TO TRIANGULAR DISTRIBUTION}$$



AMEC Earth & Environmental
690 Commonwealth Center
11003 Bluegrass Parkway
Louisville, KY 40299
(502) 267-0700

Project Name: WVARNG South Gate Road
Project No. 7-7728-0000
By: CJR
Chk'd By: DWD

ULTIMATE PASSIVE PRESSURE @ Pp or D/3

$$D_{3_{pass}} := \gamma_{soil} \cdot H + 2 \cdot C_{rock} + \gamma_{rock} \cdot \frac{D}{3} = 23 \cdot \text{ksf}$$

$$FS_{D_{3_{pass}}} := \frac{D_{3_{pass}}}{P_{p_{max}}} = 3.64 > 2.0 \quad \text{OK!}$$

ULTIMATE PASSIVE PRESSURE @ Rp or 8D/9

$$D_{8_{9pass}} := \gamma_{soil} \cdot H + 2 \cdot C_{rock} + \gamma_{rock} \cdot \frac{8D}{9} = 24.17 \cdot \text{ksf}$$

$$FS_{D_{8_{9pass}}} := \frac{D_{8_{9pass}}}{R_{p_{avg}}} = 3.9 > 2.0 \quad \text{OK!}$$

ULTIMATE PASSIVE PRESSURE @ D

$$D_{pass} := \gamma_{soil} \cdot H + 2 \cdot C_{rock} + \gamma_{rock} \cdot D = 24.4 \cdot \text{ksf}$$

$$FS_{D_{pass}} := \frac{D_{pass}}{R_{p_{max}}} = 1.97 > 2.0 \quad \text{OK!}$$

FIND POINT OF ZERO SHEAR

$$V_o := \frac{\left[P_a \cdot s - \left[\gamma_{soil} \cdot b_e \cdot \frac{k_{p_{soil}}}{FS} \cdot \left(\frac{h^2}{2} \right) \right] + q \cdot H \cdot s \right]}{b_f \cdot P_{p_{avg}}} = 2.63 \text{ ft} \quad \text{ABOVE TOP OF ROCK}$$

MAXIMUM MOMENT

$$M_{max} := \left(\frac{H}{3} + V_o \right) \cdot P_a \cdot s - \left(\frac{h}{3} + V_o \right) \cdot \left[\gamma_{soil} \cdot b_e \cdot \frac{k_{p_{soil}}}{FS} \cdot \left(\frac{h^2}{2} \right) \right] + \left(\frac{H}{2} + V_o \right) \cdot q \cdot H \cdot s - P_{p_{avg}} \cdot b_f \cdot \frac{V_o^2}{2} = 544.34 \cdot \text{ft} \cdot \text{kips}$$

$$F_y := 50 \text{ ksi} \quad F_a := .66 F_y = 33 \cdot \text{ksi}$$

$$S_{x_{reqd}} := \frac{M_{max}}{F_a} = 197.94 \cdot \text{in}^3$$

USE W18x106 GR50 PILE



AMEC Earth & Environmental
 690 Commonwealth Center
 11003 Bluegrass Parkway
 Louisville, KY 40299
 (502) 267-0700

Project Name: WVARNG South Gate Road¹⁸
 Project No. 7-7728-0000
 By: CJR
 Chk'd By: DWD

Precast Lagging Design:

$$w := \frac{P_{a_max}}{H} + q = 950.5 \text{ psf}$$

Clear Span of Lagging --->

$$S_{clr} := s - 2t_{brg} = 9.17 \text{ ft}$$

$$t_{brg} := 5 \text{ in}$$

$$M_{max_lag} := w \cdot \frac{S_{clr}^2 \cdot 1 \text{ ft}}{10} = 7.99 \text{ ft} \cdot \text{kips}$$

$$V_{max_lag} := w \cdot \frac{S_{clr} \cdot 1 \text{ ft}}{2} = 4.36 \text{ kips}$$

TRY 8" THICK LAGGING

$$f_c := 4 \text{ ksi} \quad b := 12 \text{ in} \quad t_{lag} := 8 \text{ in}$$

$$f_y := 60 \text{ ksi} \quad d := t_{lag} - 2 \text{ in} = 6 \text{ in}$$

Longitudinal bar <---

$$d_{bf} := \frac{6}{8} \cdot \text{in}$$

<---

$$A_{bf} := \frac{\pi \cdot d_{bf}^2}{4}$$

$$A_{bf} = 0.44 \cdot \text{in}^2$$

Number of longitudinal bars

$$N := 4$$

$$\text{Spacing} := \frac{(3 \text{ ft})}{N}$$

$$\text{Spacing} = 9 \text{ in}$$

Area of flexural steel provided

$$A_s := \frac{(12 \text{ in})}{\text{Spacing}} A_{bf}$$

$$A_s = 0.59 \cdot \text{in}^2$$

MOMENT CALCULATION

$$T_{lag} := A_s \cdot f_y = 35.34 \text{ kips}$$

$$a := \frac{T_{lag}}{0.85 \cdot f_c \cdot b} = 0.87 \text{ in}$$

$$M := T_{lag} \cdot \left(d - \frac{a}{2} \right) = 196.75 \text{ in} \cdot \text{kips}$$

>

$$M_u := M_{max_lag} \cdot \frac{1.7}{0.9} = 181.04 \text{ in} \cdot \text{kips}$$

OK!



AMEC Earth & Environmental
690 Commonwealth Center
11003 Bluegrass Parkway
Louisville, KY 40299
(502) 267-0700

Project Name: WVARNG South Gate Road

Project No. 7-7728-0000

By: CJR

Chk'd By: DWD

BALANCED REINFORCEMENT RATIO

$$\rho_b := \frac{0.85 \cdot \beta_1 \cdot f_c}{f_y} \cdot \frac{87000 \cdot \text{psi}}{87000 \cdot \text{psi} + f_y} \quad \rho_b = 0.029 \quad \text{Balanced condition}$$

$$A_{smax} := 0.75 \cdot \rho_b \cdot b \cdot d \quad A_{smax} = 1.54 \cdot \text{in}^2 \quad \text{ACI 10.3.3 "As" provided for flexure must be less than this to ensure ductile behavior} \quad <---$$

$$\rho_{min} := \frac{200 \cdot \text{psi}}{f_y}$$

ACI 10.5 minimum reinforcement required, Alternatively, area of reinforcement provided at every section shall be at least 1/3 greater than that required by analysis. <---

$$A_{smin} := \rho_{min} \cdot b \cdot d \quad A_{smin} = 0.24 \cdot \text{in}^2$$

$$a := \frac{A_s \cdot f_y}{\beta_1 \cdot f_c \cdot b} \quad a = 0.87 \cdot \text{in} \quad A_s = 0.59 \cdot \text{in}^2 \quad <--- \text{ check with above } A_{smax} \text{ and } A_{smin} \text{ criteria}$$

SHEAR CHECK

$$V_n := 2 \sqrt{f_c} \cdot b \cdot d = 0.13 \text{ ft}^{0.5} \cdot \text{s} \cdot \text{lb}^{-0.5} \cdot \text{kips} \quad > \quad V_u := V_{\max_tag} \cdot \frac{1.7}{0.85} = 8.71 \cdot \text{kips} \quad \text{OK!}$$

BEARING

$$P_{lag} := w \cdot \frac{S_{clr} \cdot 1 \text{ ft}}{2} = 4.36 \cdot \text{kips}$$

$$A_b := \frac{(P_{lag} \cdot 1.7)}{(0.7) \cdot 0.85 \cdot f_c \cdot 12 \text{ in}} = 0.26 \cdot \text{in}$$

MIN. BEARING > .260" PER SIDE, OR .347" WITH A 0.75 FACTOR

FOR 3 FEET TALL PANELS, USE 4-#6 BARS SPACED AT 9" HORIZ., WITH 3" CLEAR AND 4-#4 BARS VERTICAL SPACED EQUALLY ACROSS, WITH 3" CLEAR



AMEC Earth & Environmental
690 Commonwealth Center
11003 Bluegrass Parkway
Louisville, KY 40299
(502) 267-0700

20

Project Name: WVARNG South Gate
Road
Project No. 7-7728-0000
By: CJR
Chk'd By: DWD

APPENDIX A *SOIL BORING LOGS*



AMEC
11003 Bluegrass Parkway Suite 690
Louisville, KY 40299
502-267-0700

BORING NUMBER E-2

PAGE 1 OF 1

CLIENT Army National Guard
PROJECT NUMBER 7-7728-0000-0002
DATE STARTED 10/10/08 COMPLETED 10/10/08
DRILLING CONTRACTOR MATHES
DRILLING METHOD HSA
LOGGED BY MGS
NOTES Dry Hole

PROJECT NAME South Gate Road Slope Failure
PROJECT LOCATION Camp Dawson, West Virginia
GROUND ELEVATION 1280.3 ft HOLE SIZE 3.25
GROUND WATER LEVELS:
AT TIME OF DRILLING --
AT END OF DRILLING --
AFTER DRILLING --

DEPTH (ft)	GRAPHIC LOG	MATERIAL DESCRIPTION	SAMPLE TYPE NUMBER	RECOVERY % (FQID)	BLOW COUNTS (N VALUE)	POCKET PEN. (tsf)	DRY UNIT WT. (pcf)	MOISTURE CONTENT (%)	ATTERBERG LIMITS			FINES CONTENT (%)
									LIQUID LIMIT	PLASTIC LIMIT	PLASTICITY INDEX	
0		NO SAMPLE POSSIBLE DUE TO PRESENCE OF RIP RAP										
5		GRAVEL, FINE, WITH SILTY CLAY, LOOSE	SS 1		3-3-4 (7)							
		ROCK, HIGHLY WEATHERED, SOME SILTY CLAY, DARK GRAY	ST 2				100	21	48	28	20	29
10		CLAY, SILTY, WITH FINE TO COARSE ROCK FRAGMENTS, SOME WEATHERED SHALE, BROWN, STIFF	SS 3		2-3-9 (12)							
15			SS 4		22-40-47 (87)							
20		WEATHERED SHALE, LITTLE SILTY CLAY WITH FINE TO COARSE SAND, DARK GRAY, VERY DENSE SHALE, LIGHT GRAY	SS 5 RC 6	100 (88)	50/1"							
25		17.3-17.5, 17.8-18.0 - HIGHLY WEATHERED ZONES 18.6, 19.3, 21.6, 23.5, 24.5 - SLIGHTLY WEATHERED FRACTURE 26.4-26.5, 27.0 - MODERATELY WEATHERED FRACTURE 27.3 - SLIGHTLY WEATHERED FRACTURE 27.5 - SLIGHT TO MODERATELY WEATHERED FRACTURE 28.3-28.5, 28.7, 28.9, 29.5, 29.6, 30.1, 31.1 - SLIGHTLY WEATHERED FRACTURE	RC 7	100 (100)								
30			RC 8	92 (50)								
			RC 9	100 (91)								
Refusal at 18.3 feet. Bottom of borehole at 33.7 feet.												

GEOTECH BH COLUMNS - GINT STD US LAB.GDT - 12/17/08 06:35 - N:\GINT\PROJECTS\ARNG SLOPE FAILURE.GPJ

BORING NUMBER E-4

PAGE 1 OF 1



AMEC
11003 Bluegrass Parkway Suite 690
Louisville, KY 40299
502-267-0700

CLIENT Army National Guard PROJECT NAME South Gate Road Slope Failure
 PROJECT NUMBER 7-7728-0000-0002 PROJECT LOCATION Camp Dawson, West Virginia
 DATE STARTED 10/9/08 COMPLETED 10/9/08 GROUND ELEVATION 1273.7 ft HOLE SIZE 3.25
 DRILLING CONTRACTOR MATHES GROUND WATER LEVELS:
 DRILLING METHOD HSA AT TIME OF DRILLING ---
 LOGGED BY MGS AT END OF DRILLING ---
 NOTES Dry Hole AFTER DRILLING --

DEPTH (ft)	GRAPHIC LOG	MATERIAL DESCRIPTION	SAMPLE TYPE NUMBER	RECOVERY % (RQD)	BLOW COUNTS (N VALUE)	POCKET PEN. (tsf)	DRY UNIT WT. (pcf)	MOISTURE CONTENT (%)	ATTERBERG LIMITS			FINES CONTENT (%)
									LIQUID LIMIT	PLASTIC LIMIT	PLASTICITY INDEX	
0		GRAVEL, FINE, WITH LITTLE SILTY CLAY AND FINE TO COARSE SAND, LOOSE	SS 1		4-4-5 (9)							
		SILT, CLAYEY, LITTLE FINE TO COARSE SAND, LITTLE FINE GRAVEL, TAN AND GRAY, STIFF	SS 2		5-6-9 (15)							
		CLAYEY SILT, TAN AND REDDISH BROWN, VERY STIFF	SS 3		15-9-14 (23)							
		WEATHERED SHALE, DARK GRAY, VERY STIFF	SS 4		4-7-10 (17)							
		CLAY, SILTY, WITH ROCK FRAGMENTS (HIGHLY WEATHERED), HARD	SS 5		50/3"							

Refusal at 15.0 feet.
Bottom of borehole at 15.0 feet.

GEOTECH BH COLUMNS - GINT STD US LAB.GDT - 12/17/08 08:36 - N:\GINT\PROJECTS\ARMS SLOPE FAILURE.GPJ



AMEC
11003 Bluegrass Parkway Suite 690
Louisville, KY 40299
502-267-0700

BORING NUMBER E-5

PAGE 1 OF 1

CLIENT Army National Guard PROJECT NAME South Gate Road Slope Failure
 PROJECT NUMBER 7-7728-0000-0002 PROJECT LOCATION Camp Dawson, West Virginia
 DATE STARTED 10/9/08 COMPLETED 10/9/08 GROUND ELEVATION 1271.2 ft HOLE SIZE 3.25
 DRILLING CONTRACTOR MATHES GROUND WATER LEVELS:
 DRILLING METHOD HSA AT TIME OF DRILLING ---
 LOGGED BY MGS AT END OF DRILLING ---
 NOTES Dry Hole AFTER DRILLING --

DEPTH (ft)	GRAPHIC LOG	MATERIAL DESCRIPTION	SAMPLE TYPE NUMBER	RECOVERY % (RQD)	BLOW COUNTS (N VALUE)	POCKET PEN. (tsf)	DRY UNIT WT. (pcf)	MOISTURE CONTENT (%)	ATTERBERG LIMITS			FINES CONTENT (%)
									LIQUID LIMIT	PLASTIC LIMIT	PLASTICITY INDEX	
0		SILT, CLAYEY, MIX OF GRAY AND REDDISH BROWN, MEDIUM STIFF	SS 1		4-4-3 (7)							
5		SILT, CLAYEY, TRACE FINE GRAVEL, LITTLE BLACK NODULES, BROWN, MEDIUM STIFF	SS 2		5-4-4 (8)							
		SILT, CLAYEY, TRACE BLACK NODULES, TAN, VERY STIFF	SS 3		6-11-11 (22)							
10			SS 4		8-9-11 (20)							
15		SILT, CLAYEY, LITTLE FINE TO COARSE ROCK FRAGMENTS, TAN, VERY STIFF	SS 5		15-12-12 (24)							
20		SHALE, LIGHT GRAY										
		18.7, 19.6 - SLIGHTLY WEATHERED FRACTURE	RC 6	100 (72)								
		20.0 - SLIGHT TO MODERATELY WEATHERED FRACTURE										
		20.3-21.2, 21.7-21.9 - ROCK FRAGMENTS, SLIGHT TO MODERATELY WEATHERED										
		22-23 ZONE OF LOSS										
		23-23.5 ROCK FRAGMENTS SLIGHT TO MODERATELY WEATHERED										
		23.8 MODERATELY WEATHERED FRACTURE	RC 7	70 (44)								
		24.3-24.5 ROCK FRAGMENTS SLIGHT TO MODERATELY WEATHERED										
		24.8, 24.9 MODERATELY WEATHERED FRACTURE										
		25.4, 25.8, 25.9, 26.2 - SLIGHT TO MODERATELY WEATHERED FRACTURE										
		28.1, 29.4, 29.9, 30.3 - SLIGHTLY WEATHERED FRACTURE										
		31.1, 31.4 - SLIGHT TO MODERATELY WEATHERED FRACTURE										
		30.8-31.0 - VERTICAL FRACTURE	RC 8	92 (82)								

Refusal at 17.0 feet.
Bottom of borehole at 32.0 feet.

GEOTECH BH COLUMNS - GINT STD US LAB.GDT - 12/17/08 08:41 - N:\GINT\PROJECTS\ARNG SLOPE FAILURE.GPJ



AMEC
11003 Bluegrass Parkway Suite 690
Louisville, KY 40299
502-267-0700

BORING NUMBER E-6

PAGE 1 OF 2

CLIENT Army National Guard
PROJECT NUMBER 7-7728-0000-0002
DATE STARTED 10/9/08 COMPLETED 10/9/08
DRILLING CONTRACTOR MATHES
DRILLING METHOD HSA
LOGGED BY MGS
NOTES Dry Hole

PROJECT NAME South Gate Road Slope Failure
PROJECT LOCATION Camp Dawson, West Virginia
GROUND ELEVATION 1271 ft HOLE SIZE 3.25
GROUND WATER LEVELS:
AT TIME OF DRILLING --
AT END OF DRILLING --
AFTER DRILLING --

DEPTH (ft)	GRAPHIC LOG	MATERIAL DESCRIPTION	SAMPLE TYPE NUMBER	RECOVERY % (RQD)	BLOW COUNTS (N VALUE)	POCKET PEN. (tsf)	DRY UNIT WT. (pcf)	MOISTURE CONTENT (%)	ATTERBERG LIMITS			FINES CONTENT (%)
									LIQUID LIMIT	PLASTIC LIMIT	PLASTICITY INDEX	
0		CLAY, SILTY, LITTLE BLACK NODULES, MIX OF TAN, REDDISH BROWN AND GRAY, STIFF	SS 1		5-5-6 (11)							
5		SILT, CLAYEY, TRACE FINE GRAVEL, TRACE ORGANICS, TAN, STIFF	SS 2		5-6-8 (14)							
		CLAY, SILTY, WITH FINE GRAINED SAND, REDDISH BROWN AND GRAY	SH 3				112	19	39	22	17	91
10		CLAY, SILTY, TAN AND REDDISH BROWN, VERY STIFF	SS 4		10-12-15 (27)							
15		SILT, CLAYEY, WITH FINE GRAINED SAND, TAN, STIFF	SS 5		6-6-6 (12)			15				54
20		CLAY, SILTY, SOME FINE ROCK FRAGMENTS, MIX OF TAN AND DARK GRAY, STIFF	SS 6		8-7-7 (14)			10				58
25		WEATHERED SHALE, VERY DENSE	SS 7		46-50/1"							
30			RC 8	85 (71)								
35			RC 9	93 (76)								

GEOTECH BH COLUMNS - GINT STD US LAB.GDT - 12/17/08 08:45 - N:\GINT\PROJECTS\ARNG SLOPE FAILURE.GPJ

(Continued Next Page)



AMEC
11003 Bluegrass Parkway Suite 690
Louisville, KY 40299
502-267-0700

CLIENT Army National Guard


PROJECT NAME South Gate Road Slope Failure

PROJECT NUMBER 7-7728-0000-0002

PROJECT LOCATION Camp Dawson, West Virginia

DEPTH (ft)	GRAPHIC LOG	MATERIAL DESCRIPTION	SAMPLE TYPE NUMBER	RECOVERY % (RQD)	BLOW COUNTS (N VALUE)	POCKET PEN. (tsf)	DRY UNIT WT. (pcf)	MOISTURE CONTENT (%)	ATTERBERG LIMITS			FINES CONTENT (%)
									LIQUID LIMIT	PLASTIC LIMIT	PLASTICITY INDEX	
35		SHALE, LIGHT GRAY	RC 10	100 (85)								
40		28.4 - MODERATELY TO HIGHLY WEATHERED FRACTURE 28.9 - SLIGHTLY WEATHERED FRACTURE 29.2, 29.4 - MODERATELY WEATHERED FRACTURE 29.8-30.3 - VERTICAL FRACTURE, SLIGHTLY WEATHERED 30.5 - MODERATELY WEATHERED FRACTURE 30.7 - SLIGHTLY WEATHERED FRACTURE 30.5-30.7 - VERTICAL FRACTURE 31.8 - SLIGHTLY WEATHERED FRACTURE 33.0 - SLIGHTLY WEATHERED FRACTURE 33.5, 34.9 - MODERATELY WEATHERED FRACTURE 35.2, 36.8-36.9, 37.2, 38.2 - SLIGHTLY WEATHERED FRACTURE 38.9 - MODERATELY WEATHERED FRACTURE 39.3 - SLIGHT TO MODERATELY WEATHERED 40.1, 40.7 - SLIGHTLY WEATHERED FRACTURE (continued from previous page)	RC 11	100 (61)								
Refusal at 25.0 feet. Bottom of borehole at 40.9 feet.												

GEOTECH BH COLUMNS - GINT STD US LAB.GDT - 12/17/08 08:45 - NAGINTYPROJECTS\RRNG SLOPE FAILURE.GPJ



AMEC
11003 Bluegrass Parkway Suite 690
Louisville, KY 40299
502-267-0700

BORING NUMBER E-7

PAGE 1 OF 1

CLIENT Army National Guard
PROJECT NUMBER 7-7728-0000-0002
DATE STARTED 10/8/08 COMPLETED 10/8/08
DRILLING CONTRACTOR MATHES
DRILLING METHOD HSA
LOGGED BY MGS
NOTES Dry Hole

PROJECT NAME South Gate Road Slope Failure
PROJECT LOCATION Camp Dawson, West Virginia
GROUND ELEVATION 1266 ft HOLE SIZE 3.25
GROUND WATER LEVELS:
AT TIME OF DRILLING ---
AT END OF DRILLING ---
AFTER DRILLING ---

DEPTH (ft)	GRAPHIC LOG	MATERIAL DESCRIPTION	SAMPLE TYPE NUMBER	RECOVERY % (RQD)	BLOW COUNTS (N VALUE)	POCKET PEN. (tsf)	DRY UNIT WT. (pcf)	MOISTURE CONTENT (%)	ATTERBERG LIMITS			FINES CONTENT (%)
									LIQUID LIMIT	PLASTIC LIMIT	PLASTICITY INDEX	
0		CLAY, SILTY, SOME FINE TO COARSE SAND, TRACE FINE GRAVEL, BROWN, MEDIUM STIFF	SS 1		3-3-4 (7)							
		CLAY, SILTY, SOME FINE TO COARSE SAND, TRACE FINE GRAVEL, BROWN, MEDIUM STIFF	SS 2		3-3-3 (6)							
5		CLAY, SILTY, SOME FINE TO COARSE SAND, BROWN, VERY STIFF	SS 3		8-6-10 (16)			15				53
		CLAY, SILTY, SOME FINE TO COARSE SAND, BROWN, STIFF	SS 4		4-7-8 (15)			15				65
10		SILT, CLAYEY, TRACE FINE TO COARSE ROCK FRAGMENTS, BROWN, HARD	SS 5		6-8-28 (36)							
15		SILT, CLAYEY, DARK GRAY, STIFF	SS 6		6-8-7 (15)			15				53

Refusal at 21.0 feet.
Bottom of borehole at 21.0 feet.

GINT STD US LAB.GDT - 12/17/08 08:45 - N:\GINT\PROJECTS\SRNG SLOPE FAILURE.GPJ



AMEC
 11003 Bluegrass Parkway Suite 690
 Louisville, KY 40299
 502-267-0700

CLIENT Army National Guard PROJECT NAME South Gate Road Slope Failure
 PROJECT NUMBER 7-7728-0000-0002 PROJECT LOCATION Camp Dawson, West Virginia
 DATE STARTED 10/8/08 COMPLETED 10/8/08 GROUND ELEVATION 1266.4 ft HOLE SIZE 3.25
 DRILLING CONTRACTOR MATHES GROUND WATER LEVELS:
 DRILLING METHOD HSA AT TIME OF DRILLING --
 LOGGED BY MGS AT END OF DRILLING --
 NOTES Dry Hole AFTER DRILLING --

DEPTH (ft)	GRAPHIC LOG	MATERIAL DESCRIPTION	SAMPLE TYPE NUMBER	RECOVERY % (RQD)	BLOW COUNTS (N VALUE)	POCKET PEN. (tsf)	DRY UNIT WT. (pcf)	MOISTURE CONTENT (%)	ATTERBERG LIMITS			FINES CONTENT (%)
									LIQUID LIMIT	PLASTIC LIMIT	PLASTICITY INDEX	
0		CLAY, SILTY, LITTLE FINE TO COARSE GRAVEL, REDDISH BROWN AND GRAY, VERY STIFF	SS 1		8-9-11 (20)							
5		CLAY, SILTY, TRACE FINE GRAVEL, TAN, STIFF	SS 2		9-5-7 (12)							
		CLAY, SILTY, LITTLE ORGANICS, LITTLE FINE TO COARSE SAND, TRACE FINE GRAVEL, MIX OF REDDISH BROWN AND GRAY, STIFF	SS 3		3-6-6 (12)							
10		CLAY, SILTY, LITTLE FINE TO COARSE SAND, LITTLE BLACK NODULES, MIX OF GRAY AND BROWN, STIFF	SS 4		3-5-5 (10)							
15		CLAY, SILTY, SOME FINE TO COARSE ROCK FRAGMENTS, LITTLE BLACK NODULES, BROWN AND REDDISH BROWN, MEDIUM STIFF	SS 5		4-3-3 (6)							
20		SILT, CLAYEY, BROWN AND REDDISH BROWN, STIFF	SS 6		3-4-6 (10)				16			
	SHALE											
Refusal at 23.5 feet. Bottom of borehole at 23.5 feet.			SS 7		50/1"							

GEOTECH BH COLUMNS - GINT STD US LAB.GDT - 12/17/08 08:45 - N:\GINT\PROJECTS\ARNG SLOPE FAILURE.GPJ



AMEC
11003 Bluegrass Parkway Suite 690
Louisville, KY 40299
502-267-0700

CLIENT Army National Guard PROJECT NAME South Gate Road Slope Failure
 PROJECT NUMBER 7-7728-0000-0002 PROJECT LOCATION Camp Dawson, West Virginia
 DATE STARTED 10/8/08 COMPLETED 10/8/08 GROUND ELEVATION 1266.6 ft HOLE SIZE 3.25
 DRILLING CONTRACTOR MATHES GROUND WATER LEVELS:
 DRILLING METHOD HSA AT TIME OF DRILLING ---
 LOGGED BY MGS AT END OF DRILLING ---
 NOTES Dry Hole AFTER DRILLING --

DEPTH (ft)	GRAPHIC LOG	MATERIAL DESCRIPTION	SAMPLE TYPE NUMBER	RECOVERY % (RQD)	BLOW COUNTS (N VALUE)	POCKET PEN. (tsf)	DRY UNIT WT. (pcf)	MOISTURE CONTENT (%)	ATTERBERG LIMITS			FINES CONTENT (%)
									LIQUID LIMIT	PLASTIC LIMIT	PLASTICITY INDEX	
0		SILT, CLAYEY, WITH FINE TO COARSE GRAVEL, SOME BLACK NODULE, BROWN, VERY STIFF	SS 1		6-9-14 (23)							
5		SAND, SILTY, TRACE FINE TO COARSE SAND, TRACE FINE GRAVEL, TRACE ORGANICS, BROWN, STIFF	SS 2		6-6-8 (14)			16				47
10		CLAY, SILTY, LITTLE FINE TO COARSE SAND, TRACE BLACK NODULE, GRAY, MEDIUM STIFF	SS 3		4-2-3 (5)			15	38	23	15	
15		SILT, CLAYEY, TRACE FINE GRAVEL, BROWN, MEDIUM STIFF	SS 4		3-3-4 (7)							
20		CLAY, SILTY, SOME FINE TO COARSE SAND, LITTLE BLACK NODULES, BROWN, STIFF	SS 5		2-4-6 (10)							
25		SILT, CLAYEY, LITTLE WEATHERED SHALE, BROWN AND TAN, VERY STIFF	SS 6		6-8-10 (18)							
30		SILT, CLAYEY, WITH FINE GRAINED SAND, REDDISH BROWN, MEDIUM STIFF	SS 7		3-2-4 (6)							
35			RC 8	97 (20)								
			RC 9	91 (51)								

GEOTECH BH COLUMNS - GINT STD US LAB.GDT - 12/17/08 08:46 - N:\GINT\PROJECTS\ARNG SLOPE FAILURE.GPJ

(Continued Next Page)



AMEC
11003 Bluegrass Parkway Suite 690
Louisville, KY 40299
502-267-0700

CLIENT Army National Guard


PROJECT NAME South Gate Road Slope Failure

PROJECT NUMBER 7-7728-0000-0002

PROJECT LOCATION Camp Dawson, West Virginia

DEPTH (ft)	GRAPHIC LOG	MATERIAL DESCRIPTION	SAMPLE TYPE NUMBER	RECOVERY % (ROD)	BLOW COUNTS (N VALUE)	POCKET PEN. (tsf)	DRY UNIT WT. (pcf)	MOISTURE CONTENT (%)	ATTERBERG LIMITS			FINES CONTENT (%)
									LIQUID LIMIT	PLASTIC LIMIT	PLASTICITY INDEX	
35		SHALE, LIGHT GRAY										
		27.95, 28.15, 28.5, 29, 29.1, 29.3, 29.5 - MODERATE TO HIGHLY WEATHERED FRACTURE	RC 10	100 (54)								
		29.7, 29.8, 30.0 - SLIGHT TO MODERATELY WEATHERED FRACTURE										
		30.1, 30.2, 30.4 - HIGHLY WEATHERED FRACTURE										
40		31.1, 31.4 - SLIGHTLY WEATHERED FRACTURE										
		31.6, 31.7 - MODERATELY WEATHERED FRACTURE										
		31.9, 32.1 - HIGHLY WEATHERED FRACTURE										
		32.7 - SLIGHTLY WEATHERED FRACTURE	RC 11	100 (50)								
		33.4-33.5 - HIGHLY WEATHERED ZONE OF LOSS										
		3.9, 34.0 - MODERATELY WEATHERED FRACTURE										
		34.5 - SLIGHTLY WEATHERED FRACTURE										
		34.7 - MODERATELY WEATHERED FRACTURE										
		36.5 - SLIGHTLY WEATHERED FRACTURE										
		38.9, 37.6, 38.1, 38.3, 38.4, 38.6 - MODERATELY WEATHERED FRACTURE										
		39, 39.3, 39.4, 39.5, 39.6, 39.8 - SLIGHT TO MODERATELY WEATHERED										
		40.7, 40.9 -41.0 - MODERATELY WEATHERED FRACTURE										
		41.5, 41.7, 42.0 - MODERATE TO HIGHLY WEATHERED FRACTURE (continued from previous page)										
		Refusal at 27.5 feet. Bottom of borehole at 42.5 feet.										

GEO TECH BH COLUMNS - GINT STD US LAB.GDT - 12/17/08 08:46 - N:\GINT\PROJECTS\ARNG SLOPE FAILURE.GPJ



AMEC
11003 Bluegrass Parkway Suite 690
Louisville, KY 40299
502-267-0700

CLIENT Army National Guard PROJECT NAME South Gate Road Slope Failure
 PROJECT NUMBER 7-7728-0000-0002 PROJECT LOCATION Camp Dawson, West Virginia
 DATE STARTED 10/7/08 COMPLETED 10/7/08 GROUND ELEVATION 1268.8 ft HOLE SIZE 3.25
 DRILLING CONTRACTOR MATHES GROUND WATER LEVELS:
 DRILLING METHOD HSA AT TIME OF DRILLING ---
 LOGGED BY MGS AT END OF DRILLING --
 NOTES Dry Hole AFTER DRILLING --

DEPTH (ft)	GRAPHIC LOG	MATERIAL DESCRIPTION	SAMPLE TYPE NUMBER	RECOVERY % (RQD)	BLOW COUNTS (N VALUE)	POCKET PEN. (tsf)	DRY UNIT WT. (pcf)	MOISTURE CONTENT (%)	ATTERBERG LIMITS			FINES CONTENT (%)
									LIQUID LIMIT	PLASTIC LIMIT	PLASTICITY INDEX	
0		GRAVEL, FINE TO COARSE, SOME SILTY CLAY, MEDIUM DENSE	SS 1		6-6-5 (11)							
5		CLAY, SILTY, SOME FINE TO COARSE SAND, BROWN, MEDIUM STIFF	SS 2		2-3-5 (8)							
		CLAY, SILTY, SOME FINE TO COARSE SAND, BROWN AND TAN, SOFT	SS 3		1-2-2 (4)							
10		CLAY, SILTY, SOME FINE TO MEDIUM GRAINED SAND, BROWN AND GRAY, SOFT	SS 4		1-1-2 (3)							
		CLAY, SILTY, LITTLE FINE TO COARSE SAND, BROWN, STIFF	SS 5		2-4-5 (9)							
15		CLAY, SILTY, SOME FINE TO COARSE SAND, SOME FINE TO COARSE ROCK FRAGMENTS, BROWN, HARD	SS 6		4-50/5"							
20		SANDSTONE, HIGHLY WEATHERED										
25		SHALE, GRAY, HIGHLY WEATHERED, SOME SILTY CLAY										
30			SS 7	100 (38)								
35			SS 8	94 (34)								

GEO TECH BH-COLUMNS - GINT STD US LAB.GDT - 12/17/08 08:34 - N:\GINT\PROJECTS\BORG SLOPE FAILURE.GPJ

(Continued Next Page)



AMEC
11003 Bluegrass Parkway Suite 690
Louisville, KY 40299
502-267-0700

CLIENT Army National Guard

PROJECT NAME South Gate Road Slope Failure

PROJECT NUMBER 7-7728-0000-0002

PROJECT LOCATION Camp Dawson, West Virginia

DEPTH (ft)	GRAPHIC LOG	MATERIAL DESCRIPTION	SAMPLE TYPE NUMBER	RECOVERY % (RQD)	BLOW COUNTS (N VALUE)	POCKET PEN. (tsf)	DRY UNIT WT. (pcf)	MOISTURE CONTENT (%)	ATTERBERG LIMITS			FINES CONTENT (%)
									LIQUID LIMIT	PLASTIC LIMIT	PLASTICITY INDEX	
35		SHALE, LIGHT GRAY										
		27.4 - SLIGHTLY WEATHERED FRACTURE										
		27.5 - MODERATE TO HIGHLY WEATHERED FRACTURE										
		27.8 - SLIGHTLY WEATHERED FRACTURE										
		27.9 - HIGHLY WEATHERED, MUD SEAM										
		28.1 - HIGHLY WEATHERED, MUD SEAM										
		28.4-28.6 - HIGHLY WEATHERED, MUD SEAM										
		28.9, 29.0 - MODERATE TO HIGHLY WEATHERED FRACTURE										
		29.2 - SLIGHTLY WEATHERED FRACTURE										
		29.4, 29.9 - MODERATE TO HIGHLY WEATHERED FRACTURE										
		30.2, 30.4 - SLIGHTLY WEATHERED FRACTURE										
		30.7 - SLIGHT TO MODERATELY WEATHERED FRACTURE										
		30.7-30.9 - SLIGHTLY WEATHERED FRACTURE										
		31.0, 31.1, 31.4, 31.6 - HIGHLY WEATHERED, MUD SEAM										
		32.2, 32.4, 32.7 - MODERATELY WEATHERED FRACTURE										
		33.0, 33.1, 33.3 - SLIGHTLY WEATHERED FRACTURE										
		33.5, 33.8, 33.9, 34.1, 34.4, 34.5, 34.6 - MODERATELY WEATHERED FRACTURE										
		34.9 - SLIGHTLY WEATHERED FRACTURE										
		35.44, 35.7, 35.8 - MODERATELY WEATHERED FRACTURE <i>(continued from previous page)</i>										
		Refusal at 27.0 feet. Bottom of borehole at 39.0 feet.										

GEOTECH BH COLUMNS - GINT STD US LAB.GDT - 12/17/08 08:34 - N:\GINT\PROJECTS\ARNG SLOPE FAILURE.GPJ



AMEC
 11003 Bluegrass Parkway Suite 690
 Louisville, KY 40299
 502-267-0700

BORING NUMBER E-11

CLIENT Army National Guard PROJECT NAME South Gate Road Slope Failure
 PROJECT NUMBER 7-7728-0000-0002 PROJECT LOCATION Camp Dawson, West Virginia
 DATE STARTED 10/7/08 COMPLETED 10/7/08 GROUND ELEVATION 1267.9 ft HOLE SIZE 3.25
 DRILLING CONTRACTOR MATHES GROUND WATER LEVELS:
 DRILLING METHOD HSA AT TIME OF DRILLING ---
 LOGGED BY MGS AT END OF DRILLING --
 NOTES Dry Hole AFTER DRILLING -

DEPTH (ft)	GRAPHIC LOG	MATERIAL DESCRIPTION	SAMPLE TYPE NUMBER	RECOVERY % (RQD)	BLOW COUNTS (N VALUE)	POCKET PEN. (tsf)	DRY UNIT WT. (pcf)	MOISTURE CONTENT (%)	ATTERBERG LIMITS			FINES CONTENT (%)
									LIQUID LIMIT	PLASTIC LIMIT	PLASTICITY INDEX	
0		CLAY, SILTY, LITTLE FINE TO MEDIUM GRAINED SAND, BROWN, MEDIUM STIFF (PROBABLE FILL)	SS 1		5-4-3 (7)							
5		CLAY, SILTY, WITH FINE TO COARSE GRAINED SAND, GRAY AND BROWN, MEDIUM STIFF (PROBABLE FILL)	SS 2		3-3-4 (7)							
		CLAY, SILTY, WITH FINE TO COARSE SAND, LITTLE FINE GRAVEL, BROWN, MEDIUM STIFF (PROBABLE FILL)	SS 3		3-2-3 (5)							
10		CLAY, SILTY, LITTLE FINE TO COARSE SAND, SOME ORGANICS, ORGANIC ODOR, DARK GRAY, SOFT	SS 4		2-2-2 (4)							
15		CLAY, SILTY, LITTLE FINE TO COARSE SAND, REDDISH BROWN, STIFF	SS 5		4-4-5 (9)			20	41	23	18	
20		CLAY, SILTY, SOME FINE TO COARSE SAND, SOME BLACK NODULES, TAN, VERY STIFF	SS 6		5-7-9 (16)							
25		CLAY, SILTY, LITTLE FINE TO COARSE SAND, LITTLE BLACK NODULES, TAN, VERY STIFF	SS 7		6-8-11 (19)							
Refusal at 27.0 feet. Bottom of borehole at 27.0 feet.												

GEOTECH BH COLUMNS - GINT STD US LAB.GDT - 12/17/08 09:34 - N:\GINT\PROJECTS\ARNG SLOPE FAILURE.GPJ



AMEC
11003 Bluegrass Parkway Suite 690
Louisville, KY 40299
502-267-0700

CLIENT Army National Guard PROJECT NAME South Gate Road Slope Failure
 PROJECT NUMBER 7-7728-0000-0002 PROJECT LOCATION Camp Dawson, West Virginia
 DATE STARTED 10/7/08 COMPLETED 10/7/08 GROUND ELEVATION 1267 ft HOLE SIZE 3.25
 DRILLING CONTRACTOR MATHES GROUND WATER LEVELS:
 DRILLING METHOD HSA AT TIME OF DRILLING ---
 LOGGED BY MGS AT END OF DRILLING ---
 NOTES Dry Hole AFTER DRILLING ---

DEPTH (ft)	GRAPHIC LOG	MATERIAL DESCRIPTION	SAMPLE TYPE NUMBER	RECOVERY % (RQD)	BLOW COUNTS (N VALUE)	POCKET PEN. (tsf)	DRY UNIT WT. (pcf)	MOISTURE CONTENT (%)	ATTERBERG LIMITS			FINES CONTENT (%)
									LIQUID LIMIT	PLASTIC LIMIT	PLASTICITY INDEX	
0		SILT, CLAYEY, SOME FINE TO COARSE GRAVEL, LITTLE FINE TO COARSE SAND, TAN, STIFF, DRY	SS 1		6-7-6 (13)							
5		SILT, CLAYEY, SOME FINE TO COARSE SAND, TAN, MOIST, STIFF	SS 2		6-5-6 (11)							
		CLAY, SILTY, SOME FINE TO COARSE GRAINED SAND, TAN, MOIST, STIFF	SS 3		6-6-5 (11)							
10		NO RECOVERY	SS 4		8-4-3 (7)							
15		CLAY, SILTY, TAN AND REDDISH BROWN, SOME FINE TO COARSE SAND, LITTLE FINE TO COARSE ROCK FRAGMENTS, MEDIUM STIFF	SS 5		0-2-4 (6)							
20		CLAY, VERY SILTY, REDDISH BROWN, SOME FINE TO COARSE GRAINED SAND, LITTLE FINE TO COARSE ROCK FRAGMENTS, MOIST, STIFF	SS 6		4-5-5 (10)							
25		CLAY, SILTY, BROWN AND TAN, SOME FINE TO COARSE SAND, LITTLE BLACK NODULES, MOIST, HARD	SS 7		9-15-16 (31)							
Refusal at 28.2 feet. Bottom of borehole at 28.2 feet.												

GEO TECH BY COLUMNS - GINT STD US LAB.GDT - 12/17/08 08:35 - N:\GINT\PROJECTS\ARNG SLOPE FAILURE.GPJ

614.3

<u>Y</u>	<u>MILS (mm)</u>
B	79 (2.0 mm)
C	109 (2.7 mm)
D	138 (3.5 mm)
E	168 (4.3 mm)
F	188 (4.8 mm)
G	218 (5.5 mm)
H	249 (6.3 mm)
J	280 (7.1 mm)

613-BLANK

SECTION 614 PILING WALLS

614.1 - DESCRIPTION:

This work shall consist of furnishing and placing steel piles in predrilled holes, concrete or grout, backfill and lagging, of the kinds and dimensions designated, in accordance with these provisions and in reasonably close conformity with the lines, grades, dimensions, and locations shown on the Plans or established by the Engineer. Painting of the exposed steel is included.

Careful attention shall be given to assuring the pile wall will tie directly into an existing stable slope. Prior to ordering any materials, the contractor in conjunction with the Engineer shall conduct a project site review in order to verify the limits of the pile wall.

614.2 - MATERIALS:

Materials shall conform to the requirements specified in the following Subsections of Division 700:

<u>MATERIAL</u>	<u>SUBSECTION</u>
Steel Piles and Splices	709.12
Steel Lagging and Wales	709.12
Reinforcing Steel	709.1
Prestressing Steel	709.2
Treated Timber Lagging	710
Portland Cement	701.1
Fine Aggregate	702.1
Fly Ash	707.4

614.3 - DRILLING:

614.4

A drilled hole is required for the buried length of the pile.

A minimum of 1/3 the total pile length or 10 feet (3 m), whichever is greater, is to be placed in bedrock/shale. Deviation from this requirement will be controlled by a Plan note. The total estimated pile length and the depth to the estimated bedrock/shale line are shown on the piling profile. Should the elevation of the actual bedrock/shale vary from the estimated elevation by more than 2.5 feet (0.8 m), the Engineer must approve the hole prior to placement of the pile. The material from the drilled hole shall be removed and disposed of by the Contractor in an approved site.

Particular care must be taken in the drilling operation to avoid deflecting the bit along a sloping bedrock/shale line. To verify proper alignment, the Contractor shall measure and record the vertical alignment of the hole using a plumb bob or other acceptable method.

Preferably, the diameter of the drilled hole shall be a size that will allow the pile, while being slowly lowered into the hole, to reach the bottom of the hole under the impetus of the pile weight. The minimum hole diameter shall be 2 inches (50 mm) larger than the diagonal distance across the pile cross section.

Light tapping (ten blows with at least 3 inches (75 mm) of penetration per blow) with a pile hammer exerting no more than 12,000 ft/lbs (16 kJ) of energy is permitted at the direction of the Engineer to advance the pile past minor obstacles in the hole.

Temporary casing of holes may be needed to maintain an open clean hole through the soil overburden. There will be no additional compensation for temporary casing. The cost of any casing used shall be included in the unit price bid for piling.

614.4 - INSTALLATION OF PILES:

Piles shall be located as shown on the Plans or as directed by the Engineer. Piles shall be installed with the pile center within 1 inch (25 mm) of the Plan location. The piles must be prevented from rotating, so that the pile axis is within five degrees of the position shown on the Plans.

The maximum permissible vertical deviation for piles shall be one percent of the total pile length, as measured at the actual pile location.

It is desirable that piles be installed without splicing; however, at the direction of the Engineer splices may be made. Splice lengths at the top of the piles may be butt welded provided the splice lengths are less than the required splice plates. No payment will be made for cut-offs. Welding shall be in accordance with 615.3.16.

Accurate records shall be maintained by the Contractor showing the depth to which each pile was placed, the plumbness, the amount of material used, elevation of bedrock/shale, and any unusual conditions encountered during the pile installation. These records shall be incorporated into the permanent records of the project.

614.5 - CORROSION PROTECTION:

Piles will be protected from corrosion and sealed by the placement of

614.5

concrete or grout, from the bottom of the hole to the bottom of the lagging or as directed by the Engineer. Vibration of the concrete or grout is not required. The Contractor shall complete all concrete or grout operations for holes drilled during the work day.

The drilled hole shall be pumped free of water and shall be reasonably free of fall-in soil or other debris prior to the placement of the concrete or grout. The concrete or grout in the bedrock/shale portion of the hole will be pumped or tremied through a pipe beginning at the bottom of the drilled hole. The pipe shall be slowly raised ensuring the pipe end remains at least 2 feet (600 mm) below the surface of the concrete or grout. A means of positively measuring the elevation of the concrete or grout as it is placed shall be provided by the Contractor.

After placing the concrete or grout in the bedrock/shale, the Contractor has the option of either pumping or pouring directly into the hole the remainder of the concrete or grout. Placing the concrete or grout from the bottom of the hole to the bottom of the lagging shall be accomplished in one continuous operation.

The Contractor will inform the Engineer, at the preconstruction conference, as to the type of corrosion protection that will be used. Intermixing of concrete and grout will not be allowed, unless approved by the Engineer.

Concrete shall be in accordance with Section 601, Class B. The job site testing is waived

Grout will be furnished and placed in accordance with the requirements specified herein.

The acceptance sampling and testing of the grout is the responsibility of the Division.

Quality Control of the concrete or grout is the responsibility of the Contractor as designated in Materials Procedure MP 601.03.50. The Contractor shall maintain equipment and qualified personnel, who shall direct all field inspection, sampling, and testing necessary to determine the magnitude of the various properties of the concrete and grout governed by the Specifications and shall maintain these properties within the limits of this Specification. The Quality Control Plan designated in MP 601.03.50 shall be submitted to the Engineer at the pre construction conference. Work shall not begin until the Plan is reviewed for conformance with the contract documents.

The required 7-day compression strength of the grout shall be a minimum of 2,000 psi (14 MPa). Grout which does not attain the 2,000 psi (14 MPa) strength in 7 days but exceeds a strength of 1,600 psi (11 MPa) shall be subject to price reduction based on the percentage of strength attained.

A grout strength test shall consist of testing three 6 in x 12 in (150 mm x 300 mm) cylindrical specimens. The test results shall be the average of the three specimens. One set of three specimens shall be made for each day's operations.

The bid price for the piling with grout compressive strengths greater than or equal to 2,000 psi (14 MPa) will be paid at 100 percent unless the piling installation does not meet Specifications for other reasons. Between 1,600 psi

614.6

(11 MPa) and 2,000 psi (14 MPa) compressive strengths, the cost of the grout will be deducted from the actual grout cost on a proportional basis with 2,000 psi (14 MPa) being 100 percent and 1,600 psi (11 MPa) being zero percent payment. With 1,600 psi (11 MPa) grout, the piling installation would be considered to meet 80 percent of the Specifications and the penalty being zero payment for the grout.

The penalty would involve only the quantity of grout represented by the failing compressive strength results.

The bid price for the piling will be reduced for the piles grouted with grout having less than 1,600 psi (11 MPa) compressive strengths as follows:

- A = Compressive strength of grout
- B = Total foot (meter) of piling grouted with
- C = Unit bid price per foot (meter) of piling
- D = Cost of grout (from Contractor)
- E = 2,000 psi (14 Mpa)
- F = Total penalty

$$F = D + [BC - D] 10.80 - (A + E)$$

614.6 - PAINTING:

All surfaces from the top of the steel pile, down to and including 2.0 ft. (600 mm) below the top of the anticipated grout line shall be cleaned and painted. The method of surface preparation shall be hand tool cleaning to SSPC-SP-2. The paint system shall consist of one-coat of aluminum epoxy mastic meeting the requirements of 711.12 applied at a minimum dry film thickness of 5 mils (125 μ m).

614.7 - LAGGING AND BACKFILLING:

Lagging of the type and size as specified on the Plans shall be installed between the piles. Backfilling and restoration of the roadway template shall be as shown on the Plans.

Timber lagging shall be Grade # 3 or better treated rough cut oak, 3 in (75 mm) wide by 8 in (200 mm) deep for heights up to 11 ft (3.4 m); and for wall heights exceeding 11 ft (3.4 m) the timber lagging shall be double 3 in (75 mm) wide by 8 in (200 mm) deep. The boards shall be cut to their required length prior to preservative treatment.

The timber lagging shall conform to Sections 710.3 and 710.4 of the West Virginia Division of Highways Standard Specifications and shall be CCA treated for soil and fresh water use, as per AWWA C2.

614.8 - METHOD OF MEASUREMENT:

The quantity of piles will be measured in linear feet (meters) of piles installed and accepted for the wall. The quantity of lagging will be measured in square feet (meters) of lagging installed and accepted for the wall.

614.10

614.9-BASIS OF PAYMENT:

The quantities will be paid for at the contract unit prices bid for the items listed below, which prices and payments shall be full compensation for furnishing all materials and doing all the work herein prescribed in a workmanlike and acceptable manner, including all labor, tools, equipment, supplies, and incidentals necessary to complete the work. The cost of drilling, concrete, grout, wales, and painting shall be included in the price bid for the piles. The cost of painting and welding steel lagging shall be included in the price bid for steel lagging.

614.10-PAY ITEMS:

ITEM	DESCRIPTION	UNIT
614001-*	"size" STEEL PILE	LINEAR FOOT (METER)
614002-*	STEEL LAGGING, THICKNESS "thickness"	SQUARE FOOT (METER)
614003-*	CONCRETE LAGGING, THICKNESS "thickness"	SQUARE FOOT (METER)
614004-*	TIMBER LAGGING	SQUARE FOOT (METER)

* Sequence number



SUPPLEMENTARY SPECIFICATIONS

The specifications for project shall be the West Virginia Department of Highways, "Standard Specifications, Roadways and Bridges", except as modified herein.

614.1 - DESCRIPTION

Delete the last sentence in the first paragraph

614.3 - DRILLING

Revise the second paragraph to read the following:

"The minimum embedment of the pile length into bedrock shall be designated on the plans. The total estimated pile length and depth to estimated bedrock are shown in the 'Drilled Shaft Schedule' and on the 'Drilled Shaft Profile'. Should the actual elevation vary by more than 2.5 feet, the Engineer must approve the hole prior to placement of the pile. The material from the drilled hole shall be removed and disposed of by the Contractor in an approved site."

Revise portions of the fourth paragraph to state the minimum diameter of the drilled hole shall be as shown on the plans.

614.5 - CORROSION PROTECTION

Revise the first paragraph to indicate that vibration of concrete will be required for the upper ten feet of the drilled shaft.

Delete from paragraph 11 to the end of section 614.5 inclusively. All concrete is expected to reach a minimum 7 day strength of 1,600 psi and 28 day strength of 4,000 psi.

614.6 - PAINTING

Delete this section in its entirety. Painting of the structural steel is not required.

614.7 - LAGGING AND BACKFILLING

Delete paragraphs two and three in this section. Timber lagging is not applicable to this project.

MEASUREMENT AND PAYMENT

LINE ITEM 1 - Mobilization and Demobilization

This item will cover the payment for the mobilization and demobilization of all plant and equipment to execute the project. Payment will be made on a LUMP SUM basis.

LINE ITEM 2 - Clear & Grub

This item will cover the payment for clearing and grubbing the area of work, of all trees, shrubs, etc. Payment will be made on a PER ACRE basis.

LINE ITEM 3 - Excavation and Embankment

This item will cover payment for all excavation and embankment not otherwise included in any other line items on the Bid Form. These items include, but are not limited to, excavation and grading in front of the drilled shaft wall, excavation for the precast concrete lagging, any and all benching that may be required, miscellaneous backfill that may be required, etc. Payment will be made on a LUMP SUM basis.

LINE ITEM 4 - Erosion & Sediment Control

This item will cover all erosion and sediment control measures incorporated by the Contractor's approved SWPPP. Payment will be made on a LUMP SUM basis.

LINE ITEM 5 – Roadway Grading

This item will cover the scarifying, mixing and recompactng of the upper 12" of the existing roadbed. Payment for this item will be made on a per CUBIC YARD basis.

LINE ITEM 6 – Stone Base for Road

This item will cover the 12" of ABC crushed stone to be placed for the new roadway. Payment for this item will be made on a per TON basis.

LINE ITEM 7 – 30" Diameter Drilled Shafts, Above Bedrock

This item will cover all means, methods and materials to perform the machine excavation of the material above bedrock at the drilled shaft locations. Also included in this item shall be the concrete fill material, spoil removal, and forming above grade if necessary. Payment for this item will be made on a per LINEAR FOOT basis.

LINE ITEM 8 – 30" Diameter Drilled Shafts, Into Bedrock

This item will cover all means, methods and materials to perform the machine excavation of the material into bedrock at the drilled shaft locations. Also included in this item shall be the concrete fill material and spoil removal. Payment for this item will be made on a per LINEAR FOOT basis.

LINE ITEM 9 – Steel Piles, W18x106

This item will cover all means, methods and materials to furnish, fabricate and place the steel piles at the proper centerline locations indicated. Payment for this item will be made on a per LINEAR FOOT basis.

LINE ITEM 10 – Steel Piles, W21x111

This item will cover all means, methods and materials to furnish, fabricate and place the steel piles at the proper centerline locations indicated. Payment for this item will be made on a per LINEAR FOOT basis.

LINE ITEM 11 – Precast Concrete Lagging, 8" Thick

This item will cover all means, methods and materials to furnish, fabricate and place the 8" thick precast concrete lagging at the proper locations indicated. Payment for this item will be made on a per SQUARE FOOT basis.

LINE ITEM 12 – Free Draining Backfill

This item will cover all excavation, furnishing & installation of backfill, compaction necessary and furnishing & installation filter fabric. Payment for this item will be made on a per TON basis.

LINE ITEM 13 – 6" Perforated Pipe

This item will cover furnishing & installation of the 6" perforated pipe embedded in the free draining backfill. Payment for this item will be made on a per LINEAR FOOT basis.

LINE ITEM 14 – Cable Guardrail

This item will cover all means, methods and materials to furnish, fabricate and place the cable guardrail at the proper locations indicated. Payment for this item will be made on a per LINEAR FOOT basis.

LINE ITEM 15 – Seed

This item will cover all means, methods and materials to furnish and place the seeding over all areas disturbed. Payment for this item will be made on a per ACRE basis.

Bid Item Number	Description	Quantity	Unit	Unit Price	Total Price
1	Mobilization and Demobilization	1.00	LS		\$ -
2	Clear & Grub	0.25	ACRE		\$ -
3	Excavation and Embankment	1.00	LS		\$ -
4	Erosion & Sediment Control	1.00	LS		\$ -
5	Roadway Grading	136.00	CY		\$ -
6	Stone Base for Road	272.00	TON		\$ -
7	30" Diameter Drilled Shafts, Above Bedrock	481.57	LFT		\$ -
8	30" Diameter Drilled Shafts, Into Bedrock	360.00	LFT		\$ -
9	Steel Piles, W18x106	680.00	LFT		\$ -
10	Steel Piles, W21x111	200.00	LFT		\$ -
11	Precast Concrete Lagging, 8" Thick	2,070.00	SFT		\$ -
12	Free Draining Backfill	150.00	TON		\$ -
13	6" Perforated Pipe	230.00	LFT		\$ -
14	Cable Guardrail	280.00	LFT		\$ -
15	Seed	0.50	ACRE		\$ -
TOTAL BID					\$ -

Contractor Name: _____

Address: _____

Date: _____

Signed: _____

Print Name: _____

Title: _____

STATE OF WEST VIRGINIA
Purchasing Division**PURCHASING AFFIDAVIT****VENDOR OWING A DEBT TO THE STATE:**

West Virginia Code §5A-3-10a provides that: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

PUBLIC IMPROVEMENT CONTRACTS & DRUG-FREE WORKPLACE ACT:

If this is a solicitation for a public improvement construction contract, the vendor, by its signature below, affirms that it has a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the *West Virginia Code*. The vendor **must** make said affirmation with its bid submission. Further, public improvement construction contract may not be awarded to a vendor who does not have a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the *West Virginia Code* and who has not submitted that plan to the appropriate contracting authority in timely fashion. For a vendor who is a subcontractor, compliance with Section 5, Article 1D, Chapter 21 of the *West Virginia Code* may take place before their work on the public improvement is begun.

ANTITRUST:

In submitting a bid to any agency for the state of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the state of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the state of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the state of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership or person or entity submitting a bid for the same materials, supplies, equipment or services and is in all respects fair and without collusion or fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

LICENSING:

Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.

CONFIDENTIALITY:

The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in <http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf>.

Under penalty of law for false swearing (*West Virginia Code* §61-5-3), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

Vendor's Name: _____

Authorized Signature: _____ Date: _____



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER:
 DEFK9020

PAGE:
 1

ADDRESS CORRESPONDENCE TO ATTENTION OF:
 JOHN ABBOTT
 304-558-2544

VENDOR

*613145730 304-525-9485
 TURMAN CONSTRUCTION LLC
 PO BOX 460
 BARBOURSVILLE WV 25504

SHIP TO

DIV ENGINEERING & FACILITIES
 CAMP DAWSON ARMY TRAINING SITE
 240 ARMY ROAD
 KINGWOOD, WV
 26537-1077 304-329-4417

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
04/06/2009				

BID OPENING DATE: 04/15/2009 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
ADDENDUM #01						
THIS ADDENDUM IS ISSUED TO PROVIDE PRE-BID MEETING MINUTES, ANSWER VENDOR QUESTIONS, ADD A BID FORM FOR VENDORS USE, & PROVIDE THE PRE-BID SIGN-IN SHEET.						
QUESTIONS: QUESTIONS WILL ACCEPTED NO LATER THAN 4/10/2009, 2:00 PM; AND SHALL BE EMAILED TO: JOHN.H.ABBOTT@WV.GOV						
0001	1	LS		962-73		
RECLAMATION: RESTORATION OF LAND & OTHER PROPERTIES						
***** THIS IS THE END OF RFQ DEFK9020 ***** TOTAL:						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	CLARK WILSON JR	TELEPHONE	305-525-9485	DATE	4/22/09
TITLE	President	FEIN	26-1621615	ADDRESS CHANGES TO BE NOTED ABOVE	

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

ADDENDUM NO. 1

Pre-Bid Meeting Minutes

Contract DEFK9020

Engineer Skills Building, Camp Dawson, WV

The following constitutes Pre-bid Meeting Minutes for DEFK9020, Camp Dawson South Road Slip Repair.

A pre-bid meeting was conducted at the site for the referenced project at 1330 hrs 30 MAR 2009. During the pre-bid meeting, LTC Suver welcomed those present for expressing interest in the subject project. Key Owner representatives were introduced and the following agenda items were covered:

1. ADMINISTRATIVE:

- a. All present contractors signed in.
- b. The project is a federally funded, State administrated project.
- c. The user of the facility will be the West Virginia Army National Guard.
- d. The Administrator of the contract will be the Construction & Facilities Management Office, WVARNG.

2. INTRODUCTION:

- a. LTC Suver outlined key personnel associated with the project and address for the office. LTC Suver was introduced as the Administrative Contracting Officer, and Jeff Franklin as the Project Manager. Phone numbers and address were identified as follows:
- b.
 - i. Address
1703 Coonskin Drive
Charleston, WV 25311
 - ii. LTC Bill Suver Administrative Contracting Officer
Bill.suver@wv.ngb.army.mil
(304) 561-6454

iii. Jeff Franklin, Project Manager
Email: jeff.franklin@wv.ngb.army.mil
791-4333 (o) (fax)

- c. John Abbott is the buyer for State Purchasing Division. All questions must be submitted in writing to Mr. Abbott, who will distribute for resolution. Direct discussion is not authorized with the Engineer, the Facilities Engineer, or the Project Manager. State Wage Rates applies for this project. Bid Opening is set for 4-15- 2009. The contractors were reminded that they must submit the "Drug Free Compliance Affidavit" form with their bid; failure to submit this form will be grounds for automatic disqualification.
3. The Designer of Record, Chris Ramsey, P.E..
- i. Address:
AMEC Earth & Environmental
3800 Ezell Road, Suite 100
Nashville, TN 37211
Ph: (615) 333-0630
4. LTC Suver discussed security, work hours, access to the site, and temporary facilities. The Contractor will have access to the site from 0700 to 1800 hrs, Monday to Friday. If work hours must be modified, these will be approved on a case-by-case via the Project Manager (CPT Franklin). The contractor is required to provide to the Superintendent, a listing of personnel, which will be gaining access to the site. Superintendence: In accordance with Contract documents, the Contractor must maintain full-time, active superintendent on the job. The contractor will provide a port-a-john for all personnel involved with Construction.
5. Contract Duration 60 days to complete the project after the NTP.
6. All construction activities will be in conjunction with OHSA, Safety and Health Requirements Manual (US Army Corps of Engineers). As noted, the Army safety and health standards mirror OHSA. All construction activities on site will be a hardhat area and marked as such. Cleanup is required daily by each perspective sub and General Contractor: No open dumps of construction materials and no burning on site.
7. LTC Suver discussed the submittal process and encouraged the contractors to stay with the manufacturers outlined in the specifications and any proposed substitution must be submitted prior to bidding.
8. The meeting was opened for Questions by the Contractors. See attached addendum items.
9. LTC Suver closed the meeting and thanked the Contractors for their interest in the project. LTC Suver outlined that the meeting notes will be published through state purchasing, along with clarifications to contract documents. Any questions will be addressed through an Addendum released after the question period has closed. It was also stressed that any further questions between now and bid award must be directed to John Abbott at State Purchasing.

Clarifications from the 3/30/09 Pre-Bid Meeting

1. Specified concrete to be used on this project should be a Class B modified, 4,000 psi in 28 days.
2. Existing concrete rubble onsite and drilling spoils may be disposed of on WVARNG property at designated area, see attached aerial. Erosion and sediment control measures must be followed in this area.
3. All rubbish, clearing & grubbing material, dunnage, etc. must be disposed of at an off site location at the contractor's expense.
4. The subsurface exploration did not extend far enough south, so an interpolated bedrock surface was used. Bid items have been revised to establish the best bidding situation for all.
5. On site materials may be re-used for grading and backfill purposes, as long as compaction criteria can be met. Any clean excess soil or gravel may be disposed of on Camp Dawson as directed by the owner, maximum travel distance 2 miles, one way.

Contractor Questions

- Q: The location of the new wall is not referenced off the centerline of the road in the cross sections or typical section. On the location plan sheet there is a 17.8' distance shown from a dashed line, is this from the east ditch line to back of pile?
- A: The distance called out on sheet DP-3 is 17'-8", and is measured from the east ditch line to the back of the precast concrete lagging.
- Q: Where and how does the 6" drain outlet?
- A: The 6" drain starts on the higher elevation part of the wall, STA 13+85, and provides positive drainage down to where it 'daylights' on the lower elevation part of the wall, at STA 11+50. This is indicated on sheet DP-6, Typical Section.
- Q: The RFQ states that the contract is to be performed within 60 calendar days after the notice to proceed is received. Will the start of the 60 day time period be modified to begin after obtaining the necessary permits and material as discussed at the pre-bid meeting?
- A: The contract period will be based on when the material will be delivered to the site and the contractor can begin the work.

Bid Item Number	Description	Quantity	Unit	Unit Price	Total Price
1	Mobilization and Demobilization	1.00	LS		\$ -
2	Clear & Grub	0.25	ACRE		\$ -
3	Excavation and Embankment	1.00	LS		\$ -
4	Erosion & Sediment Control	1.00	LS		\$ -
5	Roadway Grading	136.00	CY		\$ -
6	Stone Base for Road	272.00	TON		\$ -
7	Soil Boring	40.00	LFT		\$ -
8	30" Diameter Drilled Shafts, Above Bedrock	481.57	LFT		\$ -
9	30" Diameter Drilled Shafts, Into Bedrock	360.00	LFT		\$ -
10	Steel Piles, W18x106	680.00	LFT		\$ -
11	Steel Piles, W21x111	200.00	LFT		\$ -
12	Precast Concrete Lagging, 8" Thick	2,070.00	SFT		\$ -
13	Free Draining Backfill	150.00	TON		\$ -
14	6" Perforated Pipe	230.00	LFT		\$ -
15	Cable Guardrail	280.00	LFT		\$ -
16	Seed	0.50	ACRE		\$ -
TOTAL BID					\$ -

Contractor Name: _____

Address: _____

Date: _____

Signed: _____

Print Name: _____

Title: _____

DEPK 2020

SIGN IN SHEET

PLEASE PRINT

PRE-BID SIGN-IN SHEET / PLEASE LEAVE A BUSINESS CARD - CORRECTIONS - 2/18/2009; 10:30 AM

FIRM & REPRESENTATIVE NAME	MAILING ADDRESS	TELEPHONE & FAX NUMBERS
Company: JL Pretzel Contracting LLC	9 Belgian Est. Bruneton Mills WV 26525	PHONE 304-379-7789 TOLL FREE FAX 304-379-7788
Rep: JAMIE Pretzel		
Email Address: prt2roc@aol.com		
Company: Turman Construction Co.	PO Box 460 Barboursville, WV 25504	PHONE 304-525-9485 TOLL FREE FAX 304-525-9181
Rep: Tom Hesmond		
Email Address: NE76Buz@AOL.com		
Company: Bilco Construction Co. Inc	805 Wisteria Drive South Charleston, WV 25309	PHONE 304-565-3007 TOLL FREE FAX 304-565-3113
Rep: Steve Burkholder		
Email Address: steve_burkholder@frontiernet.net		
Company: STEVE PRO CONTRACTING INC	P.O. Box 2442 Charles Buzg, WV 26301	PHONE 304 622-2400 TOLL FREE FAX 304-622-2410
Rep: STEVE Szabo		
Email Address: Procon_Szabo@yahoo.com		
Company:		
Rep:		
Email Address:		

9

SIGN IN SHEET

PLEASE PRINT

PRE-BID SIGN-IN SHEET / PLEASE LEAVE A BUSINESS CARD - CORRECTIONS - 2/18/2009; 10:30 AM

FIRM & REPRESENTATIVE NAME	MAILING ADDRESS	TELEPHONE & FAX NUMBERS
Company: J. F. Allen Co.	RT 33 P.O. Box 2049	PHONE 304 984 2299
Rep: Chris S. Dean	Buckhannon W.V.	TOLL FREE
Email Address: Phone 304 472-8890	26201	FAX
Company: Thurston Const Co Inc	PO Box 13279	PHONE 304 984 2299
Rep: Dale Thurston	Charleston WV 25360	TOLL FREE
Email Address: 304 984-2299		FAX 304 984 2334
Company: Turney Construction	P.O. Box 460	PHONE 304-525-9485
Rep: Thomas Hesman	Barboursville, WV 25804	TOLL FREE
Email Address: NE76Buzze@aol.com		FAX 304-525-9181
Company: JLPretzel Contracting	9 Belgrove Est.	PHONE 304-379-7789
Rep: JAMIE Pretzel	Bruceston Mills WV 26525	TOLL FREE
Email Address: prtzroec@aol.com		FAX 304-379-7788
Company:		PHONE
Rep:		TOLL FREE
Email Address:		FAX

(A)

SIGN IN SHEET

PLEASE PRINT

PRE-BID SIGN-IN SHEET / PLEASE LEAVE A BUSINESS CARD - CORRECTIONS - 2/18/2009; 10:30 AM

FIRM & REPRESENTATIVE NAME	MAILING ADDRESS	TELEPHONE & FAX NUMBERS
Company: WVARNG	1707 Coonskin Pike	PHONE 304 561-6454 TOLL FREE
Rep: LTC Bill Swer	Charleston WV	FAX
Email Address: bill.swer@us.army.mil		
Company: AMEC EARTH & ENVIRONMENTAL	3800 EZEEL RD	PHONE 615 333 0630 TOLL FREE
Rep: CHRIS RAMSEY	SUITE 100	FAX
Email Address: chris.ramsey@amec.com	NASHVILLE, TN 37211	
Company: WVARNG - CAMP	1707 Coonskin Dr	PHONE 304 - 561-6345 TOLL FREE
Rep: LTC CRAIG LAMBERT	Charleston, WV 25311	FAX
Email Address: Craig.Lambert@cis.army.mil		
Company: WVARNG - TSC - Engineering	240 Army Rd	PHONE 304.291.4333 TOLL FREE
Rep: CPT Jeff Franklin	Kingwood, WV 26538	FAX
Email Address: jeff.franklin@army.mil		
Company:		PHONE TOLL FREE
Rep:		FAX
Email Address:		

(4)

SIGN IN SHEET

PLEASE PRINT

PRE-BID SIGN-IN SHEET / PLEASE LEAVE A BUSINESS CARD - CORRECTIONS - 2/18/2009; 10:30 AM

FIRM & REPRESENTATIVE NAME	MAILING ADDRESS	TELEPHONE & FAX NUMBERS
Company: Kanawha Stone Co.	PO Box 503	PHONE 304-755-8271 TOLL FREE
Rep: Dave Matchias	Nitro, WV 25143	FAX 304-755-8274
Email Address: david.matchias@kanawhaStone.com		
Company: B.K. Mining & Const LLC	4140 Palmer Rd	PHONE 740-484-1115 TOLL FREE
Rep: Bruce A. Balcan	Belmont OH 43718	FAX
Email Address: B.K. Mining & Const Global.net		
Company: B.K. Mining & Const LLC	4140 PALMER RD	PHONE 740-484-1113 TOLL FREE
Rep: Todd E Balcan	BELMONT OH 43718	FAX
Email Address: B.K. Mining @ SBG.GLOBAL.NET		
Company: HawkEye Services	RT1, Box 201-A	PHONE 304 789 6286 TOLL FREE
Rep: Rick Lewis	TERRA ALTA, WV 26764	FAX 304 789 6286
Email Address: HawkEye@Hawkeye.net		
Company: CHARLES E. BOWARD & SON INC	125 EAST HEATH ST	PHONE 304 - 329 - 1330 TOLL FREE
Rep: BILL BOWARD	KANAWHA WV 26537	FAX 304 - 329 - 1571
Email Address: cebsinc@verizon.net		

(3)

SIGN IN SHEET

PLEASE PRINT

PRE-BID SIGN-IN SHEET / PLEASE LEAVE A BUSINESS CARD - CORRECTIONS - 2/18/2009; 10:30 AM

FIRM & REPRESENTATIVE NAME	MAILING ADDRESS	TELEPHONE & FAX NUMBERS
Company: SHAFT DRILLERS INTERNATIONAL	70 GUM SPRINGS ROAD	PHONE (304) 291-0175 TOLL FREE
Rep: DOUGLAS BANKS	MORGANTOWN, WV	FAX (304) 291-8970
Email Address: dbanks@shaftdrillers.com	2650B	
Company:		PHONE TOLL FREE FAX
Rep:		
Email Address:		
Company:		PHONE TOLL FREE FAX
Rep:		
Email Address:		
Company:		PHONE TOLL FREE FAX
Rep:		
Email Address:		

1

SIGN IN SHEET

PLEASE PRINT

PRE-BID SIGN-IN SHEET / PLEASE LEAVE A BUSINESS CARD - CORRECTIONS - 2/18/2009; 10:30 AM

FIRM & REPRESENTATIVE NAME	MAILING ADDRESS	TELEPHONE & FAX NUMBERS
Company: <u>Green River Group, LLC</u>	<u>P.O. Box 18039, 532 Ashbank Sq.</u>	PHONE <u>304-288-1817</u>
Rep: <u>Steve Calvert</u>	<u>Morgantown, WV 26507</u>	TOLL FREE
Email Address: <u>SCalvertGRG@AOL.COM</u>		FAX <u>304-594-3992</u>
Company: <u>ORANGE CONSTRUCTION CORP.</u>	<u>170 OLD CHEAT RD.</u>	PHONE <u>304-291-6765</u>
Rep: <u>DAVE WARE</u>	<u>MORGANTOWN, WV 26508</u>	TOLL FREE
Email Address: <u>ORANGECONSTR@AOL.COM</u>		FAX <u>304-291-6975</u>
Company: <u>Orange Construction GC</u>	<u>11 11</u>	PHONE <u>281 6765</u>
Rep: <u>DAVE TONYE</u>		TOLL FREE
Email Address: <u>ORANGECONSTR@AOL.COM</u>		FAX <u>281 6975</u>
Company: <u>LAURITA EXCAVATING</u>	<u>302 DENTS RD</u>	PHONE <u>304-296-7531</u>
Rep: <u>Self FREEMAN</u>	<u>MORGANTOWN WV.</u>	TOLL FREE
Email Address: <u>FREEMAN@LAURITA.COM</u>	<u>26501</u>	FAX <u>304-292-4606</u>
Company:		PHONE
Rep:		TOLL FREE
Email Address:		FAX

SIGN IN SHEET

PLEASE PRINT

PRE-BID SIGN-IN SHEET / PLEASE LEAVE A BUSINESS CARD - CORRECTIONS - 2/18/2009; 10:30 AM		TELEPHONE & FAX NUMBERS
FIRM & REPRESENTATIVE NAME	MAILING ADDRESS	
Company: <u>SHEET DRILLERS</u>	<u>20 Gum Springs Rd</u>	PHONE <u>(304) 291-0175</u>
Rep: <u>DAVE DOLAN</u>	<u>MORGANTOWN, WV 26508</u>	TOLL FREE
Email Address: <u>ddolan@sheetdrillers.com</u>		FAX
Company: <u>PRETZEL BOX</u>	<u>RF 3 BOX 57</u>	PHONE <u>304-379-7575</u>
Rep: <u>DAVE PRETZEL</u>	<u>Brunswick W.V.</u>	TOLL FREE
Email Address:		FAX
Company:		PHONE
Rep:		TOLL FREE
Email Address:		FAX
Company:		PHONE
Rep:		TOLL FREE
Email Address:		FAX
Company:		PHONE
Rep:		TOLL FREE
Email Address:		FAX



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DEFK9020

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF:
JOHN ABBOTT 304-558-2544

VENDOR

*613145730 304-525-9485
 TURMAN CONSTRUCTION LLC
 PO BOX 460

 BARBOURSVILLE WV 25504

SHIP TO

DIV ENGINEERING & FACILITIES
 CAMP DAWSON ARMY TRAINING SITE
 240 ARMY ROAD

 KINGWOOD, WV
 26537-1077 304-329-4417

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
04/13/2009				

BID OPENING DATE: 04/22/2009 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
				ADDENDUM #02		
				THIS ADDENDUM IS ISSUED TO ANSWER VENDOR QUESTIONS, ADD TO, AND MODIFY THE ORIGINAL REQUIREMENTS OF THE SPECIFICATIONS, PER THE ATTACHED DOCUMENTATION; AND EXTEND THE BID OPENING TO 4/22/2009; 1:30 PM		
				REVISED BID OPENING: 4/22/2009; 1:30 PM		
0001	1	LS		962-73		
				RECLAMATION: RESTORATION OF LAND & OTHER PROPERTIES		
				***** THIS IS THE END OF RFQ DEFK9020 ***** TOTAL: _____		

RECEIVED
 APR 15 2009
 BY: _____

SEE REVERSE SIDE FOR TERMS AND CONDITIONS			
SIGNATURE	TELEPHONE	DATE	
	304 525 9485	4/22/09	
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE	
President	26-1621615		

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

Contractor Questions

Q: Within addendum #1 Clarification from the pre-bid meetings, #2, it is stated that the onsite rubble can be hauled to an area that is shown on an attached aerial. The attached aerial cannot be found.

A: Please refer to the narrative describing this area included in Addendum #1 and repeated herein.

Q: Should we not have a detail of just what the engineer is wanting for the cable guard rail system?


A: Please refer to the attached five sheet set of drawing number SS-740 of the CASS TL-4 Cable Guardrail system produced by Trinity Highway Products. Provide this system or equivalent. Assume installation will require post option #1.

Q: In the pre-bid meeting we had a discussion of allowing the successful bidder to perform an additional core hole at the upper end of the wall prior to ordering material at the expense of the owner. I see no mention of this in the Addendum #1.


A: A Line Item was added to the bid form for a 40' deep soil boring in Addendum #1.

Bid Form Update


The bid form has been updated to include a Lump Sum line item for Construction Layout & Staking. The Owner will provide control points and benchmarks, from which the Contractor will provide all necessary surveying required to complete the Work.




QTY	PART No.	TITLE	Lib/Each
1	30220	1" CABLE END CASTING	0.58
1	35350	1" STUD FLATTENED - R.H.T.	2.88
1	38040	1" HEAVY HEX NUT (ASST DN)	0.47
1	41999	3/4" CABLE WEDGE (2 X 7)	0.28




QTY	PART No.	TITLE	Lib/Each
1	41998	3/4" STUD FLATTENED - L.H.T.	1.32
1	41999	3/4" CABLE WEDGE (2 X 7)	0.28
1	45550	3/4" HEAVY SQUARE NUT (ASST)	0.28




QTY	PART No.	TITLE	Lib/Each
1	41998	3/4" STUD FLATTENED - R.H.T.	1.32
1	41999	3/4" CABLE WEDGE (2 X 7)	0.28




QTY	PART No.	TITLE	Lib/Each
1	30220	1" CABLE END CASTING	0.58
1	35350	1" STUD FLATTENED - L.H.T.	2.88
1	38040	1" HEAVY HEX NUT (ASST DN)	0.47
1	41999	3/4" CABLE WEDGE (2 X 7)	0.28




QTY	PART No.	TITLE	Lib/Each
1	41998	3/4" STUD FLATTENED - R.H.T.	1.32
1	41999	3/4" CABLE WEDGE (2 X 7)	0.28
1	45550	3/4" HEAVY SQUARE NUT (ASST)	0.28




QTY	PART No.	TITLE	Lib/Each
1	41998	3/4" STUD FLATTENED - R.H.T.	1.32
1	41999	3/4" CABLE WEDGE (2 X 7)	0.28




QTY	PART No.	TITLE	Lib/Each
1	59220	1" CASE TURNBUCKLE CLOSED BODY STYLE	4.81
1	59230	1" STUD ASSEMBLY L.H.T.	3.29
1	59100	1" STUD ASSEMBLY R.H.T.	3.29



QTY	PART No.	TITLE	Lib/Each
1	56340	3/4" STUD ASSEMBLY L.H.T.	3.74
1	56350	3/4" STUD ASSEMBLY R.H.T.	3.74
1	57110	3/4" STUD TURNBUCKLE OPEN BODY STYLE	10.28



QTY	PART No.	TITLE	Lib/Each
1	58280	1" CASE TURNBUCKLE CLOSED BODY STYLE	4.81



QTY	PART No.	TITLE	Lib/Each
1	58280	3/4" CASE TURNBUCKLE CLOSED BODY STYLE	4.81

CASS TEMPERATURE & TENSION CHART (NEAREST 100 LBFT)	PART NUMBER	STO CABLE	PRE-STRETCHED
USERS	LIB/FOUR	LIB/FOUR	LIB/FOUR
0	5800	5800	5800
10	5810	5810	5810
20	5820	5820	5820
30	5830	5830	5830
40	5840	5840	5840
50	5850	5850	5850
60	5860	5860	5860
70	5870	5870	5870
80	5880	5880	5880
90	5890	5890	5890
100	5900	5900	5900
110	5910	5910	5910
120	5920	5920	5920
130	5930	5930	5930
140	5940	5940	5940
150	5950	5950	5950
160	5960	5960	5960
170	5970	5970	5970
180	5980	5980	5980
190	5990	5990	5990
200	6000	6000	6000

NOTE:

- TURNBUCKLES SHALL BE INSTALLED WITH A MINIMUM OF 1-1/2" THREAD ENGAGEMENT TO ALLOW FOR ADJUSTMENT DURING ROPE TIGHTENING AT A MINIMUM OF 300 LBFT IN EITHER DIRECTION. THERE SHOULD BE NO SLIP OR ENDEDNESS.
- WHEN CUTTING CABLE LENGTHS IN THE FIELD FROM CABLE REELS, IT MAY BE PERMISSIBLE TO UTILIZE A CABLE TORPEDO SPLICE (6999) BETWEEN TURNBUCKLES. DO NOT USE FOR CABLE LENGTH SHORTER THAN 100'. PLEASE COVER TRINITY CONDUIT TRINITY'S MANUAL ON SPECIFIC ASPECTS TO DETERMINE APPROPRIATE CONDUIT SPECIFICATIONS.











Product: Cass-T14

CASS-T14
3-CABLE GUARDRAIL
SAFETY SYSTEM

TRINITY HIGHWAY PRODUCTS, LLC

DATE: 08/20/2023
REV: 01/11/2024
REV: 07/15/2024
REV: 07/15/2024

SS-740 3



CASS-T14
3-CABLE GUARDRAIL SAFETY SYSTEM
TRINITY TRIMWAY PRODUCTS, LLC

DATE: 08/20/20	DESIGNER: JAV
SCALE: 1/4" = 1'-0"	CHECKER: JAV
PROJECT: 2020-0000	DATE: 08/20/20
SHEET: 005	TOTAL: 005
SS-740	3

Bid Item Number	Description	Quantity	Unit	Unit Price	Amount
1	Mobilization and Demobilization	1.00	LS	20,000	\$20,000-
2	Clear & Grub	0.25	ACRE	20,000	\$20,000-
3	Excavation and Embankment	1.00	LS	20,000	\$20,000-
4	Erosion & Sediment Control	1.00	LS	2,500	\$2,500-
5	Construction Layout & Staking	1.00	LS	5,000	\$5,000-
6	Roadway Grading	136.00	CY	32	\$4,352-
7	Stone Base for Road	272.00	TON	40	\$10,880-
8	Soil Boring	40.00	LFT	50	\$2,000-
9	30" Diameter Drilled Shafts, Above Bedrock	481.57	LFT	150	\$72,235.50
10	30" Diameter Drilled Shafts, Into Bedrock	360.00	LFT	460	\$165,600-
11	Steel Piles, W18x106	680.00	LFT	50	\$34,000-
12	Steel Piles, W21x111	200.00	LFT	55	\$11,000-
13	Precast Concrete Lagging, 8" Thick	2,070.00	SFT	20	\$41,400-
14	Free Draining Backfill	150.00	TON	60	\$9,000-
15	6" Perforated Pipe	230.00	LFT	10	\$2,300-
16	Cable Guardrail	280.00	LFT	66	\$18,480-
17	Seed	0.50	ACRE	5,800	\$2,900-
TOTAL BID					\$426,647.50

426,647.50

Contractor Name: Turman Construction L.L.C.

Address: P.O. Box 460

Barboursville, WV 25507

Date: 4/21/09

Signed: 

Print Name: Clark Wilson Jr

Title: President

Bid Item Number	Description	Quantity	Unit	Unit Price	Amount
1	Mobilization and Demobilization	1.00	LS		\$ -
2	Clear & Grub	0.25	ACRE		\$ -
3	Excavation and Embankment	1.00	LS		\$ -
4	Erosion & Sediment Control	1.00	LS		\$ -
5	Construction Layout & Staking	1.00	LS		\$ -
6	Roadway Grading	136.00	CY		\$ -
7	Stone Base for Road	272.00	TON		\$ -
8	Soil Boring	40.00	LFT		\$ -
9	30" Diameter Drilled Shafts, Above Bedrock	481.57	LFT		\$ -
10	30" Diameter Drilled Shafts, Into Bedrock	360.00	LFT		\$ -
11	Steel Piles, W18x106	680.00	LFT		\$ -
12	Steel Piles, W21x111	200.00	LFT		\$ -
13	Precast Concrete Lagging, 8" Thick	2,070.00	SFT		\$ -
14	Free Draining Backfill	150.00	TON		\$ -
15	6" Perforated Pipe	230.00	LFT		\$ -
16	Cable Guardrail	280.00	LFT		\$ -
17	Seed	0.50	ACRE		\$ -
TOTAL BID					\$ -

Contractor Name: _____
 Address: _____
 Date: _____
 Signed: _____
 Print Name: _____
 Title: _____

BID BOND

KNOW ALL MEN BY THESE PRESENTS, That we, the undersigned, Turman Construction Co.
of Huntington, WV, as Principal, and Liberty Mutual Insurance
Compan of Boston, MA, a corporation organized and existing under the laws of the State of _____
MA with its principal office in the City of Boston, as Surety, are held and firmly bound unto the State
of West Virginia, as Obligee, in the penal sum of Five Percent of Amount Bid (\$ 5%) for the payment of which,
well and truly to be made, we jointly and severally bind ourselves, our heirs, administrators, executors, successors and assigns.

The Condition of the above obligation is such that whereas the Principal has submitted to the Purchasing Section of the
Department of Administration a certain bid or proposal, attached hereto and made a part hereof, to enter into a contract in writing for
South Gate Road Slope Repair


NOW THEREFORE,

- (a) If said bid shall be rejected, or
- (b) If said bid shall be accepted and the Principal shall enter into a contract in accordance with the bid or proposal attached
hereto and shall furnish any other bonds and insurance required by the bid or proposal, and shall in all other respects perform the
agreement created by the acceptance of said bid, then this obligation shall be null and void, otherwise this obligation shall remain in full
force and effect. It is expressly understood and agreed that the liability of the Surety for any and all claims hereunder shall, in no event,
exceed the penal amount of this obligation as herein stated.


The Surety, for the value received, hereby stipulates and agrees that the obligations of said Surety and its bond shall be in no
way impaired or affected by any extension of the time within which the Obligee may accept such bid, and said Surety does hereby
waive notice of any such extension.

IN WITNESS WHEREOF, Principal and Surety have hereunto set their hands and seals, and such of them as are corporations
have caused their corporate seals to be affixed hereunto and these presents to be signed by their proper officers, this
15th day of April, 2009.

Principal Corporate Seal

Turman Construction Co.
(Name of Principal)
By 
(Must be President or Vice President)
President
(Title)

Surety Corporate Seal

Liberty Mutual Insurance Company
(Name of Surety)
By: 
Josephine M. Streye Attorney-in-Fact

IMPORTANT – Surety executing bonds must be licensed in West Virginia to transact surety insurance. Corporate seals must be affixed,
and a power of attorney must be attached.

This Power of Attorney limits the acts of those named herein, and they have no authority to bind the Company except in the manner and to the extent herein stated. Not valid for mortgage, note, loan, letter of credit, bank deposit, currency rate, interest rate or residual value guarantees. To confirm the validity of this Power of Attorney call 610-832-8240 between 9:00 am and 4:30 pm EST on any business day.

LIBERTY MUTUAL INSURANCE COMPANY
BOSTON, MASSACHUSETTS
POWER OF ATTORNEY

KNOW ALL PERSONS BY THESE PRESENTS:

That Liberty Mutual Insurance Company (the "Company"), a Massachusetts stock insurance company, pursuant to and by authority of the By-law and Authorization hereinafter set forth, does hereby name, constitute and appoint, Josephine M. Streyle its true and lawful attorney-in-fact, with full power and authority hereby conferred to sign, execute and acknowledge, at any location within the United States, the following surety bond:

Principal Name: Turman Construction Co.
Obligee Name: State of West Virginia
LMS Surety Bond Number: Bid Bond **Bond Amount:** See Bond Form

That this power is made and executed pursuant to and by authority of the following By-law and Authorization:

ARTICLE XIII - Execution of Contracts: Section 5. Surety Bonds and Undertakings.
Any officer of the Company authorized for that purpose in writing by the chairman or the president, and subject to such limitations as the chairman or the president may prescribe, shall appoint such attorneys-in-fact, as may be necessary to act in behalf of the Company to make, execute, seal, acknowledge and deliver as surety any and all undertakings, bonds, recognizances and other surety obligations. Such attorneys-in-fact, subject to the limitations set forth in their respective powers of attorney, shall have full power to bind the Company by their signature and execution of any such instruments and to attach thereto the seal of the Company. When so executed such instruments shall be as binding as if signed by the president and attested by the secretary.

By the following instrument the chairman or the president has authorized the officer or other official named therein to appoint attorneys-in-fact:

Pursuant to Article XIII, Section 5 of the By-laws, Garnet W. Elliott, Assistant Secretary of Liberty Mutual Insurance Company, is hereby authorized to appoint such attorneys-in-fact as may be necessary to act in behalf of the Company to make, execute, seal, acknowledge and deliver as surety any and all undertakings, bonds, recognizances and other surety obligations.

That the By-law and the Authorization set forth above are true copies thereof and are now in full force and effect.

IN WITNESS WHEREOF, this Power of Attorney has been subscribed by an authorized officer or official of the Company and the corporate seal of Liberty Mutual Insurance Company has been affixed thereto in Plymouth Meeting, Pennsylvania this 28th day of MARCH, 2009.




LIBERTY MUTUAL INSURANCE COMPANY
By Garnet W. Elliott
Garnet W. Elliott, Assistant Secretary

COMMONWEALTH OF PENNSYLVANIA ss
COUNTY OF MONTGOMERY

On this 28th day of MARCH, 2009, before me, a Notary Public, personally came Garnet W. Elliott, to me known, and acknowledged that he is an Assistant Secretary of Liberty Mutual Insurance Company; that he knows the seal of said corporation; and that he executed the above Power of Attorney and affixed the corporate seal of Liberty Mutual Insurance Company thereto with the authority and at the direction of said corporation.

IN TESTIMONY WHEREOF, I have hereunto subscribed my name and affixed my notarial seal at Plymouth Meeting, Pennsylvania, on the day and year first above written.



COMMONWEALTH OF PENNSYLVANIA
Notarial Seal
Teresa Pastella, Notary Public
Plymouth Twp., Montgomery County
My Commission Expires March 28, 2013
Member, Pennsylvania Association of Notaries.

By Teresa Pastella
Teresa Pastella, Notary Public

CERTIFICATE
I, the undersigned, Assistant Secretary of Liberty Mutual Insurance Company, do hereby certify that the original power of attorney of which the foregoing is a full, true and correct copy, is in full force and effect on the date of this certificate; and I do further certify that the officer or official who executed the said power of attorney is an Assistant Secretary specially authorized by the chairman or the president to appoint attorneys-in-fact as provided in Article XIII, Section 5 of the By-laws of Liberty Mutual Insurance Company.

This certificate and the above power of attorney may be signed by facsimile or mechanically reproduced signatures under and by authority of the following vote of the board of directors of Liberty Mutual Insurance Company at a meeting duly called and held on the 12th day of March, 1980.

VOTED that the facsimile or mechanically reproduced signature of any assistant secretary of the company, wherever appearing upon a certified copy of any power of attorney issued by the company in connection with surety bonds, shall be valid and binding upon the company with the same force and effect as though manually affixed.

IN TESTIMONY WHEREOF, I have hereunto subscribed my name and affixed the corporate seal of the said company, this 15th day of April, 2009.



By David M. Carey
David M. Carey, Assistant Secretary



State of West Virginia
DRUG FREE WORKPLACE CONFORMANCE AFFIDAVIT
West Virginia Code §21-1D-5

STATE OF West Virginia
COUNTY OF Cabell, TO-WIT:

I, Clarke Wilson Jr, after being first duly sworn, depose and state as follows:

1. I am an employee of Turman Construction LLC; and,
(Company Name)
2. I do hereby attest that Turman Construction LLC
(Company Name)

maintains a valid written drug free workplace policy and that such policy is in compliance with **West Virginia Code** §21-1D-5.

The above statements are sworn to under the penalty of perjury.

Turman Construction LLC
(Company Name)

By: [Signature]

Title: President

Date: 4/20/09

Taken, subscribed and sworn to before me this 20th day of April, 2009

By Commission expires 3/29/11

(Seal)

COMMONWEALTH OF PENNSYLVANIA

Notarial Seal
Mary Kay Dods, Notary Public
Clinton Twp., Butler County
My Commission Expires March 29, 2011
Member, Pennsylvania Association of Notaries

[Signature]
(Notary Public)

THIS AFFIDAVIT MUST BE SUBMITTED WITH THE BID IN ORDER TO COMPLY WITH WV CODE PROVISIONS. FAILURE TO INCLUDE THE AFFIDAVIT WITH THE BID SHALL RESULT IN DISQUALIFICATION OF THE BID.

STATE OF WEST VIRGINIA
Purchasing Division**PURCHASING AFFIDAVIT****VENDOR OWING A DEBT TO THE STATE:**

West Virginia Code §5A-3-10a provides that: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

PUBLIC IMPROVEMENT CONTRACTS & DRUG-FREE WORKPLACE ACT:

If this is a solicitation for a public improvement construction contract, the vendor, by its signature below, affirms that it has a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the *West Virginia Code*. The vendor **must** make said affirmation with its bid submission. Further, public improvement construction contract may not be awarded to a vendor who does not have a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the *West Virginia Code* and who has not submitted that plan to the appropriate contracting authority in timely fashion. For a vendor who is a subcontractor, compliance with Section 5, Article 1D, Chapter 21 of the *West Virginia Code* may take place before their work on the public improvement is begun.

ANTITRUST:

In submitting a bid to any agency for the state of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the state of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the state of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the state of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership or person or entity submitting a bid for the same materials, supplies, equipment or services and is in all respects fair and without collusion or fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

LICENSING:

Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.

CONFIDENTIALITY:

The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in <http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf>.

Under penalty of law for false swearing (*West Virginia Code* §61-5-3), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

Vendor's Name: Turman Construction LLC
 Authorized Signature: [Signature] Date: 4/20/09
 Purchasing Affidavit (Revised 04/01/09)