

Request for REGNUMBER Quotation

DEP14150

ADDRESSICORRESPONDENCE (CATTIENTIONICE) CHUCK BOWMAN 304-558-2157

RFQ COPY TYPE NAME/ADDRESS HERE

Service Supply & Supply, Inc. P.O. Box 2097 Huntington, WV 25721

ENVIRONMENTAL PROTECTION DEPT. OF OFFICE OF SPECIAL RECLAMATION 105 S. RAILROAD STREET PHILIPPI, WV 26416-9998 304-457-3219

10/30/	<u>anaranananan</u>	HE I	IMS OF SALE		SHIPVIA		F 0.6		FREIGHTTERMS
BID OPENING DATE:		11/18/				BID	OPENING T	IME 01	:30PM
LINE	QUAN	TITY	UOP C	AT IO.	ITEM NUMBE	A	UNITP	RICE	AMOUNT
0001	SNOW R	EMOVAL	EA	968-	-72			-	CEIVED
							4	2008 NO	118 A 10: 46
	THE AGENVIRON RECLAMA CONTRAMA APPROPIMINTER TO INCUSPECIAL VIRGIN	ENCY, NMENTA ATION, CTORS RIATE ACCES LUDE A L RECL IA, PE EMENTS	TO PROVEQUIPMES TO VACID MINAMATION R THE F	T VIRGE CTION SECTION	INIA DEF S OFFICE S BIDS F L MATER CONDUCT SITES AN NAGE SLU CT SITES	PARTME OF S ROM Q IALS, SNOW ND PUM JDGE A S IN N IFICAT	NT OF	ST/ OR ICES EST	SHIG DIVISION TE OF WV
	UPON AI YEAR OI NECESSI ORIGINI NOT EXI TIME" REASON WRITTEI UNLESS THIS CI	F CONT WARD R UNTI ARY TO AL CON CEED T THE VE UPON NOTI SPECI ONTRAC	AND EXT L SUCH OBTAIN TRACT. WELVE (NDOR MA GIVING CE. FIC PRO T DOCUM	ENDS FOR THE MENT THE DIF	OR A PERNABLE TO CONTRACTE ASONAL INATE THE RECTOR CO.	RIDD O IME" T CT OR SLE TI DURING HIS CO DF PUR FIPULA	MES EFFEC F ONE (1) HEREAFTER RENEW THE ME" PERIO! THIS "RE. NTRACT FOI CHASING 3 TED ELSEWI DITIONS AI FE OF THE	AS IS D SHALL ASONABLE R ANY D DAYS HERE IN	
								,	-
SIGNATURE \ }	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		ja j	EBEVERSE	SIDE FOR TERM	IS AND CON EPHONE	DITIONS	DATE	
∠ @;	1 1	dm-	in .			(3	04)-429-67	31	11-18-08
MIE 50/8 S			55-059	99012			ADDRE	SS CHANGES	TO BE NOTED ABOVE



Request for MEDINUMBER Quotation

DEP14150

304-558-2157

ADDRESS:CORRESPONDENCE TO ATTENTION OF CHUCK BOWMAN

RFQ COPY TYPE NAME/ADDRESS HERE

Service Pump & Supply, Inc. P.O. Box 2097 Huntington, WV 25721

ENVIRONMENTAL PROTECTION DEPT. OF OFFICE OF SPECIAL RECLAMATION 105 S. RAILROAD STREET PHILIPPI, WV 26416-9998 304-457-3219

DATE PRIN	TED TE	RMS OF SALE	SHIP VIA	F,Q,B,	FREIGHTTERMS
10/30/					
BID OPENING DATE		THE REPORT OF THE PARTY OF THE	BID OF	PENING TIME 01	:30PM
LINE	QUANTITY	UGP CAT	ITEM NUMBER	UNIT PRICE	AMOUNT
	CONTRACT.				
j	Join Million .]
	RENEWAL: TH	IS CONTRAC	T MAY BE RENEWED U	JPON THE MUTUAL	
	WRITTEN CONS	SENT OF THE	SPENDING UNIT AND	VENDOR,	
			TOR OF PURCHASING		
	DAYS PRIOR	O THE EXPI	RATION DATE. SUCH	I RENEWAL SHALL	
			THE TERMS AND COND		
-			SHALL BE LIMITED T	TO TWO (2) ONE	
	(1) YEAR PER	STODS.			
	CANCELLATION	. TUE NID	ECTOR OF PURCHASIN	le decembre tur	
	DIGHT TO CAN	TOTE DIR	ONTRACT IMMEDIATEL	V HOOM MOTTTEN	,
			F THE COMMODITIES		
	SUPPLIED ARE	OF AN INF	ERIOR QUALITY OR D	O NOT CONFORM	
			OF THE BID AND CON		***************************************
			HE DIRECTOR OF PUR		1
			NIT TO PURCHASE ON		
			LING OF A REQUISIT		
			IED ON THIS CONTRA		
			EMERGENCIES DUE TO		1
	CAUSES LINCE	ON THE BUT	NOT LIMITED TO DEL	AYS IN TRANS-	
	WORK.)	AN UNANIL	CIPATED INCREASE I	N THE VULUME OF	
	WUKK.)				
	QUANTITIES:	QUANTITIE	S LISTED IN THE RE	CONTESTION ARE	
			ASED ON ESTIMATES		
			IT IS UNDERSTOOD A		
			ER THE QUANTITIES		1
	ORDERED FOR	DELIVERY D	URING THE TERM OF	THE CONTRACT,	
	WHETHER MORE	OR LESS T	HAN THE QUANTITIES	SHOWN.	
1					
	ORDERING PRO	CEDURE: S	PENDING UNIT(S) SH	ALL ISSUE A	
			ORDER (FORM NUMBE		
	ORIGINAL COR	A UE LHE H	COVERED BY THIS C V-39 Shall be mail	CONTRACT. THE	
	GUTGTIANT COL	1 1112 W	A 25 SHALL DE HALL	CD IO INC	
		SEEREV	ERSE SIDE FOR TERMS AND CONDIT		
SIGNATURE	y Iselim		TELEPHONE (304))-429-6731 DATE	11-18-08
TITLE C		EIN EE OSOOC			TO BE NOTED ABOVE
عرا و حـــــا	ENDESSOUSING	55-05990	T NAME AND ADDRESS IN 6		ı



Request for BEGNOMBER Quotation

DEP14150

ADDRESS CORRESPONDENCESTO ATTENTION OF

CHUCK BOWMAN 304-558-2157

RFQ COPY TYPE NAME/ADDRESS HERE Service Pump & Supply, Inc. P.O. Box 2097

Huntington, WV 25721

ENVIRONMENTAL PROTECTION DEPT. OF OFFICE OF SPECIAL RECLAMATION 105 S. RAILROAD STREET PHILIPPI, WV 26416-9998 304-457-3219

DATE PRIN	describer redebases de	JEF	MS OF SAL	E	SHIP	/IA	FC),B,	FREIGHTTERMS
10/30/ BID OPENING DATE:	/	31/30/	2000				OSENTUS	T T 14 F*	
	100000000000000000000000000000000000000	<u>11/18/</u> VITY	UOP	CAT			OPENING		01:30PM
LINE	GUA)	**************************************	999	CAT NO	ITEM NUI	VIDEH	UNII	PRICE	AMOUNT
					N FOR SHI NG DIVISI				,
,					NG UNIT.	UN, AND	A IUTKD	CUTI	
	REV. 3	/88							,
	BANKRU	PTCY:	IN T	HE EV	ENT THE V	ENDOR/C	DNTRACTO	R FILES	
					ION, THIS				
	CALLY ORDER.		ND VO	ID, A	ND IS TER	MINATED	WITHOUT	FURTHE	₹
	OKDER.								
					CTOR OR S				
					DEPARTME OR NORTHE				GE
	TO WES	T VIRG	INIA	CODE	21-5-1, E	T. SEQ.	(PREVAI	KSUANI LING	
	WAGE R	ATES A	PPLY	то тн	IS PROJEC	T			
	MUDKED	e: com	DENCA	TTONI	VENDOR	TO DENI	TDEN TO I	DOOVING	
	A CERT	IFICAT	E FRO	M WOR	KERS' COM	PENSATI	ON IF SU	CCESSFUI	
				1					
	INSURA	NCE: MERCIA	SUCCE	SSFUL	VENDOR S LIABILITY	HALL FU	RNISH PRI	00F B TO	
	ISSUAN	CE OF	CONTR	ACT.	UNLESS 0	THERWIS	E SPECIF	IED IN	
	THE BI	D DOCU	MENTS	, THE	MINIMUM				
	COVERA	GE REQ	DIRED	IS \$	250,000.				
	AUTOMO	BILE L	IABIL	ITY:	VENDOR S	HALL PR	OBIDE PRO	OOF OF	
	AUTO L	IABILI	TY IN	SURAN	CE . AUT	O LABIL	ITY INSU	RANCE	
					RY LIMITS RS (U.S.				
	RENCE	AND PR	DPERT	Y DAM	AGE LIMIT	S OF NO	T LESS TI	R OCCUR. HAN ONE	
					RS (U.S.				
			[
				TON	ICE				
		l		SEEREV	ERSE SIDE FOR T		IDITIONS		1
SIGNATURE K	ly Ke	Show				TELEPHONE (3	04)-429-6	731 DATE	11-18-08
mie S()&	1	FE		5-0599	9012		ADDF	RESS CHANG	ES TO BE NOTED ABOVE



Request for Quotation

DEP14150

PAGE:

ADDRESSICORRESPONDENCE TO ATTENTION OF

CHUCK BOWMAN 304-558-2157

DOCEMA

RFQ COPY
TYPE NAME/ADDRESS HERE

Service Pump & Supply, Inc. P.O. Box 2097 Huntington, WV 25721 ENVIRONMENTAL PROTECTION
DEPT. OF
OFFICE OF SPECIAL RECLAMATION
105 S. RAILROAD STREET
PHILIPPI, WV
26416-9998 304-457-3219

DATE PRIN	<u> </u>	TER	MS OF SAL	\$	SHIP.VIA		F	3.8	FREIGHTTERMS
10/30/ BID OPENING DATE:		1/18/	2008			BID	OPENING	TIME O	1:30PM
LINE	QUANT	880080008668	JUOP	CAT NO	ITEM NUMBI	********		PRICE	AMOUNT
				NO.					
	A SIGNE	D BID	MUST	BE S	UBMITTED TO):			
					INISTRATIO	4			
		RCHAS ILDIN		IVISI	DN				
					TREET, EAS [*] 5305-0130	Γ			
	THE BID	SHOU ELOPE	LD CO OR T	NTAIN HE BI	THIS INFO	RMATIO BE CON	N ON THE SIDERED:	FACE OF	
	SEALED	BID					,		
	BUYER:				CB-23				
	RFQ. NO	.:			DEP14150)			
	BID OPE	NING	DATE:		11/18/2	800			,
	BID OPE	NING	TIME:		1:30 PM				
						:			
					UMBER IN CA		IS NECE	SSARY	
	IO CONI				9-673	1 1			
							**** **** **** **** **** **** ****		
	CONTACT	PERS		٦	PRINT CLE				
		~ ~ ~ ~ ~	Ke		Kādna	ـــد			
									,
					•	i			
				SEE BE	ERSE SIDE FOR TERM	AS AND CO	4DITIONS		1
SIGNATURE			,		TEL	EPHONE (304)429-6	731 DATE	11-18-08
TITLE		FE	№ 55–0.	599012	:		ADD	RESS CHANGE	S TO BE NOTED ABOVE

BUYER	TPAGEORIS	REQ. OR PO NO.
CB-23	70 C C C C C C C C C C C C C C C C C C C	DEP 14150
SPENDING UNIT		
WEST VIRGINIA D	EPARTMENT OF EN	VIRONMENTAL
PROTECTION/SPEC	CIAL RECLAMATION	N

SCOPE OF WORK

The successful bidder shall provide appropriate equipment, materials, labor and any technical services needed for the scope of work as described in this contract. The General Performance Standards (GPS) shall apply to all items in Scope of Work.

Sludge pumping will be from treated acid mine drainage settling ponds through 6 inch diameter high density polyethylene piping, which has been permanently installed beside the pond to sludge drying cells. The sludge pipe connections are fitted with cam and groove adaptors for quick connection to a pump. Most sludge drying cells are 120 feet or less in height above the treatment settling ponds (ponds require approximately 20 feet of suction lift). Some treatment sites require two 6 inch sludge pumps in series or use of a high-head pump due to pumping heights greater than 120 feet. The pumping distance varies from site to site, but is normally less than 1000 feet. All pumps shall be in good operable condition and be readily available to be used at as many as four different locations at any given time. Some sludge removal sites will require continuous pumping from start-up to finish. Any trailer-mounted pumps specified shall meet Department of Transportation (DOT) approval for highway travel.

Snow removal shall be provided for winter access on gravel-based compacted access roads that lead to treatment sites. The DEP staff, as well as the contractor, needs winter access to these sites for sludge pumping. The access road lengths vary from site to site, and may be 0.5 to 2.0 miles on average, however some sites may be more.

CONTRACTUAL INFORMATION & REQUIREMENTS

Location of Work-North

The area of work shall include the Northern Counties of West Virginia. The counties listed below are the coal producing counties and those in parenthesis represent where most of the work required in this contract is located.

	r		
1.	Hancock	15.	(Tucker)
2.	Brooke	16.	Barbour
3.	Ohio	17.	Lewis
4.	Marshall	18.	Braxton
5.	Wetzel	19.	(Upshur)
6.	Tyler	20.	Pocahontas
7.	(Monongalia)	21.	Randolph
8.	(Preston)	22.	Pendleton
9.	Marion	23.	Gilmer
10.	Doddridge	24.	Webster
11.	Harrison	25.	Pleasants
12.	Taylor	26.	Wood
13.	(Mineral)	27.	Ritchie
14.	(Grant)		•

BUYER	PAGE	REQ. OR PO NO.
CB-23	000	DEP 14150
SPENDING UNIT		
WEST VIRGINIA	DEPARTMENT OF ENV	/IRONMENTAL
PROTECTION/SPE	CIAL RECLAMATION	

Definitions

- A. The words "Owner", "The State", "DEP" or "Office of Special Reclamation" are used herein to refer to the West Virginia Department of Environmental Protection, Office of Special Reclamation.
- B. The word "offeror" refers to the person or company offering to furnish the services called for in this request for proposal.
- C. The word "Contract" is used to refer to the agreement or purchase order requested by the owner and accepted by the contractor together with all the provisions of this request for proposal and all parts of said agreement of purchase order.
- D. The word "Contractor refers to the person or company contracting with State to furnish the "services" called for by the contract.
- E. The words "services" or "work" is used to mean and include all labor, supervision, materials, machinery, equipment, tools, supplies, and facilities called for in the work directives issued within the contract.
- F. The word "Director" is used to mean the Director of the Division of Land Restoration, Department of Environmental Protection, and shall be considered to be the State's authorized representative.

Ordering Procedure

- A. This is an open end quantity contract for the services specified in the statement of work and for the period set forth herein. Delivery or performance shall be made in accordance with the provisions of this contract.
- B. Work will be ordered by the Director or his representative, for the Office of Special Reclamation, West Virginia Department of Environmental Protection by issuance of a work directive, which shall include the name of the project site, and the cost estimate (quantity of work to be done). The contractor shall acknowledge receipt by signing, dating and forwarding back to the Director the cost estimate for the work requested. The cost estimate shall be in accordance with the unit prices provided in the response to this proposal. No work shall be performed until a notice to proceed has been issued by the State.

Delivery

A. The contractor shall complete the specified maintenance work in accordance to each work directive. The contractor shall give an invoice to the Department of Environmental Protection representative upon completion of each pumping session or work directive.

BUYER	PAGE	REQ. OR PO NO.				
CB-23	007	DEP 14150				
SPENDING UNIT	SPENDING UNIT					
WEST VIRGINIA I	DEPARTMENT OF EN	VIRONMENTAL				
PROTECTION/SPE	CIAL RECLAMATION	Ŋ				

- B. Inspections of each project will be made by the Director or his authorized representative as the work progresses and at completion. A final inspection will be made when all work is completed.
- C. Acceptance criteria will be based on all work being completed as requested in the work directive.

General Conditions

- A. The contractor shall be responsible for paying and/or securing all taxes, permits, fees, insurance liability, compensations, and any other items necessary to render the owner free and harmless from all claims arising from services performed under this contract.
- B. The contractor shall take steps required to ensure equal opportunity for employment in accordance with policies promulgated by the Presidents Committee on Equal Opportunity.
- C. The State shall be responsible for obtaining all rights of entry for each project, if needed.
- D. The work and services to be performed under this contract shall be subject to continual monitoring and inspection by the State's authorized representative. Such inspection will, among other things, ensure technical compliance.
- E. In accomplishment of services to fulfill the requirements of the work directive, neither contractor nor his subcontractor shall create any adverse environmental effects and shall be responsible for compliance with all applicable local, state, and federal environmental and occupational health and safety regulations pertinent to the work.

Costs and Payments

- A. Payment to the contractor will be made on the following basis:
 - 1. Unit Pricing

Item - As directed by the State in specific work directive.

Quantity - As agreed to prior to issuing a Notice to Proceed.

<u>Unit Price</u> - As provided by the Offeror in the proposal.

B. The contractor shall invoice on specified DEP forms to the department after completion of work specified in the work directive; final inspection has been made; and the work is accepted by the department. All invoices shall show the quantities and unit prices approved in the cost estimate for the work directive.

Multiple invoices will be accepted on Work Directives with prior approval of the DEP.

BUYER	PAGE	REQ. OR PO NO.
CB-23		DEP 14150
SPENDING UNIT		
WEST VIRGINIA DEPA	RTMENT OF ENV	/TRONMENTAL
PROTECTION/SPECIAL	RECLAMATION	

Changes in the Contract

- A. The State, without invalidating the contract, may order changes in the work within the general scope of the contract consisting of additions, deletions, or other revisions. All such changes in the work shall be authorized by a change order. A change order signed by both the State and Offeror indicates their agreement to an adjustment to the contract. The cost or credit to the State resulting from a change in the work shall be determined in one or more of the following ways:
 - 1) By mutual acceptance of a lump sum properly documented (itemized)
 - 2) By unit prices (negotiated)

All materials must have approval from a DEP representative.

BUYER
CB-23

SPENDING UNIT
WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL
PROTECTION/SPECIAL RECLAMATION

WV-36 STATE OF WEST VIRGINIA REV. 5-1-08 PURCHASING CONTINUATION SHEET VENDOR:

BID ITEM TECHNICAL SPECIFICATIONS

1.0 MOBILIZATION/DEMOBILIZATION

Payment shall be made for mobilization and/or demobilization of each 6 inch Trash Pump to and from the sludge pumping sites as defined in the Work Directives. This bid item shall also be utilized for mobilization and demobilization for each snow plow truck to and from the treatment sites as defined in the Work Directives. If multiple sites are to be consecutively pumped or plowed, the mobilization will only be paid from site to site after reaching the first site. Demobilization shall be paid when leaving the last site.

Method of Payment: Payment shall be based on an Hourly Rate unit price. The maximum bid amount shall be \$60/Hour.

2.0 SETUP AND DISMANTLE OF 6 INCH PUMPS

Payment shall be made for setup and dismantle of each 6 inch Trash Pump at a sludge pumping site. Any persons involved in the setup and dismantle of pumps, not including the pump operator, shall be incidental to this bid item. Pump personnel shall be included with each pump specified for a site by a DEP representative. Any adjustments to the suction and discharge lines after the initial pump setup at a pumping site shall not be considered a separate event.

Method of Payment: Payment shall be lump sum unit price for each actual setup or relocation of the pump. The maximum lump sum bid amount shall be \$300/EA.

3.0 TRASH PUMP(S) 6 INCH DIAMETER gas a/o diesel powered with trailer mounting

These pumps shall be used for the actual sludge pumping from the treatment ponds to sludge drying cells. Provide Godwin brand self-priming centrifugal 6 inch x 6 inch size pump model #CD150M (or approved equal). Minimum pump specifications include: Solids handling type pumps of up to 3 inch diameter spherical solids; Dry running capability; Capable of pumping 800 gpm at 140 feet Total Dynamic Head (TDH); Operate at the pump motor's rated maximum continuous performance (see the pump manufacturer performance curve) for the duration of pumping on site to obtain maximum pumping efficiency.

If a larger pump is utilized than the one specified, it shall be the contractor's responsibility to verify that the pumping rate is equal or greater than described above.

A minimum of 100 feet of suction hose shall be provided with each pump. A minimum of 150 feet of discharge hose shall be provided with each pump. A minimum of three pumps shall be available for use at multiple pumping locations in the northern area. Also, two pumps may be used in series at one time at a treatment site. All personnel necessary to efficiently and effectively operate the pump(s) shall be included with this bid item unit price. A bolt on type float shall be available for each pump suction line, and at the DEP representative's request, the float may be required to maintain the suction line off of the bottom of the pond. The float may need to be adjusted for each pond, or as a pond is pumped.

<u>Pump Operator(s) Responsibilities:</u> The operator(s) shall be responsible for cleaning of any suction strainer heads on the suction lines; installing and adjusting floats on the suction lines to maintain a mixture of heavy sludge and water; moving or making adjustments to the location of suction line while pumping by use of ropes attached to the suction line. The pump operator(s) shall be responsible to insure that the pump is operated at maximum efficiency.

Method of Payment: Payment shall be based on an Hourly Rate (actual hours of pump use).

BUYER CB-23	PAGE 010	REQ. OR PO NO. DEP 14150
SPENDING UNIT		
WEST VIRGINIA DI	EPARTMENT OF EN	VIRONMENTAL
PROTECTION/SPEC	CIAL RECLAMATION	1

4.0 HIGH HEAD TRASH PUMP 6 INCH DIAMETER gas a/o diesel powered with trailer mounting

This pump shall be used for the actual sludge pumping from the treatment ponds to sludge drying cells at higher elevations. Provide Godwin brand self-priming centrifugal 6 inch x 6 inch size pump model#CD160M (or approved equal). Minimum pump specifications include: Solids handling type pump of up to 3 inch diameter spherical solids; Dry running capability; Capable of pumping 800 gpm at 220 feet Total Dynamic Head (TDH); Operate at the pump motor's rated maximum continuous performance (see the pump manufacturer performance curve) for the duration of pumping on site to obtain maximum pumping efficiency.

If a larger pump is utilized than the one specified, it shall be the contractor's responsibility to verify that the pumping rate is equal or greater than described above.

A minimum of 100 feet of suction hose shall be provided with each pump. A minimum of 150 feet of discharge hose shall be provided with each pump. A minimum of one pump shall be available for use at multiple pumping locations in the northern area. All personnel necessary to efficiently and effectively operate the pump shall be included with this bid item unit price. A bolt on type float shall be available for each pump suction line, and at the DEP representative's request, the float may be required to maintain the suction line off of the bottom of the pond. The float may need to be adjusted for each pond, or as a pond is pumped.

<u>Pump Operator(s) Responsibilities:</u> The operator(s) shall be responsible for cleaning of the suction strainer head on the suction line; installing and adjusting the float on the suction line to maintain a mixture of heavy sludge and water; moving or making adjustments to the location of suction line while pumping by use of ropes attached to the suction line. The pump operator(s) shall be responsible to insure that the pump is operated at maximum efficiency.

Method of Payment: Payment shall be based on an Hourly Rate unit price (actual hours of pump use).

5.0 WATER PUMP(S) 3 INCH DIAMETER gas a/o diesel powered

This pump shall be used for certain treatment sites to circulate water in the treatment pond to move the sludge toward the 6 inch pump intake line. This process liquefies the sludge to allow for easier pumping.

A minimum of 100 feet of suction hose shall be provided with the pump. A minimum of 200 feet of discharge hose shall be provided with the pump. The discharge hose shall have an industrial duty wash down nozzle to produce a narrow stream.

<u>Pump Operator(s)</u> Responsibilities: The operator(s) shall be responsible for maintaining the discharge line to effectively circulate fresh water toward the section of the pond with dense sludge; use the wash down nozzle to direct a stream of water in dense sludge areas to move the sludge toward the 6 inch intake line; wash down the entrance rip rap ditches, if requested by the DEP representative.

There will be no payment for mobilization and demobilization for this pump. The setup and dismantle for this pump shall be incidental to this bid item, and there will be no separate payment. All personnel necessary to efficiently and effectively operate the pump(s) shall be included with this bid item unit price. A minimum of two pumps shall be available for use at multiple pumping locations in the northern area.

Method of Payment: Payment shall be based on an Hourly Rate unit price (actual hours of pump use).

6.0 SNOW REMOVAL

Snow removal shall be provided for winter access on gravel-based compacted access roads that lead to treatment sites. A minimum of <u>two trucks</u> shall be available for snow removal at multiple locations, or use of both trucks at one location. The minimum size trucks shall be one (1) ton size pickups with 8 feet wide

BUYER CB-23 REQ. OR PO NO.
CB-23 DEP 14150

SPENDING UNIT
WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL
PROTECTION/SPECIAL RECLAMATION

WV-36 STATE OF WEST VIRGINIA REV. 5-1-08 PURCHASING CONTINUATION SHEET VENDOR:

(minimum) snow blades. The truck and plow operator(s) shall be included with this unit price. Mobilization and demobilization to the site shall be paid with Bid Item # 1.0.

Method of Payment: Payment shall be based on an Hourly Rate unit price.

BUYER CB-23	PAGE O12	REQ. OR PO NO. DEP 14150
SPENDING UNIT	** ************************************	
WEST VIRGINIA	DEPARTMENT OF EN	VIRONMENTAL
PROTECTION/SPI	ECIAL RECLAMATION	V.

BID SCHEDULE

ITEM NO.	QUANTITY	DESCRIPTION	UNIT PRICE	AMOUNT
1.0		Mobilization/Demobilization (Maximum Bid Amount = \$60/HR)	\$60.00 PER HR	\$60,000.00
2.0	200 EA	Setup and Dismantle of 6" Pumps (Maximum Bid Amount = \$300/EA)	\$300_/EA	\$ <u>60,000.0</u> 0
3.0	3000 HRS	Trash Pump(s) 6 inch Dia. Gas a/o DSL powered with trailer mounting Thomp Sol してらこ	\$ 126.75 PER HR	\$380,250.00
4.0		High Head Trash Pump 6 inch Dia. Gas a/o DSL powered with trailer mounting Thompso 675CD - 60687-M	\$ 134.75 PER HR	\$ <u>134,750.</u>)
5.0	500 HRS	Water Pump(s) 3 inch Dia. Gas a/o DSL powered	\$ 12.50 PER HR	\$ <u>6250.00</u>
6.0		Truck(s) with snow blade; minimum 1 ton pickup with 8-foot wide snow blade. (Personnel included)	\$ <u>66.00</u> PER HR	\$ <u>33,000.</u> 0
. ,		TOTAL		\$ 674 , 250.

NOTE:

- 1. All items must be bid and bid in the unit measure specified in the quantity column.
- 2. The quantities are applied for bidding purposes only. Actual quantities shall be based on work performed and may be more or less depending on the necessity for pumping and / or snow removal.
- 3. Bid items #3.0, #4.0, and #5.0 unit prices shall also include all personnel necessary to effectively and efficiently operate each pump(s).
- 4. Please review the Bid Item Technical Specifications for further details of each bid item.

State of West Virginia

VENDOR PREFERENCE CERTIFICATE

Certification and application* is hereby made for Preference in accordance with **West Virginia Code**, §5A-3-37. (Does not apply to construction contracts). **West Virginia Code**, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the **West Virginia Code**. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

Application is made for 2.5% resident vendor preference for the reason checked: Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; or, Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or, Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; or, Application is made for 2.5% resident vendor preference for the reason checked:	of e s y					
Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employee working on the project being bid are residents of West Virginia who have resided in the state continuously for the two year immediately preceding submission of this bid; or,						
Application is made for 2.5% resident vendor preference for the reason checked: Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with a affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,	a e					
Application is made for 5% resident vendor preference for the reason checked: Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or,						
Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guar and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; or,						
Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid an continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees ar residents of West Virginia who have resided in the state continuously for the two immediately preceding years.	d					
Bidder understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the equirements for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalt against such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency ar deducted from any unpaid balance on the contract or purchase order.	ly					
By submission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division an authorizes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has pai he required business taxes, provided that such information does not contain the amounts of taxes paid nor any other information leemed by the Tax Commissioner to be confidential.	id					
Under penalty of law for false swearing (West Virginia Code, §61-5-3), Bidder hereby certifies that this certificate is true and accurate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate changes during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.						
Bidder: SONVICE RUMP & SOPRY Signed:						
Date: 11-17-08 Title: VICE PROSIDENT OF SALCES						

^{*}Check any combination of preference consideration(s) indicated above, which you are entitled to receive.

	014	
Arrest Contraction	45.0	

RFQ	No.	DEP14150
175.00	NO.	DEP14150

STATE OF WEST VIRGINIA Purchasing Division

PURCHASING AFFIDAVIT

VENDOR OWING A DEBT TO THE STATE:

West Virginia Code §5A-3-10a provides that: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

PUBLIC IMPROVEMENT CONTRACTS & DRUG-FREE WORKPLACE ACT:

West Virginia Code §21-1D-5 provides that: Any solicitation for a public improvement construction contract shall require each vendor that submits a bid for the work to submit at the same time an affidavit that the vendor has a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the West Virginia Code. A public improvement construction contract may not be awarded to a vendor who does not have a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the West Virginia Code and who has not submitted that plan to the appropriate contracting authority in timely fashion. For a vendor who is a subcontractor, compliance with Section 5, Article 1D, Chapter 21 of the West Virginia Code may take place before their work on the public improvement is begun.

ANTITRUST:

In submitting a bid to any agency for the state of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the state of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the state of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the state of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership or person or entity submitting a bid for the same materials, supplies, equipment or services and is in all respects fair and without collusion or fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

LICENSING:

Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.

CONFIDENTIALITY:

The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendors should visit www.state.wv.us/admin/purchase/privacy for the Notice of Agency Confidentiality Policies.

Under penalty of law for false swearing (West Virginia Code §61-5-3), it is hereby certified that the vendor acknowledges the information in this said affidavit and is in compliance with the requirements as stated.


Vendor's Name:	SORVICE_	Rump	6 501	CLY		
Authorized Signature:				Date:	11-18-0	5 8
Purchasing Affidavit (Revised 07/0	1/08)					

6" Solids Handling ENVIROPRIME® Pump 6JSCD-DJDS-6068T-M

With its heavy-duty cast-iron construction, ability to dry-prime and re-prime automatically, this end-suction centrifugal pump leads the industry in construction, industrial and mining applications. The Thompson 6JSCD-DJDS-6068T-M ENVIROPRIME® Solids Handling Pump is designed for moderate flows to 1,350 gpm and high heads to 340 feet making it perfect for sewage bypass pumping or general construction dewatering.

Features

- Standard engine John Deere 6068T
- Fully automatic, dry priming to 28 feet.
- Moderate heads to 340 feet; Maximum flows to 1,350 gpm.
- Solids handling to 3"
- Compact unit available with detachable trailer.
 Also available with removable drop-on Silent Knight® sound enclosure
- Maximum operating time is 26 hours @ 2,000 rpm
- ENVIROPRIME® compressor-assisted priming system prevents blow-by allowing pump to be environmentally safe



ENVIRWPRIME®

Thompson's exclusive ENVIROPRIME® dry-priming system works in conjunction with the compressor/venturi priming system to prevent blow-by, such as sewage and waste from discharging onto the ground. The system works automatically, evacuating the air from the suction line during startup, as well as any air or gases introduced into the suction line during the pumping process.

Features and Benefits


- Handles large volumes of air, producing quicker priming times.
- Eliminates need for a venturi waste hose
- Extends the life of the pump by separating air and water, keeping the venturi from clogging and shutting down the system.
- Allows for optional noise suppressor
- This innovative system, along with high efficiency impellers, lessens power requirements resulting in reduced operating costs.



6" Solids Handling ENVIROPRIME® Pump 6JSCD-DJDS-6068T-M



6JSCD-DJDS-6068T-M Dimensions



Materials of Construction

Pump Casing: Heavy-duty class 30 cast-iron Impelier: Dynamically balanced, non-clogging, enclosed, class 30 cast iron with rear-equalizing vanes to reduce axial loading and prolong seal and bearing life: Diameter 14"

Mechanical Seal: 2.5" run-dry oil or grease lubricated with Tungsten Carbide rotating and Silicon Carbide stationary seal faces. Single inside mounted, non-pusher type with self-adjusting elastomeric bellows. Other components are 304 stainless steel and nitrile.

Bearings: Heavy-duty grease lubricated to carry both axial and radial loads.

Bearing Frame: Heavy-duty class 30 cast iron Suction Wear Ring: Replaceable, class 30 cast iron Shaft: 'Stress-proof' steel and fitted with a renewable


416 stainless steel shaft sleeve

Backplate: Rugged, back pull out design, heavy duty

class 30 cast iron with tapered bore design

6JSCD-DJDS-6068T-M **Performance Curve**





Engine Specifications



Engine: John Deere 6068T, 135 hp @ 2,000 rpm Type: 6-cylinder, in-line, 4-cycle, water-cooled, turbo charged, direct-injected, Tier II diesel

Standard Equipment: Alternator, radiator, muffler,

and exhaust stack with rain protection Displacement: 414 cubic inches

Fuel Economy: .378 lb/hp-hr @ 2,000 rpm

Safety Shutdowns: High coolant temperature; Low

oil pressure

Unit Specifications

Fuel Tank Capacity: 140 US gallons Fuel Consumption: 5.36 gallons per hour Maximum Operating Speed: 2,000 rpm Maximum Operating Temperature: 212°F Maximum Working Pressure: 175 psi

Maximum Suction Lift: 28 feet

Maximum Casing Pressure: 350 psi

In the interest of product improvement, Thompson Pump & Manufacturing reserves the right to change specifications without incurring any obligation for equipment previously or subsequently sold. Capacity, Head and Pump Curve are for comparative purposes. Consult engineering data for exact capabilities. 4620 City Center Drive, Port Orange, FL, 32129, USA (800) 767-7310 # Fax (386) 761-0362